
TECHNOLOGY EMPOWERMENT



WISDOM IN LIFE

2022


08:23
°C
TEMP





Model：MLA001

SPECIFICATION:
800x800x35mm


DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Acrylic Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLA018

SPECIFICATION:
600x800x26mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Acrylic Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLA012

SPECIFICATION:
600x800x26mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Acrylic Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLA012

SPECIFICATION:
1000x700x26mm


DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Acrylic Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLA041

SPECIFICATION:
700x900x30mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Acrylic Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Fashionable and concise appearance
Design of Intelligent Touch Switch
Warm and natural light sense
Take you into a quiet life


Model：MLA022
SPECIFICATION:
1000x1000x26mm
DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Acrylic Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLA011

SPECIFICATION:
1200x800x30mm

DESCRIPTION:

1. COPPER-FREE SILVER MIRROR
2. Acrylic Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）




Model：MLSS023

SPECIFICATION:
600x1000x32mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）








Model：MLSS002B

SPECIFICATION:
900x900x26mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLSS002A

SPECIFICATION:
1000x1000x37mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLSS063

SPECIFICATION:
1370x1000x40mm

DESCRIPTION:

1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLSS012

SPECIFICATION:
600x1200x32mm

DESCRIPTION:

1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）




Model：MLSS022

SPECIFICATION:
700x1000x37mm

DESCRIPTION:

1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLSS011E

SPECIFICATION:
600x1200x33mm

DESCRIPTION:


1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLSS052A

SPECIFICATION :
700x1200x37mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLSS052B

SPECIFICATION:
700x1200x37mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLSS042

SPECIFICATION:
700x900x32mm

DESCRIPTION:

1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）




Model：MLSS022E

SPECIFICATION:
1000x800x36mm

DESCRIPTION:

1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）
5. Openwork design on the upper and lower parts



Model：MLSS083

SPECIFICATION:
600x1200x37mm


DESCRIPTION:

1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）











Model：MLSS021E

SPECIFICATION:
700x1100x100mm

DESCRIPTION:

1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）
5. Openwork design on the lower parts
6. Shelf Tray at the bottom

Model：MLSS061E

SPECIFICATION:
600x1800x40mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）








Model：MLSS061E

SPECIFICATION:
600x1800x40mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



A mirror that automatically updates the weather with WiFi



Model：MLH011L

SPECIFICATION:
500x1500x25mm

DESCRIPTION:

1. COPPER-FREE SILVER MIRROR
2. Aluminium Frame
3. CCT: 6000K/3000k
4. Switch（Touch，WIFI Weather Module，Hand- sweep)
5. Dress Mirror



Model：MLH018G

SPECIFICATION :
600x1200x33mm

DESCRIPTION:

1. COPPER-FREE SILVER MIRROR
2. Aluminium Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）







Model：MLH012J

SPECIFICATION:
1000x700x35mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Aluminium Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）






Model：MLH002P

SPECIFICATION :
800x800x37mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Aluminium Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLH003P

SPECIFICATION :
900x900x37mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Aluminium Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLH011K

SPECIFICATION :
900x900x37mm

DESCRIPTION:

1. COPPER-FREE SILVER MIRROR
2. Aluminium Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLH012l

SPECIFICATION :
800x1000x38mm

DESCRIPTION:

1. COPPER-FREE SILVER MIRROR
2. Aluminium Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）

Air Purification Mirror



Model：MLK017A

SPECIFICATION :
1000x800x45mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Stainless Steel Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）
5. Air Purifiers



Model：MLK0170

SPECIFICATION :
1000x800x50mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. Aluminium Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）
5. Air Purifiers

Automatic disinfection and intelligent sterilization mirror

净化消毒，除臭增氧，消除疲劳

创新原理，专利技术

为您打造更干净健康的生活空间

Purification,sterilization,increase oxygen content

Innovation principle,patented technology

Eliminate fatigue,create a clean and healthy space for you


证书号第9979157号

实用新型专利证书

实用新型名称：一种新型镜子空气净化器

发 明 人：

专 利 号：ZL 2019 2 0296774.1

专利申请日：2019年03月09日

专 利 权 人：

地 址：

授权公告日：2020年01月24日　　授权公告号：CN 209985056 U

国家知识产权局依照中华人民共和国专利法经过初步审查，决定授予专利权，颁发实用新型专利证书并在专利登记簿上予以登记。专利权自授权公告之日起生效。专利权的期限为十年，自申请日起算。


专利证书记载专利权登记时的法律状况。专利权的转移、质押、无效、终止、恢复和专利权人的姓名或名称、国籍、地址变更等事项记载在专利登记簿上。

局长
申长雨

2020年01月24日

第 1 页(共 2 页)

其他事项参见背面


广微测 Gmicro Testing

广东省微生物分析检测中心
GUANGDONG DETECTION CENTER OF MICROBIOLOGY

分 析 检 测 报 告
REPORT FOR ANALYSIS

报告编号 Report No.　2020FM18146R01

样品名称 Name of Sample　空气净化智能镜

委托单位 Applicant

检测类型 Test Type　委托检测

单位地址：广州市先烈中路100号大院66号楼
Address: Building 66, No.100 Central Xianlie Rd.Road, Guangzhou, China
邮政编码：510070
Postcode:
电话号码：(020)87137666
Tel:
传真号码：(020)87137668
Fax:
网　址：www.gddcm.com
Website

第 1 页 共 5 页


广微测 Gmicro Testing

广东省微生物分析检测中心
GUANGDONG DETECTION CENTER OF MICROBIOLOGY
分 析 检 测 报 告
REPORT FOR ANALYSIS

报告编号（Report No.）：2020FM18146R01 检验码（Verification Code）：58361947

样品名称 Name of Sample	空气净化智能镜	检测类型 Test Type	委托检测
委托单位 Applicant		地　址 Address	
样品来源 Sample Source	委托方送检	样品数量 Sample Quantity	1 件
样品规格和批号 Spec. and Lot. No. of Sample	27X3	样品状态和特性 State and Characteristic	固体
收样日期 Sample Received Date	2020-06-30	检测完成日期 Completion Date	2020-07-13
检测依据和方法 Test Standard and Method	QB/T 2761-2006		
检测项目 Item Tested	甲醛去除率等		
检测结论 Test Conclusion	送检样品所检项目的实测数据见本检测报告续页。		
备注 Remarks			

签发日期 Date of Issue：2020-07-18

制表 Editor　审核 Verifier　批准 Approver

第 2 页 共 5 页


广微测 Gmicro Testing

广东省微生物分析检测中心
GUANGDONG DETECTION CENTER OF MICROBIOLOGY
分 析 检 测 结 果
ANALYSIS AND TEST RESULT


报告编号（Report No.）：2020FM18146R01

测试污染物	作用时间	检测结果 空白试验检测浓度值 (mg/m³)	检测结果 样品试验检测浓度值 (mg/m³)	去除率 (%)
甲醛	24h	1.12	0.076	93.2
氨	24h	2.10	0.205	90.2

（以下空白）

备注 Remarks　杆机通电后在 1.5m³ 试验舱内进行试验。

第 3 页 共 5 页


广微测 Gmicro Testing

广东省微生物分析检测中心
GUANGDONG DETECTION CENTER OF MICROBIOLOGY
分 析 检 测 结 果
ANALYSIS AND TEST RESULT


报告编号（Report No.）：2020FM12117R01

作用时间	测试微生物	序号	空气中细菌总数 (cfu/m³)	杀灭率 (%)
0（CK）	白色葡萄球菌（Staphylococcus albus）8032	1	4.5×10^4	
		2	4.2×10^4	
		3	4.0×10^4	
2h	白色葡萄球菌（Staphylococcus albus）8032	1	$<9.1\times10^2$	>99.94
		2	$<9.1\times10^2$	>99.94
		3	$<9.1\times10^2$	>99.94

（以下空白）

备注 Remarks　1.方法简述:在空间 1m³ 的试验舱内,即在实验室试验的条件下,启动送检样品作用 2h 后,用液体撞击式微生物气溶胶采样器以 11L/min 的流量进行采样,采样液的体积为 20mL,试验前与对照组的采样时间均为 2min。
2.杀灭率试验结果已消除微生物在空气中自然消亡因素的影响。

第 4 页 共 5 页


广微测 Gmicro Testing

报告编号（Report No.）：2020FM18146R01

注意事项
Notice Items

1. 检测报告无本单位检验检测专用章、骑缝章无效。
The Test report is invalid if not affixed with Authorized Stamp of Test and Paging Seal.
2. 检测报告无审核人、批准人签字无效。
The Test report is invalid without signature of verifier and approver.
3. 检测报告涂改增删无效。
The Test report is invalid if being supplemented, deleted or altered.
4. 未经本单位书面同意，不得部分复制（全部复制除外）本检测报告。
Without prior written permission, the report cannot be reproduced, except in full.
5. 除非另有说明，本报告检验结果仅对来样负责。
Unless otherwise stated, the results shown in this test report refer only to the sample(s) submitted.
6. 对检测报告有异议的，应于收到报告之日起十五日内提出，逾期不予受理。
Any dispute of the report must be raised to the testing body within 15 days after the report is received, exceeding which the dispute will not be accepted.
7. 对送检样品，样品信息由委托方提供，本单位不对其真实性负责。
For the tested sample(s) submitted by the applicant, the sample information in the test report is provided by the applicant and the laboratory is not responsible for its authenticity.

第 5 页 共 5 页


男洗手间
Men




Model：MLY003R

SPECIFICATION :
1000x1000x30mm

DESCRIPTION:

1. COPPER-FREE SILVER MIRROR
2. No Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLY023T

SPECIFICATION :
700x1100x26mm

DESCRIPTION:

1. COPPER-FREE SILVER MIRROR
2. No Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLY043Q

SPECIFICATION :
700x1100x30mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. No Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLY042T

SPECIFICATION :
700x900x26mm


DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. No Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLY012N

SPECIFICATION :
600x800x34mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. No Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth ，Hand-sweep）



Model：MLY012N

SPECIFICATION :
900x700x34mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. No Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth ，Hand-sweep）



Model：MLY04T

SPECIFICATION :
900x900x42mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. No Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Hand-sweep）



Model：MLY012M

SPECIFICATION :
1000x800x42mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. No Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLY017N

SPECIFICATION :
1000x700x34mm

DESCRIPTION:

1. COPPER-FREE SILVER MIRROR
2. No Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth
，Hand-sweep）



Model：MLY003T

SPECIFICATION:
900x900x26mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. No Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLY061T

SPECIFICATION :
900x700x26mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. No Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLY011S

SPECIFICATION :
1100x900x40mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. No Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）



Model：MLY013Q

SPECIFICATION:
600x800x35mm

DESCRIPTION:
1. COPPER-FREE SILVER MIRROR
2. No Frame
3. CCT: 6000K/3000k
4. SWITCH（Touch，Sensor，Bluetooth，Hand-sweep）