



















































Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(1)	Pipe 2	1	Source 4 36deg 575w	Warm Front Light	 R02	140	
(2)	Pipe 2	3	Source 4 36deg 575w	Warm Front Light	 R02	101	
(3)	Pipe 2	5	Source 4 36deg 575w	Warm Front Light	 R02	71	
(4)	Pipe 2	7	Source 4 36deg 575w	Warm Front Light	 R02	32	
(5)	Pipe 4	1	Source 4 36deg 575w	Warm Front Light	 R02	135	
(6)	Pipe 4	3	Source 4 36deg 575w	Warm Front Light	 R02	98	
(7)	Pipe 4	5	Source 4 36deg 575w	Warm Front Light	 R02	70	
(8)	Pipe 4	7	Source 4 36deg 575w	Warm Front Light	 R02	29	
(9)	Pipe 6	1	Source 4 36deg 575w	Warm Front Light	 R02	133	
(10)	Pipe 6	3	Source 4 36deg 575w	Warm Front Light	 R02	97	
(11)	Pipe 6	5	Source 4 36deg 575w	Warm Front Light	 R02	66	
(12)	Pipe 6	7	Source 4 36deg 575w	Warm Front Light	 R02	26	
(21)	Pipe 2	2	Source 4 36deg 575w	Cool Front Light	 R360	138	
(22)	Pipe 2	4	Source 4 36deg 575w	Cool Front Light	 R360	100	
(23)	Pipe 2	6	Source 4 36deg 575w	Cool Front Light	 R360	73	
(24)	Pipe 2	8	Source 4 36deg 575w	Cool Front Light	 R360	34	
(25)	Pipe 4	2	Source 4 36deg 575w	Cool Front Light	 R360	137	

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(26)	Pipe 4	4	Source 4 36deg 575w	Cool Front Light	 R360	99	
(27)	Pipe 4	6	Source 4 36deg 575w	Cool Front Light	 R360	68	
(28)	Pipe 4	8	Source 4 36deg 575w	Cool Front Light	 R360	30	
(29)	Pipe 6	2	Source 4 36deg 575w	Cool Front Light	 R360	132	
(30)	Pipe 6	4	Source 4 36deg 575w	Cool Front Light	 R360	96	
(31)	Pipe 6	6	Source 4 36deg 575w	Cool Front Light	 R360	67	
(32)	Pipe 6	8	Source 4 36deg 575w	Cool Front Light	 R360	27	
(41)	Pipe 7	1	Source 4 PARNel 575w	Warm Top	 R41	151	
(42)	Pipe 7	3	Source 4 PARNel 575w	Warm Top	 R41	112	
(43)	Pipe 7	6	Source 4 PARNel 575w	Warm Top	 R41	82	
(44)	Pipe 7	8	Source 4 PARNel 575w	Warm Top	 R41	46	
(45)	Pipe 10	1	Source 4 PARNel 575w	Warm Top	 R41	127	
(46)	Pipe 10	3	Source 4 PARNel 575w	Warm Top	 R41	92	
(47)	Pipe 10	5	Source 4 PARNel 575w	Warm Top	 R41	61	
(48)	Pipe 10	7	Source 4 PARNel 575w	Warm Top	 R41	22	
(49)	Pipe 12	1	Source 4 PARNel 575w	Warm Top	 R41	124	
(50)	Pipe 12	3	Source 4 PARNel 575w	Warm Top	 R41	90	
(51)	Pipe 12	5	Source 4 PARNel 575w	Warm Top	 R41	58	
(52)	Pipe 12	7	Source 4 PARNel 575w	Warm Top	 R41	18	
(61)	Pipe 7	2	Source 4 PARNel 575w	Cool Top	 R65	152	
(62)	Pipe 7	4	Source 4 PARNel 575w	Cool Top	 R65	113	
(63)	Pipe 7	7	Source 4 PARNel 575w	Cool Top	R65	83	

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(64)	Pipe 7	9	Source 4 PARNel 575w	Cool Top	 R65	47	
(65)	Pipe 10	2	Source 4 PARNel 575w	Cool Top	 R65	128	
(66)	Pipe 10	4	Source 4 PARNel 575w	Cool Top	 R65	93	
(67)	Pipe 10	6	Source 4 PARNel 575w	Cool Top	 R65	62	
(68)	Pipe 10	8	Source 4 PARNel 575w	Cool Top	 R65	21	
(69)	Pipe 12	2	Source 4 PARNel 575w	Cool Top	 R65	123	
(70)	Pipe 12	4	Source 4 PARNel 575w	Cool Top	 R65	91	
(71)	Pipe 12	6	Source 4 PARNel 575w	Cool Top	 R65	59	
(72)	Pipe 12	8	Source 4 PARNel 575w	Cool Top	 R65	19	
(81)	Pipe 9	1	S4 PAR WFL 575w	Warm Back	 R20	149	
(82)	Pipe 9	3	S4 PAR WFL 575w	Warm Back	 R20	110	
(83)	Pipe 9	5	S4 PAR WFL 575w	Warm Back	 R20	80	
(84)	Pipe 9	7	S4 PAR WFL 575w	Warm Back	 R20	43	
(85)	Pipe 11	1	S4 PAR WFL 575w	Warm Back	 R20	145	
(86)	Pipe 11	3	S4 PAR WFL 575w	Warm Back	 R20	107	
(87)	Pipe 11	5	S4 PAR WFL 575w	Warm Back	 R20	78	
(88)	Pipe 11	7	S4 PAR WFL 575w	Warm Back	 R20	40	
(89)	Pipe 13	1	S4 PAR WFL 575w	Warm Back	 R20	143	
(90)	Pipe 13	3	S4 PAR WFL 575w	Warm Back	 R20	104	
(91)	Pipe 13	5	S4 PAR WFL 575w	Warm Back	 R20	76	
(92)	Pipe 13	7	S4 PAR WFL 575w	Warm Back	 R20	38	
(101)	Pipe 9	2	S4 PAR WFL 575w	Cool Back	 R362	150	
(102)	Pipe 9	4	S4 PAR WFL 575w	Cool Back	 R362	111	
(103)	Pipe 9	6	S4 PAR WFL 575w	Cool Back	 R362	81	
(104)	Pipe 9	8	S4 PAR WFL 575w	Cool Back	 R362	44	
(105)	Pipe 11	2	S4 PAR WFL 575w	Cool Back	 R362	146	

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
(106)	Pipe 11	4	S4 PAR WFL 575w	Cool Back	<input checked="" type="radio"/> R362	108	
(107)	Pipe 11	6	S4 PAR WFL 575w	Cool Back	<input checked="" type="radio"/> R362	79	
(108)	Pipe 11	8	S4 PAR WFL 575w	Cool Back	<input checked="" type="radio"/> R362	41	
(109)	Pipe 13	2	S4 PAR WFL 575w	Cool Back	<input checked="" type="radio"/> R362	144	
(110)	Pipe 13	4	S4 PAR WFL 575w	Cool Back	<input checked="" type="radio"/> R362	105	
(111)	Pipe 13	6	S4 PAR WFL 575w	Cool Back	<input checked="" type="radio"/> R362	77	
(112)	Pipe 13	8	S4 PAR WFL 575w	Cool Back	<input checked="" type="radio"/> R362	37	
(201)	Pipe 5	2	ETC Source4 19deg+Light Acc C Clamp 575w	Roaming Hotspot		85	
(202)	Pipe 5	3	ETC Source4 19deg+Light Acc C Clamp 575w	Roaming Hotspot		84	
(203)	Pipe 7	5	ETC Source4 19deg+Light Acc C Clamp 575w	Typewriter Special		95	
(501)	Ground	4	Altman Spectra CYC 50+ Light Acc C Clamp 50w	Window Color		Cpo	2/30
(502)	Ground	3	Altman Spectra CYC 50+ Light Acc C Clamp 50w	Window Color		Cpo	2/20
(503)	Ground	2	Altman Spectra CYC 50+ Light Acc C Clamp 50w	Window Color		Cpo	2/10
(504)	Ground	1	Altman Spectra CYC 50+ Light Acc C Clamp 50w	Window Color		Cpo	2/1
(601)	Pipe 3	1	ETC Source4 S3 36deg+Light Acc C Clamp 307w	Wall Wash	<input type="radio"/> R104	Cpo	3/1
(602)	Pipe 3	2	ETC Source4 S3 36deg+Light Acc C Clamp 307w	Wall Wash	<input type="radio"/> R104	Cpo	3/121
(701)	Pipe 10	3	ETC Source4 50deg+Light Acc C Clamp 575w	Gobo Wall Wash	T: R77570	145	
(702)	Pipe 10	8	ETC Source4 50deg+Light Acc C Clamp 575w	Gobo Wall Wash	T: R77570	42	

Items WITHOUT Channel

Channel	Position	U#	Inst Type & Access & Load	Purpose	Clr & Gbo	Dim	Addr
			Altman Spectra CYC 50+ Light Acc C Clamp 50w				
			ETC Source4 50deg+Light Acc C Clamp 575w				
			ETC Source4 19deg+Light Acc C Clamp 575w				
			Source 4 36deg 575w				
			"				
			ETC Source4 S3 36deg+Light Acc C Clamp 307w				
			ETC Source4 36deg+Light Acc C Clamp 575w				
			Source 4 50deg 575w				
			ETC CE Source4 PAR MCM (WFL)+Light Acc C Clamp 575w				
			ETC Source4 PARNel+Light Acc C Clamp 575w				
	Pipe 5		I-Cue				2/301
	"		"				2/305