




Wong-Baker FACES Pain Rating Scale

Age	Weight	ET Tube*	Suction	NG Tube	Maintenance IV Rate
NB	3.5 kg	3.5	8 Fr	10 Fr	15 ml/hr
6 months	7 kg	4.0	8 Fr	10 Fr	30 ml/hr
1 year old	10 kg	4.5	8 Fr	10 Fr	40 ml/hr
2 year old	12 kg	5.0	8 - 10 Fr	10 - 12 Fr	45 ml/hr
3 year old	14 kg	5.0	10 Fr	12 Fr	50 ml/hr
4 year old	16 kg	5.5	10 Fr	12 Fr	55 ml/hr
5 year old	18 kg	5.5	10 Fr	12 Fr	60 ml/hr
6 year old	21 kg	6.0	10 Fr	12 Fr	63 ml/hr
7 year old	24 kg	6.0	10 Fr	12 Fr	66 ml/hr
8 year old	27 kg	6.5	10 - 12 fr	14 Fr	68 ml/hr
9 year old	28 kg	6.5	12 Fr	14 Fr	70 ml/hr
10 year old	30 kg	7.0	12 Fr	14 Fr	70 ml/hr

*ET Tube sizes are Approximate. One size larger or smaller may be needed.

	Asthma	Bronchiolitis
Site of Obstruction	Bronchospasm or narrowing of the small airways	Inflammatory infection of the small airways
Etiology	Varies	Viral infection (RSV), most often in winter and early spring
Age range	Varies	Usually less than 2 years
Clinical Appearance	MILD Cough, tachypnea, tachycardia, plus nasal congestion, mild retractions, audible wheezing	Mild Same as Asthma
Severe Anxious, obtunded, pale, cyanotic, unable to talk, diminished to no air exchange, severe retractions, wheezing may or may not be present.		Severe Same as Asthma

Pediatric Normal Vital Signs

