# VILLAGE/TOWN OF BLOOMFIELD

<u>VILLAGE</u>: PO BOX 609 – <u>TOWN</u>: PO BOX 704, PELL LAKE, WI 53157 Planning and Zoning Office (262) 279-6039 Ext. 6 • Fax (262) 279-0196

# **Final Subdivision Plat Checklist**

Contact Type	Contact Information
Village/Town Hall Telephone Number	(262)-279-6039
Bloomfield Engineers Kapur & Associates	(262)-767-2747

Revised \_\_\_\_\_

#### Date:

Parcel Identification Number:\_\_\_\_\_\_ Location of Parcel:\_\_\_\_\_\_

#### APPLICANT INFORMATION

Name	Address	Zip
Telephone	Fax	E-mail Address
SURVEYOR INFORM	MATION	
Name	Address	Zip
Telephone	Fax	E-mail Address

GENERAL: A Final Plat prepared by a registered land surveyor shall be required for all subdivisions. It shall comply in all respects with the requirements of Section 236.20 of the Wisconsin Statutes.

ADDITIONAL INFORMATION. The Plat shall show correctly on its face, in addition to the information required by Section 236.20 of the Wisconsin Statutes, the following information below:

## VILLAGE/TOWN OF BLOOMFIELD

<u>VILLAGE</u>: PO BOX 609 – <u>TOWN</u>: PO BOX 704, PELL LAKE, WI 53157 Planning and Zoning Office (262) 279-6039 Ext. 6 • Fax (262) 279-0196

### Village/Town of Bloomfield Requirements

OK	N/A	See Com	ments
1.			Exact Length and Bearing of the centerline of all streets.
2.			Railroad rights-of-way within and abutting the plat.
3.			Setbacks or building lines if required by the Village/Town Plan Commission or other ordinances.
4.			Utility and/or drainage easements.
5.			All lands reserved for future public acquisition or reserved for the common use of property owners within the plat and provisions and plans for its use and maintenance.
6.			Special restrictions required by the Village/Town Plan Commission relating to access control along public ways, delineation of floodland limits, or to the provision of planting strips.
7.			Additional building setback lines required by the Village/Town Plan Commission which are more restrictive than the zoning district in which the plat is located or which are proposed by the subdivider and which are to be included in recorded protective covenants.
8.			Additional yards required by the Village/Town Plan Commission which are more restrictive than the zoning district in which the plat is located or which are proposed by the subdivider and which are to be included in recorded protective covenants.
9.			Floodland and shoreland boundaries and the contour line lying a vertical distance of two (2) feet above the elevation of the one hundred (100) year recurrence interval flood or, where such data is not available, a vertical distance of five (5) feet above the elevation of the maximum flood of record.
10.			Where the Village/Town Plan Commission finds that it requires additional information relative to a particular problem presented by a proposed development to review the final plat, it shall have the authority to request in writing such information from the subdivider.
11.			Maximum error of closure before adjustment of the survey of the exterior boundaries of the subdivision shall not exceed, in horizontal distance or position, the ratio of one (1) part in 10,000, nor in azimuth, four (4) seconds of arc per interior angle.

## VILLAGE/TOWN OF BLOOMFIELD

<u>VILLAGE</u>: PO BOX 609 – <u>TOWN</u>: PO BOX 704, PELL LAKE, WI 53157 Planning and Zoning Office (262) 279-6039 Ext. 6 • Fax (262) 279-0196

OK N/A See Comments

12.

13.

All final plats shall meet all the surveying and monumenting requirements of Section 236.15 of the Wisconsin Statutes.

Where the Plat is located within a U.S. Public Land Survey quartersection, the corners of which have been relocated, monumented and coordinated by the Wisconsin Department of Transportation, the Southeastern Wisconsin Regional Planning Commission, or any County, City, Village or Village/Town, the Plat shall be tied directly to one of the section or quarter corners so relocated, monumented and coordinated. The exact grid bearing and distance of such tie shall be determined by field measurements, and the material and Wisconsin state plane coordinates of the monument marking the relocated section or quarter corner, to which the Plat is tied, shall be indicated on the Plat. The grid bearing and distance of the tie shall be determined by a closed survey meeting the error of closure herein specified for the survey of the exterior boundaries of the subdivision. All distances and bearings shall be referenced directly to the Wisconsin Coordinate System, South Zone, and adjusted to the control survey.

14. All final plats shall provide all the certificates required by Section 236.21 of the Wisconsin Statutes. The surveyor's certificate shall contain a description of the survey beginning at the U.S. Public Land Survey corner to which the survey is tied.

- 15. The Final Plat shall only be recorded with the County Register of Deeds after the certificates have been signed by the Director of the Planning Function in the Wisconsin Department of Administration, the Village/Town Board, the Surveyor, and those certificates required by Section 236.21 of the Wisconsin Statutes are placed on the face of the plat. The plat shall be recorded within 30 days of its approval by the Village/Town Board.
- 16. Where the Village/Town Plan Commission finds that it requires additional information relative to a particular problem presented by a proposed development to review the certified survey map, it shall have the authority to request in writing, such information from the subdivider.

Received By:	Date:
Reviewed By:	Date: