DAS COMPOSITE VEHICLE

TEST INFORMATION

FOR THE

ADVANCED DRIVER ASSISTANCE SYSTEMS (ADAS) SPECIALIST (L4) TEST

- OVERVIEW
- TEST SPECIFICATIONS
- TASK LIST
- SAMPLE QUESTIONS
- INDUSTRY TRAINING



ASE ADVANCED DRIVER ASSISTANCE SYSTEMS (ADAS) SPECIALIST (L4) TEST

Contents

Introduction	<u>3</u>
Test Specifications	<u>4</u>
Task List	<u>5</u>
Sample Questions	<u>8</u>
Industry Training	11



INTRODUCTION

<u>IMPORTANT!</u> This guide must be used in conjunction with the *L4 Composite Vehicle Type 1* Reference Booklet (download at <u>www.ase.com/ase-study-guides</u>). The booklet describes a generic vehicle powertrain control system and will be available as a pop-up reference during the test, but familiarizing yourself with the contents beforehand is a key to success. A significant number of the questions on the test will require you to use this reference.

Use this *Official ASE Study Guide* to prepare for the ASE Advanced Driver Assistance Systems Specialist (L4) Test. This document contains general information, the Test Specification, the Task List, sample questions, and test preparation resources for this test.

The Test Specification in this study guide is determined by working professionals and technical experts and lists the main content covered by the test and the number of test questions devoted to each topic.

The Task List is developed by working professionals and technical experts, and it spells out the technical knowledge and skills required for success on this test. The Task List provides a valuable checklist of what you should know. Every question on the test represents one or more of these tasks, although some tasks may not appear on the version of the test that you see. To improve chances of success, use the Task List to identify weak areas and to select learning resources.

The sample questions show the several types of multiple-choice question formats used on an actual ASE test. Some questions have special instructions; those same instructions will appear with similar questions on the ASE tests. If you are a native Spanish speaker, be aware that all ASE tests have a pop-up English-to-Spanish glossary.

ASE certification requires successful completion of the test and documentation of relevant work experience (3 years for this test). Appropriate vocational training may count toward part of the work experience requirement. Visit www.workexp.ase.com/FormInstr.aspx for more details.

For more information about ASE tests in general and the ASE Certification process, download ASE Certification: Need to Know at www.ase.com/ase-study-guides.

How Long are the Tests?

Advanced Driver Assistance Systems (ADAS) Specialist Test					
Test	Name	Number of questions	Testing time		
L4	Advanced Engine Performance Specialist	50 total/40 scored *	2 hrs/120 mins		
The L4 test was launched in 2022; no recertification test is available at this time.					

^{*} To gather the performance statistics required for use in the scored section of future tests, each CERTIFICATION test contains 10 questions that are not counted for score. Since you don't know which questions those are, you need to answer every question.

TEST SPECIFICATIONS ADVANCED DRIVER ASSISTANCE SYSTEMS (ADAS) SPECIALIST (L4) TEST

		Questions	Percentage	
	Content Area	in Test	of Test	
A.	General ADAS Service and Diagnosis	14	35%	
В.	Camera-Based Systems Service and Diagnosis	10	25%	
C.	RADAR-Based Systems Service and Diagnosis	12	30%	
D.	Ultrasonic (Sonar)-Based Systems Service and Diagnosis	4	10%	
	Total	40*	100%	

*Note: The L4 CERTIFICATION test will contain 10 additional questions (50 questions total) included to gather statistics needed for future possible inclusion as scored items. Your answers to these questions will not affect your score, but since you do not know which ones they are, you should answer all questions in the test.

The certification period is 5 years. Since the L4 test was launched in 2022, no RECERTIFICATION test is available at this time.

TASK LIST ADVANCED DRIVER ASSISTANCE SYSTEMS (ADAS) SPECIALIST (L4) TEST

A. General ADAS Service and Diagnosis (14 questions)

- 1. Inspect for damaged, missing, obstructed, modified, customized, inoperative, previously repaired or add-on vehicle components that could affect the performance of an ADAS system (including the use of non-factory specified components).
- 2. Determine repairability of body components that would affect the operation of an ADAS component.
- 3. Determine repairability of damaged components and related mounting locations.
- 4. Research applicable vehicle and service information, such as vehicle service history, service precautions, technical service bulletins, and service campaigns/recalls.
- 5. Research and identify ADAS intersystem design/configuration action with other vehicle systems (i.e., Braking, Steering, Powertrain, Active Suspension, Restraints, and TPMS).
- 6. Verify vehicle concern and/or conduct vehicle pre-scan; determine vehicle equipment/options.
- 7. Use scan tool data, bi-directional controls, freeze frame data and/or diagnostic trouble codes (DTCs) to diagnose electronic systems; interpret readings and determine needed action.
- 8. Read and interpret electrical schematic diagrams and symbols.
- 9. Check voltage and voltage drop in electrical/electronic circuits; interpret readings and determine needed action.
- 10. Check current flow in electrical/electronic circuits; interpret readings and determine needed action.
- 11. Check continuity and resistances in electrical/electronic circuits and components; interpret readings and determine needed action.
- 12. Check electronic circuit waveforms; interpret readings and determine needed action.
- 13. Inspect, test, and replace components, connectors, terminals, wiring, fusible links, circuit breakers, fuses, diodes, and current limiting devices; determine needed action.
- 14. Remove and replace components and modules; program, reprogram, code, initialize, and/or configure as needed.
- 15. Diagnose faults and failures in ADAS such as Camera, Radar, Ultrasonic (Sonar), LiDAR, Infrared, GPS, Head- Up Display, Driver Monitoring Systems, etc.
- 16. Diagnose failures in the data bus communications network(s); determine needed action.
- 17. Determine root cause of faults.
- 18. Identify calibration procedures (dynamic and/or static).
- 19. Identify tooling required for calibration; identify proper calibration environment.
- 20. Perform component alignment and calibration setup using tape measure, level, laser, square, string and/ or plumb bob. Perform conversion of units of measurement (standard, metric, etc.).
- 21. Determine the cause(s) of incorrect, incomplete or unsuccessful ADAS calibration; determine needed actions.
- 22. Conduct a post–repair vehicle scan. Verify effectiveness of repairs.
- 23. Research and identify ADAS components, system design, configuration, and available options.

B. Camera-Based Systems Service and Diagnosis (10 questions)

- 1. Verify concern and/or vehicle condition; determine if any concerns are part of normal system operation, the result of a malfunction, or the result of a previous service.
- 2. Inspect and test for missing, obstructed, modified, inoperative, tampered, or previously repaired components.
- 3. Research system description using technical information to determine system components, locations, and operation. Identify installed vehicle options.
- 4. Identify system operation using service information; determine diagnostic procedure and whether available information is adequate to proceed with effective diagnosis.
- 5. Research system to determine the enable criteria for setting and clearing diagnostic trouble codes (DTCs) and warning/malfunction indicator(s).

L4 TASK LIST (CONTINUED)

- 6. Interpret scan tool data stream, diagnostic trouble codes (DTCs), and freeze frame data to determine system condition.
- 7. Check electronic circuit waveforms; interpret readings and determine needed action.
- 8. Inspect, test, repair or replace components, connectors, terminals and wiring.
- 9. Diagnose failures in data communications bus network(s), determine needed action.
- 10. Remove and replace components and modules; program, reprogram, code, initialize, and/or configure as needed.
- 11. Identify need for calibration (dynamic and/or static).
- 12. Perform calibration setup including proper placement of target(s) as required; perform calibration in accordance with manufacturer specifications.
- 13. Identify optical axis misalignment and/or interference; identify mounting or structural issues which may impact or affect camera sensor calibration and/or operation; determine needed action.
- 14. Determine the cause(s) of incorrect, incomplete or unsuccessful system calibration including environmental interference issues: determine needed actions.
- 15. Verify for accurate calibration, confirm repair, and road test in accordance with vehicle manufacturer procedures.
- 16. Conduct a post–repair vehicle scan. Verify effectiveness of repairs.

C. RADAR-Based Systems Service and Diagnosis (12 questions)

- 1. Verify concern and/or vehicle condition; determine if any concerns are part of normal system operation, the result of a malfunction, or the result of a previous service.
- 2. Inspect and test for missing, obstructed, modified, inoperative, tampered, or previously repaired components.
- 3. Research system description using service information to determine system components, locations, and operation. Identify installed vehicle options.
- 4. Identify system operation using service information; determine diagnostic procedure and whether available information is adequate to proceed with effective diagnosis.
- 5. Research system to determine the enable criteria for setting and clearing diagnostic trouble codes (DTCs) and warning/malfunction indicator(s).
- 6. Interpret scan tool data stream, diagnostic trouble codes (DTCs), and freeze frame data to determine system condition.
- 7. Check electronic circuit waveforms; interpret readings and determine needed action.
- 8. Inspect, test, repair or replace components, connectors, terminals, and wiring.
- 9. Diagnose failures in data communications bus network(s); determine needed action.
- 10. Remove and replace components and modules; program, reprogram, code, initialize, and/or configure as needed.
- 11. Identify need for calibration (dynamic and/or static); perform calibration setup including proper placement of target(s); perform calibration in accordance with manufacturer specifications.
- 12. Identify mechanical alignment, mounting, paint refinishing, body repair, and structural issues which may affect calibration and/or operation; determine needed action.
- 13. Determine the cause(s) of incorrect, incomplete or unsuccessful system calibration including environmental interference issues; determine needed actions.
- 14. Verify for accurate calibration, confirm repair, and road test in accordance with vehicle manufacturer procedures.
- 15. Conduct a post-repair vehicle scan. Verify effectiveness of repairs.

D. Ultrasonic (Sonar)-Based Systems Service and Diagnosis (4 questions)

- 1. Verify concern and/or vehicle condition; determine if any concerns are part of normal system operation, the result of a malfunction, or the result of a previous service.
- 2. Inspect and test for missing, obstructed, modified, inoperative, tampered, or previously repaired components.

L4 TASK LIST (CONTINUED)

- 3. Research system description using service information to determine system components, locations and operation. Identify installed vehicle options.
- 4. Identify system operation using service information; determine diagnostic procedure and whether available information is adequate to proceed with effective diagnosis.
- 5. Research system to determine the enable criteria for setting and clearing diagnostic trouble codes (DTCs) and warning/malfunction indicator(s).
- 6. Interpret scan tool data stream, diagnostic trouble codes (DTCs) and freeze frame data to determine system condition.
- 7. Check electronic circuit waveforms; interpret readings and determine needed action.
- 8. Inspect, test, repair or replace components, connectors, terminals and wiring.
- 9. Diagnose failures in data communications bus network(s), determine needed action.
- 10. Remove and replace components and modules; program, reprogram, code, initialize, and/or configure as needed.
- 11. Identify need for calibration (dynamic and/or static); perform calibration setup including proper placement of target(s); perform calibration in accordance with manufacturer specifications.
- 12. Identify mechanical alignment, mounting, paint refinishing, body repair, and structural issues which may affect ultrasonic sensor calibration and/or operation; determine needed action.
- 13. Determine the cause(s) of incorrect, incomplete or unsuccessful system calibration including environmental interference issues; determine needed actions.
- 14. Verify for accurate calibration, confirm repair, and road test in accordance with vehicle manufacturer procedures.
- 15. Conduct a post-repair vehicle scan. Verify effectiveness of repairs. □

SAMPLE QUESTIONS ADVANCED DRIVER ASSISTANCE SYSTEMS (ADAS) SPECIALIST (L4) TEST

Questions 1-4 are to be answered without using the ADAS Composite Vehicle Type 1 Reference.

- 1. The DYNAMIC calibration of a forward-facing camera could fail if:
 - (A) the back-up camera lens is dirty.
 - (B) the calibration procedure is attempted on a rainy day.
 - (C) an ultrasonic sensor has a loose electrical connector.
 - (D) the lighting quality is poor in the shop's calibration bay.

Question 1 Explanation:

Answer (A) is wrong. A dirty back-up camera lens would cause poor video quality when in use but would not affect the forward-facing camera DYNAMIC calibration.

Answer (B) is correct. Attempting the calibration procedure on a rainy day could cause the forward-facing camera DYNAMIC calibration attempt to fail because the camera view could be obstructed by raindrops.

Answer (C) is wrong. The ultrasonic sensors are used for object detection at slow speeds and would not affect the forward-facing camera DYNAMIC calibration.

Answer (D) is wrong. Poor quality lighting in the service bay would not affect the forward-facing camera DYNAMIC calibration as it is not performed in the service bay.

2. A forward radar module static calibration is being performed.

Technician A say that the windows in the calibration bay should be covered.

Technician B says that floor slope in the calibration bay should be checked.

Who is right?


(A) A only

(C) Both A and B

(B) B only

(D) Neither A nor B

L4 SAMPLE QUESTIONS (CONTINUED)



- 3. The blind spot detection system is inoperative on a vehicle equipped with the system shown. During diagnosis, the technician observes the scan tool cannot communicate with the right-side object sensor module. All other modules communicate properly. The cause could be:
 - (A) a short-to-ground at W.
 - (B) an open fuse at X.
 - (C) a short-to-ground at Y.
 - (D) an open circuit at Z.
- 4. When parking a vehicle equipped with ultrasonic parking sensors, there is no warning when the vehicle gets close to objects. Which of these could be the cause?
 - (A) Rain is impairing sensor operation.
 - (B) The vehicle is too close to objects for the ultrasonic sensors to detect.
 - (C) It's too dark outside for the ultrasonic sensors to identify objects.
 - (D) The ultrasonic system has been turned OFF by the driver.

Questions 5-8 require the use of the ADAS Composite Vehicle Type 1 Reference.

- 5. Multiple ADAS-related systems are inoperative on the composite vehicle. In the gateway module, there are error codes for lack of communication with each of the electronic control modules on the ADAS CAN bus. With the battery disconnected and the ADAS central module unplugged, a DMM is connected between terminals 78 and 79 of the harness side of the connector. The resistance measures 2.3 Ω . Which of these could be the cause?
 - (A) An open circuit at gateway module terminal 61
 - (B) A short circuit between engine control module (ECM) terminals 71 and 72
 - (C) A short circuit between surround view camera module terminals 61 and 62
 - (D) An open circuit at right rear corner radar module terminal 84

Question 5 Explanation:

With the ADAS central module unplugged and the DMM connected between terminals 78 and 79 of the harness side of the connector, the resistance should measure about 120Ω . (continued on page 10)

L4 SAMPLE QUESTIONS (CONTINUED)

- **Answer (A) is wrong.** An open circuit at gateway module terminal 61 (ADAS CAN bus) would result in a measurement indicating and infinite resistance (open circuit).
- **Answer (B) is wrong.** A short circuit between engine control module (ECM) terminals 71 and 72 (Vehicle CAN bus) would cause communication faults, but not the ADAS Can bus faults in this scenario.
- **Answer (C) is correct.** A short circuit between surround view camera module terminals 61 and 62 (ADAS Can bus) would cause the resistance measurement indicated on the DMM.
- **Answer (D) is wrong.** An open circuit at right rear corner radar module terminal 84 (Private CAN bus) would cause communication faults, but not the ADAS Can bus faults in this scenario.
- 6. The blind spot monitor is unable to detect vehicles approaching on the left side of the composite vehicle. During diagnosis, no ADAS-related DTCs are found stored. This could be caused by:
 - (A) a lack of ignition switch voltage supply at fuse 22.
 - (B) an open circuit at right rear corner radar module terminal 71.
 - (C) a poor electrical connection at G207.
 - (D) use of excessive amounts of body filler during repair of the rear bumper.
- 7. Technician A says that the mounting bracket of multifunction forward facing camera is an integral part of the windshield on the composite vehicle.

Technician B says that glass cleaner should be used to clean the camera lens of multifunction forward facing camera on the composite vehicle.

Who is right?

- (A) A only
- (B) B only
- (C) Both A and B
- (D) Neither A nor B
- 8. On the composite vehicle, which of these is the maximum distance at which a rear corner ultrasonic sensor can detect an object?
 - (A) 0 meters
 - (B) 0.5 meters
 - (C) 2.5 meters
 - (D) 5.5 meters

Answers: 1)B 2)B 3)C 4)D 2)C 6)D 7)A 8)D

INDUSTRY TRAINING ADVANCED DRIVER ASSISTANCE SYSTEMS (ADAS) SPECIALIST (L4) TEST

The training sources listed in this guide are designed to help you sharpen your technical skills and knowledge regarding advanced driver assistance systems (ADAS). Remember--the more you learn, the better your chances of passing this test.

Please call or write the listed organizations for availability, schedules, and prices. Training resources can also be found on ASE's home page at www.ase.com, the International Automotive Technicians Network (iATN) at www. iatn.net, or the Diagnostic Network at www.diag.net.

ACDelco offers a blended learning approach with instructor-led and web-based training. Advanced driveability training covers OBD II, fuel system diagnostics, emissions control system diagnosis, engine performance, and emerging technologies. For information about training offerings, visit www.acdelco.com/training-programs or call ACDelco at (800) 825-5886.

The **ASE Training Manager Council** is a professional organization of individuals responsible for the development and delivery of training in the auto and truck industries. ATMC administers the ASE Accredited Train- ing Provider of Continuing Automotive Service Educa- tion program. A list of ASE accredited training providers can be found at the ATMC website: www.atmc.org

Automotive Technician Training Services offers seminars, webinars, and self-study training courses all designed to help technicians stay in touch with the latest driveability and electrical systems diagnostic and repair procedures. Technician-trainers deliver the instructor-led seminars and webinars. Self-study materials deliver information that will both teach, and enhance diagnostic skills. ATTS Training Center, 10 Lupi Plaza, Mahopac, NY 10541 Call: (845) 628-1062. Internet: www.attstraining.com

AVI OnDemand offers video training programs that cover advanced engine performance testing and diagnosis, emissions control system diagnosis, computer con- trolled ignition systems diagnosis, electrical/ electronic systems testing and diagnosis, as well as manufactur- er-specific systems. Programs covering the use of scan tools are also offered. Ph: (800) 718-7246. Internet: www.aviondemand.com

CAR-O-Liner is an ASE Accredited Training Provid- er that focuses on collision repair solutions including ADAS repairs and calibration, Internet: https://car-o-liner.com/academy/

CARQUEST Technical Institute / WORLDPAC Training Institute offer training to customers of Advance Auto Parts, WORLDPAC, CARQUEST, and Autopart International. The CTI development team uses OE information, case studies, and on-vehicle testing to cre- ate real-world proprietary content. WTI works directly with OEMs to license content. Many CTI and WTI trainers are factory-trained instructors, technicians, and shop foremen. Internet: www.ctionline.com

Cengage Learning provides training textbooks and online, interactive courseware covering many areas of automotive repair, including a Preparation Guide for the ASE L1 Test. The online interactive computer program is called Technician Test Preparation (TTP). TTP is designed to help prepare technicians for the ASE tests, including L1. For a free catalog, write: Cengage Learning, P.O. Box 8007, Clifton Park, NY 12065, or call (800) 347-7707. Internet: www.cengage.com/training/

Delphi Product and Service Solutions offers technical training materials and classes with real world applications to today's vehicles. All content has been developed by drawing on experience from working with many different vehicle manufacturers. Training products include textbook and CD-ROM formats

INDUSTRY TRAINING (CONTINUED)

covering many different topics in Engine Management, Ignition, and OBD II systems. Instructor led training classes covering a wide range of topics are also available. An overview of all training products and services is available on the website. Internet: www.delphiautoparts.com/resource-center/5 Phone: (877) 550-TECH.

EAST Training (Enhanced Automotive Systems Technology) is an ASE Accredited Training Provider that provides in-person comprehensive training programs primarily for the automotive aftermarket. Internet: https://www.easttraining.com/

Hunter Engineering Company is an ASE Accredited Training Provider and a world leader in alignment, wheel and tire service, inspection, and ADAS calibration equipment. They provide in-person and online training and support in each area for which they provide equipment. https://www.hunter.com/training/

Motor Age offers Training for ASE Certification, a self- study training guide that is updated regularly and con- tains both technical information and sample questions. For ordering information, write: Motor Age Training, P.O. Box 6310, Duluth, MN 55806. Ph:(800) 240-1968; Internet: www.motoragetraining.com

NAPA Autotech provides a broad self-study curriculum as well as hands-on and seminar style classes. Topics include no-code driveability diagnosis and automotive electrical/electronic diagnosis. To get more information about prices, specific course content, or to order any of these courses, call (800) 292-6428. Internet: www.napaautotech.com/learn

Robert Bosch LLC provides a selection of training aids and reference material for gasoline and diesel fuel injection systems, starting and charging systems, and antilock braking systems on automotive and heavy duty applications. Technical hands-on training is also available. For more information, visit the Bosch site at www.thegrouptrainingacademy.com/bosch-training/.

Standard Motor Products, Inc. is an accredited training provider that offers professional technician seminars. Their mission statement is: To educate aftermarket automotive technicians on established and emerging technologies via instructor led and online training programs that enable them to perform accurate, efficient diagnosis and proper vehicle repair. During their classes, the attendee will engage in actual diagnosis using case studies using real data that they can select from captured data obtained in the shop to apply what they've learned. An ASE-Certi-fied professional instructor conducts the seminars with a heavy emphasis on diagnostics and troubleshooting. Each seminar includes a digital workbook (including video and scan data links) for reference after the class. SMP also offers over 200 archived, one-hour long webinars, with additional Spanish offerings. These can be viewed anywhere an internet connection is available, including at home. Internet: http://www.standardbrandtraining.com

VEEJER Enterprises offers training in automotive electrical diagnosis and repair and vehicle electronics troubleshooting. Training programs are designed to teach step-by-step methods used for performing electrical repairs, as well as the skills necessary for troubleshooting electrical and electronic problems. Training programs cover the use of a DMM, current clamp, digital logic probe, scope meter, and dual-trace lab scope when testing and diagnosing electrical and electronic circuits. Training is offered through homestudy programs, as well as hands-on instructor led electrical/electronics trouble-shooting training workshops. For more information, contact: Veejer Enterprises, 3701 Lariat Lane, Gar- land, TX 75042-5419, or call (972) 276-9642. Internet: www.veejer.com

ZF is an ASE Accredited Training Provider and one of the largest manufacturers of auto and truck components and parts in the world. They provide in-person and online training for all automotive systems including ADAS. Internet: www.aftermarket.zf.com/en/aftermarket-portal/our-portfolio/trainings/