

PRODUCT CATALOGUE 2024



Retail

WHATSAPP/CALL: 073 788 2968

074 577 8899

Distribution

WHATSAPP/CALL: 084 636 8899

064 838 4295



2 Steenbras Road, Athlone, Cape Town



www.yugoroofing.co.za

IBR ROOFING SHEETS

Our IBR profile (Inverted Box Rib) are custom manufactured and is a popular choice for roofing application - known for its durability and aesthetic appeal.

Features & Benefits



Alu-zinc IBR sheets

- Thickness: 0.27mm, 0.40mm, 0.47mm
- Width: 762mm
- Length: It's available in a range of sizes.

Our **0.47** has **AZ150** that indicates the coating mass which consist of 55% aluminium, 43.4% zinc and 1,6% silicon.

IBR Sheet Profile

Full Cover 762mm

This combination provides excellent protection against rust and extends the lifespan of the roofing sheet anywhere between 8 to 10 years,

Effective Cover 686mm





074 577 8899 / 073 788 2968

IBR ROOFING SHEETS

Our IBR profile (Inverted Box Rib) are custom manufactured and is a popular choice for roofing application - known for its durability and aesthetic appeal.

Features & Benefits



Galvanised IBR sheets

Thickness: 0.18mm, 0.27mm, 0.30mm

• Width: 762mm

• Length: It's available in a range of sizes.



IBR Sheet Profile

Full Cover 762mm

Effective Cover 686mm





IBR ROOFING SHEETS

Our IBR profile (Inverted Box Rib) are custom manufactured and is a popular choice for roofing application - known for its durability and aesthetic appeal.

Features & Benefits

Charcoal refers to the dark grey or black colour of the sheets, providing a modern and sleek appearances

Charcoal IBR sheets

- Thickness: 0.40mm, 0,47mm
- Width: 762mm
- Length: It's available in a range of sizes.

The coating protects against rust, UV radiation and other environmental factors

IBR Sheet Profile

Full Cover 762mm

Effective Cover 686mm





O74 577 8899 / O73 788 2968

CORRUGATED ROOFING SHEETS


Our Corrugated Sheets are a specific type of corrugated roofing material commonly used for residential and commercial roofing application and its manufactured into any length that is needed.

Features & Benefits



Galvanised Corrugated sheets

- Thickness: 0.19mm, 0.21mm, 0.27mm, 0.40mm, 0.47mm
- Width: 710mm
- Length: It's available in a range of sizes.



Low maintenance with the zinc coating protecting against rust and reducing the need for frequent repairs.

Corrugated Sheet Profile

Full Cover 710mm

Effective Cover 610mm





CORRUGATED ROOFING SHEETS

Our Corrugated Sheets are a specific type of corrugated roofing material commonly used for residential and commercial roofing application and its manufactured into any length that is needed.

Features & Benefits



Charcoal Corrugated sheets

• Thickness: 0.47mm

• Width: 710mm

 Length: It's available in a range of sizes



Used for roofing and siding for residential, commercial, agricultural and industrial building.

Corrugated Sheet
Profile

Full Cover 710mm

Effective Cover 610mm





CORRUGATED ROOFING SHEETS

Our Corrugated Sheets are a specific type of corrugated roofing material commonly used for residential and commercial roofing application and its manufactured into any length that is needed.

Features & Benefits

Green Corrugated sheets

Thickness: 0.21mm
 Width: 000mm

Green corrugated sheets are popular for their natural aesthetic, blending into gardens or rural environments,

Width: 880mmLength: 2.4m ONLY


Blue corrugated roof sheets can offer a calm and cool appearance, blending well with surroundings in coastal areas or places with a lot of sky exposure.

Red Corrugated sheets

• Thickness: 0.21mm

• Width: 880mm

Length: 2.4m ONLY



Blue Corrugated sheets

Thickness: 0.21mm

Width: 880mm

Length: 2.4m ONLY

Red corrugated sheets are often chosen for a bold and traditional look, commonly used in rural or residential settings to complement brickwork or natural landscapes.

Corrugated Sheet Profile

Full Cover 710mm

Effective Cover 610mm



2 Steenbras Road, Athlone, Cape Town

Q 074 577 8899 / 073 788 2968



STRUCTURAL TIMBER SABS APPROVED

Our Structural Timber is SABS Approved and is a versatile material used in building structures, crafting furniture and creating various other wood products.

Features & Benefits

Specification	Description	Lengths
D. H	38x38	3.0m - 6.6m
Battons	50x38	3.0m - 6.0m
Purlins	76x50	3.0m - 6.6m
Wall Plates / Rafters	114x38	3.0m - 6.6m
Rafters	152x38	3.0m - 6.6m
	152x50	3.0m - 6.6m
Beams / Rafters	228x50	3.0m - 6.6m

oin

Easy to cut, shape and join using standard woodworking tools making it a versitile material for construction.

Used in framing, flooring, roofing, and load bearing structures






- 2 Steenbras Road, Athlone, Cape Town
- 074 577 8899 / 073 788 2968

SHUTTER PLYBOARD

Our Shutter Plywood is made from layers of thin wood bonded together with adhesive, resulting in a strong and durable material suitable for contruction project.








POLYCARBONATE SHEETING

Our Polycarbonate sheets stands out as our top choice for roofing. Popular amongst homeowners, ideal for a range of DIY projects. It also blocks out 99% harmful UV rays.





- 2 Steenbras Road, Athlone, Cape Town
- <u>074 577 8899 / 073 788 2</u>968


CARPORT POLES

Our Carport poles are made out of galvanised steel and they provide necessary stability and strength to hold up a carport's roof.



HARDBOARD

Our hardboard is renowned for its exceptional quality and durability. Featuring high structural strength, it can be molded into curves without cracking or splintering. Its smooth surface is ideal for flawless paint finishes.



Used in furniture making, wall panelling, flooring underlaying and packaging.

MDF Hardboard (Both side smooth)

Features	lightweight
Length	2.44M x 1.22M
Thickness	2.8mm



- 2 Steenbras Road, Athlone, Cape Town
- **S** 074 577 8899 / 073 788 2968

NUTEC COLLECTION

Features & Benefits

Nutec Ceiling

Thickness	4mm, 6mm
Size	2400 x 1200 3000 x 1200

Nutec Fascia Boards

Thickness 9mm
Size 3600 x 225

Used for exterior and interior ceiling and partition.

Used for exterior and interior ceiling and partition.

High resistance to moisture, fire, termites and rots

3000mm

Used for exterior cladding, roofing, fencing, interior applications, gates and privacy screens

Nutec Woodgrain

Thickness	8mm
Size	3000 x 150
	3000 x 200

Nutec Barge

Thickness 6mm

3000mm

80mm

200mm



- 2 Steenbras Road, Athlone, Cape Town
- **S** 074 577 8899 / 073 788 2968

RHINO BOARD

Our Rhino Board is a type of building material made from a mixture of gypsum, water and fibers, typically cellulose or fiberglass to create a fire-resistant and soundproof building material.

Features & Benefits

Provide good fire resistance due to the non-combustible gypsum

Features	lightweight
Length	3000 x 1200
Thickness	6.4mm

Rhino Boards offer improved soundproofing.





CORNICE


Our Cornice are crafted from locally sourced high-density XPS polystyrene.

It guarantees both safety and elegance for your space and is intended for use at the junction of walls and ceiling.

Features & Benefits

Cornice requires minimal maintenance


once installed.



Features	Polystyrene
Length	2m
Thickness	10mm
Size(mm)	90x60x60











Cornice serves both functional and aesthetic appeal.

Features	Polystyrene
Length	2m
Thickness	10mm
Size(mm)	100x70x65

Features	Polystyrene
Length	2m
Thickness	10mm
Size (mm)	70x50x50







O74 577 8899 / O73 788 2968

DOORS

Our collection of wooden doors were crafted from the finest solid wood. It's designed to add warmth and charm to any space.

Features & Benefits






Traditional pleasing offering warmth and natural beauty.

Length	203cm
Width	81cm
Thickness	4cm
Colour	White & Brown



81	Pane	l Stak	ole Dooi	r


















O74 577 8899 / O73 788 2968

WINDOWS

Our collection of wooden pine windows are crafted on site from the finest pine timber. We offer single or double windows and you can choose between clear or stained windows to suit your building needs.

Features & Benefits

Single Pine Window Clear



Single Pine Window Stained



Crafted on site from the finest pine timber.


Length	475mm
Width	815mm
Thickness	42mm
Colour	Clear or Stained



Double Pine Windows



Coloui	cical of Staffica
Colour	Clear or Stained
Thickness	42mm
Width	815mm
Length	850mm



stained.







- 2 Steenbras Road, Athlone, Cape Town
- O74 577 8899 / O73 788 2968