



UNIVERSAL PIGMENT PACK

DESCRIPTION

UNIVERSAL PIGMENT PACK ARE UNIVERSAL COLORED PIGMENT DISPERSIONS DESIGNED TO TINT 100% SOLID COATING SYSTEMS. THEY SHOW VERY GOOD COMPATIBILITY WITH HIGH SOLID EPOXY, POLYURETHANE AND POLYUREA. THEY EXHIBIT VERY GOOD APPEARANCE AND PHYSICAL PROPERTIES.

PRIMARY APPLICATIONS

- ✓ RESTAURANTS
- ✓ PHARMACEUTICAL
- ✓ RESIDENTIAL HOMES
- ✓ GARAGES
- ✓ RETAIL SPACES
- ✓ CAFES
- ✓ AIRPLANE HANGARS

ADVANTAGES

- ✓ LOW VOC CONTENT
- ✓ 100% SOLIDS
- ✓ HIGH VISCOSITY
- ✓ GREAT HIDING POWER
- ✓ SOLD IN SOLID COLORS



UNIVERSAL PIGMENT PACK

TECHNICAL DATA

PACKAGING	COLOR
1 Pod (.264 US Gal)	WHITE, BEIGE, LIGHT GRAY, SILVER, CHARCOAL, DARK BROWN, BLACK, SAFETY YELLOW, SAFETY RED, SAFETY BLUE
MIX RATIO BY VOLUME EPOXY	
1 POD PER 2 GALLON PART A	PRODUCT QUALITY AND STORAGE 12 MONTHS IN ORIGINAL UNSEALED CONTAINERS, SHIPPING AND STORAGE TEMPERATURES SHOULD BE AT 50 F - 90 F AND AT OR BELOW 50% RELATIVE HUMIDITY, AVOIDING FREEZING TEMPERATURES. IF SHIPPING OR STORAGE TEMPERATURES SHOULD FALL BELOW 65°F (18°C), SOME CRYSTALLIZATION COULD RESULT. UNLESS PROPER ACTION IS TAKEN TO RE-FORM THE ORIGINAL SOLUTION, SUBSEQUENT DIMERIZATION WILL PROCEED QUICKLY AND WILL DETERIORATE THE ASSAY OF THE PRODUCT. NEVER STORE DIRECTLY ON CONCRETE SURFACE. DO NOT OPEN UNTIL READY TO USE AND KEEP CONTAINERS SEALED TIGHTLY. KEEP OUT OF DIRECT SUNLIGHT AND FIRE HAZARDS.
MIX RATIO BY VOLUME POLYUREA	
1 POD PER 1 GALLON PART A	

HEALTH AND SAFETY

IN CASE OF SKIN CONTACT, WASH WITH WATER AND SOAP. IN CASE OF EYE CONTACT, IMMEDIATELY RINSE WITH WATER FOR AT LEAST 15 MINUTES. CONSULT WITH A DOCTOR. FOR RESPIRATORY PROBLEMS, TRANSPORT VICTIM TO FRESH AIR. REMOVE CONTAMINATED CLOTHES AND CLEAN BEFORE REUSE. COMPONENTS A AND B CONTAIN TOXIC INGREDIENTS. PROLONGED CONTACT OF THIS PRODUCT WITH THE SKIN IS SUSCEPTIBLE TO PROVOKE AN IRRITATION. AVOID EYE CONTACT. CONTACT WITH MAY CAUSE SERIOUS BURNS. AVOID BREATHING VAPORS RELEASE FROM THIS PRODUCT. THIS PRODUCT IS A STRONG SENSITIZER. WEAR SAFETY GLASSES AND CHEMICAL RESISTANT GLOVES. A BREATHING APPARATUS FILTERING ORGANIC VAPORS APPROVED BY THE NIOSH/MSHA IS RECOMMENDED. PREDICT SUITABLE VENTILATION. CONSULT THE MATERIAL SAFETY DATA SHEET FOR FURTHER INFORMATION.

PROFESSIONAL USE ONLY

READ AND UNDERSTAND ALL THE INFORMATION CONTAINED IN THE PRODUCT TECHNICAL DATA SHEETS, SDS SHEETS AND PRODUCT LABELS PRIOR TO STARTING ANY PROJECT. NOTHING CONTAINED IN ANY OF MVP COATINGS™, INC. MATERIALS RELIEVES THE END USER OF THE OBLIGATION TO READ AND FOLLOW THE WARNINGS AND INSTRUCTIONS FOR EACH OF MVP COATINGS™, INC. PRODUCTS.

SPECIFICATION AND FIELD ASSISTANCE:

CONTACT MVP COATINGS, INC. FOR ASSISTANCE. JOBSITE VISITS BY MVP COATINGS™, INC. EMPLOYEES OR ITS INDEPENDENT AGENTS ARE SOLELY FOR DETERMINING QUALIFICATION FOR WARRANTY.



UNIVERSAL PIGMENT PACK

WARRANTY STATEMENT

MVP COATINGS™ WARRANTS PRODUCTS TO BE FREE FROM MANUFACTURING DEFECTS AND DEFECTIVE RAW MATERIALS FOR A PERIOD OF 1 YEAR. LIABILITY FOR PRODUCTS PROVEN DEFECTIVE IS LIMITED TO REPLACEMENT OF THE DEFECTIVE PRODUCT.

NOT INCLUDED IN THE WARRANTY IS DAMAGE DUE TO STRUCTURAL DESIGN DEFICIENCIES INCLUDING BUT NOT LIMITED TO SLAB CRACKING, GOUGING OR OTHER DAMAGE DUE TO EQUIPMENT, DELAMINATION CAUSED BY VAPOR TRANSMISSION, OR OTHER ELEMENTS BEYOND THE SCOPE OF PROTECTION OF THIS SYSTEM.

THE INFORMATION AND RECOMMENDATIONS CONTAINED IN THIS DOCUMENT ARE BASED ON RELIABLE TEST RESULTS ACCORDING TO THE MANUFACTURER OF THE PRODUCT. THE DATA MENTIONED IS SPECIFIC TO THE MATERIAL INDICATED. IF USED IN COMBINATION WITH OTHER MATERIALS, THE RESULTS MAY BE DIFFERENT. IT IS THE RESPONSIBILITY OF THE USER TO VALIDATE THE INFORMATION THEREIN AND TO TEST THE PRODUCT BEFORE USING IT. MVP COATINGS, INC. ASSUMES NO LEGAL RESPONSIBILITY FOR THE RESULTS OBTAINED IN SUCH CASES. MVP COATINGS, INC. ASSUMES NO LEGAL RESPONSIBILITY FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, ECONOMIC OR ANY OTHER DAMAGES EXCEPT TO REPLACE THE PRODUCT OR TO REIMBURSEMENT THE PURCHASE PRICE, AS SET OUT IN THE PURCHASE CONTRACT.
