



IRWIN SEATING COMPANY



MR6002T **Charcoal Matrix**




Vision Vava

MR3003T French Blue Matrix

S6031 Fossil Gray

S2084T Foundry







S6054T Wrought Iron





S6053T Jett Black

Irwin Seating Company

Laminate Standards:

The laminates shown in this guide have been created for digital transmission. Different devices may affect the appearance of these colors. If an exact color match is required, you should obtain sample chips from your Irwin Seating Company representative. It is recommended that color selections be evaluated using sample chairs in the same environment and lighting conditions that the seating will be installed in.

Laminate surfaced products have lacquered edges to match the dominant color in the laminate. For a sample please contact your representative or the factory. Lecture room tables and modesty panels are not lacquered and finished as required with a variety of materials.

High-pressure decorative laminates are available in solid colors, wood grains and patterns for interior use on vertical and horizontal surfaces.

Both Nevamar and Formica brand laminates meet or exceed the requirements of ANSI/NEMA publication LD 3 current edition. Nevamar Horizontal Surfaces: Thickness: H-4 (HGL) Grade = 0.039" (± .005); (1.0 mm ± .12)

Nevamar Vertical Surfaces: Thickness: 0.028" (± .004); 0.7 mm (± .10)

Formica Horizontal Surfaces: Thickness: H-4 (HGL) Grade = 0.035" (± .005); (1.0 mm ± .12)

Formica Vertical Surfaces: Thickness: 0.027" (± .004); 0.7 mm (± .10)

Irwin Seating Company

3251 Fruit Ridge Ave. NW Grand Rapids, MI 49544 Phone: 866-464-7946 Fax: 616-574-7411 www.irwinseating.com