ASTHMA ACTION PLAN	The Tankersley Clinic	Phone Number 901-335-8966	Date	1	/	MIKE TANKERSLEY MD, MBA
--------------------	-----------------------	---------------------------	------	---	---	-------------------------

GREEN ZONE: Doing Well	Taking These Long-Term-Control Medicines Each Day (These are anti-inflammatory medicines)							
No cough, wheeze, chest tightness or shortness of breath during the day or night	Medicine		How much to take		When to take			
Can do usual activities								
And, if a peak flow meter flow is used,		I		,				
Peak flow: more than (80% or more of my best peak flow)								
My best peak flow is:								
Before exercise	х	Albuterol	2 or 4 puffs		5 to 60 minutes before exercise			
YELLOW ZONE: Asthma is Getting Worse	FIRST A	dd: Quick-Relief Medicine – and k	eep taking your GREEN ZON	E medi	cine			
 Cough, wheeze, chest tightness, or shortness of breath, or Waking at night due to asthma, or 	SECOND If	Albuterol (short-acting beta₂-agonist) your symptoms (and peak flow, if use	2 or 4 puffs, every 20 minutes for up					
 Can do some, but not all, usual activities 	X Take the quick-relief medicine (albuterol) as needed every 4-6 hours for 1 to 3 days.							
-Or-	Double the dose of your inhaled steroid for <u>7</u> days.							
Peak flow:to (50% - 80% of my best peak flow)		-Or- If your symptoms (and peak flow, if used) <i>do <u>not</u> return t</i> o GREEN ZONE after 1 hour of above treatment:						
		X Take: <u>Albuterol</u> 2 ❑ Double the dose of your inhaled steroi	, ,	oulizer				
	C	Add: <u>Prednisone / Prednisolone</u> (oral steroid)	mg each morning for <u>5</u>	_ days				
	х	X Call the doctor within <u>24-72</u> h	nours.					
RED ZONE: Medical Alert!	Ta	ake this Medicine:						
 Very short of breath, or Quick-relief medicines have not helped, or Cannot do usual activities, or Symptoms are same or get worse after 24 hours in Yellow Zone 		X Albuterol 4 or 6 puffs or D Nebulizer (short-acting beta ₂ -agonist)						
		<u> Prednisone / Prednisolone</u> (oral steroid)						
-Or-	Tł	hen call your doctor NOW. Go to t	he hospital or call for an ambula	nce if:				
Peak flow: less than (50% of my best peak flow)		You are still in the red zone after 15 minutes ANDYou have not reached your doctor.						
DANGER SIGNS								
Trouble walking and talking due to shortnessLips or fingernails are blue	s of breath	\neg · ·	our quick-relief medicine (albutero all for an ambulance (911		NOW!			