

Safety Data Sheet

Issue Date: 06-Sep-2024 Revision Date: 06-Sep-2024 Version 1

1. IDENTIFICATION

Product identifier

Product Name HydroSeal Part A

Other means of identification

SDS # UST-001

Recommended use of the chemical and restrictions on use

Recommended Use Component of Waterborne Epoxy Primer/Sealer for Concrete.

Details of the supplier of the safety data sheet

Supplier Address

US Surface Technologies 1105 W College St., Unit C

Murfreesboro, TN 37129 Phone: 888-958-2003

Website: www.ussurfacetechs.com

Emergency telephone number

Emergency Telephone 901-430-9230

2. HAZARDS IDENTIFICATION

Appearance White emulsion Physical state Liquid Odor Very mild

Classification

Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1

Signal Word Warning

Hazard statements

Causes serious eye irritation
May cause an allergic skin reaction



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/eye protection/face protection

UST-001 - HydroSeal Part A Revision Date: 06-Sep-2024

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of water and soap

Wash contaminated clothing before reuse

If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Epoxy Resin	Proprietary	30-60
Phenol methylethylidene bis polymer with Oxirane	25068-38-6	1-5
Dipropylene Glycol Monomethyl Ether (DPM)	34590-94-8	0.1-1

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin Contact Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin

irritation or rash occurs: Get medical advice/attention.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Causes mild skin irritation. Causes serious eye irritation. May cause an allergic skin

reaction.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Not determined.

Protective equipment and precautions for firefighters

Revision Date: 06-Sep-2024

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Wash face, hands and any exposed skin thoroughly after handling. Avoid breathing

dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing and eye/face protection. Handle

in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials Oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dipropylene Glycol Monomethyl Ether	TWA: 50 ppm	TWA: 100 ppm	IDLH: 600 ppm
(DPM)		TWA: 600 mg/m ³	TWA: 100 ppm
34590-94-8		(vacated) TWA: 100 ppm	TWA: 600 mg/m ³
		(vacated) TWA: 600 mg/m ³	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 900 mg/m ³
		(vacated) STEL: 900 mg/m ³	_
		(vacated) S*	
		` S* ´	

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Refer to 29 CFR 1910.133 for eye and face protection regulations. **Eye/Face Protection**

Skin and Body Protection Refer to 29 CFR 1910.138 for appropriate skin and body protection. **Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

AppearanceWhite emulsionOdorVery mildColorNot determinedOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

Hq

Melting point / freezing point $0 \, ^{\circ}\text{C} \, / \, 32 \, ^{\circ}\text{F}$ Initial boiling point and boiling $100 \, ^{\circ}\text{C} \, / \, 212 \, ^{\circ}\text{F}$

range

Flash point >93.3 °C / >200 °F

Evaporation Rate Equals water
Flammability (Solid, Gas) Not determined
Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor Pressure 3 kPa Vapor Density <1

Palative Density

Not determined

Relative Density
Water Solubility
Solubility in other solvents
Partition Coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
Not determined
Not determined
Not determined
Not determined
At determined
Not determined
At determined
At determined
At determined

Kinematic viscosity

Dynamic Viscosity

Explosive Properties

Oxidizing Properties

45 cP

Not determined

Not determined

Not determined

Other information

VOC Content 7 g/l w/o exemption

Liquid Density 8.94 lbs/gal

10. STABILITY AND REACTIVITY

(Air=1)

Reactivity

Not reactive under normal conditions.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Conditions to Avoid

Incompatible Materials.

Incompatible materials

Oxidizing agents.

Hazardous decomposition products

Carbon Monoxide. Carbon Dioxide. Chlorine.

11. TOXICOLOGICAL INFORMATION

Revision Date: 06-Sep-2024

Information on likely routes of exposure

Product Information

Eye Contact Avoid contact with eyes.

Skin Contact Avoid contact with skin.

Inhalation Do not inhale.

Ingestion Do not ingest.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Phenol methylethylidene bis polymer with Oxirane 25068-38-6	= 11400 mg/kg(Rat)	-	-
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	= 5.35 g/kg(Rat)	= 9500 mg/kg(Rabbit)	-
Triethylene glycol, monobutyl ether 143-22-6	= 5300 mg/kg (Rat)	= 3540 mg/kg(Rabbit)	•

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes mild skin irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Sensitization May cause an allergic skin reaction.

Carcinogenicity Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

Oral LD50 424,650.00 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

Chemical name	Algae/aquatic plants	Fish	Crustacea
Dipropylene Glycol Monomethyl		LC50: >10000mg/L (96h,	LC50: =1919mg/L (48h, Daphnia
Ether (DPM)		Pimephales promelas)	magna)
34590-94-8			
Triethylene glycol, monobutyl ether	EC50: >500mg/L (72h,	LC50: =2400mg/L (96h, Pimephales	EC50: >500mg/L (48h, Daphnia
143-22-6	Desmodesmus subspicatus)	promelas)	magna)

Persistence/Degradability

Not determined.

Bioaccumulation

There is no data for this product.

Mobility

Chemical name	Partition coefficient
Dipropylene Glycol Monomethyl Ether (DPM)	0.35
34590-94-8	

Other adverse effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

<u>IMDG</u> Not regulated

15. REGULATORY INFORMATION

International Inventories

Chemical name	TSCA	TSCA Inventory	DSL/NDSL	EINECS/ELI	ENCS	IECSC	KECI	PICCS	AIIC
		Status		NCS					
Epoxy Resin	X	ACTIVE	Χ			X	Χ	X	X
Phenol methylethylidene bis polymer with Oxirane	Х	ACTIVE	X	Х	Х	Х	X	Х	X
Dipropylene Glycol	Х	ACTIVE	X	X	Χ	X	X	X	X

Monomethyl Ether (DPM)									
Triethylene glycol, monobutyl	Χ	ACTIVE	Х	X	Х	Х	Х	Х	Х
ether								1	İ

Revision Date: 06-Sep-2024

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Epoxy Resin	Х	X	X
Dipropylene Glycol Monomethyl Ether (DPM) 34590-94-8	Х	Х	Х
Triethylene glycol, monobutyl ether 143-22-6	Х		X

16. OTHER INFORMATION

NFPA Health hazards Flammability Instability Special hazards

HMIS Health hazards Flammability Physical hazards Personal Protection

- - Not determined

Issue Date:06-Sep-2024Revision Date:06-Sep-2024Revision Note:New format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Page 8 / 8