

polytec

ARCHITECTURAL

polytec

[www.polytec.com.au](http://www.polytec.com.au)

p 1300 300 547

ISSUE: 041



polytec offer an express sample service.

Visit [www.polytec.com.au](http://www.polytec.com.au) to order your free sample.

STECCAWOOD

prefinished decorative battens

PROUDLY  
SUPPORTING



Find your local supporting cabinet maker  
[www.polytec.com.au/mcgrath-foundation](http://www.polytec.com.au/mcgrath-foundation)





# STECCAWOOD prefinished decorative battens

**polytec's** Steccawood prefinished decorative battens impart the realistic warmth of timber, ideal for wall and ceiling applications in either a vertical or horizontal configuration. Steccawood battens create strong directional lines that will add a striking feature to any internal space. With its versatile application options, **polytec's** Steccawood is useful for both residential and commercial projects and can be crafted in a straight or curved composition.

Steccawood is offered in various Woodmatt and Ravine finishes, subtle embossed woodgrains, resulting in the look and feel of natural timber. Adding an element of luxe to your space with an assortment of stone prints and marble designs, Steccawood's Smooth range offers a realistic alternative to fluted honed stone. With such a diverse range of colours plus the numerous Steccawood profiles to choose from, the design combinations are endless.

**polytec** is pleased to announce the Peak Steccawood profile, an innovative design featuring a sleek, triangular shape.

Create stunning visual characteristics with the Cove profile, a concave design, perfect for curved surfaces, wall panelling, and ceiling applications.

Made for added luxury, the Half Round Steccawood profile is available in three sizes, 17x34mm, 24x48mm, and 31x62mm. This rounded batten option stands as an amazing feature piece.

Lastly, the regular profile is available in six different sizes offering both square and rectangle options. With such a diverse range of profiles, gives you freedom to achieve a variety of aesthetics.

**polytec's** Steccawood prefinished battens are made from E-Zero MDF or LDF, and wrapped in decorative overlay, providing a cost effective, beautifully contemporary, designer solution. You can create architectural patterns, maintain privacy, improve acoustics, control light inside a space, and create feature pieces within both residential and commercial designs. Choose from the beautiful selection of timber prints and stone patterns, or select the Raw option for professional paint applications.






Decorative battens in **STECCAWOOD** 17x34mm Cove-profile Black Woodmatt.  
 Curved cabinet in **LAMINATE** in Black Woodmatt.  
 Floating Shelving in **MELAMINE** Boston Oak Woodmatt.





**STECAWOOD** 24x48mm Peak profile in Prime Oak Woodmatt.  
 Wardrobe doors in **SURANO** Prime Oak Woodmatt.  
 Drop Front benchtop and wall lining in **XENOLITH** Marmo di Torre Smooth.  
**THERMOLAMINATED** Arch Mirror in Prime Oak Woodmatt.



Steccawood / timberprint & stone

also available in Row

					
Bianco Wm	Marmo di Monte Sm	Marmo di Torre Sm	Natural Oak R	Tasmanian Oak Wm	Florentine Walnut Wm
					
Distressed Wood R	Nordic Oak Wm	<b>NEW</b> Boston Oak Wm	Prime Oak Wm	Notaio Walnut Wm	Perugian Walnut Wm
					
Portland Stone Sm	Angora Oak Wm	Maison Oak R	Empire Oak Wm	Athena Stone Sm	Black Wm

Available finishes **R** = Ravine **Sm** = Smooth **Wm** = Woodmatt

**polytec** swatches and samples represent a small area of the overall colour structure. To view the large colour sample, visit [www.polytec.com.au](http://www.polytec.com.au).  
 Dark coloured surfaces will show fingerprints and require more care and maintenance than lighter coloured surfaces. It is recommended to test a product sample prior to colour selection.






**STECCAWOOD** 17x34mm Half Round profile in Raw.

Overhead cupboard doors in **MELAMINE** Polar White Matt.

Doors, drawers, and shelving in **MELAMINE** Plantation Ash Woodmatt.

**NOTE** Splashback in white ceramic tile.

Steccawood profiles



\* Cove and Peak profiles are splayed on the edges to form a 300mm diameter curve, ideal for a kitchen island feature or around curved joinery.

profile availability

	Standard						Half Round			Cove	Peak
	17x38mm	31x31mm	31x65mm	40x100mm	50x70mm	50x100mm	R 17 mm 17x34mm	R 24 mm 24x48mm	R 31mm 31x62mm	17x34mm	24x34mm
Raw	na	na	na	na	na	na	No Min	No Min	No Min	No Min	15
Angora Oak Woodmatt	15	15	15	15	15	15	15	15	15	15	15
Athena Stone Smooth	15	15	na	na	na	na	15	15	15	15	15
Bianco Woodmatt	15	15	15	15	15	15	No Min	15	15	No Min	15
Black Woodmatt	No Min	No Min	15	15	15	15	No Min	No Min	15	No Min	15
NEW Boston Oak Woodmatt	15	15	15	15	15	15	15	15	15	15	15
Distressed Wood Ravine	15	15	15	15	15	15	15	15	15	15	15
Empire Oak Woodmatt	15	No Min	15	15	15	15	No Min	15	15	15	15
Florentine Walnut Woodmatt	No Min	No Min	15	15	15	15	15	15	15	No Min	15
Maison Oak Ravine	No Min	No Min	15	15	15	15	No Min	15	15	15	15
Marmo di Monte Smooth	15	15	na	na	na	na	15	15	15	15	15
Marmo di Torre Smooth	15	15	na	na	na	na	15	15	15	15	15
Natural Oak Ravine	No Min	No Min	No Min	No Min	No Min	No Min	No Min	No Min	No Min	No Min	15
Nordic Oak Woodmatt	15	15	15	15	15	15	15	15	15	15	15
Notaio Walnut Woodmatt	No Min	No Min	No Min	15	15	15	No Min	15	15	15	15
Perugian Walnut Woodmatt	No Min	15	15	15	15	15	15	15	15	15	15
Portland Stone Smooth	15	15	na	na	na	na	15	15	15	15	15
Prime Oak Woodmatt	No Min	No Min	No Min	No Min	No Min	No Min	No Min	No Min	No Min	No Min	15
Tasmanian Oak Woodmatt	No Min	No Min	No Min	15	15	No Min	No Min	15	15	No Min	15



Reception counter in **STECCAWOOD** 31x62mm Half Round profile Black Woodmatt.  
Recessed detailing in **LAMINATE** Light Brass Leaf Matt.  
Wall panelling in **LAMINATE** Coastal Oak Woodmatt.



Responsible  
Wood  
RW/1-31-145



PEFC™  
PEFC/21-31-145



## ENVIRONMENT & SUSTAINABILITY

At **polytec**, sustainability is ingrained in the core of our business operations, products, and work practices. Our continual dedication to improving and appropriately managing the environmental impact of our products involves our commitment to steadfastly reducing our carbon footprint, minimising waste, optimising energy efficiency and integrating ethically sourced materials into our product ranges.

Our MDF and Particleboard are manufactured from managed and renewable plantation pine that has been Green Tag, Responsible Wood and PEFC certified. All **polytec** board products are manufactured from E0 or E1 substrates, with particleboard now made from a percentage of recycled wood material.

In our pursuit of responsible waste management, we implement various recycling programs encompassing aluminium, metals, used oils, and timber waste, which is repurposed into packaging, particleboard, and energy. We actively engage with local government environmental initiatives, subject ourselves to voluntary audits, and uphold our internal Energy and Carbon Management Policy (ECM), aligned with the Australian Government's Energy Efficiency Opportunities (EEO) program.

Our network of national facilities boasts over 53,000 solar panels, generating 15,238,000 kWh of renewable energy — equivalent to planting 7,377 trees and preventing the emission of 11,000 tonnes of CO2. The Oberon facility is Australia's largest rooftop solar system, with 27,000 panels spread across 8 hectares of rooftop.

In our ongoing commitment to sustainability, **polytec** continues to refine and enhance our practices to contribute to the establishment of a circular economy, fostering a better future for all.

**polytec** doors, panels and benchtops are certified Australian Made & Owned.

## CARE & MAINTENANCE

Steccawood products are manufactured in Australia using the highest quality materials, designed to be used in low traffic applications to provide years of trouble free service. Manufactured using decorative paper overlays, Steccawood is supplied with raw ends that must be sealed prior to installation. It is recommended that Steccawood be installed 100mm from the floor to avoid damage from cleaning and moisture ingress. Strictly for internal use, Steccawood is not to be used in wet areas such as bathrooms or environments of high humidity, or where steam and heat are present. Steccawood is recommended not to be installed in direct sunlight. Adhesive materials such as sticky tape, masking tape, or any sticky material may cause damage to the Steccawood decorative paper overlay when applied directly to the surface.

Steccawood prefinished decorative battens should be cleaned by wiping down using a damp soft cloth containing warm, soapy water. For more stubborn stains, use a mild household spray to wipe down the door or panel with a soft cloth taking care not to rub too hard. Dry using a soft cloth so as not to leave any residue on the product. Always ensure that you refer to the recommendations provided by the cleaning product manufacturer before use.

Where products are installed in a kitchen environment use range hoods whenever cooking, to avoid steam and cooking oil vapours from adversely effecting surfaces. Failure to follow the above care instructions may result in damage to your Steccawood product and void your entitlement to any warranty. **polytec**'s warranty does not cover wear and tear.

By following these simple steps you should retain a beautiful kitchen surface for many years.

Visit [www.polytec.com.au](http://www.polytec.com.au) for specific care and cleaning information. Darker colours will show superficial wear and tear more readily than lighter coloured surfaces and require more care and maintenance.

The colours and details shown in this brochure are to the highest standards in printing. However, they should only be used as an indication of actual product colour. To order your free colour sample visit [www.polytec.com.au](http://www.polytec.com.au).

**polytec** swatches and samples represent a small area of the overall colour structure, to view a large colour sample or a full sheet design, visit [www.polytec.com.au](http://www.polytec.com.au).

The use of our current samples gives the colour and finish that a customer would expect to receive. Samples are provided for colour and finish selection and **polytec** recommend testing a sample for fingerprint resistance and ease of cleaning. **polytec** does not guarantee exact colour matches across product ranges due to colour variation in each product group.

## COMPLEMENTARY RANGES

<b>EVOLUTION</b> range	<b>THERMOLAMINATED</b> doors & panels
<b>MELAMINE</b> doors & panels	<b>ALFRESCO &amp; ALUMINIUM</b> framed doors
<b>BENCHTOPS</b> range	<b>WARDROBE</b> range
<b>XENOLITH</b> premium solid coloured core	35mm <b>ARCHITECTURAL</b> doors

COVER IMAGE: Island in **STECCAWOOD** 31x62mm Half Round profile Prime Oak Woodmatt, and **LAMINATE** Prime Oak Woodmatt.  
Overhead cupboard doors in **MELAMINE** Prime Oak Woodmatt.  
Doors in Cinder **VENETTE**.