
Book One





The foundation of kidney care.

5th Edition





#### Here to help you

The foundation of kidney care

Your healthcare team including your primary care provider, nephrologist (kidney doctor), dietitian, nurses, pharmacist, social worker and others can help you with planning, answer your questions, and identify resources that can provide you and your family with the support you need.

The Kidney Foundation of Canada is also here to help by providing information and educational material, short-term financial assistance, peer support and a number of other programs and services. There are Kidney Foundation Branches and Chapters all across Canada. Look up the address of your provincial Branch office on our web site at **www.kidney.ca** or call toll-free 1-800-361-7494 and find out what's available.

There is also an active online kidney community that is supported by KFOC. The Kidney Community Kitchen provides kidney-friendly recipes, meal plans, diet information and discussion forums: **www.kidneycommunitykitchen.ca**. The Kidney Connect social network for people living with kidney disease is available at **www.kidneyconnect.ca**.

## LIVING WITH REDUCED KIDNEY FUNCTION



The foundation of kidney care.





#### My personal information

The foundation of kidney care.

Name	
Address	
Phone Numbers	
Primary Care Provider	
Kidney Doctor	
Kidney Nurse	
Kidney Dietitian	
Kidney Pharmacist	
Kidney Social Worker	
Transplant Surgeon	
Transplant Coordinator	
Next of Kin & Phone Number	

#### Thank you



The foundation of kidney care.

The publishing of this handbook is made possible through charitable gifts from individuals, corporations and foundations. We especially thank the following sponsors for their support:

Amgen Canada Inc.

AstraZeneca Canada Inc.

Boehringer Ingelheim Canada Ltd. and Eli Lilly Canada Inc.

**Innovative Medicines Canada** 

Janssen

Otsuka Canada Pharmaceutical Inc.

Pfizer

Sanofi



#### **Table of contents**

ntroduction
Chapter 1 - How your kidneys work
How do kidneys work?
Chapter 2 - Kidney disease
What is chronic kidney disease (CKD)?
Chapter 3 - How you can support your kidney health 25
Manage other medical conditions
Chapter 4 - Managing your medications for kidney health 31
Commonly used medications32General tips for managing your medications33Covering the cost of medication36Medications and remedies to avoid36Vaccinations38Summary38
Chapter 5 - Your diet and nutrition for kidney health 39
The role of protein

#### **Table of contents**



Chapter 6 - Living well with reduced kidney function 45	CHAPTER 1
Build a support network	CHAPTER 2
Use caution when looking for health information on the Internet48	CHAPTER 3
Your healthcare team	CHAPTER 4
Chapter 7 - Developing a personal care plan of action 53	CHAPTER 5
Create a "health diary"	CHAPTER 6
Set personal goals	CHAPTER 7
Chapter 8 - If your kidneys fail	CHAPTER 8
Uremia	GLOSSARY
Medications	MEDICATIONS
Evaluation form	EVALUATION FORM



#### Introduction

NOTES:	
	_

#### What is this handbook about?

There are many people in Canada who have chronic kidney disease (CKD). However, most of them don't know it so they aren't able to take steps to protect their remaining kidney function. If your doctor has told you that you have reduced kidney function and are in the early stages of CKD, then this information should be helpful for you and your family. By using this handbook and working with your healthcare team, you will learn how to manage your kidney disease. This means you may be able to delay or prevent symptoms of kidney failure as well as prevent or reduce the risk of other complications such as heart disease.

The purpose of this handbook is to provide you with the information you need to take control of your healthcare. In it you will find information about your kidneys and how they work, the stages of CKD, and steps that can help you to protect your remaining kidney function and maintain a healthy lifestyle. The information and suggestions in this book are general – you should always seek the advice of healthcare professionals for an assessment and treatment plan that meet your individual needs.

This book is produced by The Kidney Foundation of Canada (KFOC) and is provided free-of-charge to any person living in Canada who has been diagnosed with kidney disease. Others may obtain a copy of the handbook, for a small fee, by contacting their local Kidney Foundation office. Contact information and an electronic version of this handbook are available on The Kidney Foundation's web site at **www.kidney.ca**.

#### Hints on how to use this handbook

A diagnosis of kidney disease can be overwhelming and often completely unexpected: "What is kidney disease? How can I have kidney disease? I didn't have any symptoms! How long will my kidneys work on their own? What should I do to give my kidneys their best chance? Will I need dialysis?..."

Research has shown that people have better health outcomes when they are involved in seeking answers to some of these questions for themselves, by understanding their disease(s) and by participating in decision-making about their care.

#### Introduction



This material is available to help you to keep track of your questions, prepare for your appointments, set personal health goals and work towards achieving them, so that you can live your healthiest life possible.

- While the focus of this handbook is *adults* living with reduced kidney function, most of the information can also be used to help the *pediatric* population and their families.
- Each colour-coded chapter begins with helpful tips and/ or suggestions for people living with kidney disease. It also includes highlights, pictures and icons and a summary of key points so you can more easily find the information you want.
- This handbook includes some action-planning tools and log sheets where you can record important information about various aspects of your health and treatment. Feel free to photocopy these sheets as needed or download additional copies at www.kidney.ca.
- Whenever a new or important word or term is introduced, it is shown in **bold italic type** the first time it appears in the book. You will find the definitions of these words and terms in the glossary.
- Sometimes we use *italics* to emphasize certain words or phrases. These words and phrases do not appear in the glossary.
- When medications are mentioned, the generic (common) name
  of the medication is used because there are often several
  brands available. However, brand name medications are
  sometimes used as an example. There is also a chart at the
  end of the handbook that gives examples of brand names for
  various medications.

Please use this handbook as a resource in whichever way works best for you. Make it your own: read it all the way through, or skip to the chapters that you find most interesting; mark up the margins with your own notes or use it as a reference and re-read sections as your situation changes. We also encourage you to share this resource with family, friends, colleagues or anyone around you who would like to learn more about CKD in order to help and support you.

This handbook and other information about kidney disease are available online at www.kidney.ca

This material is available in accessible formats upon request by contacting info@kidney.ca or calling 1-800-361-7494.

NOTES:	
-	
-	



#### **Acknowledgements**

The Kidney Foundation of Canada would like to thank all those people across Canada who generously gave their time and effort to make this handbook possible. Without their encouragement, ideas and support, it would not have been possible.

The Foundation would like to specifically acknowledge the healthcare professionals and others from across the country that assisted with this project.

#### PROJECT MANAGEMENT TEAM

Physician of Record - Dr. Joanne Kappel, nephrologist, Saskatchewan Project Manager/Writer - Nadine Valk, KFOC, Ontario Writer/Editor - Jayne McBryde, communications consultant, Quebec

#### **REVIEWERS**

Dr. Monica Beaulieu, nephrologist, British Columbia

Janet Baker, renal nurse, British Columbia

Chantal Boucher, KFOC, Quebec

Anne Brinkman, KFOC, Ontario

Evangeline Cabezon, renal nurse, British Columbia

Shannon Chesterfield, renal dietitian, Ontario

Sarah Cruickshank, KFOC, Ontario

Louise Dalpé, KFOC, Quebec

Dr. Janis Dionne, pediatric nephrologist, British Columbia

François-René Dussault, patient representative, Ontario

Breanna Elliotson, patient representative, Ontario

Rea Flamer, renal social worker, British Columbia

Jill Goth, KFOC, Alberta

Sharn Hara, renal nurse, British Columbia

Michelle Jensen, renal social worker, Nova Scotia

Heather Johnson, KFOC, British Columbia

Dr. Scott Klarenbach, nephrologist, Alberta

Lori Kraemer, patient representative, Ontario

Pierre Lachaine, patient representative, Ontario

June Martin, renal dietitian, Ontario

Barb Nickerson, renal social worker, Nova Scotia

Trisha Parsons, physiotherapist, Ontario

Paul Shay, KFOC, Quebec

Dr. Amy Sood, renal pharmacist, Manitoba

Murray Sutherland, patient representative, Ontario

Neil Thompson, renal social worker, Alberta

Janet Williams, consultant, British Columbia



## HOW YOUR KIDNEYS WORK





#### How your kidneys work

#### **HELPFUL TIP**


The first two chapters describe your kidneys and kidney disease and introduce some medical terms that you may not have heard before. If you don't understand something, make a note in the margin and bring this handbook to your next appointment. Or start a separate notebook for your questions

**Kidneys** are as important to your health as your heart or your lungs. Kidneys remove waste products from your body, regulate water and produce hormones. In this chapter we will briefly look at how the kidneys work. If you know what the kidneys do when they work properly, it will be easier to understand what can happen if your kidneys begin to fail.

#### How do kidneys work?


Normally, people have two kidneys, one on each side of the spine under the lower ribs. They are reddish brown in colour and shaped like kidney beans. Each kidney is about the size of your clenched fist.


One of the main jobs of the kidneys is to remove wastes from the blood and return the cleaned blood back to the rest of the body. Every minute, about one litre of blood (one fifth of all the blood pumped by the heart) enters the kidneys through the **renal arteries**. After the blood is cleaned, it flows back toward the heart through the **renal veins**.




Produced by
The Kidney Foundation of Canada

#### How your kidneys work








#### How your kidneys work

# NOTES:


Inside each kidney there are more than one million tiny units called **nephrons**. Each nephron is made up of a very small filter called a **glomerulus**, which is attached to a **tubule**. Water and waste products are separated from the blood by the filters and then flow into the tubules. Much of this water is reabsorbed by the tubules and the wastes are concentrated into urine.

The urine is collected from the tubules in the funnel-like **renal pelvis** and then flows through tubes called the **ureters** into the **bladder**. Urine passes out of the body through a tube called the **urethra**. Together, the kidneys normally make one to two litres of urine every day depending on how much you drink.

Usually, the kidneys are able to provide more than twice as much kidney function as your body needs to work well. A normal kidney can greatly increase its workload: if you were born with one kidney or if one kidney is injured or donated, the remaining kidney can work harder to keep your body healthy.



#### How your kidneys work



M/L	0 40	lei din	01/6 60	1100 10	autant <sup>4</sup>	2
vviiy	are	Kian	eys 50	mp	ortant	

Your kidneys are important because they do three essential things:

#### 1. Kidneys regulate water

For your body to work properly, it must contain just the right amount of water. One of the important jobs of the kidneys is to remove excess water from the body or to keep water when the body needs more.

#### 2. Kidneys remove waste products and help to balance the body's minerals

Many of the substances in the blood and other body fluids must be kept at the correct level for the body to function properly. For example, **sodium** (salt) and **potassium** are minerals that come from food. The body needs these minerals for good health, but they must be kept at certain levels. When the kidneys are working properly, extra minerals, such as sodium and potassium, leave your body in the urine. The kidneys also help to adjust the levels of other minerals, such as **calcium** and **phosphate** (which are important for bone strength, growth and other functions).

Your kidneys help remove waste products, such as **urea** and **creatinine**, from your body. Urea and other wastes are made when the body breaks down **protein**, such as meat. Creatinine is a waste product of the muscles. As kidney function decreases, the levels of urea and creatinine in the blood increase. The creatinine level in the blood is a very useful measure of kidney function. It is measured by a simple blood test.

#### 3. Kidneys produce hormones

Normal kidneys also make important chemicals in your body called **hormones**. These hormones circulate in the bloodstream like "messengers" and regulate blood pressure, red blood cell production and the calcium balance in your body.

_		•
		•

•			
-			
٠			
÷			
-			
-			



#### How your kidneys work



**NOTES:** 


#### Summary

- One of the main jobs of your kidneys is to remove wastes from the blood and return the cleaned blood to the rest of the body.
- Together, the kidneys normally make one to two litres of urine every day, depending on how much you drink.
- Your kidneys help control how much water you have in your body. They "clean" your blood by removing wastes from the body through your urine.
- Your kidneys produce hormones that help your body make red blood cells and regulate blood pressure.

## 5

## KIDNEY DISEASE





#### Kidney disease

#### **HELPFUL TIP**

It can be overwhelming to find out that you have kidney disease. It may be hard to remember information and test results when you get home after your medical appointments. Try to bring someone with you to take notes and record information so that you can focus on listening and asking questions.

## NOTES:

This chapter will help you recognize the risk factors for kidney disease, some common causes of kidney disease, and the medical terms used to describe them. By knowing more about your kidney disease, you will better understand how to protect and preserve your kidney function.

#### What is chronic kidney disease (CKD)?

**Chronic kidney disease (CKD)** is the presence of kidney damage, or a decreased level of kidney function, for a period of three months or more. There are two key tests which are used to detect kidney damage and to assess how well your kidneys are functioning at removing toxins and waste products from your blood.

#### **Blood test**

A blood test is used to measure your **serum creatinine level** which helps to indicate how well the kidneys are filtering the blood. Creatinine is a waste product made from muscle use and the breakdown of the protein you eat. As the blood creatinine rises, kidney function decreases. Decreased kidney function means that your kidneys are not able to remove the toxins and waste products from your blood as well as someone with normal kidney function.

The estimate (or percentage) of kidney function is called the **glomerular filtration rate (GFR)**. Sometimes the GFR is also referred to as the **estimated glomerular filtration rate (eGFR)**. Glomeruli are tiny blood vessels in the kidney that help to filter waste. The GFR is a way of measuring how well the kidneys are working by determining the *rate* at which the *glomeruli* are *filtering* waste products from your blood. The eGFR is the most common way to measure kidney function at kidney clinics.

#### **Urinalysis**

Simple laboratory tests such as **urinalysis** (a urine dipstick), which looks for blood and a protein called **albumin** in the urine, are also useful in detecting kidney damage at an early stage and determining your risk of losing more kidney function. The filters of the kidney do

#### Kidney disease



not normally allow protein in the urine so if protein (albumin) is detected, it is a sign that the filters of the kidney are being damaged. The more albumin that you have in your urine, the greater the risk of losing kidney function over time.

Other blood tests, X-rays, kidney ultrasound or a kidney biopsy may also be needed to diagnose the specific type of kidney disease and to determine the appropriate treatment.


#### **Understanding CKD**

Kidney disease can range from mild to severe and in some cases, lead to **kidney failure**. Kidney failure is sometimes referred to as **end-stage kidney disease (ESKD)**. Kidney disease often starts slowly and develops without symptoms over a number of years, so CKD may not be detected until it has progressed to the point where your kidney function is quite low. Fortunately, most people do not progress to end-stage kidney disease, especially if they are diagnosed early and are able to take steps to preserve their remaining kidney function.

"End-stage" kidney disease does not mean the end of your life. End-stage means the end of your kidney function: your kidneys no longer adequately filter your blood. If your kidneys fail, there are a number of different treatment options including non-dialysis supportive care (conservative care), transplantation, or different forms of dialysis. More information about treatment for kidney failure is included in Book Two - Living with kidney failure.

N	O'	ΓΕ	S
---	----	----	---

Produced by
The Kidney Foundation of Canada



#### Kidney disease

The following table provides an overview to help you understand CKD at different phases, including potential symptoms and treatment. The amount of kidney function (GFR) you have remaining, your symptoms, your overall health and other factors (such as the amount of albumin in your urine) will be used to help you and your healthcare team to: manage your health, monitor your kidney function and determine the type of treatment that's best for you.

#### Kidney function, symptoms and treatment

	NORMAL	MILD	MODERATE	SEVERE	KIDNEY FAILURE
Amount of Kidney Function	> 60%*	45% - 59%	30% - 44%	<b>15% - 29%</b>	< 15%
Symptoms	No symptoms observed	No symptoms observed	Early symptoms may occur and could include tiredness, poor appetite, and itching	Tiredness, poor appetite and itching may get worse	Symptoms may include severe fatigue, nausea, difficulty breathing and itchiness
Treatment Options	Indentify cause and try to reverse it	Monitor albumin and GFR, blood pressure, general health and well-being	Monitor albumin and GFR, and continue to try to stop or slow the worsening of kidney function	Monitor albumin and GFR, and continue to try to stop or slow the worsening of kidney function	Monitor albumin and GFR, and continue to try to stop or slow the worsening of kidney function
	Monitor albumin and GFR	Try to stop or slow down the worsening of kidney function	Learn more about CKD and treatment options	Discuss and plan for treatment choice: dialysis access, assessment for transplant, or information about non-dialysis supportive care	Continue with non- dialysis supportive care, plan for transplant or start dialysis (depending on symptoms)**

<sup>\*</sup> Normal unless there is an underlying issue, kidney damage or albumin in the urine.

<sup>\*\*</sup> The timing of starting dialysis treatment depends on a large number of factors. This should be discussed with your doctors and healthcare team.

#### **Kidney disease**



#### **Risk factors for CKD**

There are a number of risk factors for CKD, some that you can control such as smoking, and others that you cannot, such as aging. People with diabetes, high blood pressure or who have a family history of kidney disease are at increased risk of developing CKD. Children who are born with kidneys that did not develop properly are also at risk. In addition, people of Aboriginal, Asian, South Asian, Pacific Island, African/Caribbean and Hispanic descent are at higher risk for CKD.

#### What causes chronic kidney disease?

There are many different kidney diseases and disorders. Some kidney diseases are present at birth and others develop as we grow older. Often, kidney disease is associated with other medical conditions such as diabetes, high blood pressure and heart disease.

Most diseases of the kidney attack the filtering units in the kidney, damaging their ability to remove wastes and excess fluids. There is no cure, but it may be possible to prevent CKD or slow it down. This is especially true in people with diabetes and/or high blood pressure, the leading causes of kidney failure.

#### **Diabetes**

**Diabetes** is a disease that is caused by a lack of **insulin** in the body or the body's inability to properly use normal amounts of insulin. Insulin is a hormone that is a very important chemical messenger that regulates the level of glucose (sugar) in the blood. The body must have insulin to function. Therefore, people with diabetes may take medications that can either make the pancreas produce more insulin, or help the body properly use the insulin that is being produced, or they may take insulin by injection or pump.

Even with the use of insulin or other medications, people who have had diabetes for some time often suffer from damage to the small blood vessels such as the ones in the filters of the kidney.

#### **HELPFUL TIP**

More information about the classification of CKD, GFR and albumin is available at **www. kidney.ca**. Strategies for protecting your kidney function are included in the following chapters.

#### **NOTE:**

Sometimes kidney failure occurs rapidly and this is called acute kidney injury. This may be a result of infection, diseases that specifically attack the kidney filters, or other causes. For acute kidney injury, dialysis treatment may be urgently needed for a period of time, but kidney function often recovers



#### Kidney disease



One in 10 Canadians has kidney disease and millions more are at risk.

For more information and an online risk assessment, go to: **www.kidney.ca/risk** Available in English, French, Chinese and Punjabi.

#### NOTES:


#### High blood pressure

High blood pressure (also called **hypertension**) may cause chronic kidney disease. The reverse is also true: chronic kidney disease frequently causes high blood pressure.

High blood pressure damages the small blood vessels that deliver blood to the kidneys' filters. Long-standing, untreated high blood pressure, or very severe high blood pressure, will reduce the flow of blood into the filters and may lead to CKD.

The kidneys also produce a hormone that helps in the control of blood pressure. When the kidneys are damaged or fail, this hormone may increase and cause high blood pressure. In turn, this may lead to further kidney damage. It is important to control high blood pressure to try to prevent long-term kidney damage.

#### **Chronic kidney inflammation (Glomerulonephritis)**


Chronic kidney inflammation (*glomerulonephritis*) is a condition in which the glomeruli are damaged. Glomeruli are the tiny filters that help clean the blood. There are many types of glomerulonephritis: some types recover without medical treatment, while others can be treated with medications. Sometimes, some types of glomerulonephritis cannot be successfully treated despite using many different medications. If this happens, dialysis may be needed if the kidney filters become more scarred and are not able to do their job properly.

There are many types of glomerulonephritis associated with different conditions such as **systemic lupus erythematosus** (**lupus**), **vasculitis** (inflammation of blood vessels), **Hepatitis B** or **Hepatitis C** just to name a few.

#### Polycystic kidney disease

**Polycystic kidney disease** (PKD) is the most common inherited disease of the kidneys. It will be passed to 50% of the children of an affected parent. Polycystic means "many cysts". Polycystic kidneys become very large and have a bumpy surface because of fluid-filled cysts. Pressure from the cysts as they expand can slowly damage the

#### Kidney disease



**NOTES:** 

kidneys, which may lead to kidney failure. People who are found to have the disease very early will be monitored and have their blood pressure and general health watched closely.

#### **Urinary tract obstruction**

The kidneys may be damaged if there is an obstruction (or blockage) of urine from the kidneys. Obstructions may occur in the ureters or at the outlet of the bladder. When the blockage occurs in the fetus during pregnancy, the kidneys may not develop properly and this could lead to CKD in children. In adults, causes of urinary tract obstruction can be an enlarged prostate gland, kidney stones or tumours.

#### **Kidney stones**

A kidney stone can develop when certain chemicals in the urine form crystals that stick together. The crystals may grow into a stone ranging in size from that of a grain of sand to a golf ball. While small stones may pass through the urinary system without problems, larger stones may block the flow of urine or irritate the lining of the urinary tract. Multiple kidney stones can cause scarring of the kidneys and result in reduced kidney function.

#### Drug- and medication-induced kidney problems

#### Illegal drugs

The use of illegal drugs, such as heroin and cocaine, can cause kidney damage.

#### Over-the-counter medications (non-prescription)

These medications, including anti-inflammatory medications like ibuprofen, may damage the kidneys if used in large doses over a long period of time.

#### Prescription medications

At times, even prescription medications may cause kidney dysfunction. Sometimes the damage can be repaired but sometimes



#### Kidney disease

#### **IMPORTANT:**

Be very careful about taking non-prescription medications. It is wise to discuss all over-thecounter drugs and herbal remedies before they are taken. it cannot. However, many prescription medications can be safe for people with kidney disease as long as your doctor makes changes to the dosage (amount). You should always ask your doctor or pharmacist about the possible side effects of prescription medications for people with kidney disease.

#### Other kidney problems

Other problems can affect the kidneys. Some of these are Alport syndrome, Fabry disease, kidney cancer, Medullary Sponge Kidney (MSK), Wilms' tumor (children only) and bacterial infections. Information on most of these conditions is available at **www.kidney.ca** or from your local Kidney Foundation office.



#### Summary

- Most people do not progress to end-stage kidney disease, especially if they are diagnosed early and are able to take steps to preserve their remaining kidney function.
- Kidney function is measured through simple blood and urine tests. Urinalysis checks for protein (albumin) and blood in the urine. A blood test for creatinine level is often used to help estimate GFR (glomerular filtration rate).
- People with diabetes, high blood pressure or people who have a family history of kidney disease are at greater risk of developing CKD. So are people of Aboriginal, Asian, South Asian, Pacific Island, African/Caribbean and Hispanic descent.
- Diabetes and high blood pressure are the leading causes of CKD in Canadian adults. Other causes include chronic kidney inflammation, polycystic kidney disease and urinary tract obstruction.

#### See Chapter Four:


Managing your medications for kidney health for more information on medications.

### HOW YOU CAN SUPPORT YOUR KIDNEY HEALTH









## How you can support your kidney health

#### **HELPFUL TIP**

When you have a diagnosis of kidney disease, there are many things outside of your control. However, there are still a number of steps you can take to protect your remaining kidney function. As you go through this chapter, write notes in the margins about areas that you might need to focus on to support your kidney health. You can discuss them with your healthcare team.

## NOTES:

Most people's kidney function changes slowly and not everyone with chronic kidney disease will develop end-stage kidney disease. However, damaged kidneys won't heal, so the rest of this handbook will focus on helping you to maintain the kidney function you do have left. In most cases, supporting your kidney health and protecting your remaining kidney function depend on maintaining a healthy lifestyle and managing other medical conditions you may have.

By the end of this chapter, you will better understand why it is important to control your weight, diabetes and blood pressure and to stop smoking to help prevent kidney failure or to slow down the decline of your kidney function.

#### Manage other medical conditions

One of the most important ways to preserve your kidney function is to gain control over other medical conditions you may have. The first step is to follow the advice of your healthcare team and to take your medications as prescribed.

#### Control your blood sugar if you have diabetes

Why? High blood sugar clogs all blood vessels including the filters of the kidney. This causes decreased kidney function. High blood sugars can also damage the nerves that tell you when your bladder is full. A full bladder can cause the urine to back up into the kidneys and cause further damage to those precious kidney filters. This can also lead to increased bladder infections. Keeping your blood sugars well controlled will help to protect the delicate filters in the kidneys and may slow down the decline in your kidney function.

Here are some tips for managing kidney disease if you have diabetes:

- Talk with your doctor or nurse about what your target blood sugar level should be, and when and how often you need to check it.
- Test your blood sugar as often as directed by your healthcare team. The A1C blood test tells you what your average blood sugar level was over the past two to three months. Have this test done

## How you can support your kidney health



every three months (or as often as your doctor suggests) to see if you have control over your blood sugar.

- Maintain a healthy lifestyle and weight. Aim for 150 minutes of activity every week (30 minutes, 5 times per week), assess what you are eating and improve food choices. See a dietitian if you need help with this.
- Don't smoke.
- Control your cholesterol through proper food choices and if you are on medication, make sure you take it as directed by your doctor.
- Manage your blood pressure. People with kidney disease who also have diabetes should aim for a blood pressure of 130/80 mm Hg.
- Infections in people with diabetes tend to progress rapidly. If left untreated, many infections, especially urinary tract infections, can further damage the kidneys. People with diabetes must take special care to have infections treated immediately.
- Make sure to have your kidney function tested annually (or as often as your doctor suggests) by having blood and urine tests.

#### Manage high blood pressure

Why? High blood pressure can cause the filters in your kidneys to become scarred and lead to a decrease in kidney function. Prolonged uncontrolled high blood pressure can also increase the risk of heart disease. Blood pressure control is one of the most effective ways of slowing the progression of kidney disease.

- Talk with your doctor or nurse about what your target blood pressure should be, and when and how often you need to check it. Generally, you should keep your blood pressure below 130/80 mm Hg.
- You should regularly monitor your blood pressure at home and write down your blood pressure readings.
- Take your record of your blood pressure readings with you to your doctor's office visits and clinic appointments.



-	
-	
·	
-	
-	
-	
-	
-	



### How you can support your kidney health

#### See **Chapter Five:**

Your diet and nutrition for kidney health for more information on reducing sodium in your diet.

#### **NOTES:**

- Take your blood pressure medications as directed by your doctor.
- Maintain a healthy lifestyle and weight. Aim for 150 minutes (30 minutes, 5 times per week) of activity every week, reduce sodium (salt) intake, and make time to relax.
- Don't smoke.
- Make sure to have your kidney function tested annually (or as often as your doctor suggests) by having blood and urine tests.

#### Other ways to manage your blood pressure

The DASH (Dietary Approaches to Stop Hypertension) eating plan is based on eating foods rich in vegetables, fruit, nuts, and 1% milk products. It is also low in sodium and saturated fat. This eating plan can help you lower your blood pressure.

#### Maintain a healthy weight

Why? If you are overweight, losing even a small amount of weight can help you control your blood pressure and blood sugar. Controlling your blood pressure and blood sugar helps to protect your kidneys.

#### **Chapter Seven:**

Developing a personal care plan of action contains blood pressure logs and other resources to help you manage your blood pressure.



## How you can support your kidney health



People with kidney disease who are underweight are at a higher risk of malnutrition, which can affect your energy level and how well you fight off infections.

Where you carry your weight is as important as how much weight you carry. If you are more "apple" shaped and carry fat stored around your middle, you are at greater risk for Type 2 diabetes, high blood pressure, heart disease and stroke.

Maintaining a healthy weight is a big challenge for many people. Eating a well-balanced diet and staying physically active can help.

#### Don't smoke

Smoking is well known to be harmful to your health - it increases your risk of heart attack, stroke, lung disease, kidney disease and cancer. Smoking can be particularly harmful if you have kidney disease and can increase the risk of progression to end-stage kidney disease.

There are many benefits of quitting smoking including:


- Your sense of smell and taste improve.
- Breathing becomes easier as your bronchial tubes relax and your lung capacity increases.
- Your blood circulation improves and oxygen levels in your blood return to normal.
- Your risk of heart attack, lung cancer and other smoking related diseases decreases over time.
- You will have more energy as well as more money to spend or save.

#### See Chapter Five:

Your diet and nutrition for kidney health and Chapter Six: Living well with reduced kidney function for more information about diet, nutrition and the role of physical activity.

N	O	т	F	ς	•
	$\mathbf{\mathbf{\mathcal{I}}}$			•	

<u> </u>	



### How you can support your kidney health

#### How can I quit?

Quitting can be hard but there are a lot of supports to help you stop smoking. Talk to your doctor or pharmacist about medication and/ or nicotine replacement therapy (NRT) that might help. You can also get counselling or join a support group. If you are not immediately successful when you try to quit, try again! Some people have to try five or more times before they quit for good - each time you try, you will figure out what works for you and it will get easier.



#### Summary

To support your kidney health and help protect your remaining kidney function, it is important to:

- Manage other medical conditions you may have like diabetes and high blood pressure. Keeping your blood pressure and blood sugar well controlled may help to delay or prevent the progression of kidney disease.
- Maintain a healthy weight.
- If you smoke, try to quit.



#### **NOTES:**


## MANAGING YOUR MEDICATIONS FOR KIDNEY HEALTH







## Managing your medications for kidney health

#### **HELPFUL HINT**

Become an expert on all the medications you're taking. You should know:

Name of medication

Strength of medication

Dose (how much to take)

How often and what time of day to take it

What the medication is used for

What common side effects to watch out for

What to do if you miss a dose

Different types of medications are commonly prescribed for chronic kidney disease. Some medications slow down the progression of kidney disease or manage the complications of kidney disease. Others reduce the risk of heart disease or stroke. It is very important to take your medications as prescribed and the information in this chapter focuses on helping you to do that.

Medications often have more than one name: the medical or generic name of the drug, and the brand or trade name used by the pharmaceutical company to identify their version of the medication. Towards the end of this handbook, there is a chart showing examples of common brand names for various medications.

#### **Commonly used medications**

#### **Blood pressure medications**

Blood pressure medications help to reduce your blood pressure. This reduces your risk of stroke and heart attack and plays a very important role in slowing down the decline of your kidney function.

Different types of blood pressure medications work in different ways so you may be prescribed two or more different types in order to reach your blood pressure goal. Some of the more commonly used blood pressure medications include **angiotensin-converting enzyme** (ACE) inhibitors or **angiotensin receptor blockers** (ARB), beta-blockers, calcium-channel blockers, and alpha-blockers.

#### **Diuretics**

Diuretics (also called "water pills") are medications that help your kidneys get rid of extra sodium and water.

#### **Cholesterol medications**

Cholesterol medications reduce the cholesterol levels in your blood. Controlling your cholesterol reduces your risk of heart disease and stroke. This is important because people with chronic kidney disease are at higher risk of heart disease and stroke. There are different types of cholesterol lowering medications including **statins**, **fibrates**, and **ezetimibe**.

## Managing your medications for kidney health



### General tips for managing your medications

Kidneys play an important role in removing medications from your body. As your kidney function changes, the medications you need may also change. Sometimes the dose will be decreased, or you will take some medications less often, or even stop taking some medications altogether. Your healthcare team will use your blood test results as a guide to make sure you are getting the right medications at the right dose.

#### Be active and involved - know your medications!

Medications are prescribed a specific number of times per day depending on how quickly they are removed from the body. Certain medications may need to be taken on an empty stomach or with food in order to get the best absorption into your body, to decrease side effects or to improve how they work. Learn as much as you can about all your medications.

What you should know about your medications:

- Name of the medication(s)
- Strength of the medication(s)
- Dose (how much to take)
- How often and what time of day to take your medications
- What the medication is used for
- What common side effects to watch out for
- What to do if you miss a dose or doses
- Whether any tests are needed to monitor how the medication is working

To learn what's best for you, ask your doctor or pharmacist about your medications so you'll know how to get the most benefit from them and how to manage any possible side effects.

#### See Book Two:

Living with kidney failure for more information on other medications such as phosphate binders and erythropoietin.

NOTES:	



## Managing your medications for kidney health

NOTES:	
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	_
	=

#### Need help remembering to take your medications?

You can use a *medication aid* to help you take your medications at the right time. There are several different medication aids available to help you manage your medications. Talk to your pharmacist about what might work best for you.

- Dossette a re-usable weekly medication container that can help you (or your family member) sort your medications according to the time of day you should take them (morning, lunch, supper, bedtime).
- Blister pack/bubble pack your pharmacy can prepare your medications in a weekly package, sorted according to the time of day you should take them.
- Reminder alarms, computer apps and calendars can also be useful.

#### Have trouble swallowing pills?

Many children, and some adults, have difficulty swallowing pills and capsules. Sometimes a liquid form of the medication is available, but it can make the prescription more expensive and it is not available for all medications.

It can be helpful to learn new ways to swallow a pill so you can improve the chances of success with the medication and reduce the stress you might feel when taking your medications. Try practicing with various sizes of hard candies (like Tic Tac® or Mini M&Ms®).

#### Bring all your medication bottles and/or packages to your doctor's appointments

This is especially important on the first visit. Bring all your prescription medications, over-the-counter products, vitamins, herbal remedies or natural supplements that you are taking.

#### Keep a current list of all your medications

If you need help, ask a family member or your pharmacist to make a list based on the directions on your medication containers or doctor's instructions. Bring this list with you to all medical (and dental)



Produced by The Kidney Foundation of Canada

## Managing your medications for kidney health



appointments. It is very important that you take your medication list with you to the emergency room if you need to go. Make sure to make any changes to the list as new medications are added, stopped or if the dosage changes. This will help your healthcare team know what you are taking and help prevent possible medication interactions or duplications and improve overall medication safety.

#### Let your pharmacist know that you have chronic kidney disease

As part of the healthcare team, your pharmacist can work with your doctors to make sure that you are taking the right dose for your level of kidney function.

#### When to contact your pharmacist or doctor

- If you have a serious reaction to a medication
- If you are ill (vomiting, diarrhea, dehydration)
- If you have new and/or irritating side effects
- If you think your medication is not working
- If you run out of medications try to think ahead and refill your medications two weeks before they will run out
- If you are prescribed a new medication by someone who is not part of your regular healthcare team (i.e. emergency room physician) who may not be familiar with your level of kidney function

#### Do not stop taking your medication(s) without first talking to your doctor

Talk to your doctor first before stopping your medication(s) so that they can make sure it won't affect your treatment plan or your health. If you are having financial difficulty buying the medications you need, or if you do stop or change your medication dose for any reason, be sure to let your doctor know so that together you can plan appropriately for your care.

#### **NOTE:**

For sample medication logs, information for your pharmacist and more tips on managing your medications, go to Chapter Seven:

Developing a personal care plan of action.



_			
		_	-




## Managing your medications for kidney health

# NOTES:

#### **Covering the cost of medication**

- Not all medications approved by Health Canada are covered by publicly-funded drug plans or private insurance plans. Do your research to make sure you know what is covered by your specific plan and how much you will have to pay.
- Each province has different rules for their publicly-funded drug plans. For example, some provide coverage for people 65 and older, or individuals on social assistance. Talk to your doctor and other members of your healthcare team and call your Provincial Ministry or Department of Health to get more information about the drug plan in your province.
- Even if you are eligible for coverage under one of the public plans, you may still have to pay some of the costs of your medications through, for example, a co-payment, a deductible, or a premium.
- Your private insurance plan may require that you pay for your medications upfront at the pharmacy and then submit the receipts for reimbursement. If this is a problem for you, ask your insurance company to allow your pharmacy to submit the bill directly to them for reimbursement.
- Talk to your pharmacist. They may be able to assist you by contacting your insurance plan or by working with your doctor to prescribe another medication that is covered.

(Adapted with permission from the "How to" Health Guide produced by the Health Charities Coalition of Canada.)



#### Medications and remedies to avoid

While many medications are good for your kidney health, some medications can put you at risk of further kidney damage or may build up in your body causing undesirable effects.

When you have CKD there are some prescription and over-thecounter medications and remedies that you should avoid, including herbal medicines, vitamins and supplements.

# Managing your medications for kidney health



# Use caution with over-the-counter medications, vitamins, cold medicines and other remedies

- Non-steroidal anti-inflammatory medications (NSAIDs) such as ibuprofen (Advil®, Motrin®) or naproxen (Aleve®) since these can cause damage to the kidneys, especially if used at a high dose for long periods of time.
- Daily low dose ASA (81 mg) (like baby Aspirin®) is safe for your kidneys but avoid high doses of ASA since this can put you at risk for kidney damage. Acetaminophen (Tylenol®) is safe to use for headache, pain and fever.
- Cold and flu medications that contain decongestants may increase blood pressure. In addition, avoid cough and cold medications that also contain ASA or NSAIDs.
- Vitamins or food supplements may contain potassium or magnesium or high doses of vitamin A that can build up in your body.
- High doses of vitamin C (500 mg or more) can cause damage to kidneys. There is a specially formulated multivitamin for people with kidney disease that has the right amount of vitamins that your kidneys can handle. Ask your healthcare team about this.
- Avoid specific enemas or certain laxatives that contain phosphates, magnesium, calcium or aluminum unless your kidney doctor prescribes them.
- Milk of Magnesia or antacids that contain magnesium or aluminum should also be avoided.

### Herbal or complementary medicines

People living with kidney disease should use *extreme caution* when using herbal products or complementary medicines since some of them have been shown to lead to further kidney damage.

Herbal medications and products are not regulated in the same way that pharmaceutical products are. Therefore, the list of ingredients is not always accurate and some herbal medicines have been found to contain pesticides, poisonous plants, hormones, heavy metals and other compounds that are potentially dangerous.

NOTES:	N	O		E	5	
--------	---	---	--	---	---	--

-	
-	
-	
-	
-	
-	



# Managing your medications for kidney health

Some herbal medications also include diuretics, high levels of potassium, and/or other ingredients that can affect the kidneys or interact with your prescription medications to change their effectiveness. It is very important to tell your doctor about any herbal medications or products you may already be using or plan to use.



### **Vaccinations**

It is recommended that all people with advanced CKD have an annual flu shot unless your doctor advises otherwise.


It is also recommended that all people with CKD have the pneumococcal vaccine - this is to prevent severe forms of pneumonia. Usually this is given once and then repeated in five years.

You may also need to be vaccinated against Hepatitis B - a virus that can cause liver damage. You should check with your healthcare team about these vaccinations.



# Summary

- Your medications can help you to slow down the decline of your kidney function, manage the complications of CKD and/or manage other medical conditions.
- It is very important to take your medications as prescribed.
- You should know as much as you can about all the medications you are taking and bring an up-to-date list with you to all healthcare appointments.
- Do not stop taking medications without first talking with your doctor.
- There are some medications that you should avoid such as ibuprofen and other non-steroidal anti-inflammatory medications (NSAIDs), herbal and complementary medicines.





# Your diet and nutrition for kidney health

#### **HELPFUL HINT**


Changing your diet can be difficult and stressful. It's easier when you start with small changes. Try eating foods similar to the ones you enjoy but that are low in sodium. Or add a vegetable or fruit to one of your meals

Do this each day for a week. Then try it for a month. The key is to make small changes over time so you can adjust to new flavours and form habits that last. What you eat affects your kidneys so diet and nutrition are an important part of your treatment plan. If you have moderate or severe kidney disease, you may need to make even more changes to the foods you eat, such as limiting phosphorus. There is no standard "kidney diet". What you eat may change as your kidney function or your medications change.

## The role of protein

Your body uses protein to help fight infections, heal wounds and keep your muscles strong and healthy. Most Canadians get more protein than they need. High protein diets may put extra stress on the kidneys. It is best to choose modest-size servings of protein.

Most people should have no more than two to three servings of high protein foods per day. High protein foods include milk, eggs, legumes (like dried peas, beans and lentils), nuts, and fish, poultry or lean meat. A modest-size protein serving of cooked legumes is ¾ cup (170 mL). A modest serving of cooked fish, poultry or lean meat is ½ cup or 2.5 ounces, about the size of a deck of cards.



# Your diet and nutrition for kidney health



# Limit sodium to 1500 - 2000 milligrams per day

The average Canadian gets over twice the amount of sodium (salt) that the body needs! Sodium is a mineral added to processed foods like deli meat, snack foods, and fast food. It can also be hidden in foods like bread, muffins, canned vegetables, cheese, pickles, condiments and tomato sauce.

### How does sodium affect your kidneys?

When your kidneys are fully functioning, they remove the excess sodium from your blood. With reduced kidney function, your kidneys cannot remove all of the sodium you eat and the sodium stays in your blood. This can raise your blood pressure and can cause swelling in the ankles and lower legs. If you have high blood pressure, you are at higher risk of damaging the tiny blood vessels in your kidneys. To reduce your blood pressure, limit your intake of sodium to 1500 - 2000 milligrams (mg) per day.

### How much is 1500 - 2000 milligrams of sodium?

One teaspoon of table salt contains 2300 milligrams of sodium. Most of the sodium we eat is *not* from the saltshaker – it is "hidden" in foods. That's one reason why it's important to read food labels. Another reason is that the sodium content of foods can vary between brands and products – the food label can help you choose the best products for you.

Reading food labels will help you quickly compare similar food products. The "% Daily Value" can be used as a general guide when you read a food label. The "% Daily Value" tells you if there is a little or a lot of a nutrient. A "% Daily Value" of 5% or less is a little and a "% Daily Value" of 15% or more is a lot. However, it is important to keep in mind that the "% Daily Value" for sodium is based on a daily intake of 2400 milligrams for a person without kidney disease so you will need to pay particular attention to the milligrams of sodium in a product to keep your intake at 1500 - 2000 mg of sodium per day.

	Nutrition Fa	cts	100 E	
	Serving Size 1 cup (252)g Servings Per Container a	bout 2	POST PROPERTY.	1
	THE R. LEWIS CO., LANSING, MICH.	-	THE REAL PROPERTY.	
	Relation 270 Colores for	F# 20	PROTOK OF CHILD	
	5 845		223 (MAKE)	200
	Total Fat 7g	115	AUTHOR DESIGNATION	2
	Saturated Fut 2.5g	13%	OF REAL PROPERTY.	200
	Trave Fat Op		100	
	Cholesterel Iting	\$5		-
	Sedium 1310mg	\$4%		
	Total Carbohydrate 43	0.14%		1000
ALC: NO.	Distary Fiber 2s	6%		35
A 11 (1-1)	Sugars By			
	Protein (r)		ALC: Y	
	Vitamin A 10% - Vitamin	6.05	115 1	
	Strum (%) + Son 107		100	
	Percent Cody Street are bearing	m+ 1	, 11,52	
Mississin.	Company day			

**NOTES:** 



# Your diet and nutrition for kidney health

#### **NOTE:**

For more information about kidney-friendly baking and cooking substitutions, visit the Kidney Diet and Information section of www.kidneycommunitykitchen.ca.

_	
<b>I</b>	
ıw	

### **Cutting back on sodium**

One way to limit your sodium intake is to replace processed foods with more homemade foods. Most of our sodium comes from prepared foods such as canned soup, frozen entrées, processed meats and snack foods. If you replace processed products with fresh and unprocessed foods, you can reduce your sodium intake.

Try cutting back on salt and salty ingredients. When you cook, try using pepper, onions, garlic, lime, lemon, or vinegar to flavour your foods instead of salt. You usually don't need to add salt when baking, especially since baking powder and baking soda are high in sodium. Do not use NoSalt®, HalfSalt® or similar salt replacement products in place of table salt. They are made with potassium chloride and can be dangerous for people with kidney disease.

### **Avoid phosphate additives**

Phosphorus is a mineral found in many foods. Early in chronic kidney disease, you should avoid foods with phosphate additives, even if your phosphorus is in the normal range. Phosphorus in food additives is extremely well absorbed and may damage the kidneys. In later stages of CKD, you may also need to avoid naturally occurring phosphorus or take medications to help control your levels.

### How do I avoid phosphate additives?

Phosphate additives are used in many foods to lengthen the shelf life, enhance flavour or improve the look and feel of a product. Look for the word "phosphate" or "phosphoric acid" in the list of ingredients to see if your food contains phosphate additives. Other examples of phosphate additives are "sodium phosphate", "calcium phosphate", "triphosphate" and "phosphoric acid". To reduce your intake of phosphate additives, avoid these foods:

**"Seasoned" meats:** Both fresh and frozen meats may contain added phosphates. It's important to read food labels and ask your butcher if your poultry or meat is treated with sodium phosphate.

**Fast food:** Most fast foods contain phosphate additives. Choose fast foods only occasionally and in small amounts. If you have a

# Your diet and nutrition for kidney health



craving for fast food, try to make your own hamburgers, fries and chicken nuggets from scratch to avoid added phosphates.

**Processed meats and cheeses:** Processed meats like ham, salami, and sausages commonly contain added phosphates, as do processed cheeses like cheese slices, Cheez Whiz® and Velveeta®. When shopping, read the list of ingredients and select meats and cheeses without phosphate additives. Natural cheeses do not contain additives.


**Beverages:** Colas, dark sodas, and some iced teas are examples of drinks that may have phosphate additives. Generally, clear sodas are acceptable but always check the ingredients for phosphoric acid or phosphate.

### What if my phosphate levels are high?

If your phosphate levels are high, you will be encouraged to limit your intake of foods that are naturally high in phosphorus. Your doctor may recommend you take a medication known as a phosphate binder. Phosphate binders are taken with meals. They work in your digestive system to reduce the absorption of phosphorus.

#### See **Book Two**:

**Living with kidney failure** for more information on phosphate binders.



For more information about kidney diet and nutrition, including kidney-friendly recipes, fact sheets such as Eating Out on a Kidney Diet, discussion forums, and a meal planner, visit the Kidney Community Kitchen at:

kidneycommunitykitchen.ca



# Your diet and nutrition for kidney health

#### See Book Two:

**Living with kidney failure** for diet and
nutrition information
for people with kidney
failure.

### When should I see a dietitian?

Making changes to the foods you eat can be difficult and sometimes stressful for you and your family. It often requires that you change your eating habits including what you eat, how much you eat, how often you eat out and where you eat out. A registered dietitian specializing in kidney nutrition will be able to help you. You should also speak with a dietitian if you:

- Have more than one diet and need help putting them together; for example, if you also have diabetes
- Are losing weight or are having trouble eating
- Need meal plan ideas or want to learn how to adapt your favourite recipes

The online Kidney Community Kitchen has an "Ask a dietitian" feature. You can use it to contact a dietitian for general advice about foods and nutrition for people with kidney disease.

www.kidneycommunitykitchen.ca



# Summary

- What you eat affects your kidneys, so diet and nutrition are an important part of your treatment plan.
- Choose modest-size servings of protein.
- Aim to limit sodium to 1500 2000 mg per day.
- Avoid foods with phosphate additives.

# LIVING WELL WITH REDUCED KIDNEY FUNCTION







# Living well with reduced kidney function

#### **HELPFUL TIP**

You may have many worries and concerns about living with kidney disease. It may help to write down all your concerns and beside each one, identify someone who can provide you with support, information and/or encouragement.

A diagnosis of chronic kidney disease can affect you physically, emotionally, socially and spiritually. People have different reactions when they learn they have kidney disease. It can be difficult to cope with a chronic condition that will affect you for the rest of your life. This chapter will focus on some ways to help you feel better and more in control, so that you can live well with kidney disease. We will look at getting support from people around you, staying active by doing things you enjoy and being an active member of your healthcare team.

## **Build a support network**

It's a good idea to tell the people around you about your kidney disease. This could be your spouse, close friends, family members, doctor, social worker, church member or anyone else you feel comfortable with. Talking about your health and your feelings and being as open and honest as you can about your situation, may help those around you better understand how to help and support you. You will probably find that it helps to share your feelings and hear how others are feeling as well.

You might benefit by connecting with others who have kidney disease. The Kidney Foundation of Canada's *Kidney Connect* program provides a few ways for you to share your feelings, questions and concerns with others who have similar experiences living with kidney disease. This program is free and also available to your friends and family members.

To arrange peer support by phone, just call the Peer Support line at 1-866-390-PEER (7337), contact your local Branch of The Kidney Foundation of Canada or request peer support using our online form at www.kidney.ca.

The Kidney Foundation of Canada also provides support through **kidneyconnect.ca**. This online social network is available in both English and French so that members of the kidney community can connect online, share experiences and ideas, and help fight the isolation some people experience when confronted with kidney disease. The social network features live chat, forums, blogs, support groups, and events. It is available at **www.kidneyconnect.ca**.

# Living well with reduced kidney function



## Be physically active

One of the most powerful things you can do for your health is to stay physically active. Staying active can help you feel good by lifting your mood, helping you sleep better at night, and helping you to manage stress. It will also improve your mobility and help you stay independent for longer.

The recommended level of activity is 150 minutes of moderate intensity exercise (such as walking, cycling or swimming) per week (or roughly 30 minutes, 5 times per week), in addition to the routine activities of daily living (such as cleaning, gardening or walking the dog).

The truth is there are a lot of reasons why it can be hard for you to maintain your physical activity. The thought of doing 30 minutes of activity may feel overwhelming and well beyond what you are currently doing. You are not alone. The important thing is to make sure that you try to be active throughout the day. Take a look at what you are currently doing, start slowly, build gradually and try not to sit for long periods of time. This might mean a two-minute walk to the end of your driveway or even walking on the spot. Then, add thirty seconds or a minute, as you feel able, until you are regularly active throughout the day.

Find activities that you enjoy and that work well for you and your situation. Many people find it easier and more fun to stay active when they are with a friend or in a group. Call your local community centre, public health unit or YMCA to find out what activities or clubs are offered in your community.

It is always a good idea to talk to your healthcare team if you are planning to start a new or more intense plan of physical activity than what you are currently doing. If you have any symptoms (such as joint or muscle pain, chest pain, dizziness, etc.) you should discuss your problems or concerns before starting a new activity. If you need additional guidance, registered physiotherapists are an excellent resource to help you meet your health and physical activity goals.

#### **NOTE:**

# WHAT'S BEST FOR YOU?

- What activities do you enjoy?
- Setting a goal is a great strategy to help keep you on track.
- How can you add half an hour of activities to your daily routine?
- Keep an activity
   journal give
   yourself credit for
   the work that you do
   and use the journal
   as a record to discuss
   with your healthcare
   team any concerns
   you may have.



# Living well with reduced kidney function

NOTES:		
		_
		_
		_
		_
		_
		_

# Be an active member of your healthcare team

The more you know about kidney disease and protecting your remaining kidney function, the more you will feel in control and confident in making decisions about your health. To learn more about kidney disease, speak with a member of your healthcare team and ask for educational material you can take home with you. If you have questions about the information, or if there is anything you do not understand, you can call the clinic or ask about it at your next appointment.

The Kidney Foundation of Canada web site and this handbook are also good places to start. Some Kidney Foundation Branches hold educational workshops and information sessions. Contact The Kidney Foundation Branch office in your province to see what is planned. You will find branch contact information and a calendar of events on The Kidney Foundation of Canada's web site at **www.kidney.ca**.



### **DEPRESSION**

Sadness, loss of appetite, trouble sleeping and lack of interest in sex or daily living can be signs you're depressed. Feeling down at times is a normal part of life and it can help to share your feelings with people in your support network. Speak to your doctor if you feel down for longer than a few weeks.

# Use caution when looking for health information on the Internet

The Internet can be a good source of health-related information. However, since individuals, groups and organizations can easily create their own web sites and post any information they want, even if it's not

# Living well with reduced kidney function



accurate, it's important to make sure that you check the information and make sure that you can trust it. Also, you should make sure the information is right for your situation. For example, information about adult kidney disease may not be appropriate for parents looking for information about their child's illness. You should ask yourself some questions about the web site before deciding to use the information you find there.

- Who supports the web site? Who maintains it? Who pays for it?
- How current is the information? Does the site post the date and when it was last updated?
- If the information on the site is not original, does the site provide references about the source of the information?
- Does the site display the name/logo of the institution or organization responsible for the information?
- Does the site display the author's name, qualifications and credentials, if relevant?
- What is the purpose of the site? Is it to give you information or to sell you a product? Is the site a vehicle for advertising?
- Is the information balanced or more one-sided?
- Does the site post links to other appropriate sites so you can read more?
- Is there a way to send comments and feedback on the site?


(This information is printed with permission from *The "How to"* Health Guide, available free online on the Health Charities Coalition of Canada web site at **www.healthcharities.ca**.)

### Your healthcare team

Life with kidney disease can be a challenge but you have a healthcare team to support you. In the earlier stages of kidney disease, your primary care provider will likely provide most of your

N	U	E	):

-	
-	



# Living well with reduced kidney function

#### See Chapter Seven:

Developing a personal care plan of action for more information on how you can develop an action plan to actively manage your health.

care. Your kidney healthcare team may also include nephrologists, nurses, dietitians, social workers and others. They are all there to help you live well with kidney disease. If you have a question or need assistance of any kind, just ask them.

#### You

You are at the centre of your healthcare team. No one knows how your illness or treatment impacts on you, your family and friends, and your life better than you. Your role is to learn as much as you can about how to manage your kidney disease and to be actively involved in your own care.



#### Your primary care provider

Your primary care provider will monitor how well your kidneys are functioning and help you manage any other health issues such as diabetes or high blood pressure. When you go to an appointment, be prepared with any questions you may have such as:

- What medical tests can I expect in the next few months?
- What, in your opinion, are the most important things I should be doing to protect my remaining kidney function?
- Do I need to adjust my medications?
- May I have a copy of my last blood and urine test results?

#### **Pharmacist**

A pharmacist specializes in medications and how they interact. When you see your pharmacist, tell them you have kidney disease and provide them with a list of all the medications and supplements you are taking - that includes any vitamins, minerals, or herbal remedies. Your pharmacist will make sure the medications you take are safe for your kidneys. Here are some other questions to ask your pharmacist:

- When and how to take each medication
- What medications, vitamins, and herbs to avoid

# Living well with reduced kidney function



### **Nephrologist**

A nephrologist is a doctor who specializes in kidney care. You may be referred to a nephrologist. The nephrologist will monitor your kidney function, talk about your treatment options, and what you may expect of your kidney function in the future.

#### Nurse

Nurses are specially trained to provide professional, personalized care. They will look after your well-being and plan your care, provide information and answer any questions or concerns you may have. They will work with other members of the healthcare team to help solve any problems that may occur.

#### **Dietitian**

You can ask your doctor for a referral to a dietitian. A dietitian can help you choose the foods and beverages that are best for you to eat and drink. They can also suggest foods that will help lower your blood pressure, improve your blood sugar or help you lose or gain weight if you need to in order to help protect your kidneys.



#### **NOTES:**

#### **Get Connected**

Build your support network and connect with others through **kidneyconnect.ca** 



# Living well with reduced kidney function

NOTES:		

#### Social worker

You can ask your doctor for a referral to a social worker. A social worker can help you with the non-medical issues related to your kidney health. You may benefit from discussing emotional, financial, family, school, work, or other concerns as you try to understand and adjust to the changes that result from having kidney disease.


### **Physiotherapist**

You can ask your doctor for a referral to a physiotherapist if you are struggling with either limited physical function or in becoming more physically active. Physiotherapists work with people of all ages and with a wide range of health conditions to meet their personal health goals. A physiotherapist can help you address your barriers to becoming physically active, develop your own safe and effective physical activity plan, and regain your strength and function.



# Summary

- Kidney disease affects you physically but it can also affect you emotionally, socially and spiritually. When you are first diagnosed, you may not want to tell others about your disease. You may feel angry, guilty, sad, or lonely. These feelings are normal.
- It helps to talk about it: build your support network and connect with others who have experience living with kidney disease through the Kidney Connect program or kidneyconnect.ca.
- Stay physically active and involved. Identify your favourite activities and ways to incorporate them into your day.
- You are the most important member of your healthcare team. The more you know about kidney disease, the more you will feel in control and confident in making decisions about your health.
- Start a health file for all your medical test results.





# Developing a personal care plan of action

#### **HELPFUL HINT**

There's a lot you can do to improve your overall health and support your kidney health. Try setting small goals and work toward them before moving on to the next one. That way, any changes you make will be gradual and long-lasting.

The most effective way to manage your kidney disease is for you to work in partnership with your healthcare team and maintain a healthy lifestyle.

This chapter includes tools and information to help you take an active role in managing your own day-to-day care, set some personal health goals and record important information about your health and well-being. You can live a healthy life, even with a chronic disease. Here are some suggestions to help you:

- Work actively with your healthcare team to develop a care plan that works best for you.
- Give accurate information about your living situation, as well as your physical and emotional well-being.
- Speak up and let your healthcare team know about your concerns. Never be afraid to ask questions.
- Listen to and follow the health advice and recommendations of your healthcare team.
- Learn as much as you can about how to manage your disease.
- Prepare for all of your health appointments by writing down your goals for the visit and what questions you would like answered.
- Make sure that you receive copies of all your medical tests blood work, urinalysis, ultrasound, x-rays, etc.



## Create a "health diary"

One way to help manage your kidney disease is to create a "health diary" or journal. Many people will ask questions about your medical history. These might include members of your healthcare team, your insurance company, government agencies, friends or family. What medications are you on? Do you have any allergies? What is your blood pressure normally? The list goes on.

A health diary is a good way to keep track of this information (and reduce your frustration at being asked the same questions over and

# Developing a personal care plan of action



over again!). Use your health diary to record changes in your physical health and to chart how you are feeling. Share this information with your healthcare team because this will help them develop and change your treatment plan to best meet your needs. You may also wish to share this information with someone close to you, such as a spouse or other family member.

## **Prepare for medical appointments**

You can also use your health diary to prepare for medical appointments. How many times have you left your doctor's office only to realize you have a question that you forgot to ask? One way to improve communication and make sure you get the information you need is to write down a list of your questions or concerns *before* your appointment. Then take this list with you to your next appointment. Also, some people get nervous at medical appointments and have trouble finding the right words to describe how they feel. Sometimes it's easier to let the healthcare provider read what you have written.

One question you will need to answer at *all* appointments is what medications you are currently taking. You should always bring an up-to-date list of your medications with you. Or, you can bring along a bag with all of your medication bottles.



#### **NOTES:**

-	
-	
-	
-	



# Developing a personal care plan of action

NOTES:	

## **Set personal goals**

There are many positive changes you can make to take care of your kidney health. Some of these changes can be challenging to make: that is why it is good to start with smaller, manageable goals and build from there. Here are some suggestions about setting your goals:

- Make sure your goal is specific and realistic.
- Write down your goal and share it with trusted friends or family members so that they can encourage you.
- Break a larger goal into smaller steps.
- Identify potential barriers to achieving your goal and ways to overcome them.
- Think about how confident and ready you feel to make a change.
   If you don't feel confident about your progress, start instead by taking a smaller, more manageable step towards your goal.
- Keep track of your progress and reward yourself for your successes!
- Ask for help if you are having trouble staying motivated.

The following pages contain log sheets where you can record important information about your health and treatment. Feel free to photocopy these sheets as needed. You can also download these log sheets from The Kidney Foundation of Canada's web site at **www.kidney.ca**.







# **Important contacts**

Name	Phone Number	Email Address	Role
Dr. John Smith	123-456-7890	doctor@hospital.ca	(doctor, dietician, pharmacist, etc.)



# **Appointment log**



Date	Time	Reason for Appointment	Outcome





# **Health status**

# My Health Goal

Date	Weight	Blood Pressure	Creatinine	eGFR	Hemoglobin	Other (e.g. phosphorous potassium, cholesterol, glucose, etc.)

# My Current Status

Date	Weight	Blood Pressure	Creatinine	eGFR	Hemoglobin	Other (e.g. phosphorous potassium, cholesterol, glucose, etc.)



Name of Medication	Prescribed by	Purpose of Medication	Description (e.g. colour, shape)	Dose	When and How to Take it	Side Effects Felt	Refill Date





# **Exercise log**

Type of Exercise	Frequency (number of times per day, per week, etc.)	Duration or Distance (minutes, kilometres)	Start Date	Results Experienced



# My personal well-being



Date	Thoughts, Feelings or Questions






# My goals: action planning

NOTES:	Keeping a record of your goals and how you are trying to reach them can help you stay motivated and increase your chances of success. Focus on small steps to achieve bigger, longer-term goals and reward yourself along the way! Identify potential challenges and plan for how to overcome them.
	Date: My goal:
	To reach my goal I will: 1
	3
	What are some things that might make it more difficult for me to achieve my goal and how will I overcome them?  1
	2
	3
	Who could help me to achieve this goal?
	How will I reward or acknowledge my successes?







# If your kidneys fail

NOTES:	

In the early stages of chronic kidney disease, lifestyle changes (such as getting more exercise, stopping smoking and cutting down on sodium), managing other medical conditions and taking a few medications may be all the treatment needed to slow the damage to the kidneys. People often go for many years, or all of their life, without needing other forms of treatment. The kidneys are so good at doing their job that even diseased kidneys can keep you healthy for a long time. Damage to the kidneys may be slowed down or even stopped if you take steps to preserve your kidney function.

If your kidney function does continue to decline, you may start developing symptoms of kidney disease. Each person is different, but most people will start to develop symptoms when their kidney disease becomes severe. At that time you will need to discuss additional treatment options with your healthcare team.

### **Uremia**

**Uremia** is a Greek word that means "urine in the blood". Uremia develops as the kidneys fail and are unable to remove wastes from the body. There are many symptoms of uremia that occur as kidney function declines.

### Signs and symptoms that may occur with uremia

- Weight loss
- Weakness
- Vomiting
- Loss of appetite
- Shortness of breath
- Leg cramps
- Itching
- Chest pain
- Easy bruising
- Swelling in ankles and legs

- Fatigue
- Nausea
- Bad taste in the mouth
- Restless legs
- Forgetfulness
- Difficulty sleeping
- Cold intolerance
- Skin colour changes
- Decreased sexual desire

# If your kidneys fail



Before severe uremia develops, treatments such as dialysis and transplantation are usually needed. The timing of dialysis will depend on your symptoms and varies from person to person.

There is a lot to learn and a lot to understand when you are living with kidney disease. The purpose of this handbook is to provide you with the information you need to take control of your healthcare in the early stages of kidney disease.

If your kidneys fail, there are a number of different treatment options including non-dialysis supportive care (conservative care), transplantation, or different forms of dialysis. More information about treatment for kidney failure is included in **Book Two - Living with kidney failure**.

You can also contact The Kidney Foundation of Canada office in your area and consult the web site at **www.kidney.ca**.

NOTES:



NOTES:	<b>Acute kidney injury</b> Rapid, sudden loss of kidney function, often reversible.
	Albumin A protein that, if present in the urine, may indicate damage to the kidneys.
	Alpha-blockers Medication used to lower blood pressure if other blood pressure medications cannot be tolerated.
	Angiotensin-converting enzyme (ACE) inhibitors or angiotensin receptor blockers (ARB) These are commonly prescribed blood pressure medications that are designed to protect your kidney function and reduce the amount of albumin in your urine.
	Beta-blocker Medication used to manage heart conditions and blood pressure.
	Bladder An expandable sack that collects and holds urine.
	Calcium Mineral that is important for bone growth and body function.
	Calcium channel blockers These medications reduce blood pressure.
	Cholesterol A type of fat found in most body tissues.
	Chronic kidney disease (CKD) Kidney function that is less than normal and will never get better. This condition might be mild or it may slowly get worse and could lead to complete kidney failure.
	Conservative care A treatment option that aims to provide physical and emotional comfort care, instead of extended life. Also known as non-dialysis supportive care.
	Creatinine Waste product of muscle activity.
	Diabetes Disease of the pancreas in which the production of insulin is decreased or absent (Type 1) or in which the body does not use the insulin that the pancreas makes (Type 2).
	Dialysis From Greek, meaning "to separate or dissolve." A treatment

for kidney failure that removes wastes and water from the blood.



<b>eGFR</b> Estimated Glomerular Filtration Rate (see <i>GFR</i> ). The eGFR is estimated by a mathematical calculation using blood tests and other information in order to get an approximate measure of the amount of kidney function present.	NOTES:
<b>End-stage kidney disease (ESKD)</b> means the end of your kidney function (kidney failure): your kidneys no longer adequately filter your blood.	
<b>Ezetimibe</b> A medication used to treat high blood cholesterol sometimes in combination with a statin.	
<b>Fibrates</b> Medication used for lowering triglycerides.	
<b>GFR (Glomerular filtration rate)</b> An accurate measure of kidney function that usually requires specialized tests. Doctors can approximate this measure. The approximated result is called "estimated GFR". See <i>eGFR</i> .	
<b>Glomerulonephritis</b> Condition in which the glomeruli, the tiny filters that clean the blood, are damaged. Often referred to as <i>nephritis</i> . There are many causes.	
<b>Glomerulus</b> The kidney filter that separates excess water and wastes from the blood. The plural form of glomerulus is <i>glomeruli</i> .	
<b>Hepatitis B and C</b> Hepatitis means inflammation of the liver.  Hepatitis B and C are the names of viruses that can cause liver inflammation.	
<b>Hormone</b> Chemical messenger that regulates bodily functions such as blood pressure and the making of red blood cells.	
<b>Hypertension</b> High blood pressure. May be either a cause or a result of kidney disease.	


**Insulin** Hormone produced by the pancreas that regulates the level

of glucose (sugar) in the blood.



NOTES:	<b>Kidney</b> One of two organs located at the back of the abdominal cavity on each side of the spinal column.
	Kidney Connect and kidneyconnect.ca The Kidney Foundation of Canada's peer support programs where people living with kidney disease can share their experiences.
	Kidney failure Progressive deterioration in kidney function. Also called end-stage kidney disease (ESKD).
	Lupus Commonly used term for systemic lupus erythematosus.
	Nephritis See glomerulonephritis.
	Nephron The functional unit of the kidney that acts to maintain the body's chemical balance. Consists of a filter (glomerulus) attached to a tubule.
	Non-dialysis supportive care A treatment option that aims to provide physical and emotional comfort care, instead of extended life.  Also known as <i>conservative care</i> .
	Phosphorus (phosphate) Mineral in many nutritious foods. The kidneys regulate it in the body fluids. At normal levels, keeps bones strong and healthy. At high levels, causes itching, painful joints, and bone disease.
	Polycystic kidney disease An inherited disease of the kidneys in which the kidneys become very large and have a bumpy surface because of fluid-filled cysts.
	Potassium Mineral in the body fluids regulated by the kidneys. At normal levels, helps nerves and muscles work well. At high levels, may stop the heart.
	Protein Substance obtained from food that builds, repairs and maintains body tissues. High sources of protein are mainly from

animal foods.



for cleaning.	NOTES:
<b>Renal pelvis</b> Funnel-like structure that collects urine from the kidney and delivers it to the ureter.	
<b>Renal vein</b> Major vessel that returns freshly cleaned blood from the kidneys to the circulatory system.	
<b>Serum creatinine level</b> Blood test to measure the level of creatinine, which is a waste product of muscle activity. As kidney function decreases, the serum creatinine level increases.	
<b>Sodium</b> Mineral in the body fluids that increases thirst and is regulated by the kidneys. Affects the level of water retained in the body tissues.	
<b>Statins</b> Medications which are used to lower low-density lipoprotein (LDL) cholesterol, often referred to as "bad cholesterol".	
<b>Systemic lupus erythematosus</b> Disease of the immune system that may affect a number of organs, including the kidneys.	
<b>Transplantation</b> involves surgically attaching a functioning kidney from a living or deceased organ donor to a patient with ESKD.	
<b>Tubule</b> Tube in the nephron that collects and processes urine from the glomerulus before the urine passes into the renal pelvis.	
<b>Urea</b> Waste product from the breakdown of protein.	
<b>Uremia</b> Condition caused by build-up of waste products in the blood.	
<b>Ureters</b> Tubes that takes urine from the renal pelvis and deliver it into the bladder.	
<b>Urethra</b> Tube from the bladder that takes urine out of the body.	
<b>Urinalysis</b> Test to measure the presence of protein and other substances in the urine.	




NOTES:		nd kidney failure. <sup>-</sup>	s used in treating various aspects of This handbook does not discuss all
	GENERIC NAME	SOME COMMON BRAND NAMES	TYPE/CLASS OF MEDICATION
	ACEBUTOLOL	Sectral®	Beta-blocker/blood pressure
	ACETAMINOPHEN	Tylenol®	Pain/fever
	AMILORIDE		Diuretic/water pill
	AMLODIPINE	Norvasc®	Calcium channel blocker/blood pressure
	ATENOLOL	Tenormin®	Beta-blocker/blood pressure
	ATORVASTATIN	Lipitor®	Statin/cholesterol
	BENAZEPRIL	Lotensin®	Angiotensin-converting enzyme (ACE) inhibitors
	BISOPROLOL		Beta-blocker/blood pressure
	CANDESARTAN	Atacand <sup>®</sup>	Angiotensin receptor blockers (ARB)
	CAPTOPRIL	Capoten®	Angiotensin-converting enzyme (ACE) inhibitors
	CARVEDILOL	Coreg®	Beta-blocker/blood pressure
	CHLORTHALIDONE		Diuretic/water pill
	DILTIAZEM	Tiazac®, Cardizem®	Calcium channel blocker/blood pressure
	ENALAPRIL	Vasotec®	Angiotensin-converting enzyme (ACE) inhibitors
	EZETIMIBE	Ezetrol ®	Cholesterol
	FELODIPINE	Plendil®	Calcium channel blocker/blood pressure
	FENOFIBRATE	Lipidil®	Fibrate/cholesterol
		Lescol®	Statin/cholesterol
	FOSINOPRIL	Monopril®	Angiotensin-converting enzyme (ACE) inhibitor
	FUROSEMIDE	Lasix®	Diuretic/water pill
	GEMFIBROZIL	Lopid <sup>®</sup>	Fibrate/cholesterol



GENERIC NAME	SOME COMMON BRAND NAMES	TYPE/CLASS OF MEDICATION	NOTES:
HYDROCHLOROTHIAZIDE		Diuretic/water pill	
IBUPROFEN	Advil®	Pain, fever	
INDAPAMIDE	Lozide®	Diuretic/water pill	
IRBESARTAN	Avapro®	Angiotensin receptor blockers (ARB)	
LABETALOL	Trandate®	Beta-blocker/blood pressure	
LISINOPRIL	Prinivil®, Zestril®	Angiotensin-converting enzyme (ACE) inhibitors	
LOSARTAN	Cozaar®	Angiotensin receptor blockers (ARB)	
LOVASTATIN	Mevacor®	Statin/cholesterol	
METOLAZONE	Zaroxolyn®	Diuretic/water pill	
METOPROLOL	Lopressor®	Beta-blocker/blood pressure	
MYCOPHENOLATE	CellCept®	Anti-rejection	
NADOLOL		Beta-blocker/blood pressure	
NAPROXEN	Aleve®	Pain, fever	
NIFEDIPINE	Adalat®	Calcium channel blocker/blood pressure	
OLMESARTAN	Benicar®	Angiotensin receptor blockers (ARB)	
PERINDOPRIL	Coversyl®	Angiotensin-converting enzyme (ACE) inhibitors	
PINDOLOL		Beta-blocker/blood pressure	-
PRAVASTATIN	Pravachol®	Statin/cholesterol	
PROPRANOLOL	Inderal®	Beta-blocker/blood pressure	
QUINAPRIL	Accupril <sup>®</sup>	Angiotensin-converting enzyme (ACE) inhibitors	
RAMIPRIL	Altace®	Angiotensin-converting enzyme (ACE) inhibitors	
ROSUVASTATIN	Crestor®	Statin/cholesterol	
SIMVASTATIN	Zocor®	Statin/cholesterol	
SOTALOL		Beta-blocker/blood pressure	



NOTES:	GENERIC NAME	SOME COMMON BRAND NAMES	TYPE/CLASS OF MEDICATION
	SPIRONOLACTONE	Aldactone®	Diuretic/water pill
	TELMISARTAN	Micardis®	Angiotensin receptor blockers (ARB)
	TRANDOLAPRIL	Mavik <sup>®</sup>	Angiotensin-converting enzyme (ACE) inhibitors
	TRIAMTERENE		Diuretic/water pill
	VALSARTAN	Diovan®	Angiotensin receptor blockers (ARB)
	VERAPAMIL	Isoptin SR®	Calcium channel blocker/blood pressure
	NOTES:		



We would like to know how helpful you found this handbook. Please take a few minutes to complete and return this evaluation. All responses are confidential and will be used to help us to continue to improve this handbook and other Kidney Foundation resources.	NOTES:
<ul> <li>1. Where did you receive this copy of Book One: Living with reduced kidney function?</li> <li>□ At a pre-dialysis/kidney care clinic □ Primary care provider's office □ In the renal/kidney unit at the hospital □ From The Kidney Foundation □ Online □ Other:</li> </ul>	
2. Who provided you with this copy of Book One: Living with reduced kidney function?  □ Physician in hospital/nephrologist □ Primary care provider □ Nurse □ Social worker □ I ordered it myself □ Other:	
3. Did you receive this handbook at a time when it was most helpful to you?  The Yes To No. If no, when would it have been more useful to receive Book One: Living with reduced kidney function?	
4. Overall how helpful was the handbook in increasing your knowledge about kidney disease?  Uvery Good Good Fair Poor Very Poor	





NOTES:	5. Did this handbook help you to understand how to protect and preserve your remaining kidney function?  □ Yes □ No If no, what would have been more helpful to you?
	6. Is there any information you feel should be added or removed from Book One: Living with reduced kidney function?
	7. Please indicate how useful you found the information in this handbook to be overall.
	Overall, how would you rate the information provided?  Uery Good Good Fair Poor Very Poor
	How helpful was this handbook in addressing your specific concerns and questions about CKD?  Uvery Good Good Fair Poor Very Poor
	8. Please rate how each of the following aspects of this handbook met your needs:
	The organization of the information  Uvery Good Good Fair Poor Very Poor
	Ease of use (was it easy to find the information you were looking for)  Very Good Good Fair Poor Very Poor
	Personalization (was it easy to make notes and track your personal information) □ Very Good □ Good □ Fair □ Poor □ Very Poor



How easy it wa ☐ Very Good	as to read a □ Good		rstand • Poor	☐ Very Poor	NOTES:
<b>Use of pictures</b> □ Very Good	s, diagrams □ Good		s Poor	☐ Very Poor	
9. Please indic		seful you	found the	information in each	
Chapter One - ☐ Very Good	<b>How your □</b> Good	-	vork Poor	☐ Very Poor	
Chapter Two - ☐ Very Good	<b>Kidney dis</b> □ Good		☐ Poor	☐ Very Poor	
Chapter Three ☐ Very Good	- How you □ Good		oort your k	-	
Chapter Four - ☐ Very Good	Managing ☐ Good	•	dications f	or kidney health ☐ Very Poor	
Chapter Five - ☐ Very Good	<b>Your diet a</b> □ Good		ion for kidı • Poor	ney health □ Very Poor	
Chapter Six - L ☐ Very Good	iving well v		<b>ced kidne</b> y □ Poor	y function □ Very Poor	
Chapter Seven ☐ Very Good	- <b>Develop</b> □ Good		sonal care • Poor	plan of action ☐ Very Poor	
Chapter Eight ☐ Very Good	- <b>If your kid</b> □ Good	-	☐ Poor	☐ Very Poor	
10. Would you living with red				other people who are	
☐ Yes ☐ No If	no, please	explain:			





IOTES:	Thank you very much for taking the time to fill out this evaluation. Please send your completed form to:
	The Kidney Foundation of Canada 310-5160 Décarie Blvd., Montréal, QC H3X 2H9.
	If you prefer, you can fill out an online version of this evaluation at www.kidney.ca/handbooks/evaluation.
	☐ I would like to receive additional information from The Kidney Foundation of Canada (e.g. e-newsletter).
	☐ I would be interested in being contacted to provide feedback on Kidney Foundation programs, priorities, and advocacy initiatives.
	Email:

### **Contact information**



The foundation of kidneu care.

#### **BRANCH OFFICES**

Atlantic Canada Branch (includes Nova Scotia, New Brunswick, Prince Edward Island, Newfoundland and Labrador)

Tel: 506-453-0533 Toll Free: 1-877-453-0533 Fax: 506-454-3639

Email: kidneyatlantic@kidney.ca Web Site: www.kidney.ca/atlantic

#### British Columbia and Yukon Branch

Tel: 604-736-9775

Toll Free: 1-800-567-8112 Fax: 604-736-9703 Email: info@kidney.bc.ca Web Site: www.kidney.ca/bc

#### Manitoba Branch

Tel: 204-989-0800 Toll Free: 1-800-729-7176 Fax: 204-989-0815 Email: info@kidney.mb.ca

Web Site: www.kidney.ca/manitoba

#### Northern Alberta and the Territories Branch (includes the Northwest Territories)

Tel: 780-451-6900

Toll Free: 1-800-461-9063 within Alberta and the Territories

Fax: 780-451-7592

Email: info@kidney.ab.ca Web Site: www.kidney.ca/nab

#### Ontario Branch

Tel: 905-278-3003 Toll Free: 1-800-387-4474 Fax: 905-271-4990

Email: kidney@kidney.on.ca Web Site: www.kidney.ca/ontario

#### Quebec Branch

Tel: 514-938-4515

Toll Free: 1-800-565-4515

within Quebec Fax: 514-938-4757

Email: infoquebec@kidney.ca Web Site: www.kidney.ca/quebec

#### Saskatchewan Branch

Tel: 306-664-8588 Toll Free: 1-888-664-8588 within Saskatchewan Fax: 306-653-4883 Email: info@kidney.sk.ca Web Site: www.kidney.ca/sk

#### Southern Alberta Branch

Tel: 403-255-6108

Toll Free: 1-800-268-1177 Fax: 403-255-9590

Email: info@kidneyfoundation.ab.ca Web Site: www.kidney.ca/sab

#### NATIONAL OFFICE

Tel: 514-369-4806

Toll Free: 1-800-361-7494 Fax: 514-369-2472

Email: info@kidney.ca Web Site: www.kidney.ca

Accurate at time of printing. For updates see www.kidney.ca



The foundation of kidney care.

#### **OUR MISSION**

The Kidney Foundation of Canada exists for the enhancement of kidney health and the reduction and, if possible, the elimination of the burden of kidney diseases. The primary beneficiaries are people at risk of or affected by kidney disease.

The Kidney Foundation provides:

#### HOPE

New knowledge and treatments generating hope will exist in the following areas:

- Knowledge of the kidney and kidney disease.
- Methods by which the new knowledge from research results can be translated into the treatment, prevention, and slowing of the progression of kidney disease.

#### **SUPPORT**

To achieve optimal health status, all people affected by kidney disease have access to healthcare and to wellness, socio-emotional, and financial support including:

- Equitable access to appropriate cost-effective treatment, as close to home as possible, regardless of background and personal circumstances.
- Timely access to successful long-term organ transplantation, if desired and appropriate.
- Comfort for those who withdraw from or do not wish dialysis treatment.

#### **EMPOWERMENT**

All people affected by kidney disease are empowered to maximize their outcomes.

- People have the knowledge to make effective choices to prevent, minimize, and seek treatment for kidney disease.
- People can advocate for themselves and others when navigating the system.
- The kidney community has a sense of belonging and a collective voice.

#### **ENGAGEMENT**

- An informed Canadian public understands and responds to the impact of kidney disease.
- Effective provincial and federal policies and strategies exist for kidney research, kidney care, organ donation, and transplantation.