



Alpha

chemicals present

Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

27 July 2021

Wynola Water District

Attn: Steve Kinkaid

4824 Mountainbrook Road

Santa Ysabel, CA 00757

RE: Source Chemical Monitoring

Work Order: 21G2280

Enclosed are the results of analyses for samples received by the laboratory on 07/16/21 14:00. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Sheri Speaks

Sheri L. Speaks For Cris R. Kroeger

Project Manager



Alpha

Alpha Analytical Laboratories, Inc.

email: clientservices@alpha-labs.com

Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728

Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922

North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303

San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055

Wynola Water District 4824 Mountainbrook Road Santa Ysabel CA, 00757	Project: Source Chemical Monitoring Project #: 3701837 Project Mgr: Steve Kinkaid	Reported: 07/27/21 10:51
--	---	-----------------------------

Analytical Report for Samples

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
Well #10	21G2280-01	Water	07/15/21 13:30	07/16/21 14:00
Well #11	21G2280-02	Water	07/15/21 13:12	07/16/21 14:00
Well #7	21G2280-03	Water	07/15/21 13:45	07/16/21 14:00
Well #9	21G2280-04	Water	07/15/21 12:25	07/16/21 14:00



Alpha Analytical Laboratories, Inc.

email: clientservices@alpha-labs.com

Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Name: Well #10
Laboratory ID: 21G2280-01

Report Date: 07/27/21 10:51
Laboratory Code: 1610

System Name:
Source Name: 3701837-010
Sampled by: Kevin Moose
Employed by: Wynola Water District

Sample Date: 07/15/21 13:30
Sample Received: 07/16/21 14:00
User ID: 37C
System Number: 3701837

Data submitted to DDW via EDT

Inorganic Chemicals

Parameter	Result	MCL	DLR	Units	Storet	Test Method	ELAP #
Iron	2300	300	100	ug/L	01045	EPA 200.8	1551
Manganese	400	50	20	ug/L	01055	EPA 200.8	1551



Alpha

Alpha Analytical Laboratories, Inc.

email: clientservices@alpha-labs.com

Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Name: Well #11
Laboratory ID: 21G2280-02

Report Date: 07/27/21 10:51
Laboratory Code: 1610

System Name:
Source Name: 3701837-011
Sampled by: Kevin Moose
Employed by: Wynola Water District

Sample Date: 07/15/21 13:12
Sample Received: 07/16/21 14:00
User ID: 37C
System Number: 3701837

Data submitted to DDW via EDT

Inorganic Chemicals

Parameter	Result	MCL	DLR	Units	Storet	Test Method	ELAP #
Iron	5100	300	100	ug/L	01045	EPA 200.8	1551
Manganese	430	50	20	ug/L	01055	EPA 200.8	1551



Alpha

Alpha Analytical Laboratories, Inc.

email: clientservices@alpha-labs.com

Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Name: Well #7
Laboratory ID: 21G2280-03

Report Date: 07/27/21 10:51
Laboratory Code: 1610

System Name:
Source Name: 3701837-007
Sampled by: Kevin Moose
Employed by: Wynola Water District

Sample Date: 07/15/21 13:45
Sample Received: 07/16/21 14:00
User ID: 37C
System Number: 3701837

Data submitted to DDW via EDT

Inorganic Chemicals

Parameter	Result	MCL	DLR	Units	Storet	Test Method	ELAP #
Iron	3200	300	100	ug/L	01045	EPA 200.8	1551
Manganese	260	50	20	ug/L	01055	EPA 200.8	1551



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Sample Name: Well #9 Report Date: 07/27/21 10:51
Laboratory ID: 21G2280-04 Laboratory Code: 1610

System Name: Sample Date: 07/15/21 12:25
Source Name: 3701837-009 Sample Received: 07/16/21 14:00
Sampled by: Kevin Moose User ID: 37C
Employed by: Wynola Water District System Number: 3701837

Data submitted to DDW via EDT

Inorganic Chemicals

Parameter	Result	MCL	DLR	Units	Storet	Test Method	ELAP #
Iron	3200	300	100	ug/L	01045	EPA 200.8	1551
Manganese	380	50	20	ug/L	01055	EPA 200.8	1551



alpha

Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Notes and Definitions

- * Tiered Maximum Contaminant and/or Action Levels: Sulfate and Chloride 250-500-600 mg/L, Specific Conductance 900-1600-2200 umho/cm, TDS 500-1000-1500 mg/L.

New Client (already in LIMS)



Corporate Laboratory (1551)
208 Mason Street, Ukiah CA 95482
707.468.0401 (phone)
707.468.5287 (fax)
clientservices@alpha-labs.com

North Bay Laboratory (2303)
110 Liberty Street, Petaluma CA 94952

Bay Area Laboratory (2728)
262 Rickenbacker Circle, Livermore CA 94551

Central Valley Laboratory (2922)
9090 Union Park Way #113, Elk Grove CA 95624

San Diego Laboratory (3065)
2722 Loker Ave West, Ste A, Carlsbad CA 92010

Chain of Custody - Work Order

Reports and Invoices delivered by email in PDF format

Lab No. 2162280 Pg. of

Report to		Invoice to (if different)		Project Information		Signature below authorizes work under terms stated on reverse side.																								
Company: <u>Wynola Water District</u>		Contact: <u>Steve Kincaid</u>		Project ID: <u>Wynola Water District</u>		<p style="font-size: small;">Analysis Request</p> <p style="font-size: small;">TAT</p> <p style="font-size: small;">TEMP °C</p> <p style="font-size: x-small;">Standard 10 days <input checked="" type="checkbox"/> Ukiah</p> <p style="font-size: x-small;">RUSH: 5 days <input type="checkbox"/> Livermore</p> <p style="font-size: x-small;">48 hours <input type="checkbox"/> Elk Grove</p> <p style="font-size: x-small;">Other: <input type="checkbox"/> Petaluma</p> <p style="font-size: x-small;">days <input type="checkbox"/> Carlsbad</p> <p style="font-size: x-small;">Preapproval required <input type="checkbox"/> T = 60°C</p>																								
Address:		Email address: <u>Kincaidsk9@gmail.com</u>		Project No: <u>Monthly Bact & Quarterly Fe/Mn</u>																										
Phone/Fax:		Address: <u>4824 Mountainbrook Road, Santa Ysabel, CA</u>		PO Number:																										
Email Address: <u>Water Samples - DEH@sdcounty.ca.gov</u>		Phone/Fax: <u>(858) 754-7970</u>		Field Sampler - Printed Name & Signature: <u>Kevin Moose</u>																										
Field Sampler - Printed Name & Signature: <u>Kevin Moose</u>		Email Address: <u>Kevin@WASCA.com, Jon@WASCA.com, Naoma@WASCA.com, Attorneys@WASCA.com</u>		Matrix:		<p style="font-size: x-small;">Total Number of Containers per Sample ID</p> <p style="font-size: x-small;">Coliform (FA) - SD FAC</p> <p style="font-size: x-small;">Iron (Fe) Manganese (Mn) (EPA 200.18)</p> <p style="font-size: x-small;">Notes: include SD County DEH for email SP01</p>																								
Sample Identification		Sampling		Container																Preservative				Matrix						
Date	Time	40ml VOA Vial	Plastic	Glass	Stave															Other	HCl	HNO3	H2SO4	Other	None	Drinking Water	Wastewater	Soil	Other	
<u>4812 Glenside Rd.</u>	<u>7/15/14</u>	<u>1215</u>	<u>X</u>																							<u>X</u>	<u>X</u>		<u>1</u>	<u>X</u>
<u>Well #10</u>	<u>"</u>	<u>1330</u>	<u>X</u>																			<u>X</u>				<u>X</u>			<u>1</u>	<u>X</u>
<u>Well #11</u>	<u>"</u>	<u>1312</u>	<u>X</u>																			<u>X</u>				<u>X</u>			<u>1</u>	<u>X</u>
<u>Well #7</u>	<u>"</u>	<u>1345</u>	<u>X</u>																			<u>X</u>				<u>X</u>			<u>1</u>	<u>X</u>
<u>Well #9</u>	<u>"</u>	<u>1225</u>	<u>X</u>																			<u>X</u>				<u>X</u>			<u>1</u>	<u>X</u>
Relinquished by: <u>Kevin Moose</u>		Received by: <u>OHS R. Klobner</u>		Date: <u>7/15/14</u>		Time: <u>1530</u>		DW Write On EDT Transmission? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		State System Number: <u>CA 3701837</u>																				
								If "Y" please enter the Source Number(s) in the column above		CA Geotracker EDF Report? <input type="checkbox"/> Yes <input type="checkbox"/> No																				
								Global ID:		Sampling Company Log Code:																				
								EDF to (Email Address):																						
								Travel and Site Time		Message: / Max. Support:																				

PIA on Sep 1/14



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Wynola Water District
4824 Mountainbrook Road
Santa Ysabel, CA 00757

Project Manager: Steve Kinkaid
Project: Routine Coliform
Project Number: 3701837

Reported:
07/30/21 15:03

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
4812 Glenside Rd.	21G2281-01	Water	07/15/21 12:15	07/16/21 14:00



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Wynola Water District 4824 Mountainbrook Road Santa Ysabel, CA 00757	Project Manager: Steve Kinkaid Project: Routine Coliform Project Number: 3701837	Reported: 07/30/21 15:03
--	--	-----------------------------

Result	Reporting Limit	Dilution	Batch	Prepared	Analyzed	ELAP#	Method	Note
4812 Glenside Rd. (21G2281-01)			Sample Type: Water		Sampled: 07/15/21 12:15			
Microbiological Parameters by APHA Standard Methods								
Total Coliforms	Absent .	1	1	AG13869	07/15/21 15:45	07/16/21 16:50	3055	SM9223B
E. Coli	Absent .	1	1	AG13869	07/15/21 15:45	07/16/21 16:50	3055	SM9223B



Alpha

Alpha Analytical Laboratories, Inc.

email: clientservices@alpha-labs.com

Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Wynola Water District
4824 Mountainbrook Road
Santa Ysabel, CA 00757

Project Manager: Steve Kinkaid
Project: Routine Coliform
Project Number: 3701837

Reported:
07/30/21 15:03

Microbiological Parameters by APHA Standard Methods - Quality Control

Analyte(s)	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch AG13869 - Microbiology Prep SD										
Blank (AG13869-BLK1)					Prepared: 07/15/21 Analyzed: 07/16/21					
Total Coliforms	Absent	1	.							
E. Coli	Absent	1	.							
LCS (AG13869-BS1)					Prepared: 07/15/21 Analyzed: 07/16/21					
Total Coliforms	Present	1	.	1.00		100	100-100			
E. Coli	Present	1	.	1.00		100	100-100			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha

Alpha Analytical Laboratories, Inc.

email: clientservices@alpha-labs.com

Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Wynola Water District
4824 Mountainbrook Road
Santa Ysabel, CA 00757

Project Manager: Steve Kinkaid
Project: Routine Coliform
Project Number: 3701837

Reported:
07/30/21 15:03

Notes and Definitions

- A Absent
- P Present
- ND Analyte NOT DETECTED at or above the reporting limit
- dry Sample results reported on a dry weight basis
- REC Recovery
- RPD Relative Percent Difference

New Client (already in LIMS)



Corporate Laboratory (1951)
208 Mason Street, Ukiah CA 95482
707.468.0401 (phone)
707.468.5287 (fax)
clientservices@alpha-labs.com

North Bay Laboratory (2303)
110 Liberty Street, Petroluna CA 94952

Bay Area Laboratory (2728)
262 Rickenbacker Circle, Livermore CA 94551

Central Valley Laboratory (2922)
8090 Union Park Way #113, Elk Grove CA 95624

San Diego Laboratory (3055)
2722 Loker Ave West, Ste A, Carlsbad CA 92010

Chain of Custody - Work Order

Reports and Invoices delivered by email in PDF format

Lab No 2162281 Pg of

Report to		Invoice to: (if different)		Project Information												Signature below authorizes work under terms stated on reverse side.													
Company: Wynola Water District		Contact: Steve Kincaid		Project ID: Wynola Water District				Project No: Monthly Bact & Quarterly Fe/Mn								PO Number:				Analysis Request						TAT		TEMP °C	
Address:		Email address: KincaidSK9@gmail.com		Address: 4824 Mountainbrook Road, Santa Ysabel, CA				Phone/Fax: (858) 754-7970								Email Address: Water Samples - DEH@sdcounty.ca.gov Kevin@WASCA.com, Jon@WASCA.com, Norma@WASCA.com, Attorneys@amnic.com				Field Sampler - Printed Name & Signature: Kevin Moose <i>[Signature]</i>						Standard 10 days <input checked="" type="checkbox"/>		Ukiah 4.2	
Phone/Fax:		Address:		Container				Preservative				Matrix				Notes: Indiana So County DEH for email SP01						RUSH: 5 days <input type="checkbox"/>		Livermore					
Email Address:		Address:		40m VOA Vial				HCl				None				Total Number of Containers per Sample ID Coliform (P/A) - SD PAC Iron (Fe) Manganese (Mn) (EPA 200.18)						48 hours <input type="checkbox"/>		Elk Grove					
Field Sampler - Printed Name & Signature:		Address:		Plastic				HNO3				Drinking Water				Other						Other: <input type="checkbox"/>		Petaluma					
Sample Identification		Sampling		Glass				Other				Soil				Notes / DOW Source Codes						Preapproval required <input type="checkbox"/>		Carlsbad TE 60C					
Date		Time		Sieve				Other				Other				4812 Glenside Rd						7/15/21		1215		21-8713			
Well #10		1330		Other				Other				Other				Well #10						1330		21-8713					
Well #11		1312		Other				Other				Other				Well #11						1312		21-8714					
Well #7		1345		Other				Other				Other				Well #7						1345		21-8715					
Well #9		1225		Other				Other				Other				Well #9						1225		21-8716					
Relinquished by		Received by		Date				Time				DOW Write On EDT Transmission? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No						State System Number: CA 3701837		If "Y" please enter the Source Number(s) in the column above		CA Geotracker EDF Report? <input type="checkbox"/> Yes <input type="checkbox"/> No							
<i>[Signature]</i> GLS		<i>[Signature]</i> OKW R. KLEINER		7/15/21				1530				7/16/21						1400				SCLM on Sep 6/21		Global ID: EDF to (Email Address): Travel and Site Time: Message: Misc. Supplies:					



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Wynola Water District
4824 Mountainbrook Road
Santa Ysabel, CA 00757

Project Manager: Steve Kinkaid
Project: Routine Coliform
Project Number: 3701837

Reported:
07/30/21 15:03

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
4812 Glenside Rd.	21G2281-01	Water	07/15/21 12:15	07/16/21 14:00



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Wynola Water District 4824 Mountainbrook Road Santa Ysabel, CA 00757	Project Manager: Steve Kinkaid Project: Routine Coliform Project Number: 3701837	Reported: 07/30/21 15:03
--	--	-----------------------------

	Result	Reporting Limit	Dilution	Batch	Prepared	Analyzed	ELAP#	Method	Note
4812 Glenside Rd. (21G2281-01)									
Microbiological Parameters by APHA Standard Methods									
Total Coliforms	Absent .	1	1	AG13869	07/15/21 15:45	07/16/21 16:50	3055	SM9223B	
E. Coli	Absent .	1	1	AG13869	07/15/21 15:45	07/16/21 16:50	3055	SM9223B	

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha

Alpha Analytical Laboratories, Inc.

email: clientservices@alpha-labs.com

Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Wynola Water District
4824 Mountainbrook Road
Santa Ysabel, CA 00757

Project Manager: Steve Kinkaid
Project: Routine Coliform
Project Number: 3701837

Reported:
07/30/21 15:03

Microbiological Parameters by APHA Standard Methods - Quality Control

Analyte(s)	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Flag
Batch AG13869 - Microbiology Prep SD										
Blank (AG13869-BLK1)					Prepared: 07/15/21 Analyzed: 07/16/21					
Total Coliforms	Absent	1	.							
E. Coli	Absent	1	.							
LCS (AG13869-BS1)					Prepared: 07/15/21 Analyzed: 07/16/21					
Total Coliforms	Present	1	.	1.00		100	100-100			
E. Coli	Present	1	.	1.00		100	100-100			

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Alpha

Alpha Analytical Laboratories, Inc.

email: clientservices@alpha-labs.com

Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Wynola Water District
4824 Mountainbrook Road
Santa Ysabel, CA 00757

Project Manager: Steve Kinkaid
Project: Routine Coliform
Project Number: 3701837

Reported:
07/30/21 15:03

Notes and Definitions

- A Absent
- P Present
- ND Analyte NOT DETECTED at or above the reporting limit
- dry Sample results reported on a dry weight basis
- REC Recovery
- RPD Relative Percent Difference

New Client (already in LIMS)



Corporate Laboratory (1551)
208 Mason Street, Ukiah CA 95482
707.468.0401 (phone)
707.468.5267 (fax)
clientservices@alpha-labs.com

North Bay Laboratory (2303)
110 Liberty Street, Petaluma CA 94952

Bay Area Laboratory (2728)
282 Rickenbacker Circle, Livermore CA 94551

Central Valley Laboratory (2922)
8090 Union Park Way #113, Elk Grove CA 95624

San Diego Laboratory (3055)
2722 Loker Ave West, Ste A, Carlsbad CA 92010

Chain of Custody - Work Order

Reports and Invoices delivered by email in PDF format

Lab No 2162281 Pg of

Signature below authorizes work under terms stated on reverse side.

Report to		Invoice to (if different)		Project Information										Analysis Request										TAT	TEMP °C
Company: Wynola Water District		Contact: Steve Kincaid		Project ID: Wynola Water District										Note: Individual SO County DEH for LMSL SP01 Coliform (P/A) - SD PAC Iron (Fe) Manganese (Mn) (P/A 20028)										Standard 10 days	Ukiah
Address: 4824 Mountainbrook Road, Santa Ysabel, CA		Email address: Kincaidsk9@gmail.com		Project No: Monthly Bact & Quarterly Fe/Mn																				RUSH: 5 days	4.2
Phone/Fax: (858) 754-7970		Address: 4824 Mountainbrook Road, Santa Ysabel, CA		PO Number:										48 hours	Livermore										
Email Address: Water Samples - DEH@sdcounty.ca.gov		Address: 4824 Mountainbrook Road, Santa Ysabel, CA		Field Sampler - Printed Name & Signature: Kevin Moose										Other: 7 days	Elk Grove										
Kevin@wasca.com, Jon@wasca.com, Naomi@wasca.com, Attn:msr@amail.com		Address: 4824 Mountainbrook Road, Santa Ysabel, CA		Matrix:										Preapproval required	Petaluma										
Sample Identification		Sampling		Container										Matrix										Notes / DOW Source Codes	
Date		Time		Preservative										Matrix											
4812 Glenside Rd.		7/15/12		HCl										Soil										21-8713	
Well #10		1330		HNO3										Other										21-8714	
Well #11		1312		H2SO4										Other										21-8715	
Well #7		1345		None										Drinking Water										21-8716	
Well #9		1225		Wastewater										Soil										21-8716	
Well #9		1225		Other										Other										SCM on Sep 6/12	
Relinquished by		Received by		Date										Time										DOW Write On EDT Transmission?	
[Signature]		OKW R. K... [Signature]		7/15/12										1530										Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	
[Signature]		[Signature]		7/16/12										1400										State System Number: CA 3701837	
																								If "Y" please enter the Source Number(s) in the column above	
																								CA Geotracker EDF Report? Yes <input type="checkbox"/> No <input type="checkbox"/>	
																								Global ID: _____	
																								Sampling Company Log Code: _____	
																								EDF to (Email Address): _____	
																								Travel and Site Time: _____	
																								Misc. Supplies: _____	