



Customer: PEACE Delta-8

Sample ID: BMPD98892
Laboratory Number: ATL-128

Extraction Technician: HP
Analytical Chemist: HP

Hernan Prieto



CANNABINOID PROFILE

Extraction Date(s)
06/24/22

Analysis Date(s)
06/24/22

Cannabinoids (HPLC)

Results

Cannabinoid (%)

Test	LOD (mg/g)	(mg/g)	%	0	20	40	60	80	100
Cannabidiarin (CBDV)	<2.0	0	0						
Cannabidiolic Acid (CBD-A)	N/A	0	0						
Cannabigerolic Acid (CBG-A)	N/A	0	0						
Cannabigerol (CBG)	<2.0	0	0						
Cannabidiol (CBD)	<2.0	0	0						
Tetrahydrocannabivarin (THCV)	<2.0	0	0						
Cannabinol (CBN)	<2.0	0	0						
delta 9-Tetrahydrocannabinol (THC)	<2.0	0	0						
delta 8-Tetrahydrocannabinol	<2.0	1,062	92.95						
Cannabichromene (CBC)	<2.0	0	0						
delta 9-Tetrahydrocannabinolic Acid (THC-A)	N/A	0	0						

Cannabinoids Total

Test	(mg/g)	%	0	20	40	60	80	100	
Max Active THC	1,062	92.95							
Max Active CBD	0	0							
T. Active Cannabinoids	1,062	92.95							
Total Cannabinoids	1,062	92.95							

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab is uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D = Not Detected