



SORA LIGHTS

SORA LIGHTS

Artificial Skylights & Architectural Lighting
Product Catalog



About the Company



Welcome to Sora Lights, where innovation meets illumination. At Sora, we specialize in cutting-edge artificial lighting solutions that perfectly mimic the warmth and brilliance of natural sunlight. Our mission is to bring the beauty of daylight into every space, enhancing well-being and productivity.

Illuminate Your World with Sora Lights. Our artificial lighting is meticulously crafted to replicate the full spectrum of natural sunlight, creating spaces that radiate positivity and energy.

Elevate your commercial spaces with our extensive range of lighting solutions. From kitchens to offices and beyond, Sora offers tailored lighting solutions for every environment.

Discover our diverse product portfolio, including our sleek panel lights, energy-efficient tube lights, premium-grade bulbs, precision spotlights, and flexible track lights for a sophisticated lighting experience.

At Sora, we understand the unique lighting needs of commercial spaces. Our team of experts works closely with architects and designers to create bespoke lighting solutions that enhance functionality and aesthetics.

Sustainability matters to us. Sora is committed to sustainability, and our LED lighting solutions are energy-efficient, reducing your environmental footprint while delivering exceptional performance.

Transform your space with Sora, where every beam is a brushstroke of natural beauty. Illuminate the extraordinary with us.

Wall-mounted COB spotlight

Movable focus cylinder lights



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 7W, 12W
Input Voltage: 100V to 300V AC, 50 Hz
Driver Efficiency > 85%
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 30°
Housing: Aluminium Die Cast

Tiltable COB spotlight

Movable focus concealed lights



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Concealed
Ratings: 7W, 12W, 15W, 18W
Input Voltage: 100V to 300V AC, 50 Hz
Driver Efficiency > 85%
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 30°
Housing: Aluminium Die Cast

Wall-mounted movable spotlight

Movable focus cylinder lights



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 20W, 30W
Input Voltage: 100V to 300V AC, 50 Hz
Driver Efficiency > 85%
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 30°
Housing: Aluminium Die Cast

Wall-mounted cylinder spotlight

Non - Movable focus cylinder lights



LED: Cree/Bridgelux
Driver: Philips/Osram/Fulham
Type: Surface Mounted
Ratings: 7W, 12W, 18W, 20W, 25W
Input Voltage: 100V to 300V AC, 50 Hz
Driver Efficiency > 85%
CCT: 3000K - 5000K
Warranty: 2 Years
Beam Angle: 60°
Housing: Aluminium Die Cast

Recessed 4 Way Dot Light

Recessed linear light



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Surface Mounted

Ratings: 12W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Warranty: 2 Years

Beam Angle: 30°

Housing: Aluminium Die Cast

Trimless Dot Light

Trimless COB



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Surface Mounted

Ratings: 7W, 12W, 15W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Warranty: 2 Years

Beam Angle: 30°

Housing: Aluminium Die Cast

Magnetic Tracks

Concealed/Surface mounted



Sizes: 1 meter & 2 meter

Installation type: Surface mounted, recessed & suspended

*Drivers available in 100W & 200W specs

Magnetic Linear Profile

Fixture for magnetic tracks



Ratings: 6W, 12W, 18W

Input Voltage: 100V to 300V AC, 50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Warranty: 2 Years

Dotted Linear Light

Fixture for magnetic tracks



Ratings: 12W, 18W & 24W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Warranty: 2 Years

Magnetic Spot Light

Fixture for magnetic tracks



Ratings: 10W, 12W, 20W

Input Voltage: 100V to 300V AC,
50 Hz


Driver Efficiency > 85%

CCT: 3000K - 5000K

Warranty: 2 Years

Corner L Profile

Fixture for magnetic tracks



Ratings: 12W, 18W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Warranty: 2 Years

Magnetic Pendant Light

Fixture for magnetic tracks



Ratings: 10W, 12W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Warranty: 2 Years

Ultra thin tracks

Ultra thin 5mm thick tracks



Sizes: 1 meter, 2 meter & 3 meter

Installation type: Surface mounted

*Drivers available in 100W & 200W specs

Ultra thin Magnetic Spot Light

Fixture for ultra thin magnetic tracks



Ratings: 7W, 12W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Warranty: 2 Years

Ultra thin linear spot fixture - movable

Fixture for ultra thin magnetic tracks



Ratings: 10W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Warranty: 2 Years

Ultra thin Single Spot Light

Fixture for magnetic tracks



Ratings: 6W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Warranty: 2 Years

Ultra thin linear profile fixture

Fixture for ultra thin magnetic tracks



Ratings: 12W, 24W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Warranty: 2 Years

Ultra thin Arc Light

Fixture for magnetic tracks



Ratings: 6W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Warranty: 2 Years

Movable Down Light

LED Movable Spot Light Fixture



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 3W, 6W, 9W, 12W, 15W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Beam Angle: 38°

Housing: Plastic body with
Aluminium Plate/ Aluminium die-
cast

COB Downlight with reflector

LED Deep COB Spot Light



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Beam Angle: 38°

Housing: Aluminium Die Cast

Suspended linear light

Linear pendant



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 36W, 45W, 48W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%


CCT: 3000K/4000K/6500K

Warranty: 2 Years

Housing: Aluminium die-cast

Trimless COB Spotlight

Movable trimless COB



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Beam Angle: 24°

Housing: Aluminium Die Cast

Honeycomb COB

Recessed anti glare COB light



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 6W - 20W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Housing: Aluminium die-cast

Pullout Spotlight

Recessed pullout spotlight



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 8W, 10W, 12W

Input Voltage: 100V to 300V AC,
50 Hz

Driver Efficiency > 85%

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Beam Angle: 38°

Housing: Aluminium Die Cast

Track Light

LED Track Light



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Track Light

Ratings: 10W, 20W, 30W

Input Voltage: 100V to 300V AC, 50 Hz

Driver Efficiency > 85%

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Beam Angle: 30°

Housing: Aluminium

COB Downlight without reflector

LED Deep COB Spot Light



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W

Input Voltage: 100V to 300V AC, 50 Hz

Driver Efficiency > 85%



CCT: 3000K - 5000K

Warranty: 2 Years

Beam Angle: 38°

Housing: Aluminium Die Cast

Profile Lights



LED strip: Cree/Bridgelux

Driver: Philip

Ratings: 7W, 12W, 18W,20W,25W

Input Voltage: 100V to 300V AC, 50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K


Warranty: 2 Years

Housing: Aluminium with Diffuser

***Custom shapes available**

Recessed Laser Blades

Recessed linear LED lights



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W,20W,25W


Input Voltage: 100V to 300V AC, 50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Housing: Aluminium Die Cast

Triangle Suspended Profile Lights



LED strip: Cree/Bridgelux

Driver: Philips

Input Voltage: 100V to 300V AC, 50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Warranty: 2 Years

Housing: Aluminium with Diffuser

***Custom shapes available**

Round Suspended Profile Lights



LED strip: Cree/Bridgelux

Driver: Philips

Input Voltage: 100V to 300V AC, 50 Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Warranty: 2 Years

Housing: Aluminium with Diffuser

***Custom shapes available**

Surface Panel

LED Rimless Surface Panel Light DOB



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: LED Surface Panel Light

Ratings: 6W, 12W, 18W, 22W

Input Voltage: 100V to 300V AC, 50 Hz

CCT: 3000K/4000K/6500K

Beam Angle: 120°

Housing: Plastic

Slim Panel

LED Slim Panel Light



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 3W, 6W, 12W, 18W

Input Voltage: 100V to 300V AC, 50 Hz

CCT: 3000K/4000K/6500K

Beam Angle: 120°

Housing: Plastic

Deep Recessed Light

Deep Recessed Panel



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Surface

Ratings: 10W, 20W

Input Voltage: 100V to 300V
AC, 50 Hz

CCT: 3000K/4000K/6500K

Concealed Down Light

LED Concealed Down Light Series



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 3W, 6W, 9W


Input Voltage: 100V to 300V
AC, 50 Hz

CCT: 3000K/4000K/6500K

Beam Angle: 120°

Exterior Wall Sconce

Multiple options available









Type: Exterior Sconce wall mounted

Ratings: 5W, 10W

Input Voltage: 100V to 440V AC, 50 Hz

CCT: 3000K/4000K/6500K


Warranty: 2 Years




Our Projects



Kohler Studio, Ahmedabad



Office space in Gurgaon, Sector 27



Cafe in Indiranagar, Bengaluru



Fitness Spa Gym, Defence Colony



Osaanj Flagship Store, Okhla

Contact Us:

- Email: Tussharjethani@soralights.in
- Phone: +91 9958953877
- Website: www.soralights.com



SORA LIGHTS

Follow Us:

- Instagram: [@soralights](https://www.instagram.com/soralights)
- Facebook: [@soralights](https://www.facebook.com/soralights)
- LinkedIn: [Sora Lights](https://www.linkedin.com/company/sora-lights)

Let's create beautiful spaces together. Contact us for inquiries, customizations, or to place your order today

Sora Lights – Lighting dreams, one room at a time

