


SORA LIGHTS

Artificial Skylights & Architectural Lighting Product Catalog



About the Company



Welcome to Sora Lights, where innovation meets illumination. At Sora, we specialize in cutting-edge artificial lighting solutions that perfectly mimic the warmth and brilliance of natural sunlight. Our mission is to bring the beauty of daylight into every space, enhancing well-being and productivity.

Illuminate Your World with Sora Lights. Our artificial lighting is meticulously crafted to replicate the full spectrum of natural sunlight, creating spaces that radiate positivity and energy.

Elevate your commercial spaces with our extensive range of lighting solutions. From kitchens to offices and beyond, Sora offers tailored lighting solutions for every environment.

Discover our diverse product portfolio, including our sleek panel lights, energy-efficient tube lights, premium-grade bulbs, precision spotlights, and flexible track lights for a sophisticated lighting experience.

At Sora, we understand the unique lighting needs of commercial spaces. Our team of experts works closely with architects and designers to create bespoke lighting solutions that enhance functionality and aesthetics.

Sustainability matters to us. Sora is committed to sustainability, and our LED lighting solutions are energy-efficient, reducing your environmental footprint while delivering exceptional performance.

Transform your space with Sora, where every beam is a brushstroke of natural beauty. Illuminate the extraordinary with us.

Orbix

Movable focus cylinder lights



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Surface Mounted

Ratings: 7W, 12W

CCT: 3000K - 5000K

Warranty: 2 Years Beam Angle: 30°

Housing: Aluminium Die Cast

Eco

Movable focus concealed lights



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Concealed

Ratings: 7W, 12W, 15W, 18W

CCT: 3000K - 5000K

Warranty: 2 Years

Beam Angle: 30°

WATTAGE
DIAMETER
HEIGHT
CUTOUT

6-8W	10-12W	15-18W	
80MM	85MM	110MM	
77MM	78MM	103MM	
55MM	75MM	95MM	



Axon

Wall-mounted movable spotlight



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Surface Mounted

Ratings: 20W, 30W **CCT:** 3000K - 5000K

Warranty: 2 Years Beam Angle: 30°

Housing: Aluminium Die Cast

WATTAGE DIAMETER HEIGHT

10W	20W	30W	40W
50mm	60mm	80mm	80mm
135mm	150mm	180mm	195mm

Cylux

RF 2.46 * TRI COLOUR WITH RF + ST + WFT DAMMING AVAILABLE

Non - Movable focus cylinder lights



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Surface Mounted

Ratings: 7W, 12W, 18W, 20W, 25W

upto 40W

CCT: 3000K - 5000K

Warranty: 2 Years Beam Angle: 60°



WATTAGE	3-7W	10W	12-18W	20-24W	25-30W	36-40W
DIAMETER	50MM	50mm	60mm	80mm	80mm	80mm
HEIGHT	105MM	135mm	150mm	150mm	180mm	195mm

Swift

Recessed anti glare honeycomb COB light



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 6W - 20W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Housing: Aluminium die-cast

WATTAGE DIAMETER HEIGHT CUTOUT

6-10W	10-15W	15-20W
85mm	100mm	125mm
50mm	60mm	73mm
75mm	92mm	115mm

Eclipt

Recessed pullout spotlight



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 8W, 10W, 12W

CCT: 3000K/4000K/6500K

Warranty: 2 Years Beam Angle: 38°

Housing: Aluminium Die Cast

WATTAGE DIAMETER HEIGHT CUTOUT

8W	10W	12W
72mm	85mm	98mm
100mm	110mm	120mm
65mm	75mm	100mm

Cirqa

Trimless Recessed anti glare COB light



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 6W - 20W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Housing: Aluminium die-cast



WATTAGE
DIAMETER
HEIGHT
CUTOUT

12W	15W
82mm	82mm
83mm	83mm
82mm	82mm

Olive

Recessed Downlight



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 8W, 10W, 12W

CCT: 3000K/4000K/6500K

Warranty: 2 Years Beam Angle: 38°

Housing: Aluminium Die Cast

Reflector colours: White, Silver,

Gold

WATTAGE	3-7W	3-7W	9W	9W	10-12W	10-12W	15-18W	15-18W
DIAMETER	38MM	40MM	45MM	50MM	55MM	60MM	72MM	75MM
HEIGHT	70MM	72MM	74MM	74MM	72MM	72MM	95MM	95MM
CUTOUT	30MM	35MM	40MM	45MM	50MM	55MM	65MM	70MM



Fiore

Recessed COB light



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 6W - 20W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Housing: Aluminium die-cast

Reflector colours: White, Black,

Matte White, Chrome, Rose Gold,

Gold

WATTAGE
DIAMETER
HEIGHT
CUTOUT

6-8W	12-15W	15-20W
70mm	85mm	95mm
50mm	65mm	75mm
65mm	75mm	90mm



Acqua

IP65 Recessed Downlight



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 8W, 10W, 12W

CCT: 3000K/4000K/6500K

Warranty: 2 Years Beam Angle: 38°

WATTAGE	
DIAMETER	
HEIGHT	
CUTOUT	ſ

ΠAGE	7-12W	12-18W	20-30W	36-50W	55-80W	
METER	85MM	110MM	135MM	180MM	242MM	
SHT	70MM	78MM	91MM	106MM	140MM	
TOUT	75MM	95MM	125MM	155MM	220MM	

Suspended linear light

Linear pendant



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 36W, 45W, 48W Driver Efficiency > 85%

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Housing: Aluminium die-cast

Noir Trimless

30° Tiltable trimless COB



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W

CCT: 3000K/4000K/6500K

Warranty: 2 Years Beam Angle: 24°

Housing: Aluminium Die Cast Reflector colours: White, Black,

Matte White, Chrome

WATTAGE	6-8W	10-15W	18-20W	25-30W	32-40W
DIAMETER	65mm	85mm	105mm	105mm	135mm
HEIGHT	78mm	101mm	110mm	121mm	142mm
CUTOUT	55mm	75mm	95mm	95mm	120mm



Noir Antiglare

30° Tiltable Antiglare COB



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 36W, 45W, 48W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Housing: Aluminium die-cast



WATTAGE	6-8W	10-15W	18-20W	25-30W	32-40W
DIAMETER	65mm	85mm	105mm	105mm	135mm
HEIGHT	78mm	101mm	110mm	121mm	142mm
CUTOUT	55mm	75mm	95mm	95mm	120mm

Noir

Movable COB



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Beam Angle: 15°/24°/36°

Housing: Aluminium Die Cast

Reflector colours: White, Black,

Matte White, Chrome

DIAMETER HEIGHT CUTOUT

6-8W	10-15W	18-20W	25-30W	32-40W
65mm	85mm	105mm	105mm	135mm
78mm	101mm	110mm	121mm	142mm
55mm	75mm	95mm	95mm	120mm



Noir Wall Washer

Movable COB



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

Housing: Aluminium die-cast



VATTAGE	6-8W	10-15W	18-20W	25-30W	32-40W
IAMETER	65mm	85mm	105mm	105mm	135mm
EIGHT	78mm	101mm	110mm	121mm	142mm
UTOUT	55mm	75mm	95mm	95mm	120mm

Axis Trimless

Trimless Linear COB Spotlight



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W

CCT: 3000K/4000K/6500K

Warranty: 2 Years

WATT	CUTOUT SIZE	BEAM ANGLE
6W	70X37 MM	36°
12W	127X37 MM	36°



ArCube

Rectangular COB Spotlight



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W

CCT: 3000K/4000K/6500K


Warranty: 2 Years

Housing: Aluminium die-cast

Skyline Profile

Linear Profile





LED: Philips

Driver: Philips/Osram/Fulham

Type: Recessed

CCT: 3000K/4000K/6500K

Warranty: 2 Years Beam Angle: 24°

Housing: Aluminium Die Cast

Length: 10 Meter

Magnetic Tracks - 10mm (Ultra Narrow) & 23mm Width

Concealed/Surface mounted



Sizes: 1 meter & 2 meter

Installation type: Surface mounted,

recessed & suspended

*Drivers available in 100W & 200W specs

Magnetic Linear Profile

Fixture for magnetic tracks



Ratings: 6W, 12W, 18W

Input Voltage: 100V to 300V AC, 50

Hz

Driver Efficiency > 85%

CCT: 3000K - 5000K

Dotted Linear Light

Fixture for magnetic tracks



Ratings: 12W, 18W & 24W

CCT: 3000K - 5000K

Warranty: 2 Years



Magnetic Spot Light

Fixture for magnetic tracks



Ratings: 10W, 12W, 20W

CCT: 3000K - 5000K

Corner L Profile

Fixture for magnetic tracks



Ratings: 12W, 18W CCT: 3000K - 5000K Warranty: 2 Years

Magnetic Pendant Light

Fixture for magnetic tracks

Ratings: 10W, 12W **CCT:** 3000K - 5000K

Ultra thin tracks

Ultra thin 5mm thick tracks



Sizes: 1 meter, 2 meter & 3 meter **Installation type:** Surface mounted

*Drivers available in 100W & 200W specs

Ultra thin Magnetic Spot Light

Fixture for ultra thin magnetic tracks



Ratings: 7W, 12W

CCT: 3000K - 5000K

Ultra thin linear spot fixture - movable

Fixture for ultra thin magnetic tracks



Ratings: 10W

CCT: 3000K - 5000K

Warranty: 2 Years

Ultra thin Single Spot Light

Fixture for magnetic tracks




Ratings: 6W

CCT: 3000K - 5000K

Ultra thin linear profile fixture

Fixture for ultra thin magnetic tracks



Ratings: 12W, 24W **CCT:** 3000K - 5000K

Warranty: 2 Years

Ultra thin Arc Light

Fixture for magnetic tracks



Ratings: 6W

CCT: 3000K - 5000K

Elios

LED Movable Spot Light Fixture



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 3W, 6W, 9W, 12W, 15W

CCT: 3000K/4000K/6500K

Warranty: 2 Years Beam Angle: 38°

Housing: Plastic body with

Aluminium Plate/ Aluminium die-

cast

Optra Pro

COB Downlight with reflector



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W

CCT: 3000K/4000K/6500K

Warranty: 2 Years Beam Angle: 38°

WATT	OUTER SIZE	CUTOUT SIZE	BEAM ANGLE
7W	62X58 MM	55 MM	38°
12W	85X63 MM	75 MM	38°
18W	105X72 MM	95 MM	38°



Track Light

LED Track Light



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Track Light

Ratings: 10W, 20W, 30W

CCT: 3000K/4000K/6500K

Warranty: 2 Years Beam Angle: 30°

Housing: Aluminium

WATTAGE
DIAMETER
HEIGHT

6-10W	15-20W	25-30W	30-40W
50mm	60mm	80mm	80mm
135mm	150mm	180mm	195mm

Optra

COB Downlight without reflector



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W **CCT:** 3000K - 5000K

Warranty: 2 Years Beam Angle: 38°

WATTAGE
DIAMETER
HEIGHT
CUTOUT

3W	7W	12W	18W
46mm	75mm	85mm	95mm
44mm	65mm	74mm	93mm
39mm	65mm	75mm	85mm



Profile Lights



LED strip: Cree/Bridgelux

Driver: Philip

Ratings: 7W, 12W, 18W, 20W, 25W

CCT: 3000K - 5000K

Warranty: 2 Years

Housing: Aluminium with Diffuser

*Custom shapes available

Axis

Trimless Linear COB Spotlight



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 7W, 12W, 18W, 20W, 25W

CCT: 3000K - 5000K

MODEL	1WAY	2WAY	3WAY	5WAY	10WAY
WATTAGE	2W	4W	6W	10W	20W
DIAMETER	45X45mm	48X45mm	95X45mm	148X45mm	282x45mm
HEIGHT	32mm	32mm	32mm	32mm	32mm
CUTOUT	35X35mm	58X35mm	85X35mm	139X37mm	272X37mm



Triangle Suspended Profile Lights



LED strip: Cree/Bridgelux

Driver: Philips

CCT: 3000K - 5000K

Warranty: 2 Years

Housing: Aluminium with Diffuser

*Custom shapes available

Round Suspended Profile Lights



LED strip: Cree/Bridgelux

Driver: Philips

CCT: 3000K - 5000K

Warranty: 2 Years

Housing: Aluminium with Diffuser

*Custom shapes available

Surface Panel

LED Rimless Surface Panel Light DOB



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham **Type:** LED Surface Panel Light **Ratings:** 6W, 12W, 18W, 22W **CCT:** 3000K/4000K/6500K

Beam Angle: 120° Housing: Plastic

Slim Panel

LED Slim Panel Light



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 3W, 6W, 12W, 18W CCT: 3000K/4000K/6500K

Beam Angle: 120° Housing: Plastic

Deep Recessed Light

Deep Recessed Panel



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Surface

Ratings: 10W, 20W

CCT: 3000K/4000K/6500K

Concealed Down Light

LED Concealed Down Light Series



LED: Cree/Bridgelux

Driver: Philips/Osram/Fulham

Type: Recessed

Ratings: 3W, 6W, 9W

CCT: 3000K/4000K/6500K

Beam Angle: 120°

Our Projects





Kohler Studio, Ahmedabad







Office space in Gurgaon, Sector 27





Cafe in Indiranagar, Bengaluru





Fitness Spa Gym, Defence Colony





Osaanj Flagship Store, Okhla

Contact Us:

• Email: Tussharjethani@soralights.in

• Phone: +91 9958953877

• Website: www.soralights.com

• <u>Display Centre</u>: 846/1, <u>Basement</u>, <u>Gadaipur Farms</u>, <u>Ghitorni</u>, <u>New Delhi</u> - 110030



SORA LIGHTS

Follow Us:

• Instagram: @soralights

• Facebook: @soralights

• Linkedln: Sora Lights

Let's create beautiful spaces together. Contact us for inquiries, customizations, or to place your order today

Sora Lights - Lighting dreams, one room at a time

