



QUEEN G INDUSTRIES

Competitor Series®

Specifications & Line Drawings

General Catalog



PROUDLY AMERICAN



www.queeng.us



Reach-In Refrigerators

COMPETITOR SERIES

- Beautiful ergonomic construction & rounded corners
- Top mount compressor for enhanced efficiency
- Digital temperature controller & read-out
- Pre-installed casters and shelving
- All stainless steel exterior and interior
- Auto-defrost
- Forced air refrigeration system
- Recessed door handles
- Incandescent interior lighting
- Door locks
- 90 degree hold open door feature for loading products
- Queeng® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	Cu/Ft	SHELVES	H/P	AMPS	VOLTAGE	WEIGHT	kWh/24hr	PLUG TYPE	DIMENSIONS (LxDxH)	TEMP RANGE
C-1R	1	23	3	1/4	3.5	220/50/1ph	254 lbs.	4	Nema 5-15P	28.7" x 33.2" x 83.8"	+1°C to +5°C
C-2R	2	49	6	1/3	5.6	220/50/1ph	419 lbs.	5.5	Nema 5-15P	51.7" x 33.2" x 83.8"	+1°C to +5°C
C-3R	3	72	9	1/2	7.6	220/50/1ph	617 lbs.	8.4	Nema 5-15P	77.8" x 33.2" x 83.8"	+1°C to +5°C

* QUEENG® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

* TOTAL HEIGHT INCLUDES CASTERS

Email: info@queeng.us • Web: www.queeng.us

American Trusted Quality



Reach-In Freezers

COMPETITOR SERIES

- Beautiful ergonomic construction & rounded corners
- Top mount compressor for enhanced efficiency
- Digital temperature controller & read-out
- Pre-installed casters and shelving
- All stainless steel exterior and interior
- Auto-defrost
- Forced air refrigeration system
- Recessed door handles
- Incandescent interior lighting
- Door locks
- 90 degree hold open door feature for loading products
- Queeng® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	Cu/Ft	SHELVES	H/P	AMPS	VOLTAGE	WEIGHT	kWh/24hr	PLUG TYPE	DIMENSIONS (LxDxH)	TEMP RANGE
C-1F	1	23	3	1/2	6.7	220/50/1ph	265 lbs.	10	Nema 5-15P	28.7" x 33.2" x 83.8"	-23°C to -18°C
C-2F	2	49	6	3/4	10.3	220/50/1ph	441 lbs.	15	Nema 5-15P	51.7" x 33.2" x 83.8"	-23°C to -18°C
C-3F	3	72	9	1&1/4	9.6	220/50/1ph	630 lbs.	14.4	Nema L14-20P	77.8" x 33.2" x 83.8"	-23°C to -18°C

* QUEENG® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

* TOTAL HEIGHT INCLUDES CASTERS

Email: info@queeng.us • Web: www.queeng.us

American Trusted Quality



Hinged Glass Door Refrigerators

COMPETITOR SERIES

- Beautiful ergonomic construction
- Heavy duty ABS extruded door frame
- Digital temperature controller & read-out
- Pre-installed casters and shelving
- White powder coated steel exterior and interior
- 90 degree hold open door feature for loading products
- Forced air refrigeration system
- Door locks
- Queeng® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Recessed door handles
- LED interior lighting
- Bright lighted top display sign
- Low-E, Dual pane glass

MODEL	DOORS	Cu/Ft	SHELVES	H/P	AMPS	VOLTAGE	WEIGHT	kWh/24hr	DIMENSIONS (LxDxH)	TEMP RANGE
C-23RM	1	23	4	1/4	6.1	220/50/1ph	195 lbs.	4.5	27" x 31.5" x 81"	+1°C to +5°C
C-49RM	2	49	8	1/3	7	220/50/1ph	445 lbs.	6	54.4" x 31.5" x 81"	+1°C to +5°C
C-72RM	3	72	12	1/2	10.2	220/50/1ph	575 lbs.	7	82" x 31.5" x 81"	+1°C to +5°C

* QUEENG® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

* TOTAL HEIGHT INCLUDES CASTERS

Email: info@queeng.us • Web: www.queeng.us

American Trusted Quality



Sliding Glass Door Refrigerators

COMPETITOR SERIES

- Beautiful ergonomic construction
- Heavy duty ABS extruded door frame
- Digital temperature controller & read-out
- Pre-installed casters and shelving
- White powder coated steel exterior and interior
- Hold open door feature for loading products
- Forced air refrigeration system
- Door locks
- Queeng® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Recessed door handles
- LED interior lighting
- Bright lighted top display sign
- Low-E, Dual pane glass

MODEL	DOORS	Cu/Ft	SHELVES	H/P	AMPS	VOLTAGE	WEIGHT	kWh/24hr	PLUG TYPE	DIMENSIONS (LxDxH)	TEMP RANGE
C-49RS	2	49	8	1/3	6.1	220/50/1ph	445 lbs.	6	Nema 5-15P	54.4" x 31.5" x 81"	+1°C to +5°C

* QUEENG® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

* TOTAL HEIGHT INCLUDES CASTERS

Email: info@queeng.us • Web: www.queeng.us

American Trusted Quality



Hinged Glass Door Freezers

COMPETITOR SERIES

- Beautiful ergonomic construction
- Heavy duty ABS extruded door frame
- Digital temperature controller & read-out
- Pre-installed casters and shelving
- White powder coated steel exterior and interior
- 90 degree hold open door feature for loading products
- Forced air refrigeration system
- Door locks
- Bottom mount compressor
- Queeng® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Recessed door handles
- LED interior lighting
- Bright lighted top display sign
- Low-E, Triple pane heated glass

MODEL	DOORS	Cu/Ft	SHELVES	H/P	AMPS	VOLTAGE	WEIGHT	kWh/24hr	PLUG TYPE	DIMENSIONS (LxDxH)	TEMP RANGE
C-23FM	1	23	4	1/2	7.5	220/50/1ph	265 lbs.	10	Nema 5-15P	27" x 31.5" x 81"	-23°C to -18°C
C-49FM	2	49	8	3/4	12	220/50/1ph	419 lbs.	12	Nema 5-15P	54.4" x 31.5" x 81"	-23°C to -18°C
C-72FM	3	72	12	1&1/2	9.6	220/50/1ph	630 lbs.	14.4	Nema L14-20P	82" x 31.5" x 81"	-23°C to -18°C

* QUEENG® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

* TOTAL HEIGHT INCLUDES CASTERS

Email: info@queeng.us • Web: www.queeng.us

American Trusted Quality



Pizza Preparation Tables

COMPETITOR SERIES

- Beautiful ergonomic construction & rounded corners
- 90 degree hold open door feature for loading products
- Digital temperature controller and read-out
- Queeng® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- All stainless steel exterior and interior
- Forced air refrigeration system
- Side mount compressor for enhanced efficiency
- 19 1/2" deep cutting board included
- Recessed door handles
- Pre-installed casters and shelving

MODEL	DOORS	# OF PANS	Cu/Ft	H/P	AMPS	VOLTAGE	WEIGHT	kWh/24hr	PLUG TYPE	DIMENSIONS (LxDxH)	TEMP RANGE
C-PP44	1	6	14	1 1/3	4.4	220/50/1ph	309 lbs.	2.9	Nema 5-15P	44" x 33" x 42"	+1°C to +5°C
C-PP67	2	9	20	2 1/3	7.6	220/50/1ph	550 lbs.	3.9	Nema 5-15P	67" x 33" x 42"	+1°C to +5°C
C-PP93	3	12	26	3 2/3	9	220/50/1ph	617 lbs.	4.8	Nema 5-15P	93" x 33" x 42"	+1°C to +5°C

* QUEENG® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

* PANS & PAN BARS ARE NOT INCLUDED

* TOTAL HEIGHT INCLUDES CASTERS

* HEIGHT IS FLOOR TO TOP OF BACK PAN RAIL

Email: info@queeng.us • Web: www.queeng.us

American Trusted Quality



Standard Top Sandwich Preparation Tables

COMPETITOR SERIES

- Beautiful ergonomic construction & rounded corners
- Pre-installed casters and shelving
- Digital Controller with Temperature Read-out
- 90 degree hold open door feature for loading products
- All stainless steel exterior and interior
- Forced air refrigeration system
- 9 1/4" deep cutting board included
- Recessed door handles

MODEL	DOORS	# OF PANS	Cu/Ft	SHELVES	H/P	AMPS	VOLTAGE	WEIGHT	kWh/24hr	PLUG TYPE	DIMENSIONS (LxDxH)	TEMP RANGE
C-SP27-8	1	8	6.5	1	1/4	3.3	220/50/1ph	198 lbs.	2.6	Nema 5-15P	27.5" x 30" x 43.7"	+1°C to +5°C
C-SP48-12	2	12	12	2	1/3	5.1	220/50/1ph	242 lbs.	3.6	Nema 5-15P	48.2" x 30" x 43.7"	+1°C to +5°C
C-SP60-16	2	16	18.2	2	1/2	5.1	220/50/1ph	300 lbs.	3.6	Nema 5-15P	60.2" x 30" x 43.7"	+1°C to +5°C
C-SP72-18	3	18	24.5	3	1/2	5.7	220/50/1ph	373 lbs.	4.1	Nema 5-15P	72.7" x 30" x 43.7"	+1°C to +5°C

* QUEENG® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

* PAN BARS ARE INCLUDED

* TOTAL HEIGHT INCLUDES CASTERS

* PANS ARE NOT INCLUDED

Email: info@queeng.us • Web: www.queeng.us

American Trusted Quality



Big Top Sandwich Preparation Tables

COMPETITOR SERIES

- Beautiful ergonomic construction & rounded corners
- Pre-installed casters and shelving
- Digital Controller with Temperature Read-out
- 90 degree hold open door feature for loading products
- All stainless steel exterior and interior
- Queeng® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- 9 1/4" deep cutting board included
- Recessed door handles

MODEL	DOORS	# OF PANS	Cu/Ft	SHELVES	H/P	AMPS	VOLTAGE	WEIGHT	kWh/24hr	PLUG TYPE	DIMENSIONS (LxDxH)	TEMP RANGE
C-SP27-12BT	1	12	6.5	1	1/4	3.3	220/50/1ph	209 lbs.	2.6	Nema 5-15P	27.5" x 34" x 46.6"	+1°C to +5°C
C-SP48-18BT	2	18	12	2	1/3	5.1	220/50/1ph	253 lbs.	3.6	Nema 5-15P	48.2" x 34" x 46.6"	+1°C to +5°C
C-SP60-24BT	2	24	18.2	2	1/2	5.1	220/50/1ph	338 lbs.	3.6	Nema 5-15P	60.2" x 34" x 46.6"	+1°C to +5°C
C-SP72-30BT	3	30	24.5	3	1/2	5.7	220/50/1ph	387 lbs.	4.1	Nema 5-15P	72.7" x 34" x 46.6"	+1°C to +5°C

* QUEENG® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

* PAN BARS ARE INCLUDED

* TOTAL HEIGHT INCLUDES CASTERS

* PANS ARE NOT INCLUDED

Email: info@queeng.us • Web: www.queeng.us

American Trusted Quality



Under-Counter / Work Top Refrigerators

COMPETITOR SERIES

- Beautiful ergonomic construction & rounded corners
- Digital Controller with Temperature Read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed door handles
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Optional Accessory: Backsplash for Work-Tops
- Queeng® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	Cu/Ft	SHELVES	H/P	AMPS	VOLTAGE	WEIGHT	kWh/24hr	PLUG TYPE	DIMENSIONS (LxDxH)	TEMP RANGE
C-U27R	1	6.5	1	1/4	-	220/50/1ph	187 lbs.	1.9	Nema 5-15P	27.5" x 30" x 36.5"	+1°C to +5°C
C-U48R	2	12	2	1/3	-	220/50/1ph	232 lbs.	2.8	Nema 5-15P	48.2" x 30" x 36.5"	+1°C to +5°C
C-U60R	2	18.2	2	1/2	-	220/50/1ph	287 lbs.	2.8	Nema 5-15P	60.2" x 30" x 36.5"	+1°C to +5°C
C-U72R	3	24.5	3	1/2	-	220/50/1ph	298 lbs.	2.8	Nema 5-15P	72.7" x 30" x 36.5"	+1°C to +5°C

* QUEENG® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

* TOTAL HEIGHT INCLUDES CASTERS

Email: info@queeng.us • Web: www.queeng.us

American Trusted Quality



Under-Counter / Work Top Freezers

COMPETITOR SERIES

- Beautiful ergonomic construction & rounded corners
- Digital Controller with Temperature Read-out
- All stainless steel exterior and interior
- Forced air refrigeration system
- Recessed door handles
- Pre-installed casters and shelving
- 90 degree hold open door feature for loading products
- Optional Accessory: Backsplash for Work-Tops
- Queeng® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	Cu/Ft	SHELVES	H/P	AMPS	VOLTAGE	WEIGHT	kWh/24hr	PLUG TYPE	DIMENSIONS (LxDxH)	TEMP RANGE
C-U27F	1	6.5	1	1/4	4.4	220/50/1ph	195 lbs.	3.4	Nema 5-15P	27.5" x 30" x 36.5"	-22°C to -16°C
C-U48F	2	12	2	1/3	6.5	220/50/1ph	244 lbs.	6.5	Nema 5-15P	48.2" x 30" x 36.5"	-22°C to -16°C
C-U60F	2	18.2	2	1/2	6.5	220/50/1ph	302 lbs.	6.6	Nema 5-15P	60.2" x 30" x 36.5"	-22°C to -16°C

* QUEENG® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

* TOTAL HEIGHT INCLUDES CASTERS

Email: info@queeng.us • Web: www.queeng.us

American Trusted Quality



Glass Door Back Bar Refrigerators

COMPETITOR SERIES

- Beautiful ergonomic construction
- Black corrosion resistant steel exterior, stainless steel interior and stainless steel top
- Digital Controller with Temperature Read-out
- Forced air refrigeration system
- Side mount compressor
- Safety-grip door handles
- LED interior lighting
- Door locks
- (4) leveling feet included
- Accessory: optional casters upon request
- Queeng® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	Cu/Ft	SHELVES	H/P	AMPS	VOLTAGE	WEIGHT	kWh/24hr	PLUG TYPE	DIMENSIONS (LxDxH)	TEMP RANGE
C-BB48G	2	11.8	4	1/3	6.4	220/50/1ph	315 lbs.	-	Nema 5-15P	48.75" x 24.4" x 35.75"	+1°C to +3°C
C-BB60G	2	15.8	4	1/3	6.4	220/50/1ph	381 lbs.	-	Nema 5-15P	60.8" x 24.4" x 35.75"	+1°C to +3°C
C-BB72G	3	19.6	6	1/3	7.4	220/50/1ph	410 lbs.	-	Nema 5-15P	72.8" x 24.4" x 35.75"	+1°C to +3°C

* QUEENG® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

Email: info@queeng.us • Web: www.queeng.us

American Trusted Quality



Solid Door Back Bar Refrigerators

COMPETITOR SERIES

- Beautiful ergonomic construction
- Black corrosion resistant steel exterior, stainless steel interior and stainless steel top
- Digital Controller with Temperature Read-out
- Forced air refrigeration system
- Side mount compressor
- Recessed door handles
- LED interior lighting
- Door locks
- (4) leveling feet included
- Accessory: optional casters upon request
- Queeng® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty

MODEL	DOORS	Cu/Ft	SHELVES	H/P	AMPS	VOLTAGE	WEIGHT	kWh/24hr	PLUG TYPE	DIMENSIONS (LxDxH)	TEMP RANGE
C-BB48	2	11.8	4	1/3	6.4	220/50/1ph	315 lbs.	-	Nema 5-15P	48.75" x 24.4" x 35.75"	+1°C to +3°C
C-BB60	2	15.8	4	1/3	6.4	220/50/1ph	381 lbs.	-	Nema 5-15P	60.8" x 24.4" x 35.75"	+1°C to +3°C
C-BB72	3	19.6	6	1/3	7.4	220/50/1ph	410 lbs.	-	Nema 5-15P	72.8" x 24.4" x 35.75"	+1°C to +3°C

* QUEENG® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

Email: info@queeng.us • Web: www.queeng.us

American Trusted Quality



Direct Draw Beer Dispenser Refrigerators

COMPETITOR SERIES

- Beautiful ergonomic appearance
- (4) leveling feet included
- Digital Controller with Temperature Read-out
- Accessory: optional casters upon request
- Black corrosion resistant steel exterior, stainless steel interior and stainless steel top
- Queeng® Protection Plan: 1 Year Parts & Labor Warranty, 5 Years Compressor Warranty
- Forced air refrigeration system
- Air tubes to refrigerate beer towers
- Side mount compressor
- Recessed door handles

MODEL	DOORS	Cu/Ft	KEG CAP.	BEER TOWERS	H/P	AMPS	VOLTAGE	WEIGHT	kWh/24hr	DIMENSIONS (LxDxH)	TEMP RANGE
C-DD48-2	2	11.8	2	(1 Single Head)	1/3	6.4	220/50/1ph	325 lbs.	3.4	48.75" x 24.4" x 35.75"	+1°C to +3°C
C-DD60-2	2	15.8	2	(2 Single Head)	1/3	6.4	220/50/1ph	394 lbs.	6.5	60.75" x 24.4" x 35.75"	+1°C to +3°C
C-DD72-3	3	19.6	3	(3 Single Head)	1/3	7.4	220/50/1ph	423 lbs.	6.6	72.75" x 24.4" x 35.75"	+1°C to +3°C

* QUEENG® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

Email: info@queeng.us • Web: www.queeng.us

American Trusted Quality



Horizontal Bottle Coolers

COMPETITOR SERIES

- Beautiful ergonomic appearance
- Door locks for each lid
- Digital Controller with Temperature Read-out
- Accessory: optional casters upon request
- Black corrosion resistant steel exterior, stainless steel interior and stainless steel top
- Forced air refrigeration system
- Side mount compressor
- (4) leveling feet included

MODEL	SLIDING LIDS	CAPACITY	BIN DIVIDERS	H/P	AMPS	VOLTAGE	WEIGHT	kWh/24hr	PLUG TYPE	DIMENSIONS (LxDxH)	TEMP RANGE
C-HBC50	2	16.5 (12oz) Bottle Cases	3	1/3	8	220/50/1ph	325 lbs.	3.4	Nema 5-15P	50" x 28.5" x 33"	+1°C to +3°C
C-HBC65	2	24 (12oz) Bottle Cases	3	1/3	8	220/50/1ph	394 lbs.	6.5	Nema 5-15P	65" x 28.5" x 33"	+1°C to +3°C
C-HBC95	3	37.5 (12oz) Bottle Cases	5	1/2	7.4	220/50/1ph	423 lbs.	6.6	Nema 5-15P	95" x 28.5" x 33"	+1°C to +3°C

* QUEENG® RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

Email: info@queeng.us • Web: www.queeng.us

American Trusted Quality



QUEEN G INDUSTRIES

Queen G Competitor Series®

International Drive, Orlando, FL 32819, USA

Phone: +1 407-768-0938

Email: info@queeng.us

Website: www.queeng.us



PROUDLY AMERICAN



© 2026 Queen G Industries. All rights reserved.