



**XP**  
BRAND  
XP SCREWS

**ROOFING  
FASTENING  
SOLUTIONS**





## CONTENTS

**Self-Drilling Screws**  
**Valley Fixing Fasteners**

## XP<sup>TM</sup> BRAND XP SCREWS

### VALLEY FIXING FASTENERS

Hex Washer Head Self-drilling Screw




### VALLEY FIXING FASTENERS

Hex Flange Head Self-drilling Screw



### CREST FIXING DOUBLE THREAD

Hex Flange Head Self-drilling Screw



### CREST FIXING FASTENERS

Hex Flange Head Self-drilling Screw




### STITCHING FASTENERS

Hex Washer Head Needle Point Screw




### COGURRATED FIBRE SHEET FASTENERS WING SCREW






## Self Drilling Screws for Fixing Cladding to Metal



### ADAPTER TO USE

Magnetic Hex Socket (5/16")



### STEEL PENETRATION

Max 4.0mm thick (For #10 gauge)

Max 6.0mm thick (For #12 gauge)

### PRODUCT FEATURES

Hex Washer Flange

### WASHER

Premium White Washer



### PART NUMBER


#### #10 Gauge

10-16 x 19mm  
10-16 x 25mm

#### #12 Gauge


12-14 x 25mm  
12-14 x 35mm

## Self Drilling Screws for Fixing Roof Sheetings - Double Thread



### ADAPTER TO USE

Magnetic Hex Socket (5/16")



### STEEL PENETRATION

Max 6.0mm thick (For #12 gauge)

### PRODUCT FEATURES

Hex Washer Flange  
Thread Scratshank

### WASHER

Premium White Washer



### PART NUMBER

#### #12 Gauge



12-14 x 55mm

12-14 x 100mm

12-14 x 120mm




## Self Drilling Screws for Fixing Roof Sheeting to Metal - Full Thread



### ADAPTER TO USE

Magnetic Hex Socket (5/16")



### STEEL PENETRATION

Max 6.0mm thick (For #12 gauge)

### PRODUCT FEATURES

Hex Washer Flange  
Full Thread

### WASHER

Premium White Washer



## PART NUMBER

#12 Gauge

12-14 x 45mm



12-14 x 55mm

12-14 x 65mm

12-14 x 75mm


12-14 x 90mm

## Stitching Fasteners - Needle Point



### ADAPTER TO USE

Magnetic Hex Socket (5/16")



### STEEL PENETRATION

Max 1.0mm thick

### PRODUCT FEATURES

Hex Washer Flange  
Needle Point

### WASHER

Premium White Washer




## PART NUMBER

#10 Gauge

10-16x19mm




## Self Drilling Screws for Fixing Fibre Cogurated Sheeting to Metal - Wing Screw




### ADAPTER TO USE

Magnetic Hex Socket (5/16")



### STEEL PENETRATION

Max 6.0mm thick (For #14 gauge)



### PRODUCT FEATURES

Hex Washer Flange  
Wing Screw

### WASHER

Dome Black EPDM W/ Steel Plate



## PART NUMBER



#14 Gauge

14-14x100mm

14-14x110mm


### STITCHING FASTENERS

Hex Washer Head Needle Point Screw





### VALLEY FIXING FASTENERS

Hex Flange Head Self-drilling Screw




### CREST FIXING FASTENERS

Hex Flange Head Self-drilling Screw



### CREST FIXING DOUBLE THREAD

Hex Flange Head Self-drilling Screw





AUTH. DEALER :