

Smooth Flow Tapered Tips



Product Data Sheet

Smooth Flow Tapered Tips

Luer Lock Polyethylene

Suitable For:

Silicones
Solder Paste
PVA Glues
Adhesives
Grease
Fluxes
Resins and more ...



High quality, smooth flow tapered dispensing tips for the controlled application of pastes, silicones, RTVs, sealants, epoxies, grease and other medium to high viscosity fluids. Double helix luer locking thread for twist-on attachment. Coloured plastic with UV filter protection. Safe for high pressure use.

These tips feature a smooth flowing taper design that allows for very high viscosity pastes and compounds to be dispensed using lower pressures and faster flow rates.

Use with luer lock and luer slip syringes, air-powered syringe barrels, bottles, fittings and dispensing shot valves. Silicone-free plastics ensure sensitive adhesives applied with these parts will not become contaminated during use.

Specifications

Material: Polyethylene
Colours: Red and White
Length: 31.75mm
Height: 135mm
Weight: 120g
Leverage: 7:1 Ratio
For Barrel Size: 10cc Only
Options: Gun Only or With Barrel Kit



Adhesive Dispensing Ltd provide a wide range of equipment options for dispensing almost all assembly fluids - from watery liquids, solvents, primers and activators through to thick pastes, sealants, silicones, gels and epoxies.

© 2019 Adhesive Dispensing Ltd. Ref. AD-13819-1

Smooth Flow Tapered Tips

AD Series Tapered Dispensing Tips

Code	Gauge	Colour	ID	Material	Length
AD14TT	14	Olive	1.60mm	Polyethylene	31.75mm
AD16TT	16	Grey	1.22mm	Polyethylene	31.75mm
AD18TT	18	Green	0.84mm	Polyethylene	31.75mm
AD20TT	20	Pink	0.61mm	Polyethylene	31.75mm
AD22TT	22	Blue	0.41mm	Polyethylene	31.75mm
AD25TT	25	Red	0.25mm	Polyethylene	31.75mm
AD26TT	26	Orange	0.21mm	Polyethylene	31.75mm
AD27TT	27	Clear	0.20mm	Polyethylene	31.75mm
AD30TT	30	Lavender	0.20mm	Polyethylene	31.75mm
AD32TT	32	Yellow	0.15mm	Polyethylene	31.75mm



Opaque colour polyethylene plastic tip with double helix luer lock thread. Suitable for use with all gels and pastes including use with most UV cure adhesives. Rigid high density plastic. Industrial grade safe to 100 psi and silicone-free materials.

TTN Series Tapered Dispensing Tips

Code	Gauge	Colour	ID	Material	Length
TTN14	14	Olive	1.60mm	Polyethylene	31.75mm
TTN16	16	Grey	1.22mm	Polyethylene	31.75mm
TTN18	18	Green	0.84mm	Polyethylene	31.75mm
TTN20	20	Pink	0.61mm	Polyethylene	31.75mm
TTN22	22	Blue	0.41mm	Polyethylene	31.75mm
TTN25	25	Red	0.25mm	Polyethylene	31.75mm
TTN27	27	Clear	0.20mm	Polyethylene	31.75mm



Semi opaque colour polyethylene plastic tip with double helix luer lock thread. Suitable for use with all gels and pastes. Semi rigid medium density plastic. Industrial grade safe to 100 psi and silicone-free materials.

TT Series Tapered Dispensing Tips

Code	Gauge	Colour	ID	Material	Length
TT14-DHUV	14	Olive	1.60mm	Polyethylene	31.75mm
TT16-DHUV	16	Grey	1.22mm	Polyethylene	31.75mm
TT18-DHUV	18	Green	0.84mm	Polyethylene	31.75mm
TT20-DHUV	20	Pink	0.61mm	Polyethylene	31.75mm
TT122-DHUV	22	Blue	0.41mm	Polyethylene	31.75mm
TT25-DHUV	25	Red	0.25mm	Polyethylene	31.75mm
TT27-DHUV	27	Clear	0.20mm	Polyethylene	31.75mm



Opaque colour polyethylene plastic tip with double helix luer lock thread. Suitable for use with all gels and pastes. Lower density soft plastic. Industrial grade safe to 100 psi and silicone-free materials.

Tips are supplied in sealed boxes of (50) or available in bulk packs of (500), (1000) or (5000). All packs are shipped to include a label and batch code. Tips are available direct from stock. Test kits are also available to include a mixed assortment of the different gauge sizes.

Smooth Flow Tapered Tips

DCK600 Tip Kit in Case

A presentation case containing an assortment of luer lock dispensing tips. Removable tray. (145) varied tips.

Precision Dispensing Components

Code	Gauge	Colour	ID	Material	Length	Type
TT14-DHUV	14	Olive	1.60mm	Polyethylene	31.75mm	Tapered
TT16-DHUV	16	Grey	1.22mm	Polyethylene	31.75mm	Tapered
TT18-DHUV	18	Green	0.84mm	Polyethylene	31.75mm	Tapered
TT20-DHUV	20	Pink	0.61mm	Polyethylene	31.75mm	Tapered
TT122-DHUV	22	Blue	0.41mm	Polyethylene	31.75mm	Tapered
TT25-DHUV	25	Red	0.25mm	Polyethylene	31.75mm	Tapered
TT27-DHUV	27	Clear	0.20mm	Polyethylene	31.75mm	Tapered
TE714050PK	14	Olive	1.60mm	Polypro/SS	12.70mm	Precision
TE715050PK	15	Amber	1.37mm	Polypro/SS	12.70mm	Precision
TE718050PK	18	Green	0.84mm	Polypro/SS	12.70mm	Precision
TE720050PK	20	Pink	0.61mm	Polypro/SS	12.70mm	Precision
TE721050PK	21	Purple	0.51mm	Polypro/SS	12.70mm	Precision
TE722050PK	22	Blue	0.41mm	Polypro/SS	12.70mm	Precision
TE723050PK	23	Orange	0.33mm	Polypro/SS	12.70mm	Precision
TE725050PK	25	Red	0.25mm	Polypro/SS	12.70mm	Precision
TE727050PK	27	Clear	0.20mm	Polypro/SS	12.70mm	Precision
TE730050PK	30	Lavender	0.15mm	Polypro/SS	12.70mm	Precision
TE732025PK	32	Yellow	0.10mm	Polypro/SS	12.70mm	Precision
TE71405045	14	Olive	1.60mm	Polypro/SS	12.70mm	Bent 45
TE71505045	15	Amber	1.37mm	Polypro/SS	12.70mm	Bent 45
TE71805045	18	Green	0.84mm	Polypro/SS	12.70mm	Bent 45
TE72005045	20	Pink	0.61mm	Polypro/SS	12.70mm	Bent 45
TE72105045	21	Purple	0.51mm	Polypro/SS	12.70mm	Bent 45
TE72205045	22	Blue	0.41mm	Polypro/SS	12.70mm	Bent 45
TE72305045	23	Orange	0.33mm	Polypro/SS	12.70mm	Bent 45
TE72505045	25	Red	0.25mm	Polypro/SS	12.70mm	Bent 45
TE72705045	27	Clear	0.20mm	Polypro/SS	12.70mm	Bent 45
TE73005045	30	Lavender	0.15mm	Polypro/SS	12.70mm	Bent 45
TE71405090	14	Olive	1.60mm	Polypro/SS	12.70mm	Bent 90
TE71505045	15	Amber	1.37mm	Polypro/SS	12.70mm	Bent 90
TE71805090	18	Green	0.84mm	Polypro/SS	12.70mm	Bent 90
TE72005090	20	Pink	0.61mm	Polypro/SS	12.70mm	Bent 90
TE72105090	21	Purple	0.51mm	Polypro/SS	12.70mm	Bent 90
TE72205090	22	Blue	0.41mm	Polypro/SS	12.70mm	Bent 90
TE72305090	23	Orange	0.33mm	Polypro/SS	12.70mm	Bent 90
TE72505090	25	Red	0.25mm	Polypro/SS	12.70mm	Bent 90
TE72705090	27	Clear	0.20mm	Polypro/SS	12.70mm	Bent 90
TE73005090	30	Lavender	0.15mm	Polypro/SS	12.70mm	Bent 90
AD900-ORTC	n/a	Orange	n/a	Polypro	12.70mm	Tip Cap



HOW TO ORDER

Simply quote our part number, quantity required, your order number or reference and delivery address - it couldn't be easier.

1

BY TELEPHONE:
01908 686660

2

BY FAX:
01908 686836

3

FROM OUR WEBSITE:
adhesivedispensers.co.uk

4

BY EMAIL:
orders@adhesivedispensers.co.uk

HOURS OF BUSINESS

MONDAY TO FRIDAY 9AM TO 5.30PM

Reasons to use our dispensing components

- Industrial grade** - certified safe for use to 100 psi. Will not break when in use under pneumatic or mechanical pressure.
- Certified Silicone-Free**. Our components will not contaminate fluids placed when in use including specialist adhesives.
- Burr-free**. All blunt tips are electro-polished and produced to a high precision finish.
- Widest range** - we stock millions of parts in many different styles and an extensive range of cartridges, nozzles, mixers.
- Fast lead times**. Most products are held in stock and available within days not weeks.
- Boxed** - most of our tips are supplied in sealed boxes for easy identification and protection against contamination.
- Batch codes** - all labelled with batch codes for traceability.
- Expert support**. We recommend our products to ensure our customers receive the right solution for their application.



HOW TO PAY

We are happy to accept payment by the following methods:

CREDIT CARD

Please quote your card number, start and expiry dates and security digits together with your name, address and delivery address.



CHEQUE

Cheques for collection must be supported by a valid bank guarantee card.

ACCOUNT

Accounts may be opened within 4 hours, subject to status, following receipt of a completed account application form. Please contact our Accounts Department direct on **01908 686663** for further details.

PRICES GIVEN ARE IN POUNDS STERLING AND MAY BE SUBJECT TO CHANGE

ALL PRICES ARE SUBJECT TO VAT

Standard Terms and Conditions apply

GOODS COLLECTION

Pre-ordered goods can be collected from our Milton Keynes warehouse facility by arrangement only.



Overseas Delivery Charges

We ship goods into Europe, North and South America, Asia, Middle East, Australia and Africa. We use UPS, FedEx, DHL and Postal Services. Please contact us for specific pricing and options for all overseas shipping.

Visit our growing customer knowledge base for more product information, data sheets, videos and advice.

https://www.adhesivedispensing.net/kb_results.asp

Adhesive Dispensing Ltd
Unit 55 Alston Drive
Bradwell Abbey, Milton Keynes
Buckinghamshire, MK13 9HB, UK
Tel. +44 (0) 1908 686660
Fax. +44 (0) 1908 686836
info@adhesivedispensers.co.uk
<https://www.adhesivedispensers.co.uk>