

The Vaccine Adverse Event Reporting System (VAERS) Results

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1083819-1	At the time of injection, it was pretty painful and thus sent my body into a shock less than 5 mins after receiving my dose. My vision went white and I was very light-headed and hot/sweaty. A nurse came with me outside to monitor and I was feeling back to normal in 15 minutes. This is something that happens when I experience a high amount of pain, so just reporting for others who maybe have low blood pressure issues. At about 8pm, other side effects started to set in. I first experienced a headache, then experienced soreness/ache-y-ness in my back. Around 8:30, I started to feel light headed again and soon my whole body felt ache-y. I quickly developed chills where I felt so cold that I was uncontrollably shaking and felt very sore/stiff. I have been laying under a heated blanket for the last hour and a half and am finally feeling better with no more shaking or chills. I still have soreness throughout my body and a headache, but I took ibuprofen around 8:30pm.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1091227-1	Patient passed out after receiving janssen covid-19 vaccine. There was no injection site reaction, no wheezing, or rash/hives. Patient had vision loss, dilated pupils, sweaty, unable focus or respond to use questions being asked, and was having trouble hearing-said he had ringing in his ears. We were able to lay him on the floor without injuries-he did not fall. I was fanning him and we were talking to him. He got a little worse but then got better. When he was better, he said that he had passed out before when having blood taken. He did not mention this to me before the vaccine was administered. I do not feel that the Janssen COVID shot was the cause, I think he just passes out from injections or needles. We did call 911 when he was getting worse. By the time they got here, he was better but they did check him.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1093017-1	The night of my vaccine date (6 hours after) I was fatigued and started a fever with chills and acheyness which kept me in bed all night. I got up to shower and get some food as I was going upstairs I grew very faint, my vision grew black and my hearing faded. I was able to make it to my bed then ask for some help. After taking Tylenol, my fever began to be very hot instead of chills. I was able to fall asleep until I woke back up to chills again and taking more medicine. The next morning, I was still dizzy when I walked around but the fever was gone. I was still very fatigued which made me unable to go to class or work. Day 3 I was back to my normal self.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1093785-1	about 10-15 minutes after receiving vaccine pt complaine of dizziness, loss of vision, sweating, loss of consciousness, vomiting and of her left hand getting cold.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1122995-1	Approx 12 after shot I woke up feeling very ill and nauseous. As I walked to the restroom to vomit I lost 100% of my vision, I became very disoriented and had the loudest screeching in both ears. I screamed for my husband and I caught me as I was taken to the floor with no mobility. The episode last several minutes before he was able to move me back to bed. I had severe sweating and ear ringing. As I report this I still have a lingering brain fog and ear ringing. I reported it to my physician and told to go to the ER if any reoccurrence of reaction.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1126913-1	2021-03-20 07:30 PM - chills, 11:00 PM - vomited, 11:30 PM- seen in the Emergency Department 2021-03-21 11:30 AM - fatigue, somnolence, nausea 2021-03-22 08:00 AM - nausea, 11:30 AM - altered mental status, vision loss, headache, balance problems, numb left arm and hand, hypoxia (SpO2 < 50%), 01:00 PM - seen in the Emergency Department, 03:00 PM Creatinine > 6.8, eGFR < 10
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1147979-1	I lost vision and became dizzy and lightheaded five minutes after shot. I returned to the clinic and sat down. My blood pressure was under 90/60 once I regained stability.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1152064-1	Nausea, blurred vision, loss of vision, loss of hearing, out of it, heart racing, body became hot, ice packs were placed all over my body, in a couple minutes my vision came back and my heart rate started to slow
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1153892-1	BLIND; STROKE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height and medical history were not reported. The patient received Covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported) dose and therapy start date were not reported for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. No concomitant medications were reported. On an unspecified date in MAR-2021 (reported as last week), the patient had a stroke and made her blind. There was no other information known about the patient or vaccine administration site. The action taken with Covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the blind and stroke was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: 20210333599- Covid-19 vaccine ad26.cov2.s-Blind, Stroke. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1157512-1	LOSS OF VISION; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported and batch number: 1805020 expiry: UNKNOWN) dose was not reported, administered on 20-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 24-MAR-2021, the patient had symptoms of loosing vision. and at 19:30, she experienced loss of vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from loss of vision. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:20210349284-COVID-19 VACCINE AD26.COVS.s-loss of vision. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1159390-1	At 4:00pm I got lightheaded, dizzy, and achy. The lightheadedness was such that my heart was pounding, vision was lost for a second (similar to the effect when you stand up too fast), and the sound went out for a second. Around 7:00 I got chills, a 101 degree F fever, and headache. The chills, fever, and headache lasted throughout the night, but they were gone in the morning. The entire day after getting the vaccine, 4/1/2021, I had a metallic taste in my mouth. By the morning of 4/2/2021 the metallic taste was gone.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1161947-1	STROKE; BLINDNESS; This spontaneous report received from a consumer via a company representative concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose, start therapy date were not reported for prophylactic vaccination. No concomitant medications were reported. The batch number was not reported and has been requested On MAR-2021, the subject experienced stroke. On MAR-2021, the subject experienced blindness. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the stroke and blindness was not reported. The reporter did not report causality between covid-19 vaccine ad26.cov2.s and stroke ,blindness .Company causality between covid-19 vaccine ad26.cov2.s and stroke and blindness was possible. This report was serious (Other Medically Important Condition).; Sender's Comments: 20210331088-Covid-19 vaccine ad26.cov2.s-Stroke , Blindness. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1167676-1	I got the injection then went and sat down in a chair at the back of the room and started getting light-headed about 3 minutes after I sat down, so I called a nurse over. Then the inside of my chest started getting really hot and my vision started going white in both of my eyes, it took about 10 seconds for me to completely lose vision. Then I passed out, I have no idea how long I was out for but when I came too I had a sort of epileptic-type seizure but I do not know how long it lasted. I woke up completely disoriented, had no idea where I was at and had a severe cognitive dysfunction. I still have moments where I just can't follow or complete a thought or just kind of go blank.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1169066-1	Patient became dizzy and lightheaded shortly following vaccination. Other symptoms included paleness, partial loss of consciousness, momentary loss of vision, diaphoresis and slurred speech. Patient was given a cold compress for the back of her neck, some peanut butter crackers to eat and water to drink. She had not eaten anything today with the exception of candy and coffee. Feet and legs were elevated and patient began to regain some color in her face and started feeling better after a few minutes.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1169428-1	Immediately after shot patient said she didn't feel well... said she felt very warm and she was extremely anxious .. said something about not being able to see asked for a energy water she carries ... apparently did not eat all day and had exercised yoga before shot .. her relative told me she has had problems with vaccines.. called 911 they checked her and she was released to go home ... the ambulance people implied it was an anxiety attack mixed with perhaps dehydration
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1178107-1	"Employee came at 1:30 to get vaccinated. Three to five minutes after administering the Johnson & Johnson vaccine, I asked the patient if he is feeling ok because he seemed nervous and sweaty. He responnded ""yes, but I have a mental anxiety from vaccines, needles, doctors"". one minute later he started complaining of pain in his left arm and feeling weak. . He then asked to sit on the floor and said that he can hardly breath, and lost vision. I administered EpiPen injection to his left thigh while the store director was calling 911. He then complained about not being able to move his hand fingers. The ambulance came and took him to the ER. later in the day, his manager said that he spoke to hid family and they told him that he has been having anxiety from doctors, needles, and shots ever since he was little. He is feeling better now and the hospital will keep him for tomorrow."
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1178594-1	Local injection site pain and soreness immediately after. Starting about 6 hours later, started feeling nausea, shivers, whole body aches. About half an hour after that, had a bout of vomiting, loss of vision for about 10 seconds after standing up from bed (possibly associated with undiagnosed iron deficiency), and paleness of skin and mucous membranes.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1179037-1	Felt pain in left arm immediately followed by difficulty breathing, sweating, nausea, loss of hearing and vision. No treatment given. Suddenly felt ok after a few moments. Went home, got full body aches, chills, tiredness, inability to sleep, and diarrhea

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1179594-1	Patient felt dizziness, shaking and light headed few minutes after getting the shot, forehead was hot to touch but temperature was 97F, upper lip was sweating and hands were turning blue, and patient reported temporary loss of vision, patient was conscious the entire time called 911 and patient was taken to Emergency Room, Patient was later discharged and 4 hours later patient came to the pharmacy to pickup the car and drove home.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1179819-1	Loss of consciousness about 5 minutes following vaccine administration. Muscles contracted with arching. As patient regained consciousness he still had vision loss. Complained of nausea for about 24 hours but no vomiting. Dizziness and headache persistent for about 36 hours. Patient with severe fatigue for about 24 hours and gradually improving over next 48 hours.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1180171-1	Pt complained of dizziness and loss of vision. Then eyes rolled back and she began having jerking motions lasting a few seconds. She remained at the vaccination location for approx one hour to be monitored before leaving on her own.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1184306-1	After vaccination, patient complained of dizziness and loss of vision. Patient's eyes rolled back and patient had brief seizure activity with jerking motions lasting a few seconds.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1186876-1	I got the vaccine at about 12:55pm. About ten minutes after getting the vaccine, while sitting in a chair, I began to get tunnel vision and felt extremely tired. I broke out in a cold sweat all over my body. I began to lose my vision like I was fainting and I momentarily blacked out or dozed off, then came back awake. I started to get tunnel vision again for a minute, then it faded away. Then I continued sweating for a minute and then it faded away. After a couple minutes I felt fine again. I sat for another several minutes then left at 1:15 feeling ok with just a sore shoulder.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1188263-1	About 10 min following vaccination, patient's father yelled for help. Patient was sitting on a chair and pale looking. He said his vision turned black, felt dizzy. His breathing was normal, but blood pressure dropped. During the 2 min observation time, his breathing was fast at some point. He said he wasn't nauseous. He asked for water. I gave him some warm water. He finished the whole cup of 6 oz of water. We continued to monitor his blood pressure every 2-3 min. His blood pressure was going up every time we checked. He continued to ask for water, and he drank another cup of warm water. After about 10 min, he felt better and able to walk without dizziness.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1189822-1	It was around 5:00-6:00 PM when I started to feel very lightheaded all the time and had bad muscle aches. It got to the point where if I did anything but lay down, I would feel lightheaded and off balance. The worst happened at 3:00 AM on 4/10/2021 (the day after) when I got up to use the bathroom. I was washing my hands afterwards and nearly passed out. I couldn't hear, I couldn't see, and it was a bit difficult to breath. Luckily I knew what all of this meant and I sat down and took deep breaths until I felt fine again.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1190551-1	"Patient had the injection, reported that it wasn't bad and then within a few minutes when in the waiting area, he reported feeling very light headed, nauseous, and lost his vision and hearing was fuzzy. He was cold and clammy. He never lost consciousness. It took him a couple minutes to ""come back"" to alertness and feel better. Severe headache, chills starting and began asthma symptoms (wheezing) at 11:30pm the night of the injection.. 2 extra strength Tylenol did not help. He was very cold and the headache did not let up after several hours. Eventually he had a bout of sweats and he reports he was soaked. In the morning, at 8 am the headache was still severe...was sensitive to noise, light and touch. He was given 2 extra strength Tylenol at 8 and then 2 Advil at 10am, which finally began to reduce symptoms. He was not hungry, felt weak, and finally by late night he was feeling better. In the morning on Saturday he awoke with a swollen left eye and blood shot in that eye."
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1191277-1	Patient had a moderately severe syncope reaction. Patient had trouble communicating, reported loss of vision and hearing, light headedness, dizziness, semi consciousness. Patient was seated when the episode began. By the time staff were notified, patient was barely conscious, and could not be safely told to put their head between their legs for fear of falling. Patient came out of the episode within 10 minutes before emergency services could arrive.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1191530-1	The patient started feeling very dizzy and losing his vision within minutes of receiving the vaccine. The patient was conscious and slowly responded to questions. Memory intact. Patient recovered quickly after EMS arrived and didn't require any medical assistance.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1191542-1	fainting, loss of vision
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1192006-1	Patient had blank stares, nonverbal, loss of vision, cold/clammy hands, stomach tightness, and headache. BP fell to 55/26, 83/48, and 79/42, HR 57 and 62. Patient stabilized and released with father, advised to follow up with provider
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1192441-1	chills, uncontrollable shaking, fever, fever dreams, headache, dizziness, nausea, loss of vision (momentarily), loss of hearing (upon waking up)
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1192495-1	Initially: Severe arm pain at the site immediately and then within minutes of vaccine: hearing loss and then tunnel vision to vision loss to feeling that could pass out: Hearing and vision came back in about 5-10 min and with taking off sweatshirt at that time 12 hours later: 101 fever and chills

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1192620-1	Janssen COVID-19 Vaccine EUA. About 1am I woke up short of breath. I sat up in bed to catch my breath and immediately felt nauseous. I went to the bathroom because I thought I was going to throw up but only ended up dry heaving. After sitting for a minute to catch my breath again I started shaking really bad and couldn't stand up without having blacked out vision. Luckily I grabbed my phone when I went to the bathroom so my mom could come home to help me. Until about 5 am I was shaking going between being extremely hot and extremely cold. After that my body SEVERE:Y ached all day with off and on sweats and headaches. I took Tylenol all day. I started feeling better with just some fatigue around 6pm.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1194265-1	My head collapsed in on itself. I could not see, move, or think. I was more incapacitated than I have ever been in my life. I believe I nearly blacked out. This lasted for about two minutes, then slowly cleared up.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1196575-1	Immediate nausea, left arm pain, tingling in left arm, sweating, loss of vision, loss of hearing, stomach pain, tingling in fingers after approx. 10 minutes.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1196826-1	vasovagal episode / syncope with subsequent fall to ground, striking head. lightheaded, clammy, loss of vision prior to episode. Brought to Emergency Department, discharged to home in stable condition within 5 hours.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1198495-1	Fever of 101.8F, shivers, and sever vertigo. Vertigo resulted in me falling down multiple times and hitting my head on the stairs. I could not see where I was going and what was in front of me.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1199377-1	Approximately ten minutes after the vaccination, she passed out for a few seconds and came back. She experienced lightheadedness, loss of vision, nausea, and vomiting. We called 911 and they took her vital. Ten minutes later, she was fine and drove home.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1200482-1	I woke up on Saturday 3/13 and noticed that my vision on my left eye was very fuzzy and stayed that way for a few days. I made an appointment to see my optometrist on Wednesday 3/18 and he referred me to a retina specialist Dr. I saw Dr on Friday 3/19. He ran tests and diagnosed me with branch retinal vein occlusion in my left eye. This is typically caused by a blood clot in the eye. The occlusion caused swelling in my retina and macula which caused my vision loss. I was treated with an injection of Eylea (anti-VEGF) to reduce the swelling on my retina/macula. I will need to have these injections every 4 weeks to maintain my sight.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1201402-1	Patient received J and J vaccine . 2 weeks later had vision loss in both eyes. No light perception in the right and counting fingers in the left. Diagnosis is central retinal artery occlusion in both eyes. Work up for other causes are negative
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1201583-1	""Janssen COVID-19 Vaccine EUA"" This writer was having a session with a client and her mother at the playground on 4/8/2021 and writer felt weak towards the end of session. Per mother's report, writer's eyes rolled back into her head and writer was about to fall backwards off the picnic table, but the mother caught writer. This writer was unconscious and then came back alert, but could not see for two minutes. This writer experieced severe abdominal pain and needed to use the restroom right after and had a bowel movement. dehydration (J & J vaccine night before at7pm) headache, difficulty breathing and blurred vision and a fever of 99.4 the next day. This writer was taken to immediate care and an EKG and Urine test was done. This writer was diagnosed with Syncopal Episode and dehydration."
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1201822-1	I had the typical soreness about 12 hours after the injection. No worries there. The next morning, on the 10th, around 11:40 AM, I started feeling extremely dizzy. The room started spinning. I was standing at the time, and I kept standing, but other than that, I had no control. My hearing starting going fuzzy, starting with ringing in my ears until it sounded like I was underwater. My vision started blurring, as well, eventually going completely black. For a solid 5-10 seconds, I could neither hear clearly nor see at all. I was conscious, because I could think relatively clearly, and I could feel my eyes blinking and could wiggle my fingers, but that was it. Once the episode passed, I immediately sat down. About a minute later, I started having excruciating abdominal pain. The pain was wracking my whole body, causing me to go pale (as I later saw once I could hobble to the bathroom) and making me sweat. After about twenty minutes, the whole thing passed and I was left with minor dizziness and slight nausea. Now, three days later, I still have some of the dizziness, but none of the blindness, deafness, or pain has returned. All other side effects, such as soreness, have completely left.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1202284-1	-Patient reports SOB/dyspnea with some mild chest pain beginning 1 day after vaccine that persisted for 4 to 5 days. After that time, symptoms began to resolve. -3 to 4 weeks after vaccination, symptoms recurred in addition to having soreness in arm at injection site. Symptoms resolved again. -4/11/21 - patient didn't have any significant SOB but did have temporary visual field loss in right eye which resolved. -4/12/21 - patient reported some SOB during the night while trying to sleep -4/13/21 - patient contacted the hospital for follow up on symptoms. patient advised to come to ED for workup of symptoms. awaiting results and follow through at the time of this report.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1203850-1	Loss of vision for approximately 30 minutes & disorientation.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1204156-1	Within 3 minutes of getting the Janssen shot I started feeling really sick, lost my vision and all feeling in my hands. I sweated through all of the clothes and soaked the chair I was sitting in. That night around 7 pm I got a migraine and felt really fatigued I couldn't stay awake and I was really sore. My chest hurt and so did my head. I was nauseated to no end The next day was worse. All day I couldn't stay awake. I felt so sore and sick to my stomach and I coint move too much because I was super dizzy. The next day I was still sick and dizzy By day four I felt fine just dizzy.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1204192-1	Lost vision like 3 mins after vax at the drive through shot center, paramedics were with me for about 20 mins to make sure blood pressure was okay and vision was 100% better. Besides the body aches and diarrhea on 4/3 and 4/4, On 4/6 I had the worst migraine ever where I lost 1/3 of my vision for about an hour and my right side of my body went numb for about 15 mins. I've been having migraines more frequently than I ever have and unsure if it is vaccine related or just extra stress. I have been trying to reduce screen time as much as I can but hard when I work full-time and in grad school and use the computer all the time. I also have been taking motrin/tylenol for the pain and lay down to let the pain pass.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1204904-1	4/8/21: Vaccine Received - 6:oopm By 9:00pm, patient begins suffering from intense headache, hearing loss in both ears, and blurred vision. For the ears, it was as if someone had taken ear plugs and coated the ear drum with them, making it hard to hear. Headache was treated with an ice pack on the temple for immediate site relief. Began to feel tired and worn out while in bed, loss of vision begins to occur as well. Body aches begin. 4/9/21: Patient is woken up from intense body spasms throughout the entire body. Once awake, the entire body was spasming, causing the patient to be unable to control his body, and all extremities. After sipping some water for about an hour, the spasms subsided in all areas of the body except for the legs and shoulders. 4:00pm patient begins to feel extremely nauseous, begins having increased bowel movements including rapid diarrhea, and extreme stomach cramping. Deep body aches and pain continue. 4/10/21: 10am: patients body begins to become covered in hives all across his skin, inside his mouth, under his feet, and in his hair. Hives continued to grow, with no reddening of the skin however. This was treated with Benadryl for the remainder of the day; hives subsiding around 6:15pm. Dehydration also occurred, and hospital treatment for IV saline bag was soon to be utilized had the patient not been able to rehydrate himself. Body aches continue
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1206252-1	Adverse event: Day after vaccination, experienced severe dizziness, nausea, and fever. Fell over and experienced loss of vision and loss of control of limbs, difficulty talking. Loss of normal color in skin, instead had greyish/blue tint. Treatment: Cold compress, juice, rest laying down Outcomes: After 10 min of having a cold compress and juice, regained vision and ability to talk. 30 min later, regained ability to move limbs. Still could not stand up without falling over for a couple hours. After 6 hrs, only remaining symptoms were slight fever, fatigue, and some dizziness. After 2 days experiencing fatigue, headache, and dizziness, returned to normal health.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1206409-1	4/12 episode of loss of vision as a blindspot or aura and scintillating scotoma. 30 minutes of vision issues followed by headache. (tunnel vision/dizziness/weakness/vomiting/stomach cramps after initial injection)
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1207726-1	Had typical post vaccine symptoms right after - nausea, muscle aches, chills, fatigue. 5 days after vaccine those appeared to have dissipated. Went for a light walk in the morning. Completely lost vision in both eyes extremely blurry. Stumbled my way home running into trees, cars. Vision came back, thought it was migraine (had them before but nowhere NEAR as bad, never had vision completely blocked) Excurtating headache behind eyes and nausea, feels like pressure in head. Worst headache of my life, went to ER. Gave morphine (did not help pain at all which was horrifying) got a head CT scan which came out clear and discharged because clotting ruled out. It is now day 6 and my headache is persistent and still excruciatingly painful. I?m also extremely nauseous. I?m terrified because I know something is very wrong. ER doc said might be lingering side effect from vaccine but those effects felt very different.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1209945-1	The minute after the vaccination I had fainted, vision went, low blood pressure, after laying down became better. Rested almost an hour in order to be able to walk. next day, I had severe headache, with nausea, and a day later I had bleeding. Bleeding became severe, I had miscarriage. I was 7 weeks pregnant.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1211126-1	Patient is describing right eye swelling 1-2 days after receiving vaccine. Some loss of vision as well as headaches. Patient states that she has never had these symptoms prior to vaccination.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1215098-1	"Approximately 24 hours after receiving the Janssen COVID-19 vaccine, patient experienced central vision loss or ""white out"" vision as she described it. She could still see things in the periphery, but her central vision went completely blank. This lasted for four to five hours and over time her symptoms gradually improved. She still has some double vision and difficulty focusing. Of note, she saw the eye doctor last month and had her prescription updated but has not picked up her new glasses. She only wears her glasses for driving and occasionally at work. She has chronic headaches and has not had any new/different headaches than before. No weakness, but her right leg did feel heavier than normal after receiving the vaccine."

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1218231-1	Within 24 hours of the dose, a slight headache arose. Following the headache I experienced bruising on my thighs, tightness in my left arm, bruising oat the injection site for at least one month and a weighted feeling on my chest along with tightness and shortness of breath. Subsequently, I experienced blurred vision and loss of sight one month following injection. The loss of sight lasted close to 10 minutes.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1229307-1	Approximately five minutes after receiving the vaccine, the patient began to lose consciousness (fainted) while sitting upright in a chair. The patient lost vision, then hearing, then eventually laid down on the floor until she regained consciousness.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1231020-1	Sudden onset Optic Neuritis, going blind. Extreme headache, Nausea. Loss of Color Vision. Gray Vision, Spots. Vision Loss. Extreme eye pain around eyes. continued extreme headache.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1231550-1	LOSS OF VISION; SEIZURE; DIZZINESS; This spontaneous report received from a health care professional concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805031, and expiry: UNKNOWN) dose was not reported, 1 total administered on 07-APR-2021 on right deltoid for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, the patient experienced loss of vision, seizure and dizziness. The seizure was for few seconds. The patient was not sent to hospital. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the dizziness, loss of vision and seizure was not reported. This report was serious (Other Medically Important Condition). This case, from the same reporter is linked to 20210417256, 20210417122, 20210417456, 20210417469, 20210417550, 20210417620 and 20210418457.; Sender's Comments: 20210417209-covid-19 vaccine ad26.cov2.s-Loss of vision, seizure. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1236797-1	03/04/21 - @2:55pm - Follow up with Dr. on Labs - told left eye was hemorrhaging, and right eye is stable. 03/05/21 @ 6:45-8:50 am - Went for Covid Vaccine (J&J) 03/05/21-03/08/21- Severe Headache, Nausea, and stomach pain 03/11/21 @ 5:30 pm - MRI of the Brain & Orbits 03/12/21 @ 11:30 am - Labs 03/19/21 @ 6:30 am - Lumbar Puncture 03/22/21 call from Dr. explained headaches and severe pain in the head. 03/29/21 - Appt with PCP 04/01/21 @ 2:20 pm Appt with Dr. to follow-up from Labwork 04/07/21 - Vomited 4x - strong pain in stomach 04/08/21 - Appt at Dr. office 04/09/21 @ 5 pm appt with Acupuncture for headaches 04/13/21 ? I woke up to work and could not see anything. Went to Dr. for an emergency visit & testing done. He Confirmed I am hemorrhaging in my right eye as well. 04/15/21 @ 9 am ? appt at Dr. office for Eylea Injection on the right eye. 04/19/21 @ 4 pm appt with (Neurology)
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1246360-1	"She has a history of Bipolar II, dx about 2 years ago. She has been in counseling for the past 5 years. She just changed from effexor to lexapro about 1 month ago. She has been on abilify 10mg for the past ~6months. On 4/8/21 she went to bed around 11pm and awoke on 4/9 around 8:30am. She had her JJ covid vaccine on 4/9/21. She had 2 handfuls of goldfish crackers on the way to her vaccine appointment around 11am. She had ~6-8oz of water when she awoke. She arrived at the Clinic on campus. She sat down for ~5 minutes and then the staff came to get her. She had the shot administered in left deltoid. When she first felt the pain her vision started to go black and she felt like she was going to pass out. She denies feeling hot or dizzy prior to event. Her vision went completely black, then when she ""came to"" she was bent over in her chair with arms drawn up to body and fists clenched. Immediately her body relaxed and she felt very confused. She was told she just had a seizure - bend forward and had whole body shaking for ~30 seconds. She felt extremely nauseated and had some dry heaving. Someone helped her to the floor and put up her legs. She was told she looked very pale. She felt much better within 5 minutes. Vitals were checked and were stable. She was given granola bar to eat and drank ~12oz of water. No one sided weakness, no incontinence, no tongue bite. She stayed there for ~45 minutes for monitoring. Someone walked her to her car, asked her if she was ok, and then she drove herself home. Of note, the room she was in was warm and they were going to open doors to get some air. She was not ill or tired at the time. After the event she drove for 5 minutes to her home. Once in her room she felt extremely tired and then slept until 7pm (~6-7 hours). She then called Mom. Mom reports that patient sounded different on the phone. Speech was slow and she seemed ""off."" Mom drove to her and was at her room by around 7:40pm. At that time, patient looked very pale to Mom. Mom took her home, gave her chicken soup. She did not have an appetite. She just wanted to go to sleep. Mom tried to have her stay up until around 10pm. She had ~8oz of water and then went to bed. She slept through the night. She awoke the next morning and reports that her brain felt like it hurt to work. She had chills, body pain, shakiness during the day on 4/10/21. This was easily managed by tylenol q4. Of note, she did have covid19 in 8/2020. She was ill for ~1 week with lack of smell/taste, febrile, shakiness, headache. She had an odd event on 4/19/21 while giving a presentation at school. She had sudden onset of left pinky numbness/tingling with radiated up the side of her forearm. This lasted ~1-2 minutes. However, her left arm hurt for a few hours afterward. She denies any fatigue after event. She has a Mirena IUD. She smokes nicotine via vape numerous times per day. She smoke weed up to 3X/day but not every day. She drinks beer a few days per week."

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1247816-1	patient called EMS with pain crisis and noted that she had lost vision in both eyes. was transported to Emergency room by EMS and had cardiac arrest and died.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1251507-1	"Department of Health received a call from her sister, in response to a call/letter/text sent out to all recipients of the Janssen vaccine. She stated that her sister received the J and J vaccine on 3/12/21 (confirmed in State vaccine system) at the hospital where she receives her oncology care. She reported the following: ""She had a massive stroke on MARCH 27TH, 2021 leaving her paralyzed on the right side with the inability to speak, swallow, or see. She was initially diagnosed with Ovarian cancer approximately three and one half years ago. She was chosen for a study with Pharmaceuticals and her diagnosis was changed to a vary rare form of cancer called clear cell carcinoma which originates in the gynecological area. She did have a previous stroke approximately three years ago, (just after original diagnosis) but she was on a different course of treatment at that time...Oncologists have explained that this most recent stroke event would not be considered a side effect of her current treatment routine. She wanted to bring it to the attention of the health department in case it needs to be looked at more closely by the J&J research/scientific team. She passed away on 4/5/21. Her current treatment consisted of palliative chemo only. "" Decedent was a resident but was vaccinated in another state. After the CVA she was brought to the hospital and subsequently transferred to the Medical Center where she died on 4/5/2021. Sister is willing to speak with any investigators if deemed necessary."
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1266689-1	BLOOD CLOTS IN BOTH LUNGS. SHORTNESS OF BREATH. UPPER BACK PAIN. WEAKNESS. SWEATING AND COLD. NO COLOR IN FACE -- GREY. LOSS OF EYE SIGHT -- STARTED WITH BLURRED VISION.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1267979-1	Loss of vision
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1270488-1	I had to go to the emergency room, high d-dimer (.95), elevated Pro B Type Natriuretic Peptide (152 pg/mL) ---Days 1-2 (12-22hrs post-vaccine) were horrific - fever, body aches, extreme pain everywhere, my eyes hurt so bad I thought I'd lose my vision, I was in so much pain that I couldn't talk to ask for help. Saying they were flu-like symptoms is a euphemism. ---Days 2-9 I was weak and shaky on my legs, easily winded (e.g. breathing hard when doing laundry). Fever returned off and on. ---Days 4-13 It felt like someone was sitting on my chest. ---Day 10 I had a blood draw per my doctors request. ---Day 12 Blood draw results showed high d-dimer, and my doctor told me I need to go to the ER for a ct scan to look for blood clots. ---Day 12 Went to Emergency Department - ct scan showed no clots, but elevated Pro B Type Natriuretic Peptide ---Day 15 Finally started feeling better, but still winded easily, fatigued, dizziness, heart palpitations
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1276401-1	BLINDNESS; RETINAL ARTERY OCCLUSION; VISUAL ACUITY REDUCED; This spontaneous report received from a healthcare professional via VAERS (Vaccine Adverse Event Reporting System, VAERS ID 1201402-1) concerned an 82 year old female. Initial information was processed with additional information received from VAERS on 23-APR-2021. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: Unknown) dose and anatomical vaccination site was not reported, administered on 06-MAR-2021 for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On 20-MAR-2021, the subject experienced blindness in both eyes, retinal artery occlusion and visual acuity reduced (no light perception in the right and counting fingers in the left). She went to the emergency room and was hospitalized. Work up for other causes (not further specified) was reported as negative. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from blindness in both eyes, retinal artery occlusion and visual acuity reduced. This report was serious (Hospitalization Caused / Prolonged, Disability Or Permanent Damage).; Sender's Comments: V0: This 82-year-old female patient of unspecified ethnicity was hospitalized for blindness in both eyes, retinal artery occlusion and visual acuity reduced (no light perception in the right and counting fingers in the left) 14 days after receiving COVID-19 VACCINE AD26.COV2.S for the prevention of symptomatic SARS-CoV-2 virus infection. No other details reported. The information available precludes a complete and meaningful assessment. However, considering the temporal relationship and recently evolving theories in the literature about COVID infections and vaccinations, potential vaccine contribution cannot be excluded. Additional information was requested.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1283016-1	on the patients PQCF every question was a no,pt showed no fears for needles or signs of aversion,afetr administeru=ing the vaccine pt was waiting for 15 mins sitted ,after 5 mins or more he stated that he could not see,he went blind momentarily, would not blink after a waved my hands across his eyes,we initiated a call to 911 and made him comfortable no other signs of syncope was observed ,he was very aware and calm,after acouple more minutes he regained his sight and at this time he broke out in sweat and was clammy, he felt a lot better with the fan on him and drank some water and ate some chocolate and after a couple more mins he was good to go home,checked up him again the next day and everything is normal

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1289355-1	Dizzy, Sweaty, Lost Vision Temporarily, Hearing muffled, Sensation of needing to urinate, Chills, overwhelmed, numbness in hands
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1290729-1	On day 1 (April 15) of noticing my body was very off after the vaccine I had Leg pain and severe headaches, I say severe because though I rarely get headaches and stay hydrated I could tell this headache really hurt and lasted the full day and several days after (something I have never had happen to me) Also on April 15, I had leg pain, If I took a step off a few inches curb or stair step I felt sharp pain shoot up my leg. On April 16th I still had the headaches and leg pain , but also while driving I began loosing my vision and started to pass out/faint. I Pulled over and waited at least a half hour. during that time I. noticed I couldn't type or read anything on my phone as I was trying to reach a friend to help me. eventually after time had passed I was able to drive myself to a friends where I thought the best thing would be to sleep it off. the headaches and leg pain lasted a couple more days and I thought it was going to go away, but it is now May 5th and today and last couple days the leg pain feels more like someone has been punching my left leg. five had chest pain and headaches return. I do not have medical insurance and have avoided going to the hospital or primary care because I am afraid. today the pain is so irritating and sore I wish I could escape my body.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1291931-1	Systemic: Dizziness / Lightheadness-Mild, Systemic: patient stated that she couldn't see-Mild, Systemic: Nausea-Mild, Additional Details: Patient stated that she was feeling dizzy and lightheaded. She was sweaty and clammy. She stated that she couldn't see, but now she can see and seems to be fine. I gave her a bottle of water as well.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1291963-1	Systemic: Dizziness / Lightheadness-Medium, Systemic: Flushed / Sweating-Severe, Systemic: Hypotension-Severe, Systemic: Visual Changes/Disturbances-Severe, Additional Details: Got shot 2:09pm pt had vision loss, sweating, low bp after recieving shot. 1st bp: 120/50 pulse 51 at 2:23pm, 2nd bp: 97/56 pulse 52 at 2:34pm, 3rd bp:97/47 pulse 54 at 2:48pm. advised pt to not drivr had friend leave with him at 2:50pm
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1293054-1	Site: Pain at Injection Site-Mild, Systemic: Body Aches Generalized-Mild, Systemic: Chills-Mild, Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Medium, Systemic: Visual Changes/Disturbances-Mild, Additional Details: pt had tunnel vison and lost his vision for a split second, he could not remmember me asking if he was okay. I gave his benadryl and checked bp that was 95/65, Encoraged pt to drink water and got a sucker for him. He was clammy and seemed worried. His bp started coming up within 5 minutes and was 105/80. His bp was 120/80 in 5min later, asked pt to get a ride and his wife came and got him. It had happened to him one time giving blood. pt had chills and ackes last night and is fatigued
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1296455-1	Patient got warm was sweating fainted temporarily lost eyesight
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1296468-1	One week after vaccination, I had to all 911 and was put in the hospital, I had a stroke, I had a blood clot in my brain, and severe abdominal pain, and terrible headache where the clot was, I couldn't see, my legs weren't working right. My head was sensitive on the right side, like a tingling and sore to touch, then the headache started in the center of my head. I stayed in the hospital for 3 weeks. I'm home but have slurred speech and I use a walker now.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1296528-1	Blood clot in right eye resulting in permanent loss of vision.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1297020-1	In the beginning a very strong pain arms whole body after the stomach started the back and everything got worse for 4 days going to and from the emergency room and then still hospitalized all due to problems after the vaccine in the last exam the variant was positive for guillen barrer before discovering this he lost his sight for two hours he cannot walk he lost the strength of his limbs and his pressure shot up he has dysphacia and is still hospitalized with physical therapy
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1302523-1	Night of vaccine had severe body aches, back pain, leg pain severe until legs went numb, then arm pain severe until also numb, chest pains/ trouble breathing. Following days had pains in arms and legs as if a tourniquet was left on and I cycled through severe pain and being numb. 5 days in I lost my vision (super blurry and seeing double) and lost complete control of arms and legs on top of headache and chest pains. Vision came back a couple hours later but the leg pains/ numbness continued even now. It feels as if my circulation has been cut off.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1303206-1	The days after the shot the patient was sleeping 12-14 hours a day which was not normal. On 04/15 pt started to feel dizzy and signs of blurry vision began. They went their general physician ruled out stroke & clot, then recommended they see an eye dr since the vision was the worst symptom. By 04/21/2021 the pt lost 100% of their eye sight. They eye dr after doing a scan discovered the pt had temporal arteritis. They believe the vaccine could had caused the body to lose the fight against the temporal arteritis and pt eyesight was lost.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1311464-1	"Patient received J&J vaccine at 4:09pm on 5/11/2021. Within 3 to 4 minutes patient's girlfriend stated that the pt was having difficulty seeing. Pt evaluated and he described complete loss of vision (lasting approximately 10 seconds) that returned. Pt was seated and was instructed to move to floor and lean against wall. Pt described numbness and tingling in both legs that resolved within 5 to 10 minutes. Pt stated he was anxious, shaking was observed, and he was hot and sweating. Vasovagal episode with loss of consciousness was immediate assessment. BP was 98/62 within 20 minutes of AE. 911 was called and EMS evaluated pt. Pt did not go to hospital AMA per EMS and pt stated he felt better. Patient was contacted on 5/12/21 at 3:25pm and he stated ""I'm all good no further issues. I got a fever 8 hours after the shot. Other than that I'm all good"". Inquired about temperature and pt stated ""I do not have a thermometer"". Pt instructed to contact primary care but he has not seen them in 2 year (She is primary care). Pt then instructed to contact cardiologist that he sees for his heart palpitations and heart rate control. Patient is prescribed metoprolol for this and he missed a dose the night of 5/9/21, took dose night of 5/10/21, and had shot on 5/11/21. Patient's physician office was called and information reported to her."
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1311989-1	About 2 minutes after injection patient became pale and he verbally says he is feeling dizzy. I quickly grabbed an ice pack and placed it behind his neck to keep him awake. He started leaning forward and told me he is losing his vision. He leaned forward and I had to support his chest with my arm all the while trying to talk to him. He dropped his phone and wallet on the floor. He seemed to be losing consciousness. I had an epinephrine 0.3 mg in my hand but because he was speaking I did not inject him. After about 20 seconds he started gaining his vision back but he said his vision is still fuzzy. After about 2 minutes he felt better so I asked him to position himself at the blood pressure machine. It was 86/65. He does not take any medications or has any health issues. After 10 minutes he took blood pressure again and it was around 129/91. He used the restaurant during the 10 minute break.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1317498-1	Tightness in chest and slight difficulty breathing hours before event. Event was an episode on the toilet including vomiting, diarrhea, dizziness, sweating, slight tingling sensations, and temporary loss of vision (5-6 minutes). Dehydration and headache occurred after the event.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1318016-1	Patient received a Johnson & Johnson vaccine today. Shortly afterwards while waiting in pharmacy area, we were alerted that the patient was unresponsive by his wife. Immediately responded to patient. Code white called and management responded. Tried to get him to wake up, he opened his eyes but immediately closed them again. I attempted to keep him alert and eyes open. This proceeded to go on for several minutes. Ice packs were placed on neck and wrists. Feet elevated. Once patient was alert and oriented, water was provided and patient was instructed to take small sips. Patient was kept in pharmacy area for additional 15 minutes once he was back to normal. Patient stated that when he passed out, he felt tired, couldn't see or hear.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1318931-1	Pt scheduled and appt for J&J vaccine and it was administered by LPN in his left arm. Pt waited in observation for 5 minutes and reported he felt dizzy. Pt loss consciousness while sitting in his chair. Nurse repeatedly called patients name with no response. Charge Nurse was called for assistance. Charge Nurse administered a sternal rub and patient woke up. Pt was able to state his name, DOB and location. Pt reported that he lost his vision, with a headache and everything was black. Laid patient in first aid area on a cot and took patients vitals which were WNL. After lying down for 15 min patients vision returned. Pt stated he walked 25 min in the sun to the vaccination clinic and only had 1 meal for the whole day. Pt was monitored for an additional 30 minutes, drank water and was provided some crackers. Pt refused EMS services and just wanted to lie down. Medical director was notified immediately of the incident and felt comfortable releasing the patient to walk back home on his own. Patients Vitals were rechecked and within normal limits. Pt left after 45 minutes
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1320606-1	C/O DIZZY, CANT SEE ANY THING, CODE GREEN CALLED, TRANSFERRED TO COT, SX RESOLVED, REFUSED TRANSPORT
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1328921-1	Nausea, acute blindness. Evaluated by EMS-Refusal to transport.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1333583-1	Left side stroke;severe headache;blindness;treatment was TPA;no significant finds in any test;currently being treated as a cardiac patient
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1337285-1	Patient received the Janssen COVID vaccine then shortly after administration patient stated that their vision started to go blurry and the next thing their sight went dark, patient was seen falling out of chair head first after passing out.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1340597-1	I had a brain tia-stroke. Blood clots. Paralyzation.loss of vision. Loss of voice
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1341321-1	approx 10 minutes after injection, pressure in head and chest, sweating, blue lips, and white face, mostly lost vision for 10 minutes. recovered at 10 minutes then just exhausted. better next day except fatigue.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1343722-1	She got her vaccine, was fine. The next day she was exhausted, but nothing unusual. Then about 4/6/21, a month later she started slowly loosing her vision, and got her vision back for about 2 weeks, and then she slowly started loosing it again. She went to her primary care who told her nothing, and told her to go to the ER. She went to two walk in clinics, the ER, an ophthalmologist, a neuro-ophthalmologist. She has been to a retina specialists, two other neuro-ophthalmologists, and a neurologist who do not know what is wrong with her. They tell her that her eyes look healthy and good but she cannot see. Her left eye she may have about 5% of her vision and 15-20% in the right eye. She was given dry eye drops by one of the earlier physicians. She has had some follow ups, and the neurologist told her to drink water eat low carbs. So, she is frustrated at this point that nobody knows what to do and treat her eyes and is depressed. She lives alone and is not able to see to read her credit card info to order food or to see what she has to eat. She was also given Xanax, which she has not taken yet.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1344664-1	Patient experienced blurred/loss of vision, headache, sweating, nausea and shaking
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1351590-1	Loss of hearing and vision, everything dizzy for about 15 minutes Fainted Lips turned grey
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1354986-1	as soon as needle went in patient's arm patient turned white and sweaty. never lost consciousness. pt said ears were ringing and that he couldnt see patient's mother wanted us to call squad. we did. they arrived shortly after. they determined it to be an allergic reaction and administered epi and gave pt IV fluids patient was stable enough to leave a little before 7 pm
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1358096-1	The Patient developed Optic Neuritis (headache, loss of vision and color vision in both eyes). He was ultimately diagnosed with Myelin Oligodendrocyte Glycoprotein Antibody Disease and will be treated either with IV IgG or Rituximab.
BLINDNESS	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1372540-1	About 10 minutes after the vaccine, pt's father signaled he needed help. Pt was cold and had chills. She did not speak English well, and she said she couldn't hear. Then she stated that her throat was closing up. Then she stated she couldn't see.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0909111-1	The evening of the 24th, I felt lightheaded, sore, and extremely fatigued. Waking up on the 25th, I had diarrhea, vomiting, headache, coarse cough, asthma exacerbation, chest pain. Chest pain subsided but other symptoms remained. Around 11am, I developed cervical neck pain in the back of neck, and lower pack pain. I started to experience loss of vision upon standing, tachycardia, tactile fevers, chills, and loss of appetite with extreme fatigue.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0911035-1	"Approximately 7 hours after receiving the vaccine patient who is a L&D Nurse return to work in her area. She describes that after finishing with a C-section she felt burning in both of her eyes (she thought this feels like an allergic reaction, but I am not sweating and haven't rubbed my eyes). She went to the restroom to get a cloth to wash her eyes; afterwards she reports her vision went totally black in both eyes. She reports feeling frustrated that no one came to help and some panic in trying to figure out how to get out of the restroom. She did make it out of the bathroom. Her Staff reports she postured and turned arms inward, head going to one side and passed out. They also report ~ 10 minutes of incoherent conversation and stating ""I got the vaccine, maybe I was given the wrong thing and now I'm blind"". Upon waking, patient vision fully restored and patient does not remember incoherent conversation. Differential diagnosis- TIA vs. CVA > seizure disorder>>> complex migraine"
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0915030-1	"During observation period, became hot and not feeling well. Came to the desk c/o feeling like she was ""going into VTach"". BP 160/100, P 80 and sl. Irreg, R without apparent distress, lung are clear, Chest and neck flushed, without apparent rash, Skin is mildly diaphoretic. States she was having difficulty seeing and did not feel well. Placed in supine position. Dr. texted using tigerconnect, following up via phone. Patient stated she was allergic to Benadryl. á Further evaluation and possible treatment indicated so rapid response called and transferred to the ED. Discussed with her that she needed to talk with her PCP about this episode prior to the next dose scheduled in 4 weeks."
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0921530-1	Dizziness, loss of vision
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0930989-1	0530 - woke up. nausea, dizziness, malaise, generalized significant joint and muscle pain. Unable to stand. 0535 - crawled to Bathroom in case of vomiting, tried to stand and had near LOC (vision completely black, only able to hear), dizziness, nausea, tingling and loss of function of hands/feet acc. by extremities twitching, hyperventilating, cold sweat. 0555 - husband helped me downstairs with plan to go to ER, but I refused and wanted to sit down. violent body shakes, nausea, hyperventilating, chills, dizziness. Ear temp 98.8. Was covered in blankets and drank ~8oz water. 0630 - body shakes stopped. mild waves of nausea/generalized malaise and muscle pain/lightheadedness continued. 0730 - same symptoms, ear temp 100.1. Removed some blankets 0800 - ear temp 99.8, chills, lightheadedness, mild headache.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0937926-1	Vaccine given Thursday afternoon. Saturday morning had fainting spell. Vision and hearing lost before collapsing and fainting. After a few seconds came to and was disoriented and tired and then shortly recovered. I have no

	(1201)			prior history of ever fainting or losing consciousness.
Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0940196-1	Chills, body, body aches, headache, blurry vision all 1-8-21 then nx day 1-9-21 loss of balance, confusion, Night of 1-11-21 loss of vision for several hours, could not see to dial the phone for help, no one else at home, stayed up most of night, could see in am still slightly blurry, made emergency appt with eye doctor. eye doctor stated no permanent vision damage.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0944507-1	Loss of vision; Possible lowgrade central retinal occlusion; retinal venous dilation; Decreased vision; Unexplained Retinal Hemorrhages; A spontaneous report was received from an ophthalmologist retinal specialist concerning a 46-year-old, male patient who received Moderna's COVID-19 Vaccine and developed loss of vision, decreased vision, unexplained retinal hemorrhages, retinal venous dilation, and possible low grade central retinal occlusion. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 23 Dec 2020, approximately four days prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Lot number: 025J20-2A) intramuscularly in the arm for prophylaxis of COVID-19 infection. On 27 Dec 2020, the patient experienced decreased vision. On 29 Dec 2020, the physician examined the patient. There was some retinal hemorrhage, venous dilation, and possible low grade central retinal occlusion. Lab work was requested by the physician and results were pending. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events, loss of vision, decreased vision, unexplained retinal hemorrhages, retinal venous dilation, and possible low grade central retinal occlusion were unknown.; Reporter's Comments: This case concerns a 46 year old male patient. The patient's medical history is not provided. The patient experienced a serious, unexpected event of loss of vision, unexplained retinal hemorrhages, retinal venous dilation, and possible low grade central retinal occlusion. The event occurred 4 days after first dose of the mRNA-1273. Very limited information regarding this event has been provided at this time. Based on temporal association between the use of mRNA-1273 and the event, a causal relationship cannot be excluded. Additional information are required for further assessment.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0954760-1	numbness of the left arm, mouth, tongue, throat, loss of vision, high blood pressure
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0968089-1	Lost my vision; Got shingles in the left eye - Valtite - anti-viral and prednisone eye drops - so far improved but not all the way better. (Ophthalmologist) January 7 tested positive for COVID and was very sick. Those symptoms began Jan 5 2021. Fever; chills; sinus; congestion; and shortness of breath and cough. Fatigue was the worse. They let me go back to work on 19th. Not due to get the second dose until Feb 3.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0982691-1	DEVELOPED TACHYCARDIA, LIMB NUMBNESS, VISION LOSS, WARM FEELING IN BODY WITHIN 30 MINUTES OF VACCINE
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0982812-1	General malaise starting almost immediately, and then about 12 hours after vaccine, developed: -Fever (102.0) -Chills -Numb digits (toes and fingertips) -Sore joints and muscles -Headache -Lightheadedness and loss of vision - Memory loss and difficulty concentration. With Tylenol (no ibuprofen, allergic), was resolved within 36 hours.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0986880-1	Started with rash/hives on back. Next morning had extreme flu like symptoms. Body aches and pains. Was prescribed narcotics for pain. Day 5 severe headache, dizziness. Could not see or hear. Was unable to walk. Rash/ Shingles developed after 7dayson the face/neck/ and chest area. The most severe part of this lasted about 16 days. Still recovering as migraines are consistent everyday. Still have pain in joints, and struggle with breathing.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0988414-1	"While waiting at the site, my body felt like it was spazzing out and I saw blurry colored static. It felt surreal. It happened again within a minute. This was longer. I had no control of my body, I was conscious the second time. I attempted to tell myself to ""focus"" and try and find something with my eyes. I couldn't; I was stuck in the state of my body shaking and unable to see anything. After the two times, I had the shakes."
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0989806-1	I have lost vision. Have numbness in my legs and arms. Weakness in arms and legs. Extremely stiff neck. Pressure in my face especially the bridge of my nose. 4 trips to the ER. 1 hospital stay. Treatment with steroids. Problems continue
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0992282-1	January 28, 2021 : Neck stiffened on left side, within 15 minutes of getting shot, could not turn head. Subsided after three hours. Fever: 99.2; very tired. Slept for 12 hours. Friday, January 29: Experienced series of migraines with loss of vision. Chronic fatigue. (not prone to migraines). Dizziness. Saturday, January 30: Right side of face numb, right eye vision affected. Mentally disoriented and confused (brain fog). No medications taken at any time. Sunday, January 31/Monday, February 1: Dizziness

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1005033-1	"Patient arrived at 12:14PM. Observation nurse noticed patient with eyes closed with hand raised on top of head. Patient was lethargic and weak, AOX3. Patient stated ""I am not able to see anything."" while patient's eyes were open. Apical pulse very faint. Patient felt the urge to vomit and suddenly appeared flushed in the face. Patient stated ""I feel better."" immediately after experiencing nausea. 12:25PM - BP 97/67 Patient reiterated her experience stating: ""I felt lightheaded and felt like I was about to faint."" , ""I felt heavy and foggy."" Patient was given water to drink and a cookie. 12:35PM - Patient reported pressure on both sides of head and ""weird"" (as per patient) visual changes. Patient stated ""Everything has a glare."" Patient reported prior reactions to past vaccinations: Flu and Tetanus - experienced lightheadedness, fainting and visual changes. Indicated reactions were ""more worse"" than prior reactions. 12:45PM - BP 115/78 HR 64 SPO2 98% Patient was asked to sit closer to nurse and was able to ambulate with no issues and steady gait. 1:15PM Patient reports to feel ""Back to normal."" denied any symptoms including visual changes. Patient contacted her parents to be driven home. 1:37PM Walked patient to her parent's car outside the convention center. Instructed to go to ER/Call 911 if symptoms persist or get worse. 2/3/21 The next day patient texted nurse observer that she is feeling much better from yesterday after resting and taking Advil."
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1005494-1	states had 2nd covid vaccine yesterday, had waves of N yesterday; fever, aches chills overnight, took Tylenol overnight, took melatonin around 12 pm due to difficulty falling asleep this am woke, took temp -was 99.3, went to bathroom and urinated and then got in shower, felt a little nauseous and starting loosing vision , then fell hitting head on R side
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1005655-1	Distorted vision, missing pieces of vision on the right side, colored zigzag lines in right vision. The doctor said it was an ocular migraine. It passed within 40 minutes. Ibuprofen 600
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1006631-1	1/6 vaccination couple hours later, I couldn't see, close and far away. No fever. I couldn't make cognitive sense. BP 150/90. I didn't have strength in legs; couldn't walk. Fatigue in body. 1/7 medical attention. Dr. tested for UTI; negative. Dr. stated was due to vaccination. Dr recommended not having second vaccine but needed to because work with homeless and prisons. Felt needed to have the second vaccine.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1006793-1	Woke up feeling very nauseated. Took a Zofran. While standing to get medication from cabinet my vision went completely black and face cold and clammy. I slowly laid down with feet above heart until it subsided and slowly went back to bed. My galaxy watch says pulse dropped to 40. Normally 60's. Later in the morning at 7am chills started and migraine with light aura (kind of like the pixels on an old tv). Took asa, tylenol, and drank water to help. Feeling hazy all day.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1012893-1	that evening i started to get a cold feeling down my arm and pain at injection site. later that night i had headache, nausea, body ache no fever very weak.. The next day i had body ache and all the same symptoms again. Then on the on the morning of the 29th woke up at 5:00 woke up to my head was killing me. Felt like my head was going to explode and i was disoriented. and i couldn't speak. couldn't even see to dial 911 or get my husband and after about 20 minutes or so i was able to get to my husband and he took me to the ER. There they gave me meds to get my blood pressure down and ended up admitting me to make sure i was not having a stroke. was in the hospital until that Sunday afternoon.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1016267-1	Systemic: Other- lost vision, elevated blood pressure and pulse, returned to normal quickly thereafter administration
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1018953-1	Approximately 3-5 minutes after vaccination, patient reports walked towards post-vaccination area and vision began closing in to where she could not see. According to post vaccination staff witness, patient appeared to walk into traffic cone and then stumbled and fell to knees on asphalt. Staff assisted patient to lying position. Patient did not hit head. Patient alert and oriented x3, and remained so for the duration. BP taken at scene at 1326 (124/80 HR 90 R 18); 1329 (120/78 HR 78 R 18); 1335-standing (120/82 HR 80 R 18); 1346 sitting(122/72 HR 80 R 18). Allowed patient to lie down until she reported feeling better. Vital signs also taken in sitting and standing position- all stable, reports no dizziness.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1019452-1	Fever, lost feeling of face, tingling in hands and feet, severe vertigo, difficulty breathing, body aches, severe headache, nausea, loss of vision, vomiting, confusion. Symptoms were most severe for 36 hours although still currently have many of them.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1020784-1	Paralysis swelling. Seizure, lost eye sight, partial speech ! And is bed riding and loss of balance
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1020996-1	2/9 at 4:00pm: moderate headache and ear pressure, arthralgia and myalgia from hips to ankles, moderate chills, moderate injection site pain 2/10 at 8:45am: vasovagal syncope episode, consciousness retained but lost vision and balance; needed fluids and to lay down for about 15 minutes Initial symptoms from 2/9 are still presiding except for the injection site pain (it's now 2/10 at 6:30pm)

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1024106-1	Pt was found sitting on chair in observation room after receiving her first Covid 19 test (moderna). Pt appears to be weak and pale looking and c/o loss of vision and feeling faint. Pt was t/f to wheel chair and Pt was t/f to medical room 2 and placed on stretcher in trendelenburg position. Pt vital were taken and bp was low at 86/54. Pt was allowed to rest and be were taken every 5 minutes. Pt gradually felt better after 15 mins laying on stretcher in trendelenburg position. Pt felt better and skin color improved . Pt vision was back to normal and all adverse affects were diminished and patient was feeling normal. Bp was 97/66 and pt refused transport to Er and went back to observation room.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1025460-1	Patient went to bed totally fine and woke up saying he could not see in one eye. I rushed him to the emergency hospital they ran cat scans, MRI, heart tests etc. He stayed overnight while they checked. The next day we went to eye doctor who told him he had a eye stroke. He would regain some of his site not all of it. Something to do with blood clot or loss of blood to the eye. I was not satisfied with that so made another drs appointment for the next day with a different eye doctor. The first eye doctor gave us some blood test to do so we did it then. Later that evening we got an emergency call form the first eye doctor to get back to the hospital right away he could lose sight in the other eye.. They found some high c-reactive protein. Normal is 8 his was over 40. They put him on heavy steroids and did biopsy on both temples of his eyes. This started last Wednesday morning. He was released from the hospital Monday Morning to see his regular doctor that afternoon. Test results for the eye would be Tuesday and all other vital tests came back fine thank goodness. On Tuesday the biopsy tests also came back negative so they are stopping steroids. I think they were looking for auto immune issues. Today we are going to Rheumatologist
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1026311-1	About 16 hours after the vaccine I began to experience sweating along with fever and chills. Despite taking an ibuprofen 800 mg I experienced extreme muscle aches, joint pain, fever, chills, extreme migraine with loss of vision, nausea, and vomiting. These symptoms did not cease until Friday morning. Friday still experiencing disorientation, dizziness, fatigue, and nausea.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1026411-1	Approximately 5 minutes after receiving the second dose of COVID-19 vaccine individual reported feeling short of breath and felt like she was losing her vision. 1 mg Epinephrine IM administered along with 6cc of Benadryl. 911 called. Approximately 5 minutes after the Epinephrine injection the individual stated she was feeling better. Individual was able to walk, unassisted, to the ambulance cot. Individual transported to ER in stable condition. Stated SOB has subsided. Individual also took 2 puffs of her rescue inhaler.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1029844-1	I was very sick with all the regular symptoms for 2 days; headache, all over pain, nausea, fatigue, extremely cold feet, chills. In addition to symptoms above, I also loss part of my vision. I couldn?t read because I couldn?t see the entire print. I did not go to hospital or call doctor. I went to bed because I felt so bad. The next morning my vision was back to normal.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1033449-1	Patients menstrual cycle started the day she received the moderna vaccine, the next day,02/13/2021, she stated it was heavier than she had ever had. Patient reported changing birth control 1-2 months previously. On 02/16/2021 Patient's father reported she was standing in the kitchen and her pupils were huge. Patient told parents she couldn't see or hear. Patient became unconscious for approximately 3 seconds. took patient to ER. ER was unable to find a cause. Loss of vision and hearing lasted approximately 3-5 minutes.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1036092-1	I started feeling sinus pressure behind my eyes. a few days later I started experiencing vision loss in my left eye. Ophthalmologist diagnosed me with optic neuritis. auto immune disease which causes pain and vision loss in the eye. it is inflammation of the optic nerve.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1036670-1	On evening of vaccine, patient developed arthralgias,right eye felt irritated, 30% vision loss with blurring . During the night, developed fevers, chills, substernal chest pain with radiation towards his back and bilateral arms. mild SOB. Next day, continued chest pain/angina, worsened with climbing a flight of stairs. Admitted to ED/ICU 2/16, general myalgias, Temp 100.7, CP 1/10 on arrival to ED. Small abrasion to right eye noted after flouroscein stain.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1053664-1	Occlusion on right eye; Can't see out of his right eye; hemorrhage in right eye; Case reference number MOD-2021-012734 is a spontaneous case report sent by a Non-Healthcare Professional on 09-FEB-2021, which refers to a male patient who received the first dose of Moderna's COVID-19 Vaccine (mRNA-1273) and experienced occlusion of the right eye and blindness in the right eye which required hospitalization and the event of hemorrhage in the right eye. The patient's medical history included a shunt installation for hydrocephalus. The patient's medication history included amoxicillin, omeprazole, potassium citrate, sertraline hydrochloride, tamsulosin, amoxicillin trihydrate, benzydamine hydrochloride, bromhexine hydrochloride, trospium and unspecified sinus medications. On 15JAN2021, the patient received the first dose of Moderna COVID-19 (mRNA-1273) Vaccine (Lot: 041L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 17JAN2021, the patient's wife reported that the patient couldn't see out of his right eye. He went to the emergency room and his ophthalmologist reported that the patient had an occlusion on the right eye which was not a result of the vaccine. On 19JAN2021, the patient left the hospital. Later that same week, the patient visited another ophthalmologist that observed a hemorrhage on his right eye with an unknown etiology. On 04FEB2021, the patient went to the dentist where multiple infections and molars were identified. Treatment included amoxicillin 875mg for 10 days. Action taken for the events of occlusion of the right eye, blindness in the right eye and hemorrhage in the right eye associated with mRNA-1273 was not reported. The outcome of the events was unknown.; Reporter's Comments: This case concerns a 73-year-old male patient, who experienced a serious unexpected events of vascular occlusion, blindness, and eye hemorrhage, after receiving first dose of mRNA-1273 (lot # 041L20A). Very limited information regarding this event has been provided at this time. Further information has been requested.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1066806-1	Roughly 16 hours after receiving the first Moderna vaccine for COVID, woke up with dizziness, loss of vision for a few minutes, shakiness, low grade fever, paleness, shaky walking ability, nausea, and loss of bowels in her clothing.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1073891-1	.Headache left temple. Vision loss in right eye for approximately 10 minutes. Could see only whiteness. During that time saw flashes of blue arrows flashing facing each other?s, also 2 imagines of black shapes like fish facing each other. As vision returned sight was shaded and hazel. Episode lasted for period about 25 minutes .
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1075635-1	VISION DEFICITS IN RIGHT EYE, SUDDEN ONSET
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1081741-1	"Lost all my vision; A spontaneous report was received from a consumer who was an 83-year-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced lost all my vision (blindness). The patient's medical history, as provided by the reporter, included an eye transplant 9 or 10 years ago. Concomitant medication included acetylsalicylic acid, metformin, tamsulosin, ropinirole, Ramipril, and gabapentin. On 09 Feb 2021 at 10:00 AM, prior to the onset of the symptoms, the patient received the first of two planned doses of mRNA-1273 (Lot number: 031M20A) intramuscularly for prophylaxis of COVID-19 infection. On 09 FEB 2021, at exactly 10:00 PM, the patient ""lost all my vision."" He stated he had an adverse reaction to his first injection and said ""my first shot messed up my vision."" By 5 am, his vision was perfect. No treatment medication was reported. Action taken with mRNA-1273 in response to the event was unknown. The event of lost all my vision was considered resolved on 10 Feb 2021.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded."
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1086025-1	Losing eyesight in one eye; Has scratched cornea; She developed Bell's Palsy; She developed shingles; A spontaneous report was received from a relative concerning a 91-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and developed shingles, Bell's Palsy, losing eyesight in one eye, and scratched cornea. The patient's medical history included blind in one eye after laser surgery. Concomitant medications include vitamin d, equate arthritis medicine, losartan potassium, and eye vitamins. On 30 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: 007M20A) intramuscularly for prophylaxis of COVID-19 infection. On 09 Feb 2021, the patient developed shingles and Bell's Palsy. The patient was in the process of losing eyesight in one eye, on the side affected by the Bell's Palsy. The patient also has a scratched cornea. The patient went to the emergency room on 12 Feb 2021. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events was unknown.; Reporter's Comments: Based on the current available information, a temporal association between the use of the product and the start date of the event and excluding all other etiologies, a causal relationship with the events of shingles Bell's Palsy cannot be excluded. However, causality with scratched cornea and losing eyesight in one eye is unlikely. The scratch is most likely due to a trauma and can impair vision. No further information is expected and follow up consent was denied.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1088424-1	Had minor headache 2 days after vaccine that progressed into temporal migraine. After 2-3 days of pain, the migraine turned into a vestibular migraine in which I had severe dizziness, blurred vision, and loss of vision. This lasted for 6 days (1/5/2021-1/10/2021).

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1091831-1	Starting about 1 minute after vaccination I became extremely dizzy, blacked out/lost vision, had shortness of breath and a tight chest, lost feeling in my hand and fingers on my left side (the side I got the vaccine), was sweating but felt cold flowing through my body. These feelings lasted for about 30 minutes and my vision and feeling in my fingers and hand came back as the dizziness subsided and my body temp returned to normal. Around 40 minutes after the vaccine I started experiencing echoing in my left ear (the side I got the vaccine on) and soreness around the vaccination site. The echoing in my left ear lasted about 30 minutes and then subsided. The arm pain spread to the rest of my arm and I began to get a headache. About 4 hours after the vaccine I began to experience intense back, hip, foot and hand pain making me unable to do any regular activities. The back pain feels like intensely sharp pain in my spine and hurts to the gentle touch. I previously had no back pain prior to the vaccine. The muscles surrounding my spine up to my shoulders were also painful/sore. This pain subsided after 6 days. On about the 4th day after the vaccine I began experiencing underarm and breast pain on the side I got the vaccine. It is now exactly 1 week since my vaccination and I am still experiencing the underarm and breast pain. I have experienced lethargy since vaccination.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1092501-1	10 minutes post vaccine administration at 13:15 patient began to exhibit the following symptoms: dizziness, paleness, weakness, blurred/loss of vision, ringing in the ears, and diaphoresis. Cold pack was placed on patient's forehead and patient's feet were elevated. BP, pulse, & temperature unable to assess, pulse was faint and weak. Patient experienced loss consciousness for 1 minute, 34 seconds. During this time paramedics were called. Vitals at 13:20 were: BP=98/76, P=62, temp= unable to register with machine on hand. Patient able to follow commands and asked to lie down. Cold pack was placed on the back of his neck. Paramedics arrived and assessed patient's blood glucose = 56. Patient given orange juice. Vitals at 13:30 were: BP = 107/69, P = 70, Temp = 97.6., pulse ox: 99%. Patient asked to sit up and vitals were: BP = 114/73, P: 71. Patient declined to go be transported in ambulance with paramedics to the hospital at that time. Blood glucose assessed again = 127. Patient given chips and salsa from what facility had on hand. Patient stayed 10 minutes to eat the snack. Patient instructed to go to the hospital or urgent care for further follow-up and assessment. Patient verbalized understanding and agreed to instruction. Stated he will go to nearest Urgent Care facility. Patient left this facility alert and oriented.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1095655-1	Loss of vision started approx 2 weeks after 1st does of Moderna Vaccine
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1097081-1	Loss of vision L eye with pain. Was able to see DO next AM. Dx secondary noninfectious iridocyclitis left eye. Thought to be secondary to autoimmune disease.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1098936-1	on 3/14 had low fever and extreme fatigue, on 3/15 felt better but had a migraine headache with aura and transient loss of vision. i have had similar migraines in the past but rarely--less than once per year
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1103906-1	3:30am woke up feeling nauseous, within seconds of standing up lost vision and balance, ran to the bathroom and fell. Woke up in a different spot with a bit of black eye from falling. Woke up and felt very out of it and not sure of things. Drank a lot of water but a few hours later, got up and felt nauseous again like I was going to pass out again. Fever of 101.8 F. Lots of body aches and chills. Sweating like no other.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1106176-1	Lost her vision; Dizzy, lightheaded, lightheadedness; Increased heart rate; A spontaneous report was received from a consumer concerning a 70-years-old female patient who was received Moderna's COVID-19 vaccine (mRNA-1273) and experienced loss of vision, dizziness and increased heart rate. The patients medical history was not provided. No relevant concomitant medications were reported. On 28 feb 2021, approximately three days prior to the onset of events loss of vision, dizziness and increased heart rate, the patient received the first of two planned dose of mRNA-1273(Lot number: unknown) intramuscularly for prophylaxis of COVID-19 infection. On 02 mar 2021, The patient had lost her vision, became dizzy lightheaded, which led to an increased heart rate. The patient still had intermittent lightheadedness. The event loss of vision was medically significant. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events loss of vision, dizziness and increased heart rate was not provided.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1107190-1	Vision loss; Balance issues; Tingling in Extremities; Fatigue; Chills; A spontaneous report was received from a consumer concerning a 34-year-old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced vision loss, tingling in extremities, paraesthesia, balance issues, fatigue and chills. The patient's medical history was not provided. No relevant concomitant medications were reported. The patient received her first of two planned doses of mRNA-1273 (Lot number: unknown) on an unspecified date in Jan 2021 intramuscularly. On 12-Feb-2021, prior to the onset of the events, the patient received her second of two planned doses of mRNA-1273 (Lot number: unknown) intramuscularly for prophylaxis of Covid-19 infection. On 13 Feb 2021, Patient experienced vision loss, tingling in extremities, paraesthesia, balance issues, fatigue and chills. Laboratory details included an increased white blood cell count..Treatment information was not provided. The patient received both scheduled doses of mRNA-1273 prior to the events. Therefore, action taken with the drug in response to the events is not applicable. The outcomes of the events of vision loss, tingling in extremities, balance issues, fatigue, and chills were considered as unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events a causal relationship cannot be excluded.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1109302-1	Swollen lymph nodes under both arms, urgent care, referred to ultrasound tech, mammogram, referred to general surgeon (awaiting appointment). Lymph nodes stayed swollen after first dose, got worse after second dose, and have been swollen since. Swollen lymph nodes in neck, hard to breathe, went to hospital, told it was just the vaccine and to wait it out. Lymph nodes in neck went down in swelling after 2-3 days. Irregular menstrual cycle, started approximately 2 weeks after first dose. Have had a menstrual cycle for 5 days every 9-12 days since first dose. Hospitalized for stroke-like symptoms (lost vision, couldn't form sentences) on 5 Feb 21. Discharged after CT scan and MRI came back fine.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1111266-1	No longer has vision in that eye; Stroke; Sneezing; A spontaneous report was received from a consumer concerning a 75-years-old, male patient who experienced stroke, lost vision in one eye and Sneezing. The patient's medical history was not provided. Products known to have been used by the patient, within two weeks prior to the event, included blood pressure medicines. On 31 Dec 2020, approximately one day prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 [Lot number 039K20A] intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 01 Jan 2021, the patient reported sneezing and had vision issues. He was told that it appeared he had a stroke. Treatment for the event included eye drops. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events stroke, lost vision in one eye and Sneezing were unknown.; Reporter's Comments: This case concerns a 75 year old, male patient, who experienced a serious unexpected event of blindness and cerebrovascular accident. Concomitant medication included blood pressure medication. Very limited information regarding this event has been provided at this time. Further information has been requested.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1114239-1	arm pain; hurts to move her arm; couldn't even see; total discomfort; trembling eyes; insomnia; sensation of fire in her head; Nausea; terrible headache that stops when she rests; Numbness in pinky finger; A spontaneous report was received from a consumer who was a female patient who received Modern's COVID-19 vaccine (mRNA-1273) and experienced total discomfort, trembling eyes, couldn't even see, insomnia, sensation of fire in her head, arm pain, nausea, terrible headache that stops when she rests, numbness in pinky finger and it hurts to move her arm. No past medical history was reported. Concomitant medication use was not reported. On 02-FEB-2021, prior to the onset of the events, the patient received the first dose of mRNA-1273 (Lot unknown) intramuscularly for prophylaxis of COVID-19 infection. On 24-Feb-2021, the patient called to report that she had tons of reactions including: total discomfort, trembling eyes, she couldn't even see, insomnia, a sensation of fire in her head, arm pain, nausea, a terrible headache that stopped when she rested, numbness in pinky finger and it hurt to move her arm. No Laboratory details provided. Treatment information was not provided. . Action taken with mRNA-1273 in response to the events was not reported. The outcomes of the events, total discomfort, trembling eyes, couldn't even see, insomnia, sensation of fire in her head, arm pain, nausea, terrible headache that stops when she rests, numbness in pinky finger and it hurts to move her arm, were considered unknown. .; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1116564-1	A few minutes after receiving the shot I noticed extreme tiredness and light headedness. I got up to notify staff and my vision went and I began to feel nauseated. They helped me to a seat and I began sweating profusely and the nausea intensified. After several minutes the nausea and vision changes subsided and I continued to feel extremely tired and light headed. The staff put a heart rate monitor on me and I saw that my heart rate was sitting around 38-42. I felt like I just wanted to close my eyes but the staff kept asking me questions. After several more minutes a cop arrived. Later on an ambulance arrived and when they put the blood pressure cuff on I noticed tingling in my hand from it. I continued to feel light headed and extremely tired through arriving at the hospital via ambulance around 10:30am. These symptoms gradually subsided throughout the afternoon leaving me with light headedness only when walking or moving around. While at the hospital they did an EKG which showed inverted T waves (from what I remember of the PA's description) and so admitted me for observation and performed an echo which came back normal. I was discharged around 10pm on the same night.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1116841-1	Lost vision for 2 minutes, felt lightheaded, faint. Those effects diminished after 5-10 minutes of deep breathing.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1118664-1	First developed severe headache and severe left back flank pain. Around 6:30pm I could not use my entire left side leg arm face I lost my vision. Called a nurse specialized in Covid reaction. She asked me many questions had me take my blood pressure witch was very high and my heart rate was very high. My skin was yellow especially on the left side. I was unable to walk or dress myself without assistance. She told me to call 911 get an ambulance immediately . So I did.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1118838-1	Of course I had side effects like aches, bone pain (mainly spine and sternum), kidney pain, abdominal pain, sweating with no fever, etc. But none of that is an adverse effect. The adverse effect happened when I was taking a shower 45 hours after my second vaccine. I was starting to feel better at this point. I started to feel like I was going to pass out. I quickly turned off my shower and sat down. I would have passed out had I not focused to not. I felt nauseous, lost my hearing and started to lose my sight. After I was ok, my lips were blue/Gray. I don't pass out. I've passed out twice in my life when I was much younger. That's how I knew what was happening. I'm scared this will happen again and I don't know what this means.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1118847-1	At 7pm, on 3/16, the patient sat down to watch tv and was having difficulty seeing the tv. He then went to his computer and could not see the type on the screen. The loss of sight seemed to be in both eyes. The center of his eyes were blurry. His blood pressure was 190/110. This was the highest it had ever been. He went to urgent care and on his way, his sight returned. Sight had been altered for about 1/2 hour. An EKG revealed PVC. Urgent care sent him to the hospital, where his BP was 163/110 (higher than normal). ER doctor thought pt had a TIA. RReturned home at 3:30am, slept most of 3/17. On 3/18 he felt better, but BP was higher than normal at 163/95
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1120081-1	"On 3-2-21, my mother noted vision in her right eye was unclear and wavy. On 3-4-21, she woke up in the morning and had lost all sight in the right eye. The examining eye doctor stated there appeared to be a ""blister"" behind the eye and she was sent to an retinologist for further evaluation on 3-5-21. The retinologist instructed her to go to the ER. My mother was admitted for futher evaluation. Her protime in the ER was 1.7. MRI of head was otherwise negative for changes. Her protime had been stable between 2.0 and 3.0 for years. At her follow-up appointment with her doctor, her protime was 1.8. Her Coumadin dose has been adjusted,"
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1127169-1	Second dose of Moderna COVID vaccine 3/17/21, onset of swelling of conjunctiva and blurry vision in both eyes on 3/18 with progression of vision loss to no light perception in left eye by 3/19 AM. Sent to ED and admitted to hospital after outpatient ophthalmology exam and started treatment with 1g methylprednisolone IV daily x5 days on 3/20. As of 3/22 eye pain had subsided but no improvement in vision. Has been in hospital 4 days at this point with uncertain discharge date.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1127303-1	Started with headache and mental confusion within a hour of first injection. Right eye was becoming blurry by day 3 and loss of vision apx 6 days after first injection.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1127307-1	Approx1255: Patient stated he was not feeling well, light-headed. Patient pale, sweating. He asked to lie down. Encouraged to take deep breaths. Patient asked to step outside of room, assisted to hallway chair for air. Wife at side, encouraging to take deep breaths. Patient stated he could not see us and slumped in chair with eyes open and glazed. Shallow breathing, unresponsive to sternal rub. Lips noted to turn purple-blue and then gray. Called for assistance and LVN at patient side obtaining VS, patient took deep breath and started to become responsive. VS at approx. 1303: BP104/47, HR 57, O2 Sat 95%. Patient talking, continued pale and diaphoretic. 911 called and EMS arrived at approx. 1305 Transferred to hospital.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1128542-1	19 hours: left eye went dark, left leg muscle contraction, 21 hrs: major muscles seized for 15 minutes(felt like they were tearing from bone), Fever for next 12 hours
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1130554-1	Developed fever, headache around 8:30 pm. Headache worsened and woke up in night with loss of vision and high fever. Also, incontinence and sweating, thirsty.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1131005-1	Loss of vision started approx 2 weeks after 2nd vaccine (Moderna)
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1134536-1	Body ache Fatigue Loss of eye sight in right eye All of symptoms continue
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1136959-1	BP fell with severe vomiting Fatigue, and inability to see because of spots in my eyes. Had to crawl to bathroom unable to walk

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1142006-1	3/7/21 Some vision loss noted; 3/13/21 CT due to darkening vision loss to rule out stroke; 3/15 optic nerve images at Ophtamologist noted swelling. 3/16 optic nerve swelling diagnosed by angiogram with contrast, gradual vision loss (holes in visual field, loss of accuity, periodic darkening of visual field and weaking of colors noted. 3/19-3/20 MRI of head noted optic nerve swelling increased severity, no other neurological signs noted. Lumbar puncture to test spinal fluid, that was normal, fluid sent to healthcare facility for further testing of infection or auto-immune issues. Treated with IV steriods for 3 days course, 1 gram daily following out-patient steriod step down with Prednisone 60 mg day
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1142163-1	Onset of symptoms occurred within a minute of having the vaccine administered. Symptoms included heart racing/palpitations, profuse sweating, sudden lack of vision and hearing, on the verge of fainting.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1145811-1	Pt developed headache with vision loss on the right eye which has since resolved. She had vomiting and bloody nose as well.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1147668-1	7 am on 3/27 had fever, chills, muscle aches. Around 1 pm checked temperature at home, was 100.0. At 3 pm temperature was 102..4. On 3/28 started having blurry vision and pain in right eye. 3/29 continued to have right eye pain and loss of vision. Went to eye doctor appointment and eye symptoms was diagnosed as shingles infection in eye.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1149172-1	Several minute after getting vaccine: -Temporary loss of vision, throat swelling, difficulty breathing,= duration 5-10 min. (Unsure) -drop in blood pressure and pulse. Duration 30 min (unsure, doc was monitoring) -sporadic numbness throughout body including back of head. Duration: 1 hour and then tapered off, but total of several hours. Some sporadic vision issues occurred after the initial burst over the course of an hour as well.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1151262-1	Patient stated that she lost vision in her right eye approximately 36 hours after receiving Dose 1 Moderna information. Adverse reaction was reported on 3/31.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1153108-1	"Blurred vision; Complete loss vision; Hearing impairment Whoosh; spike in blood sugar; Fatigue; A spontaneous report was received from a consumer who was a 41-year-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced complete loss of vision (blindness), fatigue, blurred vision, spike in blood sugar (blood sugar increased), and hearing impairment ""whoosh"" (hearing impaired). The patient's medical history, as provided by the reporter, included diabetes. Concomitant medications were insulin glargine and insulin lispro. The patient said he was compliant with his insulin injections. On 29 Dec 2020 , prior to the onset of events, the patient received their first of two planned doses of mRNA-1273 (Lot number: unknown) intramuscularly for prophylaxis of COVID-19 infection. On 29 Dec 2020, the patient experienced a spike in blood sugar. He tested his blood sugar immediately following the vaccination and it was in the 280-380 range. Prior to the vaccine, it was 100 to 150. On an unspecified date, his hemoglobin A1C was below 7. On 05 Jan 2021, he experienced hearing impairment ""whoosh"". On 09 Jan 2021, the patient experienced complete vision loss. On 11 Jan 2021, he experienced blurred vision. Action taken with mRNA-1273 in response to the events was not reported. The event of complete vision loss resolved on 11 Jan 2021. The outcomes of the events of fatigue, blurred vision, hearing impairment ""whoosh"", and blood sugar spike were unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. The patient's medical history of diabetes remains a confounding factor. Further information has been requested."

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1153954-1	They are half blind from how bad they feel; Have been very sick; Lost their balance; Fallen twice hitting their face and head; Have lost 15 pounds; Second dose they received must have been damaged.; Very high fever; A spontaneous report was received from a consumer concerning a 66-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced fever, very sick, fallen twice, lost 15 pounds and they were half blind. The patient's medical history included blood pressure and diabetes. Products known to have been used by the patient, within two weeks prior to the event, included metformin. The patient received their first of two planned doses of mRNA-1273 (Batch number: 011M20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection on 05 Feb 2021. On the same day, after vaccination, the left arm inflamed and was red and itchy for 3 weeks. On 05 Mar 2021, on the same day prior to the onset of the symptoms, the patient received their second of two planned doses of mRNA-1273 (Batch number: CA21A) intramuscularly in the right arm for prophylaxis of COVID-19 infection. On 05 Mar 2021, same day after vaccination, the patient experienced high grade fever, sickness, lost balance, fell twice hitting their face and head. The patient went to emergency room thrice and was given unknown antibiotics. It was reported that the patient lost 15 pounds and half blind (medically significant) from how bad they felt. The patient stated that the second dose it might have been damaged. Treatment details included unknown antibiotics and other treatments for the event. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of the events high grade fever, sickness, lost balance, fell twice hitting their face and head were considered as recovering. The outcome of the events fell twice hitting their face and head and product damaged were considered as recovered. The outcome of the events lost 15 pounds and half blind were considered as unknown.; Reporter's Comments: Based on the current available information which shows a strong temporal association between the use of the mRNA-1273 and the reported events and excluding all other etiology, a causal relationship cannot be excluded. Fever is consistent with the safety profile of the product; Sender's Comments: US-MODERNATX, INC.-MOD-2021-049386:Crosslinked for Dose 1
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1156759-1	Fever, almost fainted, really dizzy, my vision went black, got very weak, heart very accelerated
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1157644-1	Sudden vision loss Saw retinologist, not an eye problem Saw PC doctor who ordered mri (scheduled) Have appt scheduled with cardiologist
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1161169-1	Got the vaccine and about an hour later started losing vision in the left eye. Everything appeared blurry and had to stop wearing contacts and switch to glasses.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1167811-1	At about 5 pm same day I started getting fever it was 101. I decided to drink some orange juice and when I went to sit back down I started feeling extremely dizzy, I got a very bitter taste in my mouth, my whole body started tingling and my lips and tongue and hands especially started feeling numb.I managed to get to bathroom floor where I grabbed some water and wiped it over my neck but I continued to feel worse where I couldn?t even control what my body was doing and I had diarrhea. The ?snow? in front of my eyes got worse too where I couldn?t almost see anything for over probably 3 minutes and I broke in cold sweat.After the diarrhea I had a very sharp pain in my lower abdomen. That all lasted a few minutes and I didn?t have phone on me and I was alone so I helplessly sat on the floor through it all til I started feeling bit by bit better.The fever continued for 48 hours as well as extreme arm pain for 3 days where I got my vaccine.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1173764-1	Patient started feeling dizzy after the shot. After few minutes, she states that she could not see anything and lied down on the floor, which she felt little better. Blood pressure was measured around 85/57, pulse rate was 57 at which point ambulance was called for low blood pressure. Patient was helped by the EMS provider, went to the hospital, discharged, the parent called back later saying she was doing fine now.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1174025-1	she became weak and pale. She was very diaphoretic and kept saying she could not see. Gave her water to drink and wanted to call911. She declined. She sipped water and said was feeling better. She was still pale and we gave her crackers to eat. She said her vision was back and wanted to sit awhile. We kept checking on her and then she said she was able to leave on her own. We called her later to check on her and she said she felt better and was going to discuss with her physician.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1175017-1	Lost vision on her right eye; Numbness in Right side of Face; Numbness in lip/Numbness in tongue; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of BLINDNESS (Lost vision on her right eye) in a 71-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 032M209) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Hypertension. Concomitant products included ATENOLOL (TENORMIN) for Hypertension, HYDROCHLOROTHIAZIDE for an unknown indication. On 12-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 12-Mar-2021, the patient experienced BLINDNESS (Lost vision on her right eye) (seriousness criterion medically significant), HYPOAESTHESIA (Numbness in Right side of Face) and HYPOAESTHESIA ORAL (Numbness in lip/Numbness in tongue). On 12-Mar-2021, BLINDNESS (Lost vision on her right eye) had resolved. At the time of the report, HYPOAESTHESIA (Numbness in Right side of Face) outcome was unknown and HYPOAESTHESIA ORAL (Numbness in lip/Numbness in tongue) had not resolved. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1176775-1	patient started experiencing blurry vision, black spots, and next day loss of vision in that eye
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1177268-1	patient started losing sight and hearing and starting sweating. ems was called and patient was helped to the floor because he said he was feeling faint. Before ems arrived he was feeling much better. EMS checked him out (blood pressure and blood sugar). Patient remained for another 30 minutes before saying he was ok to go home.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1177672-1	16:30 Problem : dizziness loss of hearing and vision, clammy & sweaty skin, SOB, unsteady gait, feeling very hot. 27 year old male received first Moderna vaccine, Moderna lot# 012a21a, Exp. 08/17/21, to left deltoid. 16:32 patient began experiencing dizziness, loss of hearing and vision, clammy and sweaty skin, SOB, unsteady gait. 16:37 patients hearing and vision returned. VS: 77-100/60, O2 sats 99% room air. Encouraged deep breathing for SOB. Applied cool cloth to back of patient's neck. Ice chips given. Offered bottle water and snack 16:45 staff assisted patient to observation table. Patient ambulated without any issues. 16:50 asked patient how was he feeling, patient states, ?he is feeling better and he is no longer experiencing any symptoms. Observed patient for an additional minute. Reassessed vitals: VS: 86- 106/62, O2 sats 97%, room air. 17:10 Patient left facility. No other complaints voiced.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1181270-1	Patient stated that after her first vaccine she has had some vision loss and does not want the second dose.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1182627-1	Uveitis/endophthalmitis/vascular following vitrectomy 10 days post-vaccination, resulting in vision loss
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1186812-1	Dizziness Vision loss Fainting Came to, drank water, ate banana, cold rags on face
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1187900-1	pt discovered blurry vision/vision loss 1 hour after getting the immunization. Has not resolved as of 04-9-21
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1189616-1	loss of sight in his eyes; Soreness around the injection site; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS (loss of sight in his eyes) in a 60-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 028A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history). On 30-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 30-Mar-2021, the patient experienced VACCINATION SITE PAIN (Soreness around the injection site). On 31-Mar-2021, the patient experienced BLINDNESS (loss of sight in his eyes) (seriousness criterion medically significant). At the time of the report, BLINDNESS (loss of sight in his eyes) and VACCINATION SITE PAIN (Soreness around the injection site) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Reporter did not allow further contact; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event of vaccination site pain, a causal relationship cannot be excluded. However,very limited information regarding the event of Blindness has been provided at this time. Further information has been requested.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1195167-1	Left eye watering and slight loss of eye sight in left eye. Pains, body aches and upset stomach. The first dosage did not have any of these affects
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1195176-1	Vision loss for 15 minutes. Cause unknown. Diagnosis by exclusion is ocular migraine. Waiting for echocardiogram to rule out possible stroke.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1195838-1	Patient received Moderna vaccination on 3/11 and was starting to lose vision like a curtain coming across his eye. Made appointment with Doctor and he determined it was a detached retina.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1196744-1	I took niquil before any symptoms has started. I felt fine until the 5th hour. I was hit with chills and then I couldn?t see or hear, it felt like I was underwater and I began to throw up a lot. I also experienced body aches, head aches, and the sweats. I could barely walk to the bathroom and back to my bed.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1197612-1	Collapsed; Lost her vision; Exhausted; This spontaneous case was reported by a consumer and describes the occurrence of SYNCOPE (Collapsed), BLINDNESS (Lost her vision) and FATIGUE (Exhausted) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. Concurrent medical conditions included Hypertension and Diabetes. On 26-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, the patient experienced SYNCOPE (Collapsed) (seriousness criterion hospitalization), BLINDNESS (Lost her vision) (seriousness criterion hospitalization) and FATIGUE (Exhausted) (seriousness criterion hospitalization). At the time of the report, SYNCOPE (Collapsed) and FATIGUE (Exhausted) outcome was unknown and BLINDNESS (Lost her vision) had not resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. Concomitant product use was not provided by the reporter. No treatment information was provided. Based on the current available information and temporal association between the use of the product and the events though start date was not provided- reporter indicated event occurred after the first dose), a causal relationship with the events cannot be excluded; Sender's Comments: Based on the current available information and temporal association between the use of the product and the events though start date was not provided- reporter indicated event occurred after the first dose), a causal relationship with the events cannot be excluded
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1201255-1	Pain in site of injection from the moment of injection. Pain/soreness in arm decreased with time, but was still able to feel a small amount of soreness up until 2-3 weeks. Vaccine was taken at 6:15pm, later that night after I had gone to bed I woke up with chills. In the morning, I tried to eat breakfast but immediately felt nauseous and began feeling really hot. I stood up to change into cooler clothes but the heat/nausea got worse and I began to lose my vision. I was about to faint, but felt immediately better once I lay down and elevated my legs. I had a temperature of 99F. Fever lasted a few hours (I took ibuprofen). I got a headache at around 11AM, but slept it off with a nap. By the end of the afternoon I was feeling much better, with the arm pain/soreness as my only remaining symptom.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1201350-1	Moderna COVID-19 vaccine EVA extremes migraines, Right side occipital cortex infraction, vision loss
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1203319-1	Vacinated on March 8th. Sent home from work next day at noon with fever and fatigue. Next 4 days with fever, fatigue, headache, and muscle pain. Fever broke Friday night. Saturday noticed vision loss. Macula neuroretinopathy worsens each day. Disabled. Treating with 60 mg/day prednisone starting 4-13-2021.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1205013-1	Patient had vaso-vagal reaction from the vaccine. Within 2 minutes of getting the vaccine the patient became flushed and very pale. He as sweating profusely and had vision loss. He was sitting while this all happened which I think prevented him from fainting. I got him water, an ice pack and called ems. By the time EMS arrived the patient was starting to feel better. EMS did their evaluation on site and the patient was able to go home 20 minutes later.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1205017-1	Momentary near loss of vision for about 5 minutes in right eye
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1205351-1	partial loss of vision , starting 7 p.m. vaccine admin 10:45 am , 2 hours loss on vision and ongoing distorted vision ,blurriness, heart palpitations
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1206090-1	Lost my vision and felt very weak. Doctor concluded I had a mild stroke(TIA), also they found a DVT in my right leg and DVT in my left leg. My vision returned in about 1 hour. Was given 2 shots a day of Lovonox for 13 days and was immediately put on Warfarin

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1209054-1	received 2nd dose on 2/11/2021. Woke around 4AM on 2/15/2021. Noted blurry vision in left eye. By 8am had progressed to blackness starting at inner visual field and spread to total blindness by 9:30am. Went to urgent visit with optometrist. Appt was made for urgent work in with a Retinal Specialists on 4/16/2021. Diagnosed with left retinal vein thrombosis. Ordered further testing. MRI of brain and orbits, TEE, carotid ultrasound and sent to hematology/oncology for evaluation. Only finding on bloodwork was elevated homocysteine. Being treated for HTN now with Metoprolol, Amlodipine, Losarten/HCTZ, Crestor and BASA, MVI. Vision is unchanged. Blindness remains in left eye. Right eye at this point is unaffected.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1211294-1	I suffered a stroke on March 19, 2021 that effected my Occipital and Temporal Lobes on the right side of my brain. The primary symptom was almost total and complete blindness. Taken to emergency room, made a stroke alert, tPA cleared clot, spent 5 days at the hospital.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1212311-1	Within 1-2 minutes of receiving the vaccine, I became tingly all over. I began seeing stars and then completely lost my vision - all I could see was bright white. It was difficult to breath. At the vaccine site, EMS came over to my car and took my blood pressure, which was 70/30. They took my blood pressure again and it was 64/30. They then took me via ambulance to the closest ER. They tested my blood sugar and oxygen levels, which were fine. I started to feel better and gained my vision back after about 15 minutes. Upon arrival to the hospital, my blood pressure had resumed to normal.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1212787-1	On April 10, 2021, patient reported losing vision in right eye. Saw primary physician on 4/14/2021 and had ultrasound of the neck done on 4/14/2021. Patient reported per phone on 4/15/2021 that she was told that she had a stroke in her right eye. Was placed on ASA 325mg and Clotidogrel 75mg.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1214350-1	Not totally clear that adverse reaction was related to the vaccine, but temporally related. Two days after receiving COVID vaccine, pt developed acute loss of vision in right eye. Awoke with vision loss. Seen initially by general ophthalmology and then by retinal specialist. Diagnosed with BRAO (Branch Retinal Artery Occlusion)
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1214977-1	woke up 830am with vision changes could not see extremely blurred vision went away within 4hrs yet came back briefly 3hrs later
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1215125-1	Anaphylaxis (nausea, dizziness, lost vision, muffled hearing, difficulty breathing, swollen-feeling throat, blue under fingernails). Nausea began < 5 min after vaccine; everything else began within 10 min of vaccination. Was treated with epinephrine, water, and Benadryl. Most symptoms subsided within a minutes. Breathing ease returned to normal within 5-10(?) minutes. Was only monitored for 30 min or so after epinephrine. No EMS called; was not advised to go to hospital.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1216586-1	Blurry vision, dizziness, weakness. Has continued and worsened. Can not see to 10 feet, and has worsened to 4 feet. Heart rate 160, unable to function
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1219083-1	Patient was sitting in her chair about 10 minutes after her vaccine was given to her and she was complaining to her mom that she could not see. I checked to make sure she was not having an allergic reaction did not have ay throat swelling or facial swelling. Her eyes were dilated and her skin was pale and clammy. Mom wanted us to call rescue so we did and her blood pressure was low. She did not get transported.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1220037-1	Patient had a vasovagal response after the COVID vaccine. He was seated, saw his own blood and warned me. He began to start blacking out. He had full conciousness, only loss of sight and difficulty hearing for about 5 minutes. I took his BP while he was seated, 104/54 (he reports a normal BP around ~110/60). He sat until he regained sight and drank a full bottle of water. I continued to watch him for an additional 15 minutes and retook his BP= 116/58. Patient informed to call the pharmacy at any time for questions, follow up, etc. Full recovery, patient reports being fine and went about his day.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1220900-1	vision right eye/left eye became little blurry; pain behind the right eye/left eye; losing vision in right eye; hurt behind the eyes; seeing double at a distance; excruciating headache; puking/vomiting; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS (losing vision in right eye) and SCLERITIS (hurt behind the eyes) in a 40-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event. Concomitant products included IBUPROFEN for Back pain, ACICLOVIR SODIUM (ACYCLOVIR) for Cold. On 31-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) at an unspecified dose. On 31-Mar-2021, the patient experienced HEADACHE (excruciating headache) and VOMITING (puking/vomiting). On 06-Apr-2021, the patient experienced SCLERITIS (hurt behind the eyes) (seriousness criterion medically significant) and DIPLOPIA (seeing double at a distance). On an unknown date, the patient experienced BLINDNESS (losing vision in right eye) (seriousness criterion medically significant), VISION BLURRED (vision right eye/left eye became little blurry) and EYE PAIN (pain behind the right eye/left eye). At the time of the report, BLINDNESS (losing vision in right eye), SCLERITIS (hurt behind the eyes), EYE PAIN (pain behind the right eye/left eye), DIPLOPIA (seeing double at a distance), HEADACHE (excruciating headache) and VOMITING (puking/vomiting) outcome was unknown and VISION BLURRED (vision right eye/left eye became little blurry) had not resolved. Treatment medication was not reported. Very limited information regarding these events has been provided at this time. Further information has been requested. Most recent FOLLOW-UP information incorporated above includes: On 06-Apr-2021: No specific follow-up information recorded.; Sender's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1225404-1	Stroke, loss of sight
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1226427-1	Petechiae to arms, chest, abdomen, and back. Fever of 104 on 1/11/21. Elevated creatnine. Admitted to Emergency room for dehydration and diagnosed with covid 19. On 3/20/21 lost vision to left eye. Saw the doctor and diagnosed with optic neuritis. On 4/11/21 lost vision to right eye. Went to emergency room, at the local medical center emergency room and the doctor also diagnosed with optic neuritis.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1227406-1	"Patient complained of feeling anxious a few minutes after receiving the vaccine, while he was just about to walk up stairs to the observation area. . Stated, ""I could not see, my eyes went black, and my fingers were tingling. I almost passed out"". Clinician immediately sat patient on a chair and gave him water, which he drank. Medics were called to see patient. Vital signs were WNL. Once cleared by medics, patient was escorted to the ground level observation area. He soon reported that he was back to baseline. Medics cleared him as being medically stable. Patient reported that he no longer was light headed and had no visual disturbances. {Patient did say that he often gets anxious with needle injections."
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1228525-1	Randomly approx 4-5 times over the next 3 weeks, first my left eye, and then my left eye would go black from the outside in, as though I was going to pass out. I would remain still and my vision would come back, first in the right eye and then the left eye. It always happened the same way. My left eye would begin to go black from the outside circumference to the middle, losing site, and then the right eye would start to do the same thing. It hasnt happened again after that first month of reoccurrences, and it never happened before the shots.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1228829-1	Since 3/3/21, patient has been seen by numerous providers and ophthalmologists for shingles. She has had a CT (3/6/21), MRI (3/25/21), and lab work (3/22/21). Patient was started on Gabapentin, Oxycodone, valacyclovir, prednisone, Latanoprost drops, Systane drops, and prednisolone drops since that time. Patient is seeing a specialist and will remain under his care due to the potential for long term loss of vision due to nerve damage.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1229216-1	Within hours of getting the shot, patients left eye started turning red. He visited a medical facility and they diagnosed him pink eye and gave him antibiotic drops. The drops did not seem to be working and by that Monday he went to see the eye doctor. Eye doctor said it was viral pink eye and thought it was strange that this came about right after the vaccine and in the eye on the same side he was vaccinated. Over the next days and weeks, the viral infection moved to the other eye. Both eyes stayed swollen, red and tearing constantly. He has lost some of his vision and says that things far away are very fuzzy looking. The doctor said it was the worst case of viral pink eye he has ever seen and that he would have it for the long haul of 4 to 6 weeks. He had to do a medical withdrawal from college due to missing too much of the nursing program he is enrolled in. The pinkeye is still ongoing and we don't know when it will be over.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1230001-1	t 1510 client received Moderna Covid-19 vaccination. At 1512 client reports syncope. Client is clammy to touch, pale, and reports blurred/loss of vision. Adverse reaction protocol initiated. EMS called at1513 and arrives on site at 1521. Vital taken prior to EMS arrival are as follows: 1. 1514 BP 120/70, R 16, P 68. 2. 1519 BP 110/68 R 16 P 72. Client reports not eating prior to vaccination. Client given drink and consumes entire beverage within about 5 minutes. Client also consumes a pack of cheese crackers and two bottles of water. Client refused epinephrine, benadryl, and EMS transport to hospital. Client reports feeling better and being very nervous about needles. Client reports feeling fine

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1231230-1	"Patient reported blindness for 12 hours starting at 1:00am the following morning along with a ""bad headache""."
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1234189-1	After 3 days of receiving 1st dose. I started having left side facial spasms. Symptoms continued with chronic left ear pain, vision loss, hearing loss and speech which lead to left side facial paralysis. (Bell's Palsy).
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1236995-1	Pt felt light headed and experienced slight vision loss within minutes after receiving the second dose of the Moderna vaccine. Pt assessed by EMT and recovered without intervention.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1239411-1	Patient came in for her first Moderna covid vaccine. After her vaccination, she went to sit outside the pharmacy to be monitored for 15 minutes as told. About 2 minutes after sitting down, her husband came to get my attention and stated the patient feels dizzy. When I came to assist, she stated she could no longer see but could still hear sounds. Her eyes started to roll to the back of her head and she fainted on her chair for about 5 seconds and recovered soon after. Then she said she could see again but was still feeling dizzy. She took a sip of water and continued to take deep breaths. Because she still felt dizzy and stated her vision was still blurry, her husband and I assisted her to the ground and had her lie on her back with her legs elevated. She instantly felt better and was able to see again but asked to take some glucose tablets, a few minutes later, because she felt her blood sugar might be low. She proceeded to take 2 of them. After a total of 30 minutes since the vaccine, she stated she felt well enough to go home. She then got up and left the facility with her husband.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1239736-1	First Moderna vaccine given on 03/18/21. On 4/13/21 her left eye was red and she had a headache, but 4/14/21 she was unable to see clearly out of the left eye. She saw an ophthalmologist on 4/15/21 and the eye started improving on 04/16/21. On 04/16/21 she received her second moderna vaccine and the next day she had another headache and was unable to see out of her right eye. She had an emergency appointment with the ophthalmologist on 04/19/21 and a recheck on 04/19/21. By 04/20/21 the right eye started improving.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1242351-1	Ten days after first dose patient developed NAION and edema of superior optic nerve left eye, had inferior visual field defect. Ten days after second dose of vaccine developed NAION to left eye a second time, with vision loss of superior visual field. This resulted in count fingers vision in the left eye. Treated with inpatient hospital stay, IV steroid infusions. Pt is now on steroid taper and has 20/200 vision in left eye. Patient is still legally blind in that eye. Work up including MRO of brain and orbits, CT angiogram were normal. Labs, ESR, CRP and platelets were also normal.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1242796-1	Debilitating migraines for 22 days so far, including vision loss for hours each day
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1243990-1	I woke up around 5:00 AM with a little twinge in my back by my kidney. I got up a little later to go to the bathroom. While I was there I broke out in a cold sweat. I finished up and sat down on the stool we have. I sit there for a while, my ears ringing and I realize that I can't see, and the next thing I know I'm on the floor and my head hurts where it hit it on the floor. The pain in my kidney area gets worse but about an hour later, subsides quickly. I went back to bed for a while and slept it off.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1249811-1	During the 15 minute waiting period right after getting the vaccine, for 5 minutes I had experienced ringing in my ears, sweating, and complete loss of vision. These symptoms only lasted those 5 minutes and never came back.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1250951-1	I received the second dose on the Moderna vaccine on Thursday (4/22), and I had some bad symptoms the following day (yesterday, Friday, 4/23). I fainted twice when I tried to get out of bed and stand up. When I stood up, I got really nauseous, my face got hot, my vision went black, and my legs just gave out (I don?t think I hit my head)
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1252082-1	Right after vaccination syncope occurred with loss of vision, pale complexion, sweating, light headed ness, etc. for about 10 minutes after
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1256356-1	Patient reported loss of vision, and tinnitus. She felt hot, sweaty, and nauseous. I had her remove her hat and sweatshirt and she had a drink of water. My intern called EMS to assess the patient. After sitting down for a few minutes, her vision did improve. Blood pressure with a wrist cuff was 110/72. No symptoms of anaphylaxis or difficulty breathing. EMS arrived after a few minutes, they assessed her vitals she reported doing better. Patient denied being taken to the hospital for further assessment.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1256896-1	With the first and second shot, I had major arm pain, then all Covid symptoms other than the respiratory issues...even worse then when I had Covid! I had it bad. I'm a long hauler. I have Interstitial Cystitis which got so much worse with Covid, and the same with the shots. I have pigmentary maculopathy and macular degeneration, which I'm losing my vision quite quickly. After Covid and the shots, it was also severely damaged and won't get better! I'm still dealing with muscle weakness,/atrophy, shortness of breath, confusion, major brain fog, like I'm lost in space, I'm more anxious and it was all so bad that I will never get the shot again! It made stop sick

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1257229-1	Starting early February about 2 weeks after vaccine administration pt began having intermittent headaches and jaw pain, which progressed to rapid and complete painless vision loss 4/20/21 to right eye. Seen same day in ophthalmology clinic, diagnosed with optic nerve ischemia, likely GCA, Rx'd 80mg PO prednisone, lab evaluation started which revealed elevated CRP. This, in combination new new grey 'veil' over vision of L eye the next day 4/21/21, led to admission and initiation of 1,000mg daily IV methylprednisolone. Unfortunately pt then progressed to complete painless loss of vision of left eye as well on 4/23/21 while inpatient on high dose steroids. Patient is now completely blind in both eyes.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1259250-1	March 15, 2021 admitted Hoppital - lost vision in right eye due to blood clot retinal artery occlusion March 15 & 16 CT scan, Blood work, chest X-ray, mri March 16 discharged from Hospital March 17 Retina Center - . March 22 Clinic - March 29 Neuroscience Specialty Clinic - ecocardiogram and ACT monitor for 30 days April 19 Retina Center -
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1259783-1	violent, screaming, throwing things, crying, slept 3 days, diarrhea, chills, lost vision, shaking,
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1261524-1	experiencing a stroke in both eyes that affected her whole left side of the bodyand moved to the right side; lost of sight after taking moderna vaccine; huge lump on arms; This case was received via an unknown source (no reference has been entered for a health authority or license partner) on 21-Apr-2021 and was forwarded to Moderna on 21-Apr-2021. This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (experiencing a stroke in both eyes that affected her whole left side of the bodyand moved to the right side), BLINDNESS (lost of sight after taking moderna vaccine) and LIMB MASS (huge lump on arms) in a 74-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 027A21A) for COVID-19 vaccination. No Medical History information was reported. On 03-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 03-Mar-2021, the patient experienced CEREBROVASCULAR ACCIDENT (experiencing a stroke in both eyes that affected her whole left side of the bodyand moved to the right side) (seriousness criterion hospitalization), BLINDNESS (lost of sight after taking moderna vaccine) (seriousness criterion hospitalization) and LIMB MASS (huge lump on arms) (seriousness criterion hospitalization). The patient was hospitalized for 3 days due to BLINDNESS, CEREBROVASCULAR ACCIDENT and LIMB MASS. At the time of the report, CEREBROVASCULAR ACCIDENT (experiencing a stroke in both eyes that affected her whole left side of the bodyand moved to the right side), BLINDNESS (lost of sight after taking moderna vaccine) and LIMB MASS (huge lump on arms) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments No concomitant medications were reported. No treatment information provided.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, Very limited information regarding these events has been provided at this time. Further information has been requested.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1262240-1	Systemic: Loss of vision for 30 min and affected hearing capability-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: Before administering, double checked with pt if no SE or any allergic reaction in the past &no health conditions. pt received vaccination and after 5 min pt claims that he can't see & he can't hear well. Offered to call 911 or pt can stay &I can monitor for a little longer. After 20-25 min pt said his vision is slowly coming back & he can hear now. After 30-35 min pt said his vision and hearing is completely back. Monitored the pt for about an hour &was okay to leave. Advised to call pcp
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1263508-1	Patient received second dose of moderna covid vaccine. After administration patient went to observation area and sat down. About 2 or 3 minutes after vaccination the patient got up and walked to the pharmacy counter and fainted in front of the counter. He may have hit his head. He was conscious and remembered walking over but lost vision and fainted. He sat up on his own in front of the counter and was given an ice pack. He said he would feel better laying down so we had him lay down in the IMZ area on a mat. Paramedics arrived shortly after. Paramedics assisted the patient and determined no medical care was necessary but recommended the patient not drive himself home. The patient waited in the IMZ area until his dad arrived. He said he did not eat today so he was given a powerade and a protein bar at no charge. The patient then left with his dad.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1266290-1	Vital signs 108/61 pulse 71 pulse ox 100%,; ED Note: 43 y.o. male otherwise healthy presents to the ED with syncope s/p second Moderna Vaccine, onset 1530 this afternoon. Patient reports after receiving the shot, he felt a burning sensation to the injection site on his left arm. He then explains that he began losing his peripheral and ended up losing his vision. Patient then initially felt better but notes he got bad real fast. He mentions he ended up losing consciousness but is unsure for how long. He reports a history of syncope following blood draws but never before with vaccinations. Patient states when he woke up, he felt sweaty, clammy, and nauseous. He notes he currently feels fine otherwise and denies any chest pain, shortness of breath, or palpitations. He denies having any symptoms following administration of the first dose of the Moderna Vaccine. evaluated the patient at bedside and the patient has verbalized agreement and understanding to the plan at this time of discharge without further questions. The patient is comfortable with further observation of his symptoms at home. I discussed our workup, answered all questions and made sure there were no other concerns. I provided counseling about standard home and self-care measures and advised on standard return precautions including new, persistent, or worsening / concerning symptoms.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1266394-1	"Patient on 4/18/21 experienced ""chicken wire"" vision (never before an issue), after vision issues patient said he lost vision on and off for the next 24 hours, accompanied with mental confusion, and was unable to get out of bed on the morning of 4/19/21. Next two days a continued decline in in ability to ambulate and demonstrated neurological deficits on 4/20/21 of impaired vision, cognition and experienced difficulty in moving limbs. Patient was in a car accident on 4/21/21, is now hospitalized, unable to ambulate, and has further neurological deficits with impaired speech, cognition, and movement as well as pneumonia."
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1267473-1	She got her vaccine, she was feeling fine, the person noticed that she was in hiking gear and her dog as she had just had a 5 mile hike. He had a drawing feeling in her left arm, which she ignored and otherwise felt fine. Got the dog in the car, started to drive home, and got on her exit and within 3-5 minutes to get on the road going to her street felt a little weird and had blurry vision, and then it was really blurry and then she realized she was having a reaction. There was dirt on the right side of the road and turned her car there and remember hitting the hazard lights and not having any vision at all. Her left side was completely numb, and her right arm was extremely heavy and she was able to get her phone, but could move her fingers still and kept clicking on her phone until she got the Town Center where she got the vaccine. She got a hold of them and got a hold of someone, and then she was completely paralyzed with a swollen tongue as well, and not able to be understood. She stayed with her on the phone and was hardly able to make out the signs to let them know where possibly was so that they could find her. She could barely feel her fingers at that point, and was just able to move her eyes. She also felt fuzzy and was able to communicate. The lady got hold of 9-1-1 and able to look up her phone # from the vaccine center who had her address and information. It was a 3 way phone call, and it took them 35-45 minutes to find her, and two police officers passed by her right next to her with hazzards on. Finally she heard the fire truck and was able to tell the lady that the ambulance went by her and they finally found her. Her pulse was irratic and was able to tell them that she was not able to move and that her chest was heavy and took her to the ambulance. She was able to move her arm a little bit and then it fell back down again. Her vital signs were not normal so they were going to take her to the hospital. They texted her exboyfriend to come and get her dog and he came and got her car and dog. They took her to the hospital and they were not able to get vein access on the ambulance, and they put her in a wheelchair and not able to hold her head up. She was in the wheelchair for about 4 1/2 hours without any vein access, no blood drawn and nobody attending to her. Finally a nurse came in and put her in another wheelchair and pushed her to the other side and was able to get a little more comfortable. The nurse came in and said something about her Ex-boyfriend who is a heart surgeon at that particular hospital. Once she was on this new wheelchair and was finally able to move her toes, hands, and fingers and little by little sensation came back as she was a gymnast for 30 years and was flexing to try to gain motion. She was able to finally get up and weakly walk and they released her after giving her a Benadryl. Since going home she feels heavy (arms feels like cement), weaker, and does not feel completely herself, and went for a walk yesterday (which she is normally able to hike 5-8 miles) and has been dropping things due to either weakness or nerve issues. It has taken a toll on her and it?s hard for her to take her dogs up and down the stairs without extreme fatigue. Loss of appetite and loss of strength. She is a writer and is going to publish a paper regarding this as she feels she was not given the right information and proper treatment at the hospital.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1271617-1	"Stayed for 15 minutes, reaction came approximately 10 minutes after I left the pharmacy. Adverse episodes occurred twice; once approximately half hour after injection that occurred for 30 minutes, second approximately 30 minutes after first that occurred for approximately 30-40 minutes. Felt rush through my body Arms first, then across my chest up over my back and into my face White, clammy palms Tingling in arms/fingers Blood felt ""itchy"" Tingling in lips Trouble breathing Extreme thirst Vision impairment Throbbing feeling in neck that persisted for first day Joint pain Numb teeth Evening Fever/chills Day after Extreme fatigue Shortness of breath Feeling ?off?"
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1274191-1	Within 5 minutes i was dizzy, lost vision, could hold items, and vomiting. After vomiting i felt a little netyer and got vision back, but still very shaky dizzy and out of it.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1275860-1	TIA, Loss of vision. Disoriented, crossed vision, headache
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1278560-1	About 3 minutes after receiving the vaccine, patient complained of loss of vision, ringing in ears, lightheadedness, tingling in arms. Pt was diaphoretic and flushed. Pt was taken on a wheel chair to a gurney where they were assessed and vitals recorded. Patient was given some drinking water and symptoms resolved within minutes. Patient was observed for 20 minutes. Pt reported feeling better and fine and walked out of vaccine center on their own.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1280127-1	Loss of vision in left eye
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1280161-1	"Pt said that in the past she has fainted in the past with other vaccines. Pt was also currently fasting which probably contributed to the episode. Patient was given vaccine and felt fine immediately afterwards, she sat in our immunization room for a few minutes before standing. She then walked to our ""waiting area"" and sat down. About 5 minutes after, she said she felt dizzy and asked for water. We asked her to sit and would bring her water. Pharmacist (reporter for VAERS) brought water out to her and she fainted in her presence. Pharmacist kept patient upright to prevent her from sliding to the floor. Patient said she has lost vision (was just a bright light). By this point the paramedics have already been called. Patient was feeling much better by the time paramedics came, but they still wanted to check her out to make sure everything was ok. Patient had a long drive back home so not sure what the outcome was."
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1285630-1	Patient felt light-headed and experienced slight loss of vision.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1286168-1	"Light headed, nausea, limb weakness, ""Sparkly"" vision to the point of loss of vision, vomiting."
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1288117-1	stroke at vision site; partial sight lost in left eye; feeling weak; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (stroke at vision site) and BLINDNESS (partial sight lost in left eye) in a 62-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 036B21A and 012A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Implantable cardioverter defibrillator insertion. On 22-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 19-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 20-Apr-2021, the patient experienced CEREBROVASCULAR ACCIDENT (stroke at vision site) (seriousness criteria hospitalization and medically significant), BLINDNESS (partial sight lost in left eye) (seriousness criteria hospitalization, disability and medically significant) and ASTHENIA (feeling weak). The patient was hospitalized from 20-Apr-2021 to 21-Apr-2021 due to BLINDNESS and CEREBROVASCULAR ACCIDENT. At the time of the report, CEREBROVASCULAR ACCIDENT (stroke at vision site), BLINDNESS (partial sight lost in left eye) and ASTHENIA (feeling weak) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 20-Apr-2021, Computerised tomogram: (abnormal) Stroke at vision site. On 20-Apr-2021, Magnetic resonance imaging: (abnormal) Stroke at vision site. No concomitant medication were reported. The reporter stated that the patient was taking medicines but doctor changed her medication and she did not want to talk so she did not give names.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1288888-1	Extreme chills in hands and toes, body aches, arthralgia (joint pain), muscle aches (mostly larger muscles, quadriceps), some vision loss (lights are dim), nausea, gall bladder pain
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1293190-1	1st vaccine: Within 2 weeks of 1st vaccination, my menstrual cycle began 2 weeks early and lasted for 7 full days (VERY HEAVY), which is very abnormal for me. I also had a rash on my left arm after first vaccination for a couple days. The 2 days following the first vaccine, I had no taste or smell (except sweet). 2nd vaccination: In the first 12 hours, arm started to hurt than whole body hurt intensely. Within one day, I was confined to bed. I could not see or hear. I experieined cold sweats with hot and cold flashes. My face swelled and I had broken capillaries on my face as well as 22 pimples. (I've never had that before). It felt like I had a migraine in every joint and vertebrae in my body. My breathing became labored within 36 hours of getting vaccine. Today, almost 2 weeks later, I still experieince consistent fatigue and intermittent heat and cold waves,
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1293280-1	Metal taste in mouth immediately then burning through chest and abdomen on forst day. Could lift arm by second day, extreme fever chills and fatigue monday, hospitalizationon tuesday due to extreme headache and vision loss

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1296398-1	My 16 initial COVID symptoms in Nov'20 were all inflammation related, including skin hypersensitivity that after about a week turned into hives that would come about every 5-7 days w/ 2-3 days of itching w/ wheals disappearing after about 5-7 days, as well as inflammation in my eyes that caused excessive dryness but also watering & blurred/loss of vision. My eye issues had disappeared by the time I had the vaccine, but not the hives. Regardless, both the hives & eye issues came back within a day of the vaccine. My eye issues have gotten better (but not disappeared), but the hives have increased in intensity, size & frequency.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1297539-1	Within about 12 hours I had side effects that I'd never heard of, plus all the expected side effects. I took Tylenol every 4 hours to manage pain. Here are the Unexpected (and scary) side effects I've had for 12 hours, starting about 12 hours after my 2nd moderna shot: Hand tingling/numbness, Neck spasms and tingling/numbness, Lower back spasms and tingling/numbness, Dizziness - unable to stand longer than 2-5 mins, Sharp pain behind eyes; occasional loss of vision when looking to the right Along with those scarier side effects, in the same time frame I had these expected side effects: 104 fever, body aches, joint pain, headache, nausea.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1300892-1	Got out of bed at 8 am, within 5 mins felt nauseas, did not vomit, lost balance and vision, only returned when laying down for 14 min
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1301582-1	All-over body ache with chills that lasted about ten hours the night of the shot. Then 4 days later I got what I can only describe as a weird headache, like no other, that took me out for half a day. Then 2 days after that I got a weird vision impairment in which I couldn't see right in front of me, a big spot of my vision was gone, and around that spot was kind of see-thru and wavy, and soon after it lead to another headache.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1302816-1	Started losing vision in both eyes after second shot on March 31, 2021. They are doing steroid injections, temporal artery biopsy and lots of blood test. Vision is still basically gone and tingling and no strength at all.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1303376-1	Vision lost for a half hour, hard time breathing, felt faint, joints aching for hours, lost of appetite for a couple hours.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1304119-1	At approximately 3:29PM on 5/10/21, began to have adverse effects after receiving her Moderna dose #1. She temporarily lost vision in both eyes as well as her hearing. She became cold to the touch, red, and clammy. Patient reported feeling like she was feeling like she was blacking out. We had given her water, wiped her off with towels, and fanned her. 911 was called at this point and her blood pressure was checked which showed 122/91mmHg. Management came over to the pharmacy and was helping fan her as well. The fire dept and EMTs showed up soon after and took over. Patient's hearing and vision were restored and started feeling back to normal. Patient then declined further medical intervention from EMT's and went home.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1307411-1	Twenty minutes after injection of the second Moderna vaccine the patient lost vision in both of his eyes. and went to the ER for eval. They told him to see an ophthalmologist after ruling out stroke etc. Patient saw an ophthalmologist and told to get CT scan after papilledema was diagnosed with vision of HM OD and 20/100 OS. Sent to ER for CT scan which was negative and diagnosed with MS/ optic neuropathy and given IV steroids and oral steroids with improvement of vision. Currently on PO steroids and vision is improving. Seen by me last Friday with papilledema remaining in both eyes.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1310190-1	Blood clot in my eye causing a hemorrhage and now I can't see out of lower part of my eye. Vision is expected to come back in 2-4 weeks. My lymph nodes in my armpits are swollen and I have exhaustion. I was sick and my body ached the day after but that was it.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1310767-1	Detached retina - reported loss of vision on day of vaccine-day after vaccine.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1312642-1	My mother had her first Moderna COVID-19 vaccination on March 1st. On March 10th, she suffered a blood clot in her eye that caused the eye to lose vision. Her eye doctor said she is now permanently legally blind in that eye.... I do not know if the blood clot was caused by the vaccine, but I am reporting it in case there is a correlation.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1312869-1	Blood pressure under 40/60; cyst in the brain; lost his vision,, dizzy; turned white; couldn't speak; felt something on his back (like a pull on his back); eyes went back; arm hurts towards his chest; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of HYPOTENSION (Blood pressure under 40/60), CEREBRAL CYST (cyst in the brain) and BLINDNESS (lost his vision,) in a 48-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 016C221A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history.). Concomitant products included MULTIVITAMIN & MINERAL and ASCORBIC ACID (VITAMIN C ACID) for an unknown indication. On 28-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 28-Apr-2021, the patient experienced HYPOTENSION (Blood pressure under 40/60) (seriousness criterion hospitalization), CEREBRAL CYST (cyst in the brain) (seriousness criteria hospitalization and medically significant), BLINDNESS (lost his vision,) (seriousness criterion hospitalization), DIZZINESS (dizzy), PALLOR (turned white), SPEECH DISORDER (couldn't speak), FEELING ABNORMAL (felt something on his back (like a pull on his back)), EYE MOVEMENT DISORDER (eyes went back) and PAIN IN EXTREMITY (arm hurts towards his chest). At the time of the report, HYPOTENSION (Blood pressure under 40/60), CEREBRAL CYST (cyst in the brain), BLINDNESS (lost his vision,), DIZZINESS (dizzy), PALLOR (turned white), SPEECH DISORDER (couldn't speak), FEELING ABNORMAL (felt something on his back (like a pull on his back)), EYE MOVEMENT DISORDER (eyes went back) and PAIN IN EXTREMITY (arm hurts towards his chest) outcome was unknown. Not Provided DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 28-Apr-2021, Blood pressure measurement: 40/60 (Low) Low, 90/60 (Low) low and 150/69 (normal) normal. On 28-Apr-2021, Computerised tomogram: abnormal (abnormal) They found a cyst in the brain. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown Route) was unknown. No treatment information was specified.; Sender's Comments: Very limited information regarding this events has been provided at this time. However, based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested. US-MODERNATX, INC.-MOD-2021-101752:
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1313190-1	Patient received second covid shot from technician certified to vaccinate. Tech knocked on door, because when patient went to stand she felt like putting her head between her legs and fainting. I went in there and it looked like previous episodes of fainting I have seen so I tried to calm her and have her breath while patient was getting the blood pressure machine. Patient then fainted again a little more intensely, but still not alarming me that much. She came to and again I was talking with her to try to keep her alert. I asked her how she was feeling. She said she was extremely hot (she kept repeating this), that she had a headache, and asked for water. I told her we couldn't give her food or water until she felt better. We now had blood pressure monitor on her and it wouldn't read her pressure or pulse it kept saying error. I just used it on another patient with high blood pressure and it had been functional. I had been manually holding her pulse and it was strong and normal. Then she fainted again and started shaking. the shaking quickly stopped. She woke up and said that she couldn't see. I asked tech to call 911, while I stayed with her and kept assessing her. Tech got the headset got 911 on the phone and turned the phone over to me. I asked her to grab another blood pressure monitor. We tried again and at 3:55pm it was 88/50 and pulse of 66. I was talking 911 and responding to all questions over the phone. I had to ask the patient for the responses (many COVID related questions). I told the lady her blood pressure and the lady said I don't need to know any of that. She wanted me to keep asking the patient questions. The blood pressure was 87/49 and pulse of 65 at 3:58. Now the EMT had arrived and assessed her. They said she fainted and she said she did not want to go with them. So they left. The patient remained at pharmacy for 45 to 90 min more until she was sure she felt okay enough to catch an uber home. I called her at 8:43pm and she said she feels much better, has eaten, and is with her boyfriend in case she experiences anymore ADRS. Upon asking who her primary physician is she said she last saw a doctor in another country. She said her md only speaks another language. I asked her to call her MD and report to her in a different language what happened since I am unable to speak with her.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1319856-1	three days after receiving the second dose, she began losing her vision; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS (three days after receiving the second dose, she began losing her vision) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, after starting mRNA-1273 (Moderna COVID-19 Vaccine), the patient experienced BLINDNESS (three days after receiving the second dose, she began losing her vision) (seriousness criterion medically significant). At the time of the report, BLINDNESS (three days after receiving the second dose, she began losing her vision) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was not applicable. Concomitant medications and treatment medications were not provided. Company Comment: Very limited information regarding this event/s has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1321983-1	Loss of Vision for about 2 minutes; vertigo(stumbled and fell into wall); exhaustion(very tired no energy); injection site pain(huge lump)
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1323329-1	"-received vaccine while pregnant: normal pregnancy except for vision loss Feb 2nd -baby born on due date, no complications, healthy weight (6 lbs 15.8 oz) and baby is healthy SYMPTOMS 3 months post-vaccine, over a 3 week period beginning 4/25/21: -tingling and ""crawling sensation"" in arms, legs, left side of head, left ear -extreme headache, fatigue, jerking/convulsions, extreme muscle weakness -ER visit 5/9/21: CT, EKG, labs all normal -fever up to 102F, increased pulse -loss of appetite - numbness in extremities -nerve pain -breast pain -chills and night sweats - pronounced weakness -tongue ulcer -cognitive issues such as brain fog, confusion"
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1344009-1	Lost vision, lost ability to move, collapsed on floor, one side of body regained movement, dizziness, chest pain
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1344342-1	Tremors (could not walk, lost sight in both eyes, Extremely high BP (220/110), Could not breathe (put on ventilator in ICU), Found blood in brain) Fluid built up in lungs. All over 4 1/2 days starting on 05/08/2021
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1345833-1	"Optical nerve was swollen and Nerve was pushing inward; Had blindness in her left eye at 80 percent; A shadow at the top of her left eye; This spontaneous case was reported by a non-health professional and describes the occurrence of BLINDNESS (Had blindness in her left eye at 80 percent) and PAPILOEDEMA (Optical nerve was swollen and Nerve was pushing inward) in a 64-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 039a21a) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 14-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 16-Apr-2021, the patient experienced VITREOUS FLOATERS (A shadow at the top of her left eye). On 21-Apr-2021, the patient experienced BLINDNESS (Had blindness in her left eye at 80 percent) (seriousness criterion medically significant). On 10-May-2021, the patient experienced PAPILOEDEMA (Optical nerve was swollen and Nerve was pushing inward) (seriousness criterion medically significant). At the time of the report, BLINDNESS (Had blindness in her left eye at 80 percent), PAPILOEDEMA (Optical nerve was swollen and Nerve was pushing inward) and VITREOUS FLOATERS (A shadow at the top of her left eye) outcome was unknown. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No concomitant medications were provided. Patient's husband stated ""two days after his wife received the Moderna vaccine she had noticed a shadow at the top of her left eye. Patient stated a week later she had blindness in her left eye at 80 percent. His wife had seen an eye specialist and was told that her optical nerve was swollen and the nerve was pushing inward which was causing the snowy vision. Patient stated his wife cholesterol was 245. Patient's husband stated his wife had blood work (results not provided) and 2 magnetic resonance imaging tests done (results not provided), on 10-May-2021. She was seen at institute for the events. Treatment medications was not provided. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, Very limited information has been provided at this time. Further information has been requested. Most recent FOLLOW-UP information incorporated above includes: On 10-May-2021: Patient demographics were added and event added.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, Very limited information has been provided at this time. Further information has been requested."

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1347231-1	Patient is a 25 year old female. She presented to the clinic for her second dose of Moderna LOT #003C21A. According to patient's husband she has no significant past medical history but has "passed out" with vaccines. No reaction noted with her first COVID vaccine. Approximately 10 minutes after receiving her injection today she told her husband that she wasn't feeling well. She said was light headed and nauseated. Patient then proceeded to become nonresponsive. Her eyes deviated upward and her whole body became stiff. Her skin had notable pallor. She was lowered to the ground by staff, myself, and her husband, and put in a supine position with her legs elevated. 911 was called. This episode lasted approximately 40-60 seconds when she became responsive and cried out for husband. Her muscles relaxed and she became notably upset. She kept saying she wasn't able to see or feel her extremities. Her lack of vision resolved within 10-15 seconds. She had weakness in her arms and legs but was able to squeeze her hands on command. She was alert and oriented X3. BP was 130/90. The patient was stable when the ambulance arrived to transport her to Hospital.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1347746-1	Less than two weeks later, I have GCA, where the immune system attacks the vascular system. I have lost vision and have double vision and extreme crushing headaches and fever, night sweats, swollen hands.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1349103-1	sees everything cloudy\her vision started getting blurry; She started problem with her balance 3 days later; Every time, she walks now, she feels dizzy; Eye vision was lost 3 days after the second dose of Moderna vaccine; stopped working by 75%; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS (Eye vision was lost 3 days after the second dose of Moderna vaccine; stopped working by 75%) in a 67-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history concomitant information was provided. On 01-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) .5 milliliter. In March 2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 26-Mar-2021, the patient experienced BLINDNESS (Eye vision was lost 3 days after the second dose of Moderna vaccine; stopped working by 75%) (seriousness criteria disability and medically significant). On 12-May-2021, the patient experienced DIZZINESS (Every time, she walks now, she feels dizzy). On an unknown date, the patient experienced VISION BLURRED (sees everything cloudy\her vision started getting blurry) and BALANCE DISORDER (She started problem with her balance 3 days later). At the time of the report, BLINDNESS (Eye vision was lost 3 days after the second dose of Moderna vaccine; stopped working by 75%) had not resolved and VISION BLURRED (sees everything cloudy\her vision started getting blurry), BALANCE DISORDER (She started problem with her balance 3 days later) and DIZZINESS (Every time, she walks now, she feels dizzy) outcome was unknown. Concomitant and treatment information were not provided. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. However, Very limited information has been provided at this time. Further information has been requested. This case was linked to US-MODERNATX, INC.-MOD-2021-125380 (E2B Linked Report). Most recent FOLLOW-UP information incorporated above includes: On 12-May-2021: Follow-up received on 12-MAY-2021.with events are updated and reporter details was also provided.cross linked with-MOD21-089545; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. However, Very limited information has been provided at this time. Further information has been requested. US-MODERNATX, INC.-MOD-2021-125380:Cluster case for lot of people who got problems with their eyes
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1350382-1	"Developed symptoms shortly after injection; Vasovagal response, dizziness, abdominal cramps, nausea; 21 y.o. female with no pertinent medical history other than ADHD is presenting with dizziness and ""blacking out"" after receiving her second dose of the Moderna COVID-19 vaccine at 12:20 pm today. Patient had no symptoms when she received her first dose of the vaccine. Patient reports that she became dizzy, diaphoretic, and lost vision after receiving the vaccine. Per triage note staff at Walgreens reported no loss of consciousness, however. Patient otherwise currently reports she is feeling fine."
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1354225-1	Pt had moderna on 2/8/21, dose 1 and 3/8/21, dose 2. Was evaluated on 3/26/21 with loss of vision by Dr, neurooph at a different facility. Evaluated by myself 5/21/21. Pt reported to me that although he was able to see in February he noted increased foggy vision that gradually progressed over several weeks until it stabilized. Sx may have started in March. Patient did not correlate to either vaccination. He had an asymptomatic COVID+ test 8/26/20. He was diagnosed with bilateral optic neuropathy on 3/26/21 and had nerve pallor. Lab/imaging noncontributory. Patient sought evaluation with me for add'l work up recs. He reported to me 30# weight loss but reported to Dr 100# weight loss. No work up for weight loss or anemia as of yet. Referred back to Primary for this. Had previously declined colonoscopy. Anemia felt to be 2nd to COPD. Also tobacco use report was variable. Rare to me. Etiologies include post vaccination/ post covid/nutritional/anemia/idiopathic

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1359862-1	Moderna COVID-19 Vaccine EUA: patient presented to emergency department with one day of rapidly progressive vision loss in left eye to no light perception and pain with extra-ocular movements, chemosis, and swelling around the eye. Optic disc swelling noted. Patient initiated on steroids, antimicrobials, and antivirals: the later two discontinued when infectious workup negative. Patient discharged on steroids. On follow-up with neuro-ophthamology, patient's left eye remains without light perception. Left optic nerve is pale and right optic nerve is normal. There is no improvement in the right eye and no recovery in the left eye. Patient diagnosed with severe left optic neuropathy consistent with optic neuritis. Steroids discontinued.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1366557-1	Left eye is losing vision rapidly. No pain. Eyesight very fuzzy
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1366881-1	Acute brain stem stroke; Lost vision in both eyes; Lumps on biceps of both arms; Couldn't swallow; Covid-19; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of BRAIN STEM STROKE (Acute brain stem stroke) and BLINDNESS (Lost vision in both eyes) in a 66-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history was provided by the reporter. Concomitant products included AMLODIPINE and LOSARTAN for Blood pressure management, ATORVASTATIN for Cholesterol, POTASSIUM for Hypokalemia. On 16-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 22-Jan-2021, the patient experienced BRAIN STEM STROKE (Acute brain stem stroke) (seriousness criteria hospitalization and medically significant), BLINDNESS (Lost vision in both eyes) (seriousness criteria hospitalization and medically significant), DYSPHAGIA (Couldn't swallow) and COVID-19 (Covid-19). In February 2021, the patient experienced NODULE (Lumps on biceps of both arms). The patient was hospitalized on 22-Jan-2021 due to BLINDNESS and BRAIN STEM STROKE. On 01-Mar-2021, BLINDNESS (Lost vision in both eyes) had resolved. At the time of the report, BRAIN STEM STROKE (Acute brain stem stroke), COVID-19 (Covid-19) and NODULE (Lumps on biceps of both arms) outcome was unknown and DYSPHAGIA (Couldn't swallow) was resolving. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In January 2021, SARS-CoV-2 test: positive (Positive) Covid-19 positive. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Treatment information was not provided. Company Comment - Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1366884-1	Fever; Permanent vision loss/ Permanent vision loss in the right eye; Another eye episode; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS (Permanent vision loss/ Permanent vision loss in the right eye) in a 68-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 002B21A and 023M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history was provided by the reporter. Concomitant products included PANTOPRAZOLE, METOPROLOL SUCCINATE (TOPROL), AMLODIPINE and ALPRAZOLAM (ZOLAX [ALPRAZOLAM]) for an unknown indication. On 20-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 20-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 09-Apr-2021, the patient experienced BLINDNESS (Permanent vision loss/ Permanent vision loss in the right eye) (seriousness criteria disability and medically significant) and EYE DISORDER (Another eye episode). On an unknown date, the patient experienced PYREXIA (Fever). At the time of the report, BLINDNESS (Permanent vision loss/ Permanent vision loss in the right eye) and EYE DISORDER (Another eye episode) had not resolved and PYREXIA (Fever) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Biopsy: normal (normal) Biopsy of artery leading to right eye. Treatment provided included Prednisone. After the second dose patient had an eye episode that did not go away after few minutes. It continued over the weekend and the patient visited a primary physician who was concerned about a stroke even though there were no stroke symptoms. From there patient was referred to cardiologist, rheumatologist and retinal specialist. Patient had shorter eye episode which began 22 days after the first vaccine and permanent vision loss began 20 days after the second dose. After six weeks of test and physician visits, a biopsy of the artery leading to right eye, the consulted cardiologist and found no problem in the heart, vascular specialist found no issues in the arteries, rheumatologist found no systemic inflammation and autoimmune condition, Retinal specialist primarily provided treatment and did not diagnosed the cause but informed that the eye damage was not caused by a clot. There was no improvement in the vision and the retinal specialist was not optimistic that the vision will return. Very limited information regarding the events has been provided at this time. Further information has been requested. This case was linked to (Patient Link). Most recent FOLLOW-UP information incorporated above includes: On 20-May-2021: Follow up was received on 20-May 2021 and updated Patient demographics, concomitant medications, batch number of vaccine, treatment medication.; Sender's Comments: Very limited information regarding the events has been provided at this time. Further information has been requested.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1370318-1	cant see; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS (cant see) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, the patient experienced BLINDNESS (cant see) (seriousness criterion medically significant). At the time of the report, BLINDNESS (cant see) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. No concomitant medication information was provided. No treatment medication information was provided. Company Comment : This is an invalid case due to no identifiable patient. Also, very limited information regarding the event has been provided at this time, and no reporter can be contacted for follow-up.; Sender's Comments: This is an invalid case due to no identifiable patient. Also, very limited information regarding the event has been provided at this time, and no reporter can be contacted for follow-up.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1378167-1	The night after receiving the vaccine, the patient began having continuous fevers and coughs. It was later discovered that there were blood clots in the lung and legs. Patient health rapidly declined during hospitalization period. Mobility, appetite and overall strength and energy decreased. Patient was fully bedridden and soon lost eye sight.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1380705-1	Vision went off; White tongue; Tongue swelled up; Lip swelled up; Chills real bad; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS (Vision went off) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 11-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 13-Jan-2021, the patient experienced BLINDNESS (Vision went off) (seriousness criterion medically significant), TONGUE DISCOLOURATION (White tongue), SWOLLEN TONGUE (Tongue swelled up), LIP SWELLING (Lip swelled up) and CHILLS (Chills real bad). At the time of the report, BLINDNESS (Vision went off), TONGUE DISCOLOURATION (White tongue), SWOLLEN TONGUE (Tongue swelled up) and LIP SWELLING (Lip swelled up) outcome was unknown and CHILLS (Chills real bad) had not resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No concomitant medicines were reported. No treatment information were reported. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Most recent FOLLOW-UP information incorporated above includes: On 04-Jun-2021: Follow-up received on 04-Jun-2021 contains significant information. Onset date of the events (Tongue swelled up, Lip swelled up) were added. New events (White tongue, Vision went off) were added.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1380763-1	blindness from floaters; I have blind spot in my right eye after second Moderna vaccine; blindness from floaters; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS (blindness from floaters) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient experienced BLINDNESS (blindness from floaters) (seriousness criterion medically significant), VISUAL FIELD DEFECT (I have blind spot in my right eye after second Moderna vaccine) and VITREOUS FLOATERS (blindness from floaters). At the time of the report, BLINDNESS (blindness from floaters), VISUAL FIELD DEFECT (I have blind spot in my right eye after second Moderna vaccine) and VITREOUS FLOATERS (blindness from floaters) outcome was unknown. Concomitant product use was not provided. Treatment information was not reported. Very limited information has been provided at this time. Further information has been requested. Reporter did not allow further contact; Sender's Comments: Very limited information has been provided at this time. Further information has been requested.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1382641-1	Pt had an occipital stroke on the 13th of March. She lost half of her vision in both eyes. We went to the hospital after the eye doctor told her she had had a stroke. Eventually, after 4 trips to the hospital, 2 trips to rehab, we discovered the strokes apparently triggered non-convulsive seizures which they could never end up getting under control. She passed away on 31 May 2021.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1388258-1	"Myalgia, Fever, extreme sweating, headache, slight sore throat, light headed, ringing in ears, arm pain, fatigue, loss of vision/eye pressure Narrative: 1/6/21 around 7:30am patient states was extremely hot, visibly sweating, could not cool down and left work. Around 10:30am began having uncontrollable chills and shivers temperature was 100F while on Tylenol. Also headaches and pressure, slightly sore throat, light headedness, ringing in ears, arm pain at the injection site to elbow, muscle aches and fatigue. on 1/7/21/fever was gone but there was a lot of pressure in the head and eyes. Eyes had ""floaters"" in dim light and loss of peripheral vision in the light. This episode lasted for 30 minutes and then cleared. There continues to be pressure in the eye and head, arm soreness, ringing, and lightheaded."
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1388515-1	Immediately after I was very exhausted, headache, then went to the ER and woke up blind, following the blindness and had a seizure. I was put on life supprt.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1392998-1	syncope reaction (dizzy near fainting, lost vision and hearing) without any physical injury. Occurred 2-3 minutes post vaccination while she was in observation area. She was immediately moved to floor after mentioning symptoms to avoid injury. She recovered fully after 5 minutes of ice pack on forehead, elevating legs. Patient left under he own power after 30 minutes of observation and she was fully recovered and did not want any further medical treatment.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1400630-1	"The patient is an associate at this store. Per front end associate the patient called the store a few minutes after leaving and stated that she was calling from her car and couldn't see (blacking out) and she was shaking. Associate says she was incoherent and not making sense. She said she was on her way back to the store and her hands were going stiff and she was sweating a lot. Management came to the pharmacy at approximately 6pm to ask me to come outside to take care of an associate having an anapylactic reaction. I grabbed the EpiPen and closed the pharmacy. As we were walking to the parking lot I was informed that the patient has just received a vaccine at the pharmacy. When we arrived to the patient, paramedics had already arrived on scene and they were preparing to take her to the hospital. I could see her shaking and her arms sticking rigidly out of the car door. The patient received her vaccine at 3:16pm on 6/15/2021, this was her second dose of the Moderna vaccine. She reported some side effects from the first vaccine including muscle aches, feeling ""out of it"" and having to leave work early."
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1400882-1	PATIENT REPORTED SAYING MORNING AFTER THE VACCINE, HE STARTED PULSATING ALL OVER THE BODY LIKE SHOOTING PAIN. IT WOULD REACH ALL THE WAY FROM HIS HEAD TO FEET AND BACK. WHEN IT CAME BACK IT WAS PULSATING VERY BAD BEHIND HIS EYES LIKE SPURS. HE SAID HE LOST VISION FOR 10 MINUTES AND WAS HAVING FLU LIKE SYMPTOMS. LATER IN THE EVENING HE VOMITED ONCE AND ALL OF HIS SYMPTOMS WENT AWAY AND WAS BACK TO FEELING NORMAL.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1406995-1	Patient had loss of Vision. Patient stated seeing round black spots immediately and could not see. Patient started experiencing loss of hearing around may 30th. Patient only had simple side effects from the first shot. The patient had chills, shakes and headaches.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1407322-1	loss of vision in Rt eye for 15 minutes Narrative: When pt presented to COVID VACCINE CLINIC for 2nd dose he reported that a few days after his 1st dose (2 or 3 days later- he was not sure), he experienced loss of vision in his right eye lasting 15 minutes which returned to normal ever since then so he attributed it to the vaccine. Information was forwarded to pt's Primary Care Provider to determine if further medical evaluation recommended.
BLINDNESS	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1407678-1	02/01/2021 At work, all of the sudden I could not read papers, it's like I lost part of my vision, husband searched net and called my daughter who is a nurse and she said to take her to ER if not gone in 20 minutes. So since I was still experiencing it, I went to ER with husband driving, about half hour away it got better but we went to ER anyway. . About the same time I developed mouth sores, dentist diagnosed it, Lichen Planus, Still experiencing this symptom. 2 to 3 weeks ago I had an episode where all of the sudden my shoulder was sore and it hurt to breathe, pain continued through sleep, similar to pleurisy.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0905675-1	18 minutes post vaccine dose 1, Pfizer COVID vaccine, development of globus sensation without airway compromise or stridor. Frequent throat clearing and swallowing. Followed by diaphoresis, loss of vision, extreme neuropathic tingling over entire head non painful. Bradycardic event to heart rate 35 recorded by Apple watch. Loss of consciousness with pupil dilation. Weak pulses but no loss of pulse. Heart rate recovered quickly. Blood pressure after initiation of iv fluids was normal in upright position once loss of consciousness subsided. Continued globus sensation. 30 minutes after initial event, again developed clammy hands, head tingling and worsening globus sensation but again no stridor or airway compromise. Given PO Benadryl 25 mg which did resolve globus sensation in next 30 minutes. Monitored for one hour post event with no subsequent symptoms other than fatigue.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0905934-1	Experienced a vasovagal response about 30 minutes after receiving the vaccine. I felt it coming on and knew I needed to elevate my legs above my heart but could not at the time, so I sat down and put my head down. I had intense cold sweats and loss of vision for about 2 minutes until my blood flow returned to my head. I was then able to get to a recliner to elevate my legs with assistance. The entire episode lasted approximately 30 minutes. I was able to stand and walk after this time without dizziness. I contacted my doctor today 12/21/20 and he advised I report this episode.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0907531-1	vasovagal syncopal reaction. I experienced sudden onset of feeling flushed and warmth body wide, sudden metallic taste in mouth, muffled hearing, dizziness, lightheaded, began to lose vision and consciousness, pallor noted by nurse caring for me, blood pressure recorded was 90/60. I have never experienced this type of reaction before to any vaccine or blood donation but know it can occur occasionally.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0908960-1	12/19-12/20 a fever (100 to 100.5) , nausea, HA, diarrhea, fatigue , severe body aches (mostly upper back and left foot and hand. Like I'd been stepped on by a horse) and mild dizziness 12/22-Facial rash. Painful and raw. I took 2 Benadryl last night , but woke with worse facial swelling then yesterday. I did have a rash during covid. 12/23-Right peripheral vision loss and gorgeous prism pulsating colors. Have resolved.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0909651-1	Severe headache, chills, sweating, stomach upset, altered mental state, vision impairment, shaking. Started 30 minutes after injection and increased in severity over the next 48 hours then began to decrease. Headache is still present 4 days after injection.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0910592-1	"lost vision and had intense cold sweats for about 2 minutes; Vasovagal response; had intense cold sweats for about 2 minutes until blood flow returned to normal in upper body; This is a spontaneous report from a contactable healthcare professional, the patient. A 36-year-old non-pregnant female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EK5730), via an unspecified route of administration in the right arm on 16Dec2020 at 09:30 as a single dose for COVID-19 immunization. Medical history included polycystic ovaries syndrome with diabetes, depression, anxiety, attention deficit hyperactivity disorder, iron deficiency anaemia, and vasovagal issues. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient's received unspecified concomitant medications within 2 weeks of the vaccination. The patient did not receive any other vaccines within four weeks prior to the vaccination. On 16Dec2020 at 10:00 AM, the patient lost vision and had vasovagal response and intense cold sweats for about 2 minutes until blood flow returned to normal in upper body. The clinical course was as follows: The patient had a vasovagal response 30 minutes after the vaccine and had to lie down. She lost vision and had intense cold sweats for about 2 minutes until blood flow returned to normal in upper body. The entire episode lasted approximately 30 minutes. She felt it coming and knew to sit down so she would not ""black out."" She was unable to elevate her feet above her heart at the time; however, she was able to walk and stand afterward without dizziness. The patient did not receive any treatment. The clinical outcome of the vasovagal response, lost vision, and cold sweats were recovered on 16Dec2020. It was also reported that since the vaccination, the patient had not been tested for COVID-19.; Sender's Comments: The reported vasovagal response with cold sweats and transient visual loss was possibly related to the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) due to temporal relationship. However, it is worth noting that the patient had medical history including vasovagal issues. The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0926779-1	After receiving vaccine, woke up around 3 am experiencing nausea, loss of vision x 1-2 minutes, syncope, difficulty breathing, numbness & tingling in hands and feet. Measured temperature of 102 F. Slept most of the next day and missed work x 1 day. The following day was improved but still with moderate fatigue and nausea. Took ibuprofen with some improvement.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0943426-1	Hypotension 91/71 with orthostatic hypotension <80 SBP (my BP cuff doesn?t read lower than that). Near syncope at 0615. Loss of vision, tinnitus, lowered to the ground and followed by nausea and sweating. Resolved in minutes. Continue to be dizzy today with clammy and dizzy upon standing
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0951219-1	Awoke with chills and very hot. Walked to bathroom to take Advil. Took 600mg Advil became nauseous and dizzy, sat down and became more dizzy and had loss of vision. Then laid down and a very moments later was able to sit back up. Was very sweaty and with tinnitus which lasted about 10 minutes and then Resolved itself.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0951616-1	Inside eye hemorrhage, loss of vision of left eye
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0952374-1	acute loss of vision-stroke like symptoms
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0955019-1	transient ischemic attack I was working and felt unusually exhausted, lost vision in my right eye for over an hour, and called my boyfriend to tell him I wasn't feeling well and that I would try to make it through my work shift. I then called him back 4 minutes later and failed to form words, and also could not type words. I felt like I was going to faint and have no recollection of 10 minutes during that time. I had to leave work to go to the emergency room. I had a massive headache for 3 days following my TIA.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0959771-1	Lowered body temperature 30 min after dose, left hand began to itch approx. 45 minutes, both hands itching & swelling, then feet within hour. Total lose of vision within 90 min followed by fainting approx 10 minutes later. Fainted at check-in desk of emergency room
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0965081-1	Blurred vision, zig-zag patterns, temporary vision loss, and sensitivity to light in left eye for about 20 minutes.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0967460-1	Patient received 1st dose of Pfizer vaccine. Patient likely vasovagal, blood pressure 56/33 initially. Patient stated that she almost completely lost her vision. Patient extremely pale and cold and clammy. Patient stated she did eat breakfast this morning and had not had a reaction like this in the past. Patient provided with a sugar source and was placed supine. Blood pressure 105/63. Patient monitored for 30 minutes and sent home.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0976836-1	seeing gray spots room started spinning felt nauseous collapsed on the table; loss of vision; loss of hearing; seeing gray spots room started spinning felt nauseous collapsed on the table; seeing gray spots room started spinning felt nauseous collapsed on the table; seeing gray spots room started spinning felt nauseous collapsed on the table; loss of the onion ability to stand up or walk; loss of the onion ability to stand up or walk; This is a spontaneous report from a contactable other health professional (patient), a 41-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EK9231) at left arm on 14Jan2021 08:30 AM at single dose for covid-19 immunization in a public health facility. Medical history was none. Allergies to medications, food, or other products was No. Patient was not pregnant at the time of vaccination. the patient was not received any other vaccines within 4 weeks prior to the COVID vaccine. the patient received within 2 weeks of vaccination included amphetamine salts 15 mg. Patient woke up in the middle of the night got out of bed walk down a set of stairs started seeing gray spots room started spinning felt nauseous collapsed on the table. Had to call her husband to carry her back up the stairs. she had loss of vision loss of hearing and the onion ability to stand up or walk. He laid her back in bed to pick up his phone and call emergency services within five minutes everything had gone back to normal. adverse event start date was 15Jan2021 03:00 AM. the adverse event result in doctor or other healthcare professional office/clinic visit. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The final outcome of the events was unknown (if patient recovered: Unknown). It was reported as non-serious. Seriousness criteria Results in death, Life threatening, caused/prolonged hospitalization, Disabling/Incapacitating and Congenital anomaly/birth defect were all no.; Sender's Comments: A causal association between BNT162B2 and the reported events cannot be excluded based on a compatible temporal relation. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0977658-1	New Sudden onset of flashers, floaters, vision loss left eye.. with 2 intraretinal hemorrhages...
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0978621-1	Shot recieved Wednesday. By Wednesday night, I had a headache (forehead and back of neck) and fatigue. Friday I became dizzy, and had 2 near fainting spells (this included dizziness, weak muscles, and slight loss of sight). I became achy (back and shoulders) and my headache continued. These dizzy spells and headaches have continued for 6 days. The dizziness is starting to subside, however the headache and fatigue remains.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0986112-1	lost eyesight, everything went black; sweating really bad; cold chills; feels kind of achy; This is a spontaneous report from a Pfizer-sponsored program IBCC (Inbound Call Center for HCPs) received from a contactable consumer. A 53-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EL3249), intramuscular in left arm on 14Jan2021 12:00 at a single dose to prevent COVID-19. Medical history included shingles recently and was not given any medicine for that and breast cancer when she was 29 so she can't have shots on her right side. There were no concomitant medications. On 15Jan2021 05:00, she went to the bathroom and everything went black. When her eyesight did come back after a while, she was sweating badly and had the chills. As soon as her husband helped her get back to bed, she started sweating really bed. Her nightclothes were soaked, it wasn't like a normal sweat. She also got the cold chills. She got the cold chills right after she had the experience with her eyesight. She was just kind of achy. However, the sweating, chills, and achiness are all listed on the form she has. She isn't really worried about that. The patient was more concerned about the fact she couldn't see anything. Caller wanted to know if losing her eyesight is a side effect of the vaccine. She confirmed her eyesight came back. The outcome of the event losing her eyesight was recovered while the outcome of the remaining events was unknown. No follow-up attempts are possible. No further information is expected.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0987078-1	""I received my second COVID vaccine on 1 20/2021 at 1100. (Pfizer) At 2100 I had a slight headache and body aches and went to bed. I slept poorly and felt as though my heart was racing overnight. When I awoke at 0700 on 1/21/2021, I felt very lightheaded with sitting upright at the side of my bed and ""blackened out""/lost my vision, but was still conscious. I proceeded to lie back down on my bed. I began to feel nauseous and again attempted to sit up to go to the bathroom. I again blacked out. I lowered myself to my bedroom floor and laid there to rest for several minutes and then crawled to my bathroom. I began retching and had emesis of frothy sputum. I then felt the urgent need to have a BM and sat on my toilet, but was again lightheaded. I bent forwards to not pass out and completed the task and then laid down on my bathroom floor to recover. I was gradually able to crawl down the stairs and located my cell phone and contacted a friend. I pulled myself up to my couch and sat for some time. I checked my BP and it was WNLs, but low for me, as I generally take 2 antihypertensives in the AM. I did not take them at all on the 21st. I gradually was able to walk to the kitchen and drank several glasses of water and tea. In addition to these symptoms, I had severe pain up and down my spine, in my knees, shins and buttocks. I applied Thermacare heating pads to my occiput and sacrum. I had no appetite and was very lethargic, napping for nearly 6 hours, on and off. I took Tylenol later in the day when I was able to eat a banana and yogurt. By evening, I had a headaches and body aches, but no more dizziness. When I awoke 1/22/2021, I was not dizzy, but my head felt ""huge"" and ""off"". My body continued to ache severely and I was unable to come to work. Tylenol helped diminish the pain slightly. I was again very fatigued. I did not leave my house, feeling unsafe to drive. By 1400 I felt better and was able to eat dinner that evening. I finally felt safe to take a shower Thursday PM 1/23 I awoke at 0615 to work. I was able to work until 1700, feeling fatigue, but no other symptoms. I did take Naproxen prior to coming to work for low back pain""
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0990061-1	Started with mild headache. Turned into severe migraine with stroke like symptoms (numbness in hands and face, loss of vision in one eye, seeing waves, dizziness, difficulty speaking). Vomiting, neck pain. PRN medications did not help. Went to ED at Hospital for 4 hours. MD ordered troponin level, metabolic panel, CBC, COVID test, and head CT. ECG. Given multiple rounds of toradol, Ativan, Benadryl, Reglan, fioricet. Sent home with fioricet. Continue to have daily headaches and neck pain.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0992768-1	(Friday)Immediately after the injection-dizziness, vertigo, tunnel vision, blurred vision, pin point pupils, unable to talk, headache, facial and lip numbness, numbness traveled down the right side of my body (side of injection) trembles, weak legs, very weak all over. EMTs were called but I didn't go to the hospital. My son picked me up and took me home because I was unable to drive. On the way I experienced loss of vision and speech for about 5 minutes. When I got home, my legs were so shaky that I had to have help walking. I started getting severe chills that took 3 hours to get warm (2 heavy blankets, space heater, and heating pad). I was very fatigued and felt bad the rest of the day. (Saturday)The next day I had flu-like symptoms; headache, joint aches, chills, nausea, extreme fatigue. Sunday was better but still had to rest most of the day because when I would stay up for over 30 minutes, the symptoms would return. Monday- stomach cramps, headache, fatigue but went to work (30 minutes late due to stomach) and left 30 minutes early.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0996565-1	Male patient 40 years of age reporting vision loss. After making contact with the patient he went unconscious. Medical crew contacted command. shortly after patient regained consciousness and was able to speak in full sentences and answered questions. Pt was moved into the back of Aid 46 for further evaluation. Pt states that this has happened before with previous vaccinations. Pt states he feels much better. Medical crew obtained continuous vital to include postural vital signs. patient states he does not want any further treatment or transport and will stay in care of his girls friend.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1008204-1	I had a slightly elevated temp after the shot on 1-23. At 6:45 am on the 24th it was 99.9 . All of a sudden I felt a heat throughout my body and felt on fire while also feeling an urge of diarrhea and nausea. I tried to go to the bathroom, but kept passing out. I could not see, but was conscious. It took me 15 minutes to crawl to the bathroom. I did not vomit and passed watery stool x 2. The episode passed after about 40 minutes. I continued to have a slight elevated temp all day after that episode, but only 99.6 and below. There were no more issues after that brief, horrible reaction. I am 101 lbs.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1009286-1	On the night that I received dose 1 of my vaccination, I consumed 4 alcoholic beverages over 3 hours. After 3 hours, I threw up, lost my ability to walk on my own, and briefly lost my vision (5 seconds). I drink socially about 1x per month, sometimes consuming many more drinks than I consumed on this particular night. Never before did I encounter these effects from alcohol when consuming 1-1.5 drinks per hour. The next day I felt very tired, sluggish, and run down all day long.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1014871-1	CENTRAL RETINAL VEIN OCCLUSION RESULTING IN LOSS OF SIGHT TO RIGHT EYE I WAS ON COMPUTER AND HAD BRIGHT FLASHES OF LIGHTS THE LOST VISION IN THE EYE ABOUT 2 1/2 HOURS AFTER RECIEVING VACCINE. CRVO IS RARE IN MY AGE WITH NO HEALTH PROBLEMS. SAW ER DOCTOR THAT NIGHT THEN OPTHAMOLOGIST THE NEXT MORNING WHO DIAGNOSED ME. I AM CURREENTLY PRESCRIBED A BABY ASPIRIN AND WILL HAVE TO GET INJECTIONS IN MY EYE WHEN MACULAR EDEMA OCCURS, AN EXPECTED OCCURRENCE WITH A BLOOD CLOT IN THE RETINAL VEIN

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1018558-1	37 hours after Pfizer injection, experienced severe abdominal pain that caused me to have vasovagal syncope. Started sweating, and I lost my vision, then must have fallen on the floor. When I came to, felt very headachy and nauseous. went to urgent care - they ordered an abdominal scan for 2/8/21 but scan did not reveal the cause of the pain. 8 hours later on 2/5/21, started feeling asthma like symptoms. Throat felt tight, voice became hoarse, kept having to cough because airway was starting to feel thickened. went to ER, they took vitals and told me that i wasn't having an allergic reaction because my symptoms were outside the time frame for an allergic reaction. After 3 hours there, they sent me home. Next morning felt like I was having heart palpitations. that feeling eventually went away if I walked around. But the following two mornings, I had the same feeling.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1026718-1	Severe headache. Vision loss. MRI showed inflammation in brain
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1026966-1	Chest pain radiating to arm pits, shortness of breath, fast heart rate, fainting, loss of vision
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1028154-1	Approximately 75 minutes after vaccine had significant shortness of breath, extreme fatigue (difficulty walking to the bathroom). Over the next week and a half, blood pressure and heart rate swung widely (outside of normal range). Heart rate periodically dropped down into 30-40 range. Experienced whiteouts.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1032270-1	The day after vaccination I lost vision for an hour then had onset migraine. Migraines continued and then had sudden onset of vertigo, ataxia, nausea, and vomiting 6 days following vaccine. I could not walk with the ataxia for several days and ended up in ED 8 days after vaccine for persistent vertigo, migraines, and nausea not improved with antivert and imitrex. I do have a history of migraines but I have never experienced this vertigo and migraines lasting days on end. I am now currently 19 days past vaccine and still with vertigo and migraines.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1033697-1	Blindness (loss of vision); Neurocardiogenic syncope; Tingling in hands and feet/lower legs; Panic attack/unable to breathe; Nausea; Vomiting; Dehydration; Tiredness; Body aches
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1034988-1	"she hasn't been eating like she should; lost eye sight for 5 minutes, everything was grey; could hear her niece, but that her niece sounded far away; very nauseated/wanted to throw up but couldn't; This is a spontaneous report from a contactable consumer, reporting for herself. A 76-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number: EL9265), via an unspecified route of administration at the left arm on 29Jan2021 14:00 at a single dose to prevent getting COVID-19. Medical history included cholesterol, high blood pressure, arthritis, medications for her heart, and medication for her stomach. Concomitant medication included amlodipine for high blood pressure and atorvastatin for cholesterol. The patient has been on amlodipine in a good while, 7-8 years and atorvastatin for 5 years. The patient had the COVID shot on Friday, 29Jan2021 at 14:00, and about 4 hours afterward, she had a bad experience. She became very nauseated and lost her sight for 5 minutes. Everything was grey. She was wondering if there is anything she can take afterward. She was scheduled for her next one on 19Feb2021. She was wondering if she will experience the same thing. She has lost about 11 pounds because she has been on a diet. She gave up sugar. After getting the vaccine, she was on her way back. She began to feel very nauseated in the car. Then, all the sudden she wanted to throw up, but couldn't. She couldn't hear her niece or say anything to her. She clarified she could hear her niece, but that her niece sounded far away. She couldn't respond. She rolled the window down to get air in her face. She hadn't eaten. In about 25-30 minutes got better. Since then, she hasn't been eating like she should, so she was still a little nauseated. It has improved though. She got the vaccine in her left arm. Her right arm is mostly metal. She decided to get it because she is over 70 and wanted to prevent getting COVID-19. It was also reported that she was also on an arthritis medication, medications for her heart and a medication for her stomach. She has had no problems with those medications though. The patient underwent lab tests and procedures which included weight: lost on an unspecified date. She has lost about 11 pounds because she has been on a diet. She gave up sugar. The outcome of the events ""lost eye sight for 5 minutes, everything was grey"", ""could hear her niece, but that her niece sounded far away"" and ""very nauseated/wanted to throw up but couldn't"" was recovered on 29Jan2021 while the outcome of all other events was unknown."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1042636-1	Left CVA Right sided numbness vision loss 2/16/2021

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1043541-1	About 12 hours after receiving the shot, I woke up in the night feeling unusual. I went to the bathroom, where I felt pressure in my head, increased ringing in my ears, and increased loss of vision. A few moments later when I realized this was an emergency, I could no longer see or walk. I crawled blindly through the home feeling for the walls and familiar facets calling out for help. My family woke up and called emergency. By then, I was nearly gone/unconscious. I was laid down on cold tile until the paramedics arrived. Heart, blood sugar, and blood pressure were all tested. Considering I'm a completely healthy individual, they attributed it to the vaccine.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1045621-1	vision loss; This is a spontaneous report from a contactable consumer (patient). An 83-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot/batch number: 183599) solution for injection, via an unspecified route of administration in left arm on 20Jan2021 at a single dose for Covid-19 immunization. Medical history included pacemaker, vitiligo, psoriasis, blood pressure, and autoimmune disorder. Concomitant medications included blood thinners and blood pressure medications. The patient experienced vision loss on an unspecified date. It was reported that patient went for an office/clinic visit to a doctor or other healthcare professional. Also went emergency room/department or urgent care. Patient did not receive any treatment. Patient was not diagnosed with Covid-19 prior to vaccination. Patient has not tested positive for Covid-19 since vaccination. Covid-19 virus test: negative. The event was reported as non-serious however it caused disability. Outcome of the event was not recovered. No follow-up activities are needed. No further information is expected.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1051007-1	sinus infection; cannot see out of her right eye; sick; terrible terrible splitting headache on her right temple; can't sleep; pressure behind her right eye; head is all fuzzy; mind isn't good; throat hurts; jaw hurts; little off balance; she walks she falls into things; she walks she falls into things; can't see things hardly in her right eye; pain; This is a spontaneous report from a contactable consumer (patient). A 79-year-old female patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection; lot number and expiration date were not reported), via an unspecified route of administration on 04Feb2021 at single dose for Covid-19 immunization. The patient's medical history was not reported. Concomitant medication included atenolol for blood thinner. The patient previously took first dose of bnt162b2 for Covid-19 immunization and experienced no adverse event. The patient stated that she received the second dose of the vaccine on 04Feb2021 and has been sick ever since. She has a terrible terrible splitting headache on her right temple and can't sleep and was having so much pressure behind her right eye. She stated she can't even lay her head on a pillow. She stated she had no reaction to the first shot but this time her head is all fuzzy, her mind wasn't good and when she sets things down she can't remember where they are. The second shot was really giving her a fit. Her throat hurts, jaw hurts, head hurts, and feels like she is running a temperature. She is a little off balance, when she walks she falls into things because she can't see things hardly in her right eye. She stated she can't put up with the pain any longer, it is terrible behind her temple and eye. She thought it was a sinus infection but now she thinks it was from the shot. She stated she almost had a wreck today because she cannot see out of her right eye because of the shot. She hit a telephone thing and almost wrecked 3 or 4 times. She tried to get tested for Covid but she didn't have an appointment and she cannot go to work until she finds out about the virus. She was going to get tested tomorrow but was going to have to call the rescue squad because she can't drive and she was not putting her son through this if she has the virus. The patient asked if she was allergic to the second shot or if these were normal symptoms. She asked what she should do. She stated she takes Atenolol, a blood thinner, and thyroid medicine. She stated she was taking Tylenol but it doesn't help any and nothing seems to help. All the events occurred on Feb2021. Outcome of all the events was unknown. Information on the lot/batch number has been requested.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1051010-1	blindness in one eye; delirium; Weakness; This is a spontaneous report from a contactable consumer. An 84-year-old female patient received bnt162b2 (Pfizer-BioNTech COVID-19 mRNA vaccine), via an unspecified route of administration in the left arm on 03Feb2021 11:15 at a single dose for covid-19 immunization. Medical history included congestive heart failure, diabetes, glaucoma, breast cancer survivor, high blood pressure and allergies. The patient has unspecified concomitant medications. On 03Feb2021 21:30, the patient experienced blindness in one eye, weakness and delirium. The patient did not receive treatment for the events. The events were assessed serious, disability. The patient has not tested positive to covid prior vaccination. The outcome of the events was not recovered. Information on Lot/Batch has been requested.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1051563-1	1 day post second Covid 19 vaccine patient experienced severe headache that progressively intensified and loss of vision out of the right eye. Subsequently, he presented to the ED and was found to have a left occipital lobe intraparenchyma hemorrhage & 1-acute subdural hemorrhage posterior left tentorial. He was air transport to another facility for treatment:/monitoring. He is currently still admitted . He remains without right eye vision.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1054591-1	Stroke on January 20th, 2021. Unknown cause for blood clot.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1057560-1	she is legally blind; felt a little tired; a little anxious; This is a spontaneous report from a Pfizer-sponsored program. A contactable consumer reported for herself, a female patient of an unspecified age (reported as 63, no units) who received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number and expiration date unknown), via an unspecified route of administration on an unspecified date at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient stated she had the first dose of the vaccine and felt a little tired and a little anxious one day but she felt it was because she was nervous about getting it. The patient stated she was legally blind and it was hard for her to read some things. The patient asked how long side effects will last, if she would get any, and if how long do the symptoms last after the second dose. She also asked if one did not have any side effects after the first vaccine, could they still get side effects after the second. The patient asked if people can take their medications as usual after receiving the vaccine, and if she could take Tylenol after the vaccine if she get symptoms. The outcome of the events was unknown. Information about lot/batch number has been requested.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1057711-1	"Loss of vision, feeling of ""feeling weird"" Patient refused transport"
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1058571-1	Pt received the Pfizer vaccine (Pfizer Lot#:EN6200, 1st dose) at 1232 on left arm. Pt reported to lead RN that she got up and felt dizzy. Pt reported not being able to see anything for approximately 5 seconds. Pt stated that she immediately sat down. Pt stated that she has suffered from hypoglycemia in the past. Lead RN gave pt water. Pt was given a piece of candy by one of her friends in the observation area. No vital signs were taken. Pt was kept an extra 15 minutes for observation. Pt immediately started feeling better after eating candy. Lead RN reassessed pt and educated pt on s/sx that would warrant a trip to the ED. Pt stated that she was feeling a lot better. Pt left building after being observed for 30 minutes. Pt walked out of building with a steady gait.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1060314-1	Mom woke up this morning and has lost all vision following #1 of 2 Covid-19 vaccination on 02/25/2021
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1060603-1	Woke up in the middle of the night to use the bathroom and I couldn't see properly; my vision looked like black splotches. I felt faint and dizzy and couldn't see my bed to lay down. After laying down, my head and body was tingling. I was sweating but felt cold. I took 2 hydroxyzine and fell asleep. I woke up fine but with body aches. The body aches continued through the day but I took acetaminophen and the body aches went away.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1062202-1	rash; a bit nauseous; I felt tingling my tongue; light headed; top of my palate strange; taste of metal in my mouth; swelling; inside of mouth swelling; loss of vision; something weird on liver; lumps on skin; kidney is hurting; vaccine took away all the depression; This is a spontaneous report from a contactable consumer (the patient). A 67-year old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on 10Feb2021 (at the age of 67-years-old) for COVID-19 immunization. Medical history included high blood pressure, glaucoma and depressed from an unknown date. Concomitant medications were not reported. The patient had taken 10mg of antihistamine around 30 minutes before the vaccine (unspecified). The patient previously took iodine and experienced allergic reaction and flu vaccine and had an allergic reaction. On 10Feb2021, the moment they finished putting the shot, the patient experienced rash, nausea, swelling, tingling on the tongue, palette and inside of mouth, top of palate strange, metal taste, and light headed (felt like she was flying). The patient was hospitalized for the events rash, nausea, swelling, tingling on the tongue, palette and inside of mouth, top of palate strange, metal taste, felt nauseous, and light headed on an unknown date. The patient experienced a loss of vision reported as she cannot read her computer because the letters are gray; something weird on her liver, has lumps on her skin and kidney is hurting on an unknown date. The patient also experienced the vaccine took away all the depression and has made her active, now does everything and has been super positive, feels her internal battery is full. The clinical outcome of the events rash, nausea, paraesthesia oral, dizziness, palatal disorder, dysgeusia, swelling, mouth swelling, blindness, liver disorder, skin swelling, renal pain and therapeutic response unexpected was unknown. The batch/lot numbers for the vaccine, PFIZER-BIONTECH COVID-19 MRNA VACCINE, were not provided and will be requested during follow up.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1063442-1	Shingles outbreak on scalp, ears and face. Taking valtrex, neurontin, and prednisone. Also may have some loss of vision in right eye and instructed to use prescription eye drops 4 times a day for 3 weeks.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1071166-1	My eye, right eye, it started to blow up and a big black spot is coming in front of it, especially when I went to the bathroom and put on the light and that eye was totally blinded; It is happening every time I go to the bathroom or turn on the lights in the room or if I look up towards the ceiling, it starts showing me these two big black bubbles; This is a spontaneous report from a contactable consumer. A patient of unspecified age and gender received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) lot number and expiration date not provided, via an unspecified route of administration on 08Feb2021 at a single dose for COVID-19 immunisation. Medical history included ongoing macular degeneration (the patient had in the past, actually quite a number of years, macular degeneration on that same eye). Concomitant medications were not reported. The patient had the vaccine and on the 8th of this month (not clarified), that was five or six days ago the patient really went well for both the days and both injections. But on Friday, two days ago, it began a little bit on Thursday evening but on Friday the patient noticed that the right eye started to blow up and a big black spot is coming in front of it, especially when the patient went to the bathroom and put on the light and that eye was totally blinded and then when the patient dabbed it with water and things and dried it up, it started to come back. It was happening every time, going to the bathroom or turning on the lights in the room or looking up towards the ceiling, it started showing these two big black bubbles. The outcome of the event was unknown. Information on the lot/ batch number has been requested.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1076904-1	"My sight started to go; started getting blurry and I can't see my phone to find number and it lasted about an hour my sight came back; sudden my sight started to go; blurry; ever since then my smell has been back; This is a spontaneous report from a contactable consumer (patient). A 68-year-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number: E9262), via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunization. Medical history included high blood pressure, over weight, lost my sense of smell, border line diabetic and a heart condition that is hereditary it has to deal with the elasticity of the vessels; all from unspecified date and unknown if ongoing. The patient was administered first dose of BNT162B2 (lot number: EH9899) on unspecified date for COVID-19 immunization and experienced the regular signs, a little bit of a headache, little dizziness in the morning, and cognitively was little not there for about an hour. Concomitant medication included lisinopril, metformin hydrochloride (ROBUSTIN) and vitamins. The patient stated, ""for the second shot the 2nd day I was at school letting kids out and all of a sudden my sight started to go. It started getting blurry and I got back into the building and my Principal said let's just call the doctors, I said I can't see my phone to get, find his number. They took care of that for me and it lasted about an hour and hour and half and my sight came back. That's was the only negative and the positive thing happened, I have lost my sense of smell 10 years ago from taking a prescription for high blood pressure I mean diabetes (unspecified medication). Within a month I lost complete smell of everything, for 10 years I have not been able to smell a thing. The day I lost my lost my sight for little while, that day on the way home I was driving pass a restaurant with my windows up and I could smell barbeque sauce, pass an Italian restaurant and I could smell Italian food, and ever since then my smell has been back. I don't know I am not complaining at all, I am just telling something that, the doctors says I haven't heard of that, so that I thought you should know."" The patient had bloodwork done with unknown results on unspecified date. The outcome of the events was unknown."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1081063-1	Pfizer shot on Sunday am - my father noticed my mother c/o not feeling well and unable to explain why she didn't feel well. She woke up feeling well and then quickly became disoriented and vomited. She was then unable to walk or communicate appropriately. Emergency services was called and she was transported to Emergency room. She was diagnosed with a posterior brain CVA and was treated with tpa and now remains hospitalized in the ICU with expressive aphasia and vision loss.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1086191-1	Numbness in entire body. Vision loss in eyes. Severe headache
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1090966-1	The first vaccine my side effect was that my sinuses opened up. That could've been due to the anxiety and then relief of receiving the vaccination causing that effect. I had dry mouth and I was thirsty. The second vaccine EN 6201 I had a headache the next day. Throbbing headache. I read not to take Advil or anything right after. February 09= vaccine February 10=headache February 11= headache didn't go away. I took Advil in the evening. February 12=headache worsened. I took Advil in the afternoon. February 13=I woke up and couldn't see out of my left eye. There was a fog in central vision. About an hour later there was a strange aura. A tornado like tunnel in the central vision started and then shot out from the corner of my left eye. The aura lasted seconds and then the foggy center dissipated throughout the day. The headache throbbed and throbbed. I took Advil around the clock every four hours instead of just one a day. February 14= Full head-ache was gone but sinus throbbed above both eyes. February 16= Eye doctor visit. Know clue if the vaccine caused the ocular migraine or not. I've never had one before and it is super scary. My vision hasn't been clear since then and my dry stable MD turned into wet which I don't think has anything to do with the vaccine. Maybe the headache and the Ocular Migraine was caused by the vaccine. Who knows. I just thought I would report it in case other people have the same. Collecting data is a good thing.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1093380-1	PATIENT BECAME DIZZY AND PASSED OUT ABOUT 10 MINUTES AFTER RECEIVING HER VACCINE. WHEN SHE REGAINED CONSCIOUSNESS, SHE SAID THAT SHE COULDN'T HEAR OR SEE ANYTHING AND SHE ALSO WANTED TO VOMIT. WE CALLED EMERGENCY SERVICES. EMERGENCY SERVICES CAME WITHIN 10 MINUTES AND SHE SAID THAT SHE WAS FEELING BETTER; BOTH SIGHT AND HEARING IS NORMAL AGAIN. THEY RECOMMENDED SHE REMAINED SEATED FOR A LITTLE BIT MORE BEFORE LEAVING, BUT DECLARED THAT SHE WAS OK.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1094915-1	"Pt. was vaccinated by another pharmacist at our remote clinic at an elementary school at 11:35am 3/11/21. Within less than 3 minutes the patient informed a student that he did not feel well. He reported: itching, feeling hot, shortness of breath, dizziness, loss of vision, and thirst. The student alerted me and I assessed the pt. He was responsive, but felt ""tired"". He was sitting on the floor. I told the student to call 911. I continued talking with the pt. as I was preparing the epinephrine and placing a blood pressure cuff on his arm. He became less responsive and asked me for the epinephrine. I injected him with an EpiPen 0.3mg in his outer left thigh through his pants (at 11:43am). Within approximately 30s-1min the pt. became more responsive. I then took his pulse and BP shortly before EMS arrived (11:52am) . They performed the second blood pressure reading and the pt. was transferred to their care at that point."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1095878-1	"Got second dose of vaccine the morning of March 10th. Had the ""expected"" symptoms of fatigue, headache, and chills the evening of March 10th. Woke up on March 11th around 6:50am and felt the same symptoms as the night before but also really hot and nauseous, stood up and began to slowly lose vision. Went to parents for help and they saw me pass out and collapse. Went to Emergency Room and they found I had a really high heart rate and I received an IV to help with rehydration. Was released after that and have continued to have the same symptoms plus muscle soreness but no longer feel as dizzy and haven't had any issues with vision or consciousness since."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1102907-1	approx 2-5 min after getting vaccine, pt felt faint. pt started to lose vision (only seeing black). pt was seated and seemed to fade in and out, while staying conscious. RPH stayed with pt for following 5-10 minutes and paramedics arrived on scene. Vitals were taken, and after approx. 15 min with paramedics, they deemed her fit. Pt remained in pharmacy another approx. 30 min while she regained her faculties. She had some pain radiating in her arm and was very anxious. after a total of approx. 90 min, she was comfortable and left the pharmacy.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1105119-1	Permanent loss of vision in right eye three weeks after receiving first COVID 19 vaccination. Diagnosed with Branch Retina Artery Occlusion (BRAO) clotting of the retinal artery. Emergency Room admittance and 4 day stay at Hospital at direction of Retina Specialist Dr.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1105963-1	I was hospitalized for loss of vision to left eye. It was diagnosed as a stroke to the eye.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1121588-1	partial loss of consciousness approx 10 minutes after vaccination; Dizziness, faintness; General feeling of unwellness; partial loss of vision; This is a spontaneous report from a contactable consumer (patient). A 36-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 07Mar2021 at 10:30 (batch/lot number: unknown) as a single dose for COVID-19 immunisation. Medical history included allergy to penicillin. The patient's concomitant medications were not reported. The patient previously took ofloxacin and experienced allergy. No other vaccine in four weeks. No Covid prior to vaccination and was not Covid tested post vaccination. The patient experienced dizziness, faintness. Partial loss of vision, partial loss of consciousness approx. 10 minutes after vaccination (07Mar2021 10:40). General feeling of unwellness following. The events were reported as started on an unspecified date in Mar2021 11:00. No treatment was received for the events. The outcome of the events was recovering. Information on lot/batch number has been requested.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1123578-1	With in 15 minutes my fingers on my left hand started going numb. I had the shot in my Right arm. By the next morning I was numb from the neck down and my vision went in my left ye and very blurry in the right eye.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1127040-1	About 5 minutes after injection, began feeling faint and experienced loss of vision. I had ringing in my ears as well. My brother who received the injection with me experienced the same symptoms at the same time. Due to us being disoriented, we are unsure how long initial symptoms such as the vision loss lasted.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1131798-1	Headache, swollen muscles, dizziness, blindness, sweating, flushing, feeling dehydrated, weakness, muscle fatigue, eye soreness, sore neck.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1131812-1	"The female medical employee, who was administering the vaccination. The Pfizer Vaccination. Opened a shot syringe. That had an empty vile. The syringe did not have the dosage of vaccine. The female medical employee, documented on my immunization card the sticker Lot number #EN6204, but the vaccine Lot Number (the syringe received) was not the Lot Number indicated on the immunization card. Why? The female medical employee, called over the military personnel whom was being the security for the vaccination site. The female military personnel was holding an open unit syringe vile dosage of the vaccine. The female medical employee showed the empty syringe vaccine to the military personnel. She said, ""The dosage fell out."" The female medical employee, took the open package, of the syringe vile, that contained a measured dose of the vaccine. Which is not considered the full dosage, or considered a safe dosage of the vaccine, because the package was opened. Not in front of the patient. And. Was open, when the military personnel, who was holding this vile, was walking, with the open package, around without proper medical gear. The medical employee. Quickly took out the syringe. Didn't explain which and what that syringe was, and just injected the dosage into my arm. I know, that practice was malpractice. I know I experienced malpractice. And. It's obvious the Government is going to do anything about it. This is not a petty situation. I don't know where that needle from. What has been introduced to that open syringe package. I did experience very bad side affects: headaches, muscle pains, tiredness, fatigue, weakness, low strength, dizziness, partial blindness, overwhelming stress, back pain, joint pain, spinal pain, chills, fever like symptoms, nausea, spontaneous pain, soreness in the arm, swelling throughout my body, difficulty breathing, short breaths."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1133203-1	Loss of vision approx 2 weeks after 2nd Pfizer Vaccine given
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1133303-1	Pt. stated he could not see after getting shot. Pt. states he felt dizzy and then asked son to drive approximately 5 seconds after the shot.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1133727-1	<p>Got her vaccine, came home drove herself, had no problem whatsoever, felt perfectly fine during the day. She then went out, got lunch, brought it home, nothing about the day was out of the ordinary other than the vaccination. She often stays up too late and watches TV in her recliner and falls asleep. She guesses she didn't put things away properly, and the next thing that she remembers was going into the bathroom to get ready for bed, extremely cold evening. She then remembers when she went to hang up fuzzy robe up in the bathroom on a hanger on the doorway, and when she reached up just at that moment she felt herself falling/passing out. She does not remember the moments before or after the event. She fell over her bathtub that was in the doorway, and remembers the pain of hitting the tub. The next thing she remembers is like she was in a dream, and remembers thinking that she had to call her son as she knew she was in trouble. She does not remember dialing his # at that point, but her memory tells her that she told him that she needed him. She was told that was her 2nd call and she does not remember that. She remembers thinking at some point that she was coming in and out of consciousness, and remembers her son didn't come. She called 9-1-1 and remembers talking to somebody and telling them that she could not get up. She answered that she had her door unlocked and remembers that, and apparently told them that she could not stand up. She remembers crawling, possibly to the front door to unlock it. She also remembers telling the 9-1-1 person to tell the sirens off when they get to the neighborhood. They came and took her to the hospital, but doesn't remember that but then suddenly felt like she was freezing, and asking for a blanket, and asked if somebody opened a door. She does not remember the ride to the hospital, going out of her house, just being so cold she was hurting. She doesn't remember anything whatsoever of being in the ER, running tests. They apparently did 2 CAT scans and 2 MRI's, with and without contrast on both. The ER report said that when they got her that she was having extreme chills, and in a stroke-like condition, she could not see and she could not move her body. No tests indicated that she had a stroke. She doesn't think any of them knew that she had the vaccine, they only knew she was a heart patient, and looking for the stroke by doing typical stroke tests. She apparently had called her son first and told him that she was going crazy, and he called his sister, and then she called him again and said that she needed help, and didn't understand what she was talking about. She had no temperature she was told when they took her to the hospital. At some point she then started to spike her fever, which went up to 103. The next clear memory she has is that she woke up on Sunday in the hospital in a pool of sweat after her fever had broken. She also has a memory that she woke up and somebody was touching her in her privates, and there was somebody trying to catheterize her. At first she didn't understand why and then had a vague memory of trying to get a bedpan under her, and decided to catheterize her. She then back to sleep and woke up on Sunday and was completely waking up then and saw her son sitting there. All memories other than this was vague and in and out. After she was awake on Monday they came and did an EEG of her brain, it was normal. She then was given speech therapy on Sunday afternoon, had 10 questions, and answered 9 of them, but on one of them she told them that she could not do that, and did it the next day again and was able to complete that test. When she fell and hit the bathtub she did hurt her arm from her elbow to halfway toward her wrist. Then they discharged her home with someone with her 24 hours a day and could not drive or use the stairs until she had been seen by her family doctor in a week or two to make that she was safe. She had home health care coming in and PT had been coming as well. She had home health still as of yesterday 3/25/21, and PT discharged her as of yesterday. She has been by herself, and is OK to use the stairs and driving again. She has one more home health nurse visit for them to sign off and say that she is now OK. She did get her 2nd vaccine, and she had minor issues, a weird feeling in her head for 12 hours, but nothing bad enough to take something for it. It was a little uncomfortable and out of the norm for about a day, and at one point the next afternoon was making a sandwich and had something that went through her body and felt like she was going to pass out and got into her recliner. She laid down for about 15-20 minutes, it passed and she has been fine. She had somebody stay with her for 24 hours and has done well since. She is convinced that this reaction did come from the vaccine, and that the first vaccine can cause adverse reactions, and that she does live alone and never occurred to her that she needed somebody to stay with her, and now she is afraid to be alone.</p>
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1134014-1	<p>Patient stated she began to have heart palpitations a couple mins after sitting down then followed by vision and hearing by the time nurse arrived. Patient stated feeling like she going to pass out then asked nurse to hold her hand. EMT arrived checked vital signs all within normal limit per patient. Patient then states that everytime she is in a medical setting she pass out or has vision and hearing loss due to panick and anxiety attack. Stated everytime to gives blood she has this is sure. Patient also refused homecare.</p>
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1135856-1	<p>Woke up with the right eye whiteness covered with blood. 10 days to heal. This occurred the day after receiving the second dose - March 8. On March 24, lost vision in the right eye for about a half an hour.</p>
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1136429-1	<p>Systemic: Chills-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: purfuse sweating, lose of sight left eye, dizziness, nausea-Severe, Systemic: Nausea-Mild, Systemic: Shakiness-Medium, Systemic: Visual Changes/Disturbances-Severe, Additional Details: Patient began to fell better about 5 minutes after epinephrine was administered. EMS was called but did not transport.</p>

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1137458-1	"At approximately 0943 patient reported feeling faint, starting to lose vision, and nausea. Lead nurse was notified and patient was assisted into anti-gravity chair. Patient assessed. Pallor noted and patient reported feeling hot and stated ""I'm going to throw up"". Patient given emesis bag at approx. 0944. Patient reported feeling better. Patient given water. patient denied rashes, hives, and throat irritation. Patient reported feeling scared of needles and no history of fainting after prior vaccinations. Vitals assessed at 0946: BP 90/75 mmHg, SpO2 99% RA, PR 75 bpm. Pt advised to stay for 30 mins for further observation. Vitals reassessed at 1004: BP 100/80 mmHg, SpO2 99% RA, PR 56 BPM. Vitals reassessed at 1020: BP 80/50 mmHg, SpO2 99% RA, PR 60 BPM. Pt advised to wait 20 mins due to drop in BP. Vitals reassessed at 1040: BP 100/80mmHg, SpO2 99%, PR 65 BPM. Patient denied throat irritation and stated she was feeling better. Patient advised to sign up on CDC- V-safe. Pt left facility at approx. 1045 with steady gait and unlabored breathing."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1138545-1	One hour after vaccination my chest tightened and I started losing vision. I was driving and pulled to the side of the road, felt I needed to pay down and opened the car door and passed out on the pavement. After regaining consciousness I got in the car and felt a second wave coming , called 911
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1139986-1	10 MINUTES ARE ADMINISTERED DOSE PATIENT LOSS SIGHT, EXPERIENCED PITCH NOISE, FELT FATIGUED AND HEART RACING-- IMMEDIATELY WE PUT PATIENT IN SUPINE POSITION--RAISED LEGS WITH COLD COMPRESSED. CHECKED VITALS WITH FINGER MONITORING AND O2 STATS, HEART RATE NORMAL. HE BAGAN TO FEEL BETTER--HE REPORTED WAS ANXIOUS ABOUT VACCINE. KEPT FOR 10 MIN MORE MONITORING. PATIENT PARENTS WILL MONITOR AND ADVISED S/S TO LOOK OUT FOR IF NEED TO GO ER. DID NOT CALL AMBULANCE DUE TO NO ANAPHYLATIC SHOT--EPIPEN WAS NOT USED.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1140071-1	Pt reports lightheadedness, dizziness, and ?my vision turned black?. Pt denies LOC or nausea
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1140676-1	Brief loss of vision; Faint; Short of breath; Palpitations; This is a spontaneous report from a contactable other health professional. A 22-year-old female patient received the 1st dose of bnt162b2 (BNT162B2, Manufacturer Pfizer-BioNTech), intramuscular in arm left, on 11Mar2021 at 13:00 (Lot Number EN6207), as single dose, for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. Patient did not have COVID-19 prior to vaccination. The patient experienced brief loss of vision (medically significant) on 11Mar2021 at 13:00 with outcome of unknown, faint (medically significant) on 11Mar2021 at 13:00 with outcome of unknown, short of breath (non-serious) on 11Mar2021 at 13:00 with outcome of unknown, palpitations (non-serious) on 11Mar2021 at 13:00 with outcome of unknown. Therapeutic measures were taken as a result of the events. It was reported that the events were evaluated and advanced life support (ALS) transported the patient to the emergency department (ED). It was unknown if patient was tested for COVID-19 post vaccination. Follow-up attempts are completed. No further information is expected.; Sender's Comments: The possibility that suspect drug may have contributed to the reported events cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer drug is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1142420-1	Very itchy right eye, for 2.5 days, (same length of time as arm soreness), followed by sudden onset, noticeable vision loss with diagnosis of epiretinal membrane and vision loss from BCVA from 20/20 or 20/40

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1143815-1	"started to lose his vision; he couldn't see anything; Shot was painful; he started to get hot with the sweats; he started to get hot with the sweats; terrible headache; dizziness; nauseated; This is a spontaneous report from a contactable consumer (patient). A 55-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration, administered in left arm on 12Mar2021 00:30 (lot number: ENG6199) (at age 55 years old) as single dose for covid-19 immunization administered in a pharmacy or drug store. The patient had no relevant medical history. No known allergies. The patient had no covid prior to vaccination and was not tested post vaccination. Concomitant medication included tramadol taken for numbing shot for tooth, start and stop date were not reported. No other vaccines received in four weeks. The patient experienced the following with his first dose of the Pfizer vaccine. Shot was painful and in about 15 to 20 minutes later everything felt fine. But by the time he and his wife drove out of town, he started to get HOT with the sweats, terrible headache, dizziness and started to lose his vision. He pulled over to let his wife drive and by the time he got out of the car he could barely navigate to the passenger side. They turned around and headed for the hospital, 8 min away, at this time he couldn't see anything, he was nauseated but knew the hospital was pretty close. During this whole time his heart rate never raced just kept and even beat. His breathing was also just fine. By the time they got into the parking lot his vision was slowly getting better, so they sat in the parking lot for 30 minutes with the air conditioner on as high as it could go. His wife read through the side effects, he was experiencing many on the list. They left without going in. Onset of the events was reported as 12Mar2021 12:45 AM. Treatment was not given for the events. The patient recovered from the event ""shot was painful"" on 12Mar2021; while recovered from the rest of the events on an unspecified date in Mar2021."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1144577-1	getting the shot lost vision of half of patient right eye.; This is a spontaneous report received from a contactable consumer. This consumer reported similar events for 02 patients. This is the 2nd of 02 reports. An unspecified age and gender patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation solution for injection) via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunization. Patient medical history and concomitant medications were not reported. On an unspecified date a friend of patient was reported as after 20 minutes after getting the shot lost vision of half of patient right eye. That lasted a few minutes. Have a friend who has a friend who suffered the same effect. Outcome of event was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021274179 same reporter/drug/AE, different patients.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1147946-1	On 3/18/2021 at 7:00 pm I lost my vision in my right eye I went to the ER where they did blood test and Ct scan to my head and they send me to a different Medical Center because they don't have vision specialists. In the Medical Center they examine my vision and they recommended me to go to see Dr. at his office in the morning. Next day I went to the Dr. , he examined my eye and he told me there is a blood in my back eye and he recommend to see another Dr. I went immediately to the other Dr . and she diagnosed retinal vein occlusion and she gave me a shot in my eye
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1148777-1	Experienced blindness after first shot in right eye after first shot; TIA; headaches; This is a spontaneous report from a contactable consumer. A 70-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in the left arm on 21Jan2021, 13:00 (Batch/Lot Number: EL 3249) as a single dose for covid-19 immunization. The patient's medical history included diabetes from an unknown date and unknown if ongoing. The patient was generally in good health. Concomitant medications included apixaban (ELIQUIS); pravastatin (PRAVASTATIN); and vitamin d [vitamin d nos] (VITAMIN D [VITAMIN D NOS]) all taken for an unspecified indication, start and stop date were not reported. The patient previously took morphine and ceclor and experienced allergies. On 24Jan2021 at 13:00, the patient experienced blindness after first shot in right eye after first shot for about 20 minutes (Most likely a transient ischemic attack (TIA)). Have had headaches every day since the first shot. The patient underwent lab tests and procedures which included negative test for Covid-19 on 11Feb2021 (via nasal swab). The outcome of the event was not recovered.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1150958-1	"lost vision in one eye; had eye pain and was diagnosed with optic neuritis; burning, tingling in both legs; burning, tingling in both legs; general muscle weakness; This is a spontaneous report received from a contactable pharmacist. A 42-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on an unspecified date in 2021 at a single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. HCP calling regarding a patient, who reached out to the Pharmacist inquiring about treatment recommendations and any information regarding her diagnosis, that received her 2nd Pfizer Vaccine dose 2 weeks ago and started with reactions after 2 days. The patient reported burning, tingling in both legs and general muscle weakness. She also had eye pain and she was diagnosed with optic neuritis and had lost vision in one eye as a result. Reporter was asking if there have been any reports of this. The outcome of the events was unknown. HCP was asking if any ""post market research"" has shown any reports of ""multi system inflammatory syndrome as seen in children post Covid 19 illness."" HCP also inquiring about Guillain-Barre syndrome reports in post EUA reports.; Sender's Comments: Based on the information provided, and on plausible temporal association, the Company assessed that a reasonable possibility could not be completely excluded that the reported events optic neuritis and lost vision were related to the PFIZER-BIONTECH COVID-19 VACCINE."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1153515-1	had worsening vision loss in her eye; had worsening vision loss in her eye; This is a spontaneous report from a contactable consumer (patient) based on the information received by Pfizer. An 86-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number unknown) dose 2 via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as single dose for covid-19 immunisation; pyrimethamine (Tablet, Lot Number: AM0737A; Expiration Date: 31Jul2022) via an unspecified route of administration from an unspecified date and ongoing at 25 mg once daily for toxoplasmosis retinitis. Medical history included toxoplasmosis retinitis (eye infection toxoplasmal), vision loss (Blindness), and an allergy to sulfa medications. Concomitant products were not reported. On an unspecified date, the patient had a second dose of the Covid vaccine. On an unspecified date in Feb2021 (over the last month of 01Mar2021), after starting the products, the patient had worsening vision loss (visual impairment) in her eye within one month of receipt of the second dose of the COVID-19 vaccine. The patient felt the only thing that was new was she had just received the second dose of the Covid vaccine. As of 01Mar2021, the statuses of treatment with pyrimethamine and the worsening of vision loss in her eye were ongoing. An association with pyrimethamine cannot be ruled out. However, the event is confounded by toxoplasmosis retinitis, vision loss, and receipt of the COVID-19 vaccine, which the reporter notes was the only new occurrence. The action taken in response to the events for pyrimethamine was dose not changed. Therapeutic measures were taken as a result of had worsening vision loss in her eye. The outcome of the events was unknown. The reported was considered as other serious (important medical events). No follow-up attempts are needed; information about lot/batch number cannot be obtained.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1156042-1	Pfizer-BioNTECH Covid 19 vaccine EUA , side effect was a stroke affecting loss of vision in both eyes
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1156703-1	On Saturday, February 13, I began to experience severe headaches for a week, and then excruciating pain in my temples and under my chin when biting into a sandwich and chewing food. On February 23, I visited my Dr. and he said he could not give me anything for the pain because it would affect the antibodies. On March 2, I visited my internist, Dr. He did a SED test and found excessive inflammation. On Saturday, March 6, I woke up with lost vision. Was sent for an MRI at the Hospital. Entered the Hospital that night and was given 1 gram of IV solumedrol for 4 days. Biopsy was positive for GCA. I am on100 mg of Prednizone daily and have been referred to a neuroophthalmologist.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1158239-1	Severe nausea and vomiting, headache, ear/neck pain, ear infection, eye infection, blisters in and around nose, eye, face, scalp, vision loss, inability to read/work 2+ days.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1159630-1	During monitoring, patient c/o nausea, dizziness and became pale. Vitals: systolic BP 52; pulse ox 88%. Patient lost vision and pupils slow to react. Called EMS and gave 2L supplemental O2 via rebrezer. Patient moved to hospital bed and had legs elevated. Upon recheck blood pressure improved and patient responsive to questions (suspected vasovagal response). After EMS arrived, patient's family declined to send patient to hospital via EMS, and ultimately left the clinic with his family.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1159650-1	Flu like symptoms 4 days. Those disappeared. On day 2 after injection my elect eye became itchy, very painful, and red. It never got better. Then on day 12 I lost vision in that eye. Still painful. I continue to have half tunnel vision and pain.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1168717-1	nausea, shortness of breath light headedness loss of vision loss of hearing tingly fingers to right hand.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1169635-1	Patient passed out, complained of being lightheaded and having loss of vision post 2nd COVID-109 vaccine. EMS was called. EMS evaluated patient and recommended going to the hospital for observation. Patient's father denied transfer to hospital and patient left with father to go home.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1171022-1	Following the injection, I made my way to the observation room to wait for 10 minutes. After about two, my left arm began to get extremely hot and I called the nurse in the room over. I began to ask her if it was a normal side effect and began to lose my vision and hearing while talking. I passed out and was wheeling to the side of the room where the doctor was. Upon waking up (after 2/3 minutes) I threw up. The doctor took vitals and such and said everything looked okay. After about 15 minutes I was able to stand and head home.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1176961-1	Within minutes of receiving the injection I began to feel dizzy. My heart rate quickly began to drop according to my Fitbit. My heart rate is normally around 68. When the dizziness began I noted my heart rate dropped to 57 then 52 within seconds. The dizziness continued to get worse over the next minute or so until I completely lost my vision. One of the workers brought me water and within a minute of drinking my vision began to come back slowly. After sitting for another 10-15 after regaining my vision I felt better. I am concerned about getting my second dose of vaccine after this first experience. Please advise.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1177540-1	Patient reports mild soreness in her left arm after she received the vaccine. She reports mild fatigue but this was expected due to pharmacy consultation prior to vaccine administration. Reports experiencing vision loss 1-2 days after getting the shot. Vision returned to normal after 1 day.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1177759-1	After 40 hours after having normal Mild symptoms from the vaccine. Such as a headache, fatigue and mild fever. My left eye started to lose vision. It's hard to focus, and feels like I have astigmatism and myopia. Took Tylenol to reduce the headache and fever, but nothing has fixed my vision
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1178022-1	Slight loss of hearing, vision completely whited out, blood pressure dropped to 60/40. I felt very sleepy. This started about 2 or 3 minutes after the vaccine was injected. Medics started me on oxygen and elevated my feet. Attempted to start an IV (not successful because I have hard to find veins), checked blood sugar (normal) and did EKG (normal). After about 15 minutes my blood pressure returned to normal and I felt fine except for a headache. They wanted to send me to the hospital but I refused. My primary care physician advises me to not take the second dose of this vaccine.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1178744-1	Patient reports experiencing the muscle soreness in the L deltoid muscle along with some general fatigue. She also informs you that she had ?loss of vision in her right eye? that developed 1-2 days after she received the injection, but her vision returned to normal in about 24 hours
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1181714-1	"Adverse reaction to vaccine: Pt received his first dose of the COVID-19 vaccine on 3/18/21. He stayed in the pharmacy for 15 minutes before walking out to his car, where he began to experience visual loss. He describes how ""everything turned white and I couldn't see anything"". He laid his seat back and symptoms resolved within 5 minutes. Pt checked his blood pressure when he got home and says it was 120/70. That was kind of low for him. Sounds like a vaso-vagal episode. Of note, he had not eaten yet that day."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1182489-1	vision loss; Severe Migraine over her right eye; blurriness, can't see out of right eye, very blurry was reported as worsened; Body Aches; Nausea; Chills; This is a spontaneous report from a contactable consumer (patient herself). A 69-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), batch lot number unknown, on 22Mar2021 at 09:15 (at the age of 69-year old) at single dose for COVID-19 Immunization. Relevant medical history was not reported. The patient received first dose of the same vaccine on 01Mar2021, on the left arm. Caller states that she has usually gotten sick with the flu shot. Concomitant medications were not reported. On 22Mar2021 the patient experienced chills. On 23Mar2021 the patient experienced nausea, body aches and severe migraine over her right eye and vision loss. She stated that when she covered her good eye she could not see the couch due to blurriness in the right eye. The patient was treated with ibuprofen and acetaminophen (TYLENOL), used hot packs, cold packs and a hot water bottle. The patient recovered from chills on 23Mar2021, she was recovering from nausea and body aches but was not recovered from severe migraine over right eye and can't see out of right eye, very blurry (reported as worsened). Information about lot/batch number has been requested.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1182491-1	<p>"large left horseshoe tear on the retina in the left/tear on the right retina/small tear right eye; detached retina on the left; vision loss/can't see at all/thought he was going blind; streaks of lightening; section of vision lost in the left eye; Posterior Vitreous Detachment; floaters; sick; This is a spontaneous report from a contactable consumer (patient wife). A 60-years-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Solution for injection) dose 1 via an unspecified route of administration on 06Jan2021 (Lot Number: EJ1685, expiry date not reported) as single dose; and dose 2 via an unspecified route of administration on 29Jan2021 (lot Number: EL8982, expiry date not reported) as single dose; for covid-19 immunization. Medical history included eye surgery (he already had surgery once) from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. Patient received first dose of the Pfizer vaccine on 06Jan2021 then on 29Jan2021 the 2nd dose. He experienced side effects: floaters on 06Jan2021, and streaks of lightening then vision loss on 15Mar2021. There was a large left horseshoe tear on the retina in the left and a detached retina on the left and a tear on the right retina on 19Mar2021. He already had surgery once. He will have 2nd surgery on the other eye. Reporter reported a follow up. He can't see at all. He was recovering and has to lay on face for 2 weeks. Reporter stated she read about retina problems related to the virus but not to the vaccine, could not find information. Patient was a retail pharmacist. He deals with customers and several customers stated they had vision problems with the vaccine: double vision, loss of sight. ""There was a problem out there, but maybe they were not reporting it took reporter 2 hours to report so they may not have the time to sit there to report"". Reporter knew they can't prove it was the vaccine that caused it. Reporter don't believe in coincidences. It seemed quite obvious to them it's related to the vaccine. Reporter appreciated all the help and stated they didn't have all the answers. Reporter sure it was the vaccine because it was within hours after the first vaccine, but since there was no information regarding the sight problems related to the vaccine patient didn't think about it. Then the floaters got worse and started to block his vision, after the 2nd vaccine it was dramatically; within hours it was worse. He's never been sick in 36 years (2021). Patient hoped no one else has to deal with what he has to deal with. Patient also reported that on 10Feb2021, patient had section of vision lost in the left eye. It was then reported that patient was well versed in the virus and the vaccine. He was unable to speak on the phone at this time as he was recovering from surgery. Patient received the first dose of the Pfizer COVID 19 vaccine on 6Jan2021 and right away began seeing hundreds of floaters. He didn't correlate it to the vaccine but it didn't go away. Then he received the second dose of the vaccine on 29Jan2021 and within hours he thought he was going blind. He went to an optometrist 01Feb2021 who sloughed off the idea of it being related to the vaccine and diagnosed him with Posterior Vitreous Detachment. It was previously reported to Pfizer when he got the diagnosis of the PVD and all the events mentioned were previously reported. Reporter stated that from that day on the floaters got larger; the around 15Mar2021 he noticed every time he bent over he saw streaks of lightning; and he started to have a black hole, a loss of about 20% of his field of vision in the left eye. He went to another local optometrist 19Mar2021, who saw a large horseshoe tear in on left retina; and a detached left retina. The local optometrist sent him to a specialist and who verified the tear and the detachment and said the other retina in the right eye also has a small tear. Patient then had eye surgery, Monday at 0700AM, 22Mar2021 by outpatient surgery, to drain the fluid in his eye; insert a gas bubble and a silicone band to repair the retina; and did laser surgery on the tear. The specialist advised that the surgery damages the lens so he will need the lens replaced in the future. Now her patient has to lay down with his face down for 23 hours a day for two weeks and take 6-8 weeks off work. He had a doctor's visit yesterday and the doctor seemed satisfied with his progress but he can't see out of the eye, everything was cloudy so he doesn't know if the floaters are gone or the eye sight is recovered yet. The doctor was planning to do the right eye tear repair on Thursday 25Mar2021. Reporter had searched online to see if other people have this, but she can't seem to get the stories online about problems with the retina and the vaccine. She wanted this to be known and documented. Reporter was asking if company have information about if other people have had this. As per reporter, the events were not serious. Therapeutic measures were taken as a result of the events reported. The patient required physician's office visit for the events reported. The patient had not recovered from section of vision lost in the left eye, large left horseshoe tear on the retina in the left/tear on the right retina/small tear right eye, detached retina on the left, and floaters. The outcome of the other events reported was unknown."</p>
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1182678-1	<p>Dizziness upon standing and walking, nausea, clammy and warm skin, sweaty, pale, tunnel vision, loss of acute memory, vision, and hearing. Patient was watched from 3pm (right after dose) to 3:30pm. He was feeling these symptoms from 3pm to about 3:15pm. He was given water after 5 minutes and cold wash rags to put on his forehead and neck. He was also told to breath deep breaths slowly. He said his throat felt sore and was provided with a throat lozenge. Color in his face returned after roughly 10 to 15 minutes and he verbally said he was feeling much better. Pharmacy associates watched him for another 15 minutes to make sure he was okay.</p>
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1185160-1	<p>At 15 min mark after receiving vaccine: sudden loss of hearing (extremely muffled, underwater sounding), profuse sweating, and then lost vision and passed out entirely when attempted to stand up for help. After laying down, quickly regained consciousness and felt better. After effects and soreness have been minimal. Have not fainted during/after vaccine before.</p>

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1186921-1	Patient had first COVID19 vaccine administered at pharmacy. She has anxiety regarding needles and vaccines. I administed the vaccine in the counseling room and requested she remain in the room until she felt ok. Patient said she felt fine after about a minute, and she moved to the pharmacy waiting area. The patient called out that something was wrong from the waiting area after about 5 minutes. Pharmacist and technicians went over and patient reported loss of vision and hearing. She said she could not see anything and that her hearing wasn't right. The nurse practitioner on duty provided a cool compress for the head and neck, as well as juice. Patient remained in the waiting area for about 10 minutes and then was moved to the little clinic room to lay down. She remained in the clinic room for another 10 minutes until she felt better. Patient did not lose consciousness, was able to walk out of clinic to her car.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1187026-1	frequent sneezing, runny nose, watery eyes, muscle pains, neck pains, joint pains, dizziness, partial blindness, severe and chronic joint spinal pops, lack of sleep, high stress, fatigue,
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1188271-1	"Symtoms: headache, loss of vision in left eye, vertigo. Stroke took time to diagnos, I thought it was a vision problem. Long time delays occurred while scheduling further testing (CT and MRI). Summary from MRI: ""Study Result Impression: There is diffusion restriction along the left thalamus consistent with subacute ischemia, greater than 6 hours in etiology but less than 2 weeks."" Outcome: Vision is slowly improving, headache is mostly gone, vertigo & mental status slowly improving."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1189742-1	syncope loss of vision and dizzy
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1190532-1	This vaccine is extremely illegal. Terroristic. I have been having such an extreme headache. Blurness, to the point where I have blindnesss. I am unable to think. My speech is completely off. I try to say something, but what I say is not what I was thinking. Don't you dare say I have something wrong with me, in regards to unable to articulate what I want to say, and what Is actually being said. I understand what is happening to me with this reality. Which is why this vaccine is terroristic. Im going to make it my life endeavored goal to resolve this in legal entities. For that. This is not helping anyone. Causing more pain. And. Allowing the government to lie even more. I hate this Country!
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1190537-1	5 minutes after while seated in waiting area, I slowly became dizzy, started to lose sight and hearing. I alerted a nurse, who took held my head and helped me regulate breathing as I started to pass out. She held an ice pack to my neck and got me water. She and another nurse tried to move towards an open door for fresh air and wanted to lay me down on a gurney, but I couldn't stand so they carried me to a wheelchair, where I stayed for about 35 minutes more until I had recovered. I don't think I fully lost consciousness, but almost completely lost sight and hearing. I was not consciously anxious about getting the vaccine or needles.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1192418-1	Dizziness, nervous, hypotension, loss of vision/hearing, pale. BP 97/41, HR64, RR16. Symptoms improved, drank orange juice, BP improved. Patient generally historically hypotensive. Stable and released from vaccination site.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1194797-1	4/11/2021 Pt was observed post Covid-19 immunization for 15 minutes . During the observation period, she experienced an adverse reaction with the following symptoms: dizziness, weakness and jittery, loss of vision. Assessment : Time of assessment ** 415pm*. Alert and oriented and Pallor. Actions taken: Vs taken at 510pm BP- 69/45, P-59, O2- 100%, juice, water, cookies and potato chips given, patient is consuming, feet elevated in chair, recheck of VS at 525pm- BP- 89/57. P- 58, O2-100%, she is alert , answering questions appropriately, continues to drink and eat, recheck of VS at 540pm, BP- 104/72, P- 57, final BP at 543pm 101/67. Medications administered: No medication administered. Disposition: Reports no further symptoms of adverse reaction after observation for 30 minutes. Discharged home. The Patient was provided with Vaccine Information Sheet and instruction to access the system. Patient left with friend. Immunizations Administered Name Date Dose VIS Date Route Pfizer COVID-19 Vaccine 4/11/2021 5:06 PM 0.3 mL 12/11/2020 Intramuscular Manufacturer: Pfizer, Inc Lot: EP7533 NDC: 59267-1000-2 Electronically signed by RN at 4/11/2021 5:58 PM Immunization on 4/11/2021 Detailed Report Note shared with patient
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1196629-1	flu like symptoms, aches, sore arm, fever, headache, loss of vision
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1197779-1	Patient started experiencing a feeling of warmth about 15 to 20 minutes post injection. Then partial vision loss, chest heaviness, left- side numbness, Jaw tightness. Around 12:40 we called 911 and she was taken by ambulance to Medical center for evaluation. 911 operator instructed us to give 4 Aspirin 81mg.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1198190-1	"pt c/o lightheadedness and vision turning white; pt able to ambulate with 2 guards at his side to private obs room; wife present; pt placed on exam table and HOB put flat and legs elevated; eyelids fluttering, pt warm and diaphoretic; remained responsive and answering questions; pt states that he has fainted in the past, also has ""sensitivity"" to certain anesthetics; initial VS at 1013:cuff not registering BP, HR 38/dinamap,RR 18,Sao2 100%. Switched to smaller BP cuff and Vs at 1015: BP 78/43,HR 40,RR 18, Sao2 100%. Pt c/o nausea. VS at 1020: 98/51, HR 58, RR 18, SaO2 100%. Pt states that he is feeling better except still nauseous. VS at 1025: BP 112/59, HR 68, RR 16, SaO2 100%. HOB raised to 45 degrees, no c/o. Pt given cold pak and drink of water. 1030:pt states less nauseous, still ""cloudy"". 10:45:HOB placed at 90 degrees, BP 114/67, HR 66, RR 16, SaO2 98%. 10:50:pt states that he is feeling much better, talkative, ambulated WNL in room. 1055: BP 112/72, HR 56, RR 16, Sao2 100%. Pt states that he feels a ""little tired"" but fine to leave. Wife will drive pt home. 1100 Pt leaves clinc; no c/o."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1199044-1	pt experience syncope with normal blood pressure, but low pulse and loss of vision for short eperiod of time. EMS reported normal BP, heart check and pulse and oxygen. vision did return and pt felt better after about 20 minutes
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1201861-1	Soon after receiving the vaccine, heart rate increased, and sweating began. Vision then began to fade to white and ears ringing. This persisted for about 15 minutes, improvement began after 5 minutes. After vaccination, patient was very tired. Sore arm for 5 days. Hot/cold flashes days 3-5. Consitent tiredness 5 days. Muscle aches and cramps days 3-5. After 5 days side effects ceased. Concerns about initial effects
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1202740-1	Right became pink initially the next day, the on 3rd day eye sight was compromised by film over eye and throbbing pain behind the eye. Sight was almost completely impaired.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1203807-1	Extremely rapid heart rate. Dizziness nauseous loss of sight everything went dark like I was passing out. Not able to breathe properly as heart rate was so fast and I had pain in my chest because of this. Body felt like it was burning up. Once heart rate decreased I had uncontrollable snakes throughout my whole body. Like spasms. My head felt like it had a lot of pressure inside. My heart rate exceeded 100 but not sure if exact number. Paramedic on site took it.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1205131-1	distance vision loss began happening four days after being vaccinated; salivatory glands in mouth dried up, felt like sucking on lemons, nostrils became stuffed up. This was with in about ten minutes after vaccination was given.; salivatory glands in mouth dried up, felt like sucking on lemons, nostrils became stuffed up. This was with in about ten minutes after vaccination was given.; The initial spontaneous report information received from a contactable consumer (patient) on 23Mar2021 safety information received was reporting only non-serious adverse drug reactions. Upon receipt of follow-up information on 28Mar2021, this case now contains serious adverse reactions. A 70-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation solution for injection and lot number: EP7534) via an unspecified route of administration to right arm on 22Mar2021 15:00 at single dose for COVID-19 immunization. Patient medical history included high blood pressure, lymes disease, dengue fever, artheritis, known allergies: bees, known allergies: mold, botox and known allergies: some meds. Concomitant medications included lisinopril, vitamins nos and ascorbic acid, thiamine hydrochloride (VITAMIN B AND C COMPLEX). On 22Mar2021 patient reported with salivatory glands in mouth dried up, felt like sucking on lemons, nostrils became stuffed up. This was within about ten minutes after vaccination was given. Patient took benadryl and was observed for 30 min for the events. On 26Mar2021 20:00 patient experienced with distance vision loss began happening four days after being vaccinated patient did not received any treatment for this event. Outcome of event Vision loss was not recovered and Recovered with sequel for other events. No further information is expected.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1207779-1	Vasovagal syncope after three minutes of receiving first vaccine dose. Paleness, nausea, sweating, dizziness, and vision blackout. Treated by lying down, applying ice packs, and hydrating with water. Symptoms subsided within five minutes.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1208432-1	Pt presented with acute onset of right vision loss. She was seen by ophthamology and diagnosed with central retinal artery occlusion. She had to be changed to warfarin as this clot developed while she was already on eliquis. She still has some vision loss.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1208866-1	"Patient stated that they will refuse the second dose of the Pfizer vaccine based on side effects experienced since. Complications include pain that felt like ""lightning bolts"", temporary loss of vision, and that their ""mind went black"" which has improved in the past few days. Pt. believes that his recent cognitive decline is directly attributed to receiving the vaccine and expresses concern with whoever else gets it."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1209247-1	Severe Vascular Thrombosis (vomit, loss of balance, numbness in arms and legs, lost of speech, impaired vision) had to be hospitalized for 4 days, and had some brain damage from the thrombosis.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1209734-1	Numbing of tongue, cannot see or hear for a minute, fainted. He fell to ground and regain hearing and sight, and started to feel better.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1210291-1	Horrible Pain in left breast. First occurred at 2 am 4/8. Loss of vision occurred at 3:05. Fell backwards onto floor 3:05 am. Diarrhea, nausea, labored breathing and sweating profusely. Unable to walk. 3:05 am. Thought was having stroke.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1219531-1	5 DAYS AFTER VACCINE, STARTED DEVELOPING SYMPTOMS INCLUDING HEADACHES, VISION LOSS AND RASH
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1219650-1	dizziness , loss of vision for 5 minutes after shot urgent care
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1221536-1	Fainted 5 seconds, sweating, loss vision - BP 102/58; HR 68, RR 16 -- > 104/60; HR 89
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1221566-1	Noted blurriness/change in vision starting 3/29/21, became so prevalent could not read print by 4/5/21. Saw Retinal Specialist on 4/6/21, diagnosed with posterior uveitis in both eyes. Ran full blood and x-ray panel to rule out immuno compromise. All tests normal/unremarkable. Follow up visit on 4/15/21 showed clearing in right eye, doctor inserted corticosteroid injection in posterior of left eye.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1222087-1	Headaches started on 1/21/2021, then loss of vision left eye on 3/4/2021, on 3/14/2021-lost vision in right eye
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1222616-1	Eye bulging, face swelling, tachycardia. ER visit to stabilize, Opthomologist for eye bulge, Primary care doctor for further testing, blood labs, endocrinologist visit and additional labs. Vision care for vision loss.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1223005-1	17 Y/O FEMALE UNRESPONSIVE POST VACCINATION. PT APPEARED COOK, PALE, PUPILS DILATED, NON REACTIVE PT ASSESSED BY EMS PLACE ON STRETCHER IN TRENDELENBURG POSITION. PT C/O VISION LOSS AND UNABLE TO HEAR. 02 SAT UNDETECTED THEN 98%. PT PLACED ON OXYGEN. BOTH PARENTS PRESENT AT TIME OF INCIDENT. PARENTS ALSO STATED PT HAD MENINGITIS VACCINE APPROX 2 WEEKS AGO. NO OTHER HX. PT REGAINED CONCIOUSNESS, HEARING AND VISION. TRANSPORTATION T(JFRD) ARRIVED. PATIENT DECLINED TRANSPORTATION TO ER. CLEARED BY EMS APPROX 9:50 A.M.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1224358-1	Total lost of vision in the left eye for about one minute; This spontaneous report from a contactable consumer reporting for herself An 83-year old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection) on 30Mar2021 at 09:00 at single dose via an unspecified route of administration on left arm for COVID-19 immunization. Relevant medical history was not reported. Concomitant medications included unspecified antidepressants and levothyroxine. On 30Mar2021 on 15:30 the patient experienced total lost of vision in the left eye for about one minute. The patient recovered from the event on 30Mar2021. Information on the lot/batch number has been requested. Follow up attempts are needed.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1224634-1	Lymph nodes hurting a lot; Hypersensitive to light; A lot of dizziness; Nausea; Headaches; affecting all organs; Chest pain; Felt like the Covid-19 vaccine was hydrating eyes/Film on eyes; Losing vision; This is a spontaneous report from a contactable consumer (patient). A 64-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: EN6208), first dose via an unspecified route of administration on 16Mar2021 10:30 (at the age of 64 years old), single dose for covid-19 immunisation. Medical history included ongoing thyroid (disorder) (Unspecified thyroid condition). It is the vaccines with aluminum and bovine extract that she knows that she can't handle. Caller reported that she got a flu vaccine at work and that she definitely got the flu within a few minutes of receiving the flu vaccine. Caller reported that another time after receiving the flu vaccine, she definitely got the flu but she was unsure of the time frame. Caller reported that she did have the flu vaccine several times but that two times, the flu vaccine definitely gave her the flu. She has 3 brothers and that one of her brothers that she is a caregiver for has Type 1 Diabetes. Her brother just felt like he had to have 2 vaccines several years ago and that he received the pneumonia and flu vaccines. Her brother was hospitalized within days of receiving the flu and pneumonia vaccines. Her brother was placed in the ICU for heart patients and the medical staff at the hospital was not sure if her brother was going to live. She couldn't remember how long her brother was hospitalized for, caller stated she thinks maybe around 10 days. She knows what she knows, her 2 other brothers were also hospitalized as children. She didn't know if her brothers had vaccines before they were hospitalized but that she would bet money that vaccines they had received are what resulted in hospitalization. When

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	<p>hospitalized, her second brother was not expected to live. At the time of the Adverse Event Description</p>
				<p>event, her brother was only 1 or 2 years old. Her brother's infection was so bad that the hospital sent blood to the CDC and that the CDC couldn't figure out what was wrong with her brother. The hospital kept giving IV antibiotics to her brother and he lived. Her third brother hospitalized around 5 years old with pneumonia during the summer. She didn't know if her brother had received any vaccinations at that time. She just thinks the vaccines did that to them but she doesn't know that. Someone gave her first brother the information on the pneumonia and flu vaccines he received prior to his hospitalization. She didn't have information regarding the details of the vaccines that her brother received. The facility where her first brother was vaccinated with flu and pneumonia vaccines would not give her the information on the vaccines that her brother received. Caller reported that it was a really hard time to fight the facility for that information and she was shocked the facility wouldn't give her the requested information. Caller reported that they wouldn't give her any medication records or anything. Caller reported that it was a bad time for her to fight it, and that she will eventually go back and tell them they have to give her the information. Her brother that she is a caregiver for and that was hospitalized after receiving the flu and pneumonia vaccines also had the Covid-19 vaccine on 16Mar2021. Caller reported that she had been more concerned about her brother having a reaction as he has serious health issues, including Type 1 Diabetes and a heart condition. Caller reported that her brother stated that he's fine and to the caller, her brother seems fine. Concomitant medication included levothyroxine. Patient has experienced that the Pfizer Covid-19 vaccine made her hypersensitive to light on 20Mar2021. She is losing vision on Mar2021 because of the hypersensitivity to light. On 20Mar2021, patient had a lot of dizziness and nausea. It is effecting all of her organs. She has had headaches, chest pain. The Covid-19 vaccine is affecting all of her organs. Yesterday, 30Mar2021, her lymph nodes were hurting a lot, at least she thinks it was her lymph nodes. All of her organs that have been affected by the Covid-19 vaccine and that it seems like it moves day to day. She is mostly sensitive to UV light but is also sensitive to artificial light. She thinks that the hypersensitivity to light has improved a little bit but it's still a problem. The hypersensitivity to light was the absolute worst on 20Mar2021. She doesn't know how much she is still dizzy when asked if it was still ongoing. She added she has been taking Benadryl and ginger for the dizziness and nausea and it helps a lot. She has been taking ginger for the nausea, and if she still has a little, it's not as much. Today is an overcast day and that it's an easy day for her. Caller reported that bright, sunny days are the worst. She was unsure of when the vision loss occurred but stated that she knew by 20Mar2021 that she had lost vision. She didn't know if she was continuing to lose vision but she can tell she lost vision. She did have a headache in the evening on 16Mar2021 after receiving the Covid-19 vaccine. She thinks the headache occurred in the evening on 16Mar2021. She may have had some headaches between 16Mar2021 and 20Mar2021, but that the headache she had on 20Mar2021 was a horrible headache. She is still getting headaches. She would say the headaches are a little better but she is still having them. She is having headaches that she doesn't think she would normally have. She wasn't having headaches before receiving the Covid-19 vaccine. She thinks she did have headaches between 16Mar2021 and 20Mar2021, but 20Mar2021 is when the headaches really hit her. The chest pain is intermittent and that the chest pain coincides with when the light is affecting her. When it's UV light, more so in the afternoon on sunny days, but technically the artificial light in the evening some days bothers her too. She doesn't think her lymph nodes were bothering her before 29Mar2021. Her lymph nodes are ok this morning, 31Mar2021. Different organs have hurt at different times. The effect on organs started within minutes of getting the Covid-19 vaccine. She could feel her eyes and that her eyes felt different within minutes of getting the Covid-19 vaccine. It felt like the Covid-19 vaccine was hydrating her eyes on 16Mar2021 but at the time it felt good. Afterward she was freaking out because she was concerned about her eyes. In the evening of 16Mar2021, it seemed like there was a film on her eyes and she had a headache. On 17Mar2021, 18Mar2021, and 19Mar2021 she had headaches that she wouldn't have normally had. On 20Mar2021 different organs started hurting. Her biggest concern was the chest pain. After looking back on it, the chest pain may have started between 17Mar2021 and 19Mar2021 also. The effect on her organs from the Covid-19 vaccine occurs on different organs at different times on different days. The effect today isn't bad because it overcast outside and that her organs are really affected when she is exposed to a lot of light. She had 2 blood tests yesterday at her primary care doctor. The doctor ordered labs for VEGF and Leptin. She doesn't get vaccines. No Prior Vaccinations (within 4 weeks). The outcome of the event Photophobia, Nausea, Headache, Lymph node disorder was recovering; other events was unknown. Follow-up attempts are completed. No further information is expected.</p>
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1224846-1	<p>complete body went paralyzed; lost vision; throwing up; fever; This is a spontaneous report from a contactable consumer. A 41-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: En6207), dose 1 via an unspecified route of administration, administered in left arm on 23Mar2021 08:30 as single dose for covid-19 immunisation. Medical history was reported as none. There were no concomitant medications. The patient started throwing up, fever, complete body went paralyzed and lost vision all it the ER on 05Apr2021 13:00. The events were resulted in emergency room /department or urgent care. There is some treatment (saline and ondansetron) for the events. The patient did not have covid prior vaccination, did not test covid post vaccination. The patient received Covid test post vaccination via Nasal Swab on 05Apr2021, covid test result was negative. There is no known allergies, no other medical history, no other vaccine in four week, no other medications in two weeks.</p>

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	The outcome of the events was resloving. Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1229213-1	Within 2 minutes of receiving the vaccine, he started sweating, he then vomited, lost vision and hearing. Had trouble breathing. Ambulance called
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1230212-1	Moderate loss of vision in left eye. Slight loss of vision in right eye. Started the day after receiving vaccination and is still present today. Have not seen Dr.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1230545-1	Patient received 1st dose Pfizer 2:15pm (Mother was present) with a minute, patient states that she can't see anything and her body was feeling fatigue. I sat her down, she couldn't talk and answer any questions. I quickly got my tech to call 911, they came quickly and monitored her and took her to the hospital.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1231060-1	Three days after I got the vaccine, I noticed a very abnormal heart palpitation lasting about 3 seconds. Everything felt fine so I sat down for a few minutes. Once I got up I came very close to passing out. I lost my balance and my vision was dark. Never experienced anything like this before
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1233750-1	Pfizer-BioNTech COVID-19 Vaccine EUA Severe Migrane Headache, Severe pain in left eye swelling and loss of vision, Nausea and Vomiting, Severe Fatigue
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1235189-1	Pt had symptoms of dizziness, lost of sight, low blood pressure, weakness, and tingling feeling around her body. She was sweaty and felt clammy. She stated that she feels hot all over.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1236121-1	I HAVE A LOSS OF MY CENTRAL VISION IN MY RIGHT EYE DUE TO A BLOCKAGE IN MY RETINAL ARTERY (BRANCH RETINAL ARTERY OCCLUSION).
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1238638-1	I got a Mighty sore arm about 4 hours after injection. 30 hours later I began to feel agitated and grouchy. I woke up about 44 hours after vaccine with a painful and swollen left thumb joint. I felt strangely tired. While walking a couple of hours later I felt drunk and dislocated from my body. 48 hours after receiving the vaccine, I felt a shocking jolt to my entire body. Immediately my left arm began a deep painful tingling from my shoulder to my fingertips, then began to feel numb and tingling and as if it were swelling. I lost my vision, felt like I was going to pass out, turned extremely pale, broke out in a cold sweat, then my shins and feet began to tingle. I felt as though I couldn't breathe. My vision came back but my body felt dislocated and my head a cinder block. It took great concentration to move my limbs and speak. I couldn't find the words I wanted. This lasted for about 15 minutes just like a complete shock to my nervous system. I was very irritable and exhausted for 4 days following.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1239238-1	Patient received Covid-19 vaccine (first dose) at our store today at 9:40 am. Patient was advised to stay in the area for 15 minutes for observation. Patient was sitting in the waiting area. At around 10:00 am, patient's mom knock on the door saying that her son might have an adverse effect. Patient stated he was feeling dizzy and was about to lose consciousness. He also stated he lost his vision. Patient was alert and was able to answer questions. Medics arrived and took his blood pressure. He was transported to the hospital
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1240159-1	Suffered 2 major/large strokes in her occipital lobes and small temporal stroke She is now blind, unable to walk, sit, stand, eat by herself, and has speech issues. She is needing full care at this time and unknown what future holds She has been in ICU since 4/17 as we found her unconscious 4/17-she was down by herself tor over 24 hours
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1242259-1	Ocular migraine. No history of migraines or ocular problems of any kind. Partial lose of vision. After vision was restored pain around eyes.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1246696-1	2 days after vaccine around 3pm i felt heart palpitations. went for a walk to see if it would subside. as i was walking my left leg buckled a bit, within a few seconds of that happening my entire body went limp. the person i was walking with grabbed me, i could not stand. i looked up and i could not see, it did not go black, all i can see were wavy lines. that lasted about 10 min until i came to . since that day i feel the nausea coming up and my head pushing down, as if it is in a vice. i feel tired and disoriented (loopy) It has been difficult to funtion. It is now almost 1 week since 2nd dose and I still have the same symtoms.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1247751-1	Patient came up to counter about 5 minutes after receiving his vaccine and stated he was feeling light-headed and that his sight and hearing was going. We had patient slowly sit down on the floor near the counter, a tech got him a cool rag for his neck while pharmacist stayed with him. he started to feel much better after the rag was on his neck for a few minutes and said his vision and hearing was normal again. Denied history of this happening after vaccination. Patient denied any difficulty breathing or swelling of throat/tongue. RPH check bp and it was 95/55, pulse 80. Patient stated he was at clinic yesterday and was told his bp was on the lower end of normal. Reported feeling a bit nauseous also. We gave him a bag in case he got sick and a small bottle of water. He was able to stand up and walk to a chair to sit down. We asked if he wanted us to call someone and he declined and said he was feeling better. We asked him to stay for 30 minutes more so we could monitor. After 30 minutes he reported the nausea had passed and he was feeling normal again. He said he was ok to drive home.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1251238-1	tia in right eye, on Friday morning on 4/16/ 21, between the hours of 8 am and 9:30 am, I went from feeling fine and sleeping to waking up not being able to hear in both ears, not being able to see anything out of my right eye, my left arm was completely numb all the way up to my shoulder and neck, the right side of my tongue was numb and my blood sugar was over 611. Initially they thought it was just a reaction to my high sugar levels, since the mri's showed I did not have evidence of a stroke. It wasn't until I saw a retina specialist the following Tuesday that she confirmed that yes I did have a stroke in my tongue. I have not recovered my vision fully in my eye or the sensation in my tongue. I didn't connect it to the vaccination until I spoke with a friend whose sister also got pfizer 5 days before me and suffered a stroke 3 days before me, and two days after we spoke they announced Johnson& Johnson pause due to clots in women. The retina specialist says we will have to wait and see if the damage heals on it's own in the meantime I need to see her on a monthly basis.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1251498-1	Severe headaches, loss of vision with a beginning diagnosis of optical neurosis, continued headache and increased loss of vision In right eye after receiving steroids in hospital.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1251746-1	On 04/24/2021, 2 minutes after the Pfizer immunization given to patient, complained of not feeling well. As soon as the pharmacist ran to help her, she looks seriously pale, nauseous, sweaty, and then lost all her faculty. She said she could not see anything and started to feel difficult of breathing. The pharmacist immediately gave her EpiPen, and called 911. While waiting for EMS, she started to feel a bit better, could see things. EMS came, measured her blood pressure, and told that she got syncope. They transported her to the hospital.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1252414-1	About 3 minutes after administration of vaccine reported ?seeing black? , loss of vision, began to perspire and looked pale. Lasted about 2 minutes.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1254622-1	He woke up panicked; Vision loss; Visual disturbances; Difficulty breathing; This is a spontaneous report from a contactable consumer. A 67-years-old male patient received the first dose BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration, on 31Mar2021 as a single dose for COVID-19 immunization. Medical history included: heart attack a few years ago and takes maintenance drugs for the heart condition and asthmatic and takes medication but the medications come and go depending on how he is physically. Concomitant medications were not reported. This case was from the same reporter; this case is for the husband. On 2Apr2021 he experienced difficulty breathing and they did not know if it was attributed to the vaccine but he did not have any breathing issues until he got the vaccine but it was a general feeling of something was different but did not think it was severe until the vision thing. Reporter stated there is no medication her husband takes that is related directly to the episode he experienced. On 5Apr2021, he woke up from being asleep, asked if the TV was on (which it was) because he could hear it, but could not see it. His symptoms have also resolved. He had no history of anything like that happening previously with the first dose pfizer covid vaccine. Hi wife stated that he experienced visual disturbances since then, with no prior history of vision impairment. The outcome of the events could not see, Visual disturbances was recovered; the outcome of Difficulty breathing was not recovered; the outcome of the event He woke up panicked was unknown. Information on the lot/batch number has been requested.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1255553-1	losing vision; almost passing out; After second dose: fever; chills; headache; body ache; pain at injection site; dizziness; This is a spontaneous report from a non-contactable consumer (patient). An 18-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on 09Apr2021 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation, at 18 years old. The patient medical history was not reported. There were no concomitant medications. No other vaccines if four weeks. Patient received the first dose of bnt162b2 at 12Mar2021 16:30, arm left for covid-19 immunisation, at 18 years old. Patient is not pregnant. The patient experienced after second dose: losing vision, almost passing out, dizziness, fever, chills, headache, body ache, pain at injection site on 10Apr2021 00:00 (12AM). Treatment was not given. Outcome of the events was recovering. No follow-up attempts are possible; information about lot/batch number cannot be obtained.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1255872-1	Systemic: Dizziness / Lightheadness-Mild, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Medium, Systemic: Visual Changes/Disturbances-Severe, Additional Details: Patient received shot and vision went black after about 5 mins. Vision began to return blurry within 15 mins with paramedics.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1258006-1	During observation, member stated that she could not see and was getting hot. Started to talk and could not speak and her eyes began rolling to the back of her head. ADULT EMERGENCY CALLED. Pt assisted to wheelchair, member still unresponsive, unable to talk, blinking her eyes with eyes rolling back. Placed on stretcher. BP 126/96 HR 100 SPO2 100. EMS arrived and transported patient to hospital for further eval.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1258434-1	"Pt. called for EMS due to vision and hearing loss. Pt. referred to vision as ""blue and spotty,"" and hearing as ""muffled.""
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1262288-1	Branch Retinal Artery occlusion / visual loss
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1265961-1	This is a spontaneous report from a contactable consumer. A non-pregnant 23-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 1 via an unspecified route of administration, administered on left arm on 11Apr2021 15:45 (Batch/Lot Number: ER8733) at single dose (at the age of 23 years old) for COVID-19 immunisation. Medical history included asthma. The patient had no known allergies. Concomitant medications included mometasone furoate (ASMANEX), levocetirizine and montelukast, all taken for an unspecified indication, start and stop date were not reported. The patient experienced wit in 10 min extreme weakness, loss of vision with complete pupil dilation not exceeding 5min and without losing complete consciousness. Once vision restored, profuse sweating, pressure cranial to thoracic inlet with moderate difficulty swallowing water. Paramedics arrived. Taken orally 25mg Benadryl. Cyanosis of nail beds and lips, poor perfusion to distal extremities, low temp, normal sinus rhythm, clear lungs, BP 137/89 and pulse 92, all on 11Apr2021. Seen at urgent care within the hour, deemed adverse reaction, ruling out allergic reaction Further concern for possible adverse reaction with second dose. Seeking consult with primary care physician, The patient had no COVID-19 prior vaccination and no COVID-19 test post vaccination. The outcome of the events was recovered on an unspecified date.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1267643-1	Per patient she experiences anxiety and panick attacks in any medical setting signs included and exhibited were vision loss, hearing loss sweating, heart palpitations, after arrival of EMS patient vomited. Refused hospital transport.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1267765-1	Patient received vaccine that morning, she was off her daily aspirin for an upcoming procedure, and she had transient vision loss over night that lasted 1 minute, suspicious for amariosis fugax. She is getting a TIA work up including MRI, MRA / head neck. The episode happened the night of the vaccine (overnight on 4/21 around 2-4 am) and again on the night of 4/22/21 around 2 am. She had two episodes of complete vision loss R eye, that self resolved within 1 minute.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1267813-1	Acute right central retinal artery occlusion. Total painless loss of vision right eye, subsequently about 85% loss persisted.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1268220-1	Shot given 4/23/2021 at 1pm. 4/25/2021 around 1pm started losing vision in both eyes while at work, also passed out & fell down multiple times. By evening of 4/25/2021 had extreme nausea when trying to consume any food or drink any liquid. Went to urgent care 11am-ish on 4/26/2021 for continued nausea symptoms and overall body pain. Was told symptoms likely an adverse reaction to the COVID vaccine received days prior. If anything else worsened to go to ER. Felt better during day of 4/27/2021 until a migraine came on at 7pm. Went to ER. Was given a COVID test (awaiting results at this time) as well as some muscular shots of Toradol, Benadryl & Reglan. Felt better within 30 mins and was discharged to go home.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1268256-1	Blurry to blackout vision, loss of orientation within 10 minutes of vaccination and lasting for 20 minutes.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1270827-1	"On or about April 14, 2021 patient yelled out to a friend to come help him. Patient stated that he ""could not see or move"". The friend called the ambulance and patient was taken to hospital. One of the doctors tending to patient told me patient had several strokes (over 5). These strokes have left him blind and incapacitated. He is still currently at hospital."

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1271483-1	"1105 vaccine given 1115 client c/o feeling heavy like he was going to pass out 1116 client was verbally unresponsive and was assisted to the floor with assist of 4 staff/volunteers and gently laid in supine position with feet elevated on a chair. 1117 assessment of vitals oxygen sat 99% on room air, p 48, BP 116/74 during assessment client began to speak and stated his vision was returning. Client stated that this ""happens everytime with blood draws, not usually an inj."" 1118 client asked if he could sit back in the chair and told us he felt much better. Client was monitored closely. 1130 client asked if he could walk around because he felt ""fine"" client choose to leave the clinic at that time and told us he felt he had returned to normal and was ok."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1271761-1	On the 26th I experienced a TIA (mini-stroke) though I have no risk factors. It was one week after my second Pfizer shot. I couldn't see out of my R eye, like bright white light--snow blind, then I couldn't decode the words I was trying to read on my computer email. Then I got up and walked around, made a call and on the call was unable to say the word I wanted to say (Aphasia).
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1272960-1	approximately 1 weeks post vaccine patient suffered vision loss and was diagnosed with ischemic stroke
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1273500-1	developed slight nausea while walking about 14 hours after second dose and that quickly turned into loss of hearing and vision after standing still for a few minutes. Blacked out for about a minute and lost consciousness but was able to still stand either because I was holding onto something or someone was helping me (not sure). Came to and was drenched in sweat and stomach was churning. Hearing and vision came back after a few minutes. About an hour later, full body chills and body aches.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1273536-1	I have only gotten the first shot so far. I got the shot last Sunday and then on the following Tuesday I went to donate plasma. I frequently donate plasma. I had no side effects from the shot up until that point. Immediately after donating, I got in my car and looked down to see that my needle injection site from donating was pouring out an excessive amount of blood. I lost all vision and the employees helped to rebandage the site and put pressure. That had never happened before after donating. It seemed that my blood failed to clot.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1278134-1	I suddenly lost my vision and experienced dizziness and was unstable on my feet. My vision loss was as if someone have covered my eyes with transparent plastic or poured baby oil in my eyes.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1278190-1	Approximately 5 minutes after vaccine administration, pt. C/O tiredness, weakness/fatigued, slow loss of vision. He was guided to a flat surface in a supine position with legs elevated , Slow deep breaths were encounter, ice pack applied at the back of his neck. Vitals included 90/60, 68, @18, 98% RA. Pt. Was alert and oriented x4. At 11:44 am, second vitals were, 110/70, 57, 26, t=98.2, @ 98%RA. Vision was restored back tk normal with minimal dizziness. At 11:44, all symptoms had subsided as per pt. report. Pt. did mnot experience any falls or trauma while at the clinic. At
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1278209-1	Headache on left side of head and eye, pt reported she couldn't see out of left eye. Pt reported her heart was racing and she felt nauseous. She said this happened when she had dose 1 of her covid vaccine. She said this was similar to her migraines and she took her two tablets of her medication: (acetaminophen, caffeine, butalbital). Her pain subsided and she could see out of her eye again after 30 minutes. She reported taking that medication helped resolve her symptoms after dose 1 of the covid vaccine.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1279208-1	lost vision; migraine; unable to lift head; chest pain; nausea; This is a spontaneous report from a non-contactable consumer (patient). A 26-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiry date not reported), via an unspecified route of administration, administered at the right arm on 07Apr2021 10:45 (age at vaccination was 26 years) as single dose for COVID-19 immunization. Medical history and concomitant medications were not reported. The patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was vaccinated at pharmacy or drugstore. The patient was not diagnosed with COVID-19 prior to vaccination. Since the vaccination, the patient had been tested for COVID-19. The patient experienced lost vision on 07Apr2021 with outcome of recovered on an unspecified date, migraine on 07Apr2021 with outcome of recovered on an unspecified date, was unable to lift head on 07Apr2021 with outcome of recovered on an unspecified date, chest pain on 07Apr2021 with outcome of recovered on an unspecified date, and nausea on 07Apr2021 with outcome of recovered on an unspecified date. The patient underwent lab tests and procedures which included sars-cov-2 test: negative on an unspecified date. Therapeutic measures were taken as a result of lost vision, migraine, unable to lift head, chest pain, nausea that included migraine medication, ibuprofen, and nausea medication. No follow-up attempts are possible. Information about lot/batch number cannot be obtained. No further information is expected.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1279286-1	coughing; loss of vision comes and goes; Chills; body and back pain; body and back pain; Fatigue: he has been in his bed and falling asleep in his chair for the past few days; This is a spontaneous report from a contactable consumer (patient). A 48-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot Number: ER8131), via an unspecified route of administration on 14Apr2021 at 09:20 (at the age of 48-years-old) as a single dose for COVID-19 immunisation. The patient's medical history was not reported. There were no concomitant medications. The first vaccine has been experiencing loss of vision, chills, body and back pain, and fatigue for the past 3 days, from 14Apr2021. He wanted to know if he should go to the ER. The patient was audibly coughing while on the call. He went to the appointment at 09:20 on 14Apr2021 and while driving back he noticed the loss of vision at about 10:15 on 14Apr2021. He said that the loss of vision comes and goes but is still persisting. On fatigue: Patient has been in his bed and falling asleep in his chair for the past few days. Chills, body and back pain and fatigue were reported as worsened. The outcome of the events loss of vision, chills, body and back pain, and fatigue was not recovered, while of coughing was unknown.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1279379-1	In addition to common flu symptoms, I developed a painful large lump about the size of a lemon in my armpit. Also temporary vision improvement in both eyes.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1279968-1	The patient received the vaccine and waited in the room while the parent received the vaccine. The patient then walked to sit in the waiting area, lost vision while walking, sat down, eyes began to roll, and the patient passed out momentarily (less than a minute). Was moved to an area to lie down and remained there for approximately 15 minutes.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1280824-1	Ear pain and facial drooping, vision loss presion in arm. Two visits to hospital emergency room diagnosis as Bell's Palsy
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1281773-1	1 one headaches and sore arm. Body aches. 2 one headache loss of site a while on right side heavy ness in chest hard swallowing ached all over my knees feet hurt really bad. And where giving away when I was walking. Rashes on feet and legs that itched and burned. Called Dr about it. Very sick
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1282139-1	Patient got his vaccine at 10:48. By 11:03, he as white as a ghost. He passed out upright in his chair. When he came back round seconds later, he was white a ghost. He started vomiting. He reported he lost vision and had ringing in his ears before he went out. His BP was 80/55 with a pulse of 64. He said he has had issues with needles entering his skin. By 11:20am, he was resting on the bed. HR 57, Oxygen 99, and bp was 120/68.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1284767-1	Hurts to move her arm; Felt like she had the flu; Congestion; Headache; Tiredness; lymph nodes in her underarm area are swollen, really achy; lymph nodes in her underarm area are swollen, really achy; Chest pain; Numbness in her face; Completely lost her vision; This is a spontaneous report from a contactable consumer (patient). A 29-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 12Apr2021 (Batch/Lot Number: ER8729) as single dose for COVID-19 immunization. There were no medical history or concomitant medications. The patient experienced completely lost her vision on 12Apr2021 with outcome of recovered on 12Apr2021, congestion on 16Apr2021 with outcome of not recovered, chest pain on 12Apr2021 with outcome of recovered on 12Apr2021, numbness in her face on 12Apr2021 with outcome of recovered on 12Apr2021, felt like she had the flu on 17Apr2021 with outcome of recovering, lymph nodes in her underarm area are swollen, really achy on 13Apr2021 with outcome of not recovered, headache on 15Apr2021 with outcome of not recovered, tiredness on 13Apr2021 with outcome of not recovered, hurts to move her arm on an unspecified date with outcome of not recovered. lymph nodes in her underarm area are swollen, really achy was reported as worsened. Clinical course: the patient was asking for advice because she had the first dose of the Covid Vaccine 1 week ago and had a really bad reaction and had to go to the hospital. It has been a week now and the symptoms are continuously getting worse. It sounds like the side effects were all expected. She felt like she had the flu yesterday. She is really achy, her lymph nodes in her underarm area are really swollen, and it hurts to move her arm. She is familiar that these symptoms are expected, but it has been a week. She wants to know if she should see a physician or if there is something she should do. Event details: The flu like feeling was not until 6 days after she got the first shot. It is not as bad but she does have aches and congestion. Her lymph nodes are really swollen and she has a headache and tiredness. She had symptoms before, that was just the start of the flu like feeling. On the day of the shot she went to the hospital because she completely lost her vision and had chest pain. She got the shot on Monday, 12Apr2021. She had numbness in her face, vision loss, and chest pain. From there she went to the hospital and that subsided. It was just like total exhaustion and body aches for the next couple of days. She lost her vision for 5 minutes total. The numbness to her face was right after the shot and is all gone now. The achiness is pretty bad now. It differs per day but her symptoms have probably gotten a little worse as time has gone on. She had slight pain in her lymph nodes and they weren't really swollen. It got progressively worse to now they are very swollen and it hurts to move her arm. It was the same arm where the shot was given. The headache is off and on. It started around Thursday 15Apr2021. It is sporadic when she gets it. It hasn't gone away. The tiredness has been the same since she got the shot. When she went to the hospital she went to the ER. She was not admitted. She spent 4 to 5 hours there. Treatment: In the ER she just had an IV (intravenous). Other than that they did a bunch of lab work. She had no medicine or anything. Investigations: They did a chest X-ray and lab work in the ER. Emergency Room Visit required for events completely lost her vision, chest pain, numbness in her face, felt like she had the flu.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1285246-1	Site: Pain at Injection Site-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Hypotension-Severe, Systemic: Visual Changes/Disturbances-Severe, Additional Details: walking in store, vision went black and could not hear. sat down, head down , we took blood pressure, blood pressure was low 87/56. called ems. he started to feel better. started sitting up straight again. ems took blood pressure and it had started to improve. Mother came to pharmacy. went home with mom. Did not go to hospital. (pt had eaten prior to vaccine and drank water)
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1287052-1	Loss of peripheral vision in left eye

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1288364-1	"lost my vision; lost my vision and hearing; essentially unresponsive; feel light-headed; This is a spontaneous report from a contactable consumer (patient). A 27-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number: EW0161), dose 1 via an unspecified route of administration, administered in the left arm on 16Apr2021 at 14:30 as SINGLE DOSE (at the age of 27 years-old) for covid-19 immunisation. Medical history included coarctation of the aorta from an unknown date and unknown if ongoing coarctation of aorta (age: 3 months), only requires bi-annual cardiologist visits, loss of consciousness from an unknown date and unknown if ongoing, covid-19 from an unknown date and unknown if ongoing. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any concomitant medications. The patient had no know allergies. The patient did not receive any other vaccine within 4 weeks prior to the vaccine. The patient lost his vision and hearing, essentially unresponsive and light-headed on 16Apr2021 at 14:30. Circulation issues leading to a black out. Within 60 seconds of getting the shot, he began to feel light-headed. Within 30 seconds of that, he knew he needed help, so alerted the emergency medical technicians (EMTs) via car horn/flashers. By the time they arrived (120 seconds from the initial shot), he lost his vision and hearing and was essentially unresponsive. They woke him enough to unlock my car door, at which point they had him lay back to improve his circulation. That ultimately worked and got him back to normal within about 5 minutes. The patient had issues like this before relating to a coarctation of his aorta which he had done at 3 months of age. Over the years, he has ""blacked out"" like this from weight lifting and other high exertion things. This was the first time it was induced without him overexerting himself, and the onset of the ""blackout"" was much quicker than what he had experienced from weightlifting. Normally, he could tell 1-3 minutes in advance that he would black out. This time, it was about 30 seconds. Therapeutic measures were taken as a result of lost vision and hearing, essentially unresponsive and feel light-headed. EMTs did an electrocardiogram (EKG) and blood glucose check. The outcome of lost his vision and hearing, essentially unresponsive and light-headed was recovered on an unknown date. It was also reported that since the vaccination, the patient had not been tested for COVID-19."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1289818-1	Within 3 minutes of receiving the vaccine, Subject experienced syncope, had ringing in the ears, loss of vision, was pale, diaphoretic, and hyperventilation. BP 102/49 and 96/58. Staff responded, provided supportive care. Subject regained consciousness. Reported on 5/5/2021 made a full recovery. It is noted he reports he worked out that morning, had not eaten or had water that day. Did not seek medical attention.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1291632-1	Fever of 101.6, severe joint pain, dizziness, loss of vision, nausea, severe headache.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1293945-1	Flashes and blurred vision in the left eye, various eye exams conducted and fluid drained in an attempt to lower pressure and remove clot (unsuccessful). The event resulted in Central Retinal Artery Occlusion and loss of vision.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1296509-1	"Patient describes his experience as a ""loss of vision"" shortly followed by ""blinking out"" and dropping his phone. Patients in the observation area noticed him fainting and called pharmacy staff over to the location. Patient experienced no issues breathing nor experienced any swelling. Patient describes quickly feeling better, though pulse showed 60 BPM once EMS arrived."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1297331-1	Patient states that she felt dizzy and was not able to see. Patient was diaphoretic but denies chest pain, SOB. V/S 130/100 - 54 - 99%. Called and was sent to ER for further evaluation
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1297554-1	Around 7:45 pm 5/5 after getting the vaccine about 9:08 am 5/5 I started to get light headed, head pounding and nauseous. My entire body ached and I was freezing. I could hardly open a water bottle do to severe weakness throughout my body which i've never had trouble with opening things. Throughout the night I had chills and then was hot then freezing and back and fourth. I tried to get up towards the morning a couple times and was extremely dizzy, weak, and nauseous. I started to have ringing in my ears and everything went black. I was able to lay down before passing out. Throughout the day 5/6 until about 5:00pm I couldn't move without getting very dizzy and nauseous and starting to lose hearing and vision. My heart beat on my fitbit was also tracking about 10 bpm faster than normal. Today 5/7 I am tired and still consistently nauseous throughout the day.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1299101-1	Loss of vision in left eye.; This is a spontaneous report from a contactable consumer. A 53-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot number was not reported), via an unspecified route of administration, administered in right arm on 13Apr2021, at 10:00 as single dose for covid-19 immunisation. Medical history included Lupus, Hashimotos, chronic obstructive pulmonary disease, asthma, non-alcoholic fatty liver disease, and allergy from unknown dates. The patient experienced loss of vision in left eye on 13Apr2021, at 10:00. The event resulted in doctor or other healthcare professional office/clinic visit, emergency room/department or urgent care. The patient underwent other tests and magnetic resonance imaging in Apr2021 with unknown results. Therapeutic measures were taken as result of the event. No COVID prior to vaccination was noted. No COVID test was performed post vaccination. The outcome of loss of vision in left eye was not recovered. The batch/lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1299153-1	vision loss; eye pain; This is a spontaneous report from a non-contactable consumer (patient). An adult female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 18Mar2021 (Batch/Lot number was not reported) as single dose for Covid-19 immunization. It was unknown if the patient was pregnant at the time of vaccination. Medical history included Factor V Leiden, PCOS (Polycystic ovarian syndrome), and POTS (Postural orthostatic tachycardia syndrome), all from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. It was unknown if the patient was not diagnosed with COVID-19 prior to vaccination. It was unknown if the patient received any other vaccines within 4 weeks prior to the COVID vaccine. The patient experienced eye pain and then vision loss on 20Mar2021, 2 days after vaccination. It was unknown if the patient received treatment for the adverse event. The adverse events resulted in Doctor or other healthcare professional office/clinic visit, Disability or permanent damage. It was unknown if the patient has not been tested for COVID-19 since the vaccination. The outcome of events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1299196-1	Increased intracranial pressure with vision loss requiring VP shunt placement; Increased intracranial pressure with vision loss requiring VP shunt placement; This is a spontaneous report from a contactable nurse (patient). A 41-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration, administered in arm right on 23Jan2021 at 12:00 (Lot Number: EK9231)(at the age of 41-year-old) as single dose for COVID-19 immunisation. The patient was not pregnant. Medical history included hypertension (HTN), obstructive sleep apnea syndrome (OSA) and hypothyroidism, all from an unknown date and unknown if ongoing. Known allergies: KEFLEX, LEVAQUIN, Penicillin. Concomitant medication included levothyroxine; lisinopril; trazodone and HCTZ, all concomitants were taken for an unspecified indication, start and stop date were not reported. The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in arm right on 04Jan2021 at 15:00 (Lot Number: EL0140) (at the age of 40-year-old) as single dose for COVID-19 immunisation. On 26Jan2021 at 14:00, the patient experienced increased intracranial pressure with vision loss requiring VP shunt placement. The events required emergency room visit and physician office visit. The patient was hospitalized due to the events for 2 days. The patient underwent lab tests and procedures which included intracranial pressure (CSF pressure): increased on 26Jan2021, SARS-COV-2 test (Nasal Swab): negative on an unspecified date. Therapeutic measures were taken as a result of the events and included 3 lumbar punctures and surgery for VP shunt. The patient outcome of the events was recovering.; Sender's Comments: The 41-year-old patient had medical history included hypertension (HTN), obstructive sleep apnea syndrome (OSA) and hypothyroidism, and was on multiple concomitant medications. Intracranial pressure increased and blindness were most likely due to concurrent disease, and unlikely related to the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE). The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics committees and Investigators, as appropriate.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1299300-1	His eyes didn't look good and could not see after his first dose.; His eyes didn't look good and could not see after his first dose.; This is a spontaneous report from a Pfizer- sponsored program received from a contactable consumer (patient's wife) reported for a male patient (reporter's husband). A male patient of an unspecified age received first dose of BNT162B2 (BNT162B2), via an unspecified route of administration on 15Apr2021 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunization. The patient's medical history and concomitant medications were not reported. The patient experienced his eyes didn't look good and could not see after his first dose. Outcome of the events was unknown. Information on the lot/batch number has been requested.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1300411-1	stroke on 5/2 8:45 am hospitalized 5 days no physiologiical explanation. 3/4 of right cerebellum is dead. at onset nausea vomiting vision loss, loss of balance and coordination BP bottomed out low heartrate while sleeping
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1301606-1	After the first vaccine, at 5am the next morning, my blood pressure dropped to 90/65 causing my vision to blackout/feel like I was going to faint, and feel like I was going to throw up when standing. I stayed flat in bed the whole day and the second day after (4/8/21), it subsided. After the second vaccine on 4/27/21, it was a much more significant response. This occurred again at about 5am the morning after the vaccine (4/28, less than 12 hours after), my blood pressure began to fall and I was experiencing orthostatic hypotension again. On 4/29 significant body aches and pains (flu like symptoms set in). On Friday 4/30/21, I woke up, and without moving, the room was spinning, I felt like I was going to throw up, had bad headaches, and I was extremely dizzy. I took my blood pressure at it was 80/50. I could not stand or sit up, I had to lay flat with my legs propped up to keep blood flow to my head. I missed work from 4/28-5/1 as I was so hypotensive and symptomatic. I called my cardiologists office on the afternoon of 4/30 to get their advice and confirm that I should NOT take my hypertension and tachycardia medications that night (verapamil and metoprolol). The nurse advised me not to take them that day and to go to the hospital since I was so symptomatic. My mom, a cardiac care nurse, was with me at home, so I decided to stay home and only go in if it dropped any lower. The next day (Saturday) it began to normalize to around 110/70 and Sunday I was 120/80. I did not take any medication Saturday or Sunday, because I did not want my pressure to go low again. Monday I contacted my cardiologists office again, because I was still reading normal with no meds in my system, but was beginning to get chest pains related to the withdrawal from metoprolol, so they had me take the verapamil and metoprolol in normal doses Monday afternoon. Tuesday, I woke up low again (100/60) and had to call off work again. I contacted my cardiologist again, and he advised me to stop verapamil until my pressure got more high and I needed it again and called in a lower dose of my metoprolol (half the strength of what I was taking). It is now 5/9/21 and my pressure is still about 125/85, so I have not been able to resume the verapamil and am still on the half strength metoprolol.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1302361-1	Shortly after receiving the vaccine, I felt intense pain in the left arm - arm of the vaccine. It was much worse than any other shot I've ever experienced. Then my left hand went numb. I looked at the site of the vaccine and noticed it was in front of the shoulder, not in the muscle. During the night, my head started having excruciating pain and by morning I could not lift or move my head. This went on for several days, which time I had to lay in bed on my back. After taking Aleve and one pill of Celebrex over the course of the days in bed, I was able to get out of bed. However, I then experienced blindness in both eyes which lasted between 15-30 minutes. My sight then returned. During the blindness I could make out an outline (barely) of sight.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1303110-1	FIVE MINUTES AFTER TAKING THE VACCINE, PT EXPERIENCED BLURRY VISION WHICH PROGRESSED TO LOSS OF VISION AFTER FEW MINUTES. PT APPEARED PALE, SKIN HOT TO TOUCH THEN HAD A LOT OF SWEATING, THEN HEADACHE. BUT VISION CAME BACK AFTER 30 MINUTES.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1304094-1	WITHIN 5 MINUTES OF RECEIVNG FIRST DOSE OF COVID19 PFIZER VACCINE, PATIENT RETURNED TO PHARMACY STATING HE WAS FEELING DIZZY, AND COLLAPSED INTO COUNTER. MANAGER WAS ABLE TO HELP HIM TO A CHAIR SO HE DID NOT FALL, PATIENT CAUGHT HIMSELF WITH THE SHIELD/COUNTER. CALLED 911 AND EMS ARRIVED WITHIN A FEW MINUTES. ASKED PATIENT TO DESCRIBE SYMPTOMS, PATIENT RELAYED FEELING DIZZY, TROUBLE SEEING, VERY WARM, SWEATY. PATIENTS VITALS WERE CHECKED BY EMS, PARENTS AND PATIENT CHOSE NOT TO TRANSPORT AFTER ABOUT 30 MINUTES PATIENT WAS CLEAR OF ALL SYMPTOMS.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1306206-1	"My vision disappeared in my right eye; This is a spontaneous report from a contactable consumer (patient). A 74-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration on 29Mar2021 at approximately 10 o' clock (Lot Number: ER8727) as 2nd dose, single for COVID-19 immunisation. Medical history included High Blood Pressure and Blood cholesterol abnormal, both from an unknown date. Concomitant medications included unspecified medication for High Blood Pressure, cholesterol, and a blood thinner. The patient previously received the first dose of bnt162b2 for COVID-19 immunization at the age of 74-year-old on 08Mar2021. Lot Number of the first shot was reported as ""EN it looks like 6205"". The patient stated he had an adverse reaction to the vaccine. The patient got the second shot at approximately 10 o' clock in the morning of 29Mar2021 and at 10 o' clock at night his vision disappeared in his right eye. The patient was in hospital for 3 days. The patient was told that his right eye was not going to work anymore, it was absolutely the same. The patient received treatment and stated they told him to go to an ophthalmologist and get the services and he told him that his right eye was gone. The patient underwent lab tests and procedures which included lab work was done with unknown results on unknown date. The outcome of events was not recovered. Follow-up attempts are needed. Further information is expected."

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1307886-1	"Initial complaint: feeling lightheaded, couldn't see, diaphoretic, pale 12:10 BP 60 systolic HR 64 Patient diaphoretic, ""can't see"". Ice pack, granola bar and water provided. 12:15 BP 56 systolic Second ice pack provided. Reports ""feel better"" Noted having ringing in right ear 12:20 BP 98/42 HR 60 only complaint is the ringing in his right ear. Still Pale 12:25 Color improved. Skin warm and dry. Alert, continues to have ringing in ear. 2nd granola bar offered and encouraged to drink the water 12:30 BP 100/52 HR 64 Right ear ""barely ringing"" 12:35 BP 104/62 HR 68. Reports ear ringing ""gone"" 12:40 Discharged with parent. Instructed to inform vaccinator of incident when he comes in for his second vaccine 5/11 Unable to reach for follow up"
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1309531-1	blood pressure drop; nearly fainted; chest pain; jaw pain; loss of vision; Multiple bilateral pulmonary embolisms in my lungs; This is a spontaneous report from a contactable consumer (patient). A 40-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection) (at 39 years of age), via an unspecified route of administration, administered in arm left on 04Feb2021 (Batch/Lot Number: EN6202) as 2nd dose, single for COVID-19 immunisation. Medical history included MTHFR blood clotting gene mutation. Concomitant medications included citalopram, metoprolol, omeprazole and minastein fe24, all taken for an unspecified indication, start and stop date were not reported. Historical vaccine included BNT162B2 (lot number: EN9581) dose 1 on an unknown date (also reported as 04Feb2021) 01:00 PM in left arm for COVID-19 immunisation. The patient was not pregnant. The patient did not have any other vaccine within 4 weeks prior to the COVID vaccine. She was not diagnosed with COVID-19 prior to vaccination. She had not been tested for COVID-19 prior since vaccination. It was reported that 6 weeks after the second dose on 21Apr2021 12:00, the patient had a blood pressure drop, nearly fainted, chest pain, jaw pain, loss of vision. She went to emergency room (ER), they did tests and found multiple bilateral pulmonary embolisms in her lungs. The adverse events resulted in Emergency room/department or urgent care. Therapeutic measures were taken as a result of the events, Eliquis (reported as 'Eloquis') blood thinners given. The patient was hospitalized for the events for one day. The outcome of the events was not recovered. Information on the batch lot/batch number has been obtained.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1310149-1	TWO EVENTS; #1 retinal occlusion, #2 disability and pain at left side Details #1 L I VITREO RETINAL, DIAGNOSE RETINAL OCCLUSION, SMALL BLOOD CLOT BACK OF RT EYE. CAUSED LOSS OF VISION ON TUE 5/4/21 AT 2AM, VISION CONSISTED OF BLACK CLOUDS AND PATTERNS WITH HOLES. NO TREATMENT OBSERVATION AND REPORT TO DR. PRESENT CONDITION IS OF CONSTANT THIN PATTERNS WITH HOLES DISTURBING ANY CLOSE READING OR COMPUTER WORK. DISTANCE WITH BOTH EYES HAVE THE PATTERNS BUT MUCH LESS NOTICABLE. #2 ORTHOPEDIC DR. 5/8/2021 6AM SAT 5/8/2021 SEVERE PAIN L SIDE
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1314432-1	Dizziness, weakness in legs, claimed loss of vision by patient. Events occurred ~15 minutes after receiving injection. Patient transferred to emergency department for evaluation
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1320044-1	"Partial loss of vision in left eye after vaccine; muscle weakness; This is a spontaneous report from a contactable consumer (patient). A 63-year-old female patient (not pregnant) received the first dose (also reported as second dose, pending clarification) of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number was reported as ""ER8730.3ML/M"" or ""EW0170%ubt2016"", pending clarification) via an unspecified route of administration at left arm on 27Mar2021 15:15 (63-year-old at time of vaccination), at single dose, for COVID-19 immunization. The patient's medical history included hypertension, arthritis, pneumonia, and allergies to rosemary, day lillies (day lillies). Concomitant medications in two weeks included verapamil HCl, losartan potassium (COZAAR), chlorthalidone, ubidecarenone (COQ10), and vitamin (unspecified). There was no other vaccine in four weeks. The patient experienced partial loss of vision in left eye after vaccine, muscle weakness on 27Mar2021 16:00. Adverse events resulted in doctor or other healthcare professional office/clinic visit. Patient did not have COVID-19 prior vaccination. Patient was not tested for COVID-19 post vaccination. Therapeutic measures were taken as a result of the event ""partial loss of vision in left eye after vaccine"" and included ""Optomoligist and referral to retina specialist"". The outcome of the events was not recovered. Information on the lot/batch number has been requested."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1320635-1	pt received the shot and immediately felt according to him, intense pain in arm and began to loose sight. Patient then seized and went limp. We put the patient flat on the ground to protect from a fall injury and his seizing stopped. His color was very ashy and he was not responding properly to questions we asked. In about 2 minutes, he became more coherent and began talking and responding to our questions. Paramedics were immediately called and they arrived 30 minutes later after 3 phone calls to follow up. Father was with patient.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1321777-1	Within 10 minutes after the vaccination, there were some body tremors and dizziness, then she lost vision, hearing and ability to speak for a few seconds, followed by difficulty breathing and a feeling of her heart ?jumping out of chest.? Eventually, she recovered, but her right hand (not the injection arm) still has involuntary tremors, which has not gone away.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1322949-1	Starting at 0300 5/16/21 Pt was awoken with pain in R arm, R arm pit, and along back. Pain kept waking Pt up, she slept fitfully. Pt stayed in bed until around 1300 5/16/21. She had a project for school due- had to video tape making a recipe. She was standing up videotaping the ingredients when she felt very dizzy. Pt then reported that she lost her vision- everything turned black. I had to rush to her to catch her- she had loss of consciousness for about a minute. She was very pale- lips turned blue. She had a pulse the whole time, BP was 117/60- when I checked it about 5 min later. Her temperature on a ear thermometer was 99.7. After she awoke, she was still very dizzy and stayed in bed most of the day. 5/17/21 AM- she woke up for school 0600- and was feeling better. No more dizziness, color was back in her cheeks, was able to eat and left for school.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1323091-1	Pt was given COVID vaccine #1. Approximately 10min after vaccine administration pt reported losing his vision, having difficulty breathing and numbness in left arm. Denied chest pain, headache, nausea. Pt pulse 59. SpO2 91-96%. Pt pupils dilated. Pt alert x2. This RN called 911 with mother's permission. EMS arrived @1800. At that time pt alert x3, no longer pale, numbness decreased, difficulty breathing resolved. Pt walked out of the office on his own. He was not taken to ED via Ambulance.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1323330-1	10 minutes after her first dose she had been sitting in a chair & developed diaphoresis, warm skin, loss of vision,& low blood pressure. Pt was initially not responsive, when transferred to a wheel chair to take her to a gurney, left arm & left leg jerk twice. Took her to lay down and check her blood pressure. En route, in the wheel chair within about 5 to 10 seconds, she became responsive and said she could not see. Her vision returned to normal within a minute. Her initial blood pressure was 97/64 with O2 Sat 100% on room air. Her skin temp was 95.5, and her HR was 95. She continued to be responsive with excellent oxygenation and When the EMTs arrived she had a blood sugar of 90 and improving blood pressure with a regular rate and rhythm. Her diaphoresis resolved, and she continued to improve, tolerating water. Had similar reaction last year to flu shot, no hx of seizures
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1324494-1	Pfizer-BioNTech COVID-19 Vaccine EUA ; On 5/11/21, Patient experienced tingling in left arm minutes after the vaccine was injected (4:07pm). Patient became nauseous. While in the vehicle to go home, patient's breathing quickened. After this, patient's vision became blurry and he was unable to see. Patient also experienced hearing loss with ringing in ears. The father of the patient pulled the car over in case medical attention was needed. Patient eventually passed out for about 30 seconds (about 4:22). Patient recovered, but complained about fogginess (thinking was unclear and unfocused). The next day, on 5/12/21, the patient experienced chills and nausea without a fever. Currently, the patient is doing fine with no further symptoms.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1325018-1	Lost sight in left eye for 1 hour on 4/14/2021. Although the loss of sight and subsequent hospital visits MAY NOT HAVE BEEN DIRECTLY RELATED to the vaccine, the fact that this occurred 6 days following my 2nd dose makes me want to report it in case others have reported anything similar.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1327004-1	Patient experienced difficulty breathing and felt throat was closing within 3 minutes after administration of vaccine. Also complained of change in vision (temporary loss of vision) and skin tone changed in tone (face turned pale). Epi-pen was administered and 10 ml of liquid Benadryl.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1327068-1	Child received first dose of pfizer vaccine after a minute he turned pale and dizzy. He also said he could not see. His blood pressure was 94/71. He stayed for a half an hour and was feeling better after a half an hour. His color returned to normal and was able to function.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1327759-1	pt lost vision and had headaches. On 4/17/2021 she went to Hospital. They did multiple test. They did blood work and took MRI. She was diagnosed w/ subarachnoid hemorrhage. Pt was given a surgical procure on her head. She was discharged after five days to FU w/ PCP and surgeon

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1329435-1	"lost vision in both eyes; passed out; dizzy; severe nausea set in with severe body pain; severe nausea set in with severe body pain; worst migraine of my life; low blood pressure; This is a spontaneous report received from a contactable consumer (patient). A 19-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration (at the age of 19-years-old), administered in Arm Left on 23Apr2021 13:00 (Lot Number: EW0169) as 1st dose, single for COVID-19 immunization. Medical history included anxiety, and allergies to mosquitoes, hotdogs, and sausage. The patient was not pregnant at the time of vaccination. Concomitant medications included citalopram and drospirenone, estradiol (EOS), IUD, daily supplements. The patient previously took oxycodone ("oxycodone") and percocet [oxycodone hydrochloride;oxycodone terephthalate;paracetamol] and experienced allergies. The patient, 48 hrs later, lost vision in both eyes, became dizzy, passed out multiple times. Later severe nausea set in with severe body pain. Went to Urgent Care the following day and was told side effects. That night had worst migraine of her life, low blood pressure, and continued nausea. Given some meds and sent home to rest. Took 2 full days to feel okay again. Onset date and time of events reported as 25Apr2021 13:00. The adverse events resulted in Emergency room/department or urgent care. Therapeutic measures were taken as a result of the events. Treatment received for the adverse events included Toradol, Benadryl, and Reglan. The patient underwent lab tests and procedures which included sars-cov-2 test: negative (Nasal Swab) on 27Apr2021. The outcome of the events was recovered with sequelae. The events ""lost vision in both eyes"" and ""passed out"" were considered as serious (medically significant). Facility where the most recent COVID-19 vaccine was administered was Clinic/facility. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has been tested for COVID-19. No follow-up attempts are possible, no further information is expected."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1329508-1	Ischemia in left optic nerve causing permanent vision loss; Ischemia in left optic nerve causing permanent vision loss; This is a spontaneous report from a contactable (patient). A 43-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), dose 2 via an unspecified route of administration, administered in Arm Right on 18Jan2021 10:00 (Batch/Lot Number: EL3248) as 2ND DOSE, SINGLE for covid-19 immunization. Medical history included intervertebral disc protrusion, Bulging disc C-Spine, endometriosis, and allergy to sulfa. The patient was previously vaccinated with first dose of bnt162b2, in left arm (Lot number: EK5730) on 28Dec2021 at 12.00pm for covid-19 immunization. Concomitant medications included ashwagandha; loratadine (CLARITIN); vitamins NOS (MV) taken for an unspecified indication, start and stop date were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient received other medications within 2 weeks of vaccination. The patient was not diagnosed with COVID-19 and has not been tested for COVID-19 Since the vaccination. On 06Feb2021 08:00 the patient experienced ischemia in left optic nerve causing permanent vision loss. The patient received treatment for adverse event and events result in Doctor or other healthcare professional office/clinic visit. The outcome of events was not recovered. No follow-up attempts are possible, information about lot/batch number cannot be obtained.; Sender's Comments: Based on known drug safety profile, there is reasonable possibility of causal association between the events blindness and ischemia and the suspect drug. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1332699-1	stroke-like symptoms; not being able to see out of my left eye; the left side of my body was numb; pounding headache on the left side of their head; shooting pain up and down my neck; could barely turn my head with shooting pain down my body; shingles; migraines; This is a spontaneous report from a contactable consumer (patient). A 29-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection) (at 29 years of age), via an unspecified route of administration, administered in arm left on 22Apr2021 10:15 (Batch/Lot number was not reported) as 1ST DOSE, SINGLE for COVID-19 immunisation. Medical history included autoimmune disorder from an unknown date and unknown if ongoing. Concomitant medication included levothyroxine taken for an unspecified indication, start and stop date were not reported. The patient was not pregnant. The patient had no known allergies. She was not diagnosed with COVID-19 prior to vaccination. She has not been tested for COVID-19 since the vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. It was reported that the patient had stroke-like symptoms, not being able to see out of her left eye, the left side of her body was numb, and she a pounding headache on the left side of their head. Upon being checked into the ER, she was immediately put on stroke alert. After a CAT-Scan and two MRIs, blood clots were ruled out. She stayed under close watch, and an IV was administered. All her blood work numbers checked out and the doctors were puzzled. After three to four hours, the symptoms reduced. After ten hours, they were almost gone. She went home and didn't have any more complications that day. Fast forward to the 1st, new symptoms. She now has shooting pain up and down her neck. At first, she thought she strained her neck, but the next day she could barely turn her head with shooting pain down her body. This morning they went to their PPC to get checked out. Luckily, a diagnosis was given. She had developed shingles. The events started on 26Apr2021 10:00 AM. The events resulted to Doctor or other healthcare professional office/clinic visit and Emergency room/department or urgent care. The patient was hospitalized for the events. Therapeutic measures were taken as a result of the events. She was given IV for migraines but it did nothing. The outcome of the events was recovered with lasting effects. Information on the lot/batch number has been requested.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1332778-1	Legally blind; This is a spontaneous report from a contactable consumer (patient). A 68-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Deltoid Left on 14Apr2021 (Batch/Lot number was not reported) (at age of 68-year-old) as 2ND DOSE, SINGLE for covid-19 immunisation. Medical history included type 2 diabetes. The patient's concomitant medications were not reported. The patient previously took the first dose of BNT162B2 on 24Mar2021 (at age of 68-year-old) for COVID-19 immunisation. The patient experienced legally blind on 30Apr2021. Consumer stated, 'I just wanted to know I have type 2 diabetes (Intent: History) and I wanted to know if anybody else has reported any adverse reaction to the vaccine? I have a very bad reaction (Clarification unknown) with Pfizer COVID Vaccine and I wondered if other people has same reaction, people with type 2 diabetes if they have a trouble with the Vaccine'. Date of adverse event: 30Apr (Consumer was unsure). LOT#: Consumer stated, 'I have no idea. There is no bar code. It was from (Pharmacy name). I am also legally blind so, this is very difficult to see it'. Due to network issue call handler voice did not get through to the consumer. Call back was done to gather more information but was not successful. Limited information was available over the call. The outcome of event was unknown. Information about lot/batch number has been requested.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1332841-1	Body chills; Body aches; Blindness; Septic shock due to serratia infection (not sure how the infection came to be); Septic shock due to serratia infection (not sure how the infection came to be); Kidney failure; This is a spontaneous report from a non-contactable consumer. A 68-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on 13Feb2021 (Lot Number: EL9266) as single dose for COVID-19 immunisation. Medical history included type 2 diabetes, stage 4 kidney disease, high blood pressure. Concomitant medications included unspecified drugs. Prior to vaccination, the patient was not diagnosed with COVID-19. On 14Feb2021, the patient experienced body chills, body aches, blindness, septic shock due to serratia infection (not sure how the infection came to be), kidney failure. The events required a visit to the emergency room. No treatment required. The patient was hospitalized due to the events for 18 days and condition was life threatening. The final outcome was fatal. The patient died on 06Mar2021. An autopsy was not performed. Cause of death was septic shock. No follow-up attempts are possible. No further information is expected.; Reported Cause(s) of Death: Septic shock

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1334937-1	I was partially blind in both eyes; extreme headache; fever; pain; malaise; This is a spontaneous report from a contactable consumer (patient). A non-pregnant 19-year-old female patient received BNT162B2(Pfizer-BioNTech COVID-19 mRNA vaccine), dose 1 via an unspecified route of administration, administered in left arm, at age 19 years, on 12Apr2021 14:00 (Batch/Lot number was not reported) as 1ST DOSE, SINGLE for COVID-19 immunisation. Medical history included seasonal asthma from an unknown date and unknown if ongoing and taking birth control medications in 2 weeks. Patient had no known allergies. Patient did not have COVID prior to vaccination. The patient's concomitant medications were not reported. Patient had not had other vaccine in 4 weeks. Patient received vaccine on 12Apr2021 14:00. Six hours later (12Apr2021 20:00), she experienced extreme headache, fever, pain, malaise that lasted through Monday night, Tuesday, and early Wednesday morning (14Apr2021). Fever broke early Wednesday morning and when she woke up later in the morning, She was partially blind in both eyes. All other symptoms were gone. COVID was not tested post vaccination. Treatment was received for the events by ER, personal physician, opthamologist. AE resulted in doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care, Disability or permanent damage. Patient had not recovered from partially blind; while recovered for all other events on 14Apr2021. Information on the lot/batch number has been requested.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1339064-1	I had recovered about 90% (with medication) since having COVID in December when I received my first dose of the COVID vaccine. Thirteen days after the vaccine I began to experience symptoms like when I had COVID. On day 13 I started to itch and my BP dropped and I became light headed. My vision started to go and I had a hard time breathing and forming words for my husband to help me with some water. This lasted about 20 min. Since then I have been having heart rate increases up into the 150s with minimal effort. Bending like doing dishes or putting away groceries makes me extremely light headed. I have become so tired just folding a little bit of laundry. It wasn't until a few weeks in that I noticed this was all exactly like when I had COVID. Including being okay in the morning but having so many issues by the evening. So weird. I'm 3 weeks and 4 days past my second shot and finally starting to have some better days again but no day has been symptom free. I wish could know if this is happening to other long haulers and that it will most likely resolve, I have been starting to wonder about disability and really having a hard time facing the fact that I no longer can complete simple house hold chores like I used to.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1341189-1	Patient developed SVT (supraventricular tachycardia) approximately 29 hours after receiving the COVID vaccine. Patient has no prior history of SVT or any other cardiac related events. Patient was engaged in a basketball game when the SVT occurred. Patient has been involved in multiple competitive sports since the age of four without any prior incident related to exercise. He felt like he could not breathe, his heart was racing, he became dizzy, began to lose his vision and I took him to the local fire station for evaluation.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1343559-1	Approximately 2 hours after receiving her first covid vaccine, my 14 year old fainted. She was standing in our kitchen at home and became dizzy and started falling backwards. She said her vision was black, she was hot, her head hurt, I could see sweat on her face and chest, and she said she was having tightness in her chest/not able to get full breaths. She didn't totally lose consciousness, but she was disoriented. These symptoms lasted a few minutes, then she felt fine.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1347594-1	Extreme fatigue, loss of appetite, upset stomach/nausea, trouble sleeping, noticeable vision getting worse (already wear glasses: last check up was March 2018) Headaches/light headedness persisting over the last few weeks. Sometimes I can feel my heart pounding. General feeling of unwell and not normal. The extreme fatigue has subsided, but I was unable to work from 04/23-05/02. Temp had remained normal throughout and never reached above 99.6. Took a rapid test on 04/23/2021 at Urgent Care, and a lab test from pharmacy for COVID on 05/23/2021; both came back negative.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1348333-1	Patient came to the pharmacy 5/25/21 at 1:20pm to alert us that she had reactions that started 4-5 days after getting her first dose of Pfizer. She reports that her blood sugar increased >400 and >600 4-5 days after the dose. The patient spoke with her Dr and the Dr told her to increase her Lantus and Apidra. The patient also reports getting pain in her right leg that caused trouble walking, bruising on hip that both started 4-5 days after the dose. Patient reports headache, insomnia due to pain and increased blood sugar. Patient reports now sleeping a lot because of exhaustion and having to check her blood sugar every 2 hours and drink lots of water as directed by her Dr. Patient says she finally got her blood sugar down below 120 on Friday 5/21/21. Patient reports she lost some vision and had blurry vision in her left eye that started 5-6 days after the dose. Patient says her A1C was 5.6 before the Pfizer dose and after the dose her blood sugar was uncontrolled. Patient says her Dr told her to go to the ER if her symptoms continued. Patient also spoke with someone at the CDC and they told her they would follow up with her regarding her symptoms and they will let her know if she should get her second dose.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1348883-1	Within 10 minutes after the vaccine I started to feel very faint and eyes became very blurry and couldn't see. The pharmacy gave me water and kept making me drink water and kept checking on me. The vaccine spiked my blood sugar. After a little while my sugar went down and I was fine. That evening I had the worst migraine ever and it lasted 3 days. I also had body aches and chills for 3 days as well and fatigue.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1351561-1	Branch retinal artery occlusion (stroke) causing vision loss Currently taking aspirin and Lipitor as prophylactic measure while continuing to undergo extensive testing
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1351694-1	After 15 minute observation period patient experienced weakness in arms and legs, sweating, loss of vision, and pupil dilation. Patient was brought back to the pharmacy around 6:15pm, after a few minutes of sitting the patients pupils returned to normal and the patient regained vision. After 15 minutes the patient was able to stand without issue. An ambulance was called, paramedics monitored the patient and took the patient to a near by hospital.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1352140-1	Pt has history of anorexia. When she arrived at 1:00pm stated she had only eaten 1/2 banana today. Stated she has lightheaded and dizziness frequently and right then. RN instructed her to go and eat something before her vaccine could be given. She returned at 2:15 after eating a whole roast beef sandwich. Vaccine was given and she immediately began feeling even more lightheaded than her norm, per her. She was assisted to lay flat on the floor and feet placed up on the chair. She stated that helped but still was feeling poorly. 911 was called. She was diaphoretic and got a severe headache, stating she was blacking out and unable to see. She never lost consciousness. Mother remained at side. EMT took her to hospital.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1352366-1	Dizziness, Lightheaded, Gray-out, Ears ringing
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1353512-1	50% loss of vision; Tingling on one side of body; Experienced Transient Ischemic Attack 1 week after vaccine 2nd dose (April 27, 2021).; Strong pressure in head; loss of ability to support body in RL; Slurred speech; Difficulty in breathing; Cognitive difficulties; Extreme headache; This is a spontaneous report from a contactable consumer (patient) reported for himself that a 40-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Batch/Lot Number: EL7533) via an unspecified route of administration, administered in Arm Left on 20Apr2021 14:00 as 2nd dose, single for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. Patient previously received first dose of BNT162B2 (Lot number EL8727) in the Left arm on 29Mar2021 16:00 at the age of 40 years for covid-19 immunisation. No known allergies. No vaccines were received within 4 weeks prior to the COVID vaccine. Healthy and no prior adverse event history. The patient experienced transient ischemic attack 1 week after vaccine 2nd dose, strong pressure in head, loss of ability to support body in RL, slurred speech, difficulty breathing, cognitive difficulties, extreme headache on 27Apr2021 16:30; visited emergency department. 2nd incident 02May2021- 50% loss of vision, tingling on one side of body, slurred speech, cognitive difficulties, extreme headache. The adverse events resulted in emergency room and healthcare professional office visit. Patient was treated with headache medications. It was reported that patient was recovered from events. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. Outcome of the events was recovered in 2021. Information on Lot/Batch number was available. Additional information has been requested.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1353570-1	Could not see out of it for a little; Head was pounding; Eyes were clouding up again in right eye; She also had temperature of 103; This is a spontaneous report from a contactable consumer (patient). A 65-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on an unspecified date (Lot number was not reported) as single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. The patient previously received the first dose of BNT162B2 on an unspecified date for COVID-19 immunization and had no reaction. Patient received Covid shot and first injection she had no reaction but with second one her head was pounding, eyes were clouding up again in right eye and could not see out of it for a little. She also had temperature of 103 F. The outcome of the events was unknown. Information on the lot/batch number has been requested.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1355055-1	Headache, vision loss, stiff neck. Caused Aseptic Chemical Meningitis

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1357282-1	<p>"couldn't even function; I have been having really bad breathing problem; Loss of appetite; I just got bruised; double vision; couldn't stand; couldn't even focus; her eyes could not focus; could not see to drive, all of sudden my vision was gone away; diarrhea; blurred vision; vertigo; continuous dizziness; This is a spontaneous report from a contactable consumer. A 53-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 2 via an unspecified route of administration on 26Apr2021 (at the age of 52 years-old) (Batch/Lot Number: EW0169; Expiration Date: Aug2021) as 2ND DOSE, SINGLE for covid-19 immunisation. Medical history included syncope Unspecified syncope, migraine Chronic Migraines, concussion history of severe chronic migraines and unspecified syncope due to have a concussion 3 times. The patient received first dose BNT162B2 for COVID-19 immunization on 06Apr2021 at the age of 52 years old. Caller said that since the second dose she has diarrhea that is coming and going, but she has been having it for 2 weeks and is treating it with Imodium AD. She has been having blurred vision, vertigo, and dizziness continuously. She has never had this before. She said that within an hour of getting the second dose, she was taking her dog for a walk and only made it a block before she had to come home because she thought she was going to fall. She states on Mothers Day she felt like she could not get her bearings and states it was ""very, very scary."" She said that she cant even walk down her staircase or drive her vehicle. Consumer further stated, I have been having a loss of appetite too not feverish or anything and you know I had the shot, I had no reaction there. I just got bruised and I had no hurt or anything. I have been having symptoms. I had several symptoms from Pfizer but the second vaccine I had been having sever symptoms, they haven't gone away. I was vaccinated for second vaccination on second dose was on 26Apr2021. I am pulling it on my screen here because I have a V-safe. I have been having really bad breathing problem. I have brain situation that my neurology check. I have underlying medical conditions. My pulmonologist asked me to get the Pfizer so that's what I did. I had the first dose 06Apr2021, I had the second dose 26Apr2021. Now basically just the second dose, I started having visions problem really bad and dizziness, it's kind of little vertigo. I had severe diarrhea for at least I guess I am still having it little bit. So it was really severe for about a week or so. But I have it, I am having it still couple of days, 3 weeks still, 3 and a half days and week. The vision on modern days I had like double vision and dizziness and I got vertigo, the whole day. So my brother left with my granddaughter. I had to hold on to the banished couldn't stand. I couldn't even focus. I have unspecified think to the give more and I have a severe chronic migraine (Intent: History) since I am 4 years old but I have never had this happened to me until after I took the Pfizer second vaccine. The day that I took the Pfizer second vaccine, I went with my dog outside I only was able to walk a block and a half and then I had to walk back home because I felt dizzy. Now this is about an hour after I took the second vaccine. Also the next day I drove my car to the park, this is about maybe 10 minutes away and I was getting home run around the park and about an hour after that I had going to car and and surrounded and could not even get my barring's. She states the next day she took her dog to the dog park and experienced the same thing so she had to lay down in her car and states she ""couldn't even function."" She states that when she was driving later, she states her eyes could not focus and she could not see to drive. As she was driving home, all of sudden my vision was gone away, from what happen was is I had to call my son. Then I started to cry because I couldn't able to see. Now this has been continuing since the vaccine. Therapeutic measures were taken as a result of diarrhea. The outcome of the events was not recovered. No follow-up attempts are needed; information about lot/batch number cannot be obtained."</p>
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1357345-1	<p>Loss of vision; pain down back; impaired ability to move; This is a spontaneous report received from a contactable consumer, the patient. A female patient (over 50) of an unspecified age received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: UNKNOWN), via an unspecified route of administration on an unspecified date as a single dose for covid-19 immunization. The patient's medical history and concomitant medications were not reported. On an unspecified date, the patient experienced loss of vision, pain down back after second injection and impaired ability to move. The patient was tested for MS after all symptoms came back negative. Outcome of the event was unknown. Follow up attempts needed. Further information is expected.</p>

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1357860-1	"shortly after receiving the vaccine, she developed lightheadedness, frontal headache and a feeling of ""fuzziness."" ""I knew it was going to start."" She describes a globus sensation. She developed nausea without vomiting. Took 40 mg of prednisone and 25 mg of diphenhydramine. EMS was contacted. She tells me that she lost vision and couldn't see the paramedics when they arrived. Discharged from ED, then returned on 3/17/21, when she began experiencing face itchiness and flushing, numbness of her mouth and lips, throat inflammation, and vision loss. Patient took Prednisone this morning with little symptom relief. Compared to yesterday, the only new symptom is throat inflammation. 4/30/21 Primary care visit: presents to the clinic for evaluation of globus sensation. Patient reports that this has been an issue ever since she got her first dose of Pfizer COVID-19 vaccine. She feels as though there is something in her throat and feels pain or discomfort, most often in the mornings and evenings for several weeks. She feels the need to ""clear"" her throat often. She denies any trouble eating or swallowing. She feels as though her neck and face still appear swollen compared to her baseline, since getting the vaccine. She reports occasional post nasal drip but denies significant nasal congestion and does not feel this is the typical time for her to struggle with her allergies. She has noticed frequent nose bleeds in the past 2 weeks, now daily. She states that she will sometimes bleed up to 15-20 minutes. She has been feeling more tired and ""foggy"" or more forgetful in the past few weeks as well and fears this is starting to affect her work performance."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1358646-1	Approximately five minutes after the vaccination, patient became very light-headed and nauseated with loss of vision. She was offered water and hard candy while waiting for the paramedics to arrive. She took a small amount of each, but declined anything else from the store. She seemed to be in significant distress and had difficulty moving to the immunization room where she would be out of view from others in the store. Paramedics arrived and checked her vitals and said those looked ok, so they didn't seem concerned. Patient still seemed very unsteady when leaving, but did say that her vision had improved. Patients were advised to keep a very close eye on her.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1360481-1	I started to lose my sight, at first it was my entire peripheral vision and it looked like I was looking through a black holed telescope and then I completely lost sight; Crashed into a stand and passed out; I got really dizzy; I sat in a chair where I became incredibly hot; Sweat through all my clothes; Immediately extremely cold; crashed into a stand; This is a spontaneous report from a contactable consumer (the patient). A 21-year-old non-pregnant female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EW0173) via an unspecified route of administration in left arm on 13May2021 18:00 at age of 21-year-old at single dose for COVID-19 immunisation. Prior to vaccination, the patient diagnosed with COVID-19. No known allergies. No other medical history. Concomitant medication included: the patient received birth control medication within 2 weeks of vaccination. The patient previously took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EP7533) via an unspecified route of administration on 19Apr2021 01:15 PM at age of 21-year-old for COVID-19 immunization. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient had not been tested for COVID-19 since the vaccination. The patient got really dizzy, then as she tried to walk away she started to lose her sight, at first it was her entire peripheral vision and it looked like she was looking through a black holed telescope and then she completely lost sight. She became very dizzy and crashed into a stand and passed out. While she was passed out on the floor she uncontrollably defected. Once someone helped her up, she sat in a chair where she became incredibly hot, sweat through all her clothes and then immediately extremely cold. The events onset date reported as 14May2021 09:00AM. No treatment received for the events. The outcome of the events was recovering. The report was non-serious.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1360615-1	Ocular ischemia that the blood flow into my eyes; Told me I am going to go blind; I could wake up blind or gradually go blind, that I was going to lose my sight; Black spots and a bunch of floaters; Black spots and a bunch of floaters; This is a spontaneous report from a contactable consumer or other non hcp. A patient of unspecified age and gender received bnt162b2 (PFIZER-BIONTECH COVID ù 19 mRNA VACCINE; formulation: Solution for injection), dose 1 via an unspecified route of administration on 02Apr2021 (Batch/Lot number was not reported) as 1ST DOSE, SINGLE DOSE for covid-19 immunisation. The patient medical history was not reported. The patient's concomitant medications were not reported. It was reported that patient just want to ask about some side effects from having the vaccine. He/she had the first Vaccine on 02Apr2021 and that was the Friday and the following Friday patient had to scramble for an emergency eye appointment. He/she woke up with some black spots and a bunch of floaters and by the time everything was done they told he/she had ocular ischemia that the blood flow into my eyes, it was kind of (incomplete sentence). He/she did not had the comorbid for the diagnosis, people who have that usually have high cholesterol or uncontrollable sugar and things like that but patient did not. And he/she was wondering if this was something that Pfizer has seen because basically they told him/her that he/she going to go blind. By the time patient got out successfully and everything they told him/her that he/she had ocular ischemia. And he/she did not have the comorbidity for the disease process. And frankly patient had been a little scared to take the second one because they told he/she could wake up blind or gradually go blind, that he/she was going to lose his/her sight and that was a huge change in life here. He/she did not know if it has occurred in other patients as well or had vaccinated or not. It was also reported that patient was supposed to be on the same day when he/she saw that specialist about his/her eye which was the 20th of, the 23rd and he kept him/her all day long, he/she am not kidding he kept him/her in his office from 8:45 till 16:30, he/she was all day long he was running test after test on me. Outcome of the events was unknown. No follow-up attempts are possible. No further information is expected.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1361538-1	Immediately following vaccine, client reported visual disturbance, couldn't see, pale, clammy, dilated pupils. Resolved after one minute.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1361788-1	Mother reported daughter fell in bathroom in the middle of the night- said she couldn't see then sight came back. Then again Mother checked on daughter later on and daughter was unresponsive when mom was tapping her in the face-she was just looking at her mom but not seeing or hearing her -like a black out-- couldnt be woken up easily- and when she did wake she couldn't see. But since those 2 episodes daughter's sight is back but she feels nauseous and has an upset stomach.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1367153-1	Unable to use left arm or hand; Seizure; Lost vision in left eye; This is a spontaneous report from a contactable consumer (patient wife). A 74-years-old male patient received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration, administered in Arm Right on 31Mar2021 10:00 (Batch/Lot Number: ER8730) (at 74 year old) as 2ND DOSE, SINGLE DOSE for covid-19 immunisation. Medical history included slight stroke from 2012, seizure disorder from 1972 and ongoing (She says her husband did have a seizure disorder since his car accident in 1972, but he hadn't had a seizure in years), road traffic accident from 1972 (Caller says her husband had a car accident in 1972 and had some injuries from that), injury from 1972 (Caller says her husband had a car accident in 1972 and had some injuries from that). The patient's concomitant medications were not reported. Historical Vaccine included first dose (LOT: EN6199) of BNT162B2 (Pfizer COVID-19 vaccine) for COVID-19 immunization on 10Mar2021 10:00AM in his right arm at 74-year-old experienced tiredness and arm soreness. The patient experienced seizure on 20Apr2021 with outcome of recovered in 2021, lost vision in left eye on 20Apr2021 with outcome of recovered on 21Apr2021, unable to use left arm or hand on 20Apr2021 with outcome of recovered on 21Apr2021. The events caused Emergency Room Visit, and were serious due to hospitalization since 20Apr2021 to May2021 for 19 days. The patient underwent lab tests and procedures which included magnetic resonance imaging and scan brain: no evidence of a stroke said it was a seizure on 20Apr2021. The consumer reported that her husband ended up going to the ER and spending 2.5 weeks in hospital after the second dose. She says it started out like a stroke, he lost vision in his left eye temporarily then couldn't use his left arm, couldn't raise it or use his hand or wiggle his fingers. She says that ended up being temporary too. She says he then took a seizure before the ambulance got there, so when he got to the hospital they assumed it was stroke and a seizure and he ended up in intensive care unit. She says as days went on and they did MRIs and brain scans, stuff like that, they found no evidence of a stroke said it was a seizure that caused it, and that next day he got his vision back after he was there overnight in the intensive care unit, and could use his arm, raise his arm, and hold things with his left hand. She says it was 20Apr, 20 days later, that this occurred and he was admitted to the hospital. The patient was home now after spending 2.5 weeks in the hospital. She says he is home and doing ok, he is back to how he was. She says that they did give him a seizure medicine.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1367173-1	<p>she sees something like she's blind; her eyes feel like she put some lemon inside her eyes; pain in her eyes after the second dose; headache/painful in her head; can't take her arms in one position, she has to move around; pain in her arms is getting worse; pain in her ears; pain all over her body; muscle pain; lost her appetite; tired in the beginning, sleeping all day; tired in the beginning, sleeping all day; right side of her head, neck, back, all her arm tingles on her right; worsened when she received her second dose; right-sided back/neck/shoulder pain; right-sided back/neck/shoulder pain; right-sided back/neck/shoulder pain; This is a spontaneous report from a contactable consumer (patient). A 57-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in arm left on 12May2021 (Batch/Lot Number: EW0164) as single dose for COVID-19 immunization. The patient medical history was none. Concomitant medications included colecalciferol (VITAMIN D 3); zinc; ascorbic acid (VITAMIN C ACID); ascorbic acid/ergocalciferol/nicotinamide/retinol palmitate/riboflavin/thiamine mononitrate (MULTIVITAMIN 6) from an unspecified date and ongoing (been taking them her whole life). The patient previously received BNT162B2, dose 1 administered in arm left (injection) on 05Apr2021 (Batch/Lot Number: EW0158) for COVID-19 immunization and experienced painful, tired, headache, sleep all day because she wasn't sleeping good, hard for her to look back to the right side, arm was getting painful on her shoulder/back, numb and pain came on more strong in back. The patient experienced saw something like she's blind on 15May2021 with outcome of not recovered; her eyes feel like she put some lemon inside her eyes on 15May2021 with outcome of not recovered; pain in her eyes after the second dose on an unspecified date in May2021 with outcome of unknown; headache/painful in her head on an unspecified date in May2021 with outcome of not recovered; couldn't take her arms in one position, she has to move around on an unspecified date in May2021 with outcome of not recovered; pain in her arms was getting worse on an unspecified date in May2021 with outcome of not recovered; pain in her ears on an unspecified date in May2021 with outcome of not recovered; pain all over her body on an unspecified date in May2021 with outcome of not recovered; muscle pain on an unspecified date in May2021with outcome of unknown; lost her appetite on an unspecified date in May2021 with outcome of unknown; tired in the beginning, sleeping all day on an unspecified date in May2021 with outcome of not recovered; right side of her head, neck, back, all her arm tingles on her right on an unspecified date in May2021 with outcome of unknown, right-sided back/neck/shoulder pain on an unspecified date in May2021 with outcome of unknown, all reported as worsened. Clinical course reported as follow: Patient was calling to ask if taking ibuprofen (ADVIL) or naproxen sodium (ALEVE) to treat side effects was better than taking paracetamol (TYLENOL), which was what she has been taking. Patient received her first dose of the Pfizer BioNTech COVID-19 vaccine and experienced side effects that were worse after receiving the second dose. Patient reported pain in her eyes after the second dose. Patient was very concerned about the shot she has gotten. She was in such painful. She stated the whole right side of her head, neck, her back and all her arm tingles on her right. She stated the one she got, the second one, it made her have a headache. When she got the second shot, her arm, she couldn't take her arms in one position, like when she's driving, she has to move around or something. Patient stated but something she's really concerned about was about three days ago, after she take that shot, she had such a headache, the pain in her arms was getting worse. She felt a pain in her ears, its painful/sound in her ear and stated they were painful, not all day, but sometimes, but it was getting really strong. The most concern was her eyes, when she has such a headache, it's like needles in her head, and her eyes were feeling like she put some lemon inside her eyes (11:00 in the morning), it really hurts. She closed her eyes because she couldn't leave it open. When she opens her eyes, she saw something like she's blind and was really concerned, the first time it started was Saturday, 15May2021. Yesterday and Sunday, it happened three times, today two times already. It was ongoing, persisting, and was happening more often. It's getting worse since yesterday. Patient already talked to the doctor in the hospital, but they gave her prescriptions because they said for the pain all over her body that it was the symptoms for the shot, so they gave her prescription for the muscle pain and they said it was gonna be gone like a couple of days, and it was still there for more than two weeks, so it was too much. Patient stated another thing that concerns her was she has lost her appetite. She still took her vitamins, but she didn't know what the pain was from. Patient confirmed all symptoms have gotten worse since they began. Patient then decided she would like to be transferred to facility because she has pain now and would like to speak to someone. Patient reported of right-sided back/neck/shoulder/arm pain that began after her first Pfizer COVID vaccine and worsened when she received her second dose. Patient stated the doctor sent her some medicine, like anti-inflammatory and muscle pain relievers, but it didn't help. No family medical history relevant to AEs. No relevant tests. AEs did not require a visit to emergency room and physician office, just talked to physician on the phone. Follow-up attempts are needed. Information about lot/batch number is available.</p>

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1367184-1	half of face is paralyzed; vision blurry and can't see; eyes hurt and are burning; eyes hurt and are burning; vision blurry and can't see; This is a spontaneous report from a contactable consumer (patient) reported for herself. A 57-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on 09May2021 (Lot Number: ER8735) as 2nd dose, single for covid-19 immunisation (reported as does not want to die) in Pharmacy. The patient medical history and concomitant medications were not reported. Patient previously received the first dose of BNT162B2 (Lot number: W0L61 or W0161) at age of 57 years old on 18Apr2021 at right arm for Covid-19 immunization. Caller state she received the first and second shot Covid. Clarified that she is referring to the Pfizer Covid vaccine. She got the shot last Sunday, a week ago. Patient experienced half of face is paralyzed: States that it is the left side or the right, she doesn't even know any more. It started the same day she got the vaccine, last Sunday 09May2021. It is getting worse. No treatment (nothing) for it. Also reported hard to read (lot number) because her eyes hurt and are burning. Caller states that she cannot see and that her eyes hurt very bad and they are burning. She cannot see and her vision is blurry (all on 09May2021). Wanted to know what to do. Outcome of the events was not recovered.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1367840-1	death vision loss Acute cerebrovascular accident acute hyponatremia
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1368462-1	Nauseous (lasted about 5-8 minutes) Purplish/bluish blinding light where vision was blocked (30 sec-1min approximately)
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1369085-1	Patient became dizzy/started losing his vision fairly quickly after receiving the vaccine. He kept repeating he couldn't see. He stumbled forward then fell down. Patient did hit his head. Store associate got him up and into a chair and started asking him questions. Mom stated he had just received vaccine. They were not told by the pharmacist on duty to stay to be monitored for 15 minutes after. He did say that he had a headache. Gave the patient some water, had him move his arm around, and monitored patient until pharmacy closed.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1372547-1	Sudden and complete loss of vision in left eye for about 1 minute followed immediately by sudden and complete recovery of vision. No other symptoms. Lovastatin increased from 20mg/day to 40mg/day. Aspirin increased from 81mg every other day to 81mg every day. I have not subsequently experienced any symptoms to date.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1375950-1	Within the first 24 hours after the vaccine patient experienced: blackout 1.5 hours after the vaccine headache loss of vision, hearing, and sensations, nausea chest pain productive cough of different color sputum. Currently patient is experiencing productive cough and headache
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1377021-1	Systemic: Abdominal Pain-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Headache-Medium, Systemic: Hypotension-Severe, Systemic: Nausea-Medium, Systemic: Shakiness-Mild, Systemic: Vomiting-Medium, Systemic: Weakness-Medium, Additional Details: Following 2nd covid-19 vaccination, patient became very lightheaded and fainted while seated in chair. After coming to again, she was very pale, having a hard time controlling her breathing and stated she couldnt see. 911 was called and upon the paramedics arriving, blood pressures both sitting and standing were taken, as well as a blood glucose reading. The patients blood pressure was low but stable, and her blood glucose reading was normal. Patient walked out of store with paramedics and Mom.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1378074-1	began with Sharp shooting pain in shoulders, then Shoulder blades, lower calves ankles and feet. Numbness, tingling stabbing pain for 2 months in calves and ankles and feet. Loss of vision in lower right eye on March 19th.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1381061-1	loss of vision; very hard, large lump has surfaced in her left breast/originates from the lymph node in her arm pit and runs to her nipple/Hard lump surfaced on lymph node at base of skull; very hard, large lump has surfaced in her left breast/originates from the lymph node in her arm pit and runs to her nipple/Hard lump surfaced on lymph node at base of skull; 103 fever; constant shaking; uncontrollable vomiting; dry heaving; headaches; extreme aching in back and chest; extreme aching in back and chest; This is a spontaneous report from a contactable consumer (patient) reported for herself. A 48-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration into left arm on 17May2021 16:00 (Batch/Lot number was not reported) as 2nd dose, single for covid-19 immunisation in Pharmacy or Drug Store. Medical history included allergy to bees (known allergies: Bees). The patient's concomitant medications were none (no other medications the patient received within 2 weeks of vaccination), the patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. patient previously received first dose of BNT162B2 for COVID-19 Immunization. The patient experienced very hard, large lump has surfaced in her left breast, It is shaped like a straw, over two inches long. it originates from the lymph node in her arm pit and runs to her nipple, Hard lump surfaced on lymph node at base of skull. During 72 hours following second shot: 103 fever, constant shaking, loss of vision, uncontrollable vomiting, dry heaving, headaches, extreme aching in back and chest, all on 18May2021 08:00. the adverse event result in Doctor or other healthcare professional office/clinic visit. The patient underwent lab tests and procedures in May2021: blood test, mammogram, sonogram test with unknown results. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient been has not tested for COVID-19. treatment received for the events included Bloodwork, sonogram and mammogram. Outcome of the events was not recovered. It was reported as non-Seriousness. Seriousness criteria of Results in death, Life threatening, Caused/prolonged hospitalization, Disabling/Incapacitating, Congenital anomaly/birth defect were all no. Information on the lot/batch number has been requested.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1381118-1	"now inflammation that is causing blindness; eye irritation; inflammation; Open-Angle Glaucoma; Uveitis; Granulomatous Anterior Uveitis; Uveitic Ocular Hypertension; This is a spontaneous report from a contactable consumer (patient). A 36-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: er8735; Expiration Date: 31Jul2021), 1st dose via an unspecified route of administration, administered in Arm Left on 01May2021 at age of 36 years old as a single dose for COVID-19 immunisation. Medical history included celiac disease and gastroparesis. The patient's concomitant medications were not reported. The patient experienced open-angle glaucoma, uveitis, granulomatous anterior uveitis, uveitic ocular hypertension, all on 16May2021, now inflammation that is causing blindness, eye irritation, inflammation, all on an unspecified date. The patient underwent lab tests and procedures which included weight: 73.48 kg, height: 145cm, both on an unknown date. Therapeutic measures were taken as a result of all events. The outcome of the events was not recovered. Clinical course: consumer stated, ""I was calling to report a possible side effect I do not see to do it online so I decided to call in."" Consumer stated, ""I had started to having a eye irritation that has turned into glaucoma that they are thinking had a now inflammation that is causing blindness."" Consumer informed about Pfizer medical information department. Consumer stated, ""Expiration July 31, 2021."" Consumer stated, ""Its started on Sunday (Later confirmed May 16 2021)."" Site of vaccination: consumer stated, "" Left arm."" Other medication for medical conditions: consumer stated, ""No , nothing Its all diet , its diet regulation."" Lab Test: consumer stated, ""No, everything comes negative."" Still experiencing the events: consumer stated, ""Yes, its same."" Outcome of events: consumer stated, "" Same."" Treatment in response to events: Consumer stated, Valacyclovir, Cyclopentolate, Brimonidine, Acetazolamide, Prednisolone."" There had no known allergies. The patient was not pregnancy at time of vaccination. The patient had not received any other vaccines within 4 weeks prior to the COVID vaccine. The patient had not received any other medications within 2 weeks of vaccination. The adverse events (open-angle glaucoma, uveitis, granulomatous anterior uveitis, uveitic ocular hypertension) resulted in following: doctor or other healthcare professional office/clinic visit and emergency room/department or urgent care. The treatment for the adverse events was included medications and eye drops. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19."
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1381851-1	Vision loss, hearing loss, muscle control loss and fell over. Thought I was dying. Feel better now after breathing and trying to call myself down as it panicked me. Cuts and scrapes on hand and knee and elbow from falling. Scary as luckily I made it home driving ok.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1385968-1	Vasovagal Response. Passed out for 2 minutes and when awoken she could not see for 10 minutes.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1387757-1	can't see; sick; Clammy; This is a spontaneous report from a contactable consumer (patient). A patient of unspecified age and gender received BNT162B2 (Pfizer-BioNTech COVID-19 vaccine, lot number and expiry date unknown), via an unspecified route of administration on 18May2021 as an unknown dose number, as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient wanted to know if the vaccine can make the eyes go blurry. On 22May2021, Saturday, the patient has been sick and clammy and the patient can't see, it was a mess. The patient did not know whether he needs to go to the emergency room or not. The outcome of the events was unknown. Information on the lot/batch number has been requested.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1387763-1	migraine headache disease; her eye is producing gunk; Almost kind of like pink eye; felt like a thousand needles are in the patient's eye; losing her vision; Blurriness; maybe allergies; arm started hurting worse than it did after the caller received the first dose; throat is all scratchy; spot where the caller received the second dose Pfizer Covid Vaccine was sort of hard to the touch; This is a spontaneous report from contactable consumer (patient herself). A 43-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in the right upper arm on 19May2021 (Batch/Lot Number: EP6955) as 2nd dose, single for COVID-19 immunisation. The patient had no relevant medical history and no concomitant medications. The patient previously received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration in the right upper arm on 28Apr2021 (Batch/Lot Number: EW0176) as 1st dose, single for COVID-19 immunization and experienced arm started hurting, felt like had a flu, started losing voice, had a hard spot, being lethargic, and had a hoarse voice. The patient had no other vaccinations within four weeks prior to the first administration date of the suspect vaccine. On 19May2021, the patient received her second dose Pfizer Covid Vaccine and her arm started hurting worse than it did after she received the first dose Pfizer Covid Vaccine. The patient has started losing her voice. The worst thing of it was, the patient was now losing her vision. She cannot see anything close up, all blurry. This began the next day after receiving the second dose Pfizer Covid Vaccine, 20May2021. She probably wouldn't have thought much of it, mentioned it to her husband, who was a medic. The patient's husband said something like allergies increase. She ignored it and the next day she had an online appointment with someone and that person mentioned the patient was clawing at her eyes. That was when the blurriness started. The white of her eye was not red, but during the day her eye was producing gunk. Almost kind of like pink eye. She wakes up in the morning and has gunk in her eye. The patient had been putting Visine Red Eye Comfort (lot numbers: KAB6601, expiration date: Jan2023) in her eye and it was not helping. She read online and searched and found a woman who lost her vision after receiving the Pfizer Covid Vaccine. She said Pfizer's list stated inflammation may be possible and a list of more serious side effects listed was eye blurriness. She stated her vision was getting worse every day. The worst thing of it was now losing vision. If she closes her eyes like a little bit more than just blinking, closes where put eyelids together, this felt like a thousand needles are in the patient's eye. Everyday her eyes have gotten worse. For example, while watching a program on television, she could not tell the faces of the people and said she didn't know what was going on. Because it was so blurry, she thought maybe it was screen time and she tried everything. Today, the patient was quiet worried and it seemed like it has progressed. It had multiplied, everyday it gets worse by 20%. It was twice as bad today as it was yesterday. The patient was a little frightened. The patient's throat was all scratchy. She had a headache but said that was kind of normal. She gets headaches on a daily basis, but the headache was not going away. She had migraine headache disease and doesn't think she had headaches because of the second dose Pfizer Covid Vaccine. The patient stated she has quarantined and hasn't gone anywhere, no group stuff, nothing. She was afraid it's from the Pfizer Covid Vaccine, it was maybe allergies, even though she has never had allergies her whole life. If it was not pink eye, the patient did not want to take antibiotics. She only takes antibiotics for what was needed. She was confused if her eyes get worse, if it was more difficult to blink or more blurry. She knew one of the things she looked at said a very strained side effect was Covid Eye or whatever after receiving the Pfizer Covid Vaccine, but it blurs vision and may clear up after a few days. If she goes to the doctor and he says this might be a side effect, she doesn't know that the doctor will do anything or know what to do. If better or worse the patient stated she will call Pfizer back to report. She does not know how many people got this batch of the Pfizer Covid Vaccine. The events did not require visit to the emergency room or the physician's office. The patient stated she thought she better call because she doesn't want other people getting the Pfizer Covid Vaccine if maybe it was off or the pharmacy was not handling the medication right. The outcome of the event 'arm started hurting worse than it did after the caller received the first dose' was recovered on 25May2021, of losing her vision and blurriness was not recovered, and of remaining events was unknown. No follow-up attempts are needed. No further information is expected.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1388344-1	The evening of the vaccine Maddison had slightly labored breathing, pins and needles feelings in feet and hands. Fever, body aches. The morning after while taking their temperature, Maddison said she couldn't see anything then fell into my arms. Her pupils quickly dilated, she made guttural sounds while shaking slightly then lost consciousness. I couldn't see her breathing for about 15 seconds and she was confused when she came to. She couldn't hear, see or speak during the episode. We took her to the emergency room where a chest xray and ekg came back clear.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1388900-1	Site: Pain at Injection Site-Mild, Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: LOSS OF VISION SHORT TERM-Mild, Systemic: Flushed / Sweating-Mild
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1389155-1	Patient became dizzy and heart began racing a few minutes after immunization. Increased dizziness and then patient began having rigors that continued for 1 hour and 20 minutes post vaccination. He also experienced numbness in his body as well as warmth in his stomach and extremities. He was given Benadryl soon after vaccination. He was sent to the ER of to be monitored. Vitals and labs were deemed to be OK. Rigors ceased 20 minutes after arriving at the ER. He was monitored for a couple of hours and subsequently discharged. He has had severe fatigue. The day following immunization, he had another episode of rigors and numbness. Paramedics were called and evaluated patient at home. Patient then began having panic attacks and losing vision, brain fog, dizziness, and body numbness that have continued since that time. He has also had recurrent episodes of paranoia that started 3-4 days post vaccination and continue today. Patient has seen immunologist and is seeing psychologist weekly for counseling and EDMR. He has seen ophthalmologist as well as his primary care physician.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1389505-1	Aproximately 5 minutes after receipt of 2nd dose, patient began feeling hot, and dizzy. Symptoms progressed to gagging, loss of vision and hearing. Patient was placed in the modified tredelenburg postion, vital signs obtained and monitored for roughly 40 minutes. Vital signs were initially low, RN assessed patient had not even prior to vaccine adminsitration. Offered water and energy bar, placed bag of ice on back of neck. Patient did not experience and respiratory distress throughout event. Mother was educated on signs and symptosm to monitor for post vaccine and if any new or worsending symptoms presented to seek care at the emergency room.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1390943-1	Lost his vision; Breathing almost completely shut down; Severe fever and sweats that night; Ringing in his ears; Cold sweat; Severe fever and sweats that night; Could not get up from the chair or move to 40 minutes; Achy; Arm severely sore; This is a spontaneous report from a contactable consumer (parent of the patient). A 30-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), second dose via an unspecified route of administration on 09May2021 (Batch/Lot Number: ER8735, at the age of 30 years) as a single dose for COVID-19 immunization at a pharmacy drug store. Medical history included allergies to antibiotics (penicillin and all cross over drugs). The patient has no prior no health issues. The patient was not diagnosed with COVID-19 prior to vaccination. Historical vaccine included the patient received the first dose of the BNT162B2 vaccine (Batch/Lot Number: EW0151) on 09Apr2021 for COVID-19 immunization. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Concomitant medication was reported as none. The patient was not taking any other medications within 2 weeks of receiving the vaccination. On 09May2021, the patient received the second dose of the BNT162B2 vaccine. On 09May2021, the patient had a immediate reaction to the vaccination where his breathing almost completely shut down. He experienced ringing in his ears, lost his vision and had cold sweats. He could not get up from the chair or move for 40 minutes. It was reported that the patient meditates, and he kept his breathing going on his own. The pharmacist assisted him. That night he was achy and had severe fever and sweats. He had to rest for many days. His arm was severely sore and took many days to recover. It was reported that the patient has a very high threshold for pain, but this was severe. The patient has not been tested for COVID-19 after receiving the vaccination. The consumer inquired if the patient should avoid all COVID booster shots next year. The consumer inquired if it possibly this was a polyethylene glycol reaction. No treatment was received for the events. The outcome of event arm was severely sore was recovered in May2021. The outcome of the events loss of vision, breathing almost completely shut down, severe fever, ringing in his ears, night sweats, cold sweats, could not get up from the chair or move and achey was reported as recovering.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1391016-1	small stroke in the occipital lobe; headaches and partial vision loss due to the stroke; headaches and partial vision loss due to the stroke; This is a spontaneous report from a contactable consumer (patient). A 37-year-old male patient received bnt162b2, via an unspecified route of administration, administered in Right arm (at the age of 37-year-old) on 23Apr2021 09:30 (Lot Number: ER8731) as single dose for covid-19 immunisation. Medical history was none. Concomitant medication included clomiphene [clomifene]; vitamin d [vitamin d nos]; phentermine. He was hospitalized for 3 days. They determined he had a small stroke in the occipital lobe. He currently experiencing headaches and partial vision loss due to the stroke. The events started from 27May2021 10:30. The events resulted in Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care, Hospitalization, Life threatening illness (immediate risk of death from the event), Disability or permanent damage. Received the treatment (Currently undergoing treatment). The outcome of the events was not recovered.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1392071-1	Pt rec'd first dose of Pfizer vaccine at approximately 0950 and immediately after reported feeling nauseous and dizzy. MA retrieved a water bottle for pt and called for the RN. The RN, also responded, pt was pale, moist, coherent. At 0954, pt had seizure activity while sitting in chair, dad held pt, hands, arms, and legs stiffened and pt's head rolled back. Pt was secured by dad and activity lasted approximately 7-10 seconds. Immediately after this activity, pt was oriented to self, place, date, and situation, then reported increased nausea. At approximately 0958 pt started vomiting. 911 was called by the RN, at 0955 and provider, was retrieved immediately from COVID testing tent. During this time, pt started to report seeing purple lights at approximately 0957. Vitals were attempted at 0954 but pt started seizing. At 1001 pt reported total vision loss. At this time, EMT's arrived on site and began to obtain vitals. Pt's BP was 50/30, EMT's started an IV and prepared pt for transport to gurney. At 1008 pt reported sight returning. 8L of O2 were applied to pt via non-rebreather at approximately 1000 at which pt's O2 sats registered at 72%. EMT's placed pt on gurney at 1008 and started en route to Hospital. Prior to seizure activity, pt's medical hx, medication list, and allergies were confirmed with pt's father. Father reported pt has no medical hx, does not take any medications, and does not have any known allergies. Father denies pt having any seizure before, any hx of brain tumors, hx of epilepsy, hx of diabetes. Father remained with pt during duration of incident and accompanied pt and EMT's in ambulance to the hospital.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1394117-1	Legally blind/I could no longer see the lights in my house; This is a spontaneous report from a contactable consumer (Patient). A 59-years-old patient of an unspecified gender received bnt162b2(PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: ER8735), via an unspecified route of administration, administered in Arm Right on an unspecified date as 2nd DOSE, SINGLE for covid-19 immunization Medical history included hypertension. The patient's concomitant medications included Hypertension medications . Historical vaccine included first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: not reported), via an unspecified route of administration on an unspecified date as single dose for covid-19 immunization. Consumer and secondary reporter(a friend of patient) both on the call. Consumer reported that since last 4 days after second Pfizer shot after the fourth day, patient was already legally blind. Patient could no longer see the lights in house. The outcome of event was unknown.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1394627-1	Within 5 minutes very sleepy, 5-10 min nausea and fever with chills sweat. Loss of vision and dissi. Medical staff checked and found skin changed color and very low blood pressure. After 25 minutes symptoms started going away.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1395153-1	Lightheaded, low heart rate, low blood pressure, blacking out with no vision the first hour of the vaccine. Could not walk without being held.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1395829-1	She woke up this morning complaining of a severe headache, left sided neck pain. She reported she could not see out of both eyes and then vomited. This episodes lasted~10 min and then resolved with residual neck pain.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1396602-1	"Approx. 5 minutes after vaccine given Pt. felt weak and like she was going to pass out. She was sitting in chair and we gave her water and she put her head between her legs. After approx. 2-3 minutes she felt better and sat up drank water. After about 2 more minutes she felt dizzy and she went limp, she was diaphretic, pulse 50, bp 80/palp. Pt. aroused and was able to speak approx. 2 minutes later but was very weak and states ""I cannot see anything"". Squad was called they arrived and assumed care. Pt. was alert and oriented and was able to talk. Pt. Mom was with the patient the whole time"
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1398785-1	After the shot, I could not see. Everything was blurry. My fingers became numb and my feet were swollen
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1398921-1	Could not see, eyes dilated, could not walk, fell, had to assist getting up and getting to bed.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1402468-1	body aches same day of vax, couldn't sleep, headaches, heart was racing, horrible stomach pain, vomiting, left eye became red, vision became much worse, losing vision in both eyes
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1403712-1	complete loss of vision, ringing in ears and hearing loss for 30-60seconds; fever > 101, elevated HR
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1403726-1	Patient (Female age 13) went to play tennis at 10 AM. Around 10:25 AM she felt very dizzy and had a temporary loss of sight. Her coach gave her some electrolytes and she was fine after that. We are not sure if this is a side effect of the vaccine or not. But she has never had such an episode before. Google says it is due to lower blood pressure.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1407180-1	I experienced a distorted vision problem covering the upper left corner of my visual field. I assumed it was fatigue. When it didn't get better by 4/1/21, I went to Patient First be checked out. They sent me to Advanced Eye Care to follow-up with an ophthalmologist. She confirmed that the vision loss was being caused by something in my brain, at which time she sent me to the ER. At the hospital, an MRI revealed that I had suffered a stroke in the lower right rear side of my brain that was affecting my site in the upper left part of my visual field.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1407187-1	Sudden twitching, tremors, loss of vision, dry mouth, trouble swallowing. The tremors and twitching started first, initially with my eye, then cheek, then arm, then leg. The loss of vision and dry mouth happened about an hour after the twitching started and happened very suddenly. I went to urgent care and all of my vitals were normal, slightly elevated BP, no anaphylaxis.
BLINDNESS	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1408414-1	Patient was seen by primary care physician and opthamologist. Patient was diagnosed with shingles (also ocular shingles). Patient reported a rash from top of head to eye, and from nose to ear on the right side of the body. He experienced swollen lymph nodes on the right side and eye swelling. He lost half of his vision in the right eye that has still not returned at this time. In addition to the shingles, he experienced an excruciating mgiraine (10/10 on pain scale) which he described as the worst he has ever experienced. He also expreined joint pain and fatigue. At this time, he is being treated with a course of valacyclovir.
BLINDNESS	COVID19 (COVID19 (UNKNOWN)) (1202)	UNKNOWN MANUFACTURER	1204911-1	Didn't feel well when I got up the morning or 4/9, had chest discomfort, fluttering in the heart, numbness in the arms. 5pm same day got to feeling much worse. Felt faint, lose of eye site. called 911 and was transported by ambulance to hospital were I remained for 48 hours diagnosed with a mini stroke. Released from hospital 4/11 @ 3pm. Eyesite has recovered and feeling somewhat normal.
BLINDNESS	COVID19 (COVID19 (UNKNOWN)) (1202)	UNKNOWN MANUFACTURER	1206175-1	Within 10 minutes of patient being observed, they noted they felt like they were going to pass out (lightheadedness, cold sweats). I asked patient if he would like to go back to the immunization room and lay down, he said yes. Walked him back with some assistance. Within 5 feet of the door, patient had trouble standing and said he couldn't see anything. I got the immunization room door open and patient lost consciousness. I helped him to the floor and elevated his legs. Within 30 seconds patient re-gained consciousness and was able to tell me if he was ok or not. He was able to converse, knew his name, etc. I told him I was going to go get an ice pack. I left the room for 60 seconds, got ice pack out of freezer, and alerted other pharmacist of the situation. Returned and patient was still lying down, conscious. Put ice pack near his carotid artery on neck. After 5 minutes, patient was able to get into seated position, unassisted. I stayed with him in immunization room for 30 minutes. He did not express any other symptoms other than being jittery and cold. He was able to walk around the room unassisted after 30 minutes. I asked if he had far to drive to go home or if there was anyone that would be able to pick him up. He said he felt ok to drive. I offered that he could stay under observation as long as he would like. He declined and was able to leave pharmacy on his own.
BLINDNESS	COVID19 (COVID19 (UNKNOWN)) (1202)	UNKNOWN MANUFACTURER	1386122-1	Patient (myself) experienced acute numbness throughout entire body (head to toe), loss of vision, hearing, and extreme perspiration/sweating for approximately 1-2 mins immediately after receiving injection. Pharmacist provided cold water after 9 mins. All symptoms subsided within 15 mins. The overall event was short but very intense.
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1153882-1	"HEARING LOSS; CHILLS; VISION LOSS TO BOTH EYES; This spontaneous report received from a patient concerned an 87 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included polyethylene glycol (peg) allergy, and propylene glycol allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805018, expiry: UNKNOWN) dose was not reported, 1 total, administered on 11-MAR-2021 for prophylactic vaccination on left arm. No concomitant medications were reported. On 11-MAR-2021, patient experienced vision loss that lasted for an hour. Subject attributed it to the PEG and propylene glycol allergy. Later on the same day, she experienced chills that lasted until 14-MAR-2021. The subject also began having some hearing loss and further probing reveals she was referring to her ears feeling ""stopped up"" and it ""sounded like she was in a deep well"". She had not sought medical care at this time. Subject was encouraged to seek medical treatment for issues that won't resolve, would seem serious, or, would be bothersome. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from vision loss to both eyes on 11-MAR-2021, and chills on 14-MAR-2021, and the outcome of hearing loss was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210328836-Covid-19 vaccine ad26.cov2.s-Vision loss to both eyes, Hearing loss. This events is considered unassessable. The events has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the events."
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1178164-1	SYNCOPE EPISODE ~2 MINUTES POST INJECTION, TEMPORARY LOSS OF VISION, HEARING VITALS: SP02: 97% PULSE: 90 BP: 122/58 GCS: 15

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1184485-1	About six minutes after shot, I experienced a sudden drop in blood pressure and heart rate, became dizzy, faint, and disoriented and experienced a period of complete blindness for 1-2 minutes. Paramedics were sent to my vehicle, they laid me back, took vitals and assured me that eyesight would return, which it did. They monitored me for 30 minutes and gave me a granola bar which I ate. When I was stable, I drove home.
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1186400-1	Almost fainting, dizziness, dilated pupils, black vision, could not speak, unable to move which occurred minutes after receiving the J&J vaccine. Side effects dissipated within five minutes after onset. Normal BP recorded
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1195818-1	Systemic: Body Aches Generalized-Severe, Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Headache-Severe, Systemic: Hypotension-Severe, Systemic: Visual Changes/Disturbances-Severe, Additional Details: patient experienced temporary blindness, sweating ,syncope- which is ultimately why we call the ambulance
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1198420-1	"VASOVAGAL: The patient stated she wasn't ""feeling good,"" she felt very dizzy and temporarily lost vision, she was sweating as well. I immediately grabbed another chair and raised her feet above her heart level. She immediately stated that she was ""feeling better"" and started regaining her vision. we then offered her a cold bottle of water. She appeared very stable within a few minutes. We did call 911 as a precaution, they arrived a while later and deemed the patient was stable and their additional services were declined by the patient. I insisted the patient stay and finish the bottle of water. All together I believe the event was about 30 - 35 minutes before leaving. I encouraged the patient to drink plenty of fluids and electrolytes and to take it easy for the rest of the day."
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1211431-1	Unconscious, loss of sight temporarily. 6 days later, light headed, faint, severe headache
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1220154-1	Fever of 101F, chills; dizziness, head rush, temporary loss of vision when standing; fatigue
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1292209-1	3/18/21, Day after Vaccine, drowzy in the morning, around 12:00 p.m. I had a brief period of incoherent speach and a few moments of having trouble putting sentences together. Around 2:00 a moment of temporary blindness in my left eye. 03/19/21 -03/20/21, extreme fatigue, stayed in bed. 03/21/21, fatigue, light-headed, slightly dizzy 03/22/21, right side leg and arm became numb as if asleep. Went to Hospital Emergency. I had a stroke, had a Carotid Endarterectomy at medical center, was in the Hospital for 5 days, two weeks after surgery became seriously enemic and d_Dimers are still elevated THE CONTINUATION PAGE IS INOPT. AND WOULD HAVE LIKED TO EXPLAIN IN FURTHER DETAIL.
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1301740-1	COULD NOT SEE FOR A FEW MINUTES; This spontaneous report received via social media from a patient via a company representative concerned a male of unspecified age. The patients weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, frequency 1 total, administered on 2021 for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. No concomitant medications were reported. It was reported by consumer that his friend's son on unspecified date 2021, was experienced temporary blindness for few minutes after vaccination. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from temporary blindness for few minutes. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210503255-covid-19 vaccine ad26.cov2.s-Could not see for a few minutes. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1302035-1	"Systemic: Chills-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Hypotension-Medium, Systemic: Nausea-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: DURING SYNCOPE EPISODE, PATIENT STATED HE ""COULDN'T SEE"". VISION RETURNED AFTER LESS THAN 1 MINUTE. PATIENT WAS UNCONCIOUS FOR LESS THAN 30 SECONDS. AFTER LAYING DOWN FOR 1 MINUTE, I RETURNED PATIENT TO CHAIR AND MONITORED BLOOD PRESSURE. PATIENT WAS HYPOTENSIVE FOR 20 MINUTES. PATIENT BECAME HEMODYANMICALLY STABLE AFTER 20 MINUTES USING 4 SEPERATE READINGS 5 MINUTES APART EACH. PATIENT'S FATHER ACCOMPANIED PATIENT AND OPTED TO TAKE HIM HOME AFTER HE WAS STABLE."
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1314167-1	Temporary partial blindness in the left eye. Event lasted 1 minute. One quarter of the top portion of sight in my left eye was blocked by what appeared to be a dark curtain, this went away after 1 minute. Had an exam by eye doctor the same day , no eye problems were found. Had an exam by cardiologist the following day. He prescribed a imaging order for a head scan and prescribed Clopidogrel 75 mg and to monitor a fib for 30n days with Apple Watch.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1314209-1	Aches and pains outside of arm 15 minutes afterwards. Subsided largely, but chills started and became more heightened after strenuous exercise later in the day. After 3 hours of sleep, awoke the next day with chest pain and difficulty moving. Heart rate (normally 60) spiked to 140 and could not see fit five seconds, had to call ambulance. Ambulance determined much of it was due to anxiety (multiple exams and significant work were due soon), and recommended medical supervision to ensure it did not escalate. Went to urgent care and was supervised until 1 pm, 24 hours after the vaccination, by which time symptoms had subsided
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1315708-1	CEREBRAL HEMORRHAGE IN HER HEAD/ DIZZINESS/ LOOSE HER BALANCE/ VOMITED/ HEADACHE; BLOOD PRESSURE WAS HIGH; FAINTING; TEMPORARY BLINDNESS; BROWN SPOTS ON FINGER; EYES ALSO HURT; EYE FEELS HEAVY; EYE PRESSURE FROM THE BACK; FATIGUE/ STILL FEEL TIRED; FEELS WEAK; NAUSEA; SHAKING BECAUSE SHE WAS COLD; CHILLS; This spontaneous report was received from a patient and concerned a 53 year old White (Hispanic or latino) female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 202A21A, expiry: unknown) dose was not reported, administered on 10-APR-2021 to left deltoid for prophylactic vaccination. No concomitant medications were reported. On 10-APR-2021, the patient experienced shaking because of cold, chills, nausea. On 11-APR-2021 patient felt nauseous. On an unknown date the patient had fatigue and headache. On 17-APR-2021, the subject experienced fainting. On 22-APR-2021 patient felt dizzy, vomiting, and was losing balance periodically and got admitted to emergency room; On admission the patient was diagnosed with high blood pressure and cerebral hemorrhage in head due to high blood pressure and patient kept in emergency room under observation. On 24-APR-2021 patient was discharged but still experienced headaches when she returned home. On 30-APR-2021 the patient again visited emergency room and was prescribed unspecified blood pressure medications and Tylenol (paracetamol). On an unknown date, the patient had brown spots appeared on left hand (on top of her middle) the spots covered about half of middle finger. The patient described the headaches as it felt like something was moving inside her head which started on the back of head and right side and moved slowly around which hurt a lot. She mentioned her eyes also hurt. On 05-MAY-2021 the patient visited hospital and reported that they cannot do anything to the headaches. On an unknown date the patient eyes are heavy feels like something is pushing her eye and had temporary blindness Patient was prescribed with butalbital-caffeine with Tylenol for headache; that headache subsides away for 4 hours and comes back. On an unknown date the patient feels tired up and weak. Treatment medications (dates unspecified) included: butalbital/caffeine/paracetamol, and paracetamol. The patient recovered from fainting, and vomited, was recovering from shaking because she was cold, had not recovered from chills, fatigue, headache, brown spots on finger, eye feels heavy, eye pressure from the back, and temporary blindness, and the outcome of nausea, dizziness, blood pressure was high, cerebral hemorrhage in her head, eyes also hurt, loose her balance, still feels tired and feels weak was not reported. This report was serious (Hospitalization Caused / Prolonged, and Other Medically Important Condition).; Sender's Comments: V0: 20210514047- covid-19 vaccine ad26.cov2.s-Cerebral heamorrhage, High blood pressure, Fainting, Temporary blindness. These events are considered unassessable. The events has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the events.
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1336153-1	Dizzy, full body sweat, temporary loss of hearing and sight. Symptoms came on 1 minute after injection and lasted for 20 minutes. Lingering ringing and dizziness 24 hours after.
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1341236-1	Patient reported feeling dizziness, his vision went black and he lost hearing within 5 minutes of receiving the vaccine. He was sweating and felt cold and tingling. Patient states the tingling started in his feet and worked its way up his entire body. Paramedics were called.
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1360863-1	AFTER PATIENT RECEIVED THE VACCINATION, HE SAT DOWN IN THE WAITING AREA. AFTER APPROXIMATELY 1 MINUTE THERE WAS A NOISE AND I NOTICED THAT HE WAS SLUMPED TO THE RIGHT SIDE AND STARTED TO CONVULSE. I RAN OUT TO THE PATIENT AND ENSURED THAT HE DID NOT FALL AND HELD HIM IN PLACE UNTIL HE STARTED TO COME TO. AFTER ABOUT 30 SECONDS THE PATIENT STARTED TO BECOME AWARE AND COULD HEAR ME TALKING BUT WAS STATING HE COULD NOT SEE. AFTER ABOUT 30 SECONDS HIS SIGHT RETURNED. DURING THE TIME THAT I WAS FIRST WITH THE PATIENT, THE STORE MANAGER CALLED 911 AND THE EMS WAS ON SITE AFTER APPROXIMATELY 5 MINUTES. I HAD THE CUSTOMER SIT DOWN AND GAVE HIM WATER UNTIL THE PARAMEDIC ARRIVED. THEY TOOK A HISTORY OF THE PATIENT AND AFTER A FEW MINUTES TOOK HIM BY AMBULANCE TO THE LOCAL HOSPITAL FOR ADDITIONAL OBSERVATION.
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1361884-1	Pt was sitting in observation chair after his vaccination--a little slumped over and twitching as if he were having a seizure. He did not respond to me calling his name. Pt gained consciousness and was a little frightened, not understanding the situation or remembering where he was at. He felt a little better after some water. About 4 minutes later, he said he was losing his vision and seeing flashes of light. He was told to lie on the floor with his feet up. Within a few minutes, he said he was feeling a lot more like normal.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1364894-1	Patient was told to have a seat in the waiting room for 15 minutes after vaccination. Against medical advice, he left immediately. Employee called the pharmacy and informed us patient was in the bathroom feeling like he was going to throw up, his vision was going black and he was tingling. Our pharmacist brought an epi-pen to the bathroom immediately, however, patient had left the building before pharmacist could evaluate him.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0970499-1	"About an hour after he received his vaccine, he experienced tachycardia, tremors that lasted about an hour, his hands and face turned red, he experienced mental fogginess, and his vision ""went out"" for a short time. He ate a little bit of food, took some food, went home and rested and his symptoms calmed down. The next day (Saturday) he just felt fatigued. He did say that he had not ate breakfast before receiving his vaccine. He also spoke with a family member who is a doctor but did not actually go to a doctor's office/clinic."
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1008792-1	The second dose was very painful, compared to no pain when the first dose was given one month ago. My arm was immediately hot and tender after administration. The area around the injection site had less feeling than the rest of my arm - it felt almost numb. My arm was very sore and warm the rest of the evening. I began having fatigue, muscle aches, and joint pain last night as well. I woke up around 6 this morning and the room was spinning. I was also nauseous. I tried to roll over in bed but was unable to feel my arms and legs. I was also temporarily unable to see. Right after, I passed out and lost urinary continence. I regained consciousness a minute later and had normal functioning again. I have not had any more dizziness today but am still sore and fatigued.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1020468-1	I am almost a licensed pharmacist so I am aware of what was going on with my body* I started with a sore arm and fatigue on the day of vaccination. The following morning I woke up and got dressed and used the restroom. I proceeded downstairs to make my coffee. As I was doing so I became dizzy and nauseous. I sat down on the floor and then I lost my vision and hearing. I broke out in a profuse sweat and had no concept of time. My boyfriend was with me and said it took 5-10 minutes before I began to normalize. I apparently had shallow breathing and turned pale white including my lips, I slowly regained awareness although I never fully lost consciousness. 911 was called and paramedics arrived. by this time I had begun to normalize with most of my vision returning. I ended up declining to see medical attention because I normalized and told the paramedics I would seek attention if it came back. * please note the physician listed is my PCP but I was not seen for this reaction.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1044297-1	Fatigue, stiff & sore muscles, mental cloudiness Extreme opthalmic Photosensitivity causing White Light Blindness after looking at cell phone (iPhone 12 Pro) and TV. outside naturalight and Indoor lights particularly BLINDING! Began to subside 24 hours after 2nd dose lasting about 4 days. I am medical professional, Clinical Speciality Pharmacist.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1056467-1	lost 70-80% of sight; dizzy; ringing in ear; all sounds were coming down a tunnel; A spontaneous report was received from a consumer concerning a 34-year-old old, male patient who experienced 70-80% blindness, dizziness, and ringing in his ear. The patient's medical history was not provided. Concomitant product use was not provided/unknown by the reporter. On 10FEB2021, prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Batch number not provided) intramuscularly in the left arm for prophylaxis of COVID-19 infection. Patient got first dose of Moderna vaccine on 10FEB2021 in left non dominant arm. Patient notes he has always had a reaction to anything external going in his body. After receiving vaccine, he felt fine for about 5 seconds then felt dizzy, lost 70-80% of sight and had ringing in his ear. Patient said all sounds were coming down a tunnel. Patient asked for a place to lie down and symptoms resolved about 2 minutes later. Patient wants to know if it is safe to get second dose. Also wants to know if he can change vaccination facility for second dose. Treatment information was not provided/unknown. The events resolved on same day.; Reporter's Comments: This case concerns a 34 year old, male patient, who experienced a serious unexpected event of blindness transient, among other non-serious events, after receiving first dose mRNA-1273 (Lot# unknown). Very limited information regarding this event has been provided at this time. Further information has been requested.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1100255-1	out of sorts; dry heaving; so dizzy couldn't see; sweating to death; so dizzy couldn't see; A spontaneous report was received from a consumer who was a 76-year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and who experienced sweating to death, so dizzy could not see, dry heaving, blood pressure was 127/108 and out of sorts. The patient's medical history included stroke and hypertension. Concomitant products included hydrazine and meclizine. On 01-Mar-2021, the patient received their first of two planned doses of mRNA-1273 (Lot number: 011A21A) intramuscularly for prophylaxis of COVID-19 infection. On 01-Mar-2021, the same day of vaccine administration, the patient experienced sweating to death and so dizzy that she could not see. Her husband took her to the emergency room on 02-Mar-2021 and on the way, she was dry heaving. Her blood pressure at the hospital was 127/108. She stayed in the emergency room for 12 hours and took blood pressure medication hydrazine and Meclizine, which helped. On 03-Mar2021, she reported that she was still out of sorts and lightheaded. Treatment information for the events was not reported. Action taken with mRNA-1273 with respect to the events was not reported. The outcomes of the events, sweating to death, so dizzy could not see, dry heaving, blood pressure was 127/108 and out of sorts, were considered unknown.; Reporter's Comments: Based on the current available information which includes a temporal association between the use of the product and the start date of the reported events, a causal relationship with the event cannot be excluded. Patient has a history of stroke and hypertension.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1104711-1	Approximately 12 hours after my second Moderna vaccine, I experienced the typical body aches, chills, headache, and tiredness expected in someone my age (38). I was initially happy that my immune system seemed to have a positive response to the second dose. About 24 hours after my second dose, I developed a severe headache and nerve pain all over the right side of my head. No over the counter medicine would relieve the pain. The next day, I developed a rash on my forehead. The rash quickly spread and consumed the right side of my face and my right eye. I was seen by medical staff, and received a diagnosis of severe shingles. I was given Valtrex and, eventually, gabapentin. My eye continued to get worse and I lost clear vision in my right eye. I saw an ophthalmologist and was told that the shingles had activated in the eye. My eye pressure was dangerously high. I was given steroid drops and drops to relieve eye pressure. Since February 22, I have battled shingles. My rash is gone and my eye has cleared. But, I still suffer from intense nerve pain in my head, forehead, and eye. All medical professionals opined that the moderna vaccine must have played a role given the timing. If shingles can be considered a side effect, it is one that has been intense and long-lasting.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1109142-1	"patient ""saw black""and nearly passed out was grey, sweaty HR 39, BP 96/60 after a few minutes his color came back after vomiting x2 observed in tent, BP 136/78, HR 69"
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1116431-1	temporary blindness for 10 minutes in one eye
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1134797-1	Pt experienced fainting sensation shortly after receiving vaccine. Pt was sweating and reported temporary loss of vision after getting up after the vaccine. Pt informed pharmacist of 2 previous incidents of vasovagal syncope and was instructed to receive the vaccine while sitting on a cot. Pt was instructed to lie down flat on the cot for 30 minutes to be observed by pharmacists. Blood pressure and pulse monitored (normal range 126/66mmHg and 76BPM). Pt fully recovered after 5 minutes. Pt was instructed to seek emergency help if any new symptoms develop or worsen.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1135733-1	Temporary blindness for 10 minutes in only one eye; A spontaneous report was received from a nurse concerning a 85-year-old, elderly male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced temporary blindness for 10 minutes in only one eye/blindness transient . The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 01 Mar 2021, approximately 2 days prior to the event, the patient received their first of two planned doses of mRNA-1273 (Batch number: 022M20A) intramuscularly in left non dominant arm for prophylaxis of COVID-19 infection prophylaxis. On 03 Mar 2021, after first dose of vaccine, the patient experienced temporary blindness for 10 minutes in only one eye. The event temporary blindness for 10 minutes in only one eye was considered as medically significant. He visited doctor and after the investigation, it was confirmed that patient was fine. Treatment medication for the event included Clopidogrel bisulfate. Action taken with mRNA-1273 in response to the event was unknown. The outcome of the event, temporary blindness for 10 minutes in only one eye was resolved on 03 Mar 2021.; Reporter's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1160294-1	S/S began Saturday, 3/6/21. Patient was unable to walk or stand. He had to crawl. He also lost his vision, and was only able to see frame of television. He couldn't see anything else in the room. Approximately, 2200 or 2300, his vision returned. He also was able to get up out of chair. He did not seek medical care or report to a health professional until the following Monday, 3/8/21. He saw a urologist (didn't remember name) who instructed him not to get the second dose. He is now reporting the episode to the Pharmacy today.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1173581-1	Lost sight in left eye for 30-45 sec; A spontaneous report was received from a consumer concerning a 69-years-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced lost sight in her left eye for 30-45 sec/ blindness transient. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 31 Jan 2021, prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Batch number: 012M20A) in the left arm for prophylaxis of COVID-19 infection. On 31 Jan 2021, around 8 pm, the patient experienced a medically significant event lost sight in her left eye for 30-45 sec when she got home. On 01 Feb 2021, twice the patient lost sight again. Treatment information was not provided. Action taken with mRNA-1273 in response to the event was not provided. The outcome of the event, lost sight in her left eye for 30-45 sec was not reported.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1175864-1	On January 30, 2021 I had temporary loss of vision in right eye lasting 4-5 minutes. This was 23 days after first Moderna dose. Second Moderna dose was given on Feb. 4, 2021. On February 23, 2021 at 1 pm CST I had identical temporary loss of vision in right eye lasting 4-5 minutes. This was 19 days after second Moderna dose.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1182451-1	temporary vision loss; Migraine aura/migraine headache; nausea; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS TRANSIENT (temporary vision loss) in a 66-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 019B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Migraine headache. On 24-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 27-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 30-Mar-2020, the patient experienced BLINDNESS TRANSIENT (temporary vision loss) (seriousness criterion medically significant), MIGRAINE WITH AURA (Migraine aura/migraine headache) and NAUSEA (nausea). On 30-Mar-2020, BLINDNESS TRANSIENT (temporary vision loss), MIGRAINE WITH AURA (Migraine aura/migraine headache) and NAUSEA (nausea) outcome was unknown. Concomitant product use was not provided by the reporter. No treatment information was provided.; Sender's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1183801-1	right eye had blinding white aura for 15 minutes that seems like migraine lost vision; right eye had blinding white aura for 15 minutes that seems like migraine lost vision; felt like a flu; body ache; chills; headache; felt tired; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of BLINDNESS TRANSIENT (right eye had blinding white aura for 15 minutes that seems like migraine lost vision) in a 42-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 016B21A and 001A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Migraine. Concomitant products included ESZOPICLONE (LUNESTA) for an unknown indication. On 27-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 27-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 28-Mar-2021, the patient experienced INFLUENZA LIKE ILLNESS (felt like a flu), PAIN (body ache), CHILLS (chills), HEADACHE (headache) and FATIGUE (felt tired). On 29-Mar-2021, the patient experienced BLINDNESS TRANSIENT (right eye had blinding white aura for 15 minutes that seems like migraine lost vision) (seriousness criterion medically significant) and MIGRAINE WITH AURA (right eye had blinding white aura for 15 minutes that seems like migraine lost vision). On 29-Mar-2021, BLINDNESS TRANSIENT (right eye had blinding white aura for 15 minutes that seems like migraine lost vision), MIGRAINE WITH AURA (right eye had blinding white aura for 15 minutes that seems like migraine lost vision), INFLUENZA LIKE ILLNESS (felt like a flu), PAIN (body ache), CHILLS (chills), HEADACHE (headache) and FATIGUE (felt tired) had resolved. Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. This case was linked to US-MODERNATX, INC.-MOD-2021-061174 (Linked Report).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. US-MODERNATX, INC.-MOD-2021-061174:Dose 1
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1206206-1	Temporary loss of vision in left eye for about 1 min (called Amaurosis Fugax) . Afterwards enhanced dryness of both eyes with feeling of solids at both ends of eye but is getting better with 5 min heat pad over eyes and using eye wetting solutions about 4 times a day. Dryness getting better each day. These effects 4 days after Moderna Vaccine first dose.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1221030-1	stroke; double vision; cannot swallow; vertigo; no vision; could not walk; one side body went numb; headache; vomiting; fell down a few times; dizziness, lightheaded; balance issues; weak; tired; This spontaneous case was reported by a patient family member or friend and describes the occurrence of CEREBROVASCULAR ACCIDENT (stroke) and BLINDNESS TRANSIENT (no vision) in a 54-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 046A21A and 012A21A) for COVID-19 immunization. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Fruit allergy (Allergic to Peaches). Concomitant products included MULTIVITAMIN [VITAMINS NOS] and VITAMIN D [VITAMIN D NOS] for an unknown indication. On 24-Feb-2021 at 9:30 AM, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 24-Mar-2021 at 9:30 AM, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 26-Mar-2021, the patient experienced BALANCE DISORDER (balance issues), ASTHENIA (weak) and FATIGUE (tired). On 26-Mar-2021 at 12:00 PM, the patient experienced DIZZINESS (dizziness, lightheaded). On 27-Mar-2021, the patient experienced FALL (fell down a few times). On 28-Mar-2021, the patient experienced BLINDNESS TRANSIENT (no vision) (seriousness criterion medically significant), GAIT DISTURBANCE (could not walk), HYPOAESTHESIA (one side body went numb), HEADACHE (headache) and VOMITING (vomiting). On 28-Mar-2021 at 10:30 AM, the patient experienced CEREBROVASCULAR ACCIDENT (stroke) (seriousness criterion hospitalization) and VERTIGO (vertigo). On 30-Mar-2021, the patient experienced DIPLOPIA (double vision) and DYSPHAGIA (cannot swallow). The patient was hospitalized on 28-Mar-2021 due to CEREBROVASCULAR ACCIDENT. At the time of the report, CEREBROVASCULAR ACCIDENT (stroke), DIPLOPIA (double vision), DYSPHAGIA (cannot swallow), VERTIGO (vertigo), GAIT DISTURBANCE (could not walk), HYPOAESTHESIA (one side body went numb) and HEADACHE (headache) had not resolved, BLINDNESS TRANSIENT (no vision) and FALL (fell down a few times) had resolved and DIZZINESS (dizziness, lightheaded), BALANCE DISORDER (balance issues), ASTHENIA (weak), FATIGUE (tired) and VOMITING (vomiting) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 28-Mar-2021, Blood pressure measurement: 270/150 mmHg. On 30-Mar-2021, Magnetic resonance imaging: abnormal MRI showed stroke in cerebellum- left medulla part of brain.; Sender's Comments: Very limited information regarding these events has been provided at this time. The events are probably related to the patient's comorbidities
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1225969-1	Patient developed stroke-like symptoms (right flashing light/temporary vision loss, word-finding difficulty) 24 hours after completion of Moderna COVID vaccination requiring hospitalization for stroke workup.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1226092-1	symptoms fever, chills, and fatigue first occurred 4/9 shortly after receiving shot, and lasted until 4/13 on 4/10 vomiting and temporary blindness after exercise occurred. the blindness episode did not last longer than 2-3min, but was described as complete vision loss and occurred 1-2min after intercourse. on 4/14 an incident of ?blacking out? occurred during prolonged intense exercise

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1235536-1	stroke; Completely lost vision in right eye which came back; migraine; fatigued kicked in, very tired,exhausted; nauseated; throwing up; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (stroke) and BLINDNESS TRANSIENT (Completely lost vision in right eye which came back) in a 65-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. ASKU and ASKU) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Stroke. Concomitant products included METFORMIN, LISINOPRIL, GLIMEPIRIDE, ROSUVASTATIN CALCIUM (CRESTOR), PIOGLITAZONE HYDROCHLORIDE (ACTOS) and CANAGLIFLOZIN (INVOKANA [CANAGLIFLOZIN]) for an unknown indication. On 28-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 28-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 29-Mar-2021, the patient experienced MIGRAINE (migraine), FATIGUE (fatigued kicked in, very tired,exhausted), NAUSEA (nauseated) and VOMITING (throwing up). On 06-Apr-2021, the patient experienced CEREBROVASCULAR ACCIDENT (stroke) (seriousness criterion hospitalization) and BLINDNESS TRANSIENT (Completely lost vision in right eye which came back) (seriousness criterion medically significant). The patient was hospitalized from 06-Apr-2021 to 09-Apr-2021 due to CEREBROVASCULAR ACCIDENT. On 01-Apr-2021, MIGRAINE (migraine), FATIGUE (fatigued kicked in, very tired,exhausted), NAUSEA (nauseated) and VOMITING (throwing up) had resolved. On 09-Apr-2021, CEREBROVASCULAR ACCIDENT (stroke) and BLINDNESS TRANSIENT (Completely lost vision in right eye which came back) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Treatment reported during hospital included IV blood thinner ,Xarelto 20mg. Metoprolol Tartrate 25mg, Amiodarone 200mg, after second dose. Company comment: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. This case was linked to MOD-2021-076248 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. .
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1275208-1	Immediate malaise. Later in the day, eye puffiness. Next day with malaise and blurred and transient loss of vision (2-3 sec). Sweating and presyncopal without syncope. Later the second day feeling well, except mild malaise.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1312486-1	Heightened Inter-cranial pressure. Symptoms include: sensitivity to light, new floaters, mild headaches, lack of vision sometimes when entering new light source.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1340280-1	transient loss of vision L eye; Urinary retention; constipation; L arm swelling & pain; Episodic ptosis; L arm swelling & pain; fever; headaches; possible TIA; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of TRANSIENT ISCHAEMIC ATTACK (possible TIA), BLINDNESS TRANSIENT (transient loss of vision L eye) and URINARY RETENTION (Urinary retention) in a 44-year-old patient of an unknown gender who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 039B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 26-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 06-May-2021, the patient experienced TRANSIENT ISCHAEMIC ATTACK (possible TIA) (seriousness criterion medically significant). On an unknown date, the patient experienced BLINDNESS TRANSIENT (transient loss of vision L eye) (seriousness criterion medically significant), URINARY RETENTION (Urinary retention) (seriousness criterion medically significant), CONSTIPATION (constipation), PERIPHERAL SWELLING (L arm swelling & pain), EYELID PTOSIS (Episodic ptosis), PAIN IN EXTREMITY (L arm swelling & pain), PYREXIA (fever) and HEADACHE (headaches). At the time of the report, TRANSIENT ISCHAEMIC ATTACK (possible TIA), BLINDNESS TRANSIENT (transient loss of vision L eye), URINARY RETENTION (Urinary retention), CONSTIPATION (constipation), PERIPHERAL SWELLING (L arm swelling & pain), EYELID PTOSIS (Episodic ptosis), PAIN IN EXTREMITY (L arm swelling & pain), PYREXIA (fever) and HEADACHE (headaches) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In April 2021, Body temperature: increased (High) increased. On 02-May-2021, Faecal disimpaction: abnormal Fecal manual dis-impaction for 2 days.. In May 2021, Urine output: decreased (Low) decreased. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant medications were not reported. On 06-May-2021, the patient reported that she called 911 and went to the emergency room for possible TIA (transient ischemic attack). No treatment information was provided. Based on the current available information and temporal association between the use of the product and the start of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start of the events, a causal relationship cannot be excluded.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1343642-1	PT SAID HE HAS SEVERE MUSCLE ACHES, JOINT PAIN, COUGHING, HAD TROUBLE BREATHING AND WENT BLIND FOR A PERIOD OF TIME. ALSO NOTED HE HAS COUGHED UP STUFF SINCE THEN. DID NOT SEEK MEDICAL

	(1201)			ATTENTION .
Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1350778-1	"At the 10 minute mark of the shot clock, the pt came up to the front desk to state he was feeling light headed and ""weird"". Pt was advised to sit and upon turning the patient lost his balance and fell backward to the ground. Pt was advised to remain down for evaluation, but stated he was fine and sat up to move himself over to the chair. Dr. was called immed.BP: 65/33, HR: 69, SpO2: 100% and a manual BP: 68/40. He stated he did not hit his head or lose consciousness. Stated he broke the fall by falling on his right arm. His right elbow had a small abrasion, denied pain, and had PMS in all extremities. Pt added when he turned he lost his vision, but doesn't feel he hit his head, and shared he began sweating"
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1368452-1	"The day after the shot, patient developed low-grade fever which lasted 3 days. For 3 days, the patient was lethargic and had no energy to perform normal household duties. On the 3rd day after the shot, patient developed tachycardia for several minutes, became feverish with a clammy sweat and had vertigo saying the room was spinning and said she felt like fainting. She could not recognize her son, asking him, ""Who are you?"" Patient lost site in her eyes which was recovered several minutes later. Patient felt better starting the 4th day."
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1371961-1	"Patient Fainted 2 minutes after vaccine. He was sitting in chair and fell (caught by family) and woke up instantly. As I arrived, 10 seconds after fall, his eyes were open but he could not see anything. He was able to state his name, date of birth, and where he was, just couldnt see. ""Everything is all black."" After closing eyes for 30 seconds, opened and he could see, but everything was green. Vision color was back to 100% after 20 minutes but still blurry. Patient BP was normal. Sweating."
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1392457-1	I started to get a rash around the injection area and a stiff neck. Both resolved after about 5 days. On the 29th, I couldn't see after I got out of the shower. I went to the hospital and they gave me the TPA drug. I told them I had the vaccine and they said they weren't sure if it could be the cause. I was hospitalized for 3 days. Doctor thought it was a Cerebellum Stroke in the back of my head and think the drug broke up the clot. My vision did return after the drug. They didn't have any ICU beds and weren't equipped to handle my case, so they did telemed appt with Neurological ICU, where they did more testing. I have to follow up with their stroke clinic next week. They put me on new meds, to include Norvas, baby aspirin and Crestor.
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1392576-1	March 1 to March 11, 2021: Light-headedness, presyncope events progressively worsen for 10 days. Continuous symptoms of Myocarditis such as heart palpitations, arrhythmias, and irregular pulse. Tachycardia and Bradycardia. Some chest discomfort. Occasional blood pressure spikes and drops. Sudden onset Glaucoma in left eye over two months following vaccine. March 11 Admitted to Emergency room, High blood pressure peaks at systolic 205 mm Hg. Pulse irregular and drops to 30 beats per minute in Emergency ward. Cardiac arrhythmias evident. Several episodes of presyncope over few hours.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1398477-1	<p>Gastritis; Tinnitus was worse/ ringing is daily; Severe heartburn; Feeling of fullness; Still feeling off; nausea; Temporary vision loss; Migraine aura/migraine headache; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS TRANSIENT (Temporary vision loss), MIGRAINE (Migraine aura/migraine headache), GASTRITIS (Gastritis), TINNITUS (Tinnitus was worse/ ringing is daily) and DYSPEPSIA (Severe heartburn) in a 66-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 019B21A and 022M20a) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Migraine headache (Family history of cardiovascular disease). Family history included Family history of cardiovascular disorder since an unknown date. Concurrent medical conditions included COPD (The patient experienced trouble in deep breathing after vaccine.) since 2011, Gastritis (Patient experienced severe bout of gastritis a few weeks after the vaccine.) since 2010, TMJ syndrome (Patient had TMJ since his 30's.), Tinnitus (Patient had Tinnitus since his 30's.), Allergy (Allergy to mushrooms), High cholesterol and Vegan. Concomitant products included ATORVASTATIN CALCIUM (LIPITOR) for High cholesterol. On 24-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 27-Mar-2021 at 11:00 AM, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 28-Mar-2021, the patient experienced BLINDNESS TRANSIENT (Temporary vision loss) and MIGRAINE (Migraine aura/migraine headache). On 30-Mar-2021, the patient experienced NAUSEA (nausea). In April 2021, the patient experienced VACCINATION COMPLICATION (Still feeling off). On an unknown date, the patient experienced GASTRITIS (Gastritis), TINNITUS (Tinnitus was worse/ ringing is daily), DYSPEPSIA (Severe heartburn) and ABDOMINAL DISTENSION (Feeling of fullness). On 29-Mar-2021, BLINDNESS TRANSIENT (Temporary vision loss) and MIGRAINE (Migraine aura/migraine headache) had resolved. On 30-Mar-2021, NAUSEA (nausea) had resolved. At the time of the report, GASTRITIS (Gastritis), TINNITUS (Tinnitus was worse/ ringing is daily), DYSPEPSIA (Severe heartburn), VACCINATION COMPLICATION (Still feeling off) and ABDOMINAL DISTENSION (Feeling of fullness) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In 2021, Blood pressure measurement: blood pressure (normal) Blood Pressure. In 2021, Electrocardiogram: ekg (normal) EKG. In 2021, Full blood count: full blood work (normal) Full blood work. In 2021, Heart rate: heart rate (normal) Heart rate. No treatment information was provided. Action taken with the drug in response to events was not applicable. Company Comment Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Case is confounded by multiple comorbidities. The patient had woke up with half of the vision gone on the next after receiving the second dose of moderna vaccine. The patient had history of migraines. The patient was known that migraine was beginning which resolved in few minutes. And after 30 minutes, another aura began which is also resolved in few minutes. Migrains began in an hour, or so, then resolved by the end of the day. Patient had breathing issues that is continuing from the first dose. Approximately 3 weeks after the second dose, Patient's tinnitus was worse, had ringing in the ear daily, constant and in a higher level. Gastritis was also worse after the second dose with pain doubling, severe heartburn, nausea and feeling of fullness. This case was linked to MOD21-047977 (Patient Link). Most recent FOLLOW-UP information incorporated above includes: On 15-Apr-2021: A follow-up email was received from patient with no new information. The patient stated she would send in follow-up forms. On 03-Jun-2021: Follow-up was received on 03-JUN-2021 has significant information. Patient medical history were added. New events (Breathing difficulty, tinnitus aggravated, heartburn, feeling of fullness, gastritis aggravated) were added. Information about the first dose and its events were added.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Case is confounded by multiple comorbidities.</p>
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1399997-1	<p>Episodes of flashing lights at left eye to episodes of partial loss of vision for 48 hours (by March 1,2 2021) . Ischemic left optic neuropathy as per retina specialist. Problem appears resolved to this date.</p>
BLINDNESS TRANSIENT	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1402134-1	<p>Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Severe, Systemic: pt has history of panic attacks like once a month-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Visual Changes/Disturbances-Medium, Systemic: Weakness-Medium, Additional Details: pt statesm has a history of these panic like attacks like once a month- this episode happened few minutes after giving vaccine - pt had rining in ears and temp vision lost and lethargic hadnt eaten since noon and was out in sun - vitals was normal called 911 emt checked her out vitals norma- episode lasted about 15 min- gave pt something sweet to drink - seem like her blood sugar was low or she had panic attack but she is following up w pcp in morning - advsied call 911 if happens again-</p>
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0903832-1	<p>Patient received injection at 14:05 at 14:12 he reported not feeling well. Patient was diaphoretic, clammy, pale, described the inability to see, had difficulty following commands. Patient transferred to gurney with max assist and transferred to E.R. Patient symptoms resolving during transport. Left patient in E. R. care at 14:15.</p>

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0928515-1	Previously well controlled non-insulin dependent type 2 diabetic (A1c 6.9 on 12/10/2020) developed polydipsia, polyuria, extreme fatigue, feeling off balance to point he does not feel comfortable driving (son drove him to appt). CBGs 330s-530s since. Less than 1 mo ago when here for DM his CBGs were 115-130s. No other medication, dietary changes, or illness to account for the abrupt change. Also reports he had vision loss on drive home following the vaccine administration. Vision loss resolved spontaneously after approx. 30 min. Presented to clinic for evaluation 01/05/21 for above listed symptoms. Concern for possible HHS/DKA so was sent to ER. Labs ruled out DKA/HHS, was given IVF and insulin, discharged home to follow up in next few days.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0928832-1	Date and time of vaccination: 12/17/21 19:30 Age at vaccination 52Y 10M Adverse symptoms: - Visual migraines 12/19,12/20,12/21 with loss of vision/aura for about 30m-1h, mild headache followed. -numbness, intermittent in left ring and pinky finger 12/19,12/20,12/21
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0938577-1	facial swelling, temporary loss of vision in one eye
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0957110-1	2 minutes loss of sight after having COVID-19 injection. Patient has no history of allergic reactions in the past no history of loss of vision in the past. Patient states that she is somewhat clammy and may have low blood sugar. No fever chills sweats no nausea vomiting diarrhea. Symptoms have completely resolved.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0985434-1	Ocular nerve inflammation, causing temporary blindness in right eye for 36 hours
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0986112-1	lost eyesight, everything went black; sweating really bad; cold chills; feels kind of achy; This is a spontaneous report from a Pfizer-sponsored program IBCC (Inbound Call Center for HCPs) received from a contactable consumer. A 53-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EL3249), intramuscular in left arm on 14Jan2021 12:00 at a single dose to prevent COVID-19. Medical history included shingles recently and was not given any medicine for that and breast cancer when she was 29 so she can't have shots on her right side. There were no concomitant medications. On 15Jan2021 05:00, she went to the bathroom and everything went black. When her eyesight did come back after a while, she was sweating badly and had the chills. As soon as her husband helped her get back to bed, she started sweating really bad. Her nightclothes were soaked, it wasn't like a normal sweat. She also got the cold chills. She got the cold chills right after she had the experience with her eyesight. She was just kind of achy. However, the sweating, chills, and achiness are all listed on the form she has. She isn't really worried about that. The patient was more concerned about the fact she couldn't see anything. Caller wanted to know if losing her eyesight is a side effect of the vaccine. She confirmed her eyesight came back. The outcome of the event losing her eyesight was recovered while the outcome of the remaining events was unknown. No follow-up attempts are possible. No further information is expected.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1035011-1	a loss of vision in left eye that lasted for about three minutes; Dizzy sell; This is a spontaneous report from a contactable consumer (patient). A 73-year-old male patient received 1st dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot: EL1283), via an unspecified route of administration on 12Jan2021 08:15 at single dose in left arm for COVID-19 immunisation. Medical history included had surgery for a torn rotator cuff on 07Jan2021. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. Concomitant medication included oxycodone hydrochloride, oxycodone terephthalate, paracetamol (PERCOCET) only at night a few days before taking the shot for post-operative pain control. Two days after BNT162B2 (14Jan2021 14:00), patient had a loss of vision in left eye that lasted for about three minutes and had a dizzy sell that lasted for forty-five minutes after getting out of the hot tub. It was unknown if treatment was received for the events. The events resulted in doctor or other healthcare professional office/clinic visit. Doctors had no explanation at this time and had no idea if it was related to the injection. Outcome of the events was resolved on 14Jan2021.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1055665-1	Dizziness; faint; feeling of falling off my chair; vision went black.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1062258-1	Lost 100% of vision in left eye and 50% of vision in right eye; Numbness of face and neck; Numbness of face and neck; Swelling of face and neck; Swelling of face and neck; This is a spontaneous report from a contactable consumer (patient). A 53-year-old female patient received the 2nd dose of bnt162b2 (BNT162B2, Manufacturer Pfizer BioNTech, lot number EN6201), via an unspecified route of administration in right arm, on 10Feb2021 at 15:45, at single dose, for COVID-19 immunisation. Medical history included blood cholesterol increased. Patient did not have known allergies, did not have COVID-19 prior to vaccination and was not pregnant at time of events or vaccination. There were no concomitant medications. Patient did not receive other different vaccines in four weeks. Previously the patient received the 1st dose of bnt162b2 (BNT162B2, Manufacturer Pfizer BioNTech, lot# EL3244), in arm left, on 20Jan2021 at 15:45, for COVID-19 immunisation. The patient experienced lost 100% of vision in left eye and 50% of vision in right eye on 10Feb2021 at 17:30 with outcome of recovered on 11Feb2021 at 07:30 (after 14 hours), numbness of face and neck on 10Feb2021 at 17:30 with outcome of recovered on 12Feb2021 at 09:30 (after 40 hours), swelling of face and neck on 10Feb2021 at 17:30 with outcome of recovered on 12Feb2021 at 09:30 (after 40 hours). Patient did not tested positive for COVID-19 after vaccination. No follow-up attempts are possible. No further information is expected.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1062771-1	"Within 10 minutes of receiving the vaccine, developed ""blackening"" vision and then lost consciousness. Uncertain about time of loss of consciousness. Other symptoms included pallor, fast heart rate, sweating, nausea and loss of bladder function. No treatment required, seen in the ED and recovered without treatment. Because she was driving a car at the time, she rear-ended the car in front of her and the airbags deployed. Underwent evaluation for motor vehicle accident as well in the ED with no injuries noted."
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1064431-1	After 5 minutes of reciving the vaccine I immediately felt my tongue swell and tingle and my throat felt like it was closing. For a few second I could see anything and then went straight to someone to help me.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1070760-1	Lost part of my vision and it only lasted for three to four minutes; mini stroke/ TIA; This is a spontaneous report from a contactable consumer (patient). A 79-year-old female patient received bnt162b2(Pfizer-BioNTech COVID-19 Vaccine, Lot number: EL9284, Expiration date: 31May2021), via an unspecified route of administration at the left arm on 11Feb2021 14:00 at a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. On 11Feb2021 7pm, patient went to get something to open the can of soup but when she went into the pantry, she lost part of her vision and it only lasted for three to four minutes. The patient's daughter who is a neurologist thought it was the mini stroke or TIA (Feb2021). The doctor was setting up the sonogram for her arteries and her neck and also for her heart and said she might have to rely on a pacemaker. The outcome of the events was unknown.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1081311-1	Patient experienced three episodes of syncope between 1000-1100 on Sunday, 2/28 after receiving the vaccine on Saturday, 2/27 at approximately 1810. Loss of responsiveness ranged from approximately three to twenty seconds. Two of the three episodes were witnessed. Episode one occurred when patient attempted to sit up after waking. Episodes two and three occurred while attempting to change position from sitting to standing. Episodes were preceded by flushing, diaphoresis, graying/blackening vision, and tremulousness. Patient had not experienced syncope prior to these events. Patient recovered at home with increased fluids and rest on Sunday, 2/28 and outpatient infusion of normal saline at a naturopathic clinic on Monday, 3/1. Patient experience no further episodes of syncope as of 3/8 but did have multiple episodes of near-syncope in the week following vaccination. Syncope started at approximately 10 am on Sunday after having received the vaccine on Saturday at approximately 6:10 pm.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1090222-1	shingles; temporary vision loss; dizziness; Extreme fatigue; body aches; nausea; This is a spontaneous report from a contactable other Healthcare professional (patient herself). This 20-year-old female patient, not pregnant, received his second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), Lot EL9265, via an unspecified route of administration in the left arm on 03Feb2021 at 02:00 PM (at the age of 20-year old) single dose for COVID-19 immunization. Relevant medical history included suspected allergy to penicillin. Historical vaccine included first dose of BNT162B2, Lot EL3248, on 13Jan2021 at 11:45 AM single dose in the left arm and recombinant human papillomavirus vaccine (GARDASIL) on 15Dec2020 dose 1 in the left arm. Concomitant medication included one a day women's Vitamins. After 2nd dose of vaccine BNT162B2, the patient experienced extreme fatigue, body aches, dizziness, and nausea. She was unable to go into work 2 days after receiving the vaccine due to temporary vision loss because of dizziness. On 21Feb2021 at 9:30 AM, a painful rash on the left side of torso and on spine had shown up. The patient went into her school doctor on 24Feb2021 and was diagnosed with shingles. The patient specified that she have never had this condition before, she was healthy and she did not have any significant stressors. The patient was treated with acyclovir due to the event. The outcome was not recovered for all events. This is a spontaneous report from a contactable Other HCP. This 20-year-old female Other HCP reported herself that: Report about covid vaccine: Yes Reporting type: AE Reporter type: Patient Age group: Adult (18-64 Years) Current age: 20 Current age unit: Years Gender: Female Is pregnant: No Medical qualification reporter: Other Health Professional Covid vaccine details: [{product=COVID 19, brand=Pfizer, lot number=EL9265, lot unknown=False, administration date=03Feb2021, administration time=02:00 PM, vaccine location=Left arm, dose number=2}, {product=COVID 19, brand=Pfizer, lot number=EL3248, lot unknown=False, administration date=13Jan2021, administration time=11:45 AM, vaccine location=Left arm, dose number=1}] Facility type vaccine: Other If other vaccine in fourweeks: Yes Other vaccine 4weeks details: [{other vaccine 4weeks product=Gardasil, other vaccine 4weeks vaccine date =15Dec2020, other vaccine 4weeks dose number =1, other vaccine 4weeks vaccine location=left arm}] Other medications in two weeks: One a day women's Vitamins Adverse event: Extreme fatigue, body aches, dizziness, and nausea following 2nd dose of the vaccine. I was unable to go into work 2 days after receiving the vaccine due to temporary vision loss because of dizziness. On 21Feb2021, a painful rash on the left side of my torso and on my spine had shown up. I went into my school doctor on 24Feb2021 and was diagnosed with shingles. I have never had this condition before, am 20 years old, and am healthy. I do not have any significant stressors. Adverse event start date: 21Feb2021 Adverse event start time: 09:30 AM AE resulted in: [Doctor or other healthcare professional office/clinic visit] If patient recovered: Not recovered If treatment AE: Yes AE treatment: Acyclovir prescription If covid prior vaccination: No If covid tested post vaccination: No Known allergies: suspected allergy to penicillin Other medical history: N/A; Sender's Comments: Based on the available information and known product profile, the causal relationship between the reported temporary vision loss together with the reported dizziness and vaccination cannot be excluded. The case will be assessed further upon receipt of additional information. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1096593-1	5 minutes after administration of vaccine, Patient had visual white-out of vision, diminished hearing, disoriented, severe pallor and then vomitted.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1106298-1	Temporary loss of eyesight left eye.; This is a spontaneous report from a contactable consumer (patient). A 68-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date were not reported), via an unspecified route of administration, in the left arm on 26Feb2021 10:15 at a single dose (at the age of 68-years-old) for COVID-19 immunisation. Medical history included atrial fibrillation (A-fib) and gout. The patient has no known allergies. Concomitant medication included allopurinol and acetylsalicylic acid (ASPIRIN (E.C.)). The patient received the first dose of BNT162B2 (lot number was not reported) in the left arm on 29Jan2021 10:15 (at the age of 68-years-old) for COVID-19 immunisation. No other vaccines were administered within four weeks. No COVID prior vaccination. On 27Feb2021 at 11:00, the patient experienced temporary loss of eyesight left eye. The patient did not receive treatment for the event. No COVID tested post vaccination. The patient recovered from the event in Feb2021. Information on the lot/batch number has been requested.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1115213-1	Severe dizziness, whiting out of vision, lasting more than 4 hours with recurrence the following day.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1130628-1	temporary loss of vision, seeing black, cold-sweating, vomiting

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1131732-1	blackout episode (temporary loss of vision) while attempting to rise Extreme pain and feeling of pressure/bursting all over body; extreme sensitivity when any area of the body was touched (including scalp, legs, etc) Fatigue, weakness and inability to get out of bed or sit without aid for roughly 24 hours O2 dropped to 92 per pulse oximeter at home Swollen, painful lymph node under armpit 2 days after vaccine Gasping for breath (although no coughing or sneezing) Nausea Drinking a lot, extreme thirst but very little urination
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1133230-1	Experienced two ocular migraine events in the past 24 hrs: first at 3 days after first dose, and second at 4 days after first dose I've had ocular migraines in the past, but haven't had one in the past 10 years. I've had two in the last 24 hours. Ocular migraine event for me is temporary blindness with floating bright object in line of vision with mild dizziness. Requires about 20 minutes to fully subside.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1141486-1	severe neurological symptoms of limb parasthesias gradually decreased over six weeks , vision loss intermittent left eye for 5 minutes at a time (5 events over one month), continued to this day intermittent diplopia vertical , with blurring vision and eye fatigue , general fatigue with ADL (missed multiple days of work), bouts of tachycardia and palpitations (slowly abating over 6 weeks) , original neck pain and headache severe in first 2-3 weeks especially after second vaccine 1/29/21 lot number EL3246. multiple MRI's done brain (white matter and demylination dating back to before 2015) and cervical and thoracic spine showing existing disc disease all old , neurology work up was done for MS and it was ruled out. visual disturbances persist and neuro-ophthomologist appointment schedule for mid april .
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1144874-1	I've been experiencing mild, but consistent adverse side effects to the vaccine. This vaccine. Is completely Terroristic. This vaccine is a biological warfare. I've been very active in obtaining vaccinations. Flu shots, up to date with tetanus, and obtaining a second Immunization for chicken pox because I actually received the chicken, but had no vaccination. And. I need the vaccination record for school. So I had to get the chicken pox vaccine. I've been having mild, but very uncomfortable and consistent headaches. My sinuses all over my face are so filled. My eyes are watery, turn red, and at time so painful that it's difficult to open them. I have muscle weakness. I'm always so thirty all the time. My urine smells like uric acid. Has a rancid toxic smell to it. And. My urine is clear. But smells. My skin feels silky. And. the perspiration from my body, smells like formaldehyde. Smells clean, but smells like toxic formaldehyde and dead sticky body residue. The most uncomfortable is the partial blindness. Headaches. Muscle aches. Joint aches. Neck pains. Eye pains. The consistent thirst. I can't go to the doctor because I don't have insure. But. Most importantly. I don't have employment, because of the Government's illegal employment system that accounts for me. I've been unemployed for 6 years. And. Have a private college degree from one of the top Universities in the USA. Also. I've been very active in producing sputum. Flem. My neck is swollen. And parts of my body are swollen. Not severely. But you can see there is minor swelling. All the symptoms I'm disclosing in this report, are minor. But. When collectively experienced. Is unbarable. Extremely Uncomfortable. And. You're expecting me to get another dosage of this experience. Being. 2 months incapacitated. This is even illegally distributed. What the hell. In God's name. Are you people in there doing. And. Why are you people in the Government even able to get away with this.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1169881-1	patient said she started losing vision in one eye for few minutes, and started having numbness or tightness in arms. Paramedics were called and she felt fine after first few minutes
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1172268-1	Temporary blindness for about 5-10 minutes. I was unable to see but was conscious and eyes were completely dilated. As a result of the inability to see, I felt panicky and my fingers and face were tingly.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1208881-1	Did not realize I had a reaction until I came home from the hospital... started with a grey out that progressed to a functioning black out... shortly after the black out I passed out... it had effected my heart and pacemaker... I went into a functioning grey out...
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1226450-1	black out vision for 5-10 mins ,lot of sweating and dizziness

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1227951-1	momentarily vision loss; This is a spontaneous report from a contactable female consumer. A 65-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Lot Number: ER8728) via an unspecified route of administration, in left arm on 31Mar2021 11:00 (at the age of 65-years-old) as single dose for COVID-19 immunization. Vaccine was not administered at Facility. Facility type was Department of Health. Medical history included bone loss diagnosed more than 3 years ago from an unknown date and unknown if ongoing. Concomitant medication(s) included vitamins nos (Multivitaminum) taken for routine health maintenance from an unspecified start date and ongoing; calcium taken for bone loss from an unspecified start date and ongoing; vitamin d [vitamin d nos] taken for routine health maintenance from an unspecified start date and ongoing taking it for years. Also patient stated she started on her own because reading and recommendation vitamin D was so critical. This is vitamin D3 and she does not know if sun can provide. She has been taking it only about a year. Patient asked about a question on her vaccination questionnaire. She said it asked about every getting vaccines on a base, why was that question there. Caller stated this happened early in the afternoon and she was in the kitchen and was standing near island she was working up right. She was not bent over. All of sudden she looked up and maybe for a minute or two lost her vision. It was not too long, but long enough it certainly caught her attention. Caller stated when she was looking down at whatever she was doing on the counter she looked up and her line of sight was in the great room but she could not see anything and thought oh my gosh what happened. Patient reported that she and her husband both received their first doses of the PFIZER-BIONTECH mRNA COVID-19 vaccine on 31Mar2021. She reported that they've both experienced visual disturbances since then, with no prior history of vision impairment. She stated her husband was nearby and he was like what do you mean and she could not even see a foot in front of her. Reported that by the time she went through a conversation her vision had come back and she has not experienced it since. Her episode occurred on Friday (02Apr2021), during the day while at her kitchen island. She was unable to see, but it resolved quickly. Her husband's episode occurred last night 05Apr2021. She reported that her husband (67 y/o, male) woke up from being asleep, asked if the TV was on (which was because he could hear it, but could not see it). His symptoms have also resolved. Patient explained her husband and she both, on different days experienced vision disruption. Momentarily, but they experienced it different day. They both had the general feeling that something was a little different but nothing severe and worrisome until the vision thing. Event blindness transient was considered serious (medically significant) based list. No treatment for the events was given. Outcome of the event was recovered on 02Apr2021 for female patient. Follow up attempts are completed. No further information is expected.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1231191-1	Patient unable to stand, was feeling hot. Reported unable to see or hear for a few minutes. Recovered after a few minutes. called 911 and measured BP and pulse . readings were 109/60 and pulse of 68. Patient regain strength and was able to leave on her on.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1241978-1	Events: Tingling in left arm, lightheaded, nauseous, trouble breathing, sweating, temporary loss of vision, increased blood pressure. Treatment: immediate help, fanning, given water, asked state of mind questions, Outcome: vision returned, heart rate and blood pressure returned to norma, started shivering for a few minutes. Lingering feelings of anxiety/unease. Arm soreness.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1265896-1	"even to the point of near blindness; suddenly begin to sweat profusely; feeling weak/felt weak; nauseous; my vision becomes extremely blurry; spent much of that time in the bathroom with diarrhea; This is a spontaneous report from a contactable consumer. A 33-year-old male patient received first dose of BNT162B2 (BNT162B2), via an unspecified route of administration, administered in Arm Left on 31Mar2021 at 13:30 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunization. Medical history included Seasonal allergies (trees, grass) and related fruits (apples/cherries/peaches). Concomitant medications included cetirizine hydrochloride (ZYRTEC [CETIRIZINE HYDROCHLORIDE]) taken for an unspecified indication, start and stop date were not reported. The patient reported ""Received the shot and waited in the parking lot for the 15 minutes. No negative effects whatsoever during the 15 minutes, and I was cleared to leave. As I am driving out of the parking lot, suddenly begin to sweat profusely, feeling weak/nauseous, and my vision becomes extremely blurry, even to the point of near blindness. I stopped the car and sat for about 30 seconds/1 minute until my vision returned sufficiently to drive back to the waiting area where I requested water. I immediately felt better with the water, and the staff also gave me benadryl although I don't think it had any impact. I felt weak for an additional 30 minutes or so and spent much of that time in the bathroom with diarrhea. I felt fine to drive after this 30 minutes and have had no side effects since."" Therapeutic measures were taken as a result of even to the point of near blindness, suddenly begin to sweat profusely, feeling weak/felt weak, nauseous and my vision becomes extremely blurry. No treatment was reported for the event spent much of that time in the bathroom with diarrhea. Outcome of the events was recovered on 31Mar2021."

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1265997-1	This is a spontaneous report from a contactable consumer, the patient. This 53-year-old male patient reported that he received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: UNKNOWN) via an unspecified route in the left arm on 28Mar2021 at 12:00 (at the age of 53-years-old) as a single dose for COVID-19 immunization. Medical history was reported as healthy. The patient had a known allergy to amoxicillin/clavulanic acid (AUGMENTIN). The patient did not receive any other vaccines within four weeks. The patient did not have COVID prior to the vaccination. Concomitant medication included over the counter (OTC) product (unspecified). Ten days after (as reported), on 10Apr2021, the patient had blood clot in retina of eye which caused temporary blindness. The events resulted in: Doctor or other healthcare professional office/clinic visit, emergency room/department or urgent care. The patient was doing additional testing to see what damage occurred (test name and results not provided). The patient was not treated for blood clot in retina of eye and temporary blindness. The clinical outcomes of blood clot in retina of eye and temporary blindness was unknown. The patient was not tested for COVID-19 post vaccination. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1280819-1	Sore gums, loss of balance, hot flashes, temporary loss of vision.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1291409-1	Temporary loss of vision and loss of feeling in the arms and legs. Also experienced extreme sweating and chills over night and chest tightness, stomach upset, headache, numbness. Did not have to get medical care - Symptoms resolved after 72 hours
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1306561-1	Systemic: Chills-Mild, Additional Details: Approximately less than 5 minutes pt repoerted not able to see anything. Patient sad comfortable with his mom and was breahing fine and 911 was dialed and EMS came out and all vitals were good. Patient was able to see before EMS came and after being check by Ems he left with his mom and was okay.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1309542-1	Vision problems (partial loss of vision for a few seconds, unfocused spots in vision, double vision for minutes); Vision problems (partial loss of vision for a few seconds, unfocused spots in vision, double vision for minutes); Vision problems (partial loss of vision for a few seconds, unfocused spots in vision, double vision for minutes); Dizziness, Giddiness, lightheadedness; This is a spontaneous report from a contactable Other Health Professional. A 69-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration, administered in the right arm on 12Feb2021 at 10:00 (Batch/Lot number was not reported) at 69-years-old as a single dose for COVID-19 immunization. The patient did not receive any other vaccine within four weeks of the suspect vaccine. The patient did not have COVID prior to the vaccination. Medical history included blood pressure high (HBP) from an unknown date and unknown if ongoing, atrial fibrillation (A-fib) from an unknown date and unknown if ongoing; and relevant past drug history: Yes, as reported (no details provided). Concomitant medications included nebivolol hydrochloride (BYSTOLIC) taken for an unspecified indication, start and stop date were not reported; hydrochlorothiazide (MANUFACTURER UNKNOWN) taken for an unspecified indication, start and stop date were not reported; losartan (MANUFACTURER UNKNOWN) taken for an unspecified indication, start and stop date were not reported; and others as reported. On 12Feb2021 at 14:00, the patient experienced: vision problems (partial loss of vision for a few seconds, unfocused spots in vision, double vision for minutes) (hospitalization, medically significant), and dizziness, giddiness, lightheadedness (hospitalization). The patient was hospitalized for the events for 3 days. The patient underwent lab tests and procedures which included computerised tomogram (CT): result was not provided on an unspecified date, echocardiogram: result was not provided on an unspecified date, Nasal Swab: negative on 24Apr2021 (post vaccination). Therapeutic measures were taken as a result of the events, which included CT and echocardiogram (as reported). The clinical outcome of the events: vision problems (partial loss of vision for a few seconds, unfocused spots in vision, double vision for minutes) was recovered on an unspecified date. The clinical outcome of the events: dizziness, giddiness, lightheadedness was recovering. The batch/lot numbers for the vaccine, bnt162b2, were not provided and will be requested during follow up.; Sender's Comments: Based on a temporal association, a causal relationship between the reported events partial vision loss for a few seconds, unfocused spots in vision, double vision and dizziness, and the vaccine BNT162B2 cannot be completely excluded. The causality was confounded by the patients preexisting cardiovascular conditions including hypertension and atrial fibrillation and multiple concomitant medications. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1340346-1	passed out; loss of vision for a few minutes; Dizziness; blurred vision; Severe weakness; couldn't walk; chills; fever; Fatigue; soreness in right arm; muscle aches; This is a spontaneous report from a contactable other health professional (patient). A 34-year-old female patient (not pregnant) received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration, administered in Arm Right on 05May2021 15:00 (Lot Number: ew0161) as single dose for covid-19 immunisation. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not have COVID tested post vaccination and did not have COVID prior vaccination. The patient had no known allergies. The patient had no other medical history. Concomitant medications included ethinylestradiol, norgestimate (TRI LO MARZIA); ascorbic acid, betacarotene, biotin, calcium lactate, choline bitartrate, chromium nicotinate, colexicalciferol, cyanocobalamin, dexpanthenol, dl-selenomethionine, folic acid, inositol, magnesium lactate, manganese gluconate, nicotinamide, potassium citrate, potassium iodide, pyridoxine hydrochloride, retinol palmitate, riboflavin phosphate, thiamine hydrochloride, tocopheryl acetate, zinc gluconate (MULTI VITAMIN & MINERAL); probiotics (PROBIOTICS) all taken for an unspecified indication, start and stop date were not reported. The patient received first dose of Covid-19 vaccine (manufacture Pfizer, lot number ew0151) on 14Apr2021 01:00 PM in Left arm for covid-19 immunisation. The patient experienced dizziness with blurred vision / loss of vision for a few minutes, possibly passed out. Severe weakness, couldn't walk for a few minutes. Dizziness with chills/fever lasted a few hours. Fatigue for 12 hours. Soreness in right arm and muscle aches all over. Headache for 12-16 hours, all on 06May2021 06:30 with outcome of recovered. No treatment was received for the events. Information on the lot/batch number has been requested.; Sender's Comments: The causal association between the reported events passed out and loss of vision for a few minutes and the suspect drug BNT162B2 cannot be totally excluded based on a temporal relationship. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated a part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory authorities, Ethics committees, and Investigators, as appropriate.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1340457-1	"This is a spontaneous report from a contactable consumer (patient's parent). A 26-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on an unspecified date (reported as ""this afternoon"" (Batch/Lot number was not reported) (at 26-year-old) as first dose, single for COVID-19 immunisation. The patient's medical history was reported as no. Concomitant medications were not reported. Couple minutes into that he got light headed, his vision got blurred and then he had a complete vision loss. They cleared the room and called the paramedics. The paramedics came and said that both of his eyes were dilated and his blood pressure was high. They sat him for couple of minutes, then his vision return. So if they ask them make the total of vision loss lasted for seven minutes. His blood pressure went down. They kept him there and had a given a bottle of water and two container of fruit juice to bring his sugar level up. They made sure everything seems alright. And paramedics left and said that they thought it would be cause from some sort of blood reaction and allergic reaction to vaccine. And told them not to get the second shot. And let us want to he felt ok that it would be alright to go home. They did keep him there for about half an hour longer just to make sure he was alright and then sent him home. That was just a reaction and he should be ok now. No treatment received. The outcome of the events was resolved on an unspecified date. Information about batch/lot number has been requested."
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1355151-1	Temporary blindness (lasted about 30 secs to a min), pale skin, sweating, feeling cold, dizziness. Gave water, apple juice and Gatorade to patient and called 911. EMT came in to take he's BP, blood glucose level and both were normal. Stayed at pharmacy for about 45 minutes and patient got better but was still feeling cold. They've decided not to go to hospital but followed up with dad around at 6:30 - 7 pm ish, and confirmed he is doing okay.
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1364706-1	Pt experience dizziness & temporary blindness post vaccination. BP 88/56; HR 73; RR 17. Rechecked BP 10 min later 97/68; HR 72; RR 16. Pt was stable & released from vaccination site

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER- BIONTECH)) (1200)	PFIZER\BIONTECH	1373857-1	<p>started seeing strange things- saw things that weren't there. The yellow wall in his bedroom came up but had all kinds of art work on it, the ceiling and doors too; couldn't remember things; Weird things happened in my brain; lost his vision while driving; CT scan it did show hardening of the arteries in his brain ,was told had a TIA (Transient Ischemic Attack) or some kind of a stroke; had issues with confusion as well; This is a spontaneous report from a contactable consumer (patient) via medical information team. A 78-year-old male patient received BNT162B2 (PFIZER BIONTECH COVID-19 mRNA VACCINE, Solution for injection), via an unspecified route of administration on 06Apr2021 as 2nd dose, single dose (at the age of 78-year-old) for COVID-19 immunization. The patient medical history and concomitant medications were not reported. The patient previously took BNT162B2 as 1st dose for COVID-19 immunization. On 02May2021 (26 days later), patient lost his vision while driving and it came back good enough to drive within a half hour (medically significant) and when it recovered on 02May2021, patient started seeing strange things, saw things that were not there. The yellow wall in his bedroom came up but had all kinds of artwork on it, the ceiling and doors too (medically significant), patient couldn't remember things, had weird things happened in his brain. Patient stated that it didn't go away entirely until about 10 days later. Patient also had issues with confusion as well. Patient stated that he thinks he was back to normal now. A computed tomography (CT) scan was completed a week or so earlier and it did show hardening of the arteries in his brain. Patient saw his primary care physician and was referred to a neurologist. On unspecified date of May-2021, patient was told he had a transient ischemic attack (TIA) or some kind of a stroke (medically significant). Patient had a Magnetic resonance elastography (MRE) (like a Magnetic resonance imaging (MRI) of the brain) yesterday (27May2021), but it had not been read yet. Patient asked if he was the only one that had done this or had other people had this problem, even two or three people or he was an isolated case and in response it was stated that, unable to find information about his symptoms in resources and the Product Information (PI) for the vaccine does not contain information reporting his symptoms (vision loss, memory loss, confusion, hallucinations) as side effects of the vaccine. The outcome of had a TIA (Transient Ischemic Attack) or some kind of a stroke was unknown, for lost his vision while driving was recovered on 02May2021 while recovered for rest of the events on May2021. Information about lot/batch number is requested.</p>

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1381100-1	<p>Severe headache; Blurred vision; Unable to move left eye; Lost vision in left eye due to swelling; Left eyelid is drooping; Left eye pain; the vision loss is most likely temporary; Orbital Maltumor; This is a spontaneous report received from a contactable consumer (Patient). A 43-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in Arm Left on 30Apr2021 13:00 (Batch/Lot Number: ER8736; Expiration Date: 31Jul2021) (at age of 43-year-old) as 1ST DOSE 0.3ML SINGLE for covid-19 immunisation. The patient medical history and concomitant medications were not reported. The patient previously took Vaccine Tdap and experienced Sore arm, headache, and fever; took Flu shot and experienced Headache, Fever, and gets sick. There was no other vaccine in four weeks. Caller reported that she gets sick each time after she gets the flu shot. The patient experienced severe headache on 01May2021 , blurred vision, unable to move left eye , orbital maltumor, lost vision in left eye due to swelling, and left eyelid is drooping, and left eye pain, all on May2021 . The patient underwent lab tests and procedures which included blood glucose: normal on 12May2021, computerised tomogram: normal on 12May2021, magnetic resonance imaging: normal on 12May2021, magnetic resonance imaging: orbital maltumor left eye on 16May2021, multiple sclerosis: normal on 12May2021, myasthenia gravis: normal on 12May2021, thyroid releasing hormone challenge test: normal on 12May2021 . Clinical details: Caller reported that she got the first dose of the Covid-19 vaccine on 30Apr2021. Caller reported that the next day, 01May2021, she had a severe headache. Caller reported that the headache carried on for almost 3 weeks. Caller reported that she also experienced blurred vision and is unable to move her left eye. Caller reported that her physicians have run tests and informed her that there is a known side effect of the Covid-19 vaccine where the muscles in the face get attacked. Caller reported that she had a CT, MRI, and blood work performed to rule out everything else. Caller reported that the severe headache, blurred vision, and inability to move her left eye are a really weird and unusual things to happen and it is coinciding with the Covid-19 vaccine. Caller reported that she has been to the ophthalmologist and neurologist to figure out what's going on. Severe headache: Caller reported that the pressure behind her eye is causing her headache. Caller reported that the headache is in the back of her head and eye. Caller reported that her headache has improved. Caller reported that her headache is no longer running at a 7 and is now more like a 4. Blurred vision: Caller reported that the blurred vision started about a week and a half after she received the first dose of the Covid-19 vaccine on 30Apr2021. Caller reported that after 2 weeks, the blurred vision had escalated to where she went to the emergency room. Unable to move left eye: Caller reported that the inability to move her left eye began about a week and a half after she received the first dose of the Covid-19 vaccine on 30Apr2021. Orbital maltumor: Caller reported that the orbital maltumor is what is restricting the movement in her eye as well as giving her the severe headache and blurred vision. Caller reported that her physician informed her that it could be a rare side effect of the Covid-19 vaccine. Caller reported that her neurologist did not seem too concerned about it. Caller reported that she is following up with her neurologist in 2 weeks. Lost vision in eye because of swelling: Caller reported that the vision loss is most likely temporary and that her vision will most likely return after the swelling decreases. Eyelid drooping: Caller reported that her eyelid is drooping slightly more this week than last week. Caller reported that her drooping eyelid is not very obvious, but it's noticeable when her eyes are closed. Left eye pain: Caller reported that she was trying to move her eye just to see better when the blurred vision began and her eye started hurting if she was looking up or to the left. Caller reported that the swelling behind her eye has gone down and the pain in her eye has gone down. Caller reported that she was prescribed steroids for the orbital maltumor and swelling in her eye. Caller reported that she has been on steroids for 3 days and that her eye is improving. Investigations: Caller reported that bloodwork was performed in order to determine what was causing her symptoms. Caller reported that she was tested for myasthenia gravis and multiple sclerosis. Caller reported that her thyroid and glucose level were also checked. Caller reported that all of her blood work came back fine. events Blurred vision, unable to move left eye, orbital maltumor require a visit to: Emergency Room and Physician Office. Caller reported that blood work was drawn to test her thyroid and blood glucose levels as well as to check for myasthenia gravis and multiple sclerosis. Caller reported that the blood work all came back fine. The outcome of events were resolving.</p>
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1390986-1	<p>eyes really burning and watering, she almost could not see; eyes really burning and watering, she almost could not see; she almost could not see for a few minutes; Tiredness; excruciating pain in all 10 fingers, just to the area that connects to the hand, nothing in her palm or hand; red mark about the size of a quarter at injection site; couldn't move her fingers; This is a spontaneous report from a contactable Nurse. A 79-year-old female patient received first dose of BNT162B2 (Formulation: Solution for injection; Batch/Lot Number: EW0150; Expiration Date: 31Jul2021), dose 1 intramuscular, administered in Arm Left upper on 24May2021 11:30 AM (at the age of 79-year-old), as 1st dose, 0.3 ML single dose, for COVID-19 immunization. Medical history included first pulmonary embolism in 2007; second in 2017 Went to hospital 23Jan2017, left hospital 5 days later. Patient has allergy to aspirin from Dec1982 to ongoing. (Patient Had headache, took Aspirin in 20 minutes had severe reaction-like never seen. Did not go to hospital, never felt throat closing off, coughing, trouble breathing. Skin felt on fire inside and out, took everything off, ice cold shower, skin beet red felt on fire all over, skin looked like elephant skin, wavy; Neighbor nurse gave her liquid Benadryl she drank. Within 15 minutes everything started to clear up, never been near Aspirin again). Patient has allergy to Advil from 1985 To</p>

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Ongoing. (Had Severe reaction. Did not go to hospital, never felt throat Adverse Event Description
				<p>closing off, coughing or trouble breathing. Couple years later had new job picked up fever from little kids coming in. Took Advil had reaction started the same way as with Aspirin, but she had Benadryl at home and able to catch it in time. Never taken again). Patient has allergic to other things, has environmental allergies. She kept Benadryl in her purse. Patient had Gall bladder surgery from 1985 to Unspecified date. (When had gall bladder taken out, they gave her Percodan and Percocet in hospital, had reaction of rash so they had to take her off Percodan and Percocet and give her Benadryl). Patient had Titanium filter in place from 24Jan2017 to ongoing. On 23Jan2017, patient was hospitalized because she could not breathe with pulmonary embolism, they put titanium filter in place probably after midnight so on 24Jan2017. Patient had lumbar stenosis with pinched nerve from 49 years of being a nurse. A few years ago, she had 2 procedures where they would inject long-acting unknown product, she guesses Cortisone but did not know the name of the product she guesses Cortisone but does not know the name of the product. On her right hand the numbness was still there. Patient underwent EMG test and a couple weeks later he told her he thought she has carpel tunnel. The concomitant medications include Eliquis taken for pulmonary embolisms (2.5 mg, 2x/day) from unspecified date of Jan2017 to ongoing. Synthroid taken for thyroid problem from unspecified date to unspecified date. Eliquis has to be a pretty powerful drug; don't know about Pfizer Covid Vaccines, wondered if something interacted because excruciating pain in all 10 fingers, just to the area that connects to the hand, nothing in her palm or hand and couldn't move her fingers took a little over 4 days after Pfizer Covid Vaccine for onset. The patient previously took (years ago) hepatitis vaccine, shingles vaccine, pneumonia vaccine, no reactions to those; she was very cautious did not leave the office too soon after vaccines. She never got flu shot; when she was first in nurses training, she had a reaction to the flu vaccine in like 1960 and was in the emergency room. This retired Registered Nurse was the patient who called regarding her first dose of Pfizer Covid Vaccine. She reported tiredness; eyes really burning and watering, she almost could not see; excruciating pain in all 10 fingers, just to the area that connects to the hand, nothing in her palm or hand; She couldn't move her fingers. She also mentioned red mark about the size of a quarter at injection site. She reported she had absolutely no symptoms, nothing after the Pfizer Covid Vaccine other than tiredness, feeling kind of tired, that's about it. On27May2021 in the afternoon she had onset of her eyes really burning and watering, she almost could not see for a few minutes. She washed her eyes out, and the burning and watering went away after she washed them. She had no make-up on, no eye make-up on for a few days at that time. Otherwise, everything was ok. She went to bed last night and during the night she woke up with excruciating pain in all 10 fingers, just to the area that connects to the hand, nothing in her palm or hand. She couldn't move her fingers for maybe a minute or two. Eventually she was able to move her fingers a little, then more and more and the event stopped, she kind of went back to normal and fell asleep. A couple of hours later she had the same event reoccur, just down to the hand, all 10 fingers, couldn't move them for a few minutes and then after that she could, they seemed to be ok, and she fell asleep again. Whether event started 27May2021 or 28May2021 is unknown, unknown onset times. She has been fined all day. She has written checks out, made meals, coffee, washed and dressed herself, had no other problems. At her age it was hard to tell when the tiredness started regarding time of onset. Thinks in the evening of 24May2021 she felt onset, tired and the next day on 25May2021 she had a couple episodes where her arms felt really heavy just for a short time maybe 30 seconds and then the episodes went away and she just felt tired. 26May2021 she noticed she was not as tired, and yesterday and today improved, feeling pretty good. Seriousness of all the events was not specified by reporter. The outcome of the events eyes really burning and watering, she almost could not see for a few minutes was recovered on 27May2021. Time of onset: late morning, probably about 11:00-11:30 really burned, then eyes started to really, really water. She was familiar with her house so she held onto furniture to get to the bathroom and as soon as she rinsed her eyes out event never happened again. Her eyes are not bothering her.The outcome of excruciating pain in all 10 fingers, just to the area that connects to the hand, nothing in her palm or hand and couldn't move her fingers was resolved on an unspecified date in 2021. The outcome of the event tiredness and red mark about the size of a quarter at injection site was recovering. Follow up attempts are completed. No further information is expected.; Sender's Comments: Based on close temporal association the causal association between the reported event she almost could not see for a few minutes with the usage of the vaccine BNT162B2 cannot be excluded. The contributory effect of the patient's medical history and concomitant medications also need to be considered. The case will be reassessed should the additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate.</p>
BLINDNESS TRANSIENT	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1391342-1	Site: Pain at Injection Site-Mild, Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: LOSS OF VISION SHORT TERM-Mild, Systemic: Flushed / Sweating-Mild

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1186456-1	Janssen COVID-19 Vaccine EUA Immediately after getting the vaccine, I experienced severe nausea for 10-20 minutes. I experienced no symptoms for 3-4 hours afterward, but then began to develop a low-grade fever, muscle aches, a headache, and became nauseous again. Around 12 hours after getting the vaccine, I developed a fever of 102 F, I began to experience severe muscle aches and cramps in my calves and abdomen. I also began to develop a much worse headache and lost partial vision in my right eye for a few hours. This is when I became violently nauseous, but I was unable to throw up, or defecate. I was unable to sleep during this time, and at 2 am, my nausea peaked, and I threw up incredibly violently and incredibly suddenly. It was so violent, it caused me to pop a blood vessel in my eye, and gave me a sore throat. However, after throwing up, most of nausea subsided. At this point, the vision began to return to my eye. 20-40 minutes after throwing up, I began to experience chills that lasted for up to an hour. Eventually, I slept at 4 am, but slept fitfully, and woke every 40 minutes to 2 hours. At 7 am on the 9th, the nausea was completely gone the day after my vaccination, but the muscle aches and headaches were back. My fever was down to 101, and I took some Tylenol and slept fitfully until 2 pm when I woke up feeling significantly better.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1195295-1	Extreme left arm and shoulder neck pain and tightness within a week of shot and has persisted for over a month. Treated with Methocarbamol and Diclofenac Sodium. Within two and a half weeks of the shot, on March 23rd, sudden loss of peripheral vision in right eye. Doctor diagnosed as NAION, non-arthritis anterior ischemic optic neuropathy. Vision loss in one eye is blurred from varying angles and grayed out and is considered permanent. Eye problem caused pain down neck and jaw. Also, a rash developed over chest with symptoms similar to shingles.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1201212-1	on 3/24 I had a TIA with an intense heat pressure behind the right temple which resulted in complete numbness, heaviness, and tingling on my entire right side of the my body. I was transported by ambulance to the hospital. A CT and MRI was done, no signs of blood clots or stroke. I am still experiencing numbness and tingling in the right arm. Follow up appointments with the eye doctor indicate additional vision loss in the right eye with pressure behind the eye. I have a follow up appointment today with the neurologist for a brain scan and tomorrow for an eeg. My PCP, eye doctor, and neurologist believe it may be a blood flow issue. I have not had this type of event before.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1201566-1	left shoulder was the injection site- very swollen, red, the size of a fist, hot to the touch, very sore- a lot of pain. Hot, cold, chills, extreme body aches, blinding head ache, loss of clear site in left eye, vomit, nausea, tired, loss of taste, sores on the inside of mouth.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1201645-1	PATIENT SUFFERED AN ISCHEMIC OCCIPITAL LOBE STROKE, CONFIRMED BY CT SCAN, ON 4/2/2021. PATIENT WAS TRANSFERRED TO AND ADDMITTED TO HOSPITAL. PATIENT WAS NOT ADMITTED TO THE ICU PER HIS WIFE. PATIENT WAS RECENTLY TRANSFERED TO REHAB WHERE IS HE IS CURRENTLY AS OF 4/13/2021. PATIENT LOST VISION IN LEFT EYE AS WELL AS FUNCTION IN HIS LEFT ARM PER THE PATIENTS WIFE. PATIENT IS REGAINING SIGHT AND STRENGTH IN BOTH HIS LEFT EYE AND ARM BUT PROGRESS IS SLOW, PER HIS WIFE.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1202572-1	"63 year old male with progressive weakness at bilateral faces and extremities, LEs > UEs, absent DTRs throughout x 2 weeks. Received J&J vaccine at 3 weeks ago. His current neurological examination and clinical history is suggestive of GBS NEUROLOGICAL EXAM: MSE: A+Ox 3 Language: no aphasia CRANIAL NERVES: 2nd CN: bilateral pupils are equal round and reaction to light, visual field-full 3rd,4th and 6th CN: EOM-I 5th CN: no sensory deficite 7th CN: face: symmetric, not able to smile or blowing air or holding water 8th CN: hearing loss: no 9, 10th CN: no dysarthria, palate movement:normal 11th CN: no neck weakness 12th CN: tongue: middle, no atrophy MOTOR EXAM: Tone: normal Strength: 4+/5 at bilateral UEs, 4 Pt symptoms started very early. Narrative from family below: ""Day 1 (The day he took the vaccine): My father was complaining of very heavy chest pressure (said he felt like his chest was being pushed down with force.) He felt really tired and had a nasty headache. Day 2 He began to feel tingles in his legs and arms. Said he felt sore and had mild pain around his back, feet, legs, hands, and arms. The headache came in and out. Day 3 He began feeling more severe pains in both legs + headache. More tingling around his face, lips, and jaw. Day 4 Severe pain continued around his entire body. Had an episode where he lost vision from 1 eye (he described it as blurry vision) felt like he was going blind from one eye. Day 5 Could barely stand on his two feet and could no longer go to work. He stayed in bed and then hospital visits began. My mom took him to emergency for the first time. I was able to get details of the location where he was vaccinated and onsite contact information. The info is below:"
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1202639-1	Develop a blood clot lost vision in left eye due to stroke. I?m still in the hospital. I am 50 and had a stroke a week at getting that vaccine TPA shot. Given. Clot buster
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1209059-1	Lost vision in left eye on Thursday evening (03/11/2021) around 7:00 pm. My condition was not improved when I awoke the next morning (03/12/2021).

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1214553-1	2 days after vaccination, patient started having vertigo, nausea and headaches. That day she tried to notify her doctor unsuccessfully. 2 days after that patient's headache became extreme and she lost her vision in one eye. Family doctor prescribed migraine medication and referred her to her eye doctor for the next day. The eye doctor told her he believes she had a stroke after a full exam. Stroke confirmed with MRI per family doctor. The stroke was in the occipital area. Referred to neurologist at present time. Vision loss persists. Patient is starting physical therapy and following up with neurologist, eye doctor and cardiologist.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1214733-1	Patient reports that she had pain behind her eye. Went to hospital and was diagnosed with having a stroke. Patient states she lost sight in her left eye and is still blind in her left eye. Optometrist states patient will not regain her vision in her left eye.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1231357-1	Woke up with lost of vision in left eye for 4 to 5 hours on April 6th, 2021 in the morning. Patient went to her ophthalmologist that afternoon. The sight came back but very blurry. Retina specialist seen her on 4/13/2021 and diagnosed mini stroke (TIA) of her left eye. He urgently Guide her to go to ER on 4/13/2021.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1236117-1	Immediately had flu symptoms the same night as vaccine that went away within 2 days. HOWEVER, twenty-one (21) days later, both eyes were extremely painful to move. Then I lost vision in right eye with extreme blurriness & partial blind spots resulting in a diagnosis of Optic Neuritis by Ophthalmologist and Neurologist. Confirmed optic Neuritis on MRI scan. Twenty-four (24) days later, numbness in legs, feet and right arm started. Hard to walk up and down stairs. Twenty-six (26) days later, extreme pain in in muscles and skin along with tingles all over and numbness. Weakness and Chest pain. Flu like symptoms without fever ie: aches, pains, skin pain, confusion. Dizziness, feeling of being extremely anxious and out of sorts in space. Had to complete round of Steroids and numbness and tingles got better, but did not dissolve. After completion of IV steroids, thirty-four (34) days later all symptoms returned full force and worsening. Checked into ER 4/10 and admitted into hospital. Have not been able to complete normal routine or work level since March 27th due to neurological disturbance and symptoms. Two (2) Eye exams, 3/30/21 confirming swollen optic nerves. MRI 3/31/21 Blood work 4/2/21 CoVid Test 4/9/21 Negative Hospital: April 10-12th. MRI Extensive Blood work Spinal Tap Neuro-Opt exam Outcome pending and further treatment pending results.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1237108-1	3 days after receiving injection i lost my sense of smell and taste. no fever or chest congestion. taste and smell returned i 5 days 03/19/2021 woke up with vision loss i left eye. eye care assoc. diagnosis is NAION, optic neuropathy due to lack of blood flow to optic nerve damaged.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1244979-1	Nueropathy (numbness weakness tingling) on right side. Loss of vision 30 minutes right side. Headaches, temple pain, sinus pain. Shots of random pain throughout body.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1264398-1	90% LOSS OF VISION IN ONE-EYE; BURNING EYE; FOGGY VISION; This spontaneous report received from a consumer (company representative) concerned a 43 year old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On an unspecified date, the patient experienced 90% loss of vision in one-eye, burning eye, and foggy vision because of which patient visited his physician. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the burning eye, foggy vision and 90% loss of vision in one-eye was not reported. This report was serious (Other Medically Important Condition). This case, from the same reporter is linked to 20210436318.; Sender's Comments: :20210436363-covid-19 vaccine ad26.cov2.s-90% loss of vision. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1264433-1	90% LOSS OF VISION IN ONE EYE; BURNING EYE; FOGGY VISION; This spontaneous report received from a patient concerned a 47 year old male. The patient's weight, height, and medical history were not reported.The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, and batch number were not reported) dose, frequency 1 total, start therapy date were not reported for prophylactic vaccination. Batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date, the patient experienced 90% loss of vision in one eye, burning eye, and foggy vision. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the burning eye, foggy vision and 90% loss of vision in one eye was not reported. This report was serious (Other Medically Important Condition). This case, from the same reporter is linked to. Sender's Comments: V0.- Covid-19 vaccine ad26.cov2- 90% loss of vision in one eye. This event(s) is considered unassessable. The event(s) has an unknown/unclear temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1285742-1	I AM EXPERIENCING BLURRED VISION ON THE LEFT EYE CURRENTLY BUT IT DIDN'T START RIGHT AWAY - ALSO EXPERIENCED A THROAT INFECTION 3 WEEKS AFTER VACCINE AND WAS PRESCRIBED ZYTROMAX ANTIBIOTIC

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1298806-1	TRANSIENT ISCHAEMIC ATTACK; BLINDNESS UNILATERAL; VISION BLURRED; COMPUTERISED TOMOGRAM HEAD; ECHOCARDIOGRAM; MAGNETIC RESONANCE IMAGING HEAD; ULTRASOUND DOPPLER; This spontaneous report received from a patient via a Regulatory Authority Vaccine Adverse Event Reporting System (VAERS) (VAER reference number 1231357) concerned a 79 year old female of unknown race and ethnicity. The patient's height, and weight were not reported. The patient's past medical history included congestive heart failure, and atrial fibrillation, and concurrent conditions included diabetes, and other pre-existing medical conditions included patient has no allergy or illness. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1802070, expiry: UNKNOWN) dose was not reported, 1 total, administered on left arm on 08-MAR-2021 for prophylactic vaccination. Concomitant medications included ergocalciferol, magnesium, and mecobalamin. On 06-APR-2021, the patient woke up with lost of vision in left eye for 4 to 5 hours. Patient went to her ophthalmologist; the sight came back but very blurry. Retina specialist had seen patient on 13-APR-2021 and diagnosed transient ischaemic attack of left eye. The patient was guided to go to ER on 13-APR-2021. On 06-APR-2021, the patient experienced blindness unilateral, vision blurred. The patient was admitted in the hospital on 13-APR-2021 and was hospitalized for 3 days. Laboratory data included: Computerized tomogram head (NR: not provided) UNKNOWN, Echocardiogram (NR: not provided) UNKNOWN, Magnetic resonance imaging head (NR: not provided) UNKNOWN, and Ultrasound Doppler (NR: not provided) UNKNOWN. Laboratory data (dates unspecified) included: Eye exam (NR: not provided) Unknown. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from blindness unilateral, transient ischaemic attack, vision blurred, computerised tomogram head, echocardiogram, magnetic resonance imaging head, and ultrasound doppler. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0: 20210500771 - Covid-19 vaccine ad26.cov2.s- blindness unilateral, transient ischaemic attack, vision blurred, computerised tomogram head, echocardiogram, magnetic resonance imaging head, and ultrasound doppler. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1298819-1	BLOOD IN EYE; DO NOT HAVE TOTAL VISION IN LEFT EYE; This spontaneous report received from a patient concerned a female of unspecified age. Initial information was processed along with the additional information received on 06-MAY-2021. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: unknown) dose was not reported, 1 total, administered on 05-MAR-2021 for prophylactic vaccination. Batch number was not reported. Per procedure, no follow-up would be requested for this case. No concomitant medications were reported. On 22-MAR-2021, the patient experienced blood in eye. On an unspecified date, the patient experienced losing vision in left eye and reports she has not yet got back complete vision in the eye. It was reported that, the patient would love to get compensated for all the physician visits, blood test, prescriptions, and time out of work. He also said that he knew when he signed for the vaccination that they are not responsible. He also mentioned that he would never get another shot. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from don't have total vision in left eye, and the outcome of blood in eye was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0 20210504249 -COVID-19 VACCINE AD26.COV2.S- Do not have total vision in left eye, Blood in eye. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1314221-1	Patient got small blood clot show on skin 4 days after shot, it went away lighter red in 1.2 week, blood pressure went up and down suddenly. Sunday was fine, Monday the 26 was fine, went to bed at 9:00 PM. Was not able to wake up, went to ER around 8:30 AM on 4/27 AM by daughter call 911. In ER for 28 hour and found out she got stroke. Pnewnewmia. ER gave antibootic around 3:00 PM, transfer to intensive care, MRI around 7:00 PM 4/27/2021 due to CT scan shown stroke. Lost Vision on right side and parcial on left side due to stroke.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1328729-1	Very strong headaches and high blood pressure for two weeks. Went to the hospital twice in that span of time. Monday May 10, he couldn?t see through his right eyes. He went to the ER and they found a blood clot in his artery(thrombosis) and that night had a stroke in the brain. Still at hospital.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1336807-1	Patient presenting to Medical Center with progressive vision loss on 5/17/21, day prior to admission patient endorsing complete right eye vision loss and progressive left eye vision impairment. Prior to admission, she had presented to hospital for progressive right eye vision loss. Had right eye tonometry and ultrasound performed, pressure 24, ultrasound overall unremarkable. ESR and CRP normal limits. Referred for outpatient evaluation by ophthalmology and neuro-ophthalmology. Neuro-ophthalmologist referred her for IV steroids due to concern for ischemic optic neuropathy. She was started on IV solumedrol 1g daily for 5 days, with stabilization of her vision loss. No improvement in right eye vision loss, no worsening of left eye vision loss. Per patient, left eye vision blurriness able to see shapes and colors. Discharged on 5/21/21 on prednisone 60 mg until follow up with neuro-ophthalmology on 5/27/21.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1362156-1	The night after receiving the vaccine I started to develop a fever and headache. It lasted 3 days for the fever. On Tuesday I felt something different in my body. On Thursday I went to see an Optometrist. While there he found that there was something going on in my eyes. He noticed there was blood clot in the back of my right eye. I did go to the ER because of the blood clot. At the ER I had a CT scan and bloodwork completed. I was told that everything looked normal and I was told to go to a different hospital. I was transferred to Medical Center. While I was there they performed an MRI, CAT scan and Lumbar function test. I was told that everything looked fine from the neurology point of view. I need to follow up with an Ophthalmologist. I have gone completely blind in my right eye and my left eye is not clear anymore. On 05/20 I had an appointment with the ophthalmologist. There was something wrong with my optic nerve as well. There was a test performed 05/21. I went back to the doctor on 05/26 he said that the reports he received are not making sense to him. My next f/u appointment with Dr. is 06/09 because the doctor asked to have 2 weeks to read through my hospital reports. I saw a different doctor instead on 05/27, Dr. , and he said that this can happen from the vaccine. He said that there is a swelling and I need to see a different doctor about my retina. I was told that I need to see another physician. I saw Dr. . on 05/27 and he said that there are fluids there, but no one can confirm that this is because of the vaccine. He gave me the option to take prednisone 10mg and I feel that it is working, but it is very slow. It was moved to 3x per day. I can see objects now even though it's still not clear. I have a f/u with Dr. 06/03.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1362341-1	lost sight in right eye. optic nerve was blocked and destroyed
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1374219-1	April 20, 2021. PT needed to use the restroom. We stopped, he walked to the restroom, I went to the gift shop. Upon returning, I saw PT sitting on a bench. He was leaning to his left, could not see out of his left eye, very unstable when sitting. We missed lunch, so we thought it was his sugar dropping. I started to feed him jam and a chocolate bar. After 2 hours, his vision returned & he seemed better. He drove us back to the rental cabin. He rested the next 2 days. Then on Friday, we packed up our vehicle and Pt drove us back home. After arriving home, Pt's condition got worse. We went to the Dr, explained the events of the previous week & she came to the same conclusion, Diabetes spell. His condition continued to worsen, we went back to Dr several times, the ER 2 times and finally we got into see a Neurologist. That appointment, the doctor said he thought stroke. Dr scheduled a MRI for June 1, 2021. Results of that MRI was a definite stroke. Now he has started outpatient rehab with no promise he will ever regain full mobility. He can no longer drive, mow grass, walk without a cane and help, etc. Life has changed dramatically for both of us.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1375696-1	BLIND IN THE RIGHT EYE; This spontaneous report received from a consumer concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's concurrent conditions included non alcohol user, and non smoker, and other pre-existing medical conditions included no known allergies, no drug abuse or illicit drug usage, no relevant medical history and not taking any medications. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: unknown) dose was not reported, frequency once total, administered on MAY-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 12-MAY-2021, the patient noticed some vision issues. Patient went to the emergency room approximately 3 weeks ago. Patient was then referred to the ophthalmologist. Patient has since gone blind in her right eye. Patient never had any vision problems before. The ophthalmologist confirmed that it wasn't cataracts, glaucoma, macular degeneration, or optic neuritis. The ophthalmologist said that he has no idea what it could be. On an unspecified date in MAY-2021, Laboratory data included: Blood test (NR: not provided) nothing of note was found. Patient was hospitalized for unspecified number of days. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of blind in the right eye was not reported. This report was serious (Hospitalization Caused / Prolonged, and Disability Or Permanent Damage).; Sender's Comments: V0: 20210605555-covid-19 vaccine ad26.cov2.s-blind in the right eye. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s).
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1376703-1	Blindness in left eye, blood clot in left eye- no treatment available. Permanently blind in left eye now.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1378341-1	Patient developed painful blurry vision in left eye that progressed to painless blurry vision in same eye within 24 hours after onset of symptoms. Patient had edematous and pale retina with swollen optic cup. Patient has had complete vision loss in his left eye since.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1381729-1	THE PATIENT WOKE UP A MONTH AFTER VACCINATION & COULDN'T SEE OUT OF LEFT EYE, SHE WAS SEEN BY OPHTHAMOLOGIST & WAS TOLD THAT SHE HAD A MILD STROKE THAT PROBABLY ORIGINATED FROM A THROMBUS IN THE CAROTID

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1385179-1	May 30 at 37+6 weeks pregnant with no pregnancy complications at this time: I experienced temporary vision loss in the field of view of my left eye. My vision in my left eye was obscured by a flashing, arching, lightning that I was afraid might be a sign of retinal or vitreal detachment. I returned to my house (was in a walk) within 5 minutes of the lightning appearing in my vision. I drank water and removed my contacts. The lightning disappeared gradually after about 15 minutes. I went to the ER/Labor&Delivery anyway to confirm I wasn't having pre-eclampsia (which can cause retinal detachment). My blood pressure was fine, baby's heart rate was fine, my eyes were checked by my OB and I was evaluated for signs of a potential stroke. There were no observable issues. I was discharged and advised to see an ophthalmologist. There have been no issues with my eyesight since this event, but I have so chosen to wear my glasses rather than my contacts. I do not think this event is related to the vaccine. I think it is more likely an event related to pregnancy and dehydration.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1386056-1	pt mom reports on Tuesday morning. PT HAS FEVER, SWELLING OF LEGS, SHORTNESS OF BREATHE, NO BLOOD FLOW IN EXTREMITIES. PT REPORTS FEELING NUMBNESS IF EXTREMITIES. CANT SEE OUT OF HIS RIGHT EYE, REFERRED TO hospital.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1407133-1	ON APRIL 16, 2021 I WOKE UP AND I COULDN'T SEE OUT OF MY LEFT EYE, I WAITED A WHILE TOO SEE IF MY SIGHT WILL COME BACK AND IT DIDN'T SO I CALLED MY EYE DOCTOR AND MADE APPOINTMENT AND THEY SCHEDULED ME FOR APRIL 23, 2021. A WEEK LATER I WENT BACK TO THE DOCTOR AND HE TOLD ME TOO GO TO HOSPITAL A.S.A.P. THEY TOOK A CAT SCAN AND SAW THE OPHTHALMOLOGIST IN HOSPITAL THE DIAGNOSIS WAS A BLOOD CLOT IN MY LEFT EYE AND I TOOK A STROKE.
BLINDNESS UNILATERAL	COVID19 (COVID19 (JANSSEN)) (1203)	JANSSEN	1407963-1	I lost my sight from right eye 4 days after taking vaccination
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0917342-1	after i sneezed friday morning i lost all sight in my right eye. the emergency room did not know what was wrong and i see a eye specialist on monday.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0919022-1	Complete loss of vision in the left eye 12 hours after receiving second dose (Moderna mRNA-1273) while having a fever of 102 F for 6 hours. Loss of vision lasted for 1 minute. Loss of vision occurred while standing. Referral to primary care and ophthalmology specialist found normal eye exam and MRI of orbits but presence of tachycardia especially while standing (fluctuations between 60 beats at rest/laying down to 130 beats per minute standing). Postural tachycardia syndrome (POTS) is suspected. Currently pursuing cardiac workup with cardiologist and Covid POTS specialist. POTS specialist believes autoantibody development after vaccination could be suspected as recovering covid patients similarly present to clinic with POTS like symptoms.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0946141-1	Moderna COVID-19 Vaccine At 2 PM I went blind in my left eye. Went to emergency room at Hospital Was told I have Blood clot in my eye causing the blindness and Ophthalmologist says it will probably be permanent
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0968972-1	Right eye Central Retinal Artery Occlusion resulting in blindness in right eye. Sight lost suddenly. Hospitalized for stroke assessment.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0970620-1	Acute Optic neuritis bilaterally, initial symptoms started 24 hours after injection, became severe a week after injection (lost sight in left eye). I was admitted to the hospital 1/19/21 and given 1000mg of Prednisone daily from 19th to the 22nd.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0977238-1	Vaccine admin Wed 3 pm. Thurs no problem. Friday am, patient woke up almost fully blind right eye.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0990361-1	blindness in left eye; stroke in back of the eye; blood clot; A spontaneous report was received from a consumer concerning an 83-year-old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced blindness in left eye, blood clot, and stroke in back of the eye. The patient's medical history was not provided. Concomitant medications reported included comerdol, losartan, hydrocortisone, meloxicam, and unspecified stomach pills. On 14 Jan 2021 at 10:15 am, approximately 3 hours and 45 minutes prior to the onset of the events, the patient received a dose of mRNA-1273 (Lot number: 013L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 14 Jan 2021 around 2:00 pm, the patient lost sight in her left eye as a result of a blood clot and stroke in the back of her eye. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events, blindness in left eye, blood clot, and stroke in back of eye, was unknown.; Reporter's Comments: This case concerns an 83-years-old female patient, who experienced a serious unexpected event of blindness unilateral, retinal artery occlusion, and thrombosis. The event of blindness unilateral and retinal artery occlusion occurred 3 hrs. after first dose of mRNA-1273, lot # 013L20A. The event of thrombosis occurred on an unspecified date after first dose of mRNA-1273, lot # 013L20A. Treatment included details were not provided. Concomitant medications included Comerdol, Losartan for blood pressure, Hydrocortisone, Meloxicam and stomach pills. Very limited information regarding this event has been provided at this time. Based on the current available information and temporal association between the use of the product and onset of the event a causal relationship cannot be excluded.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	0994142-1	On Saturday 1/30 had fever, chills , body aches. Starting Subday 1/31 had vision blurry and debilitating headache. That is still gong on now. I am unable to see using my left eye
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1022317-1	Severe flare up of HLA-B27 Pain and loss of vision in left eye
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1025460-1	Patient went to bed totally fine and woke up saying he could not see in one eye. I rushed him to the emergency hospital they ran cat scans, MRI, heart tests etc. He stayed overnight while they checked. The next day we went to eye doctor who told him he had a eye stroke. He would regain some of his site not all of it. Something to do with blood clot or loss of blood to the eye. I was not satisfied with that so made another drs appointment for the next day with a different eye doctor. The first eye doctor gave us some blood test to do so we did it then. Later that evening we got an emergency call form the first eye doctor to get back to the hospital right away he could lose sight in the other eye.. They found some high c-reactive protein. Normal is 8 his was over 40. They put him on heavy steroids and did biopsy on both temples of his eyes. This started last Wednesday morning. He was released from the hospital Monday Morning to see his regular doctor that afternoon. Test results for the eye would be Tuesday and all other vital tests came back fine thank goodness. On Tuesday the biopsy tests also came back negative so they are stopping steroids. I think they were looking for auto immune issues. Today we are going to Rheumatologist
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1033715-1	fell & hit head, +HA, lost vision left eye x 20mins, +weak
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1080523-1	Patient developed redness and discomfort in her right eye a few days after the vaccine and within a week had lost all vision in the eye from an aggressive infectious versus inflammatory response. She was cultured for infection and everything came back negative. She was treated initially with antibiotics and anti-viral medication and did not start to improve until was started on frequent topical and oral steroids. She has still lost most of her vision but the inflammation is improving within the anterior chamber but her cornea is still opacified. She has a history of shingles that affected this eye but it had been quiet and she does not seem to be responding to anti viral medication.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1085194-1	could not breath; violent shaking in the right arm; could not walk; legs and knees were in a lot of pain/arms hurt; warm feeling over face; blurred vision in left eye; lost vision in the left eye, only had peripheral vision; sick to stomach; achy; Fever; upset stomach; legs and knees were in a lot of pain/pain in hip/knees, arms and hand joints both hurt; Hip and pelvic area had pain; feet burning; A spontaneous report was received from a consumer who was also a 70-year-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced upset stomach, violent shaking in right arm, legs and knees in lot of pain, could not walk and breath, fever, hip and pelvic pain, feet burning, achy and sick to stomach, warm feeling over face, loss of vision, blurred vision, and hands hurt. Medical history included hip prosthesis and COVID-19. Concomitant medications included atorvastatin calcium. On 26 Feb 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lbatch: 023M20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. By noon on 26 Feb 2021, he started getting minor side effects (not specified). By that evening, he had an upset stomach. A little after 11 pm, he experienced violent shaking in the right arm. His legs and knees were in a lot of pain and he could not walk. His family called 911 because he could not breath and was admitted to the ER. A thorough check up was done (not further specified) and he had documented leg and knee pain and fever. hip and pelvic area had pain, he could not walk, his feet were burning. He also felt achy and sick to his stomach. The patient said his adverse events were similar to when he had COVID-19 but said this was worse. On 28 Feb 2021, the patient lost vison in his left eye, only had peripheral vision, along with blurred vision in his left eye. His knees, arms, and hand joint both hurt. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The events resolved on 01 Mar 2021.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1102403-1	74 years old female (09/04/1946) got her moderna vaccine on 03/03/2021 @1300. patient reported that on 03/06/2021 @0400 she woke up with cloudy vision on both eyes. patient reported on 03/06/2021 she went to the eye doctor to check on her eyes. Patient reported 03/07/2021 she developed a black plaque on her left eye lead to vision loss in the left eye. patient was send to the hospital stayed there for 3 days she was diagnosed with stroke in the eye. patient reported penicillin allergies. patient reported no medical history. patient reported no current medications. patient called, because she wants help to get all her paperwork and the labs she have done during her stay at the hospital, to provide it to her ophthalmologist during her appointment on Monday. patient was instructed to call the hospital or to call the department of health to get the lab results.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1111065-1	I developed bleeding of the left eye in front of the retina. Broken blood vessels. Had my second vaccine and it happened again 3 days later Call me for more information

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1116232-1	blindness in one eye; floater in eye; A spontaneous report was received from a consumer concerning a 72-year-old male patient of unknown race and ethnic group who received Modern's COVID-19 vaccine (mRNA-1273) and developed floater in eye and blindness in one eye. The patient's medical history included diabetes and hypertension. Concomitant medications taken by the patient reported were blood pressure medications and diabetes medications. On 18-Jan-2021, the patient received their first of two planned doses of mRNA-1273 (lot/batch: unknown) via unknown route of administration and at an unknown anatomical location for prophylaxis of COVID-19 infection. On 01-Feb 2021, the patient was seeing floaters in eye. On 03-Feb-2021, the patient was blind in one eye and was hospitalized with the issue till the date of reporting. No treatment information provided. Action taken with mRNA-1273 in response to the events was not reported. At the time of this report, the outcome for floaters in eye was recovered on 02-Feb-2021 but the outcome for blindness in one eye was unknown.; Reporter's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1117485-1	At this point I am going to give you an account of my past 14 months health and how I know it is related to the covid virus. i am sure i have had long covid from december 2019 or january 2020 to the present based on symptoms i incurred on these dates. On my first night I ended up vomiting my guts out at 2:00 in the am. The following 2 weeks I had constant diarrhea. At the end of those 2 weeks, i ended up in emergency room. And this all happening when i haven't vomited in over 30 years. vital signs and blood work were good at the hospital and the drs were confused as to why i felt so bad. i returned home the next day where our permanent home is, and 3 months later the covid thing surfaced. at first being thought of as a respiratory disease. then in the past months it is surfacing that it may now be considered a gastrointestinal disease that progresses to a respiratory disease. after checking the five main symptoms of long covid i discovered that i have at least 3 of the 5 common symptoms for this. Those being extreme fatigue, joint pain, and cough. In addition to the long covid symptoms, I have encountered tasting issues on and off again. I have had many discussions with my primary care doctor, and no results or conclusive information came from my inquiries. Then on feb 12, 2021 I got my first moderna shot. About 2-3 weeks later I encountered a sharp pain in a muscle in my neck left side. Shortly thereafter I got very light headed. Then another week later while driving a motor home, I encountered a frightening experience with my eyes, and the neck pain and soreness was still there. My vision was very blurred and I was seeing double vision at different angles. I ended up at the medical center and was admitted for 4 days. Before I was admitted, I saw a local ophthalmologist here and he diagnosed me with a condition known as ?edema in optic nerve, inferior, consistent with optic neuropathy?. The symptom I had to get me to the doctor was I was losing eyesight in my left eye. After hd steroid treatment for 4 days, and a plethora of tests, including spinal tap, multiple mri?s, and probably over 20 blood tests (11 at one draw), I was released 3-18-2021 and still can?t see above the equator line of my left eye. And I also am extremely sensitive to light. I also have sensitivity inside my eye as best described as a soreness, especially when I try to look upwards. I have a follow up appt with the ophthalmologists that I first saw that advised me to get to the hospital. And that is on mar 26th 2021. to mention another point of interest, my granddaughters boyfriends mother is a charge nurse at the emergency ward at the hospital, and she has said that they also have recently encountered emergency patients, who have recently received moderna, and are also having issues with eye problems. What problems in particular, I haven?t a clue at this time. This is at the very least, extremely alarming to me, and I have no idea whether I may completely lose all function of my left eye., or not. But I adamantly feel this should be investigated by the cdc and any and all other agencies that should be involved. I would be willing to have further discussions via phone or whatever to help you out with an investigation.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1120081-1	"On 3-2-21, my mother noted vision in her right eye was unclear and wavy. On 3-4-21, she woke up in the morning and had lost all sight in the right eye. The examining eye doctor stated there appeared to be a ""blister"" behind the eye and she was sent to an retinologist for further evaluation on 3-5-21. The retinologist instructed her to go to the ER. My mother was admitted for futher evaluation. Her protime in the ER was 1.7. MRI of head was otherwise negative for changes. Her protime had been stable between 2.0 and 3.0 for years. At her follow-up appointment with her doctor, her protime was 1.8. Her Coumadin dose has been adjusted,"
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1123009-1	Vaccine 1 - all arm pain for 6 days Vaccine 2 - severe all body pain for 20 hours, fever, headache caused blindness in one eye, dizzy, weak, ringing in ears. 48 hours after vaccine - pain and fever gone but dizziness and ear ringing still ongoing.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1124024-1	I lost vision in my right eye. The Doctor tested my eye and told me I had a eye stroke. He said he did not think it was related to the vaccine.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1126410-1	She got the vaccine, everything was fine, they warned her about being sick. She did not have any reaction at all until she woke up 13 days later on 3/5/2021 and her left eye was blind. She had some sort of blob that changes colors and moves around. It sometimes is orange. She knew she did not have macular degeneration as it centers it. Sometimes it sparkles and has grain to it. He said that she had an arterial blood, and that leaked from the carotid artery into the eye has not completely sealed off. She can see out of the right eye perfectly, but she cannot see a little out of the left eye. If she's watching the TV she can see the top of the newscasters hair, but she cannot see anything below that. Her vision is upward either, can see out of either side, but cannot below horizontal down. He told her that it was basically a stroke that didn't reach her brain and went to her eye. He told her to return to see him (ophthalmologist) on 5/18/21 at 10:00 AM. She also is to see her PCP on 5/20/21.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1134397-1	Vaccine #1 received on 2/11. On 2/13 experienced polyarthralgias (wrists, shoulders, knees, ankles, hips), headache, scalp tenderness, and swelling and pain of testes. These had resolved by 3/4, after receipt of ceftriaxone, azithromycin, doxycycline, and ibuprofen. But on 3/10 he developed loss of vision in his right eye and new frontal headache and was referred to Ophthalmology on 3/11 where he was diagnosed with Giant Cell arteritis (GCA) and prescribed corticosteroids. Within 1-2 days of receiving the latter, his headaches and vision loss had resolved.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1135691-1	some lost of eye sight on left side; Headache; Fever; Throwing up; Nausea; A spontaneous report was received from a consumer concerning her husband who is a 54-year-old, male patient, who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced headache, fever, nausea, and loss of sight on the left side. The patient's medical history cataract surgery in summer 2020, current conditions were reported as high blood pressure and glaucoma. Concomitant medications were reported as benazepril for high blood pressure and unknown eye drops for glaucoma . On 09-JAN-2021, the patient received their first two planned doses of mRNA-1273 (Batch number: unknown) for the prophylaxis of COVID-19 infection. On 11-JAN-2021, the patient experienced headache the worse he ever had on left side, nausea and fever. She stated that he started to lose sight on the left side but can see some light which is assessed as medically significant. Treatment for the events included ibuprofen for headache, Lotensin and eye drops. Action taken with mRNA-1273 in response to the events was not reported. The outcome of events, headache, fever, nausea, loss of sight on the left side, were considered as unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Prior history of glaucoma may be contributory to the occurrence of the headache and unilateral vision lost.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1147371-1	Pt had acute vision loss on right ey
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1148847-1	Blindness in right eye for several hours after the 1st dose of moderna
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1153116-1	Still a little blurry; Her eye pressure was still high; Her eye was swollen; So much pain above her eye; Nausea; In the afternoon all of a sudden she lost sight of her left eye; She vomited 10 times; Achy; Soreness in the arm; Chills; Fever; Swollen arm; A spontaneous report was received from a consumer, concerning a female patient of 65 years of age, who received Moderna's COVID-19 vaccine and experienced soreness in the arm (vaccination site pain), swollen arm (vaccination site swelling),c hills, achy (pain), fever (pyrexia), vomiting, all of a sudden lost sight of her left eye (unilateral blindness), swollen eye (eye swelling), so much pain above her eye (eye pain), her eye pressure was still high (intraocular pressure increased), nausea, and still a little blurry (vision blurred) The patient's medical history included asthma. Concomitant product use included Montelukast sodium, fluticasone propionate/salmeterol xinofoate, and salbutamol sulfate. On 20-Feb-2021, prior to the onset of events, the patient received their first of two planned doses of mRNA-1273 (lot number 030L20A) intramuscularly in the left arm for prohylaxis of COVID-19 infection. On 20-Feb-2021 the patient received the first dose of the vaccine and had soreness in the arm, swollen arm, chills, was achy and had a fever. On 21-Feb-2021, she vomited 10 times and in the afternoon all of a sudden she lost sight in her left eye. On 22-Feb-2021 her eye was swollen, hot, and there was so much pain above her eye. The patient went to the emergency room (ER) and received IV (intravenous) fluids and two different eye drops, her eye pressure was still high, and she had nausea. On 23-Feb-2021 she could tolerate light, had no pain but was still not able to see. On 24-Feb-2021 the patient reported they are getting better, but that blurred vision was still persisting. Treatment medication included IV fluids and 2 different eye drops as well as anti-nausea medication. Action taken with mRNA-1273 in response to the event was unknown. The outcome of the events, soreness in arm, swollen arm, chills, achy, and fever, were resolved on 20-Feb-2021. The outcome of the event, vomiting, was resolved on 21-Feb-2021. The outcome of the event, so much pain above her eye, was resolved on 23-Feb-2021. The outcome of the events, all of a sudden lost site in her left eye, swollen eye, eye pressure was still high, nausea, and still a little blurry, were considered not recovered/not resolved.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1160308-1	As I was driving at 70 mph along the highway 4 days after I had my second dose of the COVID-19 vaccine, suddenly I went blind in my right eye. I was blind in that eye for about 10 minutes. We drove right away to my eye doctor, who sent me to the ER. The hospital is Stroke Certified. They admitted me and did a stroke workup. I was in the hospital for 1 day (24 hours) which included overnight. The treating HCP concluded that I had experienced an ocular stroke. Since it was exactly 4 days after my second dose of the Moderna COVID-19 vaccine, it most likely was caused by that vaccine.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1161020-1	I seem to have thrown a clot that blocked Right Optic Nerve Artery. Immediate blindness in Right Eye.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1162975-1	Partial vision loss in right eye. Still unresolved.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1169561-1	2 1/2 weeks after shot lost vision in right eye and had extreme spike in BP resulting a 10 hospitalization. Neurologist recommended submitting this form b
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1172529-1	Blood clot that caused total vision loss in right eye. It occurred on 04/03/2021. Was treated by ophthalmologist at eye Center, and at Hospital,
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1172553-1	Fever the day following injection, sore arm, recovered. Woke up 3-4 days later (2/8/21) with left eye vision loss, pain with eye movements - 2/10/21 diagnosed retrobulbar optic neuritis on with vision 20/50. Vision continued to worsen to 20/150 over the next few days. After 6-8 weeks, vision recovered without intervention to 20/25 and with optic atrophy.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1193548-1	I first noticed an increase in mucus in my lungs, causing me to cough up phlegm. The vision issues have increased the MS Optic Niritis problems, losing vision in right eye! But its the headaches I can't stand. They come and go, and sometimes its sooo bad that I can't move my head and body. Sitting in the dark helps. Thus having MS and lowered immune system has the headaches causing me to be immobile during episodes, sometimes lasting only an hour, sometimes all day! And chills, but not as bad as the headaches. I don't want to lose my vision again due to having to do these vaccines every year with these side affects.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1206408-1	Brought on an attack of MS. RBN Right eye.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1209054-1	received 2nd dose on 2/11/2021. Woke around 4AM on 2/15/2021. Noted blurry vision in left eye. By 8am had progressed to blackness starting at inner visual field and spread to total blindness by 9:30am. Went to urgent visit with optometrist. Appt was made for urgent work in with a Retinal Specialists on 4/16/2021. Diagnosed with left retinal vein thrombosis. Ordered further testing. MRI of brain and orbits, TEE, carotid ultrasound and sent to hematology/oncology for evaluation. Only finding on bloodwork was elevated homocysteine. Being treated for HTN now with Metoprolol, Amlodipine, Losarten/HCTZ, Crestor and BASA, MVI. Vision is unchanged. Blindness remains in left eye. Right eye at this point is unaffected.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1209289-1	On 26 Feb R eye became clouded. By the 28th, I had lost all sight in R eye. Suspected I had a torn retina, as I had in L eye several years earlier, I made an appointment on the 26th to see my optometrist. I saw him on 3 March where he diagnosed that I had a more serious problem. At that time some of my R eye sight had returned but I could only see the top line in the chart. He made an appointment that day for me to see an ophthalmologist. She checked me out. I had a severely inflamed optic nerve in the R eye and my L eye optic nerve was inflamed but not to the extent of the Right one. I was sent to get an echo cardiogram and a carotid artery ultrasound. I was referred to a neurologist ophthalmologist but couldn't get in until March 12. On March 10th I was told to go to the ER room for a workup prior to my 12 March appointment. I got an MRI CAT scan, lots of blood work, etc. I'm running out of time to finish this.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1210443-1	Patient received his second dose of the moderna vaccine 3/30, and then at 5:30 pm the same day suffered vision loss in left eye. 62YM with history of carotid art stenosis who reports he was at a bar drinking beer with some friends, when he noted decreased vision in his left eye, like a graying out of his vision. It was painless. Went home and it did not improve so he came to the ER. Loss of vision occurred around 5:30 PM 3/30. He was evaluated in the ER by ophthalmology, who performed a dilated eye exam and diagnosed the patient with an acute central retinal artery occlusion, and performed an anterior chamber paracentesis to relieve pressure. Patient had improvement in his vision over the next 24-48 hours, but has remaining deficits.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1213061-1	On Tuesday, February 16, I received my 1st Moderna Covid vaccine. On Tuesday, March 16, I received my 2nd Moderna Covid vaccine at 11AM and Eylea shots (one in each eye) at 2PM. I have been receiving Eylea every 3 months for about 3 years in one or both eyes. On Saturday, March 20 at about 11:30AM, while sitting at traffic light, I saw what appeared to be a translucent sheet of plastic cover the left driver's window and the left half of the windshield. This was only visible in the left eye. Twenty seconds later, a yellow opaqueness developed in the left eye, which eventually cleared, but vision was still blurry. When I got home, I called my retinologist. He recommended I go into a dark room and close my eyes. At this time, I had white translucent vision in the lower left quadrant of vision in both eyes. My retinologist sent me to Eye Hospital Emergency Department, which is part of Hospital. After being assess at Eye Emergency Room, I was admitted to Hospital for a right occipital lobe stroke that was confirmed by multiple MRIs of the head. I was told that I was experiencing an ocular migraine (although I had no pain.) I was discharged on Monday, March 22, on Eliquis. As of April 15, all of the yellow opaque and white translucent visions are gone. However my left eye vision remains blurred and hazy. I have since been diagnosed with age-related cataracts in both eyes and a fast-moving cataract in top portion of left lens. I will also report this occurrence to the reporting system.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1219536-1	lost vision in left eye
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1219785-1	retinal arterial occlusion infraction - 80%+ loss of vision in right eye
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1225716-1	Blindness/stroke in left eye. Treatment-Hospital admission-no treatment able to be provided. Outcome: permanent blindness in left eye
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1246813-1	Patient suffered loss of vision in his right eye on 4/15/21. Evaluation by neurology and ophthalmology consultants have diagnosed him with nonarteritic ischemic optic neuropathy
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1251397-1	The second shot was on March 8th. I started feeling very dizzy later on that night, and the next day I felt really dizzy and tired, over the week the dizziness, muscle pain & weakness increased, to the point I could not walk, my muscles were constantly spasming almost like convulsing, I was seeing double, my ears were ringing, and it was so bad by Saturday the 13th of March, I was admitted to the neurology unit at Hospital under the review of Dr neurologist. By day 4, I left the hospital to go see an ENT to see if my ears were the reason for my dizziness. Since then, I've seen my rheumatologist (who's tests showed an elevated SED and issues with my kidneys), I have another meeting with her this Monday. I have seen the ENT twice, and they told me my ears were normal and probably from the vaccine. I have seen an eye doctor, and she too found nothing wrong with my eyes to cause the hallucinations or dizziness. My eye sight has gotten worse in one eye. I am still suffering from dizziness, nausea, bone pain, and muscle spasms.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1257229-1	Starting early February about 2 weeks after vaccine administration pt began having intermittent headaches and jaw pain, which progressed to rapid and complete painless vision loss 4/20/21 to right eye. Seen same day in ophthalmology clinic, diagnosed with optic nerve ischemia, likely GCA, Rx'd 80mg PO prednisone, lab evaluation started which revealed elevated CRP. This, in combination new new grey 'veil' over vision of L eye the next day 4/21/21, led to admission and initiation of 1,000mg daily IV methylprednisolone. Unfortunately pt then progressed to complete painless loss of vision of left eye as well on 4/23/21 while inpatient on high dose steroids. Patient is now completely blind in both eyes.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1258564-1	<p>"State opened Covid vaccines to 50 and over on Mon, March 22. I immediately scheduled my appointment for a first shot at a Dept of Health site near me for Wed, March 24. I had no immediate negative side effects. When I woke on Fri, March 26 and commenced my day of remote work from home, I noticed my left eye vision was blurry. I proceeded to work that day and continued my normal activities into the weekend assuming my vision would self-correct. By Sunday, March 26, my left eye vision was still noticeably problematic so I scheduled to see an optometrist whom I had seen before. I saw him at 12:15pm on Tues, March 30. After running numerous vision tests, optometrist let me know my vision loss in the left eye seemed to be the result of a stroke that had cut blood flow in the optic nerve and damaged my vision in the lower portions of the left eye. The center and upper portions of my left eye were generally unaffected at that time. He suggested I see my primary care physician to check for vitals, such as blood pressure and do other blood work, and more importantly see a neuro ophthalmologist urgently. The next morning, Wed, March 31 I saw my PCP, who informed me my blood pressure was normal, requested blood work, and gave me a prescription for an MRI of my brain, with and without contrast. I am 6'2"" and I weighed at 239, about where it has been for most of last 15 years. I also complained of pain and stiffness in my front right thigh and lower right back. She said if I didn't get an appointment to see a neuro ophthalmologist that same afternoon, she recommended I go to an ER. With the help of Optometrist's office, I was able to get an appointment that day with Dr., neuro ophthalmologist at 2:15pm on Wed, March 31. His office repeated numerous vision tests and confirmed the left eye vision loss (essentially the lower half excluding the center) and diagnosed it as a NAION - non arthritic ischemic optic neuropathy. With this diagnosis, there was no treatment, and I scheduled a follow-up for May 12. He said that my optic nerve into my left eye would slowly reduce its swelling over the next 6 to 8 weeks and in that time, my vision could remain the same, or improve. At that point, I didn't think it would worsen, but sadly that later happened. In addition to the the first MRI that PCP prescribed, Neuro ophthalmologist prescribed a second MRI of orbits, with and without contrast. He also suggested I begin taking a low dose Aspirin daily, which I did. The next week, the blood work revealed a very slightly elevated cholesterol reading. I was told by my PCP on April 5 that this would normally not be considered as a problematic level of high cholesterol, but should be improved or lowered. The blood tests taken at Lab on Fri, April 2 revealed a LDL Chol, Calculated as 111, whereby <100 was considered desirable range. Other than that, there was nothing of concern in my blood work. The two MRIs were done on April 9 and April 20, and did not reveal findings which doctors felt would have impacted my optic nerve swelling or had caused the eye stroke. Out of precaution, I scheduled to see a cardiologist on Tues, April 13. She recommended I start taking Crestor for cholesterol, and do a series of tests which I completed on Friday, April 23 - echocardiogram; holter monitor; transesophageal echocardiogram; and ultrasound carotid bilateral. As of today, Mon, April 26 I do not know the results of the cardio work-up, but both neuro ophthalmologists I saw felt that a problem related to my heart would not have caused this stroke in my eye. Finally, on Fri, April 23 I had a consultation with a second highly recommended neuro ophthalmologist. After a series of vision tests, she agreed with other doctor's diagnosis of NAION - non arthritic ischemic optic neuropathy. She also said there was nothing I could do to treat except wait for the next 4 or more weeks for the optic nerve swelling to go down. She also confirmed my fear which was that my left eye vision had worsened since March 31 as my vision loss was no longer limited to the lower portion of my left eye, but now included blind spots throughout the upper range of my left eye vision, making my loss of peripheral vision worse and more widespread. She said in some cases with NAION, a patient's vision could remain the same, could improve or could worsen in the 6 to 8 weeks after the event. Four weeks after the March 26 event, by April 23 my left eye vision had worsened. I still hold out hope that it can improve some in the next four weeks... My right eye vision was not affected in any way, although one risk of NAION is that there is a 20% (?) chance it may recur in the next 5 years, and if it does, it most commonly affects the other, good eye. None of the doctors I saw directly attributed my vision loss to the Moderna vaccine taken on March 24; however, there has also not been a clear cause determined by my doctors. While most of the doctors I saw seemed to think it coincidental, none also was able to absolutely rule it out either as a cause or a trigger. Dr. suggested I follow through with this idea, which other medical professionals suggested, to submit this vaccine adverse event report. Without a doubt, this was an adverse effect and/or problem that occurred soon after (36 hours approximately) taking the first dose of the Moderna vaccine."</p>
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1259187-1	<p>March 15, 2021 admitted Hoppital - lost vision in right eye due to blood clot retinal artery occlusion March 15 & 16 CT scan, Blood work, chest X-ray, mri March 16 discharged from Hospital March 17 Retina Center March 22 Clinic March 29 Neuroscience Clinic - ecocardiogram and ACT monitor for 30 days April 19 Retina Center</p>
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1259216-1	<p>March 15, 2021 admitted Hoppital - lost vision in right eye due to blood clot retinal artery occlusion March 15 & 16 CT scan, Blood work, chest X-ray, mri March 16 discharged from Hospital March 17 Retina Center - March 22 Clinic - March 29 Neuroscience Specialty Clinic - ecocardiogram and ACT monitor for 30 days April 19 Retina Center -</p>
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1275728-1	<p>Patient had a severe migraine with loss of vision in the left eye the day after her second dose of Moderna (4/29/21), and a swollen, red, hot, hard lump at injection site. Patient called her doctor but they cannot see her and told her to call the pharmacy.</p>

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1276726-1	Loss of vision in left eye; This spontaneous case was reported by a consumer and describes the occurrence of BLINDNESS UNILATERAL (Loss of vision in left eye) in a 74-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. In April 2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 23-Apr-2021, the patient experienced BLINDNESS UNILATERAL (Loss of vision in left eye) (seriousness criterion medically significant). At the time of the report, BLINDNESS UNILATERAL (Loss of vision in left eye) had not resolved. Not Provided On 23-Apr-2021 (2 weeks after receiving the second dose), patient had loss of vision in the left eye. Concomitant product use was not provided by the reporter. No treatment was received by the patient. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the mRNA-1273 in response to the events was not applicable. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1284719-1	Left ear hearing loss; unilateral vision loss; Brain fog; Hot; Swelling in her arm that is the size of a baseball; COVID Arm; Itchy; Red circle around injection site; Tired; This spontaneous case was reported by a consumer and describes the occurrence of DEAFNESS UNILATERAL (Left ear hearing loss) and BLINDNESS UNILATERAL (unilateral vision loss) in a 72-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 042L20A and 010A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Dairy intolerance. Concomitant products included DOXYCYCLINE from 01-Jan-2020 to an unknown date for Rosacea, DEXLANSOPRAZOLE (DEXILANT) and FAMOTIDINE for Stomach discomfort, ROSUVASTATIN for Stroke, LEVOTHYROXINE for Thyroid disorder NOS, CLOPIDOGREL, CALCIUM, ACETYLSALICYLIC ACID (BABY ASPIRIN), LEVOCETIRIZINE DIHYDROCHLORIDE (XYZAL) and MAGNESIUM OXIDE for an unknown indication. On 29-Jan-2021 at 9:15 AM, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 03-Mar-2021 at 9:15 AM, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 06-Feb-2021, the patient experienced FEELING ABNORMAL (Brain fog), VACCINATION SITE WARMTH (Hot), PERIPHERAL SWELLING (Swelling in her arm that is the size of a baseball), VACCINATION SITE REACTION (COVID Arm), VACCINATION SITE PRURITUS (Itchy), VACCINATION SITE ERYTHEMA (Red circle around injection site) and FATIGUE (Tired). On an unknown date, the patient experienced DEAFNESS UNILATERAL (Left ear hearing loss) (seriousness criterion medically significant) and BLINDNESS UNILATERAL (unilateral vision loss) (seriousness criterion medically significant). On 13-Feb-2021, VACCINATION SITE REACTION (COVID Arm) had resolved. At the time of the report, DEAFNESS UNILATERAL (Left ear hearing loss), FEELING ABNORMAL (Brain fog), VACCINATION SITE WARMTH (Hot), PERIPHERAL SWELLING (Swelling in her arm that is the size of a baseball), VACCINATION SITE PRURITUS (Itchy), VACCINATION SITE ERYTHEMA (Red circle around injection site) and FATIGUE (Tired) outcome was unknown. Treatment information not provided. The patient received both scheduled doses of mRNA-1273 prior to the events, therefore action taken with the drug in response to the events was not applicable. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Most recent FOLLOW-UP information incorporated above includes: On 21-Apr-2021: Case upgraded to serious based on event update. Con meds added. Prior event outcome updated. Medical history updated based on information; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1307418-1	Vaccine 2/26/21, then 2/27/21 pt developed Headache, loss of vision left eye, elevated BP. Left lid ptosis with cranial nerve 3,4,and 6 Palsey . Treated with Toradol at Emergency dept on 3/4/21. Metoclopramide, diphenhydromine, dexamethasone, tetracaine. CT head performed, CMP, PT/INR and IV fluids. In the doctors office visit on 3/3/21, treatment Dexamethatsone, Toradol. Brain MRI, STAT neuro referral.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1312642-1	My mother had her first Moderna COVID-19 vaccination on March 1st. On March 10th, she suffered a blood clot in her eye that caused the eye to lose vision. Her eye doctor said she is now permanently legally blind in that eye.... I do not know if the blood clot was caused by the vaccine, but I am reporting it in case there is a correlation.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1321460-1	05/06/21 PATIENT RECEIVED 2ND DOSE OF MODERNA COVID 19 VACCINE AT JOBSITE CLINIC . PATIENT FELT FINE AFTER THE CLINIC BUT LATER AT HOME STARTED FEELING SICK. PATIENT WAITED UNTIL SUNDAY 5/9/21 TO SEEK MEDICAL ATTENTION AT THE HOSPITAL AND WAS ADMITTED FOR STROKE. PATIENT REPORTED LOSS OF VISION IN ONE EYE. THE HOSPITAL NEUROLOGIST TOLD PATIENT THAT IT WAS DUE TO CLOTS IN HIS EYE. PATIENT IS WATING TO SEE AN OPHTHALMOLOGIST ABOUT THE EYE CLOTS. PATIENT HAS NOT BEEN BACK TO WORK SINCE FEELING SICK. EMPLOYER STATES HAS NOT RECEIVED ANY NOTICE FROM DOCTOR STATING ANY CAUSE OR RELATION TO VACCINE

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1323370-1	Loss of vision in left eye. 3/22/2021 Optimal Sight 3/22/2021 Retinal Surgeons 3/30/2021 Direct Imaging MRI 4/19/2021 Eye Institute
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1324074-1	Loss of vision left eye
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1333444-1	One week after the first injection I developed some blurring of right eye but I thought I just needed new glasses. One week after the second injection I rapidly developed severe loss of vision in the right eye. I have been evaluated medically and was found to have right optic neuritis with significant loss of vision in the right eye. I had injection site redness and swelling after both injections and moderate flu-like symptoms for a day after the second injection
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1333645-1	Developed Bell's Pally for the second time. Also got Bell's Pally after the first Moderna Covid shot. Pain behind and below right ear Difficulty closing right eye Can't not whistle Can't puff out cheeks Droopy right side of face (mouth, nose, etc.) Can't smile on right side of face Difficulty drinking and eating Difficulty talking Confusion Difficulty seeing out of right eye
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1347222-1	Patient bent down to pick something up and lost vision in her left eye, described it as a field of black with shooting colors like fireworks in her eye. She presented to her optometrist Dr. She also presented to the ER for further evaluation. She underwent lab work and a CT of the head without contrast. She was diagnosed with a retinal occlusion of the left eye.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1349113-1	Loosing vision in right eye; Can't move my head and body; Condition aggravated; To be immobile during episodes; Increase in mucus in my lungs; Cough up phlegm; Cough; Pain; Headache; Chills; This regulatory authority case was reported by an other health care professional and describes the occurrence of BLINDNESS UNILATERAL (Loosing vision in right eye) and PARALYSIS (Can't move my head and body) in a 64-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 045A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Chronic lung disease (lungs are really sensitive) since an unknown date, Non-smoker since an unknown date, Cold (head) since an unknown date, Bronchitis (due to head colds) since an unknown date and Pneumonia. Previously administered products included for Immunisation: Shingles (extremely ill and 4 hours from being admitted to hospital with bad pneumonia after immune system dropped so low). Past adverse reactions to the above products included Pneumonia with Shingles. Concurrent medical conditions included Sulfonamide allergy, Allergic fungal rhinosinusitis (AFS), Hives and Multiple sclerosis (headaches had been recorded. The 8 lesions in frontal lobe causing more issues, thus the pain.). Concomitant products included METOPROLOL SUCCINATE, BUSPIRONE HCL, CYCLOBENZAPRINE, DULOXETINE and TRAZODONE for an unknown indication. On 20-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 23-Mar-2021, the patient experienced BLINDNESS UNILATERAL (Loosing vision in right eye) (seriousness criteria disability and medically significant), PARALYSIS (Can't move my head and body) (seriousness criterion medically significant), CONDITION AGGRAVATED (Condition aggravated), MOBILITY DECREASED (To be immobile during episodes), BRONCHIAL SECRETION RETENTION (Increase in mucus in my lungs), PRODUCTIVE COUGH (Cough up phlegm), COUGH (Cough), PAIN (Pain), HEADACHE (Headache) and CHILLS (Chills). At the time of the report, BLINDNESS UNILATERAL (Loosing vision in right eye), PARALYSIS (Can't move my head and body), CONDITION AGGRAVATED (Condition aggravated), MOBILITY DECREASED (To be immobile during episodes), BRONCHIAL SECRETION RETENTION (Increase in mucus in my lungs), PRODUCTIVE COUGH (Cough up phlegm), COUGH (Cough), PAIN (Pain), HEADACHE (Headache) and CHILLS (Chills) had not resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No treatment information was provided. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1357709-1	Telephone consult performed on 05/27/2021 @ 1530 by APRN. Pt assessed by Nurse at vaccination site. Pt received Moderna COVID-19 vaccine dose #1 on 05/27/2021 at 1415. Pt was observed for 15 minutes at vaccination site, left at 1430 without reactions. Nurse documented on vaccine consent form: 1530- Pt returned to vaccination location complaining of sudden onset of blurred vision and ocular pressure to right eye. Denies H/A, N/V, dizziness. Bilateral equal hand grasp. Denies history of migraines. BP 160/80; P 84; R 18; O2 sat 98% on room air. 1539: APRN called for consult and spoke to the patient. Pt reports a partial loss of vision to right eye which has subsided, but persistent bilateral blurred vision remains. Pt sts visual changes began ~ 1515. Pt reports he has a childhood stutter. Pt denies H/A, changes in speech, hearing, memory. Denies LOC/falls or dysequilibrium. Denies any medical history, including HTN. Pt is alert, oriented x 4. Discussed possibility of CVA with the patient and the need for emergent care via EMS, and explained rationale. Pt understood and agrees. notified 911. 1607: EMS arrival. Medics verbally report BP 158/100 on first set of VS to Nurse. Pt left vaccination site via EMS to be transported to Hospital.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1359862-1	Moderna COVID-19 Vaccine EUA: patient presented to emergency department with one day of rapidly progressive vision loss in left eye to no light perception and pain with extra-ocular movements, chemosis, and swelling around the eye. Optic disc swelling noted. Patient initiated on steroids, antimicrobials, and antivirals: the later two discontinued when infectious workup negative. Patient discharged on steroids. On follow-up with neuro-ophthamology, patient's left eye remains without light perception. Left optic nerve is pale and right optic nerve is normal. There is no improvement in the right eye and no recovery in the left eye. Patient diagnosed with severe left optic neuropathy consistent with optic neuritis. Steroids discontinued.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1359893-1	On 04/02/2021, exactly 6 weeks after receiving my second dose of the Moderna vaccine, I went blind in my right eye suddenly and had extreme light sensitivity in my right eye. I was hospitalized for two days at medical center and bloodwork was completed due to right monocular vision changes. Bloodwork was normal for the most part. I am now under the care of doctor and I am diagnosed with Central Retinal Vein Occlusion (eye stroke). I am still suffering with some peripheral vision loss in my right eye.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1364640-1	"on 4/1/21 5 hours after 2nd vaccine, pt experienced rash on his arm discomfort in the arms, back and legs. on 4/2/21 The following day he reported temp 101.7 and tachycardia prompting ER eval. ER believed to be related to anxiety. on 4/5/21 he described ""out of body experience"" on 4/9/21 went to ER for fever, CXR showed possible pneumonia, treated with Zpak on 4/12/21 tunnel vision on the left. numbness of the L eyebrow, forehead and superior orbit Admitted 4/15/21-4/22/21 for cranial nerve palsy, blurred vision L eye, afferent pupillary defect on 4/20/21 lumbar puncture performed, 2 oligoclonal bands seen, otherwise normal. Treated with high dose methylprednisolone x 3days without improvement. 4/22/21 visual evoked potential test second trial showed abnormal pattern on the left MRV, CT, MRI brain no abnormality 4/24/-5/4/21 admitted for L vision loss, severe neck, back pain, weakness, difficulty walking. OCT ellipsoid zone loss possible autoimmune process, decreased corneal sensation on the left. OS 20/50. pt continues to have L vision loss, R bells palsy, difficulty ambulating. Now reports trouble swallowing."
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1365173-1	Received 2nd vaccine on 5/9/2021at 4:15 pm and became light headed after leaving the location. A few hours later I began to see a small line forming in my eye and it went away. The next day 5/10/2021 I woke up and the spot in my eye had gotten even bigger. I contacted my eye doctor and they scheduled and appointment for me on May 21st. I woke up on May 11th and my eye was even worse and I notified my eye doctor and they had me to come in immediately. I saw a Doctor who then referred me to a different eye doctor and I went back to my eye doctor on May 13th and saw Dr. I am now 4 weeks out and I still have no vision in my right eye. I am now under the care of that Dr.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1370314-1	Lost partial vision in her left eye; Tingling on the injection site; Swelling of the face; Blurred vision; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of BLINDNESS UNILATERAL (Lost partial vision in her left eye) in a 31-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 007C21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included COVID-19. Concurrent medical conditions included Allergy. On 02-May-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 02-May-2021, the patient experienced PARAESTHESIA (Tingling on the injection site), SWELLING FACE (Swelling of the face) and VISION BLURRED (Blurred vision). On an unknown date, the patient experienced BLINDNESS UNILATERAL (Lost partial vision in her left eye) (seriousness criterion medically significant). The patient was treated with DIPHENHYDRAMINE HYDROCHLORIDE (BENADRYL ALLERGY [DIPHENHYDRAMINE HYDROCHLORIDE]) ongoing since an unknown date for Allergic reaction, at an unspecified dose and frequency. At the time of the report, BLINDNESS UNILATERAL (Lost partial vision in her left eye) had not resolved and PARAESTHESIA (Tingling on the injection site), SWELLING FACE (Swelling of the face) and VISION BLURRED (Blurred vision) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No relevant concomitant medications were reported. Patient is immunocompromised. Based on the current available information which shows a strong temporal association between the use of mRNA-1273 and the onset of the reported events, a causal relationship cannot be excluded. Most recent FOLLOW-UP information incorporated above includes: On 31-May-2021: Follow-up received on 31-MAY-2021: New AEs were updated(Blurred vision,partial vision lost); Sender's Comments: Based on the current available information which shows a strong temporal association between the use of mRNA-1273 and the onset of the reported events, a causal relationship cannot be excluded.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1370330-1	Stroke; Lost sight in one eye; Double vision; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (Stroke) and BLINDNESS UNILATERAL (Lost sight in one eye) in a 74-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 15-May-2021, the patient experienced BLINDNESS UNILATERAL (Lost sight in one eye) (seriousness criterion medically significant) and DIPLOPIA (Double vision). On 16-May-2021, the patient experienced CEREBROVASCULAR ACCIDENT (Stroke) (seriousness criteria hospitalization and medically significant). The patient was hospitalized on 16-May-2021 due to CEREBROVASCULAR ACCIDENT. At the time of the report, CEREBROVASCULAR ACCIDENT (Stroke), BLINDNESS UNILATERAL (Lost sight in one eye) and DIPLOPIA (Double vision) outcome was unknown. Concomitant product use was not provided. It was reported that the patient is planning to go to rehab center from Hospital. Treatment information was unknown. Very limited information regarding these events has been provided at this time. Further information has been requested; Sender's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1371619-1	Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Severe, Systemic: Headache-Severe, Systemic: Hypertension-Severe, Systemic: Numbness (specify: facial area, extremities)-Medium, Systemic: Shakiness-Medium, Systemic: Stroke-Severe, Systemic: Tingling (specify: facial area, extremities)-Medium, Systemic: Unable to Sleep-Severe, Systemic: Visual Changes/Disturbances-Severe, Systemic: Weakness-Severe, Additional Details: 2 days after receiving 1st dose had a stroke, went to Hospital had 3 more light strokes, loss of vision in left eye, shuffles to walk, BP not under control, patient was discharged and following up with PCP.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1377731-1	He got his vaccine, had pain on the side of the injection and from there it grew to feeling aches and pains and then the shivers the next day. He has had chills/sweating, fever that comes and goes, difficulty breathing as his nostrils block up, and has wheezing and when he gets up he's light headed and feels like he is going to pass out. At night the symptoms seem to get worse, and thought that he had the flu. He has bought everything for the flu and nothing has helped. He then thought that he may have allergies and bought stuff for that and nothing has helped. He has lost his sense of taste, he is extremely thirsty and could drink a gallon of water and his stomach hurts from drinking but his mouth is extremely dry and his throat is so dry as well. He also has a nasty bad headache that is persistent and at night it gets to the point that he cannot see and had lost his vision and could not see anything out of his right eye. He called 9-1-1 and refused to go to the ER as he has no insurance and could not afford that kind of bill. Yesterday his headache was so bad that he could not see out of the left eye, he has a fever of 101.5 right now and his head is killing him. He has taken all of his medications that he has, medicated and nothing is helping the pain. His nose is also extremely dry and he has no appetite, and ate last at 5:00 PM yesterday. He also has vomiting, diarrhea, nausea, sweats/chills. He watches his diet carefully due to the diabetes, but has not measured it. He is very concerned about his vision and his fever and headache was so bad that he could not see, and he's worried about that. He also has brain fog as well, and cannot remember things, pounding, pulsating water.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1378554-1	Patient developed painless left vision loss on April 10, 2021, one day after his second mRNA COVID 19 vaccine. Episode is secondary to non arteritic ischemic optic neuropathy
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1382937-1	Patient notified me 6/3/21.... Patient states that he developed a blood clot behind his right eye. and the result of this clot caused him to lose site in his right eye.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1394521-1	Right eye vision loss caused by neuromyelitis optica

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1402483-1	Rapid onset vision loss in left eye with concurrent rapid onset high blood pressure and rapid pulse. Testing showed existing crowded optic nerve (previously undiagnosed), swelling of the optic nerve, delayed blood flow to optic nerve, and leakage around optic nerve head. Vision loss progressed over about five days, stabilized, and may now be somewhat improved. Diagnosis is Non-Arteric Ischemic Optic Neuritis (NAION), for which there is no treatment and uncertain prognosis. Some extent of permanent vision loss is expected. Concurrent rapid onset of hypertension (systolic 150s-170s; diastolic low 100s at times) and fluctuating rapid pulse (80s-110). Currently being treated for hypertension but not yet fully controlled. Blood tests revealed elevated inflammatory markers (high C-reactive protein and sedimentation rate and positive ANA. Follow-up tests to determine cause of hypertension are underway. Thus far, no heart abnormalities, no carotid artery blockage, and negative for a number of autoimmune disorders and other possible causes. Prior to this event, blood pressure and pulse were normal and eye exams showed no vision or retina problems, glaucoma, or macular degeneration. Cardiologist and rheumatologist have not ruled out inflammatory response to Covid vaccine, have encouraged reporting of this event to VAERS, and have advised against taking any other Covid booster. Note that the optometrist who first saw me when the vision loss began has since told me that he saw only two cases of NAION in 38 years of practice before mine, but has seen two more besides me in the last couple of months. Both were patients of similar age with similar rapid onset of vision loss, and both had taken the Covid vaccine about four weeks before.
BLINDNESS UNILATERAL	COVID19 (COVID19 (MODERNA)) (1201)	MODERNA	1403468-1	Patient had sudden partial vision loss in the left eye approximately 5 days after her second Moderna vaccine injection. She was diagnosed with a central retinal vein occlusion. She is taking aspirin. She has not seen improvement yet in her vision.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0930602-1	I had the worse headache I've ever had in my life, soreness in my arm. When I woke up in the morning it was pounding, spread to the right half of my head, nausea, photo sensitivity, vertigo. It took 36 to 48 hours before I could function. 48 to 72 hours later I had another headache with vertigo. I had complete vision loss in my left eye.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0938577-1	facial swelling, temporary loss of vision in one eye
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0966817-1	Extreme facial swelling, closing of throat, loss of vision in right eye, uveitis, extreme fatigue, headache
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0989988-1	Diagnosed day after 2nd shot with opthalmic artery thrombus causing vision loss/change in left eye. I did get shot series on 12/22/2020 #1 and 1/10/2021 and was diagnosed with Covid-19 on 12/13/2020. My internist MD did not feel the vaccine caused the thrombus /Stroke but I wanted to report it as it was associated with the vaccine administration (symptoms of vision loss within 24 hours of the vaccine #2 administration).
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0994902-1	Loss of vision; This is a spontaneous report from a contactable consumer. A patient of unspecified age and gender started to receive BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot# unknown), via an unspecified route of administration from an unspecified date single dose for COVID-19 immunisation. The patient medical history was not reported. The patient's concomitant medications were not reported. The patient experienced loss of vision in her right eye on an unspecified date. The outcome was unknown Information on the Lot/Batch number has been requested
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0996777-1	She wore sunglasses in her house because the light bothered her eyes; Eyes felt dry; Loss of vision in right eye; Hole in her retina; Bad headache for 3 days; This is a spontaneous report from a Pfizer Sponsored Program. A contactable consumer reported similar events for 2 patients. This is 1st of 2 report. A 61-year-old female consumer (patient) received 2nd dose of BNT162B2 (Covid Vaccine, lot number: EL1248) on 06Jan2021 at single dose in the right arm for COVID-19 immunisation. Medical history was not reported. Concomitant drug included Multivitamin, Vitamin C, Vitamin D Zinc all from Mar2020 and ongoing. Historical Vaccine was 1st dose of BNT162B2 (Batch/lot number: EK5730) on 18Dec2020 in the right arm. Patient got COVID vaccine and a few hours later or the next day she started getting a hole in her retina and started losing her site in right eye. she went to the doctor as she has a hole in her retina. Again, this may be totally unrelated but she wanted to call and get this reported. She is going to see a retinal specialist this afternoon. After she had her COVID vaccine she had a bad headache for 3 days. She wore sunglasses in her house because the light bothered her eyes. She noticed this on 16Jan2021 because she was looking at paperwork and her eyes felt dry. She blinked a few times and had opened one eye alone, and she noticed that her left eye was fine but the vision in her right was not. This could have been going on longer. She just never closes only one eye. When both are open, her vision is normal. She saw the eye doctor yesterday, and that is when they said she had a hole in her retina. They said she will have to have surgery to close the hole. She knows she is at the right age for this to spontaneously happen, but just in case it is related, she wanted to report it. Outcome of the event Loss of vision in right eye was Not Recovered, for headache was recovered, for other events was unknown. No follow-up attempts are needed. No further information is expected.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021046804 same reporter, AE and drug, different patient

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	0998518-1	unable to see out of her left eye (pt is blind in the right eye due to macular degeneration)
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1017540-1	On 1/25 awoke with loss of peripheral vision in the right eye. This has persisted despite high dose IV steroids.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1026613-1	"None of my health care providers have been able to explain the cause of my sudden loss of vision in my left eye at approx. 10:15 p.m. on 7 Feb 2021. At approx. 3:00 a.m. on 8 Feb I called my ophthalmologist's answering service and my ophthalmologist called me back shortly thereafter. She told me I should go to the ER which I did at approx. 4:00 a.m. where blood tests were done, an ultrasound of my left eye, CT scan of my head, and MRI of my head were performed all with negative results. When my vision was tested at the ER using the standard wall chart, I was unable to see the largest letter on the chart with my left eye. I saw my ophthalmologist at approx. 1:40 p.m. the same day after my 6 1/2 hour ER visit. I was diagnosed with Central Retinal Vein Occlusion. Both of my eyes were dilated and photos were taken of each eye. I was given an injection of Avastin in my left eye. As of today, 12 Feb 2021, I am still functionally blind in my left eye. I can see general large objects but am unable to see details or read written words either near or far. Prior to approx. 10:15 p.m. on 7 Feb, my vision was as it had been for several years prior with little if any degradation. I typically have an annual eye exam by my ophthalmologist but due to Covid-19 my last eye exam was 9 Dec 2019 at which time there was nothing to suggest that I would have such loss of sight in either of my eyes. I am a healthy person who takes no or very little medication when prescribed. I have never been hospitalized (other than this ER visit) or diagnosed with any significant medical condition. In late Dec 2020 following routine blood tests, I had a teleconference ""physical"" with my PCP at which time I was declared to be healthy. Upon leaving the ER at approx. 10:30 a.m. on 8 Feb my ""end of visit vitals"" were recorded as blood pressure 110/63, BMI 20.92, weight 150 lbs., height 5'11"", temperature 97.6 F, pulse 67, respiration 16, and oxygen saturation 95%. Late last year I had my usual flu vaccination without any side effects. After almost 2 weeks, I do still have a bruise at the Pfizer vaccine injection site on my left arm and I experienced mild muscle soreness the evening after my vaccination and the following morning. Normally I have no adverse reaction to vaccinations."
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1029994-1	Won't let me type everything. Long story short. Face tingled for a few days after shot, forehead skin got tight and dry, now I've lost vision in my right eye! Today is exactly 2 weeks after 1st vaccine and sight in my right eye is worse and painful
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1031942-1	Significant loss of vision R eye-awoke on Feb 6 and noted splotches in vision of R eye. Workup suggests compromised blood flow to that eye
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1034234-1	Eye Stroke / Retinal Occlusion Lost eyesight in left eye
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1059866-1	Reaction started approximately 10 hours post-vaccination and included loss of vision in left eye, numbness and tingling on right side (arm, legs), numbness of tongue, pain in all joints including knees, shoulders, neck, ankles and arms/elbows.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1070965-1	right sided embolic stroke, right retinal artery occlusion occurred 8 hours after vaccination, requiring hospitalization for 2 days, he is now left with right eye visual loss as the only sequelae to the stroke
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1096940-1	lost total vision in left eye, took about 2 seconds from onset. Recovered within 30 minutes. Suspect small clot. No other symptoms. No detectable lasting vision impact.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1102139-1	Increased BP, right side vision loss
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1106591-1	4 days after I had the 1st shot I had an optic nerve stroke in my right eye with complete and permanent vision loss

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1107262-1	She is legally blind in her good eye; Felt like crap; proverbial headache was reported as worsened/pain and tightness in both jaw lines was reported as worsened; I do have migraine; Hives; this is just a nightmare if this is not a normal problem; Can't think; pain and tightness in both jaw lines; pain and tightness in both jaw lines; thrush; proverbial headache/When I bend over I have a blinding headache; no coordination; Vomiting projectile/Throwing up right away; arm was hurting; swelling in arm; Chills; uncontrollable bladder gushing leaking; shaky arms; unable to eat anything; has been as sick as a dog; non stop coughing; Rib pain; This is a spontaneous report from a contactable consume. A 70-years-old female patient received bnt162b2 (BNT162B2) , via an unspecified route of administration on 2Feb2021 as a single dose, for covid-19 immunisation . Medical history included arthritis from 1992 and ongoing Verbatim: Arthritis , fibromyalgia from 1994 and ongoing Verbatim: Fibromyalgia , gastrooesophageal reflux disease from 1992 and ongoing Verbatim: GERD , lactose intolerance from 1992 and ongoing Verbatim: Lactose intolerance , depression from 1994 to an unknown date Verbatim: Anxiety depression , hypertension from 1992 to an unknown date Verbatim: Blood pressure high , MRSA , water pollution from an unknown date and unknown if ongoing She was unable to drink anything except sips of cold water and eat a few ice chips. She is unable to drink lukewarm water. This was prior to getting the vaccine , surgery from an unknown date and unknown if ongoing She had 22 surgeries in 4 years on her left eye. It started with pressure testing then infections. The patient reported she is legally blind in her good eye, has been as sick as a dog, non stop coughing, , non stop coughing , thrush on 23Feb2021, proverbial headache/when i bend over i have a blinding headache, , no coordination, vomiting projectile/throwing up right away arm was hurting, swelling in arm chills, uncontrollable bladder gushing leaking pain and tightness in both jaw lines unable to eat anything can't think felt like crap. The outcome of the events: Unknown: blindness, thrush, shaky arms, unable to eat anything, Can't think, Felt like crap, I do have migraine; Recovered, vomiting, swelling in arm; Recovering illness, cough, rib pain, Not recovered headache, no coordination, uncontrollable bladder gushing leaking, pain and tightness in both jaw lines, pain and tightness in both jaw lines; Chills recovered with sequelae.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1114702-1	amaurosis fugax. Temporarily lost vision in top half of right eye - lasted about 15-20 seconds - blood clot in right eye. No past history of blood clots
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1124527-1	He had his Vivid shot and awoke blind in left eye 4 hours later. Went to ER and then on Friday went to eye Dr. at clinic.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1134388-1	Bilateral optic disc edema R>L with vision loss in the right eye Intraretinal fluid on the right side Bilateral optic nerve enhancement on MRI Lymphocytic pleocytosis in cerebrospinal fluid Treated with IV methylprednisolone and acetazolamide
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1141472-1	Couldn't see out of right eye. Called eye doctor, sent to retina specialist. Blood and swelling by retina.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1143477-1	"lost vision of half of right eye; This is a spontaneous report from a contactable consumer (patient). This consumer reported similar events for 2 patients. This is the 1st of 2 reports. A 74-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot number was not reported), dose 2 via an unspecified route of administration, administered in Arm Right on 08Feb2021 at 10:40 (pending clarification) (at the age of 74years) as single dose for Covid-19 immunization. The patient received the first dose of BNT162B2 intramuscular (left arm) on 18Jan2021 10:00 (at the age of 74years) for Covid-19 immunization. Medical history included high pressure, high sugar, and liver disorder; all from an unknown date and unknown if ongoing; no known allergies. Concomitant medications included nadolol, lisinopril, and metformin; all taken for an unspecified indication, start and stop date were not reported. The patient was not diagnosed with COVID-19 prior to vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 08Feb2021 at 11:00am, 20 minutes after getting the shot, the patient experienced ""lost vision of half of right eye"" that lasted a few minutes. There was no treatment received for the adverse event. The patient was tested for Covid post vaccination (nasal swab) on 02Mar2021 with negative result. The outcome of event was recovered with sequel (also reported as recovered with lasting effects). Information on lot/batch number has been requested.; Sender's Comments: Linked Report(s) : PFIZER INC-2021291774 same reporter, drug and event, different patient"
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1147290-1	I did not have a reaction until I got home on Jan 4th, 2021. I had a headache for a solid 2 weeks. Lost my vision right eye on Feb 1st with extreme vertigo ended up in the hospital. After a few tests they found a heart defect ASD. Never in my life have I been told I have had a heart condition. I am correlating it to the vaccination because for the 4 solid weeks before I ended up in hospital I was so sick.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1148429-1	No reaction from first shot. Second shot was at 10_00 am on March 16. On or about March 14 I noticed vision loss in left eye, a spot. On March 17 I made an appointment to be seen on March 23 by optometrist. Was seen and he identified an inflamed optic nerve d rate tests. That night or by the following morning I had lost more vision, in a halo around the first blind spot. Doctors are still trying to determine origin of problem, not tumor and not disease.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1169881-1	patient said she started losing vision in one eye for few minutes, and started having numbness or tightness in arms. Paramedics were called and she felt fine after first few minutes
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1170473-1	26 HOURS AFTER RECEIVING THE VACCINE, MY VISION WITH THE LEFT EYE STARTED TO DETERIORATE. THE DOCTOR ON CALL SUSPECTED RETINA DETACHMENT AND ARRANGED FOR A RETINA SPECIALIST VISIT NEXT MORNING. THE RETINA SPECIALIST DOCTOR CONFIRMED THE RETINA DETACHMENT AND PERFORMED SURGERY TO REPAIR IT THE SAME EVENING. EMERGENCY SURGERY WAS PERFORMED. I AM STILL RECOVERING (RECOVERY IS ESTIMATED TO TAKE 6 MONTHS), WITH DISTORTED IMAGING FROM LEFT EYE AND DOUBLE VISION.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1173889-1	"Lost hearing in my right ear; lost most of vision in right eye; This is a spontaneous report from a contactable consumer (patient). A 58-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration at the age of 58-years-old on 03Mar2021 12:00 (Lot number was not reported) as a single dose for COVID-19 immunization. Medical history included failed back surgery, heart disease, and known allergies. Concomitant medications included losartan potassium (LOSARTIN), carvedilol, levothyroxine sodium, atorvastatin calcium (ATORVASTIN), and ""subu""; all taken for an unspecified indication, start and stop date were not reported. The patient reported, ""Lost hearing in my right ear and lost most of vision in right eye"" on 07Mar2021 06:30. Therapeutic measures were taken as a result of the events, which included Steroid shot through ear drum and oral steroids. The outcome of the events was not recovered. Adverse events resulted in Doctor or other healthcare professional office/clinic visit, Disability or permanent damage. Facility type Vaccine was Public Health Clinic/Veterans Administration facility. No other vaccine in four weeks. Not diagnosed with COVID prior vaccination. Not tested for COVID post vaccination. The patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2, on an unspecified date in left arm at a single dose for COVID-19 immunization. Information on lot/batch number has been requested."
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1177460-1	Patient reports mild soreness in her left arm after receiving the vaccine. Reports mild fatigue but this was expected due to pharmacy consultation prior to administration. She states she experienced vision loss in her right eye that developed a day or two after receiving the shot. Vision returned in about 24 hours.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1177638-1	"right vision described as ""more cloudy"", endorses left blindness, discharged home from vaccine clinic after observation"

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1182491-1	<p>"large left horseshoe tear on the retina in the left/tear on the right retina/small tear right eye; detached retina on the left; vision loss/can't see at all/thought he was going blind; streaks of lightening; section of vision lost in the left eye; Posterior Vitreous Detachment; floaters; sick; This is a spontaneous report from a contactable consumer (patient wife). A 60-years-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, Solution for injection) dose 1 via an unspecified route of administration on 06Jan2021 (Lot Number: EJ1685, expiry date not reported) as single dose; and dose 2 via an unspecified route of administration on 29Jan2021 (lot Number: EL8982, expiry date not reported) as single dose; for covid-19 immunization. Medical history included eye surgery (he already had surgery once) from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. Patient received first dose of the Pfizer vaccine on 06Jan2021 then on 29Jan2021 the 2nd dose. He experienced side effects: floaters on 06Jan2021, and streaks of lightening then vision loss on 15Mar2021. There was a large left horseshoe tear on the retina in the left and a detached retina on the left and a tear on the right retina on 19Mar2021. He already had surgery once. He will have 2nd surgery on the other eye. Reporter reported a follow up. He can't see at all. He was recovering and has to lay on face for 2 weeks. Reporter stated she read about retina problems related to the virus but not to the vaccine, could not find information. Patient was a retail pharmacist. He deals with customers and several customers stated they had vision problems with the vaccine: double vision, loss of sight. ""There was a problem out there, but maybe they were not reporting it took reporter 2 hours to report so they may not have the time to sit there to report"". Reporter knew they can't prove it was the vaccine that caused it. Reporter don't believe in coincidences. It seemed quite obvious to them it's related to the vaccine. Reporter appreciated all the help and stated they didn't have all the answers. Reporter sure it was the vaccine because it was within hours after the first vaccine, but since there was no information regarding the sight problems related to the vaccine patient didn't think about it. Then the floaters got worse and started to block his vision, after the 2nd vaccine it was dramatically; within hours it was worse. He's never been sick in 36 years (2021). Patient hoped no one else has to deal with what he has to deal with. Patient also reported that on 10Feb2021, patient had section of vision lost in the left eye. It was then reported that patient was well versed in the virus and the vaccine. He was unable to speak on the phone at this time as he was recovering from surgery. Patient received the first dose of the Pfizer COVID 19 vaccine on 6Jan2021 and right away began seeing hundreds of floaters. He didn't correlate it to the vaccine but it didn't go away. Then he received the second dose of the vaccine on 29Jan2021 and within hours he thought he was going blind. He went to an optometrist 01Feb2021 who sloughed off the idea of it being related to the vaccine and diagnosed him with Posterior Vitreous Detachment. It was previously reported to Pfizer when he got the diagnosis of the PVD and all the events mentioned were previously reported. Reporter stated that from that day on the floaters got larger; the around 15Mar2021 he noticed every time he bent over he saw streaks of lightning; and he started to have a black hole, a loss of about 20% of his field of vision in the left eye. He went to another local optometrist 19Mar2021, who saw a large horseshoe tear in on left retina; and a detached left retina. The local optometrist sent him to a specialist and who verified the tear and the detachment and said the other retina in the right eye also has a small tear. Patient then had eye surgery, Monday at 0700AM, 22Mar2021 by outpatient surgery, to drain the fluid in his eye; insert a gas bubble and a silicone band to repair the retina; and did laser surgery on the tear. The specialist advised that the surgery damages the lens so he will need the lens replaced in the future. Now her patient has to lay down with his face down for 23 hours a day for two weeks and take 6-8 weeks off work. He had a doctor's visit yesterday and the doctor seemed satisfied with his progress but he can't see out of the eye, everything was cloudy so he doesn't know if the floaters are gone or the eye sight is recovered yet. The doctor was planning to do the right eye tear repair on Thursday 25Mar2021. Reporter had searched online to see if other people have this, but she can't seem to get the stories online about problems with the retina and the vaccine. She wanted this to be known and documented. Reporter was asking if company have information about if other people have had this. As per reporter, the events were not serious. Therapeutic measures were taken as a result of the events reported. The patient required physician's office visit for the events reported. The patient had not recovered from section of vision lost in the left eye, large left horseshoe tear on the retina in the left/tear on the right retina/small tear right eye, detached retina on the left, and floaters. The outcome of the other events reported was unknown."</p>
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1202291-1	Central retinal artery occlusion of right eye resulting in blindness of the right eye.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1203511-1	Stroke twice Acute idiopathic spontaneous intraparenchymal intracerebral hemorrhage (CMS-HCC) Loss of vision in lower left quadrant

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1203971-1	Hemorrhagic stroke in temporal lobe resulting in >7cm hematoma. Symptoms starting with painful migraine that started 2 days after the vaccine. On 4/2, migraine was worse and then loss of vision in right eye around 9pm. 4/3 at 6am, became disoriented with weakness on the right side of the body. Vomited. Called 911, paramedics said symptoms were in line with stroke. Took to hospital to ER. Immediately went in for CT scan. Result was large bleeding into the brain, approx 6cm. Transferred to unit to monitor, bleeding increased by 10 to 20%. 4/4 at 10am, left side craniotomy for evacuation of hematoma performed. Patient was in critical care icu. 4/9 patient transferred to inpatient rehabilitation. Patient diagnosed with Wernicke's Aphasia and Level 2 Dysphagia, visual field cut in right eye, and right sided weakness.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1205228-1	"no vision on right eye; Torn retina; Little tired; This is a spontaneous report received from a contactable consumer (patient). A 75-year-old patient of an unspecified gender received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration at the age of 75-years-old, administered in Arm Left on 26Feb2021 16:55 (Lot Number: EN6200) as a single dose for COVID-19 immunization. The patient medical history was not reported. Concomitant medication included prednisone taken for Ruptured disc from 11Feb2021 to 19Feb2021 and from 07Mar2021 to 17Mar2021. The patient previously received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on 05Feb2021 04:55 AM (Lot Number: EL9265) as a single dose for COVID-19 immunization and experienced severe back pain and sore arm. The patient reported, ""I chose to not fill this auto entirely with help. I had a sore arm after dose 1, little tired after dose 2. I reported I had a torn retina days after dose 2 but did not think it was due to the vaccine. Just wondered it happened 3-10, still can't see, under doctors care. I don't think the prednisone or the eye issue was caused by the vaccine but reported it."" The patient experienced torn retina on 12Mar2021 and little tired on 2021. The patient underwent lab tests and procedures which included eye ultrasound: torn retina, no vision in right eye. Still no vision 22Mar2021 (under doctors care) on 12Mar2021, X-ray: hip degeneration on 10Feb2021. The outcome of the events was unknown. The event torn retina was considered as serious (medically significant). Vaccination facility type was Hospital. No follow-up attempts are needed. No further information is expected.; Sender's Comments: Based on the information provided, the reported torn retina is likely an intercurrent medical condition and unrelated to BNT162B2. The patient's advanced age have been assessed as a risk factor that could have contributed to the event."
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1206148-1	I woke up the morning after dose #1 unable to see out of my right eye. It was tho someone had placed a large amount of vaseline in my right ee. My left eye was blurred and extremely sensitive to light. The right eye began to clear up but took many days. Opthamalogist appoint was made. Now seeing a Retinal specialist. Vitreous Hemorrhage in the right eye and an Aneurysm sitting on the optic nerve in the left eye.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1210922-1	I lost vision in my right eye for no reason, I went to the ER. They did a CAT scan ran blood test etc. searching for the reason i lost vision in my right eye.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1219505-1	STARTING HAVE SEVERE PAIN IN LOWER NECK UP INTO LEFT SIDE OF HEAD SEVERAL DAYS AFTER VACCINE. ER ON 3/15/21 SHOWED ARTHRITIS IN C-3. SENT TO DR FOR FOLLOW UP. 3/17/21 PUT ON ORAL PREDNISONE, PAIN SHOTS X4 IN AREA. 3/19/21 RETURN TO ER, INCREASED PAIN AGAIN, LOSE OF SIGHT IN LEFT EYE, CT SHOWED POSSIBLE VERTEBRAL ARTERIAL OCCLUSION WITH POSSIBLE DISECTION. ADMITTED. ALSO SAW MICRO VASCULAR CHANGES AND ATROPHY. NEURO CONSULT FOR THROMBECTOMY VS MEDICATION MANAGEMENT. PER FAMILY, PAIN MEDS, NO FURTHER MRI OF BRAIN, COMFORT CARES. PT DIED 3/22/21.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1227167-1	Pt developed sudden left eye partial vision loss on 4/6/2021, 5 days after 2nd dose of COVID vaccine. Saw Dr on 4/7/2021 and diagnosed with left branch retinal artery occlusion, admitted to the hospital on 2nd day of symptoms. No treatment indicated. Evaluation undergoing. Imaging negative for acute stroke. Pt continues to have visual field deficit on 4/15/2021 when she was seen for follow up in PCP office.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1227183-1	On 4/5/21, 3 days after the vaccine, I developed a piercing headache behind my right eye. Shortly after the vision in the left eye started going in and out for a brief time. About 30 minutes later my left arm went completely numb, including my hand. This resolved after about 10 minutes, but then was intermittent for the next 2 hours. During this time, I also started having some mild and intermittent lower lip numbness. Speech felt different but was overall normal. The neurological symptoms were resolved by 11/12 that afternoon but headache lasted 48 hours. At the time I was 17 weeks pregnant, due approx. September 11. 1 previous history without any complications.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1228950-1	Woke up at 3 AM with nausea so went to sit in the bathroom, alternated between feeling better and feeling just about to puke for about an hour. At about 4 AM I was going to the bathroom and then felt about to puke again. I then began to get tinnitus in both my ears and my left eye went black and I thought I was going to pass out. I laid on the bathroom floor for another 30 minutes before going back to sleep. Other symptoms that started on 4/18/21 included chills and fever which lasted until about 6 AM on 4/19/21.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1229833-1	Five days after receiving the first dose patient was admitted to Hospital on 03/30/2021 with an acute left MCA M2 branch stroke requiring tPA that resulted in a small amount of hemorrhagic transformation. Tee revealed no cardiac source of embolism. He is left with some expressive and receptive aphasia. He also has some loss of L eye vision. There was no stenosis of the carotid arteries but the left M2 branch was occluded. He did not have any atrial fibrillation in the hospital but is wearing a 30 day monitor currently. We have no idea this was related to the vaccine but wanted to report. The Neurologist thinks it is just a coincidence. But we still want you to know it happened.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1230622-1	Had a blood clot and a stroke and blind in right eye, and some paralysis in face. Happened day after first vaccine.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1233268-1	photo sensitivity to left eye odd numbnes/pain in cheek bone below left eye. Now blind in left eye with drooping eyelid.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1233378-1	Loss of vision in left eye, stroke in eye caused by retinal vein occlusion. 3 weeks. Injection in left eye once a month for 6 month, not guaranteed to bring back vision.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1242827-1	Got the vaccine on 3/30/21 and about 1.5 week later got almost complete blindness in the right eye. Went to see Dr. he determined a blood clot in that right eye. Six hours later, the blood clot dissolved on its own. Was told to take Aspirin 81 mg daily.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1254813-1	stressed; it makes his blood pressure go up and that makes him blind in one eye; it makes his blood pressure go up and that makes him blind in one eye; This is a spontaneous report from a contactable consumer (patient). A 70-year-old male patient received the first dose of BNT162B2 (FIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration on 06Apr2021 (Batch/Lot number and expiration date were not reported) at the age of 70-years-old at a single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient and his daughter (58 years old female) received their first dose of the Pfizer COVID vaccine on 06Apr2021 and second dose is scheduled 4 weeks later. The patient wanted to know how he can take the second dose in 3 weeks and stated that because he was stressed about the appointment time, it makes his blood pressure go up and that makes him blind in one eye. The outcome of the events was unknown. Information about lot/batch number has been requested.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1259663-1	Loss of vision in lower right quadrant of left eye. Swelling of optical disc observed by ophthalmologist, retinal specialist,, neuro-ophthalmologist. Patient presented at ER on April 14,2021 with above vision loss and pain in left ear and was later admitted. Was seen by neurology and vascular surgeons, who desired to biopsy the temporal artery (patient refused). CT scan, MRI and spinal tap were performed. Patient treated with IV steroid (1000 mg in 50 mL drip) daily for 5 days. Patient was released on April 20, 2021. Follow up visit with Dr on April 23, 2021. Further follow up with neurology pending.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1262222-1	"I woke up with neck pain on the right side of the back of my neck on Sat 4/24. Thinking I just ""slept wrong"", I ignored this symptom initially. Over the course of Sunday and Monday, this neck pain worsened culminating in severe pain by Monday afternoon with significant decreased ROM (inability to turn my head from side). At approx 1800, while inactive and sitting, I lost vision in my left eye. Since I am fairly recently post partum (delivered 3/20/21), I took my blood pressure as a precaution. My initial reading was 161/108 with repeat 5min later 156/106. I was instructed to go to the nearest ER. My BPs there were 171/86 and 166/96. Labs and diagnostic imaging were performed and I rec'd IV fluids, Reglan, and IV Tylenol. I was discharged around 0045 with a diagnosis of Migraine Headache. I woke up on Tuesday 4/27 with a worsening headache. My BP was 148/91, 141/100 and 130/100 throughout the morning. I was seen by my chiropractor in an attempt to resolve the neck pain around noon, my BP afterwards was 149/99 142/97-No resolution of headache. At this point I was instructed to go to Medical Facility for further testing and admission to the women?s services unit. My BP just prior to admission was 146/107. I was admitted, given an IV infusion of magnesium sulfate and am currently inpatient with plans to be discharged tomorrow."
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1266985-1	Notices loss of vision in right eye. . . everything is blurry about a week after first vaccine. Other adverse events - 1st shot: Raging headache for 3 days and slight fatigue. Other adverse events - 2nd shot: Fever and chills for ~36 hours, moderate fatigue, raging headache for 2 days, achy joints (ankles and wrists) for first 24 hours, and vision right eye is worse. (Have scheduled appointment with eye doctor for evaluation)
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1274253-1	Two days after 2nd COVID vaccine patient experienced loss of vision in right eye. He also reports having a cough for a week after the shot. This adverse reaction was uncovered during an unrelated hospitalization while taking patient history. 22 days after the onset of vision loss, he reports that vision has slightly improved but remains hazy and distorted.

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1277426-1	April 1 - Severe Dizziness. Hot, Nausea. Had several dizzy spells in subsequent days, some with vomiting. April 6 - ER Visit - Dizziness. They cited low magnesium and gave me that via IV. April 8 - ER Visit - High Blood Pressure. April 11 - Lost eyesight, left eye April 12 - Admitted to hospital
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1278945-1	right eye went blind for several Minutes; hemorrhage behind eye; when it cleared I had white clouds that were blocking vision; PAMM; This is a spontaneous report from a contactable consumer. A 61-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, in the left (unspecified anatomical location) on 12Apr2021 (Batch/Lot Number: ER8734), at the age of 61-years-old, as single dose for COVID-19 immunization. Medical history included overweight and elevated BP. The patient own allergies. The patient previously took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via unspecified route of administration in the left arm on 22Mar2021 02:30 pm (lot number: EP7534), at the age of 61-years-old. There are other unspecified medications in the last two weeks. There are no other vaccines in four weeks. The patient experienced right eye went blind for several minutes and when it cleared, the patient had white clouds that were blocking vision. Ophthalmologist saw hemorrhage behind eye called it PAMM. The events happened 4 hours after vaccine 2nd dose on 12Apr2021 18:00. Retinal specialist believed it may be vascular but could not determine cause. Dr. advised that he was one of several patients who had eye issues after vaccine. Therapeutic measures were taken as a result of the events. The patient had no prior vaccination, the patient was not tested for COVID post vaccination. The outcome of the event was not recovered. The events were reported as serious- disability.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1281780-1	At 8 PM on May 1, the day of the vaccination. I experienced loss of vision in my right eye. The loss was the top half of the eye and symptoms were similar to retinal TIA. Loss of vision was complete in the top half and lasted for several minutes. It resolved eventually but I went to emergency room at the request of my eye doctor.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1291904-1	Loss of site in the left eye. Went to my regular eye doctor, then to retina specialist
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1341871-1	Lost the vision in my left eye. Taken to Hospital in on April 10th at 6:00 in the morning and over the next 3 days had a CT scan, MRI, Heart monitor and Heart Test w/ Bubble. and the veins in my neck tested. Nothing abnormal was found to have caused an CRAO. Since then I have had family members tell me of three other people who had a similar situation happen to them after the second shot and within several weeks of receiving the second shot. I have not regained the sight in my left eye. I had no symptoms of anything before this happened.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1341934-1	I woke up 16 days after the second shot at 5:00 in the morning with no sight in my left eye. My husband took me to Hospital where I was admitted immediately. For the next three days I had a CT Scan of my brain. Arteries in my neck checked for any blockages, MRI, Heart study with Bubble and I wore a heart monitor for 3 days. I had no symptoms of anything before this happened. All test came out clear and diagnosed with an CRAO (Central Retinal Arterial Occlusion. No reason for what happened
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1360408-1	Vision loss in Left eye in addition to the normal side effects listed; This is a spontaneous report from a contactable consumer (patient). A 30-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in left arm on 20Apr2021 09:45 (Lot Number: EW0170) at the age of 30-year-old at a single dose for covid-19 immunisation in hospital. The patient's medical history was not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not receive any other medications within 2 weeks of vaccine. The patient previously took amoxicillin and codeine. The patient experienced vision loss in left eye in addition to the normal side effects listed on 20Apr2021 13:00 which result in doctor or other healthcare professional office/clinic visit. The patient did not receive any treatment for the adverse event. Prior to the vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient has not been tested for COVID-19. The outcome of the event was not recovered.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1362585-1	Patient start having nausea and vomiting symptoms about 10 min after administration. She also mentioned blurry vision and loss of vision in one side. She was fainting too. Patient was positioned on her side in the waiting room Her blood pressure was 111/71 and pulse 60 when checked by the pharmacist. EMT was notified. They arrived and check her vitals, she was doing better. they didn't consider that any future evaluation is needed.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1362835-1	"states ""Last May 1st I got my 1st dose of the covid vaccine... on May 4th, when I woke up, I couldn't see well. Blurry vision on my right eye, I couldn't even read even with my glasses on. When I blinked I could see big blobs of different colors, black, blue, green, red, yellow... I made an appointment with an ophthalmologist (May 7) and was told there was bleeding at the back of my eye and referred to a retina doctor. May 12, I saw a retina doctor and was given 2 shots right into my eye. Now I could still see black blobs but much smaller and wherever I look I could see like white clouds with sparkling tiny lights of different colors, even if my eyes are closed. ""

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1365695-1	After the first dose my father got what the eye doctor thought was pink eye. After treating him it didn't clear up. It was later diagnosed as herpes of the eye and he became blind in one eye. Shortly afterwards I read an article from researchers who stated they had found fragments of the herpes virus in the vaccine. After the second vaccine he was fine one day and 2 days later started having seizures. He was hospitalized for the seizures. His personality totally changed. He no longer recognized my sister. He also became hostile which is not the person he was. He was released from the hospital and brought to a new facility. Then the lights went out. he just stared off into space. A day later he was dead.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1365929-1	Memory fog, vision loss right eye, dry eyes, partial hearing loss in right ear. Multiple visits to eye center. Dr diagnosed me with Encephalopathy. Seen my Dr. an audiologist at Center. Dr. diagnosed with partial hearing loss in my right ear. I had the actual Covid 19 virus in August of 2020. At that time I lost my sense of taste and smell for approximately 2 weeks. I had no long term side effects related to the virus. I received my first COVID 19 vaccine in December 23 2020. I had no side effects from that vaccine. The day after receiving my second Covid 19 vaccine, I started having light sensitivity, right eye itching, and visual disturbance of the right eye. Weeks later I started noticing changes in my ability to hear out of my right ear. Then people started noticing that I wasn't hearing them appropriately. I've had multiple visits from specialist. I've had to buy new glasses, eye meds, contacts, take off work many times, and now I'm saving for a hearing aid. I was told by both specialist that the outcome is unknown at this time because there is not enough information on the virus and the vaccine to make that judgement.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1373704-1	"Left side facial numbness starting with the left tip of tongue spreading to left side of lips, then left cheek, then left forehead. Continues to intensify and spread. Now surrounds left eye; extremely concerned as I am blind in my right eye.; This is a spontaneous report from a contactable consumer. This 74-year-old male consumer reported for himself received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) via an unspecified route of administration, administered in Arm Right on 02Feb2021 09:00 (Batch/Lot Number: EN5318) as 2ND DOSE, SINGLE DOSE, and via an unspecified route of administration, administered in Arm Right on 12Jan2021 09:00 (Batch/Lot Number: EL1283) as 1ST DOSE, SINGLE DOSE for covid-19 immunisation. Medical history was none. Concomitant medication(s) included latanoprost taken for an unspecified indication, start and stop date were not reported; donepezil hydrochloride (ARICEPT) taken for an unspecified indication, start and stop date were not reported. The patient stated of experiencing ""left side facial numbness starting with the left tip of tongue spreading to left side of lips, then left cheek, then left forehead. It continues to intensify and spread and now surrounds left eye"" and stated that he ""extremely concerned as I am blind in my right eye). Onset date for events was 1Feb2021. Events reported as medically significant . Outcome of events was not recovered. Patient had ongoing consult neurologist and was scheduled for MRI. Patient did not have covid or tested positive prior to vaccination."
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1376897-1	2nd shot was 5/28/21 Lot # EW. Patient presented to ED on 6/7 with a report of five separate times over the past 2 weeks of 5 minutes painless vision loss in his left eye. Last night he had painless vision loss in his right eye, which has not returned. CTA reveals L carotid stenosis and possible R carotid dissection. Eye exam consistent with R eye central retina artery occlusion.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1378018-1	36 hours after the vaccine I experienced an aura in my right eye. The following morning when I awoke and before opening my eyes, I saw lines of color against my eyelid. When I opened my eyes, I could not see out of my right eye. All I saw was like looking through a dense fog. On January 15 I saw an Ophthalmologist. He performed an extensive eye exam and recommended I see a retina specialist. He then called another Doctor and asked him to see me immediately. Dr took an extensive history and performed a lid position and nasolacrimal and orbital exam, a Silt lamp exam, an Ophthalmoscopic exam of the optic disc, the retina and vessels, an OCT, Retinal and a Fluorescein Angiography. The diagnosis was Central Retinal Artery Occlusion and severe photophobia in the right eye with spontaneous resolution and vision of 20/200. On January 20 I saw my PCP. He ordered an MRI of the brain, an MRA of the brain and an MRA of the neck and carotid artery. These scans were performed the on January 27, February 3 and February 10, respectively. All were negative. I then saw another Dr on various days starting on January 25. He performed an EKG, an Echocardiogram, a Nuclear Stress test and had me wear an event heart monitor for 30 days. Again, all tests were negative. None of the doctors could determine the cause of the CRAO. I then read an article describing close to 20,000 patients who reported eye disorders similar as mine which is why I am reporting this today. I have not been able to determine if any of my doctors have previously reported this incident.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1388530-1	parasthesia in injected arm, blindness in right eye, intense weakness and lethargy.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1388538-1	H54.62 - Unqualified visual loss, left eye, normal vision right eye

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1396674-1	19 yo M with PMH of asthma and obesity who presents with one week of vision loss in left eye and new onset intermittent headache. Hre ported that he received his first dose of the Pfizer COVID vaccine on 5/3. Then he got the second dose on 5/13. On 5/14 he noticed headaches. On 5/16 he had vision loss in his right eye. This got worse so he came in on 5/19. He had an area of black vision in the upper quadrants of his visual fields and then blurriness in the rest of his vision in that eye. The other eye was unaffected. He had an exam by ophthalmology which showed papilledema. He was seen by neurology and had an MRI of the Brain and orbits which showed L optic neuritis as well as a punctate area in the L frontal lobe of unclear significance. CSF with WBC count of 2, normal protein of 23. He had positive oligoclonal bands. Negaitve NMO and MOG. His vision started to improve with high dose steroids. he was discharged home.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1403545-1	My headache started with the first dosage and it intensified with the second dose and it became progressively worst. I temporarily lost vision in my right eye on March 7 and 8th. Tests were performed at the ER did some tests and said that it was a pre-stroke or a mini stroke. I am on baby aspirins to prevent a major stroke. A few days after the event with my right eye, my left eye started dimming which started several days after my right eye. Then, I went to see a Neurologists and an Eye Doctor. I continue to have headaches today and am having injections in my head to relieve the headaches when the muscle relaxer did not relieve the headaches; however, the visions became better over the last few weeks. I have vision loss and a new daily persistent headaches.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1403597-1	After receiving the vaccine I had the soreness in my arm and a small fever of 99. Over the course of the next few weeks I was experiencing severe eye pain which caused me to start losing site in my right eye and also microclots in my eyes, my eye doctor stated that the vaccine was not the cause of my conditions with my eye. But other than the soreness of my arm where the vaccine was administered and a slight fever I really didn't have any other problems.
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1409698-1	"Atrial fibrillation; mild stroke; my skin was kind of different looking you know like aging a little bit you know like wrinkling; seeing flash burn every once in a while; have a obstruction in the main artery of left eye; went totally blind in my left eye; probably got macular degeneration; pain in the arm; This is a spontaneous report from a contactable consumer reported for himself. A 66-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) dose 2 via an unspecified route of administration in the left arm upper muscle on 02Apr2021 11:45 at age of 66-year-old (Lot Number: ER8737) as 2nd dose, single for covid-19 immunisation. Historical vaccine included first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, LOT number was EN6204) for Covid-19 immunisation in Mar2021, at age of 66-year-old and experienced pain in the arm. Medical history included Barrett's esophagus, Diverticulitis, Gastroesophageal reflux disease, Generalised anxiety disorder, Cataracts, Kidney stones, Chlamydial infection, Left ventricular hypertrophy, Vertigo, hiatal hernia repair done, hypertension, had a colonoscopy quite often in another words to remove the polyps from his colon. Concomitant medication included omeprazole taken for GERD (gastroesophageal reflux disease) and paracetamol (TYLENOL). The patient experienced atrial fibrillation on an unspecified date with outcome of unknown, mild stroke on an unspecified date with outcome of unknown, went totally blind in my left eye on 09Apr2021 with outcome of not recovered, probably got macular degeneration on 09Apr2021 with outcome of unknown, pain in the arm on 02Apr2021 with outcome of unknown , my skin was kind of different looking you know like aging a little bit you know like wrinkling on an unspecified date with outcome of unknown , seeing flash burn every once in a while on 09Apr2021 with outcome of unknown , have a obstruction in the main artery of left eye on 09Apr2021 with outcome of unknown. The patient underwent lab tests and procedures which included CAT scan and EKG both with unknown results on 24May2021. The events result in Physician Office Visit, no treatment was received. Clinical course: Consumer stated, ""Well, I got my first Pfizer shot I just thought I should just call and discuss this with somebody bit of some sheet I got I got the Pfizer vaccine and I got that one on 15Mar2021 the first one and then I received the second one 02Apr2021 and when after I received the second one I had the pain in the arm like normal but it was a lot more severe than I got from the first one but it went away but you know normal 3 to 4 days it went away so I did not wasn't that concerned but I also know this to ask. After I got my skin was kind of different looking you know like aging a little bit you know like wrinkling but then all of a sudden it cleared up too that went away probably about the same time a week after I got the shot I started having vision problem(distorted voice and incomplete sentence). I visited an ophthalmologist an regular eye doctor it was an ophthalmologist (distorted voice and incomplete sentence) and he said no I don't see that you have a stroke I don't see that you have vision problems with your retina this time you probably got macular degeneration going on so anyways he said comeback if you have an issue then I said so you are telling me that even though my vision is going in my left eye I am not gonna go blind and I didn't have a stroke he said yes. Ok, so anyways exactly a month after that I went totally blind in my left eye my vision came back, my vision came back. I forgot to tell you my vision came back fully for a while but it was different in my left eye like I was seeing flash burn every once in a while when I was in the sunlight and stuff. Anyway a month later after I got the second shot when I went totally blind in my left eye and so I got upset about the doctor's here and I had to go to (Address) to pick my new eyeglasses anyway so I had to drive to (Address) with one eye which is 230 miles from me anyways, so when I got my glasses there at they were the right prescription thank god and I told them about the eye issue so they

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
				<p>problem in your left eye looks like a flash burn or something like that so then they had me setup an appointment with really good ophthalmologist in (Address) because I wanted a second opinion whether my insurance covered it or not. So I went to this retinal specialist and I was in his office for like 3 hours they were checking me out in there you know he said yes definitely you have an obstruction in the main artery of your left eye and that's why you lost your vision and this doctor said there's only two things it could be it it could be you had a stroke or that you had a bad reaction to the Pfizer vaccine and so anyway he wanted me to go either into the emergency room a good (Address) to further do testing, I said no I don't wanna do that because that's all out of my own pocket that would have been thousands of dollars you know, but I don't know I am all confused about this medical care. I am just trying to give you all a scenario from day 1 going forward you know anyway so I refused to go to good (Name) and he said well it should be okay anyway because it's been so much time since the original problem that you would be probably alright to just back to your hometown there and go to the hospital and have your testing then there I did and the next day I got back to (Address) from (Address) I went to the hospital there they did an EKG on my heart and they did a CAT scan on my head and they said they couldn't see anything from the EKG or the CAT scan that I had but that doesn't mean you didn't have(Incomplete sentence), so they said you could have a mild stroke and you know anyway we want you to go further testing well I had a primary care physician appointment two weeks later which is still coming up so I have to her so they want to order an MRI and some other tests on my heart because they think I have might have an AFib atrial fibrillation where the blockage I mean where the blood flow properly to my heart you know if I want to do those tests too but I am just letting you know this cause the one doctor said it could be that you have the eye problem because of the vaccine that's what I am calling you about." Consumer Stated, ""Yes, you can follow up sure because I am more anyway cause on the 09June2021 I have an appointment with my primary care physician which is the one that have to do the order in heart chest and the MRI and the following week. I am going back to (Address) to that Ophthalmologist that said that it might because of Pfizer vaccine I am going back to him I got a follow up with him because he wants to me to take care of my eye issue so maybe I can get my eye sight back in other words or so." Date adverse event started: Consumer stated, ""I had my first shot on Friday 02Apr2021. The exact day that I started having issues was exactly one week later on 09Apr2021. Other than the normal you now pain in the arms because that started and went away normal that started you know. Well that started basically right after I got the shot on 02Apr2021 with the pain and the arm thing that was right after I got the shot 02Apr2021 and it was the little bit more severe than the original shot. 09Apr2021 is when I stated having eye problem." Anatomical Sites of administered: Consumer Stated, ""The first one I had them do it in my right arm in the muscle top in my right arm and the second one was done in the left arm upper muscle." Other Medical Conditions: Consumer Stated, ""Nothing life threatening but I have chronic health conditions, quite a few of them. I got Barrett's esophagus, then Diverticulitis of the sigmoid colon then electro cardiogram(Further not clarified) they did was abnormal they said. I got GRD Gastroesophageal reflux disease. I got generalized anxiety disorder, GAD. I have Cataracts. They said I had a genital disorder I don't know what that means. I got history of Calculus in the kidneys, kidney stones but I haven't had a problem with that from quite a while, I changed my diet. I have past Chlamydial infection which is an STD. I had hiatal hernia repair done, so surgery. I have hypertension disorder they say, left ventricular hypertrophy which I guess has something to do with the heart, I think that's why they wanna do more test of my heart. I got polyps in colon (Further not clarified) and occasionally I get Vertigo so I have to have a colonoscopy quite often in another words to remove the polyps from my colon." Treatment medication for medical conditions: Consumer Stated, ""Well they only I take Vitamin D3 and I take Vitamin C but that's vitamins basically the only meds and I am taking. I am using Eye Drops right now over the counter stuff basically the only meds I really take is Omeprazole which is for my GRD disorder you know my gas my stomach gas it controls my stomach gas and then extra strength Tylenol I take that as needed sometimes." Start date of taking the medication: Consumer Stated, ""Well the Omeprazole I probably been taking that for 10 years at least 8 years or 7 years. I really couldn't give that to you without going through a pile of paper work." When asked about if consumer is taking any other medication, consumer Stated, ""No, Just Omeprazole." Lab test: Consumer Stated, ""Well they did an EKG and they did a CT scan and that was just recently because of my issue that I got right now going on. Yeah, that was done at (Name)." Date of test: 24May2021. Result of test: Consumer Stated, ""Only the doctor has that I don't have that I have to go to my primary physician on 09May2021 to get those results." Event Details: Event Date: Consumer Stated, ""When I had the first shot I didn't have any side effects at all except for the minor arm pain." When confirmed event date as 02Apr2021 and 09Apr2021, consumer stated, ""Yes that's when I started having adverse side effects." Still experiencing the problem: Consumer Stated, ""Yeah, I am still blind in my left eye yes." Outcome: Consumer Stated, ""Well I don't know it's kind of early if they are gonna improve or not they want to do more testing the doctor know more when they did more tests I don't have all the information because they still doing test on me to figure out what's going on but I decided to call you know before it got too late in the whole situation you know." Treatment: Consumer took for the adverse events consumer stated, ""No I don't think they gave me any drugs or anything for the tests." Consumer hung up abruptly hence further probing could not be done."</p>

Symptoms	Vaccine	Vaccine Manufacturer	VAERS ID	Adverse Event Description
BLINDNESS UNILATERAL	COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)	PFIZER\BIONTECH	1409711-1	Losing vision in her right eye; The eye, sight issues or anything to do with the optic nerve; This is a spontaneous report from a contactable consumer. A 60-year-old female patient received the second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: Unknown), via an unspecified route of administration in Mar2021 for COVID-19 immunization. Medical history and concomitant medications were not reported. Previously patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: unknown), via an unspecified route of administration for COVID-19 immunization. Caller stated she had the second dose of the Pfizer covid 19 vaccine the end of March. Caller was wondering if there were any side effects linked to the vaccine that were related to the eye, sight issues or anything to do with the optic nerve. Caller stated she was losing vision in her right eye. Caller stated they were having trouble diagnosing the cause. she just got out of the hospital. she had no history of any eye issues or optic nerve issues. she was calling about the Covid Vaccine. she was just wondering if Pfizer has seen any side effects linked to the vaccine relating to the optic nerve, eye or sight issues. Caller states that she does not know if she needs to report it. She does not know if it was from the vaccine. She just knows that before she had no eye issues. States she had the second shot at the end of March. She was recently at the hospital because she was losing sight in her right eye. Caller states they were having a hard time diagnosing what was going on. States her CAT scan, MRI, and spinal tap didn't show anything. Says she was told her optic nerve was having trouble sending messages to her brain. The outcome of the events was unknown. Information about lot/batch number has been requested.
BLINDNESS UNILATERAL	COVID19 (COVID19 (UNKNOWN)) (1202)	UNKNOWN MANUFACTURER	1270545-1	Spontaneous total loss of vision in right eye. Blood clot formed and had stroke. CRAO--Central Retina Arterial Occlusion; will not recover use of eye. All tests have turned out normal

Note: Submitting a report to VAERS does not mean that healthcare personnel or the vaccine caused or contributed to the adverse event (possible side effect).

Notes:

Caveats: VAERS accepts reports of adverse events and reactions that occur following vaccination. Healthcare providers, vaccine manufacturers, and the public can submit reports to VAERS. While very important in monitoring vaccine safety, VAERS reports alone cannot be used to determine if a vaccine caused or contributed to an adverse event or illness. The reports may contain information that is incomplete, inaccurate, coincidental, or unverifiable. Most reports to VAERS are voluntary, which means they are subject to biases. This creates specific limitations on how the data can be used scientifically. Data from VAERS reports should always be interpreted with these limitations in mind.

The strengths of VAERS are that it is national in scope and can quickly provide an early warning of a safety problem with a vaccine. As part of CDC and FDA's multi-system approach to post-licensure vaccine safety monitoring, VAERS is designed to rapidly detect unusual or unexpected patterns of adverse events, also known as "safety signals." If a safety signal is found in VAERS, further studies can be done in safety systems such as the CDC's Vaccine Safety Datalink (VSD) or the Clinical Immunization Safety Assessment (CISA) project. These systems do not have the same limitations as VAERS, and can better assess health risks and possible connections between adverse events and a vaccine.

Key considerations and limitations of VAERS data:

- Vaccine providers are encouraged to report any clinically significant health problem following vaccination to VAERS, whether or not they believe the vaccine was the cause.
- Reports may include incomplete, inaccurate, coincidental and unverified information.
- The number of reports alone cannot be interpreted or used to reach conclusions about the existence, severity, frequency, or rates of problems associated with vaccines.
- VAERS data are limited to vaccine adverse event reports received between 1990 and the most recent date for which data are available.
- VAERS data do not represent all known safety information for a vaccine and should be interpreted in the context of other scientific information.

Some items may have more than 1 occurrence in any single event report, such as Symptoms, Vaccine Products, Manufacturers, and Event Categories. If data are grouped by any of these items, then the number in the Events Reported column may exceed the total number of unique events. If percentages are shown, then the associated percentage of total unique event reports will exceed 100% in such cases. For example, the number of Symptoms mentioned is likely to exceed the number of events reported, because many reports include more than 1 Symptom. When more than 1 Symptom occurs in a single report, then the percentage of Symptoms to unique events is more than 100%. [More information.](#) ([/wonder/help/vaers.html#Suppress](#))

Data contains VAERS reports processed as of 06/18/2021. The VAERS data in WONDER are updated weekly, yet the VAERS system receives continuous updates including revisions and new reports for preceding time periods. Duplicate event reports and/or reports determined to be false are removed from VAERS. [More information.](#) ([/wonder/help/vaers.html#Reporting](#))

For more information on how many persons have been vaccinated in the US for COVID19 to date, see <https://covid.cdc.gov/covid-data-tracker/#vaccinations/> (<https://covid.cdc.gov/covid-data-tracker/#vaccinations/>)

Help: See [The Vaccine Adverse Event Reporting System \(VAERS\) Documentation](#) ([/wonder/help/vaers.html](#)) for more information.

Query Date: Jun 27, 2021 4:56:07 PM

Suggested Citation:

United States Department of Health and Human Services (DHHS), Public Health Service (PHS), Centers for Disease Control (CDC) / Food and Drug Administration (FDA), Vaccine Adverse Event Reporting System (VAERS) 1990 - 06/18/2021, CDC WONDER On-line Database. Accessed at <http://wonder.cdc.gov/vaers.html> on Jun 27, 2021 4:56:07 PM

Query Criteria:

State / Territory:	The United States/Territories/Unknown
Symptoms:	BLINDNESS; BLINDNESS TRANSIENT; BLINDNESS UNILATERAL
Vaccine Products:	COVID19 VACCINE (COVID19)
VAERS ID:	All
Group By:	Symptoms; Vaccine; Vaccine Manufacturer; VAERS ID
Show Totals:	False
Show Zero Values:	Disabled