# The Vaccine Adverse Event Reporting System (VAERS) Results

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1079129-1 | "Person received the Covid vaccine at 9:50 am and within 1 minute after the injections, patient appeared confused and was shanking, had a 2 convulsions while sitting in the chair that lasted 1 second each. Patient stated "" I don't know where I am"". Patient lowered to the ground, face mask removed. Patient systolic blood pressure was 110 during the episode with HR 56, pulse O2 98% room air. After approximately 4-5 minutes patients stated ""I'm feeling ok now"" is alert and oriented to self, place and time. Dr. assisted the patient, orange juice given to the patient. At 10:30am patient back to her baseline, no distress noted and discharged home, no distress at the discharge time." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1080868-1 | I got the shot at 5:30 pm. Starting early the next morning (around 3 or 4am), I began to experience intense fever and headache. I got up to get Advil and had a seizure. I have epilepsy, and had not missed a dose of my medication. My last seizure before this was 2 years ago. After recovering, taking Advil, taking a shower, and going back to sleep for about 4 more hours, I woke up feeling fine. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1083543-1 | Sore at injection site. 5 hours after injection, i had an Increased heart rate, 101 fever, convulsing from the chills, body aches, poor sleep. splitting headache, fatigue, and fever continued to next day. Most symptoms were gone by 48 hours after injection, except soreness around arm. Took ibuprofen to help with symptoms. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1087518-1 | Patient fell from chair to floor hitting head and sustaining small laceration above left eye. He also experienced mild seizure activity that lasted approx 10 seconds. Patient quickly regained consciousness and was assisted to triage area. BP 140/86, HR 82, O2 sat 97%RA. EMT came and assessed client and cleared him to leave. Client ambulated out of facility without difficulty |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1087595-1 | Patient experienced a seizure lasting 2-3 minutes approximately 1-2 minutes after receiving the vaccine. patient has a history of seizures/epilepsy. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1089144-1 | seizure about 2 hours after event, per mother also with increase in salivation and groaning. Benadryl has helped, is being monitored |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1091912-1 | Pt was given the vaccine in her left arm. pt went unresponsive and began to have seizure like activity . Pt was in a chair and lowered to the floor with the assistance of the nurse on her right side. 911 was called. 02 at 2L was administered. pt then became responsive. EMTs arrived and transported pt to hospital. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1093537-1 | Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Nausea-Mild, Systemic: Seizure-Mild, Systemic: Tingling (specify: facial area, extemities)-Mild, Systemic: Vomiting-Mild, Additional Details: Within 10mins of vaccine, pt seem to have a mild seizure for less than 30sec. Pt had no hx of seizures, on no current medication. Pt recovered, and within 1-2mins she passed out. She was warm. She woke up within 1min, then started to vomit. Called emergency services. She felt better after throwing up. When ambulance arrived, she started to have tingling sensation on her finger tips. States she felt better. EMT advised her to go to the ER. Pt decided to go to ER to get checked up. Let with ambulance. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1094851-1 | "The morning after he received his vaccine he started feeling sick and then started to run a temperature. By evening his temperature was 102.9. Then the seizures started, first his ""left"" hand up his arm and down his left side. His right hand and arm was shaking rapidly. His left leg stiffened and his toes pointed down and then the seizure traveled to his right side. He remained conscious but somewhat dazed. This went on all night. By 10:00 the next day, Thursday the seizures stopped. His temperature went back to normal Friday morning." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1094917-1 | Patient states they received Vaccine on Monday, became confused at work on Tuesday and then presented to ED after multiple seizures overnight Wednesday and then was having trouble ambulating. also complains of left elbow pain |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1095334-1 | She has history of seizures and was given the vaccine and then had a seizure. She was transferred to local ER for further evaluation. She was given Ativan and has been discharged. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1095753-1 | About 3 minutes after the injection, I blacked out and started convulsing. The event I was told lasted approximately 5 minutes in duration in the clinic before I regained consciousness. The clinic called an ambulance and I was transferred to a larger hospital. In route to the hospital my heartrate dropped and I was given atropine to stabilize my heart rate and was taken to the Emergency Room at Hospital. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1095965-1 | Has not had a SZR since april of last year. He was not feeling well after vaccine, (body aches, subjective fever, tiredness) and wife found him having a seizure while lying in bed. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1096311-1 | Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Seizure-Mild, Systemic: Shakiness-Mild, Additional Details: Patient became rigid, unresponsive, fixed eyes, dilated pupils, shaking (seizure-like movements), when patient was moved to floor, she became alert and oriented. Dizziness, shakiness, body slower to respond than normal...took some time to get back to normal. EMS called for monitoring and support. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1097028-1 | "she recieved shot without reaction. she stood up and moved over the waiting area to sit for 15 mintues. after 3 to 4 minutes of talking with her mother (mom left to go get water from front of store). she said out loud ""I think I'm going to faint."" I rushe out of the pharmacy to help. Her eyes rolled back and she fainted, the she convulsed for 5 top 10 seconds. she woke up 30 seconds later (mom returned by this time). 9-1-1 was called and ambulance came to check vitals and she left on her own accord." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1098142-1 | 7hrs post- Fever, 100 & chills begin 9hrs post- Fever, 100 11hrs post- Fever 101 13hrs post- Fever 103, mild sore throat 15hrs post- Fever 103-104 16hrs post- Fever 102, headache begins (Ibuprofin Taken) 22hrs post- Fever 100, (Ibuprofin Taken) 28hrs post- Fever 100, (Acetometaphin Taken) 30hrs post- Fever 102, severe convulsing 36hrs post- Fever 100, headache 42hrs post- Fever normal, headache ends (Acetometaphin taken) |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1099356-1 | Patient had a very short seizure lasting a few seconds. Then was aroused and didn't have a postictal phase. Her skin color was pale, blood pressure was low at 106/70 sitting, and heart rate was slow at 60. She was evaluated by fire department paramedics and transported to ED. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1100607-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1102060-1 | Pt had seizure x2 while in clinic during observation period. Son stated that pt does have seizure disorder and anxiety does exacerbate seizures. Pt denies feeling anxious about vaccine. Initially pt was unresponsive to stimulii, but then opened her eyes and was able to follow commands and answer questions. O2 sats during initial seizure was 86% and BP 190's/80's. Pt with tonic clonic movement during initial seizure. Pt then had subsequent seizure but did not lose consciousness during this one but was unable to respond to stimulii or commands. O2 sats low 90's during this event. Pt's son stated that it was not normal for her ot have clusters of seizures like this and so EMS was called. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1104096-1 | After 11 hours of getting the vaccine I believe I experienced a sleep seizure. I woke up abruptly, shaking uncontrollably with absolutely no control over myself. Since then I've only experienced the normal side effects, muscle fatigue, headaches etc. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1104671-1 | Patient has a long history of seizures. He has seizures on a daily basis. He lives with his family, who are his primary caregivers, they family provides all of his activities of daily living. Patient received vaccine on Friday morning, feeling well throughout the day according to the father. Went to bed, during the night in bed he had seizures which is typical for him, and during the episode the father noticed that he had stopped breathing. called 911 who came to the house and the patient died in the house. I do not believe he went to the hospital. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1105944-1 | PATIENT HAD A SEIZURE ABOUT 45 MINUTES AFTER GETTIN THE VACCINE. PATIENT'S EYES ROLLED BACK AND STARTED FOAMING AT THE MOUTH. PATIENT HAD BEEN SEIZURE-FREE FOR 3 YEARS PRIOR TO GETTING THE VACCINE. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1108386-1 | After the injection the patient grabbed her arm and when she was asked if she was ok she didn't respond and seemed slouched down. It didn't seem like she passed out but she was slouching and not responding. She seemed like she was having convulsion that lasted less than 5 seconds. Then she calmed down and her breathing was fine. I got her to respond to me that she was awake and ok. She responded with head nods. She seemed to come to a little more after a minute and she said she was fine but I wanted to call 911. I called the paramedics. During the wait she seemed to get better, we gave her water and she was slowing starting to move around more. We asked her about any under lying issues or any problems with any vaccine before. She said no to everything. The paramedics came and took all of her vitals and she was cleared that everything was ok. She called her boyfriend and we asked him to come by to help her and give her a ride home and assist. He got here and she still didn't feel totally better. After a few more minutes I took her blood pressure and it was 87/55 and her pulse was around 60. We called 911 again because she stated she wasn't feeling well again. The paramedics came back and she had a 89/41 blood pressure with a pulse of 40. They indicated that she may be having a cardiac issue so they took her to the ER. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1109539-1 | While lying in bed, I started to experience severe chills that made my entire body convulse violently, My right arm, for instance, was shaking back and forth about 3 inches. M legs were involved, tensing up and shaking as well. The symptoms resolved in about 15 min. as I focused on relaxed breathing and held a heating pad against my body. The following day, my legs felt very weak (as I would have expected.) I did not seek medical treatment, since the episode had ended. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1110274-1 | Violent uncontrollable shaking (convulsions) for about 30 minutes in the middle of the night. Started around 2 am I believe. My wife had the same vaccine the day prior and a similar experience. Can't overemphasize how serious the shaking was and it was scary. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1111700-1 | Client reported that she had the vaccine yesterday around 10:45 am. At the time she felt a little lightheaded and her arm was sore. She went to sleep at 1130pm on the day she received her vaccine. At 4am the following morning, she woke up and her whole body was convulsing--the muscles in her arms and legs were shaking, her hands were balled into fists, and her jaw was clenched. She reported that her husband woke up and asked her if she was ok to which we was able to respond, but cannot remember what she said. She reports that her husband said the episode lasted 3-4 minutes, but that she felt like it lasted an hour. When the episode was over, she was spacey and confused. She did not get out of bed. 10 minutes later, a second episode occurred. This time her left arm and right leg began convulsing, but the rest of her body was unaffected. This episode lasted 2-3 minutes and then ended. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1111847-1 | Patient's mother called nurse to vehicle to report daughter was having a seizure. Patient had 2 seizures in the car immediately after receiving Janssen Covid-19 vaccine. Patient then placed on the ground beside the vehicle and patient continued to have 3 more grand mal seizures. Nurses kept patient safe from any injuries. EMS called and responded. Patient transported to medical facility. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1112032-1 | Patient describes a seizure episode that occurred this morning. Patient was feeling fine at her usual health, went and got the Johnson & Johnson vaccine. Was monitored for minutes afterwards. Patient stated soon as she got the vaccine, it just made her feel little bit funny but not really able to describe the symptoms further. Went back to work and spoke with her coworker, and walls during the conversation, patient had approximately 2-minute seizure episode in which she became unresponsive, generalized shaking patient did not fall on the floor she was still in the chair. She had a brief cessation of the seizure but then the had a 45-second seizure episode. Patient was post ictal and afterwards became alert and oriented x4 however she had a persistent stuttering which is new. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1112181-1 | Seizures/ convulsions |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1115660-1 | DURING THE 15 MINUTE OBSERVATION PERIOD, ABOUT 5 TO 10 MINUTES POST VACCINE THE PT FAINTED WHILE SITTING IN HER CHAIR AND FELL OUT OF THE CHAIR. I INSTRUCTED A TECH TO 911 WHILE RAN TO THE PT. AS I TOUCHED HER TO FEEL FOR A PULSE SHE REGAINED CONSCIOUSNESS. I EXPLAINED WHAT HAPPENED AND ASKED HER TO STAY WHERE SHE WAS AT UNTIL PARAMEDICS CAME. SHE WAS ALERT AND ABLE TO ANSWER QUESTIONS. THE PARAMEDICS ARRIVED ABOUT 5 MINUTES LATER. THEY GOT HER UP AND SHE HAD A SEIZURE. THE TOOK HER TO AND UNKNOW HOSPITAL |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1116430-1 | On Friday, March 19 around 9:10am I had seizures - loss of awareness, very pale, shaking (but not quite convulsions). This happened before 25 years ago and is likely unrelated to the vaccine. Expected cold/flu-like symptoms did occur on March 14 and part of March 15 but things have been fine since then. I've followed up with my GCP and am scheduling a Neuro appointment for followup. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1117655-1 | After getting J&J covid vaccines the patient was having allergy reaction, difficulty breathing and warm. I gave the pt epipen and called 911, he had seizure For 3 minutes as well |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1120131-1 | I had awful nausea, loud ringing in the ears, I fainted. The medics provided help, gave me oxygen. I started having convulsions. After some time I felt like the lower part of my face went numb and it took tremendous effort to move my lips to talk. At that point, the medical called the ambulance and sent me to ER, where I was under supervision for some time. I was very weak and nauseated. After I was released, I was very weak could not keep the vertical position. The next day I was very nauseated, with awful tinnitus, lightheadedness, and weakness. Staying vertical for more than 15 minutes brought fainting symptoms. I was not able to get out of the house to work. The next day the fainting symptoms disappeared, everything else continued. Too weak to go to work. I started moving about only on the 4th day after the shot. During this event, I did not have any fever or muscle ache, no virus0tyle symptoms. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1122642-1 | Nausea x 4 days, concern that sx was r/t mild seizure activity. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1122987-1 | Patient received vaccine in the AM of 3/16/21. Patient was in his usual state of health when he went to bed the evening of 3/16/21. He ate dinner normally and his PD was started as usual. There were no overnight complications with his PD and he got up shortly before 8 AM. Mom reports the dialysate from his bag was clear and normal and none of his dwell was retained. She heard a loud thud from the bathroom around 8 AM and the patient was found by his mother having generalized convulsions (bilateral upper and lower extremities) and he appeared to be foaming at the mouth. He did not respond to her and she called 911. The seizure stopped by the time EMS arrived and his initial GCS was 12, and 15 by the time they started transport. He had another seizure en route around 9:30 AM and was given 2.5 mg versed and required bagging. Patient was loaded with Keppra and now has been on maintenance Keppra. Patient has not suffered any additional seizures and is currently undergoing an extensive workup by inpatient neurology team. Vaccine adverse effect currently remains on the differential for inciting event leading to seizure however additional labs are pending to rule out other causes (eg. viruses causing PML). Patient was also diagnosed with multifocal pneumonia and started on antibiotics at time of admission. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1123727-1 | Following covid 19 vaccine client reported sweating with obvious pallor. He was cold and clammy. He was unresponsive prior for approximately 30 seconds with mild seizure activity with spontaneous movement of eyes with jerking. He was monitored by EMS and evaluated by a Dr. His car seat was reclined, no Epi pen given . Blood Pressure was 82/48 initially with pulse 65 and RR 12. He was transported to EMS vehicle on site and monitored then released home. He was advised to follow up with ER for further treatment if needed. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1124795-1 | The NP gave him my vaccine and him mine. No symptoms at time. Headache and seizures, black eye from falling, slow brain. Function |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1125625-1 | 3/11/21- pt was feeling fine. She stood up got dizzy and seamed to have a seizure. when she came to she did not know that it had happened. about 5 hours later she stood up again got dizzy and seamed to have had another seizure. her husband called 911. EMTs took her vitals but did not detect anything to be wrong at the time and was advised to see PCP. Next day 3/12/21 she went to her PCP. She had blood work which showed high enzymes for heart failure so was sent to hospital to be admitted. Pt had blood work, chest xray which showed blood clots in both lungs. She was administered blood thinner. MRI of head was clear. Echocardiogram was clear. Pt stayed about 4 days. Enzymes for heart failure was clearing up. Pt was released and had a FU appt w/ PCP on 3/22/21. Pt found out that she also had bilateral deep vein thrombosis in both legs while she was in the hospital. Pt is improving and is almost back to normal. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1125699-1 | After receiving the vaccine, client lost consciousness and collapsed to the floor. EMS was summoned. Client had two separate seizures, regaining consciousness in between and after. Client was taken to local hospital for care via ambulance. Attempts to contact client on 3/21/2021 and 3/23/2021 unsuccessful. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1126125-1 | Vasovagal event with syncope and seizure activity fir 15 to 20 seconds Client stated he always responds this way to shots. Hx of TBI at age 4 years. Blood pressure 106/68 pulse 84 and 02 saturation 100%. EMS and Dr on site and client released when symptoms resolved. Advised to seek medical attention later if needed. Client verbalized understanding. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1128206-1 | DIC, intracerebral hemorrhage, intubation, requiring plts transfusion, seizure |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1131376-1 | Seizures 4 days after the vaccine |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1132443-1 | 103 temperature, seizures, vomiting, feeling like the bones were broken in my neck. I did not make it into the ER |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1134439-1 | I received the shot at the pharmacy location, they had us sit for about 10min after then we could go, my next appointment happened to be at a dr's office thank goodness because about 10 min after sitting in the waiting room I felt faint and spoke out to the receptionist that I needed to lie down, they laid me down on the couch where I was sitting my blood pressure had shot up to 165/126 or I was unable to stand on my own, I was beginning to convulse and my heart rate shot up, they got a wheel chair, put me in it and took me back to one of their rooms where they I think ran a few test and then they made the decision to take me down to the er, the er which I told repeatedly that I had just received the covid shot, they hooked me up to machines, I think did a EKG, wheeled me to get a mri, and then did a chest xray, all while I was convulsing, they allowed this convulsing to continue for over 3+ hrs before they finally gave me something to calm down the convulsions, I was having sensory issues and could not handle, light, etc, for the next many days my heart rate would jump from the 60's too the top was I think 200BPM, I had to lie in a dark room, no sounds for a few days, I am just now felling a little bit better. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1137019-1 | Patient passed out and began seizing within 5 minutes of vaccine administration sitting down on chair. Tonic, clonic motions for 5 seconds. No foaming at the mouth. Patient was taken off chair, held on the ground until seizure ended. Patient gained consciousness after a minute. Given water, snacks, air and EMS was called. EMS assessed situation, and allowed patient's girlfriend to pick him up from site and drive back home. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1144623-1 | At 1428, patient mother alerted medical staff, stating her daughter had a seizure. Upon arrival, daughter was sitting upright in passenger seat, mother holding her, eyes open, appearing pale. No convulsions , incontinence, or other seizure activity noted. EMS notified and arrived within a minute and evaluated patient. No medications or additional treatment given. Patient ambulated to EMS stretcher with one person assistance. Awake and talking. Patient transported via ambulance at 1437. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1144682-1 | Two minutes after the vaccine was given, my daughter started to have a seizure. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1145729-1 | This spontaneous report received from a consumer concerned a male of unspecified age. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included patient is not on any medication and has no known drug allergy. The patient received COVID-19 vaccine AD26.COV2.2 (suspension for injection, route of admin not reported, batch number: 1805020, and batch number: 1805020 expiry: UNKNOWN) dose was not reported, administered on 09-MAR-2021. No concomitant medications were reported. Patient got the Janssen COVID shot on March 9th Tuesday and then experienced headache started same day and Wednesday 10th March, took TYLENOL and headache recovered, then seizure on 11th Mar, went to the ER and spoke to the doctor on reporting day. Consumer also started patient experiencing rash and extreme pain on both arms and hands on reporting day 12th Mar and getting worse. On 09-MAR-2021, the subject experienced headache Treatment medications (dates unspecified) included: paracetamol. The action taken with COVID-19 vaccine AD26.COV2.S was not applicable. The patient recovered from seizure, and headache, and had not recovered from rash on arms and hands, and extreme pain in both hands and arms. This report was serious (Other Medically Important Condition). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1148095-1 | Patient. Experienced 2 seizures laying 15 seconds each. Patient has no medical history or taking any medical medications. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1152198-1 | Patient reported feeling nauseated and lightheaded a few minutes after administration, then became extremely pale and head went backwards. Moments later patient's face became red and body convulsed once. Blood pressure and HR taken three times by nurse in the clinic. 2:15 pm 75/58 HR 94 2:20 pm 68/50 HR 88 2:40 pm 80/58 HR 88 Patient felt better and left 3:00 pm |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1152218-1 | went today to get a COVID-19 vaccination (Johnson & Johnson) today. She is here for seizures. Apparently she was fine shortly after the shot and then this afternoon started having chills and fever and then had with the family said was a 30-minute seizure before EMS was called. EMS found her postictal and during the transport they had she had another seizure in route. In the emergency room she had a fever of 101 and was postictal |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1152456-1 | A few minutes after the vaccine was administered, the patient appeared to have a seizure for a few seconds. Her eyes rolled back, stiff arm, and she urinated herself. Her mom was holding her hand and after a few seconds, she was able to talk and said that she thought that she fell asleep for a few seconds. We called an ambulance and they are taking her to the hospital for a CT scan. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1153092-1 | SEIZURE; DEHYDRATION; This spontaneous report received from a pharmacist concerned a 19 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included dehydrated, anxious, non alcohol user, non smoker, and penicillin allergy, and other pre-existing medical conditions included the patient did not had history of drug abuse or illicit drug use. the patient was not pregnant at the time of reporting. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805018, expiry: UNKNOWN) dose was not reported, administered on 16-MAR-2021 on right deltoid for prophylactic vaccination. No concomitant medications were reported. On 16-MAR-2021, the patient had an seizures with in 1 minute after vaccine administration which was lasted for 10 second. The patient did not had history of seizure. The patient was taken to hospital via ambulance and they found that she was dehydrated and was given fluids. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from seizure on 16-MAR-2021, and the outcome of dehydration was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210332197 -JANSSEN COVID-19 VACCINE Ad26.COV2.S-Seizure, Dehydration. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1154639-1 | Patient began having seizures about four hours post vaccine while at a friends house and passed away |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1157495-1 | GRAND MAL; SEIZURES; FAINT; CHEST PAIN; FLUSHED; This spontaneous report received from a health care professional concerned 49 patients of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, and batch number were not reported, expiry: UNKNOWN) dose was not reported, 1 total, administered on MAR-2021 for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On MAR-2019, post-vaccination many patients needed to be seen by EMS for various medical incidents such as faint, flushed, chest pain. Later it was 49 people needing EMS attention and several seizures and 1 grand mal experienced took place after covid-19 vaccine ad26.cov2.s vaccination. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the seizures, faint, flushed, chest pain and grand mal was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0 20210342978-Covid-19 vaccine ad26.cov2.s-Grand mal, seizure and faint. These events are considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the events. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1157517-1 | POSSIBLE SEIZURES; BODY ACHE; FEVER; HEADACHE; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received COVID-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: Unknown) dose was not reported, administered on 22-MAR-2021 in left arm for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 22-MAR-2021, the patient experienced possible seizures, body ache, fever and headache after receiving the vaccine. The action taken with COVID-19 vaccine ad26.cov2.s was not applicable. The patient recovered from possible seizures, fever, and headache, and had not recovered from body ache. This report was serious (Other Medically Important Condition).; Sender's Comments: 20210350457-COVID-19 VACCINE AD26.COV2.S-Possible seizures. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1157772-1 | AT ABOUT 1PM, PATIENT BECAME APPEARED TO BE HAVING A SEIZURE WITH HEAD BACK SITTING IN A CHAIR, WAS TONIC, CLONIC AND STIFFENED WITH A SHORT LOSS OF CONCIOUSNESS. CALLED 911 AND ADMINISTERED EPI-PEN X 1 DOSE AT 1:03PM PATIENT WAS ALREADY CONSCIOUS AND TALKING. FELT CLAMMY TO TOUCH AND WAS PALE. BP 144/82 PULSE 97, O2 SAT 98. MOVED PATIENT TO BENCH IN SHADE WHILE WAITING FOR EMS. BP 140/95 PULSE 88 WHEN EMS ARRIVED AROUND 1:20, PATIENT DID NOT WISH TO BE TRANSPORTED TO THE HOSPITAL AS HE WAS FEELING BETTER AND EVERYTHING SEEMED OK. HE REMAINED WITH US AND HAD A CLIFF BAR, COKE AND WATER UNTIL 2:20PM AT WHICH TIME HE LEFT. I FOLLOWED UP WITH HIM AT ABOUT 3PM AND HE WAS STILL DOING WELL. HE WAS ADVISED TO FOLLOW UP WITH PRIMARY CARE PHYSICIAN AND IF HE HAD ANY OTHER SYMPTOMS TO GO TO THE ER/CALL 911. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1157774-1 | Numbness in left arm and face, overheating, fainting, Medical personal fist on site noticed shaking due to Seizure. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1160492-1 | Uncontrollable , convulsive type entire body shaking. It came on rather suddenly . The shaking was SO violent and encompassed my entire body- my boyfriend tried to hold me to stop me from shaking so violently. I have never experienced anything like that and it was very scarey. Hadn't not stopped 2.5 hours later - we were going to go to the ER. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1160552-1 | Six hours after the shot I began to shake. I was not cold and my temp was only 99 degrees. The shaking turned into uncontrollable jerking of my shoulders, torso and thighs. The jerking lasted 3 hours. My family became concerned and said I looked like I was convulsing. We were making plans to go to the ER when it started to calm down. I had no control over my body. I finally stood up and my body felt like I was made of led. Headache, slight fever, and weakness persisted until 48 hours post shot. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1160623-1 | had headache, followed by seizures and confusion about 8 days later |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1161937-1 | SEIZURE; FLU LIKE SYMPTOMS (CHILLS, HIGH TEMPERATURE, FEELS HOT,STUFFY NOSE); This spontaneous report received from a consumer concerned a 67 year old female. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included unknown. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unk) dose was not reported, administered on MAR-2021 for prophylactic vaccination. Batch number was not reported has been requested No concomitant medications were reported. No concomitant medications were reported. On MAR-2021,On an unspecified date, the patient experienced seizure, shaking, chills, high temperature, feels hot, and stuffy nose. patient daughter report she was suffering from seizure symptoms include extremely stiff ,extreme dizziness, shaking, and eyes rolling in back of head, also reported her mother did not lost consciousness and has been coherent .Daughter stated symptoms seem almost like a stroke ,upon follow call she clarify about seizure which is subsided. seizure occurred 3 times over past 5 days prior to call (first night of vaccine, next morning, and reporting day.) Daughter also reported mother had flu-like symptoms for the first 3 days after vaccine, including chills, high temperature, feels hot, and stuffy nose, but these have resolved. Daughter reports mother has not had symptoms like these prior to vaccine. she also report pharmacist who gave vaccine is aware of symptoms. patient body temperature was high, patient not performed covid 19 test. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from flu-like symptoms ( chills, high temperature, feels hot ,stuffy nose.), and the outcome of seizure was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: v0: 20210322863-Covid-19 Vaccine Ad26.Cov2.S-Seizure. This event is considered Unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1161942-1 | RASH ON ARMS AND HANDS; EXTREME PAIN IN BOTH HANDS AND ARMS; SEIZURE; HEADACHE; This spontaneous report received from a consumer concerned a male of unspecified age. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included patient is not on any medication and has no known drug allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805020, and batch number: 1805020 expiry: UNKNOWN) dose was not reported, administered on 09-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. patient got the Janssen Covid shot on March 9th Tuesday and then experienced headache started same day and Wednesday10th march, took Tylenol and headache recovered, then seizure on 11th mar, went to the ER and spoke to the doctor on reporting day. consumer also started patient experiencing rash and extreme pain on both arms and hands on reporting day 12th mar and getting worse. On 09-MAR-2021, the subject experienced headache Treatment medications (dates unspecified) included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from seizure, and headache, and had not recovered from rash on arms and hands, and extreme pain in both hands and arms. This report was serious (Other Medically Important Condition).; Sender's Comments: 20210325468 - Covid-19 Vaccine Ad26.Cov2.S - Seizure. This event is considered Unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1161948-1 | SEIZURE; This spontaneous report received from a consumer concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. Company is unable to perform follow-up to confirm batch/lot number. No concomitant medications were reported. On an unspecified date, after administration of vaccine the patient started having a seizure and ended up going to hospital (date unspecified). The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of seizure was not reported. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0: 20210333412 - JANSSEN COVID-19 VACCINE Ad26.COV2.S - Seizure. This event is considered Unassessable. The event has a compatible/suggestive temporal relationship, is unlabelled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1161949-1 | SEIZURE/CONVULSION; LOW BLOOD PRESSURE; SORE ARM; FEVER; This spontaneous report received from a patient concerned a 21 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: UNKNOWN, expiry: UNKNOWN)) dose was not reported, administered on 16-MAR-2021 at 17:00 in the right deltoid for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot number. No concomitant medications were reported. On 20-MAR-2021,The caller called to report that her daughter developed some rare side effects. The patient reported that she got the shot on 16-MAR-2021 and went home and went to bed at 23:15 PM experienced convulsing/seizure, chills, shaking, low blood pressure, heart rate increased. The police came to take her to the Emergency room. The patient was hospitalized on 16-MAR-2021. On an unspecified date in MAR-2021, Laboratory data included: Body temperature (NR: not provided) 100.8 F. On 16-MAR-2021, Laboratory data included: Blood pressure (NR: not provided) 70/20 mmHg, 80/30 mmHg, and Heart rate (NR: not provided) 110 OR 115 BPM. The patient has no fever then was given an unspecified IV. At 06:00 On 17-MAR-2021, Laboratory data included: Blood pressure (NR: not provided) 98/38 mmHg, COVID-19 virus test (NR: not provided) NEGATIVE, CT scan (NR: not provided) NORMAL, Echocardiogram (NR: not provided) FINE, and Echocardiography (NR: not provided) FINE. Overall she took 6 Liters of IV fluid. The patient was discharged on 17-MAR-2021 at 14:00PM. The duration of hospitalization was two days. On 18-MAR-2021, Laboratory data included: Blood pressure (NR: not provided) 120/90 mmHg, and Heart rate (NR: not provided) 70 BPM. On an unspecified date, the patient experienced dizzy, lethargic, sore arm and fever. The patient gave permission to speak with her doctor who treated her there and was told to follow up with Primary Care Physician which she did on 18-MAR-2021. No medications were given at discharge. According to her, Blood pressure and Heart Rate was normal when she saw her Primary Care Physician. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from shaking on 19-MAR-2021, low blood pressure and heart rate increased on 18-MAR-2021, was recovering from, chills and the outcome of, convulsing/seizure, dizzy, sore arm, lethargic and fever was not reported. This report was serious (Hospitalization Caused / Prolonged, and Other Medically Important Condition).; Sender's Comments: V0: 20210339790 - COVID-19 VACCINE AD26.COV2.S - Seizure, Blood Pressure Low. This event(s) is considered Unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1161969-1 | SEIZURE; This spontaneous report received from a consumer concerned a 94 year old female. The patient's weight was 135 pounds, and height was 60 inches. The patient's past medical history included heart rate, oxalate and polysorbate sensitivity, and other pre-existing medical conditions included the patient had no known drug allergies. The patient received Covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular and batch number: 1805022 expiry: 25-MAY-2021) dose was not reported, administered on 15-MAR-2021 for prophylactic vaccination on the left arm. No concomitant medications were reported. On 23-MAR-2021, the patient experienced seizure, had to be taken by ambulance to hospital and was hospitalized for 5 days. She was in ICU for 3 days. On 26-MAR-2021, Laboratory data included: MRI (NR: not provided) MRI showed no damage Mitral Valve Regurgitation. The Patient was discharged on 27-Mar-2021. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from seizure. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0: 20210400319- JANSSEN COVID-19 VACCINE Ad26.COV2. S- Seizure. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1163338-1 | Initial arm pain in injection spot for about 10 minutes. About 5 hours after vaccine, developed headache. About 7 hours after vaccine, developed convulsing chills. Throughout the first night after vaccine alternated between chills and hot flashes. About 15 hours after vaccine, still had headache and sore/tired eyes. Headache lasted for about 48 hours in all. Arm with injection site sore for 48 hours. Ibuprofen did not help with headache or arm pain. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1164653-1 | Patient began having a seizure approximately 5-10 minutes after receiving the vaccination. Patient came to before epipen was given. EMS were called to the scene and continued care for patient. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1166968-1 | Nausea, fever, chills, body aches, convulsions, fatigue, difficulty sleeping, arm pain, headache |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1167798-1 | After taking the vaccine on March 19,2021 that same day he had a fever of 105. 8 days after the vaccine was inserted in his arm in March 27, 2021 he got a seziure and was rushed to the hospital. Today April 5 2021 he got another sezuire and was taken to the hospital. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1168464-1 | PATIENT HAS A HISTORY OF SEIZURES AND WAS GETTING VACCINE AT THE RECOMMENDATION OF HER PROVIDER. SHE STARTED SEIZING AT 12:25PM, AND HAD RECEIVED VACCINE AT 12:03PM. SHE LEFT THE STORE WITH THE PARAMEDICS |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1169180-1 | About 5 minutes after administering vaccine I found patient sitting in chair experiencing a seizure and was unresponsive for a couple of minutes. Patient was pale and had perfuse sweating. After a couple of minutes patient was able to speak and was coherent. We called paramedics and they checked hi out in ambulance. Patient was released and was ok |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1169409-1 | Patient became dizzy and in and out of consciousness. Patient was then taken to a private room where he had a 10 second seizure with no reported hx of epilepsy or other medical conditions (according to the patient) Needed EMS transport off site. This occurred at a mass vaccination site and patient was transported off facility grounds. Resolved at clinic level, not monetary reimbursement. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1169692-1 | Dizziness, Seizure pt was giving some water and elevated feet. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1170091-1 | Patient received first Johnson and Johnson, 2 minutes into a 30 min observation, patient began to have seizure like activity. Patient's eyes rolled back and he started to quickly shake for about 1 minute. Patient came to and was responsive. Provider arrived, vitals and physical exam were within normal limits. Patient was recommended to schedule an appointment with PCP and ask for a referral to Neurology, since patient had seizure like activity with a Tdap a few years ago. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1170842-1 | Systemic: seizure-Medium, Systemic: Seizure-Medium, Additional Details: Patient was fine for apprxo 5 min after vaccination, fell off chair with seizure, paramedics were called and came, watched her for any sign of further problems, she did not require a trip to the hospital, they left and she remained for approx 20 more minutes, during which time she slept for a little while |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1170873-1 | Systemic: Chest Tightness / Heaviness / Pain-Medium, Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Seizure-Mild |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1170886-1 | Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1170889-1 | Site: Pain at Injection Site-Mild, Site: Redness at Injection Site-Mild, Systemic: Chills-Mild, Systemic: Confusion-Mild, Systemic: Diarrhea-Severe, Systemic: Dizziness / Lightheadness-Medium, Systemic: Nausea-Medium, Systemic: Seizure-Mild, Systemic: Tingling (specify: facial area, extemities)-Medium, Systemic: Tinnitus-Mild, Additional Details: na |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1170900-1 | Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1171428-1 | While waiting 15 minutes after receiving the shot patient suffered a seizure roughly 5 minutes after receiving the vaccine. Seizure lasted approximately 10 seconds. Paramedic was on site and assisted in monitoring the patient until ambulance arrived. While waiting patient was sweating, nauseas and 'didn't feel well'. Patient suffered a second smaller seizure before the ambulance arrived. Patient was monitored and taken to ER. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1171567-1 | I felt the vaccination spreading through my body as I got really heavy and lost consciousness. I woke up to my husband holding my head and yelling my name. I had been seizing and had bitten my tongue. I was very white and nauseous and cold and shaky. They gave me water and a cold pack. The seizure probably only lasted for 5 seconds but it's hard to say. I felt very fatigued afterwards. I stayed for 10 more min and drank water and then they sent me on my way. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1172654-1 | Patient fell off chair and was convulsing and unresponsive. Has not eaten since breakfast. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1172754-1 | Janssen -COVID 19- EUA 04-06-21 Adverse Event #1 Approximately 3 minutes following vaccination Pt had seizure. Personnel on scene assisted her to the ground and protected her head. No injuries from event. Pt assessed by Team 1 crew member, then turned over to ALS Medic unit. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1172915-1 | Patient had seizure-like activity about 10 minutes after receiving the Johnson & Johnson Covid Vaccine. Nurse saw her eyes rolling back and struggling to breath. She was placed on her side until wheelchair was brought to her side and then transferred to wheelchair and taken to the ER. While in transit she regained consciousness and was lethargic but was responding appropriately to questions. Patient was checked by Dr. and his review was tachycardic and mild dyspnea. Skin was pink and warm. She was taken to the ER for further evaluation. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1172959-1 | Resident of recovery home was found convulsing in bed the evening following vaccination. An ambulance was called. Resident stayed in hospital overnight and discharged. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1173306-1 | Gave patient vaccination, patient rolled eyes back and then started having seizing activity. This happened at around 10:30 AM, held patient head to make sure he did not hit his head, patient was not responsive for about 1-2 minutes, 911 was called, EMT came. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1173404-1 | Patient fell off chair, appeared to be having a seizure. Patient was very pale, clammy and reported nausea. Patient was given cold compress to back of neck, blood pressure and pulse monitored. 911 was called and arrived approx 10 minutes after event. Patient was conscious and aware when EMS arrived. Patient reported history of fainting and appearing to have seizures in the past. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1173667-1 | Seizure like activity. Transported to ER. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1175740-1 | Seizure (convulsive) 1 minute following vaccination of approx 30 seconds. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1175790-1 | Patient had a seizure in the middle of the night on Sunday. Wife called 911 and patient was transported to ER where he stayed for observation and then prescribed seizure medication. Patient has no history of seizures. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1176115-1 | Patient received vaccine approx 5-10 minutes patient fainted in his chair. A cardiac nurse was waiting to receive their vaccine and rushed over to help too. Patient began to convulse. We tried to get patient to respond approx 2 min later patient woke up and complained about being thirsty. We gave him Apple juice and placed a cold pack on his neck. Called 911, We took BP it was 77/49 pulse 45, we laid patient down and retook BP 123/73 Pulse 68. After 5 more min BP 135/85 pulse 72. EMS arrived and took patient away |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1176226-1 | Light headed, convulsions , vasovagal, then passed out, then convulsion for second time. Nausea Anxiety around needles Diaphoretic Vitals 140/95, HR -70, Oxygen -98 |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1177348-1 | Patient fainted about 2 minutes after vaccine and had a seizure after falling |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1177390-1 | patient developed seizure 5 to 6 minutes after vaccine administration . 911 was called and patient was taking to the hospital |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1178729-1 | Passed out, threw up myself while passed out went into convulsions. Ambulance/EMTs were called. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1178783-1 | I had an intense fever within 5 minutes of the administration of the shot. I was sweating profusely, experience nausea and then fainted and had a mild seizure. After coming to consciousness, I vomited and the pharmacy staff called the paramedics. I was extremely pale and the fever persisted for several minutes while waiting for the paramedics. I recovered and felt mostly normal after being given saline solution and anti-nausea medication. Hours after being released from the hospital, I have waves of cold chills and hot flashes. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1180214-1 | Patient had a witnessed seizure while in observation area. Patient seizure activity lasted approximately 15 seconds. Patient became conscious, alert, and oriented, within 5 minutes of seizure activity starting. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1180221-1 | Pt had seizure lasting approx 5 seconds. After seizure pt complained of continued dizziness and pain in the arm that vaccine was given. she remained at vaccine site for an hour or more with her husband , then they left together. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1180228-1 | on Monday 4/5/2021, approximately 5 hours after the shot it started with fever and chills, then convulsions and tremors. Muscle contractions were so severe that both knees dislocated. The spasms and contractions lasted for about 4 hours. fever , chills, body aches, and headache lasted until late Wednesday 4/7/2021. Currently still have headache, body aches, fatigue, and loud non-stop ringing in my ears. I already had ringing in my ears before the shot but now it's much louder and constant. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1181273-1 | Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1181300-1 | RN saw seizure activity for 30-45 approximately 3 minutes after receiving the Janssen Vaccine. Pt had an arched back and slid down in his chair. LOC occurred during the seizure event. Approximately, 10 minutes after the event (1:56pm), the patient was A&Ox3 and PERRLA. Called EMS to advise. They arrived at 2:15pm, checked in on the pt and decided not to transport. No further action was necessary. Patient went home under his own power. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1181437-1 | Patient had a seizure while in the observation area. It was witnessed by staff and EMS was on site. Seizure activity lasted 15 seconds and patient became conscious, alert, and oriented within 5 minutes of being post seizure. Patient refused transport to the hospital after being evaluated by on site paramedics. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1181482-1 | The patient had an observed seizure. Patient was asleep when convulsions were observed by roommate; hospital staff alerted and seizure activity observed by nursing staff and medical students. Tonic clonic movements lasted approximately one minute, spontaneously resolved, then patient entered post-ictal state, and recovered approximately 5 minutes later. Vital signs were taken (WNL) and patient observed until return to being stable. Patient did have a history of seizure occurrence and was on anti-epileptic medication, which he was compliant with. Patient was stable and seizure free for at least the previous six months per hospital records. Medications reviewed and levetiracetam dose was increased to 1,000mg PO |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1182044-1 | At 11:32 patient noted to faint in chair and fall to the flood and begin seizing about 1 to 2 min post vaccine. Seizure lasted about 15 seconds. RN supported patients head at time of seizure. Patient was aware of where they were and noted that they were feeling nauseous and dizzy. Patient was eventually helped to a seated position where EMS transported patient. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1182049-1 | PATIENT HAD A SEIZURE AND FELL. SHE DID HIT HER HEAD. FALL WAS NOT WITNESSED BY THE RESPONDERS. VITAL SIGNS WERE TAKEN: BP 142/88, PULSE 98, O2 SATS 100%, RESPIRATIONS 20, BLOOD SUGAR LEVEL 84. HELPED PATIENT TO WHEELCHAIR AND SECURED HER TO THE FIRST AID AREA. AMBULANCE WAS CALLED AND SHE WAS TRANSPORTED TO THE ER. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1182328-1 | Approximately 5 minutes after vaccine patient felt lightheaded. Pharmacist immediately checked on patient who was beginning to become incoherent. He had a mild seizure and ems was called. Patient was sweating and pale. He remained onsite with EMS and later left with a family memeber. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1182615-1 | Patient at Vaccination table, just received dose of vaccine when patient's arm went limp. Also developed generalized weakness. Mother stood in front of him and held his head with both hands. Patient then passed out with eyes rolling in back of head. Also had convulsions for a few seconds that mimicked seizure. Patient soon became alert. Vitals obtained with BP 92/52, HR 34, O2 96% on RA. Patient also diaphoretic to touch. EMS activated and arrived at 1:30pm. Placed in reclining wheelchair and taken to private area. Started to feel better after given cold water. Suggested ER due to having seizure first time. Declined ambulance but mother will take to ER in private car. Patient and mother left with no further incident. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1182699-1 | Patient had an episode of fainting about 10 mins after vaccine administration. after regaining consciousness he had rolling eyes and seizure and 2nd episode of fainting. The fainting episodes were for few seconds (30-45 sec). Patients feet were elevated and paramedics were called. while waiting for the paramedics we had patient drink water and orange juice as he was on diet and had taken only 300 calories per patient. Used cold compress on his face and neck, patient was comprehending well afterwards. paramedics arrived and examined the patients vital and asked if he would like to go to the hospital even though patient seemed fine. Patient denied going to the hospital and paramedics left afterwards. patient waited for 30 minutes afterwards and then left. we called the patient later and he was doing fine. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1182844-1 | "About 3 mins after Janssen vaccine was given, pt was very white and faintish. I rushed out of pharmacy and had a tech call 911. As I was running to him pt started slipping out of his chair, as a women, who I later found out was his mother and I helped keep pt in chair as he fainted and then seized for about 2 seconds and then gained consciousness. Upon awakening pt said , what just happened?"" The mother answered ""oh you just had a little seizure, you're fine."" To my surprise, I asked the mother is this has happened before and she said yes when he sees needles/get shots. I told them the ambulance was on it's why and the mother asked ""why?!"" I told her because your son just fainted/had a seizure and we want to make sure he is ok. The pt refused to go to the hospital. I did go back out there and mentioned to them that it is very important to answer questions truthfully any time they are asked as they failed to honestly answer our questions about ever feeling faint after receiving a vaccine. His blood pressure normalized and once the paramedics left so did they." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1183051-1 | Collapsed and had convulsions. Was lightheaded and Became completely pale and lips turned white |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1184280-1 | After vaccination, nurse observed seizure activity while patient sitting in chair. Tonic-clonic motion in arms. Seizure activity lasted approximately 3-4 minutes. Skin pale, cool and clammy. Blood pressure 94/72, pulse 68. Respirations 16. O2 sat 97%. EMS called and patient was transported for evaluation. Follow up phone call to patient 4/7 at approx. 5 pm. Patient resting. Stated she had negative CT at the hospital and has neurology appointment tomorrow, 4/8. Follow up phone call will be placed 4/8 after neuro appointment. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1184306-1 | After vaccination, patient complained of dizziness and loss of vision. Patient? s eyes rolled back and patient had brief seizure activity with jerking motions lasting a few seconds. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1184486-1 | "Seven minutes after receiving the vaccine client began to convulse followed by syncope. EMS was called. Client was caught before she fell. and stabilized shortly after. She states ""this is something that happens to her regularly bc she has a fear of needles."" Vitals taken are as follows BP 176/123, SPO2 99%, pulse 74." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1185326-1 | 2:00pm - headache and body aces started 5:30pm- headache, body aches, low grade fever and chills 5:45pm- was driving with my children and felt a wave of heat, followed by extreme nausea, was able to pull over my vehicle and then fainted. After passing out, I started to seize. Rapid breathing, lost feeling of my arms and legs. Ambulance was called. I was transported to the hospital. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1185380-1 | Patient had an episode of vasovagal syncope about 2 minutes after vaccine administration followed by about 10 seconds of seizure. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1185450-1 | Patient with previous hx of seizure disorder started convulsing within 10 minutes of vaccination, fell to the ground and convulsed for approximately 7 minutes. Convulsions reduced significantly and patient was coherent without post-ictal state. EMS was called and she was taken to nearby hospital for further evaluation. Patient had reportedly taken ativan and depakote this morning prior to arrival. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1185909-1 | PATIENT FAINTED AND HAD A 20SEC SEIZURE SEVERAL MINUTES AFTER RECIEVING VACCINE. PATIENT HAD EXTREME ANXIETY ABOUT BEING VACCINATED BEFORE HAND AS WELL AS HAD NOT EATEN DAY OF. PATIENT SYMPTOMS SUBSIDED AND HSOPITLIZATION WAS NOT REQUIRED. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1185928-1 | Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1185958-1 | About 3-4 minutes after I vaccinated the patient, while she was in the 15 min observation seat, she lost consciousness, her fiance caught her from falling out of her chair. I ran over, and as soon as I got there she started to convulse, therefore appeared to be having a seizure. I help her fiance get her onto the ground safely and placed her on her side, then called for my tech to call 911. The seizure/convulsions only seemed to last 10-15 seconds. She then came to, and was disoriented. Then she felt nausous, and threw up a small amount. The paramedics arrived, checked her out. She said she was felt fine, and refused to go with them to the hospital. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1186023-1 | Five minutes after shot started losing consciousness, sweating, hot flashes, trouble breathing, numbness on tongue, seizure ( several minutes) came in and out of consciousness during it, eyes rolled back in head. Arms flailing. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1186297-1 | 34yr old female with shellfish allergy (reaction: anaphylaxis), exercise induced asthma, previous issues with injections/blood draws (reaction: dizziness) and other comorbidities presented for COVID-19 J&J vaccine on 4/7/21. CMA administered the JANSSEN COVID19 VACC (LOT # 043A21A, exp 6/21/21) IM in patient's left deltoid at 1318. Within 2 minutes of administration, patient became lightheaded and shortly after passed out. Patient had one convulsion (arching back, tense limbs) lasting 5-6 seconds. Once relaxed, patient was arousable. Patient denied hives, shortness of breath, throat swelling, or chest pain. At 1325, BP 48/31, MAP 76, HR 79. Patient assisted to Trendelenburg position and remained lying for 20m. Patient developed chills and tremors during this time stating she was cold. At unknown time later, patient endorsed feeling better and was lifted to sitting position and allowed to sit for another 10minutes. At 1346, final BP 105/58, HR 73. Patient endorsed feeling back at baseline. Provider released patient and patient discharged. Of note, provider notes patient with vasovagal syncope and convulsions after receiving J&J COVID vaccine. Patient has history of vasovagal reactions. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1186349-1 | within a minute of patient leaving the consulation room after receiving the vaccine - patient sat down and passed out. When I looked over, I saw patient experiences minor convulsions. She was still in her chair. Episode lasted not even 10 seconds. Patient awoke and said she blacked out. She was coherent and responsive. We called 911. Patient said she has no history of seizures or low blood sugar. She said she tends to faint when giving blood or during vaccines due to the needle. Paramedic checked patient out and cleared the patient. No ambulance was taken. Will call patient tomorrow to follow up. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1186537-1 | I received the vaccine at approximately 1:08 pm. Once administered I was instructed to sit in the auditorium for 15 minutes for observation. During that time I had a few heartrate increases and nausea but nothing out of the ordinary or concerning. After the 15 minutes, I walked out to my car and thankfully my husband had driven because what happened next would have caused an accident. Our drive home is approximately 20 minutes from where vaccine was administered. In the car I began to feel a tingling all over my body that gradually began to feel like ?pins and needles? (like when you sit on your legs for too long and they ?fall asleep?), with the worst of the feeling being in both of my hands. I began opening and closing my fingers to try and get them to feel normal. By the time we pulled into the driveway, my hand had locked up in a weird position and I was no longer able to communicate with them and make them move. They were temporarily paralyzed. My husband opened the door for me because I wasn?t capable of doing so. Once I stepped out of the car, my body began to convulse and shake. We stood there for a few minutes because one, I couldn?t make my body cooperate and two, we didn?t want our children seeing me that way. My husband kept asking me if he should call an ambulance. Of course, he should have but I think he was so scared and shocked that he just didn?t know how to react. I had trouble forming words and sentences at that point and could not tell him to call. I felt pretty calm considering what was happening to me and I could not control myself. My husband decided to walk away from me and coerce me to go to him. I stood there for a few minutes trying to communicate with my legs. Once I took my first step, my body stopped shaking and I started to regain feeling in my hands. I went and laid down for a bit and began to feel a bit better. Around 7pm I was feeling extremely cold. So cold that I put on three layers of clothing and two comforters to try and warm myself. That did not work though, as it was more of a cold from nerve endings than it was from temperature. I went to bed around 9pm but didn?t fall asleep until around midnight. I was feeling waves of cold down my body. Like a skin prickling when you hear a beautiful song and you get goosebumps and your hairs stand up. I woke around 3am to an extreme headache and a fever of 102.6. I took Tylenol and went back to bed. When I woke in the morning, I felt better but had weird and random muscle twitching. For the past few days I?ve been suffering with extreme fatigue which is not like me at all. Even when I?m tired, I can still manage to function throughout the day. Not only have I been tired, my body is weak, my muscles are weak and my joints hurt. I?m hoping this ends soon and doesn?t get any worse. It will be two weeks this Sunday. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1186674-1 | passed out 2 minutes after moving from vaccine seat to observation area 20 ft away, very brief mild, seizure less than 30 seconds. regained complete alert and consciousness |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1187388-1 | Minutes after receiving the injection (4pm) my blood pressure dropped and I lost consciousness. I recovered well enough to drive home within 15 minutes afterwards. That night (10pm) I began shivering, which escalated to periods of convulsions, to which a mouth guard was needed to prevent chipping teeth and/or biting my tongue. There was no fever present, and to subside the uncontrollable shivering I sat in a very hot shower until motor functions gradually returned. Periods of headaches, joint pains and sweating ensued for the remainder of the night. There were no other symptoms in the following days. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1188377-1 | "Perfectly healthy, fit, thin 18 year old young man with no allergies and no previous reactions to vaccines or medications... immediately upon receiving J&J injection his eyes rolled back into his head and he was unconscious for two to three minutes, then in and out of consciousness for another eight to ten minutes. He convulsed for around ten seconds after about two minutes of being unconscious. Four to five healthcare workers attended to him, asking him to ""stay with us."" They called an ambulance, and the medics monitored him for awhile. Heart rate dropped to 34 bpm, clothing drenched with perspiration. Blood sugar was slightly low, although he had eaten a late brunch of two fried eggs, sourdough toast and fruit salad. The last thing he remembers is a cold sensation shooting down his arm and into his left hand. He tried to talk to say he wasn't feeling well, but he couldn't form the words, so he raised his arm and then fainted. He felt generally unwell the rest of the day, and today he is still not fully recovered." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1190367-1 | Patient head tilt back and seized, not responsive and gasped for about 30 seconds, then became responsive. Talked with patient who know date and time got water. EMS was called and arrived within 10minutes. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1191098-1 | Flu like symptoms. Headache, shaking and convulsions. Soreness |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1191589-1 | Questionable seizure activity x 30 seconds. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1191597-1 | Patient suffered unconsciousness, then a brief seizure 10 minutes following her vaccination. Patient was moved to treatment area where paramedics discovered she was bradycardic, hypotensive, and in a junctional cardiac rhythm. Patient was treated with IV fluids, and monitoring and then transported to Hospital of her choosing. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1191727-1 | Lost consciousness and had convulsions for 30-45 seconds |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1191747-1 | Vagal, Tremors, hypotension, seizures, |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1192453-1 | Immediately after the vaccine was administered the patient complained of pain in the arm. I escorted her to a chair in the waiting area for 15 minute observation and she said she didn?t feel right and I should get her husband . She began seizing in the chair and I held her safely during the episode. Her husband came in and she became oriented, but still complained that her arm hurt from the injection. . Before her vaccine I questioned her about her seizures and she said the seizures were being controlled by medicine. After the episode when talking with the patient?s husband he said her seizures are quite frequent, the last one being about 1 month ago. EMT?s came to the pharmacy to monitor her before she was released to go home. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1192879-1 | Approximately 5 minutes after vaccine patient was in 15 minute lot, car in park. Observer Called on emergency radio for RN with bag. RN noted patient was actively Seizing. the patient's wife was in the vehicle and confirmed the seizure. The patient was conscious within 2 minutes, vomited x 1 and stated he was stating to feel better. EMS was activated as son as the seizure was noted and took approximately 10 minutes to arrive. The patient was conciuos and walked to the ambulance and was transported to hospital |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1192963-1 | Systemic: Confusion-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Hyperventilation-Medium, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1194211-1 | Convulsion type chills at night Skin and organs hurt Eyes hurt Headache Tires |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1194227-1 | Almost immediately after receiving the vaccine, the patient reported feeling lightheaded and then she lost consciousness. She began convulsing. I stabilized her and directed my staff to call 911 and store management. Within 15 seconds of its inception, she regained consciousness. We ended the phone call for next level care. We gave the patient an ice pack for her neck and a bottle of water. Once aware again, she mentioned that she hadn't eaten anything today. We got her a candy bar as well. Within 20 minutes, she was able to walk out of the store under her own power. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1194352-1 | described pre-seizure aura and described as having eyes rolling back in head |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1194560-1 | patient had a seizure and lost consciousness; pt regained consciousness after a couple minutes; pale and perspiring, paramedics came and provided care from there |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1195476-1 | Seizures (never had before), high fever 102+, dizziness, severe back pain, convulsions and confusion |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1195742-1 | Patient was administered a Janssen COVID vaccine lot # 043A21A at approximately 10:33 on 4/10/2021. Patient expressed no history of difficulty with shots or vaccinations. Patient gave no indication he was not feeling well or any indication he was experiencing difficulties. Shortly after administration of the vaccine, approximately 3 minutes and while handing Patient his paperwork, he became unresponsive. Patient was lowered to the floor where he exhibited what could be described as minor convulsions that were very short lived. His feet were elevated and he regained consciousness after approximately 2-3 minutes. His vitals were taken and recorded. Patient reported that he has no remarkable medical. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1196672-1 | After sitting in chair to be monitored pt felt dizzy and had seizure for 15 min. VS right after seizure@1113: BP 138/94, HR 42, OxSat97%. Rechecked vitals after sitting back up for 20 min: Blood sugar 108, OxSat: 99%, HR 56, BP 117/75. This was the first seizure for the patient. He does not want to go to ER. Pt was monitored longer. EMS reported he could be released to go home. Parents were instructed to notify MD and to monitor pt status if any seizure like activity call 911. This patient frequently passes out with shots. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1196750-1 | loss of consciences after injection was given, seizure, vomiting and confusion, monitoring in EMS and transferred to higher level of care via EMS services |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1197174-1 | Pt reported not feeling well in less than 5 minutes after shot. Initially he was sweating, followed by dizziness. In few seconds, he started convulsing. I administer Epi-pen 0.3 mg, 1 adult dose in his left thigh. His convulsion stopped at very moment, paramedics took over from there. His vitals were checked and monitored by paramedics for few minutes. He did not require hospitalization at this moment, however advise to seek medical attention if he feels something abnormal. He was able to walk himself to his car, where his family member drove him to home. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1197219-1 | 11pm: Fever, chills and muscle aches 3am: Chills and muscle aches worsen 6am: Weak and short of breath 7:30am: Body begins to tingle, cant really feel hands or feet, trouble breathing, shaking, eyesight worsens, chest tightens, headache 7:43am: Call husband for help, begin sweating a lot 8am: Call 911, begin convulsing, trouble talking, cant see well, trouble breathing, urinate on myself Continue to have convulsions. Taken by ambulance to hospital. Continue to have involuntary contractions, tightening of chest, trouble breathing, bad eyesight, headache. etc. Diagnosed with Dystonic Reaction and Neurologic Problem because of a vaccine complication |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1197949-1 | dizziness and fainted, shivers/chills, 4 x episodes of break through seizures |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1198088-1 | AFTER RECEIVING THE IMMUNIZATION, PATIENT SLOWLY MOVED FROM THE CHAIR TO THE CORNER OF WALL AND SAID HE FELT FAINT. HE BECAME UNSCONSCIOUS FOR A FEW SECONDS AND WHEN HE BECAME ALERT, BEGAN CONVULSING. WE CALLED THE PARAMEDICS. WHEN THEY ARRIVED, THE PATIENT REFUSED TREATMENT. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1198288-1 | Warm feeling followed by fainting and slight convulsions. Nausea, gas, feeling faint, and usability to drive a vehicke for approximately 75 minutes. Slept for several hours, faint feelings subsided after 15 hours. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1198326-1 | "Expected side effect to vaccine beginning at time of injection with pain at injection site. About 6 hours later, body pain, chills, body temperature dis-regulation (hot/cold/sweaty) throughout the night. At approximately 10:30 a.m. (approx. 20 hours post injection) I was standing at the kitchen counter getting some water, still experiencing extreme fatigue and body pain, about 4 hours after a dose of Extra Strength Tylenol, and had some kind of weird event where I began to feel faint and before I knew it, my body began convulsing (large shakes) and the next thing I knew I was seated on the kitchen floor and my husband was asking me ""what happened"". It never happened again and we decided an ambulance was not necessary. But I thought to report it because this kind of thing is not on the ""the list"" of expected side effects." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1198478-1 | Began with cramping/convulsing of my left thigh, then my right and within a split second all the muscles in my body were convulsing for about 3-5 minutes. I had a headache and small tremors following that episode. Tylenol helped but side effects did not dissipate until the following morning 3/11 at 10AM. Fresh air helped also. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1198510-1 | According to vaccinating nurse, a few minutes after vaccination patient experienced a short (less than one minute) generalized seizure. She was able to lower him to the ground and patient did not hit his head or suffer fall. Two EMTs were on site and attended to patient. 911 was called and patient evaluated by medics. Blood sugar and vital signs within normal limits. Patient' s father also came to the scene. Patient and father refused transport to the local hospital. Father stated they will go directly to the local emergency room for evaluation. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1198644-1 | Fever, severe body aches, spine pain, convulsions, shaking, difficulty turning torso/spine without pain (still occuring), fatigue |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1198786-1 | Seizures started Friday. Patient sent to hospital. Patient back at rehab |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1199094-1 | Patient fainted and had seizure like symptoms with eyes rolling back in head, clamminess, sweating, severe stomach cramps, blurred vision, and temporary loss of hearing |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1199143-1 | Headache and vomiting starting one week later (4/3/2021); seizure due to hemorrhagic stroke 04/ 5/2021; continued bleeds 04/06/2021, 04/07/2021; life support removed 04/08/2021. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1200962-1 | At 5pm after taking the shot that morning, I started having cold chills that turned into full body convulsions and spasms that were uncontrollable for over an hour. Almost 24 hours later I?m still experiencing cold chills. I also developed full body aches to where my bones feel like they are breaking and weak. Around 10 PM I started vomiting and that lasted for a couple of hours. At 2 AM a headache started and is still going on as of 9:46 AM. My bones pop and feel weak. At other times my body will become extremely hot and soaked in sweat just to go back to cold chills. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1201190-1 | entered clinic with red bull energy drink, spouse reported Patient drank a soda earlier, skin appeared pale, reported he did not do well with vaccines as a child in the past, still wanted to proceed with vaccine. Had seizure for 2 mins, family reported past history of fainting. EMS attended, responded to questions appropriately, fainted a second time, monitored, pt was released home with spouse |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1201297-1 | Severe abdominal pain, headache, supposed seizures, labored breathing |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1201667-1 | 102 fever, chills, convulsions, headache, fatigue, rapid heart rate, nausea |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1202034-1 | Two different Seizures one on March 15th and the other on April 5th |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1202263-1 | About 8 minutes after vaccination client fell and hit her head, she has a large lump to right side of her head. After hitting the floor patient begin to show seizure activity for about 1-2 minutes. BP 140/20 P62. Ambulance service on site and transported to Hospital for follow up care. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1202433-1 | The night of, I went to bed and woke up around 1:00 AM suddenly feeling very cold and shivering, under a blanket in a 73 degree room. I soon after experienced my body (especially my core) seize up for 5-6 seconds at a time for at least one or two minutes. Next day, headache and fatigue. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1202627-1 | "Pt reports that 23 hrs after receiving the vaccine he experienced "" a massive seizure"" and was transported by paramedic to the Hospital. A neurologist he saw mentioned that he had seen ""other seizures like this ' and they presumed he meant after COVID vaccines" |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1202770-1 | Prior to administration of Janssen Covid-19 vaccine the patient was anxious but was completely fine once the procedure commenced and concluded. After finishing explaining the possible side effects of the vaccine and handing the patient the V-Safe handout, she got up slowly and proceeded to our designated post vaccination monitoring seating arrangement. Upon concluding the vaccination process with the patient?s partner, she alerted the pharmacist that she does not feel well. To which he asked her to further elaborate on what she is experiencing. She began to say she thinks she?s going to faint as she is attempting to drink water. As she was having a drink of water she fainted. To which he responded by running over and catching her before she hit the ground, cradling her upper torso, specifically the head and laid her down on the floor with the assistance of pharmacist and her partner. In the midst of everything he instructed another pharmacy technician to call 911 for the paramedics. As she was in the process of drinking water I saw her other hand go to the region of the neck, thinking it was also an allergic reaction and administered a dose of Epi-Pen. He administered the Epi-Pen on the upper side of her thigh, directly to the skin not through clothing. There was a very brief moment where the patient began to convulse but gradually regain consciousness. The patient became lucid and was conversing with him, apologizing for the incident. He assured her there was nothing to apologize for and to which she told me she had similar incidents from vaccinations as a child. She did not mention this prior to administration of the vaccine and through conversation we believe the incident may be caused from high anxiety of needles / vaccinations. When the paramedics arrived, they assisted the patient from the floor and gave a warning that she believed she was going to faint again, and fainted in the arms of the paramedics. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1202978-1 | SEIZURE; JOINTS LOCKED UP/WHOLE BODY LOCKED UP; NO APPETITE; SWEATING; BARELY BEEN OUT OF BED/HOME BOUND; CHILLS; WEAKNESS; FEVER; This spontaneous report received from a patient concerned a 72 year old female. The patient's height, and weight were not reported. The patient had no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805029, expiry: 25-MAY-2021) dose was not reported, 1 total, administered on 27-MAR-2021 for prophylactic vaccination. No concomitant medications were reported. On 27-MAR-2021, after 23:00 the patient began shaking and had seizure, her mouth was drawn up. On the same day, the patient experienced fever, chills, sweating, weakness, no appetite and her whole body locked up and her joints locked up. According to the patient, she had barely been out of bed and had been home bound since vaccine was administered. The patient visited doctor/healthcare professional's office for events seizures, shaking, mouth drawn and fever. It was reported that, on 02-APR-2021, a nurse came to the patient's home and tried to encourage her to go to the hospital but she declined. On the day of this report, the patient had an appointment via phone video for her pulmonologist and with her primary care physician. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from joints locked up/whole body locked up on 28-MAR-2021, was recovering from fever, chills, and sweating, had not recovered from seizure, no appetite, and barely been out of bed/home bound, and the outcome of weakness was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: covid-19 vaccine ad26.cov2.s-seizure. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s) |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1203347-1 | PATIENT WAS ADMINISTERED THE JANSSEN COVID VACCINE AT APPROXIMATELY 10:30AM. IMMEDIATELY FOLLOWING REMOVAL OF NEEDLE AFTER INJECTION, THE PATIENT APPEARED TO FAINT FALLING FORWARD IN HIS OWN LAP. AFTER ABOUT 15 TO 30 SECONDS, HE REGAINED CONSCIOUS. WE ASSESSED THE PATIENT TO ASK IF HE HAD EVER EXPERIENCED FAINTING BEFORE OR SPECIFICALLY DURING VACCINATION. HE HAD NO PREVIOUS EPISODES. WE QUICKLY OFFERED THE PATIENT SOME WATER AND CRACKERS WHILE HE REMAINED SEATED. THE PATIENT FELL FORWARD AGAIN AND APPEARED TO BE CONVULSING. ONCE HE STABILIZED, MY PARTNER STEPPED AWAY TO RETRIEVE WATER, AND THE PATIENT ONCE AGAIN FELL FORWARD AND BEGAN CONVULSING. ONCE HE STABILIZED, HE DRANK SOME WATER AND ATE SOME CRACKERS. HE MENTIONED THAT HE FELT EXTREMELY TIRED. WE INSISTED TO CALL THE PARAMEDICS FOR HELP,BUT HE DECLINED SAYING THAT HE WAS OK AND MAYBE THE NEEDLE TRIGGERED THE EVENT. AFTER WE OBSERVED THE PATIENT FOR 30 MINUTES AND HE ASSURED US HE WAS IN STABLE CONDITION, HE LEFT WITH HIS GIRLFRIEND. PATIENT WAS CALLED TWICE AFTER THE EVENT TO FOLLOW-UP BUT WE HAVE NOT HAD SUCCESS IN FOLLOW-UP. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1203527-1 | Vasovagal syncope. Had vaccine on the 17th on the 25th in the early morning hours I got out of my bed, passed out or had a seizure in my kitchen. Went to doctor 4 days later because I was in pain mainly in feet, was told I broke my foot. I asked if vaccine could have caused it and was blown off by 3 different healthcare providers, I thought by law they were supposed t report adverse effects like this. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1203865-1 | Rapid mental decline, seizure activity, possible death. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1203871-1 | Seizure and lost of consciousness 3 minutes after vaccine was administered. No treatment was given at pharmacy, but patient was taken by paramedics. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1204625-1 | About five minutes after receiving the vaccine I began to feel something was terribly wrong. I then blackout for several minutes. From my son's description I believe I might of had a seizure. He said my eyes were wide open, I was slumped over, and gurgling. I was completely unresponsive to him. He summoned the paramedics who loaded me in an ambulance soon after I came to. They checked my vitals. My heart rate was 47 bpm and blood pressure was 80/40. They also checked my blood sugar. It was 116. They decided I needed to go to the hospital and began giving me iv fluids in route. At the hospital an EKG was taken, which came out normal, they continued iv fluids, and did a urinalysis on me. All test indicated I was healthy. It about three hours before my blood pressure and heart rate stabilized. Just as long for me to feel like I would be ok. They discharged me at this point. Since they I have just been extra tired and have had muscle discomfort. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1204938-1 | Patient was sitting in the waiting area after his vaccine. Within 5-10 mins of his vaccine he recalls suddenly feeling warm then he was observed convulsing in his chair. He fell over to the side, hit a metal bin, then fell forward onto the floor, hitting his head. It took him a few seconds to regain consciousness. Pharmacist 1 called 911 and pharmacist 2 attended to patient until EMS arrived. EMS reported he was very pale and blood pressure was low. Patient declined transport to the hospital. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1205002-1 | Convulsions began about 6 hours after vaccine. With each convulsion I lose ability to speak and struggle to breathe. I cannot control the shaking. I get very dizzy and have had a headache since about 2 hours after the vaccine. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1205704-1 | Right side nose burning, numbness in face. Severe sweating, nausea, dizziness. Passing out. 4 episodes over 2 hours 3 with black out. Hospital diagnosed with seizure disorder even though mri, eeg, ekg, and ct showed no seizure activitity. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1205729-1 | My husband is still in hospital trying to recover. He had bad headaches that then led to seizures and confusion ,blood clots, and has been hospitalized since. He's literally fighting for his life and tomorrow Wednesday April 14 th he will be transferred to a rehabilitation center. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1205830-1 | Janssen Covid-19 Vaccine EUA First 12 hours after the shot I experienced headaches, body aches, and chills. Within the next 24 hours all of these symptoms increased severely, and around 5pm on 4/11/21 I experienced a seizure that resulted in me being taken to the ER. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1205853-1 | patient with seizure disorder, within 10 minutes patient had a seizure with typical presentation for this patient. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1207256-1 | Severe convulsions, harsh chills, 102 fever, sweating, and migraine headache around 9 hours after vaccination. I have had a strange and non-stop headache ever since that day, and my entire body feels like I had went to the gym and did hardcore aerobics. Those are the main two symptoms I still have as of now. I am afraid my body is being set up for a blood clot. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1207613-1 | Was sitting in chair, fell over. Hit head on cement floor. Seized for 35 seconds. Eyes rolled in to back of head and foaming at the mouth. Awakened suddenly to confusion. Escorted off floor to wheelchair. Reoriented. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1207905-1 | "Patient admitted on 4/9/21 (unsure where they received J&J COVID vaccine on 3/6/21) Per clinical pharmacist internal event report: Pt received Johnson and Johnson Covid vaccine on 3/6/21. Has chronic sub dural hematomas FYI (seen on scans in Feb). Patient is a 80 y.o. female patient who presented with complaints of dyspnea and BLE edema and was admitted with a principal diagnosis of Acute on chronic congestive heart failure with left ventricular diastolic dysfunction (HCC). Cardiology consulted. Initially diuresed however became hypotensive. Patient had episode of slurred speech and disorientation on 4/11. Code stroke called. CTH with stable SDH. CTA of head had no acute cerebral occlusion. Incidentally was found to have bilateral PEs on CTA h/n. Full CTA chest ordered for further evaluation, noted extensive bilateral pulmonary emboli, associated with Rt heart strain. She was started on heparin drip, Dr. cleared with neurosurgery prior to starting on 4/11 given subacute SDH which has been stable on imaging. Heparin transitioned to eliquis. Additional chart information: ht: 5'4"" weight: 108.3 kg CrCl: 50.3 mL/min platelets since admission: 160 - 173 Admission Diagnosis: Acute on chronic congestive heart failure, unspecified heart failure type (HCC) [I50.9] Expected discharge: 4/14/21 Active Problems: Hypertension associated with diabetes (HCC) Gastroesophageal reflux disease without esophagitis Non-insulin dependent type 2 diabetes mellitus (HCC) Seizure disorder (HCC) Dyslipidemia associated with type 2 diabetes mellitus (HCC) OSA on CPAP Pulmonary hypertension due to left ventricular diastolic dysfunction (HCC) Subdural hematoma (HCC) Class 2 obesity due to excess calories in adult Dizziness Acute on chronic diastolic CHF (congestive heart failure) (HCC) Hospital course: Patient is a 80 y.o. female patient who presented with complaints of dyspnea and BLE edema and was admitted with a principal diagnosis of Acute on chronic congestive heart failure with left ventricular diastolic dysfunction (HCC). Cardiology consulted. Initially diuresed however became hypotensive. Patient had episode of slurred speech and disorientation on 4/11. Code stroke called. CTH with stable SDH. CTA no acute occlusion. Suspecting breakthrough seizure. Neuro consulting, EEG normal. Titrating up zonegran - patient will discharge on 100mg in AM and 200mg in PM. Incidentally was found to have bilateral PEs on CTA h/n. Full CTA chest ordered for further evaluation, noted extensive bilateral pulmonary emboli, associated with Rt heart strain. She was started on heparin drip, Dr. cleared with neurosurgery prior to starting on 4/11 given subacute SDH which has been stable on imaging. Heparin transitioned to eliquis. Will need to follow up with PCP. Valsartan was held on admission for hypotension. Blood pressure has remained well controlled off of all antihypertensives. She will need to follow up with PCP for further management of BP, may need valsartan resumed in near future. Patient is medically stable for discharge to home." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1208141-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1208245-1 | "Patient came in apprehensive and anxious about recieving shot, fearful of needles. After administration of the vaccine she appeared relieved afterwards and recieved a card with a note to wait for 15 minutes for any reactions. Her mother escorted her to her car, 10 minutes later, her mother came in saying ""she's having a seizure!"" We had a certified nurse that was administering the shots that went out to check on her and we had a technician call 911. Patient appeared disoriented in the car and clammy to touch. We checked her blood pressure, and the nurse reported it was a little low. After paramedics arrived was being treated as a vaso-vagal response and she was transported to the nearby hospital." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1208446-1 | Patient was experiencing convulsions the evening/night of the vaccine administration. She also experienced shivers and had back pain. However, it was reported the patient is prone to back pain. Post convulsion, the patient was experiencing extreme sweating. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1208601-1 | Dizziness, nausea, passed out, hit head, had seziure |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1208894-1 | Patient suffered a 2-minute long seizure. She has a history of known seizure disorder. Her last seizure was 3 months ago. She also suffers from severe anxiety. patient was alert and oriented times 3 and refused transport to a local hospital by EMS. She left. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1208951-1 | I woke up at midnight, feeling really cold. Then I started to shake. I called the nurse line and started stuttering. I was instructed to go to urgent care. By then I was convulsing. I was nauseous. I was giving an IV, Tylenol, zofran, toradol, and Ativan. I got to the ER around 1 am. I was released about 4 am. I was prescribed Motrin. I continued to have headaches and nausea. I called my primary. Have a follow up visit on 2-12-20, she felt that the side effects were normal. I still had headaches and nausea went back to the same ear who treated me (Community Hospital) I had a CT scan and blood work, all is normal. I continue to have nausea and headaches. I take one Motrin 800 at night when I go to sleep. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1209041-1 | Mild seizure, passed out |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1209101-1 | Within 12 hours of injection: Body aches, fever, severe chills ( convulsions ), headache, nausea, threw up three times, passed out. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1209359-1 | After vaccine was given at clinic, patient had a seizure episode as per nurse staff |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1209623-1 | History of Present Illness This is a 22-year-old female who was previously healthy with no significant past medical history presenting to the emergency department after a syncopal event. She was getting her COVID-19 shot today (Johnson Johnson). After her shot she was texting on the phone with her mom, felt slightly dizzy and the next thing she remembers was lying on the ground. Witnesses reported that she syncopized and had some convulsive like behavior afterwards. She was not postictal or incontinent however. She reportedly hit the front of her forehead on the left side. She denies any chest pain, abdominal pain, hemoptysis, recent surgeries, immobilization or recent travel. She reports that when she woke up her hands felt a little bit tingly. When the fire department arrived they found her to be bradycardic however by the time the medics arrived her heart rate had resolved. Her blood sugar was 110 on the scene. Medics noted that she was orthostatic on the scene as well. She currently is feeling well, has no complaints. States that she has gotten dizzy before in the past with COVID vaccines. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1209778-1 | Patient was admitted to the hospital 12 days (3/24/21) after vaccine dose administration (3/12/21) sent in for refractory abdominal pain, nausea and vomiting. On admission, a CT Abdomen/Pelvis with contrast was largely unremarkable including reported demonstration of patent portal vein. During the course of the hospitalization the patient developed a portal vein thrombosis visualized on 3/26 by ultrasound. She also received Heparin SQ from 3/27/21 through 4/2/21 but not sent home on anticoagulation. Her course was also complicated by a seizure and Bacteroides bacteremia. MR Brain did not demonstrate thrombosis |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1210142-1 | Patient was working and fell on the job due to what was perceived to be a seizure. Paramedics were called, and patient was taken to the emergency room. Initial reports from the hospital are that patient has clotting in the arm around the injection site. Patient is still at the hospital at the time of this report. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1210459-1 | patient fainted, loss of hearing in ear, had a brief seizure |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1211091-1 | EMS, who was working in the clinic, stated that the patient had a partial seizure and directed the Clinic Lead Nurse to call EMS. Patient became pale, 5 second seizure, dizziness and vomiting. EMS was called and vital signs were taken but patient declined to go to the hospital. Patient recovered and drank some water and ate some crackers. Patient waited another 30 minutes and stated he felt much better. Clinic Lead Nurse called the patient, on April 13, 2012, who stated that he went home, ate some food and relax the rest of the day. He stated he felt better and had no more problems. He did not seek additional medical care. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1212121-1 | Systemic: Body Aches Generalized-Medium, Systemic: Nausea-Medium, Systemic: Seizure-Medium, Additional Details: patient was taken to er after having a seizure. patient has been feeling sick ever since injection and has missed her period. The physicians at the Emergency room said they could not find anything wrong with her. But mother is convinced something is not right. she is seeking a second opinion from different hospital |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1212193-1 | CHILLS WITH SEVERE TREMORS/CONVULSIONS . EXTREME HEADACHE AND DEHYDRATION. DISORIENTATION. CONTINUED OCCASIONAL CHILLS |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1212666-1 | SYMPTOMS PRESENTED: SEIZURES, PALPITATIONS, FEVER, PULSE IN 125-130 FOR SEVERAL HOURS EVEN WHEN I WAS RESTING, BLOOD PRESSURE 86/66 |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1213084-1 | About 5pm after the vaccine I developed a cramp in my left leg, felt really tired and the fever began. About 10pm the symptoms got worse so I took nyquil because I was feeling horrible. My fever elevted to 101 causing me to have a seizure. EMT transported me to the ER about 12midnight and I was given meds for nausea, pain and monitored and about 3:30am I was released. The next day I was really tired, fatigued and had a really bad headache but by that Wed all symptoms had subsided. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1213396-1 | "Pt c/o ""not feeling well"" about 5 minutes after receiving Janssen Covid-19 vaccine on 03/24/2021 at 10:17am. I immediately ran to her car. She was responsive but very pale. She c/o nausea, laid back in care seat and looked to have seizure activity, pulling her left arm up her chest and biting her lip. This lasted several seconds then pt was A&O and in NAD. I yelled to nurse to call 911 and get other provider. HE arrived in 2 minutes. He checked pt's pulse and reported it to be weak and thready. He reported her O2 sat was 83%, but her hands were ice cold. Pt was still answering out questions at this point with no breathing difficulties. PA reported O2 sat back up to 93%. Pt's BP 122/62, HR 100 and RR 20. EMS paramedics arrived in 5 mins. Pt A&O x3 with paramedics and refused transport to local hospital ER for further evaluation and treatment. Paramedics confirmed pt was AMA. Our nurse dialed pt's husband on her cell phone. Pt talked to husband and told him to come get her. Pt was able to move from driver's seat to passenger seat. Her husband picked her up 30 mins later. I continued to check on pt until her husband arrived. Pt remained A&O x3 with NAD." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1214363-1 | After receiving vaccination recipient was driving into observation when seizure like activity was observed. Car was put into park, scene safe. Chief Medical Officer on scene. EMS called to scene. Recipient c/o nausea and appeared diaphoretic. Vitals @1009 - BP 122/76 - O2 99% r/a - P48- RR 16. 12 Lead EKG completed by EMS reviewed by Drs. It was recommended by Dr. that recipient be transported to Hospital for further evaluation. Recipient refused transport against medical advice. Recipient signed refusal of transport with EMS and had a friend pick him up. Vitals @ 1045 - P113/68 - O2 95% r/a - P49 - RR 16 AAOx4 per EMS. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1215094-1 | Patient received Janssen COVID19 vaccine at 10:15am. Upon receiving vaccine she sat down on chair to wait for 15 minutes post-vaccination. Just minutes after sitting down patient lost consciousness, fell from chair, hit her head on the floor, seize for a short moment, only to momentarily regain consciousness, and faint for a second time. EMS were called and patient was transported to Emergency Department for testing and observation. Patient believes she fainted the first time due to not having eaten much by that point in the day and due to anxiety about receiving the vaccine, and she was told she fainted a second time due to hypotension. She states she has a history of previously fainting during other medical procedures, though no similar previous reactions she can recall after vaccines. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1215759-1 | POUNDING HEADACHE; CONVULSION; BODYACHES; WEAKNESS; NAUSEA; This spontaneous report received from a patient concerned a 70 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included fibromyalgia, Crohn's disease, and migraine. The patient received Covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805020 expiry: UNKNOWN) dose was not reported, 1 total dose, administered on 31-MAR-2021 (Wednesday) on left arm for prophylactic vaccination. No concomitant medications were reported. On 31-MAR-2021 on Wednesday, the patient experienced severe chills to the extent of teeth chattering ,body shaking and convulsion, due to which her husband kept covering with blankets. At 19:00, she developed pounding headache. She experienced body aches. As per her doctor, fibromyalgia might exacerbate the body aches due to which she stayed in bed for 2 days. She also experience weakness and nausea. On 02-Apr-2021 (Friday), she was finally able to cook. She was still experiencing weakness, nausea and excruciating headache for which she was not sure if it was due to vaccine or from migraine that she had. The patient also informed that she underwent unknown test for six times on unknown dates and the test result was found to be negative. The action taken with Covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from body aches, convulsion and had not recovered from weakness, nausea, and pounding headache. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210409019 -COVID-19 VACCINE AD26.COV2.S-convulsion. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the events. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1215767-1 | SEIZURE; DIARRHEA; This spontaneous report received from a patient concerned a 37 years old male. The patient's height, and weight were not reported. The patient's concurrent condition included fear of needle. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered 1 total on 05-APR-2021 for prophylactic vaccination. Batch number was not reported and has been requested. No concomitant medications were reported. On 05-APR-2021, after receiving vaccination, the patient experienced seizure (fainting, tremor, tachycardia and bladder incontinence) and diarrhea. Upon examination of his vitals, heart rate was 112, showing tachycardia, blood pressure (BP) was 135/83, oxygen saturation was at 98 and glucose was 90. The patient was taken to the emergency room where he was released after evaluation. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from diarrhea on 05-APR-2021, recovered with sequelae from seizure on 05-APR-2021. This report was serious (Other Medically Important Condition). This case, from the same reporter is linked to 20210411486, 20210411395 and 20210410874.; Sender's Comments: V0: 20210410630 -COVID-19 VACCINE AD26.COV2.S- seizure. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the events. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1216091-1 | Patient at gym working out and had a seizure, when 9-1-1 crews arrived patient was post-ictal, while treating the patient he had another seizure, during transport patient went into cardiac arrest, crews provided ACLS care and transported patient to hospital for treatment. Resuscitation efforts were terminated by physician in emergency room. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1216170-1 | right after the vaccine in the pharmacy my throat felt like it was closing. and medicine taste going down my throat , pharmacist said no big deal. I went home 4 hours later i had fever and shakes and convulsions and my right finger were numb and my right leg and right low side hurt. My neighbor call the pharmacy and they said its normal to work thru. april6 pain in side was unbearable and i went to the doctor. had a ct scan and they put me on antibiotics.I had had headache for 15 days now. I don?t know how i am going to pay mymedica bill for a free covid vaccine. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1216273-1 | Muscle Seizures 5-6 hours post vaccine. Full body muscle spasms/seizures that lasted 5-6 hours. Ice cold extremities. Violent shakes. Migraines over the course of the following 4 days and a itchy rash over my face, neck and torso that lasted a full 2 weeks. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1217478-1 | "DIFFICULTY IN SPEAKING; RASH; STOPPED BREATHING; SEIZURES; DIZZINESS; CLAMMY; This spontaneous report received from a health care professional concerned a patient of unspecified age, sex, ethnic origin, and race. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 043A21A, and expiry: 21-JUN-2021) dose was not reported, administered on 07-APR-2021 to left arm for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, the patient experienced dizziness, clammy, seizures, stopped breathing, and rash. On an unspecified date, the patient experienced difficulty in speaking. The patient was seen by EMS and was taken to the hospital. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from rash, dizziness, clammy, seizures, and stopped breathing, and the outcome of difficulty in speaking was not reported. This report was serious (Life Threatening). This case, from the same reporter is linked to 20210414577.; Sender's Comments: v0 This report involves a patient of unspecified age, sex who experienced rash after 5 minutes after receiving Janssen COVID-19 Vaccine Ad26.COV2.S for prophylactic vaccination then the patient developed light headed associated with dizziness and later had difficult in speaking. Events also reported included clammy, seizures, ""stopped breathing"", however details of these events were not provided. Medical history and concomitant medications were not reported. Given the close temporal relationship and the nature of the events, the events of lightheaded associated with dizziness and later had difficult in speaking are considered possibly related to the vaccination. The insufficient information precludes a meaningful medical assessment of the events of clammy, seizures, stopped breathing." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1217751-1 | "HEART ARRHYTHMIA; CARDIAC ARREST; SWOLLEN BRAIN; LACK OF OXYGEN; SHORT-TERM MEMORY LOSS; COMPROMISED MOTOR SKILLS; COMA; SEIZURES; LETHARGY; This spontaneous report received from a consumer concerned a 59 year old male. The patient's weight, height, and medical history were not reported. The subject was a veteran and retired. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, intramuscular, batch number: Unknown) dose was not reported, administered on 24-MAR-2021 for prevention of symptomatic sar-cov-2 virus infection. No concomitant medications were reported. On 24-MAR-2021, the patient felt lethargic that night, and went to bed early. On 26-MAR-2021, he had seizures. On 29-MAR-2021, patient was admitted in the intensive care unit (ICU) after driving and slumped over due to a coma. Doctors noted that he had heart arrhythmia and cardiac arrest. He had foam coming out the mouth. On 29-MAR-2021, X-ray were done that showed no blockage and no heart attack. The patient was intubated. Doctors also noted a swollen brain due to a lack of oxygen. On 03-APR-2021, the patient woke up from his coma and was out of ICU. The patient long-term memory (things that happen 5-10 years ago and earlier) was fine, but his short-term memory had been compromised. For example, he was unable to remember his name. He was unable to complete normal motor skills like walking and dressing. At the time of this report, patient was in rehab. He had a heart defibrillator placed in his body. His wife emphasized that he did not have any pre-existing conditions. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from coma, cardiac arrest, and lack of oxygen on 03-APR-2021, had not recovered from short-term memory loss, and compromised motor skills, and the outcome of lethargy, seizures, heart arrhythmia and swollen brain was not reported. This report was serious (Hospitalization Caused / Prolonged, and Other Medically Important Condition).; Sender's Comments: V0: A 59-year-old male patient with no pre-existing medical conditions felt lethargic the night after vaccine and went to bed early. Two days after vaccine he had seizures (details not reported.) Five days after vaccine, the patient was admitted to the intensive care unit (ICU) after slumping over while driving with ""foam coming out"" of his mouth. Doctors noted that he had heart arrhythmia and cardiac arrest. ""X-rays"" were done that showed no blockage and no heart attack. The patient was intubated. Doctors also noted brain swelling due to a lack of oxygen. 10 days after vaccine, the patient woke up from his coma and was out of ICU. The patient's long-term memory (things that happen 5-10 years ago and earlier) was intact, but his short-term memory had been compromised. He was unable to complete normal motor skills like walking and dressing. An internal cardiac defibrillator was placed. At the time of this report, patient was in rehab and recovering. The lethargy is likely related to vaccine. It is possible that the subject experienced new onset seizure disorder, although a direct causal association to vaccine cannot be established based on the information provided. It is unlikely that the cardiac arrhythmia, subsequent cardiac arrest, or resulting anoxic event were related to vaccine, without a plausible mechanism." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1218610-1 | Severe headache with seizures |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1219057-1 | My son Fell out at work after shot was given. He had a seizure, he lay unresponse on floor until medics were called. He noe has a blood clot in brain & has had 3 more seizures.Patient drives a fork lift & drives a truck he is nolonger able to do either. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1220160-1 | Seizure 4/12/2021 go to ER, stayed in hospital 4 days |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1220200-1 | "*This description is per the director of this substance treatment recovery facility* Resident was found by her roommate and seemed unresponsive to normal questions. Resident began convulsing and eventually stopped. Resident claimed that she was OK but an ambulance was still called and she was taken to The Hospital. She returned to the recovery home the same night. Diagnosis on hospital discharge paperwork ""Syncope."""" |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1220558-1 | -Nausea, Vomiting, Memory loss, headache, seizure - 4/12/2021 at 4 am - Seen in ED on 4/12/2021 and had a negative non-contrast brain CT -MRI 4/15/2021 showed a Nonpygenic thrombosis of intracranial venous system |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1223031-1 | seizures starting 8 days after vaccine, unable to c ok control with medication |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1223745-1 | Patient had a mild seizure several hours after receiving the J&J vaccine. She is epileptic and generally has two seizures a year that would last 30 minutes or longer. The seizure she had after receiving the vaccine only lasted around 40 seconds. She had her last regular seizure in January so she stated she was not due to have a seizure anytime soon based on her previous medical history. Her father was present and able to keep her safe during seizure so no medical treatment was received. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1225538-1 | Felt dizziness within approximately 1-minute of injection. Lost consciousness/ seizure. Regained consciousness within 1-minute. Tingling/ numbness in back/ spine lasting up to 3-hours afterward. Weakness in left hand currently (day 4). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1226718-1 | Approximately 10 minutes after injection, I passed out. Witness said that I was unconscious for approximately 1 minute. My body shook, and it appeared that I had a seizure. Immediately upon waking I started vomiting and having uncontrollable bowel movements for about an hour. I felt confused for about 30 minutes and was unable to speak for a few moments upon waking. When I arrived at the hospital I was still vomiting and having uncontrollable bowel movements. I was given fluids and zofran and sent home without further testing. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1227816-1 | FAINTED; SEIZURE; STOPPED BREATHING; LIGHT HEADED; CYANOSIS; This spontaneous report received from a health care professional (public health nurse) concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of administration not reported, batch number: 043A21A, and expiry: 31-DEC-2069) dose was not reported, 1 total, administered on left arm on 07-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, about 5 minutes after vaccination, the patient experienced lightheadedness, then fainted, had a seizure, stopped breathing (for 10 seconds), and developed cyanosis (turned blue). The nurse did cardiopulmonary resuscitation (CPR) and the Emergency Medical Services (EMS) was called. By the time the EMS arrived, the patient felt better. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from stopped breathing on 07-APR-2021, and was recovering from light headed, fainted, seizure, and cyanosis. This report was serious (Other Medically Important Condition, and Life Threatening). This case, from the same reporter is linked to 20210417723.; Sender's Comments: v0 This report involves a female patient of unspecified age who experienced lightheadedness, then fainted, had a seizure, stopped breathing and developed cyanosis about 5 minutes after receiving Janssen COVID-19 Vaccine Ad26.COV2.S for prophylactic vaccination. Given the close temporal relationship the events are considered possibly related to the vaccination. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1228251-1 | Patient with PMH of epilepsy, alcohol use disorder, CVA, dementia presented to ED with witnessed seizures while in bed. History of non-compliance, multiple admissions for seizures previously. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1229328-1 | Was at the grocery store and was having a hard time focusing. All of the colors were running together. I then fell backwards, and began having a seizure. Bystander said my eyes got huge and mouth and tongue turned blue as I couldn?t breathe. I had a seizure for about 5-8 minutes and was totally blacked out. During the seizure I lost control of my bladder and dislocated my jaw. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1230485-1 | 0 mins: Discomfort in arm flowing from injection site to the rest of the body 2-4 mins: Light-headedness 5-10 mins: About 2 minutes after sitting down at the 30-min waiting area, I began to feel more light-headed while checking my phone, though I don't remember it, I fainted and hit my head on the gym floor ~15 mins: I am awake and feel extremely foggy and have low blood-pressure and heart rate ~25 mins: I am told to sit back up in the chair ~26 mins: I start feeling light-headed again and lose consciousness again and am told that I had a seizure for 20 seconds before coming back again |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1230562-1 | HAD A SEIZURE AND THEN RUSHED TO THE ER AND ALSO HAD A BRAIN BLEED ALSO. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1231306-1 | 20 minutes after shot while passenger in vehicle I passed out and went into convulsions for 2 minutes The next day after shot at 7am I passed out again and went into convulsions while blacked out The next few days I did not feel right |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1231543-1 | SEIZURE; HIT HIS HEAD ON THE CONCRETE; This spontaneous report received from a consumer concerned a 55-year-old male. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported) dose was not reported, 1 total administered on 06-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 06-APR-2021, the patient was sitting with his wife after receiving the JANSSEN COVID-19 vaccine, when he had started to slump over. Patient experienced seizing (passed out and slipped out of his chair and started). It was reported that the patient hit his head on the concrete. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the seizure (pass out and slumped over) and hit his head on the concrete was not reported. This report was serious (Other Medically Important Condition). This case, from the same reporter is linked to 20210414732 and 20210414751.; Sender's Comments: V0 20210415021-Covid-19 vaccine ad26.cov2.s-Seizure. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1231550-1 | LOSS OF VISION; SEIZURE; DIZZINESS; This spontaneous report received from a health care professional concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805031, and expiry: UNKNOWN) dose was not reported, 1 total administered on 07-APR-2021 on right deltoid for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, the patient experienced loss of vision, seizure and dizziness. The seizure was for few seconds. The patient was not sent to hospital. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the dizziness, loss of vision and seizure was not reported. This report was serious (Other Medically Important Condition). This case, from the same reporter is linked to 20210417256, 20210417122, 20210417456, 20210417469, 20210417550, 20210417620 and 20210418457.; Sender's Comments: 20210417209-covid-19 vaccine ad26.cov2.s-Loss of vision, seizure. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1233515-1 | Patient starting feeling chills on Sunday, patient stayed home then had a seizure 4-12-21. They were admitted to the hospital on the evening/ night of 4-12-21 . Still in hospital as of 4-20-21. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1234152-1 | Pt. had (what we think) a small seizure on Thursday, March 18th and then again on Saturday, March 20th. On Sunday, March 21st, 911 had to be called as his seizure did not end. He had a grand male. He was seizing for several hours. At the time this was all occurring he has been on anti seizure meds for a few years Divalproex 1000 mg am and 1000 mgs pm daily). He passed 1 week later, March 28 at approx 6:45pm at the Clinic. I am unable to get any information on his medical report for that week. Statement from his Nurologists is on second page. Additional information for Item 18: Statement: 47 year old gentleman who passed away on March 28 from aspiration pneumonia secondary to status epilepticus and on a history of multiple sclerosis / additional leukoencephalopathy of unknown etiology (both treated with rituximab), prior seizures (on valproic acid) and pulmonary embolism (on apixaban). The key reason for reaching out is in light of the announcement about the side effects of the Johnson & Johnson vaccine specifically cerebral venous sinus thrombosis. While he had a known history of seizures, he had no clear trigger for these seizures; including that his valproic acid level was therapeutic (83.0 mcg/mL) at time of presentation. He had, however, received the Johnson & Johnson vaccine on March 12 before having what in hindsight appeared to be repeated seizures between March 18-21; he had a more significant one on March 21 that hospitalized him. This time frame appears consistent with the reported cases of central venous sinus thrombosis associated with the Johnson & Johnson vaccine. Equally, he was taking apixaban at that point in time and his PLT (173) / INR (1.1) / PTT (36.6) at time of presentation were all normal and stable. He did have an elevated ProBNP (552.0) at presentation; nasopharyngeal swab was negative for COVID / Influenza A/B / RSV and non-contrast head CT did not show any clear new abnormalities. His only D-dimer was obtained on March 23 and was 226. He did not have a CT angiogram or venogram. Overall the link between the vaccine and pt. seizures is not definite. At the same time, the similarity with the reported cases has led to me wanting to report it in case of the possible link. If you require further information then please don't hesitate to email me Pt. med list at the time of this incident Modifinil - 100 mg/1per day/AM Sertraline - 100 mg/1per day/AM Vitamin D3 - 50 mg/1per day/AM Divalproex - 500 mg/2per day/AM Eliquis - 5 mg/1per day/AM Furoseminde - 20 mg/1per day/AM Metroprolol - 100 mg/1per day/AM Lisinopril - 10 mg/1per day/AM Divalproex - 500 mg/2per day/PM Eliquis - 5 mg/1per day/PM Metroprolol - 100 mg/1per day/PM Melatonin - 5 mg/1per day/PM Quetiapine - 50 mg/3per day/PM |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1235957-1 | "SEIZURE; FELL ON THE FLOOR; This spontaneous report was received from a consumer and concerned multiple patients. The patients' weights, heights and medical histories were not reported. The patients received COVID-19 vaccine Ad26.CoV2.S (suspension for injection, route of administration not reported, batch number 1808978; expiry date not reported) doses not reported, administered on 02-APR-2021 for prophylactic vaccinations. No concomitant medications were reported. On 02-APR-2021, a total of 24 patients fell on the floor and experienced seizure. The consumer reported that they observed 4 people fall within 15 minutes of vaccination and have seizures, and they also reported that a fire chief had stated to them that an additional 20 patients had also fallen and had seizures. The action taken with COVID-19 vaccine Ad26.CoV2.S was not applicable. The outcomes of the seizures and falls were not reported. This report was serious (other medically important condition).; Sender's Comments: v0 This report received from a consumer who reported seeing 4 people fell within 15 minutes and had ""seizures"" after receiving Janssen COVID-19 Vaccine Ad26.COV2 and also hearing that of an additional 20 patients who fell and had ""seizures"" from a fire chief. Medical history, concomitant medications, and details of the events were not reported. This case has insufficient information to make a meaningful medical assessment. The case will be assessed further when additional information is received." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1236104-1 | SPASMS ON LEGS, ARMS AND HEAD; SLIGHT HEADACHE; EXTREME TIREDNESS; SLIGHT FEVER; NAUSEA; BODY ACHES; PROFUSE SWEATING; POSSIBLE SEIZURE; This spontaneous report received from a consumer concerned an 18 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included food allergy. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 201A21A, and expiry: unknown) dose was not reported, 1 total administered on 11-APR-2021 around 11:30 to left arm for prophylactic vaccination. No concomitant medications were reported. On 11-APR-2021, after vaccination patient had done lower body workout. On 11-APR-2021, the patient experienced nausea, extreme tiredness, slight fever, slight headache, body aches, and profuse sweating by evening. She took some children's liquid paracetamol (Tylenol). On 12-APR-2021 about 02:00, she also had spasms of her arms, legs, and head that lasted about 20 minutes. She took paracetamol (Tylenol) at about 03:00 and was pretty out of it. The patient's mother was concerned that it could had been a seizure (possible seizure). The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from spasms on legs, arms and head on 12-APR-2021, and the outcome of nausea, extreme tiredness, slight fever, slight headache, body aches, profuse sweating and possible seizure was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:20210423951-Covid-19 vaccine ad26.cov2.s-seizure. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1238121-1 | Found seizing approximately 48 hours after vaccine. It was confirmed that he had a stroke on 3/12/21. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1238366-1 | Patient became pale, diaphoretic, and experienced a syncopal episode, laid flat and then had simple partial seizure lasting 10 seconds, became incontinent, IV started, A and O x4 , transported to hospital via ambulance |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1238935-1 | Two seizures the following day (more severe from her typical seizure disorder) that led to ankle fracture in both ankles. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1239806-1 | Started around 12:30am, convulsions, chills, rapid heart rate and high blood pressure, took 2 Advil 104 fever, profuse sweating Given 2 Tylenol at hospital |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1240499-1 | SEIZURE-LIKE ACTIVITY; PAIN IN ARM; This spontaneous report received from a health care professional concerned multiple patients of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 201A21A, expiry: unknown) dose was not reported, 1 total administered on 07-APR-2021 for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, the patients experienced seizure-like activity and pain in arm. It was reported that, while the patients sat in the observation area, seizure-like activity was noted for 5 seconds. The patients complained of dizziness (subsumed under seizure-like activity), and pain in arm. The patients were observed for 2 hours and discharged. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the seizure-like activity and pain in arm was not reported. This report was serious (Other Medically Important Condition). This case, from the same reporter is linked to 20210417256, 20210417209 and 20210417456.; Reporter's Comments: The case is a multiple patient case.; Sender's Comments: V0: 20210418457-covid-19 vaccine ad26.cov2.s-seizure-like activity. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1240533-1 | LOSS OF CONSCIOUSNESS(PATIENT WAS COMING IN AND OUT OF CONSCIOUSNESS); BRADYCARDIA; SEIZURE (EYES ROLLED BACK, HEAD WENT BACK); ARM WEAKNESS; PROFUSELY SWEATING; This spontaneous report received from a consumer concerned a 44-year-old male. The patient's height and weight were not reported. The patient's pre-existing medical conditions included patient did not have any known allergies. The patient did not have any reaction to vaccine before. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 041A21A, and expiry: UNKNOWN) dose was not reported, 1 total administered on 09-APR-2021 at right arm for prophylactic vaccination. No concomitant medications were reported. On 09-APR-2021, five minutes after vaccination, patient started profusely sweating and he had a seizure (eyes rolled back, head went back) and lost consciousness. Paramedics were on site came and they did a Electrocardiogram. He had bradycardia (heartrate was very low : 30 bpm). During all this time, he kept on coming in and out of consciousness. Patient also had arm weakness. Paramedics took him by ambulance to the emergency room; they administered some kind of medication because of his heart rate. Reporter thought it was atropine and took him to the hospital. In emergency room, they did a chest x-ray, Computerised tomogram scan and blood work, they did not see anything abnormal that would have caused the seizure. Emergency room Doctor determined that, it was the vaccine or a component of the vaccine that caused the reaction. Laboratory data included Blood test (NR: not provided) Normal, Computerised tomogram scan (NR: not provided) Normal, Chest X-ray (NR: not provided) Normal, and EKG (NR: not provided) 30 bpm. Treatment medications included atropine. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from seizure (eyes rolled back, head went back) on 09-APR-2021, and bradycardia on 10-APR-2021, and the outcome of arm weakness, loss of consciousness (patient was coming in and out of consciousness) and profusely sweating was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:20210422272-covid-19 vaccine ad26.cov2.s-loss of consciousness (patient was coming in and out of consciousness), bradycardia, seizure (eyes rolled back, head went back) . This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1242425-1 | Patient does not remember most of the adverse event. Patient's partner reports that patient started feeling a tingling sensation on his left arm about 10 minutes after vaccination. Partner also reports that patient was hallucinating and sending her confusing text messages during his 15 minute observation period. The patient did not report feeling any adverse symptoms at the checkout station after his 15 minute observation period and before leaving the vaccination clinic. After patient returned home, his partner reports considerable swelling on his left arm, continued hallucinations and trying to dismiss her concerns. Subsequently, that same day, partner reports the patient had a severe migrane and began to lose feeling on his left arm and leg, at which point the patient also lost consciousness. Also at this point, the partner calls 911. After arrival of emergency personnel, the patient regains consciousness, but does not remember name and complains of continued pain on his arm. He is transported to hospital where he spends 3 nights and receives treatment and care for stroke symptoms. Patient reports that he does not remember much of anything 1.5 days after vaccination. After returning home from hospital, patient complains of memory lapses and begins seeing neurologist for minor seizures during his sleep. Wife reports that patient now lashes out and easily loses temper due to the fact that his memory is foggy. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1244816-1 | Patient complained of fever and chills on 4/18. Patient continued to have symptoms, suspected to be acute frontal sinusitis. On 4/21, patient complained of bilateral leg heaviness, felt weighed down, difficult to walk, no weakness, swelling, or redness. Patient elevated legs and felt better on 4/22. Patient later presented to the ED with acute mental status changes. Patient fell at home and had a seizure according to family. Patient is currently intubated and critically ill. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1246269-1 | I?m writing this as a former, trained healthcare professional (physical therapist). 30sec-after injection I raised my left (injected) arm and my deltoid/bicep had a sudden hard spasm. I told my husband (who was in the middle of getting his shot) and the administrator that I was passing out. I blacked out. They ran over. They said 5 minutes passed in which my eyes were wide open and dilated. I suddenly began profuse sweating and convulsions/ severe full body shaking. They could not keep me lucid, and called 911. Paramedics came and got a systolic BP of 36 (I?m unaware of the diastolic BP) with blood sugar at 111 ish. I could not form words and kept going in and out of consciousness. I was transported by ambulance to the ER. A few minutes into the ambulance ride I was able to form words, and vitals stared to return. I?ve passed out a few times and this WAS NOT a normal episode of syncope. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1246578-1 | Seizure - I have never had a seizure before and there is no history of epilepsy in my family. I had the Janssen vaccine shot at around 5PM on Thursday and felt mostly fine on Friday. I had typical shot symptoms (tired and soreness near injection sight). On Friday night around 10:00, I was standing talking to one of my friends in the living room when I had a blackout seizure without any warning. The seizure only lasted about 30-45 seconds, and then I became conscious again. It took me about 5-10 minutes to become completely aware and able to stand up. I have never had a seizure before and have not had one since then. Later the following week, I did have a couple of hours where I felt extremely dizzy and lightheaded, but it went away without another seizure. This is also not typical for me. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1246686-1 | Vomiting, vision impairment (read very slow to me), and seizure(s). Rushed to ER in ambulance. Was put on a ventilator (sedation). Received a CT scan showing a CVST and hemorrhaging in her right temporal lobe. Life-Lined to Hospital. Wore an EEG on her head to monitor seizure activity for 4-5 days. Was put on 4 types of seizure medication and blood thinner for the clot. Did another CT scan which showed her Mid-Line shift was pushing into the left side of the brain by 15mm. Discharged from Hospital on 3/27/21 to Rehabilitation Hospital. She was discharged to home with a caregiver on 4/16/21. She will continue outpatient therapy at the rehabilitation hospital. She will see Speech, Vision, PT, and OT every week until further notice. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1249177-1 | SHAKING/DIZZY/IMBALANCE/DISORIENTED/CONVULSION; CHILLS; This spontaneous report received from a patient concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 10-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 10-APR-2021, the patient experienced shaking/dizzy/imbalance/disoriented/convulsion and chills. After about 48 hours later the patient reported that the adverse event did not get resolved and in addition the patient felt dizzy, experienced imbalance and disoriented. Through call it was not possible to provide medical advice for which he was upset and he was asked to get in touch with local HCP. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from chills, and shaking/dizzy/imbalance/disoriented/convulsion. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210422232-covid-19 vaccine ad26.cov2.s -CONVULSION. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1249204-1 | SEIZURE; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, 1 total administered on 08-APR-2021 to left deltoid for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 12-APR-2021, the patient experienced seizure which lasted for one minute 30 seconds. The patient did not take any medication for her seizure. She never had a seizure before and did not know if there was a correlation with vaccine or not. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from seizure on 12-APR-2021. This report was serious (Other Medically Important Condition).; Sender's Comments: V0;20210424312-covid-19 vaccine ad26.cov2. s-seizure. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1249217-1 | WOKE UP WITH PAIN AROUND 5-6 INCH BELOW BELLY BUTTON; HEART BEAT LIKE PAIN; LEFT LEG MIDDLE OF CALF FEELS LIKE CRAMP; BLURRY VISION; FELT PRESSURE BEHIND BOTH EYES; PAIN IN RIGHT HAND JOINTS FROM SHOULDER BLADE TO MIDDLE FOREARM; SHARP PAIN IN KNUCKLE; FULL BODY CHILLS; HEADACHE; BODY PAIN; SPINE HURTING BAD; CONVULSION; DIFFICULT TO TURN OVER; FEVER; This spontaneous report received from a patient concerned a 30 year old white and Not Hispanic or Latino female. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included patient was not pregnant at the time of reporting. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 207A21A, expiry: UNKNOWN) dose was not reported, 1 total, administered to left arm on 07-APR-2021 14:16 for prophylactic vaccination. No concomitant medications were reported. On 07-APR-2021, after vaccination patient had no issues for 12 to 14 hours. On 08-APR-2021, the patient experienced convulsion, body shaking, difficult to turn over, spine hurting bad, and fever. On 08-APR-2021 03:00, the patient experienced full body chills, headache and body pain. On 08-APR-2021 01:00, treatment medications included: acetylsalicylic acid/caffeine/paracetamol/salicylamide. On 08-APR-2021 19:00, treatment medications included: ibuprofen. On 10-APR-2021, the patient experienced sharp pain in knuckle, pain in right hand joints from shoulder blade to middle forearm. On 12-APR-2021 17:10, the patient experienced blurry vision, felt pressure behind both eyes. On 13-APR-2021, the patient experienced left leg middle of calf feels like cramp, heart beat like pain. On 13-APR-2021 08:00, the patient experienced woke up with pain around 5-6 inch below belly button. Laboratory data on 08-APR-2021 included: Body temperature (NR: not provided) 100.5 Fahrenheit. The action taken with covid-19 vaccine ad26.cov2.s was not reported. The patient recovered from woke up with pain around 5-6 inch below belly button, body pain, pain in right hand joints from shoulder blade to middle forearm, and headache on APR-2021, and the outcome of full body chills, fever, convulsion, difficult to turn over, sharp pain in knuckle, blurry vision, felt pressure behind both eyes, left leg middle of calf feels like cramp, spine hurting bad and heart beat like pain was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210425698-covid-19 vaccine ad26.cov2.s-convulsion. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1249253-1 | INCREASED SEIZURES; THREW UP; INCREASED PHLEGM / INCREASED COUGHING; This spontaneous report received from a parent concerned a 43 years old white Hispanic or Latino male. The patient's height, and weight were not reported. The patient's past medical history included cerebral palsy, mental retardation, and epilepsy, and concurrent conditions included seizures, cough, and phlegm. Patient had no known drug allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 042A21A, expiry: UNKNOWN) dose was not reported, 1 total administered on 06-APR-2021 on right deltoid for prophylactic vaccination. No concomitant medications were reported. On 06-APR-2021, the patient experienced increased phlegm / increased coughing. On 07-APR-2021, the patient experienced increased seizures. On the same day, he experienced threw up. The patient usually had a cough and phlegm. On the following day of vaccination, the patient's amount of phlegm and cough was increased and he throw-up and had 2 seizures. On 08-Apr-2021, the patient had 10 seizures. The patient regularly had seizures but the number per day increased after vaccination. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from increased seizures on 09-APR-2021, and threw up on 07-APR-2021, and had not recovered from increased phlegm / increased coughing. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210428761-covid-19 vaccine ad26.cov2.s-increased seizures. This event(s) is considered not related. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event(s) than the drug. Specifically: MEDICAL HISTORY |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1252397-1 | On 27 MAR 2021, 9:25 am, I received Janssen vaccine Lot # 1805020 in the left deltoid. o Later that same afternoon I had upper quadrant abdominal pain, which was partially relieved by resting on the floor on my hands and knees. The pain subsided after a few hours, and I assumed that it was gallbladder related because of a single ægallbladder attack' I had over 10 years ago. o Three days later (30 MAR 2021), while on a Zoom call with a friend, I began to experience more severe upper quadrant abdominal pain and nausea, saying several times over the hour that I thought I might have to vomit. On my return from the bathroom, she tells me that I put my arm up over |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1253987-1 | FEELING UNWELL; GENERALISED SEIZURE; This spontaneous report received from a physician concerned a 21-year-old female. The patient's height, and weight were not reported. The patient's concurrent conditions included absence seizures (last episode was in 2012), and asthma. The patient was previously treated with ethosuximide for absence seizures. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 01-APR-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 13-APR-2021, the patient experienced generalized seizure that lasted about 10 minutes or maybe a little longer. On an unspecified date, the patient was feeling unwell. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the generalized seizure and feeling unwell was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0 : 20210428279- covid-19 vaccine ad26.cov2.s-GENERALISED SEIZURE- This event is considered not related. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event than the drug. Specifically: MEDICAL HISTORY, UNDERLYING DISEASE |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1256680-1 | "Patient presented post-seizure. Reported 1 week of headache prior to presentation. Found to have cerebral venous sinus thrombosis, small areas of hemorrhage in the right frontal lobe, and bilateral pulmonary emboli, as well as thrombocytopenia (previously had normal platelet count). Per MD ""Clinical picture is entirely consistent with VITT. See no other obvious explanation for this constellation of clinical findings. """ |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1257111-1 | Recieved the vaccine and the following morning around 5am had a seizure which lasted for about 20 minutes. Was transported by ambulance to medical center and recieved care until he was stable and able to go home, but told to follow up with his neurologist as soon as possible. The neurologist saw him within 2 weeks and increased the dosage of his Vimpat and has ordered for him to have a 3 day EEG as soon as possible. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1258374-1 | 4/9 thru 4/12, body aches, chills. 4/12 0400 throwing up stomach pain from dry heaving throughout the day, confusion starting at 6pm on 4/12. Seizure on 4/12 at 8 pm. 911, ambulance. to Hospital Seizure so severe caused a Fracture in the Right Scapula. MRI on 4/15 showed a venous thrombosis partial occlusion in the brain. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1261203-1 | NEUROLOGIC ISSUES; DYSTONIC REACTIONS; DIFFICULTY IN BREATHING; CHEST TIGHTNESS; SEEING ISSUES; BRAIN FOG; SWEATING UNCONTROLLABLY; CONVULSIONS; FLU-LIKE SYMPTOMS; PAIN IN ARM; STOMACH PAIN; This spontaneous report received from a patient concerned a female of unspecified age. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808980, expiry: UNKNOWN) dose was not reported, administered on 07-APR-2021 to left arm for prophylactic vaccination. No concomitant medications were reported. Immediately after vaccination on 08-APR-2021 the patient felt arm pain, felt okay when she got home and was able to take care of family. Woke up with a fever the next day and body aches with flu-like symptoms. The next morning she felt okay, by the next day she felt something was really wrong, she started sweating uncontrollably and she collapsed on her bedroom floor and started shaking uncontrollably and could not breathe/see very well. Patient was able to get to the entrance of the house and lost control of her bladder and continued to have convulsions. On 08-APR-2021, the patient was hospitalized. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from sweating uncontrollably on APR-2021, flu-like symptoms/fever/body ache on 09-APR-2021, and pain in arm on 07-APR-2021, was recovering from dystonic reaction, difficulty breathing, and convulsions/collapsed on bedroom floor/shaking uncontrollably/lost control of bladder, had not recovered from neurologic issues, seeing issues, brain fog, and chest tightness, and the outcome of stomach pain was not reported. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0: 20210429120- covid-19 vaccine ad26.cov2.s-Convulsions,dystonic reaction, difficulty breathing, chest tightness, neurologic issues, seeing issue, brain fog, sweating uncontrollably. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1262789-1 | patient suffered a 2-minute long seizure. She has a history of known seizure disorder. Her last sezure was 3 months ago. She also suffers from severe anxiety. patient was alert and oriented times 3 and refused transport to a local hospital by EMS. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1263645-1 | Headache from 4/14/21 to 4/24/21, tonic-clonic seizure on 4/24/24 admitted to hospital on 4/24/24 |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1263702-1 | Seizure. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1264386-1 | SEIZURE; VERY LOW BLOOD PRESSURE; ACHING BONE; FLU SYMPTOMS; DID NOT FEEL COMFORTABLE; NOT FEELING WELL; LEGS WERE SORE; GENERALIZED FATIGUE; This spontaneous report received from a physician concerned a 27 year male. The patient's height, and weight were not reported. The patient's concurrent conditions included generalized allergy to fish (but not to crustaceans or shellfish). The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 041A21A, expiry: unknown) dose was not reported, 1 total administered on 05-APR-2021 on right arm for prophylactic vaccination. No concomitant medications were reported. It was reported that the patient had the covid-19 vaccine ad26.cov2.s on 05-APR-2021, 6 minutes after, he was not feeling well and his father found him on the floor having seizure. Emergency unit was called. They found he had a very low blood pressure and did not feel comfortable releasing him so they took him to the hospital. Laboratory data included: Blood pressure (NR: not provided) very low. The patient was provided with intravenous line and did EKG (electrocardiogram). Laboratory data included: EKG (NR: not provided) not reported. He was discharged the same day. He did not had seizure since then. On 05-APR-2021, he experienced the flu symptoms, aching bone, generalized fatigue and legs were sore for 48 hours and then they were cleared. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from seizure, and very low blood pressure on 05-APR-2021, and aching bone, flu symptoms, not feeling well, legs were sore, and generalized fatigue on 07-APR-2021, and the outcome of did not feel comfortable was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: 20210435573 -covid-19 vaccine ad26.cov2.s-Seizures. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1264840-1 | PATIENT WAS PANICKINK BEFORE GETTING THE VACCINE.WAS VERY NERVOUS AND AFTER GOT THE SHOT HAD LITTLE SEIZURES AND FAINTED FOR FEW SECONDS.REGAINED CONSCIOUSNESS WITHIN FEW SECONDS.WAS TALKING AFTERWARDS.DID NOT WANT TO LIE DOWN SO MADE HER KEEP HER HEAD BETWEEN THE LEGS FOR PROPER BLOOD FLOW.DID COLD COMPRESS FOR SOME TIME.PATIENT STARTED FEELING BETTER AFTERWARDS.PARAMEDICS HAD ARRIVED BY THAT TIME AND TOOK HER VITALS HICH SEEMED GOOD PER PARAMEDICS.PATIENT SIGNDE A WAIVER AND PARAMEDICS LEFT AFTREWARDS. WE GAVE PATIENT GATORADE TO DRINK AND HAVE ONE OF THE PHARMACY ASSOCIATE BE BY PATIENTS SIDE .AFTER STAYING IN THE PHARMACY FOR ABOUT AND HOUR PATIENT LEFT ALONG WITH HeR HUSBAND |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1265409-1 | Patient reports seizures on 4/25/2021 requiring 911 call, ambulance, and hospitalization stay. Patient mental status changed to violent and resulted in a dislocated shoulder when hospitalized. Patient has no history of seizures or violent behavior. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1266433-1 | Patient presents on 4/21 with sudden onset of severe headache start about 4 days ago and has been persistent since. The pain is all over her head with no particular focal area. CT head: RIGHT PARIETAL CORTICAL INFARCT She had an echo on 4/21/2021 showed normal LV size and function with LVEF 55-60% with no regional wall motion abnormalities. Normal RV structure and function. 1+ AI. No PFO by color doppler. No valvular issues. No history of atrial fibrillation. Patient then had two episodes of seizure on telemetry unit on 4/23/2021 followed by post-ictal phase Patient was discharge 5/26/21 to home with neurology follow-up scheduled in 2-4 weeks. Patient will also receive a Holter for 2 weeks. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1266687-1 | Seizure. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1266906-1 | at 4/28/21 patient was vaccinated w/ Jessen vaccine and soon became pale and observed to became flaccid and pass out. pt's HR was 50, sat02 99% and BP 70/40. Pt soon observed with BLUE contracting and BLLE adducting followed by urine incontinence. Pt did not fall and was sitting in her chair the entire episode that lasted for approximately 40-60sec. Pt awake and continued to have hypotension, dizziness reported. EMS contacted and pt transferred to local ER for evaluation of suspected syncope and seizure s/p vaccination. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1267656-1 | Patient had a seizure. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1269566-1 | Facial pain or headache becomes more severe, drowsiness or confusion , swelling of the forehead or eyelids, vision problems including blurred and double vision, seizure, dry mounth nausea tiredness constipation, double vision Diplopia, one aye is affected, vertigo, speech or walking |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1270027-1 | Day of injection:fever over 100, body aches, fatigue Day 2-same as day 1 plus dizziness, extreme high blood pressure and a seizure Day 3&4-all symptoms continue except the seizure Day 5&6-fever broke, now just dizzy and blood pressure spikes Day 7-most symptoms subsided, but blood pressure still spikes slightly and tinnitus began and continues |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1270151-1 | Systemic: Seizure-Mild, Additional Details: before the shot, patient said he gets nervous and cautioned that he might get lightheaded. after the shot, he started having a seizure. full body contractions in a wave-like pattern from the bottom up. seizure lasted 20 seconds. we offered to call ambulance, but patient refused. he stayed in the store for 30 minutes, when he left he said he felt fine. no previous history of seizures. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1271678-1 | Hepatitis / Encephalopathy (seizures, ADEM, MISC/A) PRESENTING PROBLEM: Fever and chills [R50.9] Hepatitis [K75.9] Febrile illness, acute [R50.9] Acute nonintractable headache, unspecified headache type [R51.9] Seizure (HCC) [R56.9] MIS-C associated with COVID-19 (HCC) [M35.81] Active Issues Requiring Follow-up MIS-C/A - 2/2 COVID-19 infection vs idiosyncratic reaction to J&J vaccine -prednisone taper over 16 days as above -ID will be arranging follow up serial labs (CBC with diff, CMP, Ferritin level, CRP, LDH) -Bactrim prophylaxis while on steroids -Acyclovir 400 mg BID for prophylaxis (hx of recurrent HSV infection of eyelid) - duration to be clarified by ID at follow up -ASA 81 mg daily -TTE w/ normal coronaries. She will need cardiac MRI, to be arranged by adult congenital cardiology Generalized tonic-clonic seizures - witnessed and captured on EEG 4/9. No further events. Continue Keppra 1500 mg BID. outaptient f/u with neurology Abnormal MRI brain - diffuse T2 white matter hyperintensities - non-specific. She will need follow up MRI brain w/ and w/o contrast in 1 month and follow up with neurology clinic ADHD - given insomnia, Senthuri was recommended to avoid vyvanse for now. She will discuss with her outpatient prescriber Anxiety and depression - zoloft increased to 125 mg daily Insomnia - 2/2 trauma from critical illness. Improved with trazodone HS. Elevated EBV PCR - ID will continue to monitor. Nausea/vomiting - resolved. Likey 2/2 gastritis in setting of steroid use. PPI BID x 4 weeks DISCHARGE DISPOSITION: Home without services |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1273508-1 | PATIENT HAD SEIZURE 9 HOURS AFTER GETTING THE VACCINE |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1273974-1 | Patient fell to floor unconscious with seizure. Mucous was coming out of mouth. Patient was placed on side with cold gel packs place on neck and forehead. Patient regained consciousness in about 2 minutes. 911 was called. Dr. overheard page and came to assist. Patient refused ambulance when they arrived. Her boyfriend was going to take her to the ER to have the bump on head be looked at. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1274294-1 | Patient fainted within 5 minutes after receiving the Janssen vaccine. He then appeared to be experiencing a seizure lasting no more than a minute. No history of fainting or seizure. EMS was called and arrived within about 10 minutes, and patient appeared to experience another seizure and he vomited. EMS then transported the patient to the hospital. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1274611-1 | Family reported patient had fatigue, temp of 100 F, nausea, vomiting, and a seizure within 24 hours |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1274974-1 | History of fainting, showed signs of fainting, then had multiple seizures, LOC, incontinence, hypotensive, normal HR. Taken by ambulance to hospital. Unknown results or whether admitted patient was admitted. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1275224-1 | Patient passed out during 15 minute wait time and began to have a seizure after receiving the J&J vaccine. Seizure last about 5-10 seconds. Pt was turned to his side and remained in the same position until EMS arrived. He was conscious after the seizure and was responding and speaking full sentences. EMS was on the line until they arrived in person. Medical EMS personnel were called and responded. They advised pt had a history of seizures. Pt refused to go to the hospital with EMS. EMS cleared pt to continue regular activities. Event time approximately 3:00-3:20pm. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1276421-1 | SEIZURES; DID NOT SLEEP WELL; IRRITABILITY; ANGER; CRYING; BAD RASH ON HIS BOTTOM; This spontaneous report received from a consumer concerned a 32 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included quadriplegia, deafness, and seizures. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805022 expiry: UNKNOWN) dose was not reported, administered on 06-APR-2021 on left arm for prophylactic vaccination. Concomitant medications included unspecified seizures medications. On 06-Apr-2021, after receiving the vaccine the patient did not sleep well, since then extra seizures. The patient has had an inaudible seizure for several years. On 21-APR-2021, the patient slept through the night, irritability. The patient was totally different, angry, crying a lot, had rash, one on his bottom and bad one there. The patient took seizures medicine three times a day. The patient did not have any further information. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the did not sleep well, seizures, irritability, anger, crying and bad rash on his bottom was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0 : - Covid-19 vaccine ad26.cov2.s-SEIZURES- This event is considered not related. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event than the drug. Specifically: MEDICAL HISTORY, UNDERLYING DISEASE |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1276470-1 | NUMBNESS AND TINGLING IN ARM; IT STARTED IN HER LEFT PINKY AND RADIATED UP THE LEFT ARM. IT HURT FOR A FEW HOURS; BRAIN HURT; SHAKINESS; BODY PAIN; CHILLS; EXHAUSTION; SEIZURES; This spontaneous report received from a health care professional concerned a 19 year old female. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, 1 total, administered on 09-APR-2021 on left deltoid for prophylactic vaccination. The batch number was not reported and it has been requested. No concomitant medications were reported. On 09-APR-2021, the patient experienced seizures, confusion, pale appearance and nausea after forty five minutes patient was okay. The patient was drove back home and slept for 7 hours then experienced exhaustion. The next morning on 10-APR-2021, the patient's brain hurt to work and experienced body pain, shakiness, chills. Ten days later on 19-APR-2021, the patient experienced numbness and tingling in left arm. It was started in left pinky finger and radiated up the left arm. It was hurt for a few hours (just 1 episode). health care professional has ordered tests but they had not been completed yet. The patient was seen by a pediatric neurologist on 22-APR-2021 for evaluation of seizures. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of seizures, exhaustion, chills, body pain, shakiness, brain hurt, numbness and tingling in arm, It started in her left pinky and radiated up the left arm, It hurt for a few hours was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210450038- JANSSEN COVID-19 VACCINE Ad26.COV2.S-Seizures. This event is considered unassessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1276486-1 | CONVULSING; ELEVATED BLOOD PRESSURE 190; FELT BAD; This spontaneous report received from a patient concerned a 61 year old male. The patient's height, and weight were not reported. The patient's concurrent condition included bee stings allergy, and concurrent conditions included occasionally drinks beer, and non-smoker. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805020, and expiry: 25/MAY/2021) dose was not reported, 1 total dose administered on 11-MAR-2021 in left arm for prophylactic vaccination. No concomitant medications were reported. After vaccination on March 11th 2021 after 30 minutes later Blood Pressure went up (190) and then convulsion started ,so they called ambulance.They took to the emergency room. after that patient underwent lab test. they gave him (Alban) Intravenous. The patient was in the hospital for few hours and then it calm down. He felt pretty bad for few days after 4to 5 days he feel normal. Currently, patient was back to normal. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from elevated blood pressure 190, and convulsing on 11-MAR-2021, and felt bad on 16-MAR-2021. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:-COVID-19 VACCINE AD26.COV2.S-convulsion, blood pressure high. These event(s) are considered unassessable. The event(s) have compatible/suggestive temporal relationship, are unlabeled, and have unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1277501-1 | Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fever-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Hyperventilation-Mild, Systemic: Shakiness-Mild, Systemic: Stroke-Mild, Systemic: Weakness-Mild, Additional Details: patient was nervous and was hesistant about needles just prior to vaccination. as soon as the vaccinnation was done, patient became tense and seizure like activity for ~10 seconds, then he became coherent and was sweating/ pale/ feverish. Gave the patient water, ice packs, and offered to call 911 once he was coherent. Patient refused and then called friend to take him home. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1277804-1 | Was observed for at least 15 minutes. Arrived at home and had a seizure, was rushed to the hospital. Mother claimed patient is in ICU. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1278080-1 | pt mentioned prior reaction history of seizures but hasn't happened in a long time. Felt anxious when getting vaccine and motioned he thinks he might be having an anxiety attack before shaking. I was near patient when seizure started was able to guide him off chair slowly onto ground to try to protect head but head was slightly bumped on the ground; only lasted 2 to 5 seconds but pt felt fine after awakening and asked how long seizure went on for. Denied EMS services and after 30 minutes of rest with cold water and an ice pack patient felt better and left store. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1279137-1 | 2nd time submitting this because first submission said error; doing another report just in case. Patient got vaccine and said felt anxious then started having a seizure for 2-5 seconds pt said they had history of this prior but has been a while. I was near patient and able to slightly guide patient down but head did slightly hit floor. Patient woke up and said they were fine . Had patient stay an extra 30 minutes and gave ice pack and water and left the store after ensure they felt fine. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1279809-1 | Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Body Aches Generalized-Medium, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Seizure-Severe, Systemic: Shakiness-Severe, Systemic: Tachycardia-Severe, Systemic: Tingling (specify: facial area, extemities)-Severe, Systemic: Visual Changes/Disturbances-Medium, Systemic: Weakness-Severe |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1279812-1 | Systemic: Seizure-Severe, Additional Details: within 5 minutes after administration, he collapsed, lost conciousness and had a seizure which lasted 30-40 seconds. we protected his head and laid him flat on ground and called 9-1-1. he maintained breathing and pulse throughout. when EMTs arrived he walked out with them for further evaluation. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1280571-1 | The patient was vaccinated and said that she feels dizzy, nervous. The patient sat on the chair ,passed out and had a seizure. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1280879-1 | "Patient was administered the Janssen COVID vaccine at 403 pm. I returned back to the pharmacy to prep his partner's vaccine and when I came back at 405 pm, he was loopy with his head swaying. He wasn't responding to verbal communication by his spouse and me nor through touch as I shook his shoulder. He then lost consciousness and so I lifted his head to check for breathing and pulse which he had. I asked my technician to call 911, and asked my other tech to help me transition him to the floor so we can raise his legs to provide blood flow to his head. Mid-transition, he had a seizure. We brought him completely to the floor and just as I was about to turn him to his side, he regained consciousness. Pupils were dilated, breathing normal, pulse elevated. He also was able to speak immediately and confirmed feeling ""okay"". I then had my technician remain outside with him laying on the ground as I returned back inside the pharmacy to call management and my technician was still on the phone with EMS. Paramedics and management arrived within 10 minutes upon which patient was then taken to the hospital. Wife followed and we rescheduled her vaccine." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1281869-1 | two seizure episodes. patient was coherent before, between and after |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1282311-1 | Patient presented w/ loss of consciousness on 4/26. Initial workup negative. Pt then had a witnessed seizure requiring intubation for airway protection. After extubation on 4/29, patient was noted to have profound leg weakness out of proportion to brief intubation. Infectious and neurologic workup negative for transverse myelitis. Thought to be possibly auto-immune Guillain-Barre like peripheral neuropathy. Started on plasma exchange with immediate good response. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1282515-1 | April 10th - 6 hours post vaccine - chills, fever, and migraine 7 days post vaccine - fatigue and constant migraine, causing missed work 16 days post vaccine - After taking Rizatriptan, migraine is still debilitating, patient seeks help from the ER April 26th - patient receives Compazine, Toradol, and Benedryl in the ER. Patient starts convulsing after a dosage of Compazine. Receives IV fluid, and is sent home when migraine recedes. Pallete blood test taken in ER and results come back normal. April 29th - patient's migraine returns worse than before, patient works with a neurologist, takes 20 mg of Rizatriptan and then returns to Urgent care, receiving a 25mg shot of Phenergan, which relieves migraine temporarily. May 3rd - patient continues to have headaches and fatigue, neurologist has prescribed a protocol of 10mg of Propranolol 3x daily as preventative. Rizatriptans are prescribed to quell migraines. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1283753-1 | After receiving vaccine patient was about to sit in observation chair, he started seizing and fainting. Hit his nose and had nose bleed. He was having panic attack due to injection. Called 911. We made him comfortable and then in 5 minutes he started to faint. Ex-Ems was next to him, he started asking him questions and make sure he was awake. Within 5 minutes EMS arrived and they took over, checked all his vitals and found out patient did not eat or drink for whole day and had phobia with needles. Patient refused to go to hospital. Per EMS recommendation patient had drink and a bagel. Patient's relative came and took him home. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1283764-1 | Patient received dose in right arm with no complications. However, about 1-2 minutes after vaccination patient reported feeling lightheaded. As I was instructing her to remain seated, she passed out and was unresponsive. She appeared to be having a seizure immediately after that lasted about 1 minute. Once this episode passed, she became responsive and could talk. EMS arrived and took over. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1284433-1 | 4-5-21 vommiting ,headache 4-6-21 spine pain , headache cont ,vomiting 4-7-21 spine pain , headache cont ,vomiting reaction to morphine and oxy (anaphalactic shock ) x 2 er visits 4-8-21 spine pain , headache cont ,vomiting, seizures/ trimmers ,confussion/memory loss ,bladder incont. numb and teng in right side face and arm. facale swelling and drooping Er Visit 4-9-21 spine pain , headache cont ,vomiting, seizures/ trimmers ,confussion/memory loss ,bladder incont. numb and teng in right side face and arm. facale swelling and drooping 4-10-21 spine pain , headache cont ,vomiting, seizures/ trimmers ,confussion/memory loss ,bladder incont. numb and teng in right side face and arm. facale swelling and drooping ER 4-11-21- 4-14-21 spine pain , headache cont ,vomiting, seizures/ trimmers ,confussion/memory loss ,bladder incont. numb and teng in right side face and arm. facale swelling and drooping 4-14-21 spine pain , headache cont ,vomiting, seizures/ trimmers ,confussion/memory loss ,bladder incont. numb and teng in right side face and arm. facale swelling and drooping went to my PCP she sent me staright to hospital due to facial drooping and swelling in Face and convosiont/trimmeres. 4-22-21 spine pain , headache cont ,vomiting (min), seizures/ trimmers ,confussion/memory loss ,bladder i numb and teng in right side face and arm. facale swelling and drooping Fallow up with pcp waiting to see nerology for sezure activity 4-23-21-5-2-21 spine pain , headache cont ,vomiting, seizures/ trimmers ,confussion/memory loss . numb and teng in right side face and arm. facale swelling and drooping |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1285183-1 | Systemic: Chills-Severe, Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1285414-1 | Case had Covid-19 dx on 3/18/21. No SXS. Had Janssen vaccine administered on 4/7/21. Approx 2 wks later c/o fevers and a seizure on 4/26/2021. Was eval in medical facility then at another for seizure. Her fever was 102.7 about 1 hr prior to her seizure. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1286147-1 | "Shortly after the administering the vaccine the person tensed up and became unresponsive. He appeared to be having a seizure. I was able to get the patient to the floor and he became responsive. He said he ""was ok"". We had contacted EMS. We had the patient lie flat until the EMT's arrived. He was very sweaty and tired but he insisted he was fine. He refused to go to the ER and he was able to get a ride home." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1286810-1 | AFTER THE PT RECEIVED THE VACCINE, HE CAME TO REGISTER TO SIGN FOR IT. THEN HE WAS TOLD TO SIT FOR 15 MINUTES TO MAKE SURE HE DOESNT HAVE ANY ALLERGIC OR ADVERSE REACTIONS. HE WAS LOOKING AROUND THE STORE WHEN HE ALL OF THE SUDDEN HAD SEIZURE AND FELL ON THE FLOOR. WE CALLED EMS RIGHT AWAY HOWEVER HE WOKE UP AND BOTH HIM AND HIS FRIEND TOLD US TO DISCONNECT WITH EMS. HIS FRIEND TOLD US THAT HE HAS EPILEPSY AND HE HAS EPISODES LIKE THIS TIME TO TIME. THE PT EXPERIENCED SOME CUTS ROUND HIS FORHEAD AND HIS (L )EYEBROW WHICH WE HELPED CLEAN UP WITH DISINFECTANT AND BANDAID. AFTER HE LEFT WITH HIS FREIND (WHO WAS THE DRIVER), WE FOLLOWED UP WITH HIM AND HIS FREIND AND THEY SAID HE IS DOING WELL. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1288886-1 | Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Mild, Systemic: Headache-Mild, Systemic: Seizure-Mild, Systemic: Shakiness-Medium, Additional Details: About 5 minutes after the shot, the patient lost conciousness, fell face forward on the ground. Face appeared grey, was unresponsive, but was making grunting sounds. His body appeared to be shaking lightly, possible seizure, was not responsive. Oral benadryl was not possible at this point. Turned patient on back/side in order to adminster the epipen. Patient quickly became alert and responded. No injection site reaction. Paramedics arrived shortly to check vitals and transfer him |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1288950-1 | Systemic: Seizure-Severe, Additional Details: Pharmacist was informed that she was uncomfortable with needles and blood, but had not had a severe reaction to any vaccine previously. RPh checked if she had fainted before and told her to sit for 15 minutes then will check on her and if she is lightheaded or dizzy extend to 30 minutes. RPh administered Janssen shot to patient and asked if she was okay. She confirmed then patient got up. Patient moved to another chair & started seizing. RPh and mother took care until well enough to get up. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1288956-1 | Systemic: Seizure-Severe, Additional Details: Patient seized for 1-2 minutes after being given vaccine. Pharmacist had patient sit/lay down for 30 minutes and mother took care of patient until she recovered. Pharmacist checked in every 10 minutes. Patient was offered but did not request any ambulance or further medical assistance. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1290193-1 | A few minutes after vaccine was administered, patient moved to the waiting room and we heard a bang from the waiting area. We looked over to see patient slumped over and seizing. My technician called 911 and I put a cool compress on his neck and he started to come to. The seizure stopped but the patient was still feeling lousy. I had him lay down with his knees elevated until the EMT's arrived |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1290405-1 | Patient received first J&J vaccine and within 5 minutes or so started seizing, shaking, breathing heavy and slumped over in the chair. He woke up quickly but could not remember what had happened. He reported tingling in his fingers and toes. EMS was called and evaluated him. He went home in stable condition. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1290719-1 | I started to get Migraines the day of the shot. I was nauseous and I did have seizure which only happens twice a year. My seizures are not always triggered by migraine. I have a history of hives and I get reactions to bites. I decided to get the Johnson & Johnson because it seemed to be a better option. Ten days after the vaccine I had a Migraine that was so bad I had to go to the doctor. When I got there my blood pressure was high. I was given some migraine medicine, but it did not help. The migraine was there for four weeks after the shot. I still got a numbing headache after the shot until five weeks after the shot. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1291922-1 | Systemic: Seizure-Mild, Additional Details: lasted seconds |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1291958-1 | About 10-15 hours after injection - Came down with headache, fever, body aches, fatigue, and night sweats. Recovered fully 24 hours after injection. May 5th, 2021 ~7:30 am (4 days post-vaccination) I stood up from a seated position and then collapsed moments later and had, what my brother described as, a seizure which was followed by confusion, nausea, and fatigue. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1292006-1 | Rigors, Fever, Convulsions. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1292009-1 | Patient experienced a seizure episode immediately after I administered his COVID-19 vaccine. I administered the vaccine at 10:22 AM and a few seconds later Patient started to shake and toss his head back. I immediately called 911/paramedics after his wife and I helped him to lay to his side. His seizure episode lasted about 2 or 3 minutes. He quickly regained consciousness and became fully responsive before the paramedics arrived. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1294131-1 | 3/31 stroke like symptoms ED with admission for testing 4/20 stroke like symptoms ED with admission for testing 4/27 seizure 4/28 seizure during MRV confirmed no stroke 5/2 15 seizures ED visit to stop seizure activity 5/3 19 seizures, admission for LP and EEG study 5/4 4 seizures discharged, tests inconclusive 5/5 2 seizures 5/6 2 seizures All are accompanied by severe headache, blurred vision, confusion |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1294878-1 | presented to ER within 18 hours of vaccine with fever, and seizure. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1295377-1 | seizure, 3/25/21 |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1296184-1 | Before receiving the vaccination the patient mentioned he had a fear of needles. Patient was asked if he ever fainted after getting a vaccination or injection and patient reported no. The vaccine was administered to the patient and patient appeared to be fine for the next few minutes after getting vaccinated. Patient was told he could take a seat in the waiting area and wait until his 15-minutes were up and he could go. Patient was seated in the waiting area for about a minute but then got up to walk down one of the isles. When walking down the isle patient fainted and collapsed. This occurred approximately 10 minutes or so after he received the vaccine. Patient was helped to a chair and once seated appeared to shake/convulse (almost like a seizure) for approximately 5-10 seconds before snapping out of it and regaining consciousness. Afterwards he was alert and talking but didn't remember fainting. 911 was called and he was checked out by paramedics. After observing him for 15 minutes or so and determining his heartrate and blood pressure were normal and he appeared to be ok, the paramedics told him they can take him to the hospital to be evaluated further, or he was free to leave on his own without going to the hospital. The patient said he felt fine and declined being taken to the hospital. After another 10-15 minutes the patient left under his own power. Patient mentioned he would possibly be calling his physician and alerting them to the episode. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1296510-1 | Pt. was light-headed right after she was injected with the Janssen vaccine which she explains happens when she gets shots. She started to seize after 2 minutes, which lasted for about 5 seconds. 911 was called and ambulance took her to the hospital. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1296710-1 | Pt was given the vaccine. Within less than 5 minutes, she said she was feeling light-headed and proceeded to pass out. She fell to the floor, and I went out to assist her. She was able to keep her head from hitting the floor, and I supported her head as she regained consciousness. She tried to sit up but lost consciousness again and appeared to convulse (arms and legs drawn up). She regained consciousness again, and was completely lucid. We called 911 and EMT arrived and continued their usual procedures including checking blood pressure, heart rate, and blood glucose. Her BP was 130/80 laying, and 80/60 sitting. Her pulse was 50. Her blood sugar was 56 before consuming glucose and 71 after. She was given water as well. She declined a ride to the hospital but did have a friend give her a ride home. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1298811-1 | SEIZURE; RED PETECHIAE ON ABDOMEN; FEVER OF 103; This spontaneous report received from a patient concerned a 54 year old female. The patient's height, and weight were not reported. The patient's past medical history included stroke from patent foramen ovale (PFO), and concurrent conditions included lupus, epilepsy, menopause, and patent foramen ovale. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 29-APR-2021 at 17:00PM, for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 29-APR-2021, within an hour after vaccination, the patient experienced seizure and about five hours later the patient experienced red petechiae on abdomen and fever of 103 F. The patient consulted doctor and started taking 10 mg of prednisone. The patient's seizures were still spiking; they were trying to control the seizures with Lorazepam. The patient was expecting that prednisone will help. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from seizure, and the outcome of red petechiae on abdomen and fever of 103 was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210503252-COVID-19 VACCINE AD26.COV2.S-SEIZURE. This event(s) is considered not related. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There are other factors more likely to be associated with the event(s) than the drug. Specifically: UNDERLYING DISEASE |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1299950-1 | The patient received the Janssen Johnson & Johnson vaccine from a certified immunizing technician. She was asked to wait 15 minutes after receiving the vaccine before leaving the pharmacy and remained seated in the post vaccination waiting area chair. She began feeling dizzy and lightheaded. She was caught by her family members and the pharmacist on duty before she fell. She briefly had a mild seizure and lost consciousness for a minute. When she regained consciousness she stated that she felt nauseous and was seeing double. 911 was called. EMTs arrived and checked her alertness and how she was feeling. The EMTs then took her off in a stretcher to the hospital out of an abundance of caution due to brief loss of consciousness. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1300769-1 | Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Hypotension-Medium, Systemic: Nausea-Medium, Systemic: Seizure-Medium, Systemic: Tingling (specify: facial area, extemities)-Medium, Systemic: Visual Changes/Disturbances-Medium, Additional Details: Patient had a history of seizures from 2012-2015 but is no longer on medication of any sort. About 5-7 min after vaccine was given he had seizure like activity. He had cold sweats, low blood pressure, and was very pale. He complained of dizziness, nausea, tingling in hands, and blurred vision. 911 was called and he left with EMT |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1300778-1 | Site: Redness at Injection Site-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Seizure-Severe, Additional Details: pt did not have reddness or pain at site, but fainted and had a seizure |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1300787-1 | Systemic: Flushed / Sweating-Mild, Systemic: Headache-Mild, Systemic: Seizure-Mild |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1301329-1 | Patient was given her shot, she got up and sat down in the nearest observation chair, then immediately said she was dizzy and thought she was going to pass out. I went to her and she repeated that she was about to pass out. When her head started to roll back I was able to hold her by her shoulders. Her eyes rolled back and her head dropped back and she started convulsing. She lost consciousness for about 10 seconds. When she came to she didn't know what was happening. She was very sweaty by this time. I asked if she had a history of seizures or had ever fainted before and she answered no. EMS was called. I checked her BP and it was 84/41. The patient tried to stand to assist with finding her husband in the store but I told her she had to sit until EMS arrive. We offered her water and orange juice and she asked for both. When the husband got there we asked him if she has a history of fainting or seizures and he said this has happened multiple times, mostly as a result of seeing blood. He said she hasn't had seizures but she has had tremors when this has happened. I checked her BP again and it was 116/88. She was feeling a lot better. EMS arrived and she was stable by that point. They recommended that she go to the hospital, but patient opted not to go. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1301518-1 | April 12/Day 1 - 1:35pm : 5 minutes after the shot my throat hurt Afternoon: Felt light-headed, woozy and hard to focus on work. No fever yet. 8:30pm: Chills so bad I was convulsing and could barely hold anything in my hands. Got in bed and stayed there. 9:30pm: 102.6 fever Evening and in the middle of the night: Drank lots of water and coconut water. Took 2 Tylenol before bed. April 13/Day 2 - Morning - took 2 more Tylenol Had fever all day, around 101.8 and going down to 101.3. Slept all morning. 12:30pm - Got out of bed to try to eat chicken soup and crackers - took 3 bites and felt nauseated, like I would throw up so I got back in bed and went back to sleep. 5pm - Woke up and ate a little dinner. April 14/Day 3 - Temperature dropped to normal. April 15 - present: Didn't have fever but continued to feel sick and have symptoms: Day 3-5: Hard to focus at work. Someone would call me to talk about something. Then we started talking about other things and I couldn't remember why they called in the first place - what was the topic we were talking about. Felt very tired and had to rest periodically throughout the day, in between work meetings. Day 6-12: Continued to feel tired and weak. Have to take at least 1 nap to get through the day. Brain fog - memory not as good. Felt sick, like I had a cold (eyes hot and itchy, throat periodically hurt. I don't normally have allergies.) Took lots of echinacea, elderberry syrup and Vitamin C. Day 12 - Present: Still feel tired all day long except for the first 4 hours after I have coffee in the morning. Need to take a nap most days. I don't feel as healthy as I did prior to taking the shot on April 12. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1302026-1 | Systemic: Fainting / Unresponsive-Medium, Systemic: Nausea-Medium, Systemic: Seizure-Mild, Additional Details: Patient receieved vaccine. After about 5-10 minutes the patient stated she was very nauseous. I went to grab a trash can for her and within the 20 seconds or so it took to grab she had what seemed like a single muscle spasm or convulsion then she slid out of her chair onto the floor. She was breathing and coherent right away however she did not remember getting on the floor. Called 911 and EMS came out and took her vitals. She stated she felt fine afterward and did not go with them. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1302027-1 | Systemic: Fainting / Unresponsive-Medium, Systemic: Nausea-Medium, Systemic: Seizure-Mild, Additional Details: Patient receieved vaccine. After about 5-10 minutes the patient stated she was very nauseous. I went to grab a trash can for her and within the 20 seconds or so it took to grab she had what seemed like a single muscle spasm or convulsion then she slid out of her chair onto the floor. She was breathing and coherent right away however she did not remember getting on the floor. Called 911 and EMS came out and took her vitals. She stated she felt fine afterward and did not go with them. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1302031-1 | Systemic: Hypertension-Medium, Systemic: Seizure-Medium, Additional Details: Pt had seizure like activity / HTN crisis 3 min after injection. Hx of heart problems and phobia of needles. Pt lost airway and then consiousness, Pt was assisted to floor. EMS was called. After airway postioning and sternal simulation pt regained consiousness. Pt was handed off to NP care and then later to EMS after being evaluated. Wife stated they did not go to hospital and later went to dinner, when she picked up vaccine cards. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1302188-1 | During 15 minute observation period, patinet fell from chair to carpeted floor with seizure lasting 4 mintues, airway maintained, EMS activated. Patient continues to have intermitent seizures till EMS arrived. Left with EMS. Chart review shows no arrival to a ED so unknown to patient outcome. Hx of mutiple ED and hospital admissions due to seizures. Patient notes states not always taking medications due to her work. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1302664-1 | Patient experienced light headedness, dizziness and passed out for about 2-3 seconds. Minor convulsions during unconsciousness. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1302862-1 | Systemic: Seizure-Mild, Additional Details: Patient experienced seizure within 20 minutes of administration that did not last for more than 5 minutes. Patient was able to sit back in chair to await ambulance. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1302965-1 | - a 26 yo male, received a Janssen vaccine at approximately 1:30pm on 5/9/21 - Prior to administration, I asked patient if he had any issue with vaccines prior and he stated no. His consent form did not indicate medication allergies or a history or reactions. - Less than 5 minutes after administration, the patients friend, who also received a vaccine, stated that he was having a seizure - I instructed her (pharmacy technician) to call 911. - I observed the patient laying on his side by the wall in the pharmacy waiting area; he was conscious with eyes open. I did not observe him seizing. He did have a red spot on his forehead where his head hit the wall. He was also sweating. His friend stated that he seized for less than 5 seconds. - I gave the patient a frozen water bottle for his head and a room temperature water bottle. - The patient stated he did not want to pay for an ambulance which I relayed to her . - The EMT did arrive anyway and checked on the patient. - The patient and his friend left the store together, without EMT support or transfer. - The EMT team did not communicate with me prior to leaving the store. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1303422-1 | Patient began to seize (shake uncontrollably and eyes were rolling into the back of head). |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1303535-1 | "Patient received vaccine at around 11am. After waiting around for a few minutes he stated he was light headed. I went over to observe and gave patient some water. He was starting to sweat and turned very pale. 1 minute later he passed out. I brought him to the floor from his chair and he starting shaking and 'seizing"" for about 10-15 seconds. We used pressure on his chest to try to ""snap"" him out of it. After about 15 seconds of ""seizing,not breathing normally and his left arm completely locked up"" he came to and did not know where he was for about 2-3 minutes. After about that time he started to realize where he was and recognized his wife who was assisting. EMS was called and arrived shortly, He was lucid and knew where he was and started to feel normal again. EMS checked his vitals and they were normal. Patient refused to go to hospital and EMS released him to his wife. I checked on patient 4 hours later and he had no ill effects and stated he felt just like he did before receiving the vaccination." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1303919-1 | Progressively worse headaches culminating in seizure, unconsciousness, and subdural hematoma requiring helicoptering to the ER and brain surgery to drain the hematoma. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1306586-1 | Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Nausea-Medium, Systemic: Seizure-Mild, Systemic: Shakiness-Medium, Systemic: Vomiting-Mild |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1306601-1 | Systemic: Chills-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Hypotension-Medium, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1306718-1 | Hemodialysis; dizziness and seizure secondary to uremia 1 week after vaccination |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1306814-1 | Hypoxia readmission 1 hour after discharge from initial admission for seizure, hyperglycemia, and trach procedure |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1307340-1 | Site: Pain at Injection Site-Medium, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Headache-Medium, Systemic: Hypotension-Medium, Systemic: Numbness (specify: facial area, extremities)-Medium, Systemic: Seizure-Severe, Systemic: Tachycardia-Medium, Systemic: Tingling (specify: facial area, extemities)-Medium, Systemic: Weakness-Medium, Additional Details: Patient was given COVID vaccine and moved to another chair to be observed. Upon sitting in other chair, he almost immediately went stiff, began convulsing, and then went unconscious. Patient came to, 911 was called, and patient was transported to ER. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1308248-1 | AFTER ADMINISTRATION PATIENT IMMEDIATELY LOSS COUNCIOUS AND BEGAN TO CONVULSE |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1309750-1 | BODY CONVULSIONS FROM CHILLS; BODY ACHES; TEARY EYES; RAPID BREATHING; STUFFY NOSE; CHILLS AND CHATTERING TEETH; PRESSURE HEADACHE; FEVER WITH CHILLS; SORE MUSCLE; This spontaneous report received from a patient concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of administration was not reported, batch number: unknown) dose was not reported, 1 total, administered on 29-APR-2021 at around 11:00 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 29-APR-2021, the patient experienced body convulsions from chills, body aches, teary eyes, rapid breathing, stuffy nose, pressure headache, chills and chattering teeth, fever with chills and sore muscle. On 29-APR-2021 at around 15:00, treatment medications included: paracetamol. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from body convulsions from chills, body aches, teary eyes, rapid breathing, stuffy nose, chills and chattering teeth, and sore muscle, and was recovering from fever with chills, and pressure headache. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:20210460597-covid-19 vaccine ad26.cov2.s- body convulsions from chills. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1309980-1 | Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Mild, Systemic: Shakiness-Mild, Additional Details: Patient fainted and had seizures like symptoms along with cramps. Patient fainted for less than a minute. Was breathing and talking soon afterwards. 911 was called. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1312669-1 | About 10 minutes after receiving the 0.5 ml dose of the Jansen vaccine while the patient was waiting in observation, she had a brief (~10 second) LOC followed by a mini seizure. Patient was being observed by 2 EMTs and 3 nurses. Patient recovered quickly, had a strong pulse, steady breathing, and was aware and responsive. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1314258-1 | Patient had a seizure and vomited. The seizure lasted a couple of minutes. She feel from the chair that she was sitting in when she got the vaccine. A gentlemen that came with her picked her up and sat her on a chair. He was holding her from there on. We called code Blue on the intercom and called the ambulance. Once she came back from seizure she was fully conscious and aware of her surrounding. She knew her name, address, where she is , etc. The ambulance took her away to Hospital. (She did mention to the ambulance that she had a seizure about a month ago because she took medicine and alcohol that she was not suppose to.) |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1314307-1 | Patient said he had a seizure at home in his sleep. He said he wetted his pants and his wife told him he had a seizure. He sought medical attention after and his doctor changed his seizure medications. He is now asked by his doctor not to drive for 2 months |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1314710-1 | "Patient received vaccine and fainted. Significant other was with patient at the time and reported patient ""convulsing"". Patient reported feeling numb and tingly at extremities and hyperventilating. Patient was sweating and extremely anxious. EMT arrived, assessed patient, and escorted patient out of facility." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1314722-1 | Within 5 minutes from receiving my J&J vaccine, I went to sit down and I started feeling very hot in my body. My heart started to race, had chest discomfort and had trouble breathing, my trachea closed up, had blurry vision and pain in my chest. I felt like I could not breathe and when the nurse came over to ask me I could not speak to her, I went into a shock and I was placed on the floor and I could not hear anything nor could open my eyes, from my hips down to my feet I could not feel anything, my legs went completely numb and I had a syncope. What I was told from the nurse that I was given an Epi-pen to help with my reaction. When I came back my body was having convulsions, felt my head spinning, had pain in my chest that so very intense and the nurse got me up and took me to a nearby ambulance and the EMT staff placed like a heart monitor because my heart was racing super fast. I also felt heaviness in my chest and inside the ambulance I was given two injections on my left arm and when I slowly started coming back, I was already at the hospital. I was at the hospital from 2pm to 4:30pm more less being monitored. At the hospital x-ray of the chest was performed as well as lab work and I was discharged home. When I got home, I still did not feel good, I felt heaviness to my chest, still have trouble breathing and get chills during the night. I also could not stand up and have a nerve sensation to my body and the chest pain to my left side is still very present. I have blurry vision, dizziness, headaches, and my heart-beat continues to race very fast. I get headaches, have abdominal pain and I peed blood few times then that's when I was able to pee, my abdominal pain was painful like having a baby. On Friday 04-08-2021, I again went to the hospital because I had fallen to the floor on my kitchen floor and my daughter took me to the hospital. I let the nurse staff know that I still have continued chest pain and pressure, difficulty breathing and headaches, dizziness and they monitored and gave me three pills as medication. I was discharged home about 5pm with a referral to see a neurologist due to my chest pain, blurry vision, dizziness and fever which I had these past three weeks. I do not know why I felt all these symptoms after my J&J vaccine. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1314964-1 | Shortly after receiving the vaccine patient felt light headed and removed mask. He then passed out falling forward in chair and hitting his head he then went into convulsions. Quickly came to and was able to walk out with EMS. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1315218-1 | approximately 10 minutes after the innoculatioin the patient was sitting and talking with me and thenjust drooped his head down andwas unresponsive. I shook him and said his name while my coworker called 911.A retired nurse assisted me . As patient was coming to he tried to stand up and appeared to be convulsing, so we sat him back in the chair. He then wasa responsive but sweating profusely. We got him to the floor andput cold compresses on forehead and neck and waited for 911 to arrive. They released him to his girlfriend to bring him home. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1316347-1 | STROKE; PASSED OUT; DIZZINESS; DID NOT FEEL WELL; HEARTBURN; HEADACHE ON THE FRONT LEFT SIDE; RECURRENT SEIZURE; This spontaneous report received from a patient concerned a male of unspecified age. The patient's weight, height, and medical history were not reported. The patient received COVID-19 VACCINE AD26.COV2.S (suspension for injection, unknown, batch number: 1805029, expiry: UNKNOWN) dose was not reported once a total on left deltoid, administered on 28-MAR-2021 11:00 for prophylactic vaccination. No concomitant medications were reported. On 30-MAR-2021 patient went to the hospital because patient did not feel well and was given seasick pills. Two days later patient was still not feeling well and went to hospital, where the doctor said that patient having a Stroke, and patient in the middle of a Stroke. The doctor administered intravenous to patient .The patient was hospitalized for 3-4 days then transferred to Hospital (where patient is insured) and was hospitalized for 4-5 day. On an unspecified date in 2021, the patient had recurrent Seizure .Three days in a row and then one day rest and then it came back again, basically for the month came different times. Patient said his eyes would roll back to his head. On unspecified date in 2021, patient had dizziness and passed out and went to hospital where they said they should have never released patient. Patient was hospitalized for 2 days and did work up. Then hospital took patient back and they didn't do what hospital did. Patient mentioned feeling better at hospital with the treatment they provided him but when hospital cared for patient, they did not use the same. Patient also mentioned that he was sent to rehab to learn how to walk. Patient had experienced heartburns but they did not give him medication for heartburn. Patient was upset and got his friend to buy Antacid for him and he took it with relief. Patient used a walker/cane to get around and was perfectly fine before. On unspecified date in 2021 patient experienced headache on the front left side of the head (like someone is stepping). The action taken with COVID-19 VACCINE AD26.COV2.S was not applicable. The outcome of the headache on the front left side, dizziness, recurrent seizure, heartburn, stroke, passed out and did not feel well was not reported. This report was serious (Hospitalization Caused / Prolonged, and Other Medically Important Condition).; Sender's Comments: V0: 20210507602-COVID-19 VACCINE AD26.COV2.S-stroke, recurrent seizure, passed out, dizziness. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). 20210507602-COVID-19 VACCINE AD26.COV2.S-did not feel well. This event(s) is labeled per RSI and is therefore considered potentially related. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1316576-1 | Seizure on 3.10.2021. Treated in ER on 3.10.2021. Bit tongue and experience insentience. Prescribe Keppra XR 500 mg Tablet. Take twice a day. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1316836-1 | Had difficulty seeing clearly. All the colors on the packages in the grocery store shelf were running together. This occurred for about three minutes, then completely locked up. Fell backwards and began having a seizure. No history of seizures prior to this. Difficulty breathing, completely locked up. Appears to be a tonic clonic seizure. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1317036-1 | Patient was given Janssen COVID-19 immunization via intramuscular route in the deltoid region of the left arm. Patient was fine following the vaccination and was instructed to sit for 15 minutes to be monitored. Approximately 5 minutes after patient was sitting, his body suddenly went straight and his eyes were open. He started to seizure for about 5 seconds and hit his head against the counter. He regained consciousness afterwards and was in distress. After calling EMS, they checked for his blood pressure, Pulse Ox, and blood sugar levels, which they considered stable. They asked the patient if he felt fine at that time, which he said yes. They told him to wait at the pharmacy until his Dad came to pick up him. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1317190-1 | Patient began feeling lightheaded and faint while sitting down approximately five minutes after the vaccination administration. Within 2 minutes of this the patient began having a seizure that lasted for approximately 30 seconds. Patient slid to the floor and become unresponsive. An Epi-pen was administered and shortly after patient stabilized and regained consciousness. Within 2 minutes he was able to answer questions and was oriented to place and time. Within 10 minutes the paramedics were on scene and patient was stable and talking to them. They recorded a blood pressure of 130/90 at this time. They took him to the local hospital from here. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1318590-1 | Seizure, involuntary muscle spasms, fatigue, nasal congestion, eye swelling and feeling out o it |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1319226-1 | At approximately 1505 this 38 yo white female displayed seizure type activity while sitting in the observation stating at the mobile vaccine clinic. Staff safely lowered her from chair to side lying position. Seizure activity observed for less than one minute, drooling noted. Post-ictal for approximately 5 min AEB delay in response to questions, following directions and formulating complete sentences. Neuro: PERRLA, hand grips equal, lower extremity strength strong and equal bilat. EMS services arrived, took charge, assessed and put pt on transport gurney but she declined transport. EMS staff stated familiarity with pt and seizure history. She remained in observation for 30 min longer VSS with BP 120/82, R 20, P 90. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1319640-1 | On 5/13/2021 patient developed a cough in the evening. Patient woke up not feeling well on 5/14/2021, and also had nausea and vomiting. Patient was driving a vehicle when he had a seizure. No prior history of seizures. Drifted off the road, no significant damage to vehicle. Patient post-ictal following seizure, seizure activity was witnessed by bystanders. CT brain showed small subdural hematoma. A CTA chest performed due to hypoxemia and tachycardia at Hospital showed Multifocal groundglass type nodular infiltrates throughout the right lung involving the upper lobe, middle lobe, and lower lobe, minimal left lower lobe patchy infiltrate, as well as patient's known thymoma. These multifocal groundglass infiltrates were not previously mentioned on a CT chest performed on 4/10/2021. Patient was transferred to this facility for evaluation by neurosurgery. Patient was mildly tachycardic, hypoxemic to 88% on room air, and tachypneic. Patient reported decreased sense of taste & smell for 1 month, which he attributed to his losartan use. A covid/flu/rsv PCR on 4/10/2021 was negative, and a viral respiratory pathogen panel with covid PCR was negative on 5/14/2021, as was an antigen & NAAT for COVID on 5/14/2021. Patient was treated with antibiotics and admitted for further management. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1321240-1 | Patient received the vaccine and while sitting down within one minute he fainted and fell on the floor. He remained on the floor until paramedics arrived. Paramedics took his vitals and observed him for a period of time. They said it was fine for him to leave with someone else to drive him. While waiting for family to arrive the patient began to have a seizure. Paramedics returned and this time they took the patient for further care. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1322551-1 | SEIZURES; POTASSIUM LEVEL DROPPED; SUGAR LEVELS DROPPED; WHITE BLOOD CELL COUNT DECREASED; NUMBNESS; SWOLLEN LYMPH NODES IN NECK; FELT LIKE DYEING; TEMPERATURE WENT UP; UNABLE TO GET UP; This spontaneous report received from a patient via a company representative concerned a female of unspecified age received via social media. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown, Expiry Date: UNKNOWN) dose was not reported, 1 total, administered on 16-MAR-2021 for prophylactic vaccination. The batch number was not reported. Per procedure, no follow-up will be requested for this case. No concomitant medications were reported. On unspecified date of 2021, the patient's temperature went up and White blood cell count decreased to 1800. The patient's sugar level was dropped although the patient was not having any sugar problems. The patient also experienced swollen lymph nodes in neck, seizures, and numbness. The patient's potassium level was dropped to 3.0. The patient was unable to get up off couch. The patient was hospitalized for 1 day. The patient also felt like dying. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the temperature went up, White blood cell count decreased, sugar levels dropped, swollen lymph nodes in neck, seizures, numbness, potassium level dropped, unable to get up and felt like dying was not reported. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0: 20210516164-COVID-19 VACCINE AD26.COV2.S-Seizures, Potassium level dropped, Sugar levels dropped, White blood cell count decreased, Numbness, Swollen lymph nodes in neck, Felt like dyeing, Temperature went up, Unable to get up . This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1322991-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1323095-1 | Post vaccination seizure and loss of consciousness |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1323138-1 | FIRST 24-48 HOURS; FEVER, CHILLS, CONVULSIONS, NAUSEA, HEADACHE, BURNING SENSATION IN NECK & SPINAL COLUMN, FATIGUE. FROM 4/9/2021-PRESENT; SPORADIC BODYWIDE SKIN HIVES THAT ARE RED, BUMPY AND ITCHY- SPORADIC BLISTER LIKE SKIN LESIONS ON ANKLES, LEGS AND ARMS. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1324171-1 | Patient felt nausea and could not breath so he stood up and took a breath. When he stood up he lost consciousness and fell. Patient hit his fore head and started having a seizure. The seizure lasted about 1-2 minutes before he regained consciousness. Patient was taken away by the EMS |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1324256-1 | LIGHT HEADEDNESS, THEN SEIZURE FOR ABOUT 10 SECONDS. WE CAUGHT PATIENT AND LIED HIM ON THE FLOOR AND TURNED PATIENT ON A SIDE, ARM WAS SWELLING AND TURNED ORANGE. PATIENT WAS CONCIOUS, EMT ARRIVED AND TOOK HIM TO THE HOSPITAL. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1325260-1 | Patient experienced a seizure about 5 minutes after receiving the vaccine. No history of seizure activity ever. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1326856-1 | When patient filled out the form she stated that she tended to have seizures with immunizations. About 3 minutes after the Covid immunization she did have a light seizure. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1327491-1 | Pt presented to ER early the following am, with seizures. Pt reports having a small reactions immediately after vaccine administration. Pt reports muscle stiffness, eyes rolling back, shaking, diaphoretic. Pt also reports having a second episode of syncope when she arrived home. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1329115-1 | SEIZURE; SEVERE MUSCLE ACHES; This spontaneous report received from a patient via a company representative concerned a patient of unspecified age and sex. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. The Company is unable to perform follow-up to request batch/lot numbers. No concomitant medications were reported. On an unspecified date, the patient experienced seizure and transported to hospital. CT scan performed -no problems. Patient experienced sever muscle ache. Laboratory data (dates unspecified) included: CT scan (NR: not provided) No Problem. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the seizure and severe muscle aches was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0;20210530480- covid-19 vaccine ad26.cov2.s-Seizure. This event is considered un assessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1329663-1 | SEIZURES; PARALYSIS ON ONE SIDE OF BODY; This spontaneous report received from a consumer via social media via a company representative concerned a female of unspecified age (teenager), race and ethnicity. The patient's weight, height, and medical history were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: unknown) 1 total dose, start therapy date were not reported for prophylactic vaccination. The batch number was not reported. Per procedure no follow up will be requested for this case. No concomitant medications were reported. On an unspecified date, the patient experienced seizures, and paralysis on one side of body, and on an unspecified date, she was hospitalized. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the seizures and paralysis on one side of body was not reported. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0: 20210530732-covid-19 vaccine ad26.cov2.s-seizures and paralysis on one side of body. This event(s) is considered unassessable. The event(s) has an unknown/unclear temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1330114-1 | Roughly 5-10 minutes after receiving the vaccine, patient fainted and began seizing for about 30 seconds. 911 was called, but patient came too and denied ambulance. Patient then vomited a couple minutes after. Patient reported he had not eaten anything and he was given orange juice and water. Patient waited another 30 minutes and reported feeling better. denied any further medical treatment. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1330199-1 | Patient with PMH of Aspergers, ADD and obesity brought to ED in status epilepticus. Headaches and nausea/vomiting started day of vaccine and progressively worsened. Was observed to have 2-3 seizures before arriving to ED (possibly over a 2 hour period) on 5/18. Found to have Superior sagittal sinus thrombosis and thrombocyctopneia with elevated D-Dimer and PF4 and low fibrinogen. Patient suffered irreverisible brain injury. Decision made with family to withdraw care |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1330514-1 | Patient was non-communicative but sitting still in the chair. Appeared to be in a mild type of seizer temporarily. After a few minutes was able to communicate and was feeling better. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1332357-1 | CONVULSIONS/SEIZURES; HYPERTHYROIDISM; DRUG INTERACTION; FLUCTUATING HEART RATE; NUMBNESS DOWN FACE; NUMBNESS AND TINGLING IN ARM; ABNORMAL VISION; SKIPPED DOSES; This spontaneous report received from a patient concerned a female of unspecified age. The patient's height, and weight were not reported. The patient's past medical history included covid-19 infection, and concurrent conditions included neurological issues related to covid, and seizures. On 19-MAR-2021, the patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, frequency once total, administered for prophylactic vaccination. The patient received Topiramate (capsule, hard, oral, batch number was not reported) 100 mg, 1 time every 1 day, from OCT-2020, 100 mg, 1 time every 1 day, from 08-MAY-2021, and 200 mg, frequency, and therapy dates were not reported for neurological issues related to covid. The batch number was not reported and has been requested. Concomitant medications included thyroid. On an unspecified date in 2021, the patient experienced hyperthyroidism, and was hospitalized (date unspecified) and experienced convulsions/seizures, numbness down face, abnormal vision, fluctuating heart rate, numbness and tingling in arm and had skipped doses (coded as drug dose omission). Patient went to the hospital where she had stopped Topamax for 6 days to check whether electroencephalogram (EEG) would show up, and thyroid function test (NR: not provided) high (hyperthyroid). levels had dropped. The hospital ultimately could not found anything. But she went back to a different hospital for more neurological testing and was taken off of Topamax again. She had another thyroid test and her levels had dropped. On, 07-May-2021, the patient was discharged and started taking it again from the night of 08-May-2021.The numbness had came back. She saw online that Topamax and Armour Thyroid should not be combined. She mentioned that at some point her dose was increased to 200 mg a day and she had experienced more seizures. On an unspecified date in 2021, the patient experienced drug interaction The action taken with covid-19 vaccine ad26.cov2.s was not applicable; and action taken with Topiramate was not reported. The patient recovered from hyperthyroidism, had not recovered from numbness down face, and abnormal vision, convulsions/seizures, fluctuating heart rate and numbness drug interaction and tingling in arm was not reported. This report was serious (Hospitalization Caused / Prolonged). This report was associated with a product quality complaint 90000179114.; Sender's Comments: V0. 20210522141-COVID-19 VACCINE AD26.COV2.S - Convulsions/Seizures, Hyperthyroidism, Drug interaction. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). 20210522141-TOPOMAX-Convulsions/Seizures. This event(s) is labeled per RSI and is therefore considered potentially related. 20210522141-TOPOMAX-Hyperthyroidism, Drug interaction. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1332367-1 | SEIZURES; PAIN IN JOINTS; VISION BLURRY; This spontaneous report received from a patient concerned a 62 year old male. The patient's height, and weight were not reported. The patient's past medical history included he had been healthy individual all his life. The patient's concurrent conditions included patient was non-alcohol user, and non-smoker. The patient had no history of comorbidities. The patient had no known allergies and drug abuse or illicit drug usage. The patient received Covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 205A21A expiry: 11-MAY-2021) 1 total dose was administered at left arm on 10-MAY-2021 (reported as Monday) for prophylactic vaccination. No concomitant medications were reported. On 10-MAY-2021, the patient experienced blurry vision (vision blurry) which had happen all of sudden. On 12-MAY-2021, (reported as Wednesday) after taking JNJ vaccine he was taken to the emergency room because he had developed seizures (seizure), the patient experienced pain in joints (pain in the joints) which had happen all of sudden and was hospitalized. The patient was treated with Levetiracetam 500 mg for seizure. He was hospitalized for a day. The action taken with Covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from seizures, and had not recovered from pain in joints, and vision blurry. This report was serious (Hospitalization Caused / Prolonged).; Sender's Comments: V0: 20210529765-COVID-19 VACCINE AD26.COV2.S-Seizures. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). V0: 20210529765-COVID-19 VACCINE AD26.COV2.S-Pain in joints. This event(s) is labeled per RSI and is therefore considered potentially related. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1332428-1 | SKIN LESIONS THAT LOOK LIKE BLISTER; HIVES; FEVER; NAUSEA; HEADACHE; CONVULSIONS; BURNING SENSATION IN SPINAL COLUMN AND NECK; SWEATING; This spontaneous report received from a patient concerned a 31 year old female. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included unknown. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown expiry: UNKNOWN) dose was not reported, administered on 07-APR-2021 in Left Deltoid for prophylactic vaccination. The batch number was not reported and has been requested. On 07-APR-2021, the patient experienced adverse effects of fever, chills, nausea, burning sensation in spinal column and neck, convulsions, sweating and headache after receiving the JANSSEN COVID-19 VACCINE. On an unspecified date, the patient experienced skin lesions that look like blisters appeared on her arms, legs, feet, ankles, thigh, neck and face and also experienced hives which has been ongoing since then. The patient has not taken any medications for these adverse effects, but she takes sertraline as concomitant medication. On 13-May-2021, the patient stated that she visited the HCP who advised her to get OTC Zyrtec and prescribed a steroid cream which she is yet to pick from the pharmacy The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from convulsions, burning sensation in spinal column and neck, sweating, fever, nausea, and headache on 09-APR-2021, and had not recovered from hives, and skin lesions that look like blister. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:20210532543-COVID-19 VACCINE AD26.COV2.S- Convulsions- This event is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1333687-1 | Patient told me before I gave him a shot, he sometimes faints. Patient leaned back in the chair just in case he faints. I gave him the shot then after a few minutes, he said he was going to prop his leg up on the chair. After a few minutes later, he told he was going to lay on the floor just in case he faints. Patient had a seizure for less than 1 minute. Afterwards, the patient told me he sometimes get seizures especially after vaccination, when he bumps his elbow, or once when he got his ear cleaned. He had test in the past to determine root cause but doctor do not know why he had seizure. He said he did not want his girl friend to come in because he didnt want her to freak out just in case he had a seizure. I observed patient for full 30 minutes to make sure he was well to leave and his girl friend took him home. I did not know about his seizure history and he did not indicate it on the vaccine form. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1334004-1 | Experienced seizure event on 5/11/2021 ER reports non- verbal upon admission, altered mental status, urine screen positive marijuana & benzodiazepines. Tested positive for Covid-19 5/11/2021 Hospitalized 5/11/2021- 5/18/2021. D/C diagnosis: Acute metabolic encephalopathy Active issues: hypolalemia, Seizure (HCC) , Covide infection, AKI (Acute kidney injury), elevated troponin, elevated LFTs. Hospital Attending Hospitalist MD Consults: Doctor of teleneurology |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1334143-1 | Patient within a few minutes indicated he felt dizzy and sweaty. I sat him down within minutes his eyes rolled back and he lost consciousness. He bagan to make gurgling noises as if trouble breathing. His color was grey and he was sweating profusely. 911 was called by a technician and I gave one dose of Epinephrine 0.3 mg into lateral right thigh at approx. 9:40 am. Within this period of time he began seizing. He regained consciousness prior to EMT's arriving and was brought to the hospital. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1334628-1 | Patient had a vasovagal response and fainted a few minutes after her injection. She was unconscious, not breathing for a few seconds as her head fell to her chest, but resumed breathing when we opened her airways. Her body seized upon taking in air and 911 was called. She regained consciousness before the paramedics arrived and her vitals were within normal limits when they checked her. Pt went home on her own with mom. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1336848-1 | On 04-02-2021, woke up feeling dizzy and out of it also has loss of consciousness. I went to the movies with my sister and had a seizure some time while at the movies. I went to the hospital and at the hospital I had a second convulsion seizure at the hospital which lasted 10 minutes and something that I had low blood count. They kept me at the hospital for 2-3 days. I also had migraines and taking anti convulsion medication. They performed MRI, EEG's, CT scans and all my exams came back within normal limits. I am not epileptic. I believe I am now stable and taking my medicine as prescribed, I am still out of work and I have not had a seizure since being at the hospital. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1337315-1 | Had a seizure. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1337947-1 | PATIENT FELL TO THE FLOOR AND HAD A SEIZURE WHICH LASTED ABOUT 45 SECONDS. THIS WAS FOLLOWED BY VOMITING. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1338359-1 | Grandmother explained on 5/21/21 that pt had rare sickness called Panda disease that can lead to seizures, twitching, and tics. States pt had to go to ER in the evening after due to severe seizure onset, vomiting, and increased swelling in injection site. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1341674-1 | Could not get air into lungs, made sugar get out of control, had a seizure and turned purple, passing out , ambulance had to come get me from vehicle and take me to emergency room in the hospital, kept me there for about 6 hours then released me to go home, went to my Doctor next day and he immediately sent me to hospital. I was checked for Blood Cloth due to the signs being there along with other tests I am home however I still do not feel well. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1341822-1 | "About 30 seconds after the vaccine was administered the patient collapsed in her chair and began to seize. Prior to the collapse she had asked to sit for a moment and said that she was feeling strange. I stabilized her in the chair until the seizure finished, it lasted about 30 seconds. I then helped her to the floor and had her sit against the wall. She was pale and confused but conscious. She complained of head and neck pain, as well as oral pain. She denied seizures in the past, but states that she may have previously had ""seizure-like activity"". I asked my technician, to call 911. Once emergency services was on the way I kept her in the immunization room with the door propped open and got her an apple juice. Then I stayed with her until EMS arrived. EMS determined that she was stable and stayed with her until family arrived to take her home" |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1343284-1 | Pt received IM vaccination and was told to wait up front in store. Noticed patient seizing in his chair less than 5 minutes after the shot. He was lowered to the floor and placed on his side. Total seizure was about 30 seconds. Pt came around and had no previous history of seizures. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1343672-1 | Pt received his vaccine and returned to the waiting room. Within 5 minutes he slumped to the floor, he lost consciousness and had a brief seizure lasting less than 30 seconds There was a sheriff deputy in the waiting area that asked him his name, year, president and where he was. He was able to answer all questions, but was still shaking. We called 911 and EMTs were here within 2 minutes and took over. After assessing him and taking his vitals they decided to transport him to Hospital. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1343777-1 | Upon standing post-vaccination, patient fell into the floor, eyes rolled back into his head, and was convulsing. Upon regaining his whereabouts, patient stated he did not recall anything that had happened. He had impaired vision, tinnitus, and was ashen in color. I was able to get the patient into a chair and he experienced two more episodes within 5 minutes. 911 was called. Patient requested water and it was provided. Paramedics arrived and conducted multiple tests (blood glucose, blood oxygen, blood pressure, heart monitoring). Patient refused referral to the local hospital and left the pharmacy within 30-45 minutes after the incident without any further problems. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1344402-1 | Patient had a seizure immediately following vaccine administration. EMS services were called to pharmacy. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1344902-1 | Patient had reported previously losing consciousness after vaccination a few years prior. About one or two minutes after receiving the vaccine the patient lost consciousness and experienced mild convulsions lasting in total about 10 seconds. His mother was present and explained this was the same reaction he had experienced several years earlier with a previous vaccine. The patient regained consciousness and reported that he felt dizzy, but otherwise okay. He appeared clammy and asked for some water. I gave him a bottle of water, which he drank slowly. He reported to us feeling the same as he had after the previous vaccine reaction. As patient was conscious and speaking clearly, I watched him and asked him to wait until he felt comfortable to stand. At one point he asked to sit on the floor, but was eventually able to sit on the chair again, then move to another chair in our waiting area about 20 minutes post-vaccination. I asked him to wait for a total of 30 minutes or longer if he felt anything unusual. At 6:39 approached me and said her son was feeling normal and they would be leaving. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1351309-1 | Seizure, sweating, not coherent |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1354915-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1355166-1 | Systemic: Patient fainted 2 times due to feeling dizzy and on one occasion for 5-8 seconds was shaking like a mini seizure. EMS came and cleared her, she refused the trip to hospital-Medium, Systemic: Seizure-Mild, Additional Details: As described above |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1356081-1 | Loss of consciousness, seizure and urinary incontinence during seizure |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1357030-1 | SEIZURE (PASSED OUT); WEAK; This spontaneous report received from a consumer concerned a male of unspecified age. The patient's height, and weight were not reported. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: Unknown) dose was not reported, administered on 21-MAY-2021 for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On 21-May-2021, the patient got the vaccine and passed out, patient had 2 seizures. patient had not eaten much during day so patient might have been weak. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the seizure (passed out) and weak was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: covid-19 vaccine ad26.cov2.s-seizure (passed out). This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1357445-1 | SEIZURE; SLURRED SPEECH; LEG PAIN; HEADACHE; SORE ARM; FEEL WEIRD (NOT HERSELF); This spontaneous report received from a patient concerned a 59 year old white and not Hispanic or Latino female. The patient's height, and weight were not reported. The patient's concurrent conditions included hypothyroid. The patient did not do drugs. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609, expiry: 09-JUN-2021) dose was not reported, 1 total, administered on 20-MAR-2021 to right arm for prophylactic vaccination. No concomitant medications were reported. On 21-MAR-2021, the patient experienced sore arm the next day after receiving vaccine. On 22-MAR-2021, The patient had headache the following week that did not go away for about 5-7 days and nothing was relieving the pain. On 24-MAR-2021, the patient experienced leg pain and thought it was arthritis but she had never had leg pain like that before and her legs were really hurting. On 04-APR-2021,Sunday the patient was still feeling it. The next day woke up fine but still had leg pain and decided to take a hot bath and she really started to feel weird (not herself) and she was talking to the delivery woman and she was slurring her words (she did not do drugs) and was a healthy person. The patient laid down and her fiancT wanted to take her to the hospital. The patient's mom came over and she wanted to show her a new fridge and called it a fire place. 911 were called and the patient was taken to the hospital and admitted with seizure for 5 days. The patient had the seizure 15 days after the JnJ vaccine on 05-APR-2021, in the afternoon. The patient underwent 2 Magnetic resonance imaging (MRI) and a bunch of tests, computed tomography scan (CAT scan), electroencephalogram (EEG). No MD could claim this was from the JnJ vaccine. It was reported that the patient never had a seizure before in her life. A colleague told the patient that she read an article that said that she could have seizures and she was hypothyroid and thought that it a contraindication to the vaccine. The patient was admitted for 5 days and all tests came back normal. The patient was having speech issues but they were improving. The patient's mobility was fine and eye function was fine. The patient missed a lot of work. The patient had follow up with neuro in a month and would see another neuro and pen medicine and it was an ongoing situation. This was to make sure that everything was okay. Laboratory data (dates unspecified) included: CAT scan (NR: not provided) Normal, EEG (NR: not provided) Normal, and MRI (NR: not provided) Normal. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from seizure, leg pain, and headache on 2021, and sore arm, was recovering from slurred speech, and the outcome of feel weird (not herself) was not reported. This report was serious (Hospitalization Caused/Prolonged).; Sender's Comments: V0-20210552079-covid-19 vaccine ad26.cov2.s - Seizure- This event is considered un-assessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1357640-1 | Systemic: Nausea-Mild, Systemic: Seizure-Mild, Systemic: Vomiting-Mild, Additional Details: After Janssen vaccine shot given to patient.Patient lowered her face and body to our blood machine monitor and appear to experienced partial seizure with mild symptoms. Called 911. Patient was assessed her side effects and she told them that she had history of epilepsy and haven't had an episode for at least a year. Provide water to her and also garbage bin next to her due to Patient being nausea. Paramedics arrived about 3 minutes after they were called. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1358381-1 | Patient seemed to be having a seizure within minutes of vaccine. Head tilted back, arms started shaking in patients lap, Patient was unresponsive and seemed to stop breathing momentarily. Patient seemed to recover within 5 minutes and was able to answer paramedic questions once they arrived. Declined further treatment or to go to hospital |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1358596-1 | Patient suffered a seizure one day after receiving vaccine in prison. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1360863-1 | AFTER PATIENT RECEIVED THE VACCINATION, HE SAT DOWN IN THE WAITING AREA. AFTER APPROXIMATELY 1 MINUTE THERE WAS A NOISE AND I NOTICED THAT HE WAS SLUMPED TO THE RIGHT SIDE AND STARTED TO CONVULSE. I RAN OUT TO THE PATIENT AND ENSURED THAT HE DID NOT FALL AND HELD HIM IN PLACE UNTIL HE STARTED TO COME TO. AFTER ABOUT 30 SECONDS THE PATIENT STARTED TO BECOME AWARE AND COULD HEAR ME TALKING BUT WAS STATING HE COULD NOT SEE. AFTER ABOUT 30 SECONDS HIS SIGHT RETURNED. DURING THE TIME THAT I WAS FIRST WITH THE PATIENT, THE STORE MANAGER CALLED 911 AND THE EMS WAS ON SITE AFTER APPROXIMATELY 5 MINUTES. I HAD THE CUSTOMER SIT DOWN AND GAVE HIM WATER UNTIL THE PARAMEDIC ARRIVED. THEY TOOK A HISTORY OF THE PATIENT AND AFTER A FEW MINUTES TOOK HIM BY AMBULANCE TO THE LOCAL HOSPITAL FOR ADDITIONAL OBSERVATION. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1360938-1 | 9 hours after the vaccination, I woke with seizure like sub-0 chills where I where I felt like I was lying in the snow without clothes on. Very hard shaking. Put on flannel pj's and wool socks, but could not get warm. The violent shaking lasted about 3 hours. Along with what felt like 12 migraines at the same time. My forehead was very hot, but that could have been from my hand being so cold. My thermometer battery was dead. The next morning, and for almost a week, I felt very lethargic as if I were watching myself from outside my body, hard to drive and focus, head felt like a giant bruise and I was incredibly tired. The tiredness has never gone away and I feel weaker every day here two (2) months later. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1361475-1 | Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1361884-1 | Pt was sitting in observation chair after his vaccination--a little slumped over and twitching as if he were having a seizure. He did not respond to me calling his name. Pt gained consciousness and was a little frightened, not understanding the situation or remembering where he was at. He felt a little better after some water. About 4 minutes later, he said he was losing his vision and seeing flashes of light. He was told to lie on the floor with his feet up. Within a few minutes, he said he was feeling a lot more like normal. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1362301-1 | "minutes after vaccine patient fainted. when i went over to check on her she had a very mild seizure like rxn. then cam to and said ""where am I"". we administered cold pack to fore head, checked pulse. she came around a bit more and we gave her cold water. then a glucose tablet. color started to come back into her face. gave her peanut butter crackers and a banana. she stayed for about 1 hr. called her sister to come get her." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1362369-1 | I woke up around 2 in the morning with body aches, chills, and nausea. I started having muscle seizures that made me unable to talk, but I was still somewhat aware of things going on around me. I went to the ER where they observed my pulse and oxygen levels. I was also completed a full blood panel and an EKG was administered. woke up aroound 2 am with body ached, chills nausea i started havieng mucle seizurs, where I couldn't talk .I went to the ER week to get better |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1362496-1 | I administered the vaccine and asked patient to move to the waiting area for his 15 minute observation period. He moved out to the chair and sat down about 2 minutes later his abdomen started to move back and forth a few times and then he started to have what appeared to be a seizure. It was very short (20 seconds), he remained in the chair. His mom and I moved him to the floor with his help. He then mentioned that he forgot to take his seizure medication last night and was feeling very nervous about the vaccine. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | "CONTINUED TO BLEED; HAEMORRHAGIC STROKE; VOMITING; HEADACHE; PLATELET COUNT DECREASED; BIOPSY SOFT TISSUE; BRAIN SCAN ABNORMAL; POSSIBLE CEREBRAL VENOUS SINUS THROMBOSIS; BRAIN COMPRESSION; BRAIN STEM HAEMORRHAGE; BRAIN STEM SYNDROME; CEREBRAL HAEMORRHAGE; HEMIPLEGIA; SEIZURE; This spontaneous report received from a health care professional via a Regulatory Authority Vaccine Adverse Event Reporting System (VAERS) (VAER reference number 1244328 and 1199143) concerned a 59 year old female. The patient's height, and weight were not reported. The patient's concurrent conditions included pre-diabetic. It was unknown if patient was taking any prescriptions, over-the-counter medications, dietary supplements, or herbal remedies at the time of vaccination. No allergies to medications, food, or other products was reported. The patient was not pregnant at the time of vaccination. The patient did not have an adverse event following any previous vaccine. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1805020, and batch number: 1805020 expiry: UNKNOWN) dose was not reported, administered on 20-MAR-2021 (also reported as 27-MAR-2021) for prophylactic vaccination. Anatomical vaccination site were not reported. No concomitant medications were reported. On 03-APR-2021, one week after vaccination, the patient had headache and vomiting. On 05-APR-2021, the patient had seizure due to hemorrhagic stroke. On an unspecified date, the patient experienced brain compression, brain stem haemorrhage, brain stem syndrome, cerebral haemorrhage, hemiplegia, possible cerebral venous sinus thrombosis, biopsy soft tissue, and brain scan abnormal, and was hospitalized. On 06-APR-2021, the patient had a surgery to remove pressure on brain and brain stem (craniectomy). The surgeon noted alarmingly low platelet counts (results unspecified). The patient had platelet transfusion. The patient was hospitalized for '4 days'. The patient continued to bleed on 06-APR-2021 and 07-APR-2021. The patient was removed from life support on 08-APR-2021. The patient died on 08-APR-2021. It was unknown if autopsy was performed. Laboratory data reported following: Brain scan was abnormal and showed abnormal, multi-focal brain bleeds and increased compression of brain. On 07-APR-2021, Brain scan abnormal which showed increased bleeding and brain stem injury. On 08-APR-2021, the patient died from possible cerebral venous sinus thrombosis. Laboratory data (dates unspecified) included: Biopsy soft tissue (NR: not provided) unknown, Pathology test (NR: not provided) unknown. On 08-APR-2021, the subject died from possible cerebral venous sinus thrombosis. It was unknown if an autopsy was performed. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient died of possible cerebral venous sinus thrombosis, brain compression, brain stem haemorrhage, brain stem syndrome, cerebral haemorrhage, hemiplegia, seizure, haemorrhagic stroke and continued to bleed on 08-APR-2021, had not recovered from headache, vomiting, and platelet count decreased, and the outcome of biopsy soft tissue and brain scan abnormal was not reported. This report was serious (Death, and Hospitalization Caused / Prolonged). This case, involving the same patient is linked to 20210441454. Additional information was received on 24-MAY-2021. Following information was added and incorporated into the narrative. Additional events of haemorrhagic stroke and continued to bleed were added, seriousness of events platelet count, vomiting, and headache was updated, additional reference numbers were added, additional vaccination date added in narrative, labeling updated, and course of event and laboratory data updated. It was determined that Manufacturer Case Number 20210441454 was a duplicate of this case. All relevant information regarding this case will be submitted under Manufacturer Case Number 20210500861. Upon review, the following information was amended: events biopsy soft tissue and brain scan abnormal was updated from non-serious to serious as this was on the earlier VAERS report.; Sender's Comments: V2: Additional information received regarding updates in seriousness of events, labeling, course of events, case identifier; and additional evets of hemorrhagic stroke and ""continued to bleed"" did not alter prior assessment. This fatal spontaneous report (VAERS ID 1244328) concerned a 59- year- old female who experienced vomiting, headache and seizures and was hospitalized for brain compression, brain stem hemorrhage, brain stem syndrome, cerebral hemorrhage, hemorrhagic stroke, hemiplegia, possible cerebral venous sinus thrombosis 16 days after Janssen COVID-19 vaccine was administered for prevention of symptomatic SARS-CoV-2 virus infection. The patient's height, and weight were not reported. The patient was pre-diabetic with no known allergies. Concomitant medications were not reported. Biopsy soft tissue was done (results not reported) and brain scan showed multi-focal brain bleeds and increased compression of brain; the patient underwent neurosurgery. The platelet count was decreased (result not reported) and received platelet transfusion. Follow-up scan next day showed increased/continued bleeding and brain stem injury and a day later she died from possible cerebral venous sinus thrombosis. It was unknown if an autopsy was performed. Although the subject's pre-diabetic status may have contributed, based on evolving knowledge of Thrombosis with Thrombocytopenia Syndrome (TTS, per definition from Brighton Collaboration - BC) and considering the low platelet count and temporal relationship to vaccination (BC Criteria level 5), the events are assessed to have a plausible relationship with vaccination.; Reported Cause(s) of Death: POSSIBLE CEREBRAL VENOUS SINUS THROMBOSIS" |
| **SEIZURE** | **COVID19 (COVID19 (JANSSEN)) (1203)** | **JANSSEN** | [1363773-1] | |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1363782-1 | Intensive convulsion; unable to turn torso; severe back pain; musculoskeletal injury; muscle tear of some sort; This spontaneous report received from a patient. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included patient never had any conditions or issues, nor any record of chronic pain or back pain. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin, batch number :Unknown and expiry: Unknown) 1 total , administered on APR-2021 for prophylactic vaccination. The Batch no was not reported and has been requested, No concomitant medications were reported. On APR-2021, the Patient experienced intensive convulsion, unable to turn torso, severe back pain and discharge with musculoskeletal injury. On APR-2021, the Patient experienced muscle tear of some sort. Laboratory data included: Scan (NR: not provided) No internal Issues. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient had not recovered from intensive convulsion, severe back pain, unable to turn torso, musculoskeletal injury, and muscle tear of some sort. This report was serious (Other Medically Important Condition).; Sender's Comments: V0-20210549341- covid-19 vaccine ad26.cov2.s-Intensive Convulsion-This event is considered Un assessable. The event has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1365215-1 | about 5 minutes after patient received shot , he came to pharmacy counter to say he felt light headed, as I ( the pharmacist) headed out to have him sit down, dropped to a sitting position on the floor, I was able to get him up to a chair and was fanning him and we got him some water. he the passed out and his lead lobbed backwards, I got behind him so he did not hit his head and he went into a mini seizure which only lasted about 5 seconds and then he came out of, he was in sweats and we called 911. He declined to go to hospital and his mom came and picked him up |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1365237-1 | "Patient received his Janssen Covid-19 immunization. The patient arrived at 11:00am on 6/1/21 and completed his pre-screening questions and temperature check. The patient then completed his ""Patient Questionnaire and Consent Form."" The patient was administered his Janssen Covid-19 vaccine around 11:05am. About 2 minutes after administration, the patient appeared pale and sliding out of his chair. The pharmacy technician responded and held the patient under his arms. The patient convulsed and then became unconscious. We called 911, checked the patient for breathing and responsiveness. The patient didn't stop breathing and became conscious about 1 minute after losing consciousness. We placed the patient on the floor and placed cold compresses under his neck and on his wrists. EMTs arrived and evaluated the patient and made sure the patient was stable. EMTs offered to take the patient to the hospital but the patient declined." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1365531-1 | MOTHER REPORTED HE HAD ADDITIONAL SEIZURES, VOMITING, EXTREME FATIGUE,STIFF ARM, SLURRED SPEECH, COULDN'T WALK WELL. MOSTLY AFFECTED RIGHT SIDE. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1368088-1 | Patient was sitting for 15 minute observation period when he started convulsing and fainted. He again started convulsing and then he came to, was nauseas and dizzy and pale. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1368817-1 | "After administration, patient did not report any reaction and was asked to wait 15 minutes for monitoring. A few minutes later, he started feeling lightheaded and called his father. His father notified me that he was ""spazzing out/seizing"" with his head jerking backwards ""for a couple seconds"". When I saw the patient, he was sitting and unresponsive to verbal and physical stimuli with his father patting his cheek. After a minute or so, the patient was able to respond, but his voice was faint. He reported having a ""severe headache"" and feeling ""sweaty"". He had no fever or difficulty breathing. Father said there was no anaphylaxis, and asked for a bucket since the patient felt very nauseous. I then called 911 for emergency services. When I returned to the patient after the call, the father said he was feeling much better and that the ""color had returned"". Patient was unwilling to stand, and remaining symptom(s) was headache. Emergency services came and checked blood pressure, which was normotensive (SBP 111). Father insisted ER visit was not necessary." |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1371490-1 | Flu symptoms immediately. 1 week +1 day post injection, severe body aches, fever, 1 week + 2 days seizure requiring hospitalization, ICU and vent for 4 days. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1374410-1 | 5 minutes after patient got his J$J vaccine he lost consciousness and fell down on the floor. The pharmacist(myself) run to him. Patient started to seize. I turned him to his side and tried to keep his mouth open in order for him to not bit his tongue. Meanwhile 911 was called. Patient had seized about 15-20 seconds, then suddenly he became calm and conscious. 911 dispatcher told us to keep him laid down on the floor till they get to the store. One of our coworker asked patient few questions to see if he remembered things. Paramedics came about 7 minutes later and took care of him. They let him go after evaluation. I called him later & he had recovered. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1374414-1 | J18.9 - Pneumonia, unspecified organism N17.9 - Acute kidney failure, unspecified R56.9 - Unspecified convulsions |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1374545-1 | Immediately following injection patient passed out and was diaphoretic with a low BP of 56/35. Became responsive but speech garbled and then experienced seizure (posturing and clonic movement) that lasted 3 seconds. Called 911, became responsive before EMS arrived on scene and refused ambulance. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1376426-1 | Went over pertinent information with patient including disclaimer regarding blood clots associated with J and J vaccine. Patient stated no issues and to proceed. When asked if there were any allergies or adverse effects from previous vaccine administrations, patient stated no issues at all. Once vaccine was administered, the patient immediately broke out in a deep sweat, and fainted. I immediately had one of my techs call 911, during this time patient started to seize/convulsions. We had patient at an angle while patient was convulsing. Once patient stopped convulsing, patient gasped for air and regained consciousness. I asked patient if she was doing ok and identified myself as the pharmacist. Patient stated that they remembered who I was but did not remember anything after the vaccine was administered. EMS was called and while they tried to set up a quick triage IV line, patient started to faint again but did not lose full consciousness. Patient was transported to ER. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1376509-1 | At around 4 am when he came to bed, he lay down and started convulsing. It was like he had an extreme chill but his body was so tensed up and he could not control his muscles or his breathing. He kept convulsing and was unable to control it for about 20 minutes. He asked if he was having a seizure but he was cognitively aware with no trouble speaking and so I told him it was not. His muscles hurt but I assume that was from the prolonged tensing of them. Later that afternoon he complained that his whole body was sore- arm, back, etc. He also has a headache and sore throat. Things to note- he has been running low on sleep (about 3-4 hours a night) for about 5 days leading up to the vaccine date. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1376604-1 | Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Hypertension-Medium, Systemic: Neurological Disorder (diagnosed by MD)-Medium, Systemic: Seizure-Medium, Systemic: Shakiness-Medium, Systemic: Vomiting-Medium, Additional Details: after receiving the J&J vaccine on 6/5/21 about 1.5 minutes after administration the patient hit his head against the wall and was unconscious. the patient started to mildly seize and lips started turning cyanotic and the patient urinated himself. The whole episode lasting about 45 seconds. When the patient came to he informed me that was epileptic. I kept the patient in the supine position until the paramedics arrived on the scene shortly after. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1376724-1 | Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Medium, Systemic: Shakiness-Medium, Additional Details: Patient fainted 1 min after receiving vaccine, then started seizing in chair was moved to ground with legs up. Was checked to make sure breathing was occuring, after 3 min patient was back to normal. when woke up felt dizzy asked what year and where they were and answered correctly. Ambulancewas called pt denied being taken to hospital. bp low |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1376837-1 | Patient came to the pharmacy for the Janssen COVID vaccine. He was feeling fine, and was injected with vaccine in the left deltoid at 1:05pm. He remained alert throughout the time information and instructions were provided. Later, he mentioned fear of needles and looked pale. I gave him a Gatorade drink and glucose tablets. At about 1:10pm he fainted while seated in our pharmacy waiting area. He was accompanied by his significant other. He had mild convulsions that lasted less than 5 seconds. Our request to call 911 was denied. Store management responded to our call immediately. Observation and care was provided. Moist cloths were given to patient. He recovered in about 15-20 minutes. He walked out with his significant other. He was very thankful and said he felt normal. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1376866-1 | Immediately after the vaccine was administered, the patient stated that she felt sick and light headed. I instructed her to remove her mask, place her head between her legs and take some deep breaths. Before she had completely bent over she lost consciousness and began seizing. She remained in the chair for the duration of the event and until the paramedics took her out of the pharmacy. I made sure she did not injure herself or fall out of the chair and when the event was over I called ED. I continued to monitor the patient until she was taken by paramedics. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1377759-1 | Patient informed paramedic of arm tingling, paramedic informed patient that he will check back with him in a couple minutes. 5 minutes after, paramedic witnessed the patient having a seizure for 10 seconds. During seizure, patient hit car in front of him. Paramedic stated that patient had flexion and eyes rolled back. Patient came to and asked paramedic what happened. Patient does remember seizing. Patient went into ambulance and was given snacks due to blood sugar of 95. Patient states he is currently on a keto diet. Patient informed staff that someone will be picking him up and refused to go to hospital with EMT. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1377760-1 | Patient presented to PCP on 05/18/2021 office from group home with C/O cough, runny nose, lethargic, fever, lungs rattling, uncontrollable shaking. Patient had a seizure the night before and had been having weak spells and coughing and fever since that time. Patient admitted to hospital on 05/18/2021 and chest Xray showed pneumonia. Patient tested for COVID-19 on 05/21/2021 after learning of potential exposure at group home and result was positive. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1378540-1 | Pt reports 3 days post vaccine administration she had a seizure. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1381350-1 | SEIZURE; DIAPHORESIS; PALE; NAUSEOUS; This spontaneous report received from a patient concerned a 27 year old male. The patient's height, and weight were not reported. The patient's concurrent conditions included no alcohol use, and non smoker, and other pre-existing medical conditions included patient had no known drug allergies and patient had no drug abuse or illicit drug usage. Patient had no medical history. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609, expiry: 31-OCT-2021) frequency 1 total, dose was not reported, administered to left arm on 03-JUN-2021 at 14:37 p.m. for prophylactic vaccination. No concomitant medications were reported. On 03-JUN-2021, events occurred within 3 minutes post-vaccination- seizure, diaphoresis. After seizure-like activity, patient was nauseated and pale. The reporter began cool compress, BP monitoring (Blood pressure measurement) result not reported, called EMS (emergency medical services), and gave water and snacks. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient recovered from seizure, diaphoresis, pale, and nauseous on 03-JUN-2021. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210607494-Covid-19 vaccine ad26.cov2.s-Seizure. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1381460-1 | Patient received vaccine, returned to playing cards, attempted to ambulate 10-15minutes later and fell to floor with seizure like contracting activity. duration of event 5-10 minutes. Medical attention received patient sent to hospital. Patient returned same day. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1384845-1 | SEIZURE; VOMITING; DIAPHORESIS; TIRED; This spontaneous report received from a consumer concerned a 24 year old white, Not Hispanic or Latino male. The patient's height, and weight were not reported. The patient's concurrent conditions included non alcoholic, and non smoker, and other pre-existing medical conditions included the patient no known drug allergies and no drug abuse or illicit drug usage. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1808609, expiry: 31-OCT-2021) dose was not reported, one total administered in Left arm on 03-JUN-2021 at 13.25 for prophylactic vaccination. No concomitant medications were reported. On 03-JUN-2021 (within 5 mins of the post-vaccination, 13.30), consumer reported that patient received the Janssen COVID-19 vaccine and began to seizure, of the post-vaccination and 20 mins later (13.45), patient vomited. Diaphoretic. EMS was called to assist the patient. Patient refused to go to ER (emergency room), but was given an ice pack. Patient was now fine, and was picked up to go home. Currently patient felt tired. The patient recovered from seizure, vomiting, and diaphoresis on 03-JUN-2021, and was recovering from tired. This report was serious (Other Medically Important Condition).; Sender's Comments: V0.20210607415-covid-19 vaccine ad26.cov2.s -seizure. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1384849-1 | HAD SEIZURE IMMEDIATELY AFTER SHOT; This spontaneous report received from a consumer concerned a male of unspecified age, race and ethnic origin. The patient's height, and weight, past medical history or concurrent conditions were not reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: unknown, expiry: unknown) dose not reported, with frequency1 total administered for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date, the patient had seizure immediately after shot and reporter thought that patient was going to die. The action taken with Covid-19 vaccine ad26.cov2.s was not applicable. The outcome of patient had seizure immediately after shot was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:20210614044-COVID-19 VACCINE AD26.COV2.S-had seizure immediately after shot. This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1385067-1 | After getting Johnson & Johnson Covid Vaccine Patient Within 10 minutes exhibited SX of seizures (jerking) & Vomiting. Breathing - NormaL Called 911 & Pt. was taken by ambulance |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1389547-1 | Fainting/ seizure after injection could only see white for 3 hours and extreme chronic chest/ heart pain within 2 hours of having the shot |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1392043-1 | I've experienced 8 what appear to be seizures/body tremors since being vaccinated. The first beginning on the Saturday May 22, 2021 at around 1:00pm. That being the longest and most intense of the 8, which actually brought me to the ground. I generally have a few seconds to prepare as i can fill when they are about to come on. The most recent was on Sunday June 6, 2021 at 4:23am. It woke me up out of sleep and only lasted about 3 seconds, where as the first one i had lasted at least 15-20 seconds. The others in between have decreased in size and time since the one i experienced on Sunday morning. I've also experience cold spots or chills in strange areas, like behind forearms or one side of shoulder one day and the next side the other day. the top of my hands get the chills and there has been times that my waist and lower back will have it. I have experienced blurred vision occasionally but mostly it seems to be at night and seems to be not as bad like when it first started, which was Sunday May 23, 2021. I've experienced my teeth being very sensitive to hot and cold, and a tooth ache from time to time, and the most recent thing to experience has been an ear ache in my left ear, that started on the Monday June 7, 2021, that seem to happen when i first wake up in the morning and again when im about to go to sleep. They last for about 10 minutes and build up in intensity and then just stop. Those I've been have daily to this day or this morning i should say. Other then for the usual side effects of feeling fatigued and fever, those have went away, but other than for that... I guess i fill normal. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1392675-1 | After receiving Janssen vaccine, I experienced feelings of fatigue, ringing in ears, blurry vision, migraine type headaches. I had not suffered from any of these symptoms prior to the vaccine. On 6/2/21, I was feeling similar symptoms, and particularly a severe headache and some fatigue. I was driving to the gym, to see if perhaps, doing a little walking or exercising may make me feel better, when I experienced a seizure while driving, lost control of vehicle and ended up, off the road and hit a tree, I do not remember anything from the crash. I awoke in an ambulance, and was taken by helicopter to Hospital. I received emergency care and was admitted to the hospital. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1394244-1 | Patient lost consciousness and appeared to have a seizure immediately following vaccination. He came back around within 1 to 2 minutes. EMS was called and attended to him. Reported as a vasovagal reaction. Patient left with his mother. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1394282-1 | Patient had an adverse reaction to the Janssen COVID vaccination. After vaccination, patient was told to wait 15 minutes in this chair and we would observe. I prepare their COVID card and went back out to give card and ask if the patient had any other questions. Patient was scared of shots, so some anxiety was expected, however after a few minutes while I was talking to the patient, I noticed he got stiff, and started to seize. His family was near by and we immediately put him onto the floor with head on a cushion and called EMS/911 CODE WHITE. He did not hit anything while seizing/convulsing. Once he laid down, within a few seconds, He stopped jerking, became conscious, and asked what happened. He lost consciousness and only remembered me talking to him about his questions about the vaccine. He was fully aware of his surroundings afterwards and said he never had a reaction like that to a shot before. Some anxiety, but not a seizure. EMS arrived shortly there after and he was taken to the hospital after inspection from EMS just to make sure everything was okay. We had to make a report to management per Store Policy. VAERS was reported |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1394376-1 | pt waited 25 after getting vaccine in the pharmacy then went shopping in the grocery store. 30 minutes post vaccine she fell to the floor and started having seizures. ems was called and pt was taken to the emergency room. pt's husband was called at 3pm by pharmacy staff and she was being discharged from the hospital er. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1394820-1 | Despite taking proper medications and having adequate sleep, my husband had a sudden influx of seizures (over a dozen) starting a few hours after getting the vaccine. His seizures are more convulsatory in nature than normal and take longer to recover from than his average seizures. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1395113-1 | Patient received vaccine and went out and sat down in chair. I was back in IMZ room wiping it down when fellow associate knocked on door and said patient was having a seizure. I rushed out to check on him. He remain seated and I just made sure he didn't fall out of chair. It lasted about 10 seconds while I was there then pt regained control of himself. Tech called 911 and alerted store management. Asst Mgr arrived and stayed with him until paramedics came to check him out. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1395316-1 | Hot Flashes, chills, increase in non-epileptic Seizures, fever 103.7, body aches, rash around injection site, extreme exhaustion, vomiting, chest pain. Symptoms lasted 3 days with exception of rash, fever and chills which lasted 8days. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1395745-1 | Patient has hx of vasovagal response with needles. He was sitting when he got the vaccination then seconds later he started having the shakes, convulsing, slumping down and falling over but came to and felt fine. Vitals taken: All within normal limits. He got up and sat on couch to eat his lunch. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1400064-1 | "Pt at vaccination table after receiving first dose Johnson and Johnson vaccine. Nurse states she left table to get the lot # and upon returning pt stiffened up, eyes rolled into back of head. 1425 staff assisted in lowering pt to the floor where he began to demonstrate convulsions lasting no more than 30 seconds. Nurses and EMS responded. Pupils dilated , skin pale and stated ""am I okay? Hello."" Nurse told pt what had happened. A&O and able to tolerate water. Pt states no past medical hx. BP 118/62, HR 62, O2 97% and POC 108. Pt sat up, stated feeling nauseous and started to vomit. Pt assisted to stretcher at 1440. Pt educated on going to hospital for further evaluation. At this time pt is refusing transport and wants to wait." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | At this time pt is refusing transport and wants to wait. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1402008-1 | SEIZING; PASSED OUT; LIGHTHEADED; URINATED; VOMITED; NAUSEATED; This spontaneous report received from a consumer concerned a male of unspecified age, race and ethnicity. The patient's height, and weight were not reported. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 1821286, expiry: UNKNOWN) dose was not reported, administered on 12-JUN-2021, around 12:30 for prophylactic vaccination. No concomitant medications were reported. On 12-JUN-2021, after vaccination, patient waited around 30 minutes in store before heading home in a car driven by his father. After ten minutes, in the car, patient's father noticed that patient had slumped over after saying he felt lightheaded and passed out. Patient started seizing for about 30 seconds, urinated on himself and finally came to asking where he was. Then within five minutes, patient got nauseated and vomited. Once patient vomited, he started feeling better. He was able to shower with assistance once home and is now lying down feeling lightheaded and nauseated. Patient's parents continued monitor him for the next several hours. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The patient was recovering from seizing, passed out, urinated, and vomited, and had not recovered from lightheaded, and nauseated. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210627035-COVID-19 VACCINE AD26.COV2.S- seizing, passed out. This events is considered unassessable. The events has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the events. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1403728-1 | The patient first exhibited diaphoresis, then was thirsty. He was then unresponsive and started seizing, and lost control of his bladder. The seizure lasted approximately 1 minute. Emergency services were contacted, and they assessed the patient after the event. He was released from their care back into the community. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1403751-1 | On Wed May 19 at approx 11:45 am my son was given the Johnson and Johnson vaccine as he was due to go to work on June 1st however patient had a seizure as a reaction to vaccine he was taken to vaccine site ER by ambulance where he had a second seizure around 3:55 pm he was released from ER after several hours and was told to follow up with PC within 2-3 days. As a result of reaction my son was disqualified from going to work on 6/1, due to seizure -this changed his whole life plans. To add his drivers license was medically suspended as well. Which we are now working having to submit medical test results in order clear him of having medical conditions. |
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1405263-1 | SEIZURE LIKE ACTIVITY; BP 87/64; DIAPHORETIC; PULSE RATE 50; NOT FEELING WELL; This spontaneous report received from a health care professional concerned a 49 year old male. The patient's height, and weight were not reported. The patient's pre-existing medical conditions included patient had no known allergies. The patient received covid-19 vaccine ad26.cov2.s (suspension for injection, route of admin not reported, batch number: 204A21A, expiry: unknown) dose was not reported, 1 total, administered on 12-JUN-2021 for prophylactic vaccination. No concomitant medications were reported. On 12-JUN-2021, health care professional (HCP) reported that patient received Janssen Covid-19 vaccine. About 2.5-3 minutes after receiving the injection, the patient began having seizure like activity. HCP described that as full postured seizure like in the upper extremities and chest, and the eyes had been nystagmus. This activity lasted approximately 45 seconds. Emergency medical services (EMS) staff was on the scene and when they came to, the patient self-reported that he was not feeling well and the HCP described him as diaphoretic and was appearing shaky. EMS took his vitals initially (Blood Pressure, BP 87/64 mmHg, Pulse rate 50 unit unspecified and oxygen saturation 100 percentage). Vitals at 5 Min (Blood Pressure, BP 124/80 mmHg, Pulse rate 76 unit unspecified, oxygen saturation 100 percentage and blood glucose level 125 unit unspecified). An ambulance was called to transport the patient to the ER, and upon arrival vitals were taken again at about 10 Min. Post-ictal (Blood Pressure, BP 115/76 mmHg and pulse rate 76 unit unspecified). Patient was taken to the ER for further evaluation. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of the seizure like activity, not feeling well, BP 87/64, pulse rate 50 and diaphoretic was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0:20210627629-covid-19 vaccine ad26.cov2.s-seizure like activity, BP 87/64 This event(s) is considered unassessable. The event(s) has a compatible/suggestive temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1406257-1 | SEIZURES; This spontaneous report received from a pharmacist concerned a 49-year-old of unspecified sex, race and ethnicity. The patient's height, and weight were not reported. No past medical history or concurrent conditions were reported. The patient received covid-19 vaccine ad26.cov2. s (suspension for injection, route of admin not reported, batch number: Unknown and expiry: Unknown) dose, start therapy date were not reported, 1 total administered for prophylactic vaccination. The batch number was not reported and has been requested. No concomitant medications were reported. On an unspecified date, pharmacist called for a follow up on a precious case, from which one of the patient had experienced seizures. The action taken with covid-19 vaccine ad26.cov2.s was not applicable. The outcome of seizures was not reported. This report was serious (Other Medically Important Condition).; Sender's Comments: V0: 20210629430-covid-19 vaccine ad26.cov2. s-seizures. This event(s) is considered un-assessable. The event(s) has an unknown/unclear temporal relationship, is unlabeled, and has unknown scientific plausibility. There is no information on any other factors potentially associated with the event(s). |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0911035-1 | "Approximately 7 hours after receiving the vaccine patient who is a L&D Nurse return to work in her area. She describes that after finishing with a C-section she felt burning in both of her eyes (she thought this feels like an allergic reaction, but I am not sweating and haven't rubbed my eyes). She went to the restroom to get a cloth to wash her eyes; afterwards she reports her vision went totally black in both eyes. She reports feeling frustrated that no one came to help and some panic in trying to figure out how to get out of the restroom. She did make it out of the bathroom. Her Staff reports she postured and turned arms inward, head going to one side and passed out. They also report ~ 10 minutes of incoherent conversation and stating ""I got the vaccine, maybe I was given the wrong thing and now I'm blind"". Upon waking, patient vision fully restored and patient does not remember incoherent conversation. Differential diagnosis- TIA vs. CVA > seizure disorder>>> complex migraine" |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0913554-1 | Seizure activity in absence of known seizure disorder while eating breakfast. Seizure lasted about 2.5 minutes. Post-ictal period about 40 minutes. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0914521-1 | Patient presents with ? Altered Mental Status ? Headache á á HPI Patient presents to ER by EMS ambulance after family called 911 as patient was incomprehensible with slurred speech and moaning on the phone this evening. On arrival of EMS patient was asleep in bed and reportedly unresponsive other that to localize to pain. EMS transferred patient to ER. On arrival to ER patient had GCS 7. Reportedly patient is locum nurse who works in a Nursing Home and patient reportedly received COVID vaccination 2 days ago and that night reportedly began complaining to family on the phone of headache, nasal congestion, sore throat, cough, fever, chills, nausea, emesis, myalgias, and lethargy. Per the medical record patient has history of seizures, migraines, and sciatica. No other information is known on patient arrival to ER. 1. Peripheral IV right dorsal hand placed by EMS in route to ER. 2. On arrival to ER GCS 7 (E1M5V1) and roving eye movements with episodic lateral conjugate and at times disconjugate gaze concerning for seizure activity. Arms and legs with moderately increased tone but no clonic movements and patient able to localize bilaterally. 3. Ativan 1 mg IVP for seizure, then further 2 mg IVP for persistent seizure. 4. Fosphenytoin 1,000 mg IVPB in ER for loading dose of antiseizure medication. 5. Patient had significant improvement following completion of Ativan 3 mg IVP and GCS improved to 14 (E3M6V5) from GCS of 7 (E1M5V1). 6. Patient able to communicate after improvement as above and reports she has had headache or migraine for past several days as well as dysuria with bilateral CVA pain and has significant pain on percussion of bilateral CVA and moderate pain on palpation of bilateral flanks. No nuchal rigidity or pain with ROM of neck. Additionally, she complains of severe headache and diffuse pain of back and abdomen/pelvis. She reports a history of seizures in the past and reports she had one last month and was treated at a hospital in her home state. She denies antiseizure medications. Additionally, patient reports nonproductive cough, sore throat, nasal congestion, fever, chills, myalgias, lethargy, nausea, and episodic emesis over the past 2 days. She has anterograde amnesia following seizure and does not recall events. 7. Normal saline 1,000 mL IV bolus, then 100 mL/hour in ER. 8. CT of head with and without contrast performed and negative for intracranial hemorrhage, lesions, stroke, or other acute pathology. 9. CT of chest/abdomen/pelvis with IV contrast shows no acute pathology or notable abnormalities. 10. Lactic acid drawn and normal. 11. UA and urine microscopy collected by straight catheterization and culture collected and pending. 12. Blood cultures x 2 collected and pending. 12. Rocephin 2 mg IVPB in ER after blood cultures collected. 13. Vancomycin 20 mg/kg (1,500 mg) IVPB following Rocephin. 14. Dexamethasone 10 mg IVP in ER. 15. Duoneb nebulizer in ER. 16. Called to discuss with patient's daughter and the family's preferred contact who is 23 years old. She reports patient had COVID vaccination 2 days ago and beginning that night patient has complained of headache, fever, chills, nonproductive cough, sore throat, nasal congestion, myalgias, and lethargy. Additionally, she reports patient has history of seizures on at least 1 occasion in the past a few months ago but is not on antiseizure medications. She reports patient had MRI and MRA of her brain at that time and reportedly and intracranial aneurysm was identified at that time. 17. Called to request transfer to another facility and spoke with hospitalist who states there is no neurologist there and suggests transfer to larger tertiary care facility with neurology. 18. Called to request transfer and accepted by ER provider. 19. Transfer by ALS ground ambulance with telemetry, pulse oximetry, O2 to keep > 02%, vitals every 30 minutes, normal saline at 100 mL/hour, Rocephin 2 grams IVPB, vancomycin 20 mg/kg (1,500 mg) IVPB in ER. á DISPOSITION Patient Stabilized and Transferred Data Unavailable Wed Dec 30, 2020 2:12 AM CST |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0916324-1 | Moderna COVID-19 Vaccine EUA This morning at 11A patient was getting changed which requires her wheelchair to be leaned back so she can raise up as nurse pulls up pants. After raising chair back to sitting position, patient did not raise her head back to resting but instead kept it thrown back which is highly unusual. Her eyes stayed rolled to top of head and body stiffened. She was unresponsive. Signs suggesting seizure which patient does not have. It lasted approx. five seconds. Patient blinked and began to laugh. She said she blacked out but knew where she was and who everyone around was. All vitals are in normal range and she has not shown any other symptoms since injection. She also has been all normal since episode. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0916473-1 | Patient complained of a headache, then patient was losing consciousness and gasp for air. EpiPen was utilized due to being unresponsive then began to seizing. Patient started to flatline and an AED was used while a paramedic came. Patient was put on her side then facility gave something for seizures. Lastly, ,ambulance took her to the hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0917042-1 | I received the vaccine at 6:30pm on 12/27. I worked atb7pm and took lunch at 2:00am. After lunch, I immediately felt sick to my stomache and threw up. I went home after my shift and went to bed. After 5 hours, I woke up and went to the couch to lay down while kids watched TV. Next, I woke to several people in my house. I had a seizure and my son had called 911. I was taken to emergency department. I was admitted and stayed 2 nights in the hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0920711-1 | I am the patient's neurologist. The patient has very well controlled epilepsy without a seizure in over a year. He is compliant with medication and did not have another provoking factor. Approximately 6 hours after receiving the vaccine he had a generalized seizure, which was witnessed by his wife. He had an aura, behavioral arrest, tonic-clonic activity for 1 minute followed by a post-ictal period of several hours. This is consistent with his known seizures, but the provocation appears to be the vaccine he received earlier in the day. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0921631-1 | """Patient with seizure this am during 1 assist transfer, resident passed out, lowered to shower chair next resident with incontinent episode and was sent to Emergency Department emergently and currently under evaluation with possible admission. """ |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0925925-1 | 1 day after the vaccine he had a low grade fever... 1 week later he had a seizure and then multiple ones in the ER... |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0926360-1 | Marked increase in seizure activity. I seizure on 1/2/21, then a cluster of about 20 e\seizures on 1/3/21, followed by 3 seizures on 1/5 and 2 on 1/6. He was seizure free for approximately 10 months prior to vaccination.. Treated on 1/3 with Nayzilam nasal spray X2 to stop seizures per doctor's order. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0926755-1 | Vaccine Candidate received vaccine approxat 2:30pm, was monitored for 15 min no complications at the time, went home. Around 5:30pm while walking into her home she became unresponsive, was assisted in a siting position, became incoherent, mumbling and started to convulse to the right side of her r upper extremity. Foaming at the mouth and stopped breathing, CPR was initiated for 1-2 min, EMS arrived was transported to Medical Center. She was admitted and is currently hospitalized. MD reports this event is highly unlikely related to the vaccine given her medical history but suggested to report being its a new vaccine. Current status: stable. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0930012-1 | Pt had several seizures about 15 minutes after receiving the vaccine. EMS was called/evaluated the patient. The patient planned to contact her primary care provider. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0930187-1 | Patient had seizure 10 minutes after injection. No history of seizures, but brain tumor resection about a year ago. 911 was called; EMS evaluated and had patient transported to hospital |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0931441-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0931628-1 | awoke at 2 am with nausea, chills, generalized pain. Immediately felt myself start to pass out or have a seizure- I am not sure which. Family member reports my eyes were open with absent stare however I lost consciousness, <60s. My right calf was in a severe muscle spasm as soon as I became conscious which leads me to believe I had some convulsions. Nausea chills and generalized pain persisted throughout the rest of the morning. Stopped around 10 am and turned into pounding headache and fatigue. Additionally my left arm is in moderate to severe pain (not like the typical soreness I get with the flu shot). I am in significant pain moving my arm, but also changing body positions while keeping my shoulder still and close to my body (bending over, scooting over in bed). |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0931806-1 | Spastic convulsions that occurred in every muscle in my body lasting for more than 4 hours. Hands now tingle and spasm from time to time. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0933806-1 | "Patient was in the passenger seat with a male driver. Patient stated ""no"" when asked if any medical issues. Stated ""no"" when asked if had any adverse reactions in the past to vaccinations. Vaccine administered, pt within seconds lost consciousness. Few seconds later pt had a seizure. 911 called. Help called for pt to be moved to cot. Pt started coming to and feeling better. Male driver later stated something to the effect of ""this happens to her every time"". BP 110/60. HR 78. SPO2 96%" |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0934193-1 | Received the vaccine 1/8/21 at 4:45pm, the next day had a sore arm and was tired. Woke up Sunday at 4:37am to take some ibuprofen for my arm pain and didn't get to take the meds, I had a seizure the meds and my glass were all over the floor. I never even felt it coming on, I just remember waking up. I looked at the clock at 4:46am. It seemed like a very long time to be out. When I woke up I felt very nauseas and had a hard time getting up to go to the bathroom. I never did get sick but laid down and fell asleep immediately. I slept all day Sunday. Today, Monday 1/11/21, I am still exhausted and light headed but not as nauseas. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0935736-1 | Patient has seizure a couple hours after vaccine. Patient was transported to hospital via ambulance. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0938114-1 | Syncope and seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0938484-1 | patient fainted, 10 sec seizure, diaphoretic |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0941639-1 | first seizure onset about 23 minutes after vaccination and lasted for 2 minutes, pt recovered then went into another seizure at 11:03 for 2 minutes. pt was given epi-pen and Benadryl following second seizure and recovered afterwards |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0941728-1 | Resident undergoing wound care. Vaccine given and approximately 5 minutes after administration, this resident noted to have rapid jerking eye movement determined to be seizure activity. After the seizure, resident stabilized. Resident was asked if she was feeling ok and she nodded her head yes in agreement. Resident has a history of seizures and is being treated with Dilantin and Keppra. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0943992-1 | Systemic: Fainting-Medium, Systemic: Seizure-Medium; symptoms lasted 0 days |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0944236-1 | New onset seizure approximately 20 hours post vaccination |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0944517-1 | "Myalgia chills, fatigue, syncope vs seizure 43 yo employee falt fatigue on 12/24 and again on 12/25/20. The patients husband reports she was walking down the stairs, seemed ""off"" and missed the step/slid on step injuring both feet/ankles. Pt got up and was able to stand for a few minutes. Husband reports that he than sat her on the steps-few minutes later she had syncope with convulsions vs seizure. Per his report this lasted over a minute, she stopped breathing and was unresponsive. He reports she was confused while he was on the phone with 911 operator (3 minutes). Patient was taken to Health Center for work up. The head CT, labs, X-rays, EKG were unremarkable. Followed up her physician Dr. and was referred to neurologist. She had a MRI without contrast which was unremarkable and is scheduled to undergo a sleep deprived EEG. She is undergoing physical therapy at this time for injury to bilateral feet/ankles." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0944649-1 | 1/7/2021 @ 5:00 a.m. patient woke up and couldn't move her right side (neck, arm and leg). Sister helped dress her and drove her to the hospital. During the ride the hospital the patient had 2 seizures and a 3rd seizure in the ER at the hospital. Patient states she has never had multiple, back to back seizures before. States she hasn't had a seizure for 2 years. EEG was done. Was released from the hospital on 1/9/2021 and to have outpatient MRI of head, shoulder, c-spine. Does not have full range of motion of right neck, and arm, hand and fingers and is painful. 1/14/2021 - full release back to work on 1/14/2021. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0944710-1 | "per report via email - patient receive COVID vaccine during staff clinic in the AM. During the evening patient started to feel sick. symptoms included: nausea/vomiting, uncontrollable jerk like seizures, very disoriented, respirations ragged and rapid. Family called 911 taken via ambulance to local ER. per report patient received IV fluids, medicine to treat nausea/vomiting and meds to ""get his respirations under control"". patient sent home and is now resting." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0944868-1 | Before injection patient was very nervous and did not eat breakfast. 3 minutes after injection patient complained of blurred vision and dizziness. BP 88/50, HR 54, O2 92%, pale in color, patient started to shake and have seizure activity only lasting a few seconds. 3 person assist to lie flat on the floor, rolled to left side. Patient was non-verbal at this time. 911 was called. At 9:11 AM EMS arrived and patient was responding at that time, patient transferred to the hospital. After hospital visit staff reported back the doctor felt it was an anxiety response rather than a vaccine reaction. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0944949-1 | Seizure,numbness on whole right side,back pain, face droop,extreme fatigue,dizziness,headache,pain in shoulder |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0945561-1 | "Post injection x 5 min. sitting in chair, friend stated pt. was having a reaction, nurse was notified, pt. stated ""I am having a seizure"", pt. was placed on floor, MD on site for clinic examined pt. Pt. responded to base line and placed on chair. Water provided. After observation, MD stated pt. to call her PCP and was able to go home with friend." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0946300-1 | PLEASE NOTE: The patient verbally reported this event to me on 01/14/2021. The event occurred 12/23/2020. Seizure approximately 5-6 hours after receiving the vaccine. Repeat seizures approximately 30 and 54 hours post vaccination. Please note, the patient states she is a newly diagnosed epileptic. She claimed her neurologist recently adjusted her seizure medications as well prior to the vaccination. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0947216-1 | No immediate adverse effects noted on 1/13/21. Patient was tired on the morning of 1-14-21.Her pulse was noted to be 106 at approx. 7:30am. She had a 10 minute tonic clonis seizure at approx. 8:15am. She was post ictal until 10:30 am. After the seizure, her O2 was 90% and she was noted to have a temp of 100.4. She was also very tired and confused.She went to ER by ambulance approx. 8:45am and they did a CT, Labs and a urine analysis. No significant findings reported. She returned to the residence at 4:37pm on 1-14-21 and was on vitals every 4 hours. Her vitals have returned to baseline. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0948458-1 | Severe arm pain at injection site night of. At 5:15 AM the following morning (1/14/21) I experienced lightheadedness and fainted off the toilet hitting my face on the wall/radiator in front of me. My husband (who witnessed the fainting episode) stated I began convulsing and my eyes were rolled to the back of my head for 5-10 seconds. Upon regaining consciousness I was covered in sweat. After being assisted back to bed, I had nausea and headache with continued severe pain at injection site. I went to the ER around 6:45 AM since my severe headache, dizziness and nausea continued and to examine if I broke my nose in the fall. While in triage at the ER I experienced severe nausea and a second episode of fainting. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0948471-1 | 5-6 HOURS AFTER VACCINATION. CONVULSIONS/SEIZURE, HIGH BLOOD PRESSURE, INCREASED HEART RATE, |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0949610-1 | A few minutes after receiving the vaccine, patient complained of dizziness and sat down. Within just a couple of minutes she was losing consciousness. 911 was called and EMT came within 5-8 minutes and patient was on floor. EMT assessed patient and transported to local hospital (Medical Center). Patient was seen and discharged and the physician at the hospital did not feel the seizure was a result of the vaccination but her medical condition and history of seizures. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0950057-1 | Patient suffered a cardiac arrest and was unable to give details about her symptoms. Per husband, patient did not complain of any symptoms after vaccine administration. She began seizing without warning which was complicated by cardiac arrest of uncertain etiology |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0950531-1 | Fever vomiting chills seizure ( the injection triggered it) fell bad since the injection. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0951473-1 | Uncontrollable shaking/convulsing, high fever, hallucinations, loss of coordination, chills, extreme muscle pain, extreme fatigue, mild nausea/abdominal pain. Shaking stopped after a couple hours. The rest of the symptoms took 24 hours. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0951744-1 | usually experience very brief loss of consciousness but upon injection i lost consciousness immediately and proceeded to have a mild seizure lasting approximately 10 seconds followed by numbness in my legs for 10 minutes after injection. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0952419-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0952888-1 | Lower arm sore after 12 hours, fever severe convulsions, high fever, nausea, vomiting, shortness of breath, body aches after 15 hours that lasted about 2 hours in severity. Today is 4 days post incident and still have weakness, body aches and fever are subsiding. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0953249-1 | injection site became red & swollen, the size of a softball. Employee started having seizure like symptoms on 1/14/21 and was admitted to hospital. DC from hospital on 1/16/21 and on 1/17/21 started having seizures again and readmitted back to hospital. Employee has no history of seizures. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0953926-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0955491-1 | Systemic: Anaphylaxis-Severe, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0957227-1 | Hypotension, Prolonged seizure with bowel incontinence, cough, weakness and delirium, resulting in 911 transport and admission to hospital for intubation and mechanical ventilation for acute respiratory hypoxia. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0958369-1 | Pt received vaccine. She was being observed for 15 min after injection. About 5 minutes into her observation time, she alerted the nurse that she was not feeling well. Nurse went over to talk to her and pt started to seem wobbly in seat. Pt then fainted and once on the ground, she started having a seizure. Epipen 0.3mg was administered and 911 was called. Pt stopped seizing upon receiving epinephrine. Paramedics and ambulance arrived and pt was taken to the ED. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0958921-1 | "This may be a duplicate report, as primary care notes state the process has been initiated. However, out of an abundance of caution, and as the facility the event was reported to, I wanted to enter this report for completeness due to the unusual events. Patient received 1st dose of moderna covid vaccine at an outside facility and (per patient) had a seizure at that site immediately following the injection (history of seizures due to past meningitis, no seizures in past 3 months per patient). No medications were given, 911 was not called, patient not instructed to go to ED (per patient). Patient went home. Once home, patient reported ""stroke like symptoms"" on her right side (weakness and inability to close right eye for 30 minutes, numbness in R thigh and heel). Then weakness moved to left side (numbness/tingling in L hand and eye, numbness in L lower leg) along with some swelling to face/tongue. Had back pain but no chest pain or difficulty breathing. Extreme dizziness. No additional seizures. The next day she called our nursing line to report these symptoms and was instructed to go to the ED and also scheduled a visit with primary care provider the next morning. Patient stated she was feeling better and apparently did not go to the ED, instead choosing to see PCP next morning. On presentation to PCP, injection site was red and swollen, itching and swelling in hands, itching in bottom of feet, widespread joint pain. No visible rash, no dysphagia, no difficulty breathing. Other symptoms had largely resolved. Patient was prescribed benadryl (no steroids due to allergy to prednisone), cold compresses for injection site and sent home with instructions to go to ED if symptoms reappeared. Also recommended making an appointment with a neurologist for additional follow up as patient currently does not see a neurologist for seizures and is treating with CBD/THC only." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0959657-1 | Patient had seizure like activity- Has seizure disorder meds were stopped 1-6-2021 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0961471-1 | 10 minutes following injection, patient felt brief 10 second sensation of feeling very hot and nauseas. This was followed by patient passing out and shaking/convulsing for a few minutes. Upon awakening patient experienced tingling in left arm and numbness in both legs for 5 min. Patient vomited following return of consciousness, and experienced vomiting during the course of the day of the injection. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0962591-1 | Patient was sitting in chair waiting for the 15 minute observation time, about 3 minutes after injection patient started convulsing, patients husband lowered patient to floor and myself and another nurse rolled patient to her left side, seizure lasted approximately 2 minutes , patient awakened and was disoriented and approximately a minute later had another seizure lasting one minute. EMS was called and arrived but patient and husband refused transport to ER. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0964017-1 | Passing out with seizure like activity 14 hours after dose 2 vaccination |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0964456-1 | Moderna COVID-19 Vaccine EUA Fever, Headache, Chills, body convulsions, delirium, confusion, severe fatigue, dyspnea on exertion. Symptoms persisted for about 30 hours. Following recovery of acute symptoms, persistent chest pain is present and is worsened with exertion. Mild soreness is present at the injection site over 1 week later, but is mild and has no significant erythema indicative of allergic response. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0964641-1 | Narrative: Temporary restriction on driving until further evaluation due to symptoms of seizures. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0964909-1 | Arm throbbing, chills, uncontrollably shaking and convulsions, migrane headache, body aches, muscle aches, hurts to breathe, walk, eat, etc. numbing of limbs, unable to open and close hands, extremely tired and lethargic |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0965648-1 | Patient was at his residence. self reported sore arm muscle from injection. was in hot tub, unknown amount of time. got out to check his temperature and fell and hit head on floor. unknown amount of time unresponsive. witnessed seizure activity/ severe muscle cramping post fall en route to ED and also in ED. Possible diagnosis: new onset seizures, rule out rhabdomylosis |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0965835-1 | Vaccine 1/4 Left arm, ED visit 1/5 due to dizziness, light headed, chills, HA, fever went up to 102.0, almost passed out; oxygen given, HR rate went up to 230, started to have convulsions, o2 sats down, RR 70, given ativan for convulsions; Follow up with Care Spot 1/; MMI 1/13 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0966670-1 | Moderna COVID-19 Vaccine EUA Pt found unresponsive with seizure at her skilled nursing facility. Pt had first dose of vaccine earlier in the afternoon prior to being found unresponsive and seizing. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0969186-1 | 1/23. Seizure 1/24. Seizure |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0969665-1 | Seizure x 10 with pain internally; Shaking uncontrollably from head to toe; Joint pain; Body aches/Crying in pain; Tongue started having spasms like crazy jumping like heartbeat; A spontaneous report was received from a consumer concerning a female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced body aches, tongue spasms, joint pains, seizures, and tremors. The patient's medical history was not provided. Concomitant medications were not reported. On 04 JAN 2021, the patient received their first of two planned doses of mRNA-1273 (Batch number: unknown) intramuscularly in left arm for prophylaxis of COVID-19 infection. On 04 Jan 2021, the patient experienced body aches and tongue started having spasms that was explained as like crazy jumping like heartbeat. On 06 Jan 2021, she experienced joint pain. On 07 Jan 2021 at 8:00 AM, she experienced seizure times 10 with pain internally and convulsion, and she shook uncontrollably from head to toe and cried in pain. Her husband reported that her seizure-like symptoms were lessened during sleep. He took his wife to emergency room where blood test and urinalysis were performed but no significant findings were found. The patient was transferred to a different hospital's emergency room and was given lorazepam in the ambulance. At the hospital, the same tests were repeated with the same results. The patient was notified that there were no findings from the blood test, and no viruses were evident. The patient was given diphenhydramine at the hospital. The patient was advised to see a neurologist. Action taken with mRNA-1273 in response to the event was not reported. The outcome of the events, body aches, tongue spasms, joint pains, seizures, and tremors, were not recovered.; Reporter's Comments: This case concerns a female patient who experienced serious unexpected events of Seizure, Pain, and Tremor, a non-serious unexpected event of Tongue spasm, and a non-serious expected event of Arthralgia. The events of Pain and Tongue spasm occurred on the same day when the patient received their first of two planned doses of mRNA-1273 (Batch number: unknown). The event of Arthralgia occurred 3 days after the administration of mRNA-1273. The events of Seizure and Tremor occurred 4 days after the administration of mRNA-1273. Very limited information regarding the events has been provided at this time. Based on temporal association between the use of the product and the onset of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0972130-1 | The patient woke up Saturday (1/23/21) with a sore arm and also woke up a little late (for her) with a headache. The patient also felt like she wanted to throw up. The patient went to the bathroom, then started seeing light spots. Shortly after the patient went to the floor. Her husband said that she had a seizure. Said she went stiff, arms were pinned down, eyes open and fixed for 20-30 seconds. and then went limp and sweaty. When she came to, she was nauseated and weak. She took Zofran and slept most of the day. She woke up Sunday and felt fine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0972145-1 | Systemic: Seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0972263-1 | Symptoms started to show after 6 hours from having vaccine administered. Patient had stiffness (unable to sit back down from standing position), blank stare, depressed breathing and fever. Transferred to ER, seizures were witnessed. IV Keppra was initiated. Patient was discharged after 2 days and followed up with primary care provider in clinic. Primary provider documented that cellulitis is noted in right arm and antibiotic has been initiated. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0972341-1 | Patient came in to receive his first COVID-19 vaccination at 2:00pm on 1/25/2021. Patient received his vaccine at 2:08pm intramuscularly in his left arm. Patient was asked to remain in the waiting area to be observed. At around 2:34pm, patient started feeling light headed and started yawning. Patient's wife noticed the yawning and said that he does that before experiencing a seizure. After a couple minutes of slow steady breathing, patient started having a seizure and his eyes started rolling back. Patients pulse was steady at the time and soon came out of the seizure. About 45 seconds-1 minute later he started experiencing a second similar seizure that lasted roughly 15 seconds. EMS was called and they came to help him. Patient experienced 1 more quick seizure in the time it took the EMT to get to the store. Patient started having a stronger pulse, breathing better, and looked a lot better. Patient also is a diabetic at the time and his blood sugar was slightly low. EMT assisted patient the rest of the way and they patient and wife left the store to go home. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0972488-1 | pt experienced seizure and brought responsive to medical tent. Pt has hx of seizures and autism. Also had an itchy rash to chest. Epi 0.3 and 50mg Benadryl given. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0972540-1 | 1/22/2021 this resident was found on his kitchen floor having severe Grand Mal seizures and was profusely foaming from the mouth. RN (writer) responded to the emergency. Resident had 8 seizures between the time of calling 911 and them arriving. They had been IV pushing Ativan and Versed. The seizures did not stop. He was rushed to Hospital, intubated, placed on life support and admitted to the ICU. Resident had an emergency craniotomy and they did not find any infection or cause of the seizures. Many other tests were done and nothing was determined to be the cause at this time. Reported to ICU nurse on 1/23/2021 that resident had received the Moderna vaccine a couple days prior. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0977426-1 | Patient has a history of advanced melanoma with brain metastasis. He developed seizure disorder as well and had some mild seizures at home over the prior month. He received the vaccine at 4pm and was monitored in the office for 15 minutes. He then went home with his daughter whom he lives with. He ate dinner with her and read until 8pm when he went to his room. She found him in his room at 9pm unresponsive with seizures. Hospice was alerted and recommend oral valium. He continued to be unresponsive and expired the following day at 7:30 pm. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0977631-1 | I had the Moderna shot at 3:15pm and it took five hours for it to get into my bloodstream. I ended up having one seizure at around 7:30pm at home and then another one at the hospital around ten pm. I was discharged from the hospital at 11:33 pm. The hospital said that I had a seizure and that's what they treated me for. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0980111-1 | Constant Fever despite taking Tylenol around the clock, 103.1. Chills, syncope, seizure, extreme fatigue, nausea, headache, loss of appetite. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0981003-1 | Patient is a 35yof with a PMH of migraines and anemia who presents for first seizure. Given description of an ictal cry followed by whole body shaking and soreness, it sounds like a GTC. Seizure was in the setting of sleep deprivation for >30 hours and 2 days after first COVID 19 vaccine. She has no other history concerning for subclinical seizure activity. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0981463-1 | Severe nausea and vomiting,chills, fever,body aches...I had to stay in the bathroom all day sat., nothing would stay down...my body has never ever convulsed so hard to try and get something out of it... Sun .morn. still aches ,fever 101.6 my normal is 97.5...diarrhea all morning...very weak my injection site is sore...my nose has what looks like blisters all around both nostrils and lips have blisters...very tender...very swollen. ..I was able to keep water and food down...mon. still have fever until tues. Still ache all over...my nose seems very inflamed..mon more it was like a pocket of pus came out the left sinus...I had been putting Abreva on and into my nose.and switched to bacitracin...the swelling in my nose has gone down but the blisters are very noticeable...it is Thursday and I am finding myself out of breath on exerting myself and my whole body feels very drained, tired even though I have been getting more sleep...my left arm where the injection was feels like it has been punched .not sore ,not red.just Tha after effects of a punch...I am still putting Bacitracin on and in nose...my 02 stats have not been low at all |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0981577-1 | I receive the injection at 7:30 in the morning. At 10:30 in the evening I awoke to having severe Rigors . Shaking uncontrollably. I then became very nauseous. I walked to my bathroom but then felt very dizzy so I had ole my husband up and got myself to the floor . I then passed out and lost consciousness. My husband almost called 911 as he said I was convulsing and he thought I was having a seizure. When I came to I started vomiting . Today I have a headache , body aches , body chills and exhaustion . |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0981781-1 | States was feeling bad that afternoon when left work with achiness, pain in arm, and chills. States fever went to 102.4 and had two witnessed seizures. Had vomiting also. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0983159-1 | Patient had left to walk around the store. When patient returned she was not speaking. Patient stumbled into the counter then into the wall. We then caught patient before she could fall on the floor. We placed patient in a chair. Tried to talk to patient but was not responding . Called 911, and which point EMS said patient was having a seizure. EMS then transported patient to the hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0983432-1 | "I received a phone call from the persons work place. They reported that she had a seizure at 2:00 PM this afternoon. Prior to the seizure they said that she was ""feeling off"", ""jittery"", and ""misfiring"". The RN that notified me said that they were checking on her every hour and the last check in was at 1:00 PM. She went to check on her at 2:00 PM when she found her in the hallway very pale/gray, bradycardic, and hypotensive. The nurse said she appeared to be postictal and hallucinating. They immediately called 911 -and she was transferred to the hospital and to my knowledge she is still there. RN will keep me updated." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0984389-1 | Seizures; A spontaneous report was received from a consumer concerning a female patient who received Moderna's Covid-19 vaccine (mRNA-1273) and experienced seizures. The patient's medical history was not provided. Concomitant product use was not provided. On an undisclosed date, the patient received their first of two planned doses of mRNA-1273 (Lot number: not provided) for prophylaxis of COVID-19 infection. A social media message was received from a consumer concerning a female patient who developed seizures after receiving the Moderna COVID-19 vaccine. The report stated that the patient was still in this condition more than a week after receiving the vaccine and that she was sent home from the hospital. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the event, seizures, was considered unknown.; Reporter's Comments: This case concerns a female patient, who experienced a serious unexpected event of seizure. The event occurred on an unspecified date after first dose of mRNA-1273, lot # unknown. Treatment details were not provided. Based on the current available information and temporal association between the use of the product and onset of the event a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0986003-1 | About 5 minutes after the vaccine, I felt my vision going dark and blurry. I then lost consciousness and was told my eyes rolled back and slightly convulsed. I regained consciousness after a short time frame. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0986319-1 | Seizure- labored breathing, tonic clonic, altered consciousness/ unresponsive- duration 4 min, followed by post-ictal state, transported to hospital |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0987301-1 | My Mother was given the Covid Vaccine (1st Dose) on 12/28/2020. Later that night we received a call from the nursing facility that my Mother was having uncontrollable seizures and had to be transported to the nearby hospital. The ER doctor confirmed that my Mother had tested positive to Covid. She was treated for Covid and was on life support. A few days later we received a call that my Mother had a major stroke. She passed away on January 4, 2021 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0988771-1 | PATIENT HAD A SEIZURE, NO TREATMENT WAS SOUGHT, PATIENT STATES HE WAS EXHAUSTED AND SLEPT AFTERWARDS |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0988837-1 | Nocturnal seizure, pain around injection site, fatigue, chills, diarrhea |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0989508-1 | All information per patient's husband: patient started experiencing severe headache on the day of vaccination. Headache continued for three days during which no medical attention was sought. Confirmed that patient never took any NSAIDs to treat headache during this time. On day 4, patient had a subdural hematoma accompanied by two seizures upon which she was flown to a hospital to receive treatment. Husband did state that patient is on warfarin due to factor V deficiency and that treating physician thought that this was most likely caused by the warfarin, however that the vaccine could not be ruled out completely. Husband also said INR has always been within normal limits. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0989664-1 | seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0989922-1 | Initial symptoms: Body aches, fatigue, sore arm This morning: Same as above with the addition of dizziness, nausea, vomiting, diaphoresis, Temp was 99.9 Around noon: Seizure that lasted about 2 minutes with vomiting. My wife witnessed the event. After the event, I had no recollection of what happened but I was oriented to place and time. 17:00- Addition of headache |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0989940-1 | Profuse vomiting and diarrhea, syncope, chills, seizures. ER visit received 3 bags of lactated ringers, 12 mg of IV zofran, 12.5 mg of IV phenergan, 2 CT scans. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0990775-1 | "Headache, Seizures, UrticariaPruritus & NauseaVomiting Narrative: NORMALLY HAVE SEIZURES EVERY EVENING, BUT THIS SEIZURE ABOUT 5.5 HRS POST VACCINE WAS MUCH MORE SEVERE WITH ""EYES ROLLING IN BACK OF HEAD"" AND FELT ""IN A DAZE"". TOOK AN EXTRA DOSE OF CLONAZIPAM 1 MG" |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0992451-1 | PT COMPLAINED OF CHILLS, MUSCLE ACHES THE NEXT DAY. SATURDAY AFTER 12, HUSBAND (WHO IS A PHYSICIAN) REPORTED SHE HAD A SEIZURE. SHE NEVER LOST CONSCEINCESNESS. HE APPROXIMATES THAT IT LASTED ABOUT 15 MINUTES. SHE RECOVERED AND HAS NOT HAD A REPEAT EPISODE. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0992701-1 | "SYNCOPE. PT STATED THEY WERE GOING TO PASS OUT, BUT NEVER DID. SHE LATER REPORTED THAT MY VOICE GOT SOFTER AND HAD TUNNEL VISION. DURING THE EVENT SHE STOPPED COMMUNICATING AND HAD A SLIGHT CONVULSION THAT LASTED ABOUT 20 SECONDS. PT THEN FELT HOT, CLAMMY, AND ""NOT GOOD"". PT FELT THIS WAY FOR ABOUT 5 MINUTES AND THEN FELT FINE." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0993106-1 | Experienced a witnessed seizure at work (Paramedic) then became combative. (No hx of seizures). Subdued by use of versed and transported to. Received fluids. CT scan, labs, chest xray, and drug screen all normal. Remained in ER for observation for approximately 6 hrs then discharged. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0993496-1 | Low count platelets; Convulsions after vaccination without lose of consciousness; A spontaneous report was received from a pharmacist concerning a 22-year-old male patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced convulsions without loss of consciousness and low platelet count. The patient's medical history was not reported. Concomitant medications were not provided. On 28 Dec 2020, the patient received their first of two planned doses of mRNA-1273 for the prophylaxis of COVID-19 infection. On 28 Dec 2020, after getting vaccinated, the patient immediately started to experience tremors and shaking all over his body which was described as convulsions without losing consciousness. On 05 Jan 2021, the patient had a blood test that showed a low platelet count. No treatment information was provided. Action taken for the event was not reported. The outcome of the events, convulsions without loss of consciousness and low platelet count, was considered unknown.; Reporter's Comments: This case concerns a 22-year old male patient. The medical history is not provided. The patient experienced a medically significant and unexpected medically significant event of Convulsions without losing consciousness immediately after receiving their first of two planned doses of mRNA-1273 (Lot unknown). Additionally, the patient experienced an unexpected non-serious event of Platelet count decreased. Based on the current available information and temporal association between the use of the product and the onset of the events, a causal relationship cannot be excluded and the events are considered possibly related to the vaccine. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0995335-1 | About 19 1/2 hours after receiving 2nd dose of Moderna vaccine I had a seizure. I had been asleep, but woke up feeling nauseous, got out of bed to get to the bathroom and my husband said I collapsed, stiffened and had spasms, when I regained consciousness, I had buzzing in my ears, and couldn't feel my extremities for a few minutes. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0996409-1 | PATEINT FELT FINE ON THE HOME FROM PHARMACY, STARTED FILLING ILL (NOT QUITE HERSELF) BEFORE BED. SHE AWAKENED AT 5:45 AM. FELT AS IF SHE WAS GOING TO FAINT. SAT DOWN AND PASSED OUT AND HAD A SEIZURE. SLID OUT OF THE CHAIR AND URINATED ON HERSELF AND THE FLOOR. WAS TRANSPORTED BY AMBULANCE TO HOSPITAL. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0997303-1 | "Patient reported on 2-2-21 that she had a ""seizure"" during the night following the vaccine. Patient reports that around 12 hours after the injection (which would have been around 2 am on 1-6-21) that she woke up with her arm sore and with nausea. Reports that she went to the bathroom because she thought she was going to be sick but husband reports she passed out and had ""seizure like"" activity. Husband reports that she ""was out"" for about 1 minute. Patient was evaluated by ER staff with labs, CT, urine specimen. Per the patient everything came back ok except wbc and tsh were slightly elevated. She is establishing care with primary MD and he is desiring MRI. Patient has not had MRI to date due to insurance requirements. Patients stated that she had COVID in September 2020 and since October 2020 she has been having dizziness and that it has been increasing over the last few months." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0997849-1 | Seizure activity, tx with ativan IM and sent to local ED. Febrile to 102.9, status epilepticus, given Fentanyl, Versed, and Keppra. RSI and intubation performed. Intubated and transferred for neurology care. History of similar events; had similar event when infected with COVID-19. Was extubated uneventfully and is recovering well. Currently on azithromycin and augmentin for aspiration PNA> |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0998394-1 | Will call back later this week with lot number. Two days later my body started tingling, I ended up leaving work early. I called the doctor who said and take some Benadryl and rest it off. I was nausea all weekend and slept most of the weekend. I went to work on Monday and worked through Thursday. Friday 1/22/2021 afternoon my body began tingling again, I became so weak that I couldn't walk. I had to leave work early and they made my husband come pick up because the staff at my job did not think I was safe to drive. I was nauseous again. I had major diarrhea and vomiting about a week after receiving the vaccine. This lasted around 3 days. I finally went into the ER on 1/24/2021. They treated me Magnesium and Potassium and 2 bags of IV fluid and said I was dehydrated and sent me home. I went from the ER and I could not sleep that night, the ER gave me so much Zofran it was just to much. I still continued to throw up at home. Went back to ER this time in on 1/25/2021 around 5AM I was losing feeling in my fingers and toes, they were completely numb. I was also still vomiting. They said I my electrolytes were still out of balance and gave more nausea medicine, medicine to help with the cramping and more IV fluids. I was sent home later that afternoon. I went to work on the 26th, I felt slow to react, trouble concentrating, very lethargic, and off balance. I was still nauseous but it was getting better with medicine. My eyes yellows turn straight yellow, I thought I had jaundice. I was able to work all day. I left work and when I pulled into driveway at home 7:01 PM and EMS was in front of my house 7:14 PM. I went inside and went to bathroom and my husband found me and I was having a full blown seizure, foaming at the mouth. EMS took my to ER and I was treated for a seizure and an elbow injury and went home. I have seen the neurologist and my physician since being discharged. They did more blood work. I have been having high blood pressure since then. I am trying to get an MRI scheduled that my neurologist ordered. They started Keppra 500 MG to control the seizures. I have been taking Tizanadine for muscle spams from the elbow injury when I feel during the seizure. I did have an MRI 6 months ago. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0999299-1 | After receiving moderna vaccine administration, we requested pt to wait at least 30 minutes prior to leaving the pharmacy. After 30 minutes, we came back to give the pt her vaccination card and as soon as she stood up, she fell slowly onto the floor and started having seizure (pt didn't hit her head per technician on scene) around 3:50 pm and became unconscious for a few seconds. She was able to answer our questions when she woke up, but was confused of where she at. She continued to call out random names. We called the ambulance and assisted her while she was on the floor. She had another seizure 5 minutes after the first seizure and became unconscious again for a few more seconds. After she woke up, we placed her on her side and monitored her pulse rates and her breathing while on the phone with 911 personnel. The paramedic came 10 mins after the call. Pt had a history of seizure (she wore epileptic tag around her neck). Pt was taken by paramedic to the nearest hospital for further observation. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1000859-1 | Chills/convulsions, fever, body aches, headache |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1001227-1 | On 2-3-21 at 8:30a, he had a 1 minute seizure. He also had a fever of 101.3F. The temp responded to Tylenol. He did have another seizure at 12:05p for 1 minute. He continued to require medication for fever thru 12:15am on 2-4-21. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1001419-1 | Seizures; bumps on her right arm; red big spots on her right arm; Fever; A spontaneous report was received from a caregiver concerning a 55-years old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced seizures, fever, and red spots and bumps on her arm. The patient's medical history, as provided by the reporter, included being non-verbal, unable to walk, and seizures that last 1-2 seconds. No relevant concomitant medications were reported. On 13 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (Lot number 041L20A) intramuscularly in the right deltoid for prophylaxis of COVID-19 infection. The reporter was a consumer who holds a foster care for older patients. This patient was under her care at the time of the report. The patient received the Moderna Covid-19 vaccine on 13 Jan 2021 at 10 A.M. at the foster care location. She did not notice any reaction after administration. That evening, she saw two big red spots and bumps on her right arm. She iced the patient's arm, but the redness was still visible and bumps were present. That night, the patient started a fever of 102 degrees Fahrenheit. The reporter iced her body down and gave her paracetamol, which helped. She reported that there was no vomiting. On 14 Jan 2021, in the morning the patient had a seizure that lasted 30 mins. The reporter stated that she usually does not call 911 because she is familiar with the patient's seizures that last between 1-2 seconds, but this led her to call emergency services. The seizure was gone when they arrived, and she continued to care for the patient at the home. On 16 Jan 2021, the seizure returned. She had another seizure on 18 Jan 2021, which was concerning, per the reporter because of their frequency. She contacted the patient's health care provider who did not advise anything. She scheduled an appointment with a neurologist. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events, seizures, fever, and red spots and bumps on her arm, was not reported.; Reporter's Comments: This case concerns a 55-year-old female patient with a significant medical history of seizures who experienced a medically significant and unexpected event of Seizure and non-serious unexpected event of Injection site papule along with non-serious expected events of Injection site erythema and Pyrexia. The event of Seizure occurred approximately one day after receiving their first of two planned doses of mRNA-1273 (041L20A), which returned on day 3 and 5 after vaccination. The events of Injection site erythema, Injection site papule and Pyrexia occurred on the same day after receiving their first of two planned doses of mRNA-1273 (041L20A). Treatment for pyrexia included iced her body down and Tylenol. Based on the current available information and temporal association between the use of the product and the onset of the events, a causal relationship cannot be excluded and the events are considered possibly related to the vaccine. Of note, patient's prior history of seizures is considered a confounding factor for the event of seizure. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1002484-1 | "Pt has a hx of seizure disorder. Vaccine given at 0942. Seizure started at approximately 0944 and lasted until 0948. Patient was unable to converse-was attempting. It lasted approximately 4-5 minutes. Her partner was with us and assured us she was okay and did not need medical tx. She states vaccines can ""sometimes shock system"" but it had been a long time since she had a seizure. Second seizure occurred at 10:10 and occurred for approximately 3 minutes. Patient states she took her medication: Lamictal 150mg BID for her seizures. Partner states that seizures can be normal for her and declined need for ambulance." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1002531-1 | Patient had a seizure about 1 hour following vaccination. Pt has hx of seizure dosorder. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1002755-1 | shortly after receiving vaccine client began to have seizure, RN and MD responded to car, family stated this was a normal petit mal seizure for client, family attempted to give client ativan but was unable, EMS called, arrived, MD suggested glucose level, Seizure improving, starting to listen to mother, EMS took over patient, stable, and transported |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1002849-1 | Arrived to the hospital with questionable stroke, 2 seizures in route to hospital (witnessed by EMS personnel) approximately 8 hours after injection. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1004913-1 | After receiving vaccine, Employee complained of tachycardia (P=100), some dizziness. Employee drank water and juice. Employee appeared like she might vomit and started shaking, employee was lifted from her chair to the floor. Employee was turned to her right side and was having a seizure. CODE Team was called and Employee was taken to Emergency room via stretcher. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1005290-1 | On Jan 1st-3rd felt so tired I couldn?t get out of bed. Slept almost 24 hours a day. Morning of Jan 3rd I had a seizure. I have no memory following the next 36 hours. Spent 3 days in the hospital. Cause as yet I know. EEG during hospital stay and again on Jan 29th showed no unusual activity. Mri and CAT showed nothing abnormal. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1006485-1 | Had a seizure on 1/7/2021 at home - fell to floor face first and became unconscious - seizure activity two different times a few minutes apart Very nauseated and a severe headache all day prior to seizure |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1006562-1 | "Patient receive COVID vaccine 1, went to observation area and ""jerking upper and lower extremities"" after sitting. Code Assist called, patient was hypertensive at 182/108, with saturations of 100% on RA. Was transported to Urgent Care in same facility. By that time, she was alert, appropriate, seemed to have a left facial droop. Secondary to apparent seizure and hypertension, decision to transport by 911 was made. Patient did leave the Urgent Care area with paramedics but later decided to go home instead. She spoke with her primary care provider today, 2/5/21.. At that time patient revealed that she was taking zonisamide but not keppra, as prescribed" |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1007846-1 | Patient collapsed to the ground when walking to leave the post vaccine clinic observation area. She collapsed and had a 60second seizure followed by 4 minutes of post ictal activity. She did not vocalize answers during the time but nodded yes when asked if she had a seizure disorder. Patient had another 60 second seizure and then EMS arrived. Her seizure was generalized twitching and patient was unconscious. Vitals remained stable. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1008282-1 | Patient was reported to have possible seizure. She reportedly went to floor on her own . Seizure had ended and had gotten back to her feet by the time pharmacy personnel arrived. Patient seemed not to want to stay in store and left with a family member about 5 minutes after event was reported. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1008509-1 | Normal chills, weakness, sore body, dry mouth. Had a seizure around 7PM |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1008756-1 | Nausea, seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1009402-1 | Fainted twice. During the second faint had a mild shaking (seizure) he was out for about about 10 seconds then came awake. Sweating and hot. He slept for an hour, then was able to stand, and take the stairs up to bed. I'm calling his doctor tomorrow (Monday). |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1009875-1 | Nausea, migraine, mild convulsing for a short period of time, feeling shaky without shaking. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1013035-1 | Moderna COVID 19 vaccine #1 given 2/4/21 at 130pm. Patient had malaise, confusion on 2/5. She then had 3 generalized seizures- status epilepticus- on 2/5 around 4-5pm. MRI brain and labs unremarkable. She recovered 36 hr later - on Keppra. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1014817-1 | I felt fine after the vaccination at 11AM. Between 1-3:30PM, I got a pedicure and drank two 5.4% alcohol beverages. I drove home, made dinner, and ate. Shortly after eating, around 7:00PM, the soreness in my arm got intense, I began feeling nauseous and disoriented. I went to the bathroom and got on my hands and knees because I thought I was going to vomit. My boyfriend helped me get up on the edge of the bathtub, but I quickly passed out and fell forward. He said I was out for approximately 30 seconds. I came to long enough to tell him to call my mom then passed out again. for about 15 seconds Within minutes my mom, sister and daughter arrived, followed by first responders. First responders had to keep me from passing out for about 10 minutes, during which time I broke into a cold, soaking sweat, had involuntary muscle convulsions, extreme nausea, disorientation, slurred speech, and loss of ability to get up or walk on my own. I was admitted to the emergency room around 7:45. It took another hour for me to regain muscle control, speech and total coherency. I was released and went home. My arm was severely sore until Monday morning, but I also experienced severe fatigue, nausea, headache and muscle aches until late Sunday. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1016658-1 | I found her unresponsive in her room, she had some white stuff on her mouth. I called 911. while waiting I placed ice on the back of her neck and she began to respond, as she began to become more responsive she defecate all over herself. I checked her blood sugar it was 159. The ambulance arrived, they checked her vitals said they were ok, they gave me the option of monitoring her at home or going to the ER. I chose to monitor her at home. Monday all day she still had a fever complaining of headache, joint pain and pain in the arm she received the vaccine, at times she became very delirious, nothing she said made sense. . Her doctor said she had a seizure and offer to place her on seizure medication. I gave her two 500mg Tylenol she has an appointment on March 7th for the second dose but I am afraid to give her the second dose. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1017079-1 | Fainted; Had a seizure; A spontaneous report was received from a physician concerning a patient who received Moderna's COVID-19 vaccine (mRNA-1273) and fainted and had a seizure. The patient's medical history was not provided. No relevant concomitant medications were reported. On 23 Jan 2021, the patient received their first of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On 23 Jan 2021, after vaccine administration, the patient fainted and had a seizure. No treatment information was provided. Action taken with mRNA-1273 in response to the event was not reported. The outcome of the events, fainted and seizure, were unknown.; Reporter's Comments: This case concerns a patient, who experienced events of fainted and seizure. The events occurred the same day after the first and last dose of mRNA-1273 vaccine administration. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded and the events are assessed as possibly related. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1017190-1 | CLIENT STATES 3 HOURS AFTER RECIEVING VACCINE HE HAD A SEIZURE, WIFE IN ATTENDANCE AND LASTED ABOUT 30 MINUTES, HAS O2 SAT FINGER PROBE AT HOME AND SAT WAS 96 % BUT HEART RATE VIA MACHINE WAS IN 30 RANGE. HAD CHEST PAIN NON RADIATING. DID NOT SEEK MEDICAL ATTENTION UNTIL MONDAY, 3 DAYS AFTER VACCINE,THIS IS WHEN HE SAW HIS CARDIOLOGIST AND HAS ECHO ORDERED FOR 1 WEEK. HE ALSO HAS A MD APPOINTMENT WITH UROLOGIST FOR KIDNEY STONES. PULSE RATE WAS BACK TO 60 RANGE WITHIN 1 HOUR. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1017732-1 | On 2/4/21 had a seizure which he has not had in 16 years. He then started to get really tired, and still having that today 2/9/21. Had the feeling of having a heavy flu. No treatment, no other seizures. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1017813-1 | After the vaccine I was in the waiting room, then I had seizure-like tremors full body and complete energy loss, was taken to the triage for CBC and EKG testing. Full body tremors subsided after 1 hrs and was left with extreme arm tremors. Given Ativan for tremors stopped momentarily but after 20 minutes tremors in arms began. Moved to the Health ER where was given a CT scan and Benadryl. Calmed the tremors. Left hospital at 1:30AM and the following day (02/05/2021) ran a fever of 101 for almost 16hrs, treated with fever reducers. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1017893-1 | My brother has epilepsy. His seizures can be triggered by low grade fever and exhaustion. He had covid in early October. His seizures are generally well controlled but he had several after the vaccine. I understand that the vaccine did not cause the seizures. The fever caused the seizure. I just think it?s important to neurologists to have this info to see how we can go about mitigating the seizures and if the 2nd dose is necessary. Keeping him hydrated may have helped and also giving him something immediately for the low grade fever. Just knowing these things may help others. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1018108-1 | While PT was waiting during her 15 minutes observation period post covid-19 vaccine administration PT began to experience siezure like activity lasting about 5 minutes. PT has a PMH of seizures, is compliant with her prescribed medications, and suffered a seizure a week prior. An IV was established and PT VS were monitored while PT was transported to the hospital. Prior to transport PT was COAX4 and remained stable through out transport. Run # 21-0766 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1020257-1 | within 3minutes of vaccine administration patient became diaphoretic, flushed and reported chest and neck tightness. She was placed in the Clinic Observation Room. VSS were taken immediately. Unable to obtain a BP, HR 130's T97.7F temporal 02Sat 100% Allergist on call paged admin Zyrtec 10mg po x1, patient continued to gasp, oxygen via nonrebreather applied, patient put hands around throat and was thrashing, Epi pin admin x1 in the right thigh. Simultaneously, the Rapid Response Code Team had been paged. They arrived promptly and took over care of the patient. The patient was transferred to the Emergency Room at MGH |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1020276-1 | Began having seizures on 2/6/2021 a day after having vaccination. Husband of patient reports patient having 2 seizures on 2/6/2021. Pt transported to ER for testing. Husband denies pt receiving any treatments. Pt underwent various tests. Pt sent home. Husband reported pt having altered mental status from seizures. Pt then had 4 more seizures on 2/7/2021. Husband states pt had altered mental status but her condition began improving after seizures. Pt has not returned to baseline cognitive function as stated by husband. Husband states pt has a history of seizures and is prone to having seizures. Pt also in early stages of dementia. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1020515-1 | "Daughter of client reported that her mother had 2 ""seizures"" with loss of consciousness 24 hours post vaccination. No history of seizures. Patient reportedly had COVID with significant ""brain fog"" 1 month prior to 1st dose of vaccine." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1020631-1 | pt had a seizure that lasted 20 second the morning after receiving the second dose of her vaccine. No further symptoms or abnormalities noted after this event |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1020684-1 | Patient received vaccine at Public Health Clinic. Patient ended up having a seizure 3 days later and ended up in the hospital. Found to have right lobe pneumonia and low depakote level. Patient noted to have multiple seizures at hospital, issues with stabilizing HR and BP, and passed away on 1/20/21. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1020784-1 | Paralysis swelling. Seizure, lost eye sight, partial speech ! And is bed riding and loss of balance |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1020859-1 | Started on Jan 24 or 25-Extreme fatigue, sleeping til late in afternoon,, unable to get out of bed,, headache, just didn't feel right. Went to primary doctor office on 29th. Ran every blood test, ekg and chest xray-mostly normal except orthostatic hypertension. Told to increase fluids. Felt a little better over the next week then same symptoms again Feb 4 and 5th. Took to ER had a seizure and vomiting. CT showed a Stoke and am currently in hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1022260-1 | Respiratory distress, seizing, cyanotic, A-Fib with RVR occurring less than 24 hours after receiving his second dose of Moderna. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1022330-1 | patient had a seizure, no medical intervention needed, patient returned to baseline after 10 minutes |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1022650-1 | "Pt. was at least 15 minutes post receipt of his second dose of Moderna COVID vaccine. He began complaining of dizziness and a headache. We monitored him for over an hour and during that time, he continued to c/o dizziness, frontal headache, photophobia, and worsening when opening his eyes are trying to look straight ahead. We had him isolated in a dim room and had air blowing on him as he complained of being hot. His O2 Sat, pulse , and BP all stayed stable and within normal range. Pt. denied sx of swelling around face/neck or difficulty breathing. RR was stable and unlabored at all times. Pt. refused EMS services and after some time, insisted he needed to get up and leave. Our staff and his co-worker assisted him out of the facility and to a vehicle where we was transported off the premises. We were informed later through his supervisor that he got worse after leaving and went to the hospital where he ""seized."" He is reportedly stable at this time but further information on his condition is unavailable." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1023375-1 | Became unresponsive; Looked like having a seizure; Felt light headed; BP extremely low; Profusely sweating; Heart rate extremely low; A spontaneous report was received from a pharmacist, concerning a 35-year-old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced felt light headed, became unresponsive, looked like having a seizure, BP extremely low, heart rate extremely low, and profusely sweating. The patient's medical history, as provided by the reporter, included high blood pressure. Products known to have been used by the patient, within two weeks prior to the event, included hydrochlorothiazide/lisinopril. On 29 Jan 2021, five minutes prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot Number: 025L20A) intramuscularly in the right arm for prophylaxis of COVID-19 infection. On 29 Jan 2021, the patient felt light-headed five minutes after receiving the vaccine. He then became unresponsive but was breathing and had a pulse. The reporter stated it looked like the patient was having a seizure; his eyes rolled upward, his left arm shook, and he did not respond to touch or voice. It was reported that 911 was immediately called and responded within a couple of minutes. The patient's blood pressure and heart rate were extremely low, and he was profusely sweating. The reporter stated that the patient came to and still felt very light-headed. The patient was then taken to the emergency department. Medical tests and laboratory results were unknown, but the reporter stated that a magnetic resonance imaging (MRI) was possibly performed. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not provided. The outcome for the events, became unresponsive and looked like having a seizure, were resolved on 29 Jan 2021. The outcome for the events, felt light headed, BP extremely low, heart rate extremely low, and profusely sweating, was unknown.; Reporter's Comments: This case concerns a 35-year-old, female, with medical history of high blood pressure, who experienced a serious unexpected event of syncope, seizure, and non-serious unexpected events of dizziness, hypotension, hyperhidrosis, and heart rate decreased. The events occurred 1 day (5 min) after mRNA-1273 (Lot# 025L20A). Treatment information was not provided. Concomitant medications included: hydrochlorothiazide/lisinopril. Based on temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Additional information has been requested. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1023790-1 | Per patient had a seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1024066-1 | Patient had a 2 seizures lasting 1 minute each approximately 2 hours and 4 and 1/2 hours post vaccination. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1024111-1 | Sore arm first injection as expected. 2nd more sore. Some fatigue. Felt totally fine prior to until my husband turned onto our home street and I started to verbalize that this is not our neighborhood nor our house. I then started to have a seizure which I was told lasted 5 minutes and was turning blue. I was buckled at the time. I have compression fractures of T12 to L2 He called an ambulance and I had a second one. I had ct , mri, mra, eeg, ekg, labs. Treated with muscle relaxants, toradol. Put on keppra. Cannot drive for 6 months. All new onset. Having a lot of back spasms especially in the night My mouth and tongue are sore from biting on it During seizure Foggy thinking and decreased memory |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1024549-1 | Fever over 103 Seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1024718-1 | Seizure followed by loss of speech, weakness, confusion |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1024824-1 | Patient began to have a seizure within 6 minutes of vaccination. She also had symptoms of shortness of breath and tachycardia |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1025007-1 | "Rapid eye movement like ""having a mini-seizure""; Fainted; Feeling warm; A spontaneous report (United States) was received from a pharmacist concerning a 21-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and fainted and experienced to have rapid eye movement like ""having a mini-seizure"" and feeling of warmth. The patient's medical history included historical seizures. Concomitant product use was not provided by the reporter. On 02 Feb 2021, the patient received their first of two planned doses of mRNA-1273 (Batch number:026L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 02 Feb 2021, a few minutes after the injection, the patient fainted then recovered but again fainted and was noted to have rapid eye movement like ""having a mini-seizure"". HCP managed her with ice pack as patient complained of feeling warm and she recovered in less than 30 minutes. Treatment information was not provided. The outcome for events fainted, rapid eye movement like ""having a mini-seizure""" and feeling warm were resolved.; Reporter's Comments: This spontaneous report concerns a 21-year-old, female patient with historical seizures. who received experienced the patient fainted then recovered but again fainted and was noted to have rapid eye movement like ""having a mini-seizure."" The event occurred a few minutes after the administration of mRNA-1273 vaccine (Batch number: 026L20A, expiration date: unknown). Treatment administered include Icepack and outcome is resolved. Based on the information provided which includes a strong temporal onset between the vaccine administration and the event, a causal association cannot be excluded. However, event is confounded by the subject's history of seizures. Feeling warm is consistent with the safety profile of the product." |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1025228-1 | Seizure |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1025458-1 | Please note, vaccine was not administered at doctors office. Not clear what was being asked in previous page for address - of doctor or vaccination site. I had vaccine at 730-740am and by 430pm, I had heavy onset symptoms of body aches, chills, fever etc. I took 1000mg of Tylenol and began feeling better. Still exhausted so I went to bed around 630pm but because I was pushing so much fluid, I kept getting up to pee. I was still freezing. Around 940pm, I woke up to pee and again freezing still. I sat on the toilet and started having full body convulsions and the next thing I remember is waking up on the floor. My husband found me passed out, face first on the tile floor with my pants still down. I hit the left side of my face very hard. My husband helped me to bed where I took more ibuprofen and tremored for the next hour before I fell asleep. I woke up completely drenched and sweat and with a headache. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1025481-1 | "After receiving the vaccination her husband met with his son. He reported that his dad did not know anything. His wife told the son to bring him to Hospital. They brought him to the hospital and got there and his son said that he had called the daughter and he did not know the day, month, his grandson's name, like he wasn't there. He had a funny look on his face that he was ""out of it"". Asked simple questions about pet at home, favorite and could not remember the name of the cat. He then came out and said that he was fine. They ran tests for a mini-stroke, CT scan, blood work. They had a consult with Neurology, virtual. The neurologist did some questioning, and by 3:00 they felt that it was like a mini-stroke, and she said that she felt it was from the vaccination as it occurred right after the vaccine. She took him home, and told him to take a nap. By 4:30 PM she woke him up and said that they were going to eat, she was getting things ready. He was sitting on the couch about 5:00 PM and had that blank stare again. He went walking through the house walking aimlessly and started fumbling through papers . She called 9-1-1 and within 10 minutes they took him to the ER. It took her an hour to get to the hospital, his daughter met them at the ER. He told them that he was fine, and they knew that he was not. By 7:00 PM they were going to do an MRI and wanted to admit him to the hospital. All of a sudden at 9:00 he was having another episode. She got the nurse and they watched him and decided that he was having a seizure, (agitation, not making sense.). The entire episode lasts for about 30 minutes. They did an MRI and an EEG, which she does not have the results of. On 2/11/21 she talked to the neurologist who insisted it was due to the vaccine. He has now settled down and has not had another seizure since 9:00 PM the night before. He was discharged yesterday at around 1:00 PM, he slept, got up and is fine this morning. He was diagnosed with seizures, and to FU with Dr. in Epilepsy clinic, and prescribed Keppra, which he has not taken as he feels it was due to the vaccination.. He does not remember the events that took place." |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1026188-1 | Convulsions/Mini Seizure |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1026583-1 | Patient felt faint and moved her self to the floor. She was unconscious and began to have witnessed seizure activity, which lasted approximately 3 minutes. When she did become conscious again, she was disoriented and urinated on herself. 911 was called but when the ambulance arrived, they asked her if she was okay, and she said she was ok . Information relayed to the drivers of what was witnessed but they declined to take her to the hospital. Her husband came and took her home about an hour later. No further seizure activity. Vitals were stable |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1026752-1 | Developed vomiting, seizure and cardiac arrest, V Fib |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1026764-1 | "Potential allergic reaction - epinephrine administered PT had seizure activity at 11:45am, within 30 minutes after administration of first COVID vaccine (Moderna) Epinephrine (0.3mg) administered by provider at 11:47am PT had audible and palpable pulse, approximately 180 bpm that declined to 107 at time of arrival of the fire/ambulance department, respirations and heart rate did not cease during event PT in postictal state after seizure however able to dictate to Fire Department his name, date of birth and his last seizure which he states was ""a month ago"" Patient was transported to Hospital in stable condition Fire Department" |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1027371-1 | SEIZURE at exactly 28 minutes post-injection. Unconscious for 34 minutes. Observed at clinic until ambulance transportation to Medical Center |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1027563-1 | Migraine, Seizures. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1028835-1 | Severe convolutions/involuntary movements lasting 9 hours. temperature up to 103.3 that persisted >24 hours. One episode of emesis without nausea. Headache, dry mouth, fatigue, joint pain lasting >5 days. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1029005-1 | patient became syncopal and fell onto floor with subsequent seizure activity |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1029484-1 | Spouse woke at 3am got up for a drink of water and fainted - fell on a tile floor damaging lips and teeth. I got up to help, cleaning up blood and checking injury. After a while I got dizzy and fainted, got up too soon and fainted again. I fainted a third time, had convulsions and lost bladder control. Visited my PCP a week later. Now have a neurologist appt scheduled, a month out. Currently, I have no apparent issues. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1031460-1 | Convulsing; Mild diarrhea; Fatigue; Mild bladder infection; Sweating; Pain; Fever; Nausea; Chills; A spontaneous report was received from a consumer concerning a 77-years-old, female patient who received Moderna's COVID-19 Vaccine, and who experienced pain, fever, nausea, chills, convulsing, uncontrollable body jerking, sweating, full body ache, fatigue, and mild diarrhea. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On 15 Jan 2021, approximately the night of prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Lot number 011L20A) intramuscularly for prophylaxis of COVID-19 infection. On 15 Jan 2021, the patient developed pain, fever, nausea and chills. On 16 Jan 2021, the patient entire body started convulsing and sweating. She developed pain; entire body ached with uncontrollable body jerking. Patient was taken to the hospital, where she received intravenous fluid and paracetamol and was diagnosed with a very mild bladder infection. On an unknown date, the patient had mild diarrhea and fatigue. Action taken with mRNA-1273 in response to the events was unknown. The outcome of the events pain, fever, nausea, chills, convulsing, uncontrollable body jerking, sweating, full body ache, diarrhea, and fatigue was not reported.; Reporter's Comments: This case concerns a 77 year old, female patient, who experienced serious unexpected event of seizure, and non-serious unexpected event of hyperhidrosis and cystitis, and non-serious expected events of nausea, pyrexia, chills, diarrhea and fatigue. The event of pain, pyrexia, nausea, chills occurred 1 day (same day) date after mRNA-1273 (Lot# 011L20A), while the event of seizure, hyperhidrosis, and cystitis occurred 2 day (same day) date after mRNA-1273 (Lot# 011L20A). The event of diarrhea and fatigue occurred on an unspecified date after mRNA-1273 (Lot# 011L20A). Treatment included IV fluids and Tylenol. Very limited information regarding this event has been provided at this time. Based on temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Additional information has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1031465-1 | seizure; signs of confusion; Fever; shoulder pain; A spontaneous report was received from a husband, concerning a 26-year-old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced shoulder pain, fever, signs of confusion and a seizure. The patient's medical history was not provided. No relevant concomitant medications were reported. On an unknown date, the patient received the first of two planned doses of mRNA-1273 intramuscularly (lot number: unknown). On 29 Jan 2021, the patient received the second of two planned doses of mRNA-1273 intramuscularly (lot number: unknown) for prophylaxis of COVID-19 infection. On 29 Jan 2021, the patient's husband reported that patient experienced shoulder pain, 10-12 hours later the patient started to have a fever. On 30 Jan 2021, the patient had signs of confusion and then suffered a seizure and was taken to the hospital. No treatment information was provided. Action taken with mRNA-1273 in response to the event was not reported. The outcome for the events, shoulder pain, fever, signs of confusion and a seizure, were unknown.; Reporter's Comments: This case concerns a 26-year-old, female patient, who experienced a serious unexpected event of Seizure, non-serious unexpected event of Confusional state, and non-serious expected events of Pyrexia and Arthralgia. The events of Pyrexia and Arthralgia occurred on the same day after second of two planned doses of mRNA-1273, lot # unknown. The events of Seizure and Confusional state occurred approximately 2 days after second of two planned doses of mRNA-1273, lot # unknown. Treatment information is not provided. Based on the current available information and temporal association between the use of the product and onset of the event a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1031998-1 | After about 15 minutes the subject asked to use a pulse oximeter, reading normal. Then said it was like looking in a tunnel. We asked him to sit an d applied an ice pack to the back of the neck. At the time this provider did not know the patient had a seizure disorder. He slid to the floor with full tonic clonic involvement. His head and neck were protected. 911 was called and an ambulance. After about 3 minutes the subject regained consciousness. He did not wish to be checked out at the hospital. He signed a release and his mother picked him up |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1033398-1 | Two severe seizures 23 hours after injection, fever of 101.4. First seizures in more than a year. Oral thrush two days after injection, fever blisters on lips three days after injection. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1033422-1 | PT RECEIVED VACCINE AT 0921 AND IMMEDIATELY APPEARED TO BE HAVING A SEIZURE. EMS CALLED. APRN ON SITE AS WELL AS PARAMEDICS ASSESSED PATIENT, VITALS WNL. PATIENT BEGAN BECOMING RESPONSIVE AT 0927. EMS ARRIVED ON SCENE AND PT REFUSED ANY CARE FROM EMS AS WELL AS TRANSPORT. PT SIGNED AMA FORM. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1033599-1 | "1500 FELT ""PALPIATATIONS"" AND FACIAL FLUSHING EPISODE IN IN HE LAST 10 MINUTES, RESOLVED SPONTANEOUSLY 1504 BLOOD PRESSURE 75/86, HR 105 O2 100%; HEART RATE REGULAR AND RAPID, FEELS FLUSHED HEART RACING. PATIENT REPORTS SEIZURE EPISODE LAST NIGHT 1511 BP 54/87 HR 99 O2 99%, PATIENT STATES SHES FEELING BETTER 1530 PATIENT FEELING MUCH BETTER. INSTRUSTED TO SEEK EMERGENCY MEDICAL ASSISTANCE IF SYMPTOMS RETURN" |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1034094-1 | First thing in the morning could only stand for a few seconds without feeling I was going to faint. Symptom lasted for about 4 hours. At 1:00 p.m. took temp which was 102. Approximately 5 minutes later I had a seizure. My partner who witnessed the event stated I laid back on our sofa, my head turned and my eyes rolled to the right and I was shaking . I was unresponsive. It lasted about 15 to 20 seconds. Immediately after coming out of it I lost my bowels. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1034187-1 | Patient was sitting in the 15 minute waiting area after receiving the vaccine. After sitting in the waiting area for roughly 5 minutes it looked like the patient was starting to fall asleep. He slid off of his chair and onto the floor where it looked like he was having mini seizures. He was unconscious for about 30 seconds to one minute. The paramedics were called. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1035865-1 | PT received 1st dose 0.5. ML Moderna IM Left Arm at 0900 HRS. PT did not present with any significant medical history or preexisting symptoms before vaccination. PT ambulated under his own power to observation area. Approx 5 minutes into observation patient walked back to vaccination table, asked for water, then postured and fell to the ground. Patient appeared to have a vasovagal or seizure event. PT did not hit their head when falling. PT regained consciousness, recalled the vents leading to the altered level of consciousness, but does not remember losing consciousness. PT evaluated by EMS and transported to local ED for evaluation and treatment. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1036049-1 | while sleeping experienced what was described as a seizure taken to hospital by ambulance CT scan on arrival showed no indication for the seizure later in day EEG and MRI performed, no abnormalities found keppra (500 mg, twice per day prescribed) waiting for follow up appointment |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1036060-1 | New onset seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1036187-1 | Patient had a Seizures Without Status Epilepticus after the vaccine. Onsite EMS was called vitals were taken BP 164/100 BG 154 HR 93. Patient Treated and Transported by the EMS to the hospital. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1036286-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1036450-1 | 15 second whole body seizure witnessed by father. Patient vomited for about 15 minutes. Father stated that his seizure probably due to being constipated and not reacting to treatment this morning. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1036455-1 | On February 14th our dayshift staff arrived at work and upon approach to Patient's room approximately 0700 noted her to very warm and flush. Her temp was taken. She was at 103F. On-call nurse was called. Tylenol was advised and recheck. Prior to recheck Patient's roommate came out stating Patient's was shaking. Staff immediately went to her room to find her actively in a seizure of unknown duration. 911 was called d/t the seizure not ceasing/fever. Squad arrived and Patient was still having tremors. Staff followed to the ER. Patient was intubated and placed on a ventilator. Covid test negative. She is currently at Hospital x3 days. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1036591-1 | Patient received vaccine on 2/8 at 2:50pm. On 2/9 at 10am, patient was found unresponsive. EMS noted R gaze preference and L sided contracture. Patient was intubated and symptoms resolved when given Versed. Concern for seizure activity. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1036807-1 | "immediately following inoculation the individual complained of left arm soreness with alternating cold and hot sensation; he also told the observation nurse that during his 15 minute observation he had ""3 seizures."" none of the seizures were observed by any of the clinic staff. The individual requested to be taken to the emergency department. The rapid response team assisted him to the ED." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1036956-1 | I had a seizure. My wife found me on the bathroom floor convulsing. I was unconscious for over an hour and a half. I was taken to hospital by ambulance. I have short term memory lost. All of the scans were normal and all my vitals signs were normal . I never had a seizure before and it was not signs of a stoke on the cat scan. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1036974-1 | Mini seizure, jerking limbs , eyes rolling in back of head, choking. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1037202-1 | Patient had seizure about 45 minutes after receiving Covid 19 vaccine. Dr at ER confirmed this seizure was not related to Covid vaccine. Patient didn't take Depakote for 2 days. His Depakote level was low. Patient has history of brain tumor and seizure. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1038190-1 | "Patient is pron to seizures. She received the Covid shot. At about 4:00 pm that afternoon she began to have a seizure. I was very atypical of her previous seizures. She began the seizure at a very low level (no outward signs other than total confusion and unable to speak. This condition lasted until about 8:pm. Now and again she would do her normal ""shake"". The seizure eventually stopped. Additional dose of Keppra was given as well a a few drops of Lorazapam." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1038252-1 | Nervous system disorder NOS; Severe uncontrollable body movements, my tongue was also affected; Allegedly having an adverse reaction with seizures; A spontaneous report was received from a consumer who was a 42-year-old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced attack on nervous system, severe uncontrollable body movements, and allegedly having an adverse reaction with seizures. The patient's medical history, as provided by the reporter, included hysterectomy. No concomitant medications were provided. On 04 Jan 2021, the patient received their first of two planned doses of mRNA-1273 (Lot Number: 011L20A) for prophylaxis of COVID-19 infection. On 07 Jan 2021, the patient's tongue began to spasm. On 08 Jan 2021, the patient's whole body had been convulsing all day. The patient reported that it was attacking her nervous system on an undisclosed date. She visited four hospitals in two days; all blood work was normal. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events, attack on nervous system, severe uncontrollable body movements, and allegedly having an adverse reaction with seizures, was considered not recovered/not resolved.; Reporter's Comments: This case concerns a 42-year-old, female patient with medical history of hysterectomy, who experienced serious, unexpected event of seizures and non-serious, unexpected event of dyskinesia and nervous system disorder NOS. The events occurred 4 days after the first dose of mRNA-1273 (Lot Number: 011L20A) administration. Very limited information regarding this event has been provided at this time. Based on temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1038383-1 | Pt received Moderna vaccine, 2nd dose on 2/15/2021. She was subsequently admitted to the hospital for fever and Seizure on 2/16. Pt also noted to have fever ~104F. She does have a history of seizure disorder and is maintained on anti seizure medication. Suspect the seizure related to high fever ~104F possibly from her vaccination. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1038560-1 | PT WAS VACCINATED ON FRIDAY. ON SATURDAY HE HAD A SEIZURE. HE WAS HOSPITALIZED AND LATER PUT ON A VENTILATOR. PT WAS DISCHARGED SUNDAY |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1039289-1 | Pharmacy District Manager: Patient had what was presumed to be a seizure. No epinephrine or any medication was administered on site. Paramedics and Fire Dept was called. She did come to within a couple minutes but was unaware of where she was. She was transported to Hospital. (head school nurse) confirmed with me that she was released from the hospital later that same afternoon. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1040063-1 | Patient had a mild seizure and passed out for about a minute |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1040233-1 | PATIENT STARTED TO HAVE SEIZURE WHILE SHE WAS IN HER WHEELCHAIR ABOUT 10 MINUTES AFTER HER VACCINATION. PATIENT'S DAUGHTER AND I WERE WITH HER WHILE SHE WAS HAVING SEIZURE. SHE WAS AWARE WHAT WAS GOING ON BUT HER BODY WAS SPASMING. SHE DID NOT HIT HER HEAD AS SHE WAS IN HER CHAIR AND DAUGHTER ASKED US NOT TO CALL AMBULENCE (OFFERED TO CALL RIGHT AWAY) AS HER SEIZURES USUALLY PASS AFTER A FEW MINUTES. AFTER A FEW MINUTES (PATIENT WAS SITTING WHOLE TIME), SEIZURE PASSED AND HER BODY WAS NOT SPASMING, PATIENT STAYED FOR ADDITIONAL 20 MINUTES TO BE MONITORED IN CASE ANYTHING HAPPENED. NO TREATMENT WAS GIVEN EXCEPT GIVING PATIENT WATER (PATIENT HAS HISTORY OF LYMPHOMA, SEIZURES (ON MEDICATION FOR IT PER DAUGHTER)). AFTER 30 MINUTES, PATIENT RECOVERED AND WAS BACK TO NON-SEIZURE STATE. DAUGHTER STATED IT WAS FINE TO LEAVE AND NO ADDITIONAL HELP WAS NEEDED AND PATIENT WITH DAUGHTER LEFT. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1040547-1 | Mini seizures; Body chills; A spontaneous report was received from a consumer, concerning herself, a 21-year-old female patient, who received Moderna's COVID-19 vaccine and experienced mini seizures and some chills. The patient's medical history reported includes seizures. Concomitant product use was not provided by the reporter. On 06-FEB-2021, prior to the onset of events, the patient received her second of two planned doses of mRNA-1273 (lot number unknown) intramuscularly for the prophylaxis of covid-19 infection. On an unspecified date in Jan-2021, the patient received her first dose of vaccine and on 07-FEB-2021, a day after the second dose of vaccine, patient experienced some chills and mini seizures. Treatment information was not provided Action taken with mRNA-1273 in response to the events were not reported. The outcome of the events, mini seizures and some chills were considered unknown at the time of this report.; Reporter's Comments: Based on temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded, however, patient's history of seizure is a confounding factor that may a possible contributory role. Further information has been requested. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1041385-1 | Recieved vaccine on 1/15/21, seizure activity noted on 1/16/21 at 2pm. Transferred to hospital. Cause of seizure unclear. Admitted to Hospital returned to facility on 1/22/21. Recieved 2nd COVID-19 dose with no side effects noted. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1041424-1 | Eyelids blinking/ Not Responding BP 164/106, EMS called In a few minutes she was responsive, anxious had a tremor, but according to caregiver at facility the tremor was normal. EMS took her to hospital as a precaution, thought she had a seizure due to anxiety. She is treated for anxiety and seizures. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1041767-1 | This resident sustained 2 seizures, 45 minutes apart, and an elevated temperature of 101 F on 2-19-21. The first seizure occurred at approximately 8:45 am and the second at approximately 9:30 am. The resident does not have a seizure disorder or history of seizure activity other than 1 day after receiving the first dose of the same vaccine on 1-20-21. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1042142-1 | Seizure-like episodes. No treatment at this time. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1043158-1 | Potential Absence Seizure duration 5-10minutes, vomiting at conclusion. Episode occured roughly 40 minutes post vaccination. Patient returned to her baseline following episode. EMS called and patient evaluated in ED and returned to facility with no lasting effects. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1043880-1 | Pt received second Moderna COVID-19 vaccination administered in left arm at her assisted living facility by Pharmacist at 1153 on 2/19/2021. Pt was monitored for vaccine reaction with no known adverse reaction. Approximately 18 hours post-vaccine, she was found deceased in her sleep at 0540 on 2/20/21. Per circumstances/pt history, it is presumed that the patient aspirated while sleeping, perhaps secondary to a seizure. Coroner was notified and declined as coroner's case. VAERS notification being made due to pt death within 24 hours of receiving a vaccine. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1045735-1 | Around 5:30 PM I began experiencing normal symptoms like headache and muscle ache. At 8:15 PM I began to feel light headed, nauseous, and short of breath. Around 8:20 I needed to lay on the floor to prevent myself from fainting. My eyes were rolling back because I was borderline unconscious. I felt like I had no control of my body and had to go to the bathroom. For around 15 minutes I was on the floor convulsing, shaking as if I had chills and my muscles were involuntarily tensing. My pulse was extremely low. After the convulsions stopped I remained on the floor an additional 15 minutes. Around 8:45 PM I was able to return into my bed with assistance. My nauseous remained and I began experiencing chills. I slept on an off the entire night. At about 1 AM what I suspect was a fever began to break and I was extremely sweaty. For the following day I experienced exhaustion and muscle soreness. I am still experiencing exhaustion. I recognize a bulk of my symptoms were normal but the convulsions, losing consciousness, and inability to control my body seemed worth reporting. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1045926-1 | Site: Pain at Injection Site-Mild, Systemic: Dizziness / Lightheadness-Severe, Systemic: slurred speech, confusion, possible seizure, minimal right side of body function-Severe, Systemic: Numbness (specify: facial area, extremities)-Severe, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1046597-1 | muscle pain, fatigue, seizures |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1047200-1 | Patient had breakthrough seizure on 2/5/2021. Last prior seizure was 5/2020 before starting Keppra. It is not clear if seizure was related to vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1047278-1 | Initially, sore arm and some upper trunk muscle soreness on the day after vaccine. 3 days later, admitted to the hospital after witnessed fall by husband - cardiac arrest. Seizures seen today. Unsure if directly related to the vaccine, as there are several days between vaccination and the arrest, but no new medications or issues since vaccination. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1047328-1 | Individual comes to mass vaccine administration clinic .Consent form and risks were reviewed with the individual prior to receiving vaccination. Individual received 1st dose of Moderna Vaccine, Lot # 015M20A, NDC 80777-273-10, 7/29/21 expiration. Individual was given 0.5ml of Moderna Vaccine IM and then escorted to waiting room for monitoring for 30 minutes. Individual had no reactions to the vaccine or complaints but after 13 minutes at 3:53 pm she started with a seizure and was unconscious. 911 was called and her vitals monitored. 3:59 pm pulse 62, O2 98%, BP 125/77 blood sugar 77.Smelling stick was used and individual slowly woke up. Staff from the center she came from came over and states that individual does have a history of seizures. Paramedics on the scene asses individuals vitals and share that she had a seizure and left since individual signed not to go to the hospital 4:05 individual took a clonaepam 0.125 from her purse and took it po. Individual remained stable and alert 4:14 individual was assessed again vital 110/83, pulse 60, O2 96% Patient was stable the rest of her 30 minutes post vaccine administration individual left stable with staff. Individual motioned that she was feeling better since she does not speak Individual was given follow up vaccine appointment in 30 days but was told she needed to get a note from her provider that she is able to have a second vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1047596-1 | Stroke and seizure ( In the past he had a stroke and seizure ) So this is not his first time and we are not sure if this is related to the vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1048195-1 | Seizures; Seizure; A spontaneous report was received from a physician assistant concerning a patient of unknown age who experienced seizures. The patient's medical history was not provided. Concomitant product use was not provided/unknown by the reporter. On 11JAN2021, approximately 16 days prior to the onset of the symptoms, the patient received their first of two planned doses of mRNA-1273 (Batch number not provided) intramuscularly for prophylaxis of COVID-19 infection. On 26JAN2021 and 29JAN2021, the patient experienced seizures. The patient does not have history of seizures. The patient was transported to the ER for treatment and they had a consult with a neurologist on 08FEB2021. The neurologist advised the patient that it would be ok to get the second dose of the vaccine. The events seizures, was considered resolved on 26 Jan 2021 and 29 Jan 2021.; Reporter's Comments: This case concerns a male patient, who experienced a serious unexpected event of seizure (twice) after receiving first dose of mRNA-1273 (Lot# unknown). Very limited information has been provided at this time. Further information has been requested. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1048746-1 | Systemic: Seizure-Medium |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1048874-1 | Approximately 30 minutes after receiving the vaccination dad had a seizure, and he continued having seizures for 24 hours. He developed a low grade fever of 99.4 for 24 hours. He was very ill for 8 days and has been continuing to recover slowly. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1049109-1 | Patient had a first time seizure and she has no other risk factors for seizure. Of note, the patient had COVID-19 infection three months ago and received her first dose of the Moderna vaccine three weeks ago |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1050464-1 | 10 minutes post vaccination during observation, patient fainted and did not rouse immediately. I administered ammonia inhalant was used within 1-2 minutes of her LOC, and patient gained consciousness but was diaphoretic and pale. Within 2 minutes of the ammonia inhalant, she began convulsing (full body convulsions, eyes rolled) For 30-45 seconds. She had continued LOC for 1-2 minutes, 15L O2 mask was administered, and patient slowly came in and out of consciousness for the next 5-10 minutes, bradycardic 35-45 bpm, BP 72/50, HR irregular, RR 16 BS clear. At the time of observed convulsions, 911 was called and arrived within 10-12 minutes. When EMS arrived, she remained pale but with some improved pallor, HR 45 bpm, and more alert. Transported by EMS to hospital for eval. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1050997-1 | "seizure; hospital staff ""couldn't wake him up""; A spontaneous report was received from a consumer who was also a 77-year-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced a seizure. He was hospitalized for one night and the staff had a difficult time waking him up. The patient's medical history included prostate cancer last year. Patient provided that he takes 8 or 10 different medications daily but did not list them out. No other medical history was shared and patient has no known drug or food allergies. On 30-Jan-2021, prior to the onset of the events, the patient received one of two planned doses of mRNA-1273 (Lot number: 042L20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 31-Jan-2021, the day after the mRNA-1273 vaccine was given, the patient had a seizure and was hospitalized for one night. He stated that the hospital staff had a hard time waking him up. He spent one night in the hospital and was released on 01-Feb-2021. It was not reported what caused the seizure and the patient was unsure if the hospital knew that he had the vaccination the day prior. He was discharged with Keppra. Consent to contact was given by the patient to contact him and the hospital. No further treatment information was not provided. Action taken with mRNA-1273 was not reported. The events, seizure and depressed consciousness level, were considered resolved on 01 Feb 2021.; Reporter's Comments: Very limited information regarding these events have been provided at this time. Further information has been requested." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1051604-1 | The next day of vaccination, early in the morning wake up having convulsions. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1053044-1 | 35 yo male, aprox 510 minutes post vaccintion pt feel to floor. Immediately had seizure activity. Impact was on l forehead area with a moderate size hemeatoma noted and abrasion. Pt is able to answer questions but not remember conversation prior to fall. VS initially were 99% o2 sat, hr-68, 82/43, hr 51. o2 via nc applied @ 2l per nc. o2 sat 99-100%. Skin cold, clammy, ashen, post seizure activity noted. EMS called. Father called was in car waiting and came into building. Pt transported to medical center via ambulance. Last VS 108/76, 100%, hr-87, r-20@1456. 1445 b/p 60/44, hr44, o2 sat-99%, r-18. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1053753-1 | Seizure lasting about 1 1/2 minutes with vomiting afterwards off and on for 30 minutes. He was very tired on the 24th. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1054160-1 | 2/12/2021 woke up with sore arm and back. 2/13/2021 woke up with headache around 1am. Headache and nausea all morning. Mid-late afternoon started having seizures. Admitted to Hospital 2/15/2021 expired. Reported per wife on 2/25/2021. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1054253-1 | PT WAS GIVEN VACCINEE. WITHIN 3 TO 5 MINUTES, SHE APPEARED TO BE HAVING A SEIZURE. AID WAS ADMINISTERED. RPH HELD HER UPRIGHT (PT WAS FALLING OUT OF HER SCOOTER). 911 WAS CALLED AND ICE PACK APPLIED TO CHEST TO HELP WITH FIGHT OR FLIGHT FEELING. SHE WAS NAUSEOUS, LIGHT-HEADED, AND FAINTED. PT WAS HELD UNTIL EMT'S ARRIVE, AT WHICH POITN SHE WAS COHERENT. STAFF AT FACILITY BROUGHT THE PATIENT ORANGE JUICE. SHE WAS OK WITH SITTING AND STANDING BP O F96/62. SHE FELT BETTER AND REFUSED TO GO TO THE HOSPITAL. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1054557-1 | Flu like symptoms followed by two episodes of fainting and convulsions requiring ambulance 15 hours after vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1054564-1 | Blacked out: I was attempting to put on a sweater to go to the bathroom. I had my arms up and felt a lot of pain in my arm, and blacked out and fainted. I don't recall the events for the next 60 seconds. My wife said that I fell on the bed, was unresponsive, saw foaming at the mouth, had seizure, and urinated in my pants. She adjusted the bed so that my head is up, and threw cold water at my face, mouth and teeth, which made me responsive, and then walked me to the bathroom. During the night, I had fever, Chill, pain at injection site, vomit, nausea, headache, light-headed. I didn't have appetite in the morning and had nausea and headache. I felt better ~3pm when I could finally eat rice, yogurt and chicken. I am feeling well now, but worry that the seizure had caused any long term damage. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1054867-1 | I hade a seizure after second shot |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1055962-1 | Seizures, with bad head pain, followed with loss of speech. High with blood cell count, indicating infection, but none found. Was on a breathing, and feeding tube. Was in hospital for one weeks time. Now in a Rehab facility, with loss of memory and balance. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1056449-1 | Convulsions due to pain; Severe pain; A spontaneous report was received via voicemail from daughter, concerning her mother, a female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced convulsions due to pain and severe pain. The patient's medical history was not provided. No relevant concomitant medications were reported. On an unknown date, the patient received their first of two planned doses of mRNA-1273 (Lot: unknown) intramuscularly for prophylaxis of COVID-19 infection. On unknown date, the reported stated her mother experienced severe pain to the point of convulsing. She mentioned her mother was at the doctor. No treatment information provided. The outcome for the event, convulsions due to pain and severe pain, were unknown.; Reporter's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1056476-1 | "Seizures; Mini stroke; Tired; A spontaneous report was received from a consumer concerning a 73-year-old male who received Moderna Covid-19 vaccine and experienced seizures, mini stroke, confused, agitated, eyes were abnormal, memory impairment, and tired. The patient's medical history included heart attack and stent placement in 2011. His relevant concomitant medications include acetylsalicylic acid, candesartan cilexetil, clopidogrel bisulfate, diltiazem hydrochloride, ezetimibe, adenosine, gabapentin, metoprolol tartrate and rosuvastatin calcium. The patient received their first of two planned doses of mRNA-1273 on 14 Jan 2021. On 10 Feb 2021, 30 minutes prior to the onset of the events, the patient received his second of two planned doses of mRNA-1273 (Lot#010M20A) intramuscularly in left deltoid for the prophylaxis of COVID-19 infection. On 10 Feb 2021, With in 30 minutes of receiving the vaccination, the patient had a seizure. They took him to the hospital, where he had a computerized tomography (CT) scan, blood work and had a consult. After consult, they said, it's a mini stroke. They released him and told her if it happens again call 911. He felt so tired and went to sleep at home. Around 17:00 dinner time, he woke up looked very blankly, and his wife reported knowing he had another seizure. She reported he ran to his keys saying, ""I have to go"", seemed confused, agitated and didn't know where he was. She called 911 andhe was transported to the hospital in an ambulance. Around 19:00 the same day, he was admitted to do scans overnight. Around 21:00, patient's eyes were abnormal, he became agitated again and nurses confirmed he was having another seizure. 30 minutes later, he was talking to his wife and daughter as if he didn't remember anything. He mentioned some metallic taste in his mouth. On 11 Feb 2021, they did an electroencephalogram (EEG) and confirmed that he was having seizure. He was prescribed seizure medication and released him from hospital. However, the patient and his wife reported not wanting him to take the medication as they believe the events were due to the vaccine. Treatment information was not provided. Action taken with vaccine is not applicable as the patient received both the doses. The outcomes of the events, seizures, mini stroke, and tired, were recovered.; Reporter's Comments: Very limited information regarding this event has been provided at this time. The patient's medical history of heart attack and concomitant medication use can be confounding factor. Further information has been requested." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1056844-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1057974-1 | Patient reported having 2 seizures at 7:30am and another around 9:15-9:30am the day after vaccination. She has had seizures in the past and is not on any maintenance medication for this condition. She did not require immediate medical attention. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1057997-1 | """Feeling Hot"" without fever and nausea 10 hours post vaccine and resolved within 1 hour. Seizure, Hypotension, Unresponsive followed shortly by cardiac arrest and pulseless electrical activity 21 hours post vaccine. Pronounced dead 22 hours post vaccine" |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1058255-1 | Patient developed seizure 30 minutes after receiving injection. This was witnessed so EMS was called and taken to ED and had another seizure which was witnessed by our staff. I examined patient post ictal. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1058650-1 | Started with coughing, about 4 hours after the vaccination, then chills and fever, I visited the ER about 31 hours after the shot. They gave me an IV to reduce my fever. I slept well the second night , other than my muscles ache. Then on Friday morning which was about 47 hours after the vaccination, I had a seizure. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1058959-1 | About 8 hours after my second injection I had alot of muscle aches, felt hot with no fever, and was very tired. At about the 13 hour mark I had a seizure, was unconscious and unresponsive. My wife called an ambulance and I was taken to the ER. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1059263-1 | Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe, Systemic: Shakiness-Severe, Additional Details: Patient was sitting in observation and his head and eyes rolled back. He was observed to go into a shock state, possibly seizure for a few minutes. After a few minutes, patient regain orientation and was alert and was able to answer questions before the ambulance arrived. Patient left with the ambulance to the emergency room. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1059264-1 | Systemic: Fainting / Unresponsive-Severe, Systemic: shortness of breath-Severe, Systemic: Seizure-Severe, Systemic: Shakiness-Severe, Additional Details: Patient was sitting in observation when he suddenly had his head and eyes rolled back. Patient's daughter alerted the pharmacist on duty that he felt like he couldn't breathe. Patient went into a possible seizure. His eyes rolled back and his body went stiff. After a few minutes, patient was alert and oriented enough to answer questions coherently before the ambulance arrived. Patient went on the ambulance. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1060494-1 | Seizure. Loss of consciousness. 911. Ambulance to ER. Stabilization and release. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1062853-1 | "Per MD's note on patient's chart on 2/26/21: Spoke with both the patient's mother and father today. Patient is 16 and received Moderna vaccine. Both state's current guidance and my correspondence with CDC indicate that she should receive 2nd dose of Moderna and not change to Pfizer. Patient does have a history of Rett Syndrome (rare neurologic genetic defect). Parents report 1 week after receiving Moderna vaccination, she experience her first seizure and was transported and treated at Hospital. Seizures can be a feature of this disorder but the patient had not experienced one in the past. Her parents report that her Neurologist does not believe the seizure to be related to vaccination. I informed parents I would search the VAERS system for similar reports. They were not enrolled in V-Safe, but I encouraged them to do so and gave them a link to the CDC site for registration. Correspondence with CDC (via email): ""If the Moderna vaccine is inadvertently administered to patients 16 or 17 years old instead of Pfizer-BioNTech as the first dose, CDC currently recommends that the Moderna vaccine may be administered as the second dose (as off-label use). The second dose should be administered as close to the recommended interval as possible, 28 days for the Moderna vaccine. Additional information regarding administration errors and deviations can be found in CDC?s current interim clinical considerations regarding mRNA COVID-19 vaccines." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1064325-1 | Next day unstable 1/26-1/27-1/28 Seizures 1/26- 1/27 -1/28 Behaviors 1/26-1/27-1/28 Total incontinence 1/26-1/27-1/28 Eye swelling 1/28-1/29 Red bicep 2/8 - 2/12 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1064661-1 | My mother had a seizure on February 15th after recieving the moderna vaccine on February 11th within four days of the vaccine. Doctors at hospital. Staff cannot answer what caused the seizure though they found a 4mm bleed on her brain; believed unrelated to seizure; on an MRI. My mother has never had a seizure and noone in my family have had seizures. I don't know if it's related to the vaccine but felt it should be reported to you. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1065747-1 | Seizure and Allergic reaction |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1066636-1 | Seizure around 4:40 am on 2/27/2021. Shaking, eyes drawn in, fists clenched, some foaming at mouth, unresponsive. Ambulance called to the home. Transported to hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1066741-1 | "Patient got vaccine on 2/3/21. Developed fever of 102 F and malaise on 2/4/21. Reported ""low grade fever"" on 2/5/21. Had witnessed convulsive seizure on 2/7/21 and went to the ED for evaluation." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1066923-1 | Patient experienced seizure aura, lost color, began to sweat, eyes rolled back, and was mildly unresponsive within 5 minutes of vaccine administration. Called 911. Placed patient on left side per direction of EMS dispatch. Patient stated the aura had decreased within a few moments of lying down on his left side. EMS assessed the patient's vitals which were normal on arrival. Patient declined transport to hospital and left in care of mother. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1066985-1 | New onset headache, seizures, and encephalopathy |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1067275-1 | Patient was monitored and reported dizziness 10 minutes after receiving vaccine, vitals were within normal limits at that time. After 30 minutes without any other event, patient said she was feeling well and began to leave to go home. About 3 minutes thereafter reported not feeling well. She was taken to an exam room, where she lost consciousness and had a seizure for about 2 minutes, vitals remained normal. Ambulance was called and patient taken to the hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1068697-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1069114-1 | immediately after vaccine injection upper body went into convulsion, uncontrolled jerking and tremor of all extremities. Difficulty Breathing |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1069614-1 | 48 hours after receiving dose 2 of the Moderna vaccine, patient developed alterations in mental status - cannot recall the events. She was taken to the ED and was found to have a BP of >200/130. Patient had a seizure in the ED - was intubated to protect airway. CT showed some decreased areas of attenuation in the bilateral occipital lobes and cerebellum. MRI showed vasogenic and cytotoxic edema in posterior temporal, parietal and BL occipital and BL cerebellar hemisphere which can be seen with PRES. Patient required inpatient treatment for her elevated BP and neurological evaluation. Was started on Norvasc and Keppra due to concern for PRES. Discharged with follow up in cancer center and with neurology. Hospitalist and neuro teams thought PRES was likely due to her chemo regimen, patient's oncology team though PRES may have been triggered by vaccine due to timing and her dose of Avastin. Pt has extensive oncological history including ovarian cancer w/ metastatic breast cancer in L axilla. Pt recently started on cytoxan, Avastin, pembrolizumab. Also has malignant abdominal ascites. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1069680-1 | I received the shot at approximately 11:15am then waited for 15 minutes in an observation area. I was feeling fine and was allowed to leave. I began driving to pick up my husband from work and approximately 5 minutes later, I began to feel woozy and unwell. I wanted to pull the car over, but I was stuck at a red light. The next thing I remember is two men opening the doors to my car and telling me I had had a seizure. While I was unconscious the car had driven into a fire hydrant and water was shooting over the car and street. The men helped me from the car and I laid on the sidewalk until the ambulance arrived. I was transported to the hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1070802-1 | On February 8th, 2021 patient came home early from work around noon due to not feeling well. She was feeling tired, slightly nauseous and very low energy. At about 4:50 PM that day, patient got up to walk to the pantry after eating some peanut butter toast. She suddenly stopped and shut her eyes and froze and then she began having a seizure (and she has never had a seizure before and seizures do not run in her family). After the shaking from the seizure ceased, her body tensed up and she fell flat backwards and she hit her head on the refrigerator. She then was going in and out of consciousness, she had a big laceration on her forehead and was bleeding rapidly. I, her daughter, witnessed this and then at 4:54 PM I called emergency services and paramedics arrived and took her to the hospital. Later that evening, the family was notified that the patient had bleeding in her brain, a concussion, a forehead laceration that received 15 stitches and a broken neck (C2 fracture). She was taken to the hospital that evening on February 8, 2021. Patuent experienced a second seizure while at the hospital during a CT scan. Patient later was able to come home February 11, 2021 in the afternoon. Patient now has to wear a neck brace for up to 12 weeks, cannot drive, cannot work for up to 12 weeks, and is still recovering cognitively from the concussion. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1071260-1 | 30 second nonepeleptic seizure , loss of blood pressure and extreme dizziness along with nausea |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1071624-1 | Patient states that after waiting for the 15 minutes of observation, within 30 to 40 minutes she had a seizure. Said it resolved and she did not seek medical attention but wanted to know if she should receive the second shot. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1072015-1 | Fever, seizure lasting about 10-15 seconds |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1072129-1 | "03/03/2021 (0720-0735) Immediately following vaccination I experienced 2/10 sharp, constant substernal chest pain lasting for approximately 15 minutes. 03/04/2021 (0200-0400) Awoke with subjective feeling of fever, full-body muscle cramping, and uncontrollable, mild, full-body convulsions without loss of consciousness (not true seizure-like activity). These were not the typical ""shivering"" symptoms typically experienced by patients with high fever. All other symptoms experienced following severe symptoms more closely resembling flu-like symptoms that are to be expected following second vaccine." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1072923-1 | During the first day after taking vaccine, started having a fever, headache, and sore throat. By the evening, fever was severe and 102+, with severe headache and sore throat. After sleeping on that nigh (had disruption of sleep from 2 - 4 in the morning), it was looking normal., just had usual fatigue after a fever. But on Thursday (Took vaccine on Tuesday morning, March 02, 2021), I suddenly started having a seizure, my whole body was shaking, legs were cramping. I thought it was going to go away, but after 10 minutes it was getting worse and I had to call the emergency services. The fire service members first came, they measured my blood oxygen level, it was 98%, but my blood pressure was high (140). I was still shaking and having the seizure. They tried to calm me down by talking, after some time, my blood pressure came to normal and I started getting normal (no seizure at that point). I declined the ambulance service as it is expensive and I was getting normal. I had a 101 fever just after that and went to visit the health care facilities . |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1073443-1 | Patient has a previous history of seizure disorder. She received the vaccination and proceeded to the waiting area. While there she reported to staff embers that she could feel a seizure coming on. She was moved to the floor in a safe location and monitored. She was able to contact her spouse to bring her medication. She began to seize and at one point she did lose consciousness. She regained consciousness and improved rapidly afterwards. EMS was called, but she declined the service. She said that these seizures aren't uncommon and she wanted to go home to recover. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1074795-1 | Seizure 3/4 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1074998-1 | Approx 7 hours after receiving the vaccine client says he heard a loud roar and lost consciousness. Wife called EMSA and they met her and was transported to Hospital with seizure like activity for approx. 3 minutes. He has never had a seizure before. They were not sure if the seizure was R/T his stroke or the vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1075679-1 | Clients mother reports he had a seizure the day following administration of second dose and he developed extreme shaking and thrashing around while she was caring for him and he was lying on his side. The episode lasted for 30 seconds to 1 minute and he slept for about half an hour afterward. He has since been more subdued and listless but is beginning to display more of his typical behaviors again. She said he has had milder seizure like activity in past when his head tilts backward and he has stiffness and staring with last episode of this being 6 months ago. Last grand mal seizure occured when he was young and related to issues with his shunt. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1076291-1 | Had a seizure while watching TV with my family. I was setting in a chair, not stressed. Family called 911 and ambulance came to take me to office |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1076998-1 | Patient had vaccine and waited the 15 minute waiting period. He felt well after 15 minutes and left the observation waiting area. He went up front to purchase something 5 minutes later and collapsed face first on the floor as observed by a nearby customer. The customer said he started having convulsing seizures and the customer went to aid in keeping the patient safe. the pharmacy manager (myself) was alerted and I immediately ran upfront to the patient with the emergency bag. 911 was already on the cashiers phone. They dispatched an ambulance. The only treatment was keeping the patient on his side and safe. He was having some labored breathing initially which quickly calmed down. The EMT arrived and they called his Dr office off the VAR. They said he had some hx of seizure. He had selected no to question #6 on VAR (Have you had History of seizure for which you are on medication for). He became conscious before transport to the hospital. The EMT stated that he seemed to be covering as expected from seizure. He was then transported to Hospital Center. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1077244-1 | 2 seizure back 2 back extreme arm pain |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1077556-1 | Felt feverish and achey starting 12 hours after injetion, lasting a total of 54 hours. At 36 hours after injection I felt like I was going to faint. I sat down and put my head on the table. According to my husband, my eyes briefly rolled back into my head and I was convulsing for a brief period of time (5 seconds). I then sat straight up, sweating profusely, white a sheet and with a terrified look on my face started hyperventilating for a short period of time. My husband said I never actually fainted, but I don't have memory of this incident. After this episode passed I continued to feel feverish and achey. Temp about 100.7. Started to feel a little better 54 hours after injection. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1078274-1 | Naeusea, passed out, hands seizing/shaking |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1078689-1 | Fainting, shaking all body, difficulty breathing, hyperglycemia, convulsion, pain on shot area. Called 911 to translate at emergency room. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1079538-1 | seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1079841-1 | Patient experienced a generalized seizure lasting at least two minutes on Jan. 14th, having received the vaccine on Jan. 6th. Patient has no history of seizure disorder. Patient was taken to the ER per his physician's order. CT scan, x-ray and blood work were unremarkable except for an elevated whilte blood cell count. Patient was released and convalesced at home. There has been no further seizure activity. Patient did not recieve the second dose of the COVID19 vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1080336-1 | "Borderline seizures; Fever of 104 F; A spontaneous report was received from a consumer (patient), a 67 years-old female patient, unknown race and ethnicity, who was administered Moderna's COVID-19 vaccine (mRNA-1273), and experienced borderline seizures (seizure) and fever of 104 F (pyrexia). The patient's medical history was not provided. Concomitant medication included tofacitinib citrate. On an unknown date, about a month ago, prior to the onset of events, the patient received their first of two planned doses of mRNA-1273 (batch number: unknown), intramuscularly for the prophylaxis of COVID-19 infection. On an unknown date, the patient had a fever of 104 Fahrenheit (F) for 3 days and was very sick with ""borderline"" seizures. The patient's blood work showed C-reactive protein (CRP) was 31 (unknown units), and white blood cell (WBC) count was low. The patient's physician was very concerned. No treatment medications were reported. Action taken with the second dose of mRNA-1273 in response to the events was not reported. The outcome for the event, borderline seizures was considered as unknown, and that of fever of 104 F was considered as recovered.; Reporter's Comments: Very limited information regarding these events has |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | been provided at this time. Further information has been requested." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1080754-1 | Seizure cluster from 2/22/2021 to 2/28/2021- patient had significant increase in seizure frequency during these days. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1081519-1 | Nothing at all for 14 hours...not even a sore arm. Around eleven that evening, severe headache; nausea; muscle aches arms & legs; and most serious two seizures (spasms??) about 5 seconds apart. I?ve only had a few muscle cramps in my life so the seizures were unusual to say the least. They started in my lower abdomen (seemed like a small band going full circle around my body) and moved incrementally up towards my shoulders. Rapid movement upward...kinda like squeezing a tube of toothpaste. Each one was only about two seconds long but fairly violent. If I had anything in stomach, it would have been on the floor. Everything was gone (except the sore shoulder) by five in the morning. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1081585-1 | Systemic: Seizure-Medium |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1082022-1 | About 3 minutes after patient received immunization, he fainted and had a seizure. Patient was with his parents and he told them he felt like he was going to faint, so his parents stabilized him before it happened. Patient seized for about 10 seconds and then came to alertness. He was made comfortable and given juice and a granola bar after a while because patient had not yet eaten this morning. I monitored patient for about 45 minutes before I felt patient was stable and feeling well enough to leave. Patient left with his parents monitoring him. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1082086-1 | Patient was vaccinated at pharmacy on 2/9/2021, first dose of Moderna COVID-19 vaccine. Per medical records from hospital: patient developed fever, diarrhea, nausea and abdominal pain on 2/25/2021 and presented to the hospital E.R. on 3/1/2021. Patient was diagnosed with Sepsis and Pneumonia. Cardiac arrest on 3/6/21, renal failure, seizures. Patient tested negative for COVID-19 on 3/1/2021 and 3/8/2021. Patient has declined, was placed intubated and placed on a ventilator. Patient admitted to hospice services on 3/8/2021 and plan is for compassionate removal of life support at hospice. Prognosis is poor. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1082478-1 | Patient had been sitting in general observation area post vaccine when she began seizing and fell to the floor from chair. Seizure lasted approx 10-15 sec. Patient came to and was oriented x 3. Assisted patient by EMT x 2 to w/c and taken to private observation area. 1421 BP 174/92; HR 108; O2 97%. Patient hands shaking. Patient states she last had therapeutic drug levels done a month ago and her seizure meds were not adjusted. States she took all of her meds, but unable to recall all the names. States she left her list at home. States she did not have an aura prior to seizure, but knows she had a seizure. States she feels too hot in there and offered water. 1435 Refuses transport, refuses further treatment. States she has her friend here and her friend will drive her. Called friend and friend bringing car to exit area. Instructed patient to call physician that is managing her seizures to let them know that this occurred. Instructed to go to ED for further eval. Patient states she is going to go home and agrees to contacting PCP and seeking medical care if seizures persist. Took patient via w/c to awaiting car, assisted to car. Transportation provided in personal vehicle per friend driving. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1082642-1 | Syncope or seizure 10 hours after vaccine, preceded about about 1 hour of aches, chills, and feverish feeling. Resulted in fall to floor, hitting head and injuring shoulder. EMTs reported hypertension, tachycardia, trembling, some EKG abnormality, and low-grade fever. Transported to emergency room where CT scan, CBC, and additional labs and monitoring were performed. Released when scans and labs were normal (after monitoring.) |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1083540-1 | Feels fatigue and like she's about to have a panic attack before fainting....has happened twice and had convulsions once. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1083724-1 | Really bad seizure; A spontaneous report was received from a physician concerning a 31 year old female patient who received Moderna's Covid 19 vaccine(mRNA1273) who developed unusual seizure. The patient's medical history as provided by the reporter included 215Q- 2 copies of a piece of chromosome 15 and the patient was on medications for seizure, sleep disorder and urinary incontinence. Products known to have been used by the patient, within two weeks prior to the event, included daprica, Trazodone, Oxybutynin and Carnitine. On 18-FEB-2021 approximately eight days prior to the onset of symptoms the patient received first of two planned dose of mRNA-1273 (Batch Number 024M20A) for prophylaxis of Covid 19 infection. On25 -FEB-2021 patient had a really bad seizures without the usual triggers. The pulse rate of patient was 89 and came back up.The event was considered as medically significant. The treatment for the event include Valium 5mg. Action taken with mRNA-1273 in response to the event was not provided/unknown. The outcome of the event really bad seizure was considered as unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1084349-1 | During sleep, pt's arm was hurting. He got up to use the bathroom. His spouse said he collapsed next to the bed and started convulsing. Spouse said she called 911. Convulsing lasted until EMT's arrived. When pt awoke, he was in the ambulance and was vomiting. Taken to ER at Hospital. Given muscle relaxors and zofran for emesis. Was also given fluids. When fluids were complete, he was released to home. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1085017-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1085560-1 | I had a visual aura seizure four days after the first vaccine. It started with minor stars/auras in the right side of my right eye and within about 5 minutes, half of my vision was gone. After resting and eating, my vision was restored and the aura stopped. A couple of weeks later I had episodes of minor facial drooping, which lasted for a few hours each. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1086303-1 | High fever of 102, dizziness, headache, pain in left side of jaw, neck , chest. Nausea, weakness, seizure.,( Never seized before) left eye burning high blood pressure. Symptoms started in bed while asleep 12 hrs after 2 nd vacccine |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1086929-1 | Seizure; A Spontaneous report was received from a consumer concerning a 85-year-old male patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and developed seizure. The patient's medical history was not provided. Concomitant product use was not provided by the reporter. On an unknown date, the patient received their second of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On 23 Feb 2021, two hours prior to the onset of the event seizure, the patient received their second of two planned doses of mRNA-1273 (Lot 030M20A) intramuscularly for prophylaxis of COVID-19 infection. On 23 Feb 2021, 2 hours post vaccination the patient developed medically significant event of seizure. Treatment for the event included lorazepam. Action taken with mRNA-1273 in response to the event was not applicable. The outcome of the event seizure was not reported.; Reporter's Comments: Very limited information regarding the events has been provided at this time. Further information has been requested. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1087769-1 | Here is my story. Part 1: I had my second Moderna vaccine on 2/16. 36 hours later I was laying In bed when I all of a sudden felt very strange- sort of faint - like I was going to pass out. Then I started feeling like my Body was going numb. We called 911. I was taken to the ER. What followed was about 15-20 ?neurological? episodes (every ten minutes or so) where my entire body from head to toe became paralyzed- I couldn?t move any of my limbs. I also had no sight. I was not blacked out Bc I could hear everything that was happening. It was also accompanied by extreme chest pain, numbness, contratcing of muscles in chest cavity that felt almost like a heart attack. Each individual episode lasted about 3-5 minutes and then slowly the paralysis would undo and I?d regain feeling. And then the full episodes would start over a few minutes later. This went on for a few hours repeatedly while in the ER. I was admitted for testing and monitoring for two days (EEG, EKG, MRI, Catscan) all clear. Once discharged I had lingering neurological symptoms but not the full paralysis episodes. Lingering symptoms included severe chest pain, numbness/weaknesses predominant on the left side as well as other random areas. I was very weak and tired. I started to improve very slowly - by day 10 post hospitalization I was starting to feel like things were turning the corner and maybe I was on my way to recovery. Part 2: I started to finally feel more improved from the lingering neurological issues and then all of a sudden around 5:30PM I was in the kitchen making dinner for my kids on 3/2 and the episodes started again. Called 911. Again, every ten minutes or so they came on (maybe 15-18 episodes) of complete paralysis- this time accompanied by seizure like rapid eye movement from side to side and fluttering of the eyes. I was readmitted to the hospital where the episodes repeated to happen again, maybe 15-20 times. I was admitted. They did a 24 hour video EEG which ?caught? the episodes on video and sound but did not appear negatively on the EEG in terms of abnormal brain activity. I?ve been released as they say there is nothing to do. I have lingering muscle weakness in my eyes- I can?t focus my eyeballs or ?track? on an eye exam and continued muscular chest pain. I also have a lot of PTSD from the trauma of the events. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1089252-1 | Pt started to seize up, lost consciousness, and had a blank stair, she did respond to ammonia after about 15 to 20 secs, she was hypotensive and oxygen at 92%. 911 was called, they check her out. Pt refused to go hospital. Patient signed waiver. Rechecked pt Blood pressure and was within normal limits. Patient said she felt fine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1089335-1 | "patient was sitting in our lobby following covid vaccination when he reported he felt a little dizzy and thought he may faint, (patient was nervous for the vaccine prior to administration), I sent someone to grab a ice pack and a bottle of water for him and while they were retrieving the ice pack he started to seize. Patient was breathing but unresponsive, stiff, and unable to blink, talk, or move for around 2-3 minutes. Once the seizure ended I asked patient if he had a history of seizures, his answer was, ""not really"". He drank some of the water and sat with the ice pack for a couple minutes and said he felt better. Color returned. Patient stated he felt nerves contributed more than anything and was feeling 100% better when he left. We had dialed 911 while patient was unresponsive but once he was able to talk again he declined 911 and stated feeling much better." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1090649-1 | Pt received #1 moderna vaccine. Immediately after receiving vaccine she had a seizure. EMS took her to the hospital. Pt seizure medicine had been increased in December 2020 when she had her last seizure. Pt was observed in hospital for 24 hours with no seizure activity. Pt has appointment next with her neurologist. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1090864-1 | I had a Seizure lasting 6 to 7 minutes |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1091533-1 | Elevated Temperature Sudden onset of headache Seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1091957-1 | I'm still not sure which COVID19 vaccine my dad received (It made me fill it out--I'm not sure if he got Moderna or Pfizer). Nursing home would know. He received his 2nd shot on Jan 19. On Feb 17 all was fine and they were planning on getting him crowns at the dentist. On Feb. 19 everything went poorly. He started to suddenly have seizures and was not responsive. When I arrived on Feb 21 he didn't say much and had seizures that night. On Feb 22, he responded a little bit and had a big black eye from a seizure the night before. On Feb 22 he had at least 4 seizures and he passed that afternoon around 1:20 pm |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1092145-1 | Pt feeling very warm and lightheaded with subsequent loss of consciousness with seizure like activity. After regaining consciousness patient agitated and diaphoretic, vomited. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1092239-1 | 6 HRs after vaccine: I began to feel nausea, weak, tired, mild headache. I had a few random sharp stabbing pains in my L. hand. Took 325mg Tylonol with water and went to bed. 7 1/2 HRs after vac: I woke to my hands seizing. For the next 2 1/2 HRs: Starting with the muscles in scalp and my hands and moving toward my neck and then down through my torso; my muscles would seize and shudder violently for 1 to 3 minutes, subside for maybe 10 seconds and seize again. I didn't loose consciensness. My teeth clenched and chattered so violently that I thought they would break. It was nearly impossible to open my mouth. I felt very cold even thouhg my husband said my skin temp was normal and I had 5 blankets over me. 9 1/2 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1092258-1 | Moderna COVID-19 Vaccine EUA The day after I received the 2nd dose of the vaccine I had a headache. That same night I ran a fever and woke up the next morning feeling ok. I was taking a shower and it was reported to me by my fiancT I had passed out, started to seize, my eyes rolled to the back of my head. A few minutes later I woke up on the floor and asked what had happened. I was not sure what had happened. I felt fine when I woke up. When first responders arrived they asked me if I knew who I was, the date, the president, where I lived to all I was able to answer correctly. I went to the ER and they did a ECG, blood test, urine test, chest x-ray, CT of my head and they said everything came back normal. I was prescribed Keppra and have an MRI scheduled in the coming week. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1092462-1 | PATIENT STATES HE FELT LIGHT HEADED THEN APPEARED TO LOSE CONSCIOUSNESS AND SLUMPED OVER IN A SEATED POSITION DURING HIS 15 MINUTE OBSERVATION PERIOD. PATIENT APPEARED TO TRY TO GET UP OUT OF CHAIR AND BEGAN COVULSING, BECAME RIGID, AND COLLAPESED TO THE GROUND. PATIENT BECAME TOTALLY UNRESPONSIVE. PHARMACY STAFF ADMINISTERED EPIPEN AND WITHIN MINUTES PATIENT BECAME LETHARGIC BUT RESPONSIVE. PATIENT RECEIVED EMERGENCY CARE ON SITE FROM LOCAL PARAMEDICS AND AFTER APPROXIMATELY 15 TO 20 MINUTES WAS RESPONSIVE AND AWARE OF SURROUNDINGS. AFTER APPROXIMATELY 30 MINUTES, PATIENT FELT WELL ENOUGH TO REFUSE ADDITIONAL EMERGENCY CARE AND HAD GIRLFRIEND TAKE HIM TO THE HOSPITAL. INITIAL ONSET OF SYMPTOMS WAS APPROXIMATELY 10 MINUTES AFTER VACCINATION. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1092582-1 | Received 1st dose of Moderna COVID-19 vaccine on 1/27/2021 (patient did receive 2nd dose on 2/24/2021). Patient vacations during winter and was scheduled to come back in April of 2020, however, due to pandemic travel restrictions was unable to return home until October of 2020. Patient was seen in ED on 2/2/21 for UTI. On 2/4/21 patient returned to ED with chief complaint of headache. ED note states patient was fine at previous visit but during this encounter she had an altered mental status. Patient is admitted due to encephalopathy secondary to focal status epilepticus, for which she is discharge with a new prescription for Keppra for seizures, and possible UTI. Test revealed high IgG for virus (IgG is present during prolonged infections, while IgM is present at infection start and little IgM was found). No seizure activity on EEG after initiation of anti-epileptic therapy with gradual improvement in mentation back to baseline. Etiology of seizure disorder unclear. This event followed a COVID-19 vaccine and another case of status epilepticus was seen for another patient who had just previously received the vaccine, prompting the suspicion this could be related to the vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1092685-1 | Symptoms started at 5:15 PM the next day, about 20 hours after vaccination - Vomiting - High heart rate - Suspected seizure (symptoms differed from the past instances) - Loss of coherence (intermittent for 2 hours) Ambulance brought her to hospital, where she was in ER and later admitted. She is still at hospital under observation at this time, with no discharge date set. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1094342-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1094404-1 | The day of the vaccine, Pt had a weird feeling and sat down. She did some breathing exercises but she started breathing faster, leaned over & fell & hit her head slightly. She started jerking for about a minute but she used her magnet and it started to bring her out of it. The very next day, she had 2 more seizures, within a 30 min period, & similar episodes. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1094432-1 | Patient, reported to EMT #1 tingling in hands and nausea at 0949. EMT #1 reported. At 0950, PHN began to assess patient. Patient started seizing at 0950. Patient observed breathing with minimal shaking and no jerking movements. Patient's family member supported patient in chair and stated she has a history of seizures, takes unknown medication for seizures, and did not have a seizure immediately following the 1st dose of Moderna. Seizure ended at 0953. Patient observed breathing, speaking, and appeared sleepy. Patient advised to wait for further observation. Patient offered 911. Patient declined 911. Patient vitals taken at 0956 by EMT. Blood pressure 100/60 mmHG and pulse 76 beats per minute. Patient and patient's family member reported to PHN wanting to leave facility. Patient offered 911. Patient refused. Patient left facility with family member at 1015 with unlabored breathing. Patient escorted by family member, 2 EMTs and PHN. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1094496-1 | Severe hyponatremia, seizure, vomiting. Required hospitalization, 3% hypertonic saline, consultation with neurology and nephrology. Initial sodium level 114 at discharge sodium was 136. She recovered and is well now. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1095026-1 | patient bring observed for 30 minutes post vaccine. hx of seizures and has service dog hx of anaphylaxis to bee stings and antibiotics. uses epi pen ,not available with patient 10 minutes post vaccine sudden onset cough and c/o itching throat, followed by wheezing nurse stat called. patient stated feels like passing out, within 1 minute started having seizures. was conscious but not responding patient lowered to floor stat team present eejrosepatient lifted to stretched, 100% NRB applied. patient taken to ER. patient conscious and responding |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1095568-1 | I had a seizure about twelve hours after I received my vaccine. I was conscious for it and it involved both my legs and feet. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1095719-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1096716-1 | Seven non epilepsy nocturnal seizures beginning 12 hours after injection and continuing for 18 hours. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1096843-1 | numbness/tingling in left arm after 1 hour, then similar feeling in right arm; then pressure in head after a 2 hours; seizure after 3 hours; I have not had a seizure for 6 years after being treated for it with Keppra starting in 2015 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1096897-1 | vasovagal syncope(faint) at 3 am. that triggered a small seizure (eyes open, arm suspended in bent position mid-air, lasted around 30 seconds). Extreme headache followed for hours after. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1097392-1 | Fainting, possible seizure, unconsciousness, severe chills, nausea, aches/flu like symptoms |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1097534-1 | had a generalized seizure that lasted about two minutes on February 16th. This was preceded by 5-10 minutes of intense shivering. has a pre-existing seizure disorder, but the shivering was not typical. In addition, he had another generalized seizure on March 11th. In 2019 and 2020, averaged three seizures per year. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1097830-1 | Heart palpatations, shortness of breath, nausea , later extreme tiredness, but could not sleep heart too fast, muscle spasms, jaw pain lack of feeling in arms and legs, @ 10pm I had a seizure in bed w husband, next day feeling exhausted, today still feeling pre seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1098146-1 | Nauseous, passed put, experienced a seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1098994-1 | Seizure and passed out. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1099159-1 | "Patient described feeling light-headed after receiving vaccination; pt was given a bottle of water; after consuming some water patient appeared to faint, spit-up, began seizing and bit his tongue. After the event resolved the patient commented, ""I looked at the needle"" (suggesting the cause of the event was his phobia of needles, and not the vaccine itself)." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1099337-1 | Brief seizure, patient came to consciouness within 30 seconds and was coherent and denied ambulance or any further care . Sat in chair for 30 minutes and said he was fine and apologized for event as he said he had seizures before but did not volunteer the information before shot. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1101154-1 | Husband experienced seizure lasting 30min. after taking 2nd vaccine. 1st vaccine on 26/01/21 LOT# 00TM20A. 2nd on 23/02/21 LOT# 024M20A,5 Days after; the Ambulance took husband to hospital & Dr put the patient on a seizure med Levetiracitam 500mg; A spontaneous report was received from a consumer, concerning 87-year-old male patient, who received his second dose of Moderna's COVID-19 vaccine and experienced seizure that lasted about a half an hour. Medical history included: seizure 37 years ago during a stroke. There were no concomitant medications reported. On 26-Jan-2021, the patient received their first of two planned doses of mRNA-1273 (Lot Number: LOT# 00TM20A) and on 23-Feb-2021, he received the second dose of mRNA-1273 (LOT# 024M20A), intramuscularly for prophylaxis of COVID-19 infection. On 28-Feb-2021, five days post receive the vaccine, the patient experienced a seizure which lasted about a half an hour. The patient was taken to hospital and was treated with Levetiracitam 500mg. Action taken with the dose of mRNA-1273 in response to the event was not reported. The outcome for the event was considered as resolved on 28-Feb-2021.; Reporter's Comments: Based on the current available information which show a temporal association between the use of the product and excluding all other etiologies as reported (subject experienced seizure 37 years ago), a causal relationship with the event cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1102741-1 | Patient had 2 seizures after receiving the Moderna vaccine for COVID-19. The patient did disclose that she stopped her seizure medication two months prior to the vaccine. Pt also reports that she did have one seizure an hour prior to the vaccination. Pt reports not informing the vaccination team of her seizure. Patient was treated at Hospital ER and was admitted for an observation stay at the hospital to control her seizures. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1103779-1 | Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Mild, Systemic: Seizure-Severe, Additional Details: Event occurred during observation period, roughly 5-10 minutes after administration. Patient was seated and appeared close to fainting (unresponsive, head down, unsteady) which prompted closer observation when she began to have seizure. Patient was moved to cleared floor and EMS contacted immediately; transported offsite soon after. Her husband reported history of epilepsy with drug regimen during event. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1104241-1 | He suffered a seizure. Shaking (entire body) Labored Breathing, Not responding. Called 911. Taken to Emergency Room. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1104520-1 | headache, seizures more than usual spent 7 days in hospitals trying to get them under control |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1104826-1 | Small seizure at 1pm on 03/14/2021. Followed by Grand mal seizure at 5:30pm on 03/14/2021. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1105604-1 | Pt received 2nd COVID vaccination at 1024. Once in observation area, pt became unresponsive shortly after sitting down. This provider was called over by staff to pt, which was noted to have dropped her water bottle and become unresponsive while sitting in the chair. Pt remained in the chair, did not fall or injure self. Upon arrival to patient, she was noted to have moderate pallor, with shallow, slow breathing, no cyanosis noted. Her head was aligned/adjusted to maintain an open airway. Pt noted to have some muscular rigidity and not verbally responsive. Another provider advised to call 911 due to unresponsiveness and seizure-like activity. 911 called @1027, meanwhile pt lifted and placed into a wheelchair and moved to treatment area where vitals were obtained, patient became verbally responsive @1034, responses/speech was clear but slow, pt was oriented to self, place, time and situation. Oxygen applied via facemask @4L. Pt provided staff with phone number to call her mother who was notified of daughter's condition @1032. FD Engine arrival @1033 report given and pt also became more responsive, eyes opened and stated clearly that she was feeling better. Pt color also improved. Pt denied any allergies, PMH or hx of seizure activity. Pt only reported a syncope many years ago. Ambulance arrival @1036, report provided to emergency staff and pt taken to ambulance for further evaluation @1039. Pt returned to vaccine clinic @1052, having declined ambulance transport. When asked about events, pt stated that upon sitting down she felt a sudden onset of moderate nausea and reached for her water bottle in her bookbag, pt states she could not recall or hear anything until she was moved to wheelchair, and did not recall how she came to be in the observation area (based on this information, suspected time unconscious was approx 6-12 seconds). Pt was educated regarding the many causes of syncope and the neccesity for further evaluation in the Emergency department. Pt discouraged from driving herself from the clinic and was able to obtain ride from her roommate. Pt urged again to obtain a ride to the hospital for further evaluation, understanding verbalized and agreed with plan of care. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1106467-1 | Lightheadedness, nausea, SOB, seizure-like activity - stiffening, arching back, rapid eye mvmt, not following commands. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1106694-1 | Pt had a reaction to vaccine. Specifically, she fainted and had seizure. It happened within seconds after the immunization delivery. Pt had upper body seizure waist up in the chair. This lasted about 30 seconds at a time. This occurred roughly 3 or 4 times. Emergency services were called. EMTs responded to scene. Pt was well enough not to go to the hospital. Eventually, left with boyfriend feeling better. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1106788-1 | Person is having seizures uncontrollable flailing and jerking |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1106887-1 | HAD TWO SIEZURES ONE LASTING FIVE MINUTES AND THE OTHER ON ABOUT TWO MINUTES |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1107207-1 | A single seizure; Headache; Chills; A spontaneous report was received from a consumer who is a 71 year old, female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced headaches, chills, and seizure. The patient's medical history was not reported. Concomitant medicine reported included metoprolol. The patient received the first of two planned doses of mRNA-1273 (Lot number: unknown) intramuscularly for prophylaxis of COVID-19 infection on unknown date. On 27 Feb 2021, prior to the onset of the events, the patient received the second of two planned doses of mRNA-1273 (Batch number: 014M20A] intramuscularly in the right dominant arm for prophylaxis of COVID-19 infection. On 27 Feb 2021, the patient experienced headache and chills. On the morning of 01 March 2021, patient experienced a single seizure and transported to hospital. Emergency department discharged the patient stated that her magnesium levels were low and was given magnesium supplements and advised to follow up with PCP. Later the patient followed up with her PCP and they concluded her magnesium levels were normal then. Treatment for the event included Magnesium Supplements. The patient received both scheduled doses of mRNA-1273 therefore, action taken with the drug in response to the events is not applicable. The outcome of events, headaches, chills, and seizure were resolved on 28 Feb 2021.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1107210-1 | seizure; shaking; aches and pains; headache; A spontaneous report was received from a consumer concerning a 67-year-old, male patient, who experienced Seizure, aches and pain, headache, and shakes. The patient's medical history, was not provided by the reporter. No Concomitant medications were reported. On 29 Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 007MZ0A) in the left arm for prophylaxis of COVID-19 infection. On 26 Feb 2021, prior to the onset of the events, the patient received their second of two planned doses of mRNA-1273 (Lot number: 006MZ0A) in the left arm for prophylaxis of COVID-19 infection. That night patient had aches/pains and a headache. The next day, on 27 Feb 2021, patient had a seizure. The patient shook so hard he came off the chair, the shaking was unbelievable.He was taken by rescue squad to the local hospital but was transferred immediately to another hospital. Patient was discharged from hospital Wednesday, 3 March 2021.Treatment for the events were not reported. Action taken with mRNA-1273 in response to the events was not applicable as patient received both the doses. The outcome of the events, were Unknown.; Reporter's Comments: The events were consistent with increased risk of complications associated with elderly age of patient. Company assessed the events to be unlikely related to company product. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1107218-1 | seizures; small stroke; A spontaneous report was received from a consumer (wife of patient) concerning a 78- year-old, male patient who developed seizure and a small stroke. The patient's medical history included seizure 4 years ago, stroke long time ago. Products known to have been used by the patient, within two weeks prior to the event, Cholesterol medicines, Blood pressure medicines and Aspirin. On 18 Feb 2021, prior to the onset of the event, the patient received their first of two planned doses of mRNA-1273 (Lot 031M20A) intramuscularly in the Right arm for prophylaxis of COVID-19 infection. On 18 Feb 2021, the patient developed seizure, small stroke . Treatment for the event was not reported. Doctors are not sure about the causality, but want to report it. They spoke to his doctor about not getting the second vaccine. Action taken with mRNA-1273 in response to the event was unknown. The outcome of the event's, seizure, stroke was considered unknown.; Reporter's Comments: The events were consistent with increased risk of complications associated with history of seizure confounded by elderly age of patient. Company assessed the events to be unlikely related to company product. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1107717-1 | Days after receiving second dose of Moderna COVID vaccination on 3/4/2021, patient experienced increase in her baseline auras and seizures, requiring hospitalization for video EEG monitoring and titration of her anti-seizure medications. I am reporting this due to the temporal correlation. The patient was monitored with EEG while medications were titrated and did not require ICU level care. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1107974-1 | Per caregiver, pt. had a seizure. Unwitnessed by medical staff. Caregiver did not alert staff. Pt. was not post-ictal and declined medical attention. Pt. ambulated out of clinic. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1109121-1 | Pt. had a seizure witnessed by her sister, pt. was able to be kept up right in a chair with no injuries, vital signs WNL, BS 91, |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1109150-1 | Patient lost consciousness seconds after vaccine. This was followed by seizure activity for 20 seconds. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1109433-1 | 3 seizures the next day (3/13/21) and then hospitalization |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1110652-1 | Patient had two episodes of seizure 9 days after the covid vaccine (11FEB21) . He didn't had past medical history of seizures. This event happened on the 20th FEB 21. Went to the hospital and is following up with Neurology. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1111400-1 | Seizure occurred on March 3, 2021 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1111964-1 | Went into convulsions approximately 12 hours after receiving the first dose of the vaccine. Thought he was going to die. Attempted to dial 911, could not pick up phone due to convulsions. Is more scared of dying of COVID than of dying of vaccine, so will be going in for 2nd dose and wishes to remain anonymous. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1114271-1 | Headache; Mild seizure; A spontaneous report was received from a consumer concerning a 51-years-old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events mild seizure, headache. The patient's medical history included seizures. Concomitant medications reported were oxcarbazepine 300 mg three tablets twice daily and topiramate 100 mg one tablet twice daily, both were used for an unknown indication. On 10 Mar 2021, prior to the onset of the events the patient received their first of two planned doses of mRNA-1273 (lot/batch: 002A21A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 10 Mar 2021, Patient reported that approximately 30 minutes later after receiving the vaccine, she had a mild seizure that lasted a few seconds. Patient stated she sat still and let it pass.Patient stated she now has a headache. No treatment information was provided. The seriousness criterion for the event mild seizure was medically significant. Action taken with mRNA-1273 in response to the events was not reported. The outcome of events, mild seizure and headache was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1115176-1 | Chills, Leg cramps, Fever 104.1, Nausea, Convulsion |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1115349-1 | strong seizures; strong pins and needles sensations in left side extremities; A spontaneous report was received from a pediatrician concerning herself, a 40-year old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced strong pins and needles sensations in left side extremities/paraesthesia and seizures. The patient's medical history was not provided. No relevant concomitant medications were reported. On 09 JAN 2021, prior to the onset of events the patient received the first of the two planned doses of mRNA-1273 (Batch Number: 011L20A) intramuscularly in the left arm for prophylaxis of COVID 19 infection. On 14 Jan 2021, the patient experienced strong seizures, and strong pins and needles sensations in her left side extremities, which are still mildly ongoing. She is being evaluated by a specialist. No treatment information was provided. Action taken with mRNA-1273 in response to the events is unknown. The outcomes of events, paraesthesia and seizures, were considered recovering.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1115599-1 | Passed Out; Possible Seizure; Swollen Tongue; itchines; Headache; shivering; shaking really bad; A spontaneous report was received from a nurse who was a 42- year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and who experienced shivering, shaking really bad, had a headache day afterwards, tongue was swollen, passed out and doesn't know if she had a seizure and itchiness. The patient's medical history was not reported by the reporter. Concomitant medications were not provided. On 19-Jan 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 039K20A) intramuscularly for prophylaxis of COVID-19 infection. On 20-Jan-2021, 24 hours after vaccine administration, the patient reported that she was shivering and shaking really bad and had a headache day afterwards. On an unknown date, she reported that her tongue was swollen. She also reported that the she passed out and doesn't know if she had a seizure (date unknown). The patient reported that she took ibroprophen for her headache and diphenhydramine for itchiness. On 28-Jan-2021, she reported that she felt fine. Treatment for events included ibroprophen and diphenhydramine. Action taken with mRNA-1273 in response to the events was unknown. The outcomes of events, experienced some side effects was unknown, shivering, shaking really bad, had a headache day afterwards, tongue was swollen, passed out and doesn't know if she had a seizure and itchiness, were considered recovered/resolved on an unknown date.; Reporter's Comments: Based on the information provided and a strong temporal association between the reported events and administration of mRNA-1273 vaccine, a causal association between the reported events and the product use cannot be excluded. Headache and chills are consistent with the known safety profile of the vaccine |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1115629-1 | 03/12/21 at approx 8 pm I began to have uncontrollable tremors/seizure in both arms, both legs and head. Numbness/weakness in all fingertips and both legs to above the knees. The symptoms continued to increase and at 11:30 pm I was taken to ER. Was transported by ambulance to Hospital. Was admitted to the ICU. Lumbar puncture was done on 03/13/21 to rule out Guillain Barre. Neurologist determined it was a neurological reaction to the COVID vaccine shot. Was released from the hospital 03/15/21. Legs continue to be numb/weak, but I am able to walk carefully unassisted. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1115799-1 | On 3/04/2021, patient experienced a seizure. It was an isolated incident and lasted less than a minute. There did not seem to be any residual effects. This was the first and only incidence of a seizure in patient. On 2/27/21 patient experienced fever of 100.8 , exhaustion and delirium. On 2/28/21, temperature was 99.9 and patient slept most of the day. He was restless and cried out in his sleep, speaking to people who were not present. On 3/1/21 temperature was normal and patient was tired but otherwise non symptomatic. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1116218-1 | Mini seizure; Diarrhea; Slight temperature; Vomiting; A spontaneous report was received from a consumer concerning an 84-year-old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events of slight temperature/fever, vomiting, diarrhea and short seizure early in the morning. The patient's medical history include type 1 diabetic, history of mini seizures and had a pacemaker installed a week ago-did have check up after and was good. Concomitant medications reported were levetiracetam - anti seizure, Insulin 2 times per day taking for type 1 diabetes. On 22 Jan 2021, prior to the onset of the events the patient received the first of two planned doses of mRNA-1273 (lot/batch: 029120A) intramuscularly in the right arm for prophylaxis of COVID-19 infection. He was fine after taking vaccine, but on 28 Jan 2021 started developing symptoms. On 28 Jan 2021, the patient experienced the events of slight temperature, vomiting and diarrhea. On the same day, patient experienced the event of mini seizers for about 5 min in early morning and took levetiracetam. No other treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events was not reported.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Patient's history of seizure was a strong confounder of the event of short seizure early in the morning. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1116723-1 | COVID and stroke December 2020. Patient's mother talked to him at 4:30 and he said he was not feeling well. Driving to work when coworkers found pt after he curbed his vehicle with AMS. Right side deficit with aphasia, unknown last normal. Pt had sz upon EMS arrival and 2.5mg versed given. was initially unresponsive while going into the CT suite and apparently had a seizure as soon as he arrived to the ED. but alert by the time he was done with CT head, CTA and CTP. He was followed to the ED assigned room and he was more alert but aphasic and only say 'yep' and did not follow commands. He was able to move his left side initially but not to command. about 2 minutes later he was able to move his right lower extremity to pain followed by right upper extremity. He is febrile with temp >103F. Diagnosed with seizure and Left acute arterial ischemic stroke, MCA. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1116785-1 | Just like what she felt during her first dose of moderna covid-19 vaccine, she had a seizure about 10-15 minutes after the vaccine was administered. The pt's episode lasted for about 5 min. She was sitting on her wheelchair and her daughter was speaking to her and holding her hand and head. Patient was responding to her daughter when daughter ask if pt can hear her. Patient did say she saw wavy lines while she was having an episode. They left after she felt fine and I spoke to daughter later that evening and daughter said that patient didn't feel tired after they got home and was eating her dinner. Daughter did speak to her mom's neurologist about the seizure that happened with the first shot and md recommended pt get second dose and not sure why she had a seizure. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1117423-1 | I had a seizure where I was involved in a serious car accident because I was driving. I do have a seizure disorder but am on anti seizure medication. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1117524-1 | Severe shaking after feeling cold. Nothing like chills, nothing I have ever experienced before. Shaking so bad I had trouble walking. Couldn?t open Tylenol bottle, kept dropping it from shaking. Felt like a seizure. Went back to bed and covered up with blankets. Slowly went away. Episode lasted 20 minutes or so. Shook me up as I live alone. Was ready to dial 911... |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1117748-1 | Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Mild, Systemic: Vomiting-Severe, Additional Details: After couple minutes receiving second dose of covid vaccine, patient passed out and lost consicousness for less than a minute. Patient woke up with brief seizure(jerky movement) and vomited couple times. Patient complained about dizzness. Patient was taken to the emergency room. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1118164-1 | Seizure, nausea, tingling in fingers, stiffness in arms, patient felt hot |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1118589-1 | Patient was sitting in the observation chair when technician noticed that she appeared to be having an adverse event. Patient had head leaned back, seemed to be unconscious, and had some shaking/convulsions. Shaking occurred for about 45 seconds and patient then vomited. 911 was called. Patient became responsive but was very pale and sweaty though she did not have any breathing issues, so EpiPen was not administered. EMS arrived and patient left with ambulance on a stretcher, though she was conscious and communicating with the EMS team. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1118600-1 | seizures Went to the hospital and they took care of me. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1118671-1 | Pt. was screened twice about allergic reations any medical conditions/immunocomprimsed etc. Pt. responded no to all of the above questions. He was vaccinated IM on left arm. Pt. was educated about post care. Pt. was alert. I moved on to the next two cars and on the third car and about three minutes after his female partener called out for help and said that the Pt. passed out. Thats when the other nurse ran to the car to check on him and told me he was having a seizure. I ran to the lead to explain what happend and to call the medical team right away. The other nure was stablizing the patient. The patient was going in and out of consciousness for about ten seconds. The medical team arrived and took vitals. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1118708-1 | Patient seemed to have fainted 1 minute after vaccination, then had a seizure, and then had an episode of syncope following the seizure. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1118713-1 | patient had a seizure within 10 minutes of receiving vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1119134-1 | Pt appeared to have a seizure. Fell to the floor, unresponsive for 15 seconds. Hx Hypertension and seizures. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1120103-1 | "Moderna COVID-19 Vaccine EUA. Red spot at injection site, measuring approximately 2"" in diameter appeared on Mar 17. Also at 8:15am on Mar 17 I had a seizure. I had second seizure while lying on the couch at 5:15pm Mar 17. No other assignable cause. Mar18-20 I was often light-headed but no additional seizures." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1120713-1 | I had two seizures on 3/19/21 and was admitted into the hospital. Blood tests and MRI were done. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1120842-1 | this is all per family, 4 to 5 days after 2nd COVID vaccine he was acting unusual and was taken to the hospital. He had a clot in his brain and underwent brain surgery. He experienced seizures after the surgery, but it was ultimately reported the surgery went well. He remained intubated and on a ventilator after surgery. He developed complications of his lungs and kidneys while on the ventilator. Ventilator was removed 3/16/2021 and he passed away that day. The hospital providers thought the clot in the brain may have been from hitting his head over a month ago. From my understanding he was A&O, independent with ADLs, and lived in his private residence prior to these complications. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1122148-1 | I can only describe it seizures. I was laying in bed ready to go to sleep when all the hairs on my body stood up and then it felt like an electric shock went through my body. I had a tremendous ringing in my ears through the event and all my muscles tensed up as my head went back into the pillow. it happened 3 times in a row with only about 30 seconds to a minute between each event. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1122304-1 | Aprrox. 15min after first dose of Moderna vaccine patient reported feeling dizzy. Patients significant other reported patient feels dizzy prior to a seizure. Patient lowered to the floor and had a seizure lasting about 45 seconds. Paramedics activated @ 3:10pm. Patient alert with intermittent confusion. Blood sugar 94. Patient refused transport to the hospital. Paramedics stayed by, patient had a second seizure lasting about 15 seconds. Post seizure patient agreed to go to hospital for eval. Transported via paramedics to hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1122700-1 | received shot at 1130 am on 2/19. client developed chills/ fever that evening on 2/19. on 2/20, woke up feeling well, was getting dressed to go out to lunch at 12 when he had a seizure, as per his wife, it lasted for about 5 sec. then he recovered and states had lunch and took a nap. no other issues after that. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1123040-1 | Shortly after my vaccine, I experienced a copper taste in my mouth, felt dizzy and I indicated to a paramedic that I was not feeling well. I continued to feel dizzy and my throat started to swell up and had convulsions and had loss of consciousness. I also began to get hives on my chest, my throat was still swelling up which these symptoms continued over the next few hours. I went to the ER where they gave me an epi shot. I was admitted to the ICU where a kidney panel was performed and Ialso had another event and they gave me another epi shot which my symptoms step down in intensity and was discharged home. I stayed one night in the hospital. For the next two weeks, I was still having throat swell up, felt disoriented, was having mental fogginess and twitching. Today I still experience some twitching, involuntary spasms but are in mild in intense. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1123370-1 | "On March 16th at roughly 1:30pm, the patient received his first dose of the COVID19 Moderna vaccine. Afterward, the patient experienced no adverse side effects. About 48 hours later, however, at 2pm on March 18th, the patient's spouse attempted to wake him from a nap. The patient seemed much groggier than normal and his expression appeared vacant. When pressed by his spouse, the patient could not say who he was, or who his wife was. He agreed to travel with his wife to the hospital. At the hospital, a healthcare professional asked the patient who he was. He answered with his correct name. He also correctly identified his spouse by name. But when asked where he was, the patient gave a long and incoherent response. After this initial screening, doctors at the hospital evaluated the patient for a stroke. They ruled this out as a possibility. Next, they suspected the patient's MS lesions may have contributed to his ""cognitive event."" However, after comparing his 2018 scan to a current scan, they determined this was unlikely the cause. After about 24 hours at the hospital, a neurologist hypothesized that the patient had experienced a seizure. Another doctor at the facility concurred with this assessment. By late Friday (more than 24 hours after the episode), the patient had regained most of their cognitive functioning, though he still experienced mild confusion around the week's events (even preceding the ""cognitive event""). Prior to now, the patient has never had a seizure before." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1123839-1 | seizure / hospitalized for having seizure; trouble talking; biting her lips and as a result was bleeding all over.; feel sluggish.; Fatigue; runny nose; sneezing; A spontaneous report was received from a consumer concerning a 75-year old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced was Seizure, trouble talking, runny nose, sneezing, biting her lips and as a result was bleeding all over, Very upset / frustration, feel sluggish, and fatigue. The patient's medical history was not provided by the reporter. Current history includes stroke. Concomitant medications were carvedilol 12.5 bid, losartan 100mg, rovastatin 20mg, ezetimibe 10mg, levothyroxine 75 mcg, aspirin 81mg On 28-Jan-2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: 026L20A) intramuscularly in the unknown location for prophylaxis of COVID-19 infection. On 25-Feb-2021, prior to the onset of the events, the patient received their second of two planned doses of mRNA-1273 (Lot number: 014M20A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 26-Feb-2021, the patient experienced seizure which occurred less than 24 hours after receiving the 2nd dose of the Moderna vaccine. At approximately 10:00 am, the patient wasn't able to formulate a sentence, similar to when she had a stroke. Husband drove her to the ER and she had a seizure in the car. CT Scan showed no stroke, showed a seizure. Patient was admitted, kept overnight, intubated and administered anti-seizure medicine. On 27-Feb-2021, the patient was discharged and developed flu-like symptoms (runny nose, sneezing, fatigue). Flu-like symptoms have cleared. The reporter feels the seizures are related to the prior stroke history. On 10-Mar-2021, a follow-up was received. Patient feel huge disappointment and frustration on reporting serious adverse reaction. New information about the event include that on 26-Feb-2021, her husband noticed she was biting her lips and as a result was bleeding all over. Patient stated she has never had history of seizure but after this incident neurologists put her on high dose anti-seizure medications twice daily. These medications make her feel sluggish. Treatment details provided was Keppra, anti -seizure medications. Action taken with mRNA-1273 in response to the events was not applicable. The outcome of the event seizure, fatigue, runny nose, sneezing were recovered on 27-Feb-2021 and 01-Mar-2021 respectively. The outcome of the events trouble talking, biting her lips, feeling upset and frustrated and feeling sluggish were unknown.; Reporter's Comments: Based on reporter's causality and the described prior history of stroke, the event is assessed as unlikely related to mRNA-1273. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1124129-1 | Patient felt fine immediately after shot and walked around to sit and wait for 30 minutes. After 20 minutes of sitting, she starting seizing in her chair. Her head tipped to the side and her right arm straightened and she seized for approximately 5 minutes. She started coming to which took approximately 5 minutes until she was fully answering our questions. She was checked out by our on-call physician, Dr. We let her sit for a full 20 minutes or so and then she was able to leave and go home on her own two feet. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1124450-1 | "Patient reports to the ED w/ 7 days of headache, vomiting, and ""seizures."" It's difficult for ED staff to determine if these were truly tonic-clonic seizures, generalized, or other. Patient reports being awake for these seizures and that she remembers them. Unsure if patient is describing ""chills/shivering"" as seizures, but the terminology used by patient/staff/MD/translators is seizures. Patient has no recent history of seizures, and only history (ever) was 21 years ago when she was pregnant w/ 3rd child -- she had 1 seizure, accompanied by nausea/vomiting." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1125200-1 | Patient had vaccination and placed in observation area. Patient had syncopal episode post vaccination. Was seen fall down and hit head and had seizure activity that lasted less than 10 seconds. Patient had brief postictal phase without loss of bladder or bowel control. After a few seconds patient was able to relay his name and was alert and oriented to time and place. Evaluated patient for bodily harm, after finding none moved patient to medical area. Took vital signs and called for transportation to hospital. Medical transport came and after evaluation asked to take patient to hospital patient refused transportation. Patient refused going to hospital and left AMA. Of note, Patient has a history of syncope post injection that was failed to inform us. He mentioned he was afraid to needles like most patients report. Patient said it has happened before after flu shot along with syncope and seizures. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1126593-1 | The following was reported by the patient on 3/23/2021: On 3/13/2021 at 9:10AM, the patient suffered a seizure, she was calm after 5 minutes. At 2:25PM, there was a second episode of seizure. The husband decided to take her to the hospital ER. When they were in the ER, at around 5:50PM, she suffered another seizure and the doctor decided to admit her to the ICU. She stayed in the ICU and was discharged on 3/15/2021. Since then, she was fine already. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1126901-1 | Pt received vaccine, and waited required 15 minutes without incident. While proceeding to registration for 2nd dose appointment, pt exhibited signs/symptoms of seizure activity. Pt became non-responsive and slumped in wheelchair while twitching in extremities, cycling between rigidity and limpness. Mother reported seizure activity (common) controlled by medication taken that AM. O2RA: 94, Pulse: 84, BP: 184/100. RN and Nurse Manager maintained airway (neck position) while awaiting EMS. EMS arrived in 15 minutes, administered IM anticonvulsant, transport to ER with family present. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1127149-1 | Patient received 1st dose of Moderna at approximately 12:30pm on 3/18/21. He did not stay the recommended 15 minutes on site for observation. He drove himself back to vaccination clinic parking lot at approximately 1:40pm and got out of his car hurriedly to get his mask from the trunk before speaking with EMS on site. He then reported to EMS his wife witnessed him have a seizure (eyes rolled back, unresponsive, stiffening of arms and legs) for 2-3 min approximately 1 hour after receiving his shot. He reported when he regained responsiveness he asked his wife what had happened as he reportedly had no recollection of the seizure, they decided to call the patient's sister and she directed them to return to site of vaccination to report his seizure. EMS who evaluated patient reported he denied (and was not exhibiting) postictal signs/symptoms when he arrived back in parking lot at vaccination site. He denied having a history of seizures or any medical conditions. EMS also reported that neither the patient nor his wife called 911 after the seizure. Patient declined any further medical evaluation/follow up. EMS urged him to call 911 if he had anymore seizure activity to which he replied he thought if he just rested Friday and through the weekend, he'd be fine to return to work on Monday. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1127428-1 | 1st Moderna shot was 1/4/21. Had a syncope episode/potential seizure on 1/13/21 - unwitnessed loss of consciousness for a short period of time with loss of urinary continence. 2nd Moderna COVID shot on 1/29/21 with no reactions. My doctors evaluating me did not consider this as a COVID vaccine reaction, even though it did occur after the first vaccination. I am a nurse with a doctorate degree and do not believe the seizure was the reaction of the COVID vaccine. I was under extreme amounts of stress at work at the time. I also have a prior medical history of syncope episodes when I was a teenager (25+ years ago). |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1127544-1 | "The patient received her second dose of the Modern COVID-19 vaccine at approximately 7:20pm on Tuesday, March 23, 2021. Patient stated after receiving the vaccine that she had a ""very long time ago passed out after a blood draw"". The patient remained in the chair with her nurse for approximately 2 minutes, her color was good, skin was dry and had normal respiration. The patient then stated ""I'm not feeling so well"". Patient aware, assisted to floor, lying prone, lost consciousness (called EMS), proceeded to have a seizure, bilateral upper arm postured wrists out, lets still, body tremors. Episode lasted approximately 1 minute. During the episode, airway patent, head protected, respirations spontaneous, pulse regular 90-110. Patient awoke spontaneously, stated was somewhat confused, but making sense was able to voice event leading to episode. Patient spoke with her mother, nurse spoke with her mother to advise patient to be evaluated at the hospital due to seizure. Client and mother agreeable, report to paramedic, client transferred to Hospital by Ambulance |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | with wallet, keys, and phone." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1127667-1 | Sizure while asleep multiple |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1129828-1 | Arm hurt 1st like bad tetanus shot for 2 days Chills & sweats started the next day or so Left arm lymph node swollen/aching Lightheaded, nauseous, nearly passed out & vomit Thursday night Chills & sweats got worse, very lightheaded, heavy legs, fainted when having seizure Saturday Sunday things seemed to subside * Tinnitus was flaring most of the time **Chronic left jaw ache/pain flaring as well ***Mid back pain spot which has become chronic like jaw wrapped around torso and up/down spine, almost like a cross. This seems to be the lingering issue as of sunday night. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1130067-1 | Systemic: Seizure-Medium, Additional Details: Patient had 3 1-minute seizures while in waiting area after the immunization. Patient was concious between seizures, and is aware of her condition. EMS was called and transported patient from the store. Patient was contacted later in the day. Patient had been discharged from the ER and would follow up with her neurologist. Patient reported that she was doing well. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1130511-1 | 5 minutes after shot, pt slid from chair and fell backward; witness said pt suffered from mild seizure; paramedics were called and pt was assessed; pt has no history of epilepsy but did have a fainting episode years ago when giving blood; he also stated he hasn't eaten or drank anything today; he declined transport to hospital but is getting a parent to pick him up; paramedics highly suggested that parent take him to the ER or urgent care |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1130957-1 | patient had seizures and cellulitis |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1131023-1 | She first felt dizzy and light headed about 15-20 mins after shot. An hour later she used the bathroom on herself and was disoriented. The ambulance was called, her oxygen levels were low and she was taken to the hospital. She has seizures at the hospital and she has been sedated ever since. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1131085-1 | Got very dizzy and cold sweats a few minutes after vaccine. Then I had a seizure and thankfully my husband was there and called the paramedics because he thought I was having a stroke and when they came I was waking up but I had very blurry vision and I was very very sleepy and my memory wasn't very good. The paramedics came and checked my vitals and my blood pressure was very very low but I got to feeling better and stayed there for more time. I was very very tired and my memory was kind of bad for the rest of the day. My husband said I was twitching and my eyes were rolled back when I was seizing and he was a little over a minute when I was seizing. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1131674-1 | No issues immediately following vaccine. About 11am, mild symptoms like 99.4 degree fever, muscle aches, joint pain, very mild nausea, fatigue began. Severe nausea began about 7:15pm. At 7:45pm, severe dizziness resulting in loss of consciousness and fall. Seizure Syncope event lasted 2 1/2 to 4minutes. Slow to wake. Trembling/shaking in extremities, cold sweat. Delayed speech. Paramedics were called. Went to ER at approximately 8:30pm. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1131805-1 | Decerebrate posturing, loss of consciousness for ten seconds, wheezing, atypical seizure, eyes rolled back, EMS called, supplimental oxygen administered Went to ED, given ativan, zofran, 1L LR bolus and neuro assessment by PA-C Severe nausea for 5 days, slept off and on for five days, dizzyness for five days, brain fog for 5 days |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1132371-1 | Seizure - trip to emergency room - follow up MRI, Cardiologist and Neurologist appts |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1133317-1 | Our patient received her shot and stayed in the pharmacy area for 15 minutes and was released. Fifteen minutes late she returned to the pharmacy says she was dizzy and nauseated. We had her sit in the pharmacy for about 20 minutes at whichn time she said she felt better and was ready to go. We had one of our pharmacists walk her but she became dizzy and nauseated again and had to sit down. At this time she said she was hot and very light headed and her vision was starting to get blurry. A minute or so lefter that she sat up in her chair and stopped breathing and started to fall off. One of our pharmacists caugt her and at point she went into convulsions and started gagging and could not breath. 911 was called at this time and an Epi pen was administered. The convulsions stopped 30 seconds afer the Epi and her breathing eazed. The EmT's arrived with in 10 minutes and took her to local emergency room. Our pharmacist called the emergency room about a hour later and they said that She wwas doing well. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1133546-1 | Client was waiting his shot time when he fell from his chair hitting his left shoulder and face. He appeared to have seizure activity. He became responsive very quickly and was oriented. 911 was called and he was transported to emergency department. He was able to walk to the ambulance. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1133741-1 | After the first dose on 1-29-2021 I was violently vomiting and nausea for several days. I was hesitant to get the 2nd vaccine but I did it anyway. My 2nd dose was on 2/25/2021. Exactly 2 weeks later on 3-11-2021 at 11am I went into a full seizure and my husband called 911. I was not aware of my surroundings until 3/12/2021 at 10am. I spent 4 days in Hospital . MD and several other Neurologists reviewed and tested me for seizures. I had no history and my tests came back with no reason or conclusion for having a seizure. The COVID vaccine had been the single only change in my life. I also had NO pre existing condition to have a seizure. I was so sick after the first vaccine 01/28/2021 that I did not think I should get the 2nd dose but I did. For over 30 years I have gotten my flu vaccine every year with no issues. I will never ever get a COVID vaccine again. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1134673-1 | "Approximately 10 minutes after vaccination, patient experienced a seizure. EMS was on site and tended to pt immediately. Seizure subsided quickly. Per EMS, patient's blood sugar was ""low"" and BP was also ""low"". Ambulance was called. Within a few minutes, patient was awake and able to converse, Was taken to the ED by stretcher." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1134859-1 | convulsions. I woke up at about 3:15 with my body shaking and i could not control it. this went on for about 1 hour. I have never had this experience. I literally could not function because of the shkes. the other reactions were, i slept from 4:30 +/- am till 5 pm, when i had Covid i slept for over 5 days. Other symptoms head ache, body aches, fatigue and lose of appetite. I write this at day 3 after the shot, and have tiredness and want to sleep It's like a compressed version of my Covid experience. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1135284-1 | Seizure; A spontaneous report was received from a consumer concerning a 55-years-old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced seizure. The patient's medical history, as provided by the reporter, included epilepsy. Concomitant medications included lamotrigine and levetiracetam. On 13 Jan 2021, prior to the onset of the event, the patient received their dose of mRNA-1273 (Batch Number: 025L20A) intramuscularly for prophylaxis of COVID-19 infection. On 28 Jan 2021, the patient experienced medically significant event, seizure and was hospitalized. No treatment information was provided. Action taken with mRNA-1273 in response to the event was not reported. The outcome of the event seizure was resolved on 28 Jan 2021.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1135290-1 | Seizure; Neurologically confused; A spontaneous report was received from a consumer concerning a 63-year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced a seizure and was neurologically confused (confusional state). The patient's current conditions included epilepsy. Concomitant product use was not provided by the reporter. On 26-JAN-2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Batch number not provided) intramuscularly for prophylaxis of COVID-19 infection. On 22-FEB-2021, right before the patient was supposed to get the second dose of vaccine, she had a seizure and was hospitalized. The same day, patient was neurologically confused. The patient underwent different unknown tests including computerized tomography. On 24-FEB-2021, the patient was discharged from hospital. No treatment information was provided by the reporter. Action taken with mRNA-1273 in response to the events was unknown. The outcome of events, seizure and confusional state were resolved/recovered; Reporter's Comments: Based on reporter's causality and the prior history of epilepsy, the events are assessed as unlikely related to mRNA-1273. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1135293-1 | Spasms like seizures; Fidgeting non-stop; Barring their teeth like a grimace; Low-grade fever; A spontaneous report was received on 10 Mar 2021 from a consumer concerning a 81-years old, female patient who received Moderna's COVID-19 Vaccine (mRNA-1273) and experienced spasms like seizures/ seizure, fidgeting non-stop/restlessness, barring their teeth like a grimace/bruxism and low-grade fever/pyrexia. The patient's medical history included COVID-19 and severe Alzheimer's disease. Concomitant product use was not provided. On 09 Mar 2021, approximately 1 day prior to the onset of events, the patient received their first of two planned doses of mRNA-1273 (Batch number: unknown) for prophylaxis of COVID-19 infection. On 10 Mar 2021, the patient experienced low-grade fever, spasms like seizures, fidgeting non-stop and barring their teeth like a grimace. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events, spasms like seizures, fidgeting non-stop, barring their teeth like a grimace, and low-grade fever, were unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1136040-1 | Patient presents to the clinic at about 2:20pm for her 2nd dose of COVID vaccination. She was greeted and asked to fill out another consent form for the 2nd dose and was told it will be reviewed after she completes it. She states she has a history of seizure. State had one small seizure episode yesterday. States her doctor is aware and is running more tests and changing her medications around. States her doctor is aware about her COVID vaccination and made no mention that she should not get the vaccine. She states she is comfortable getting it. She states she received the first dose of the COVID vaccine and did ok. The only symptoms she had was fever for about a week. Again she states her doctor is aware and has not told her not to get the second dose of the COVID vaccine. Consent and history were reviewed and COVID vaccination was given at about 14:27 with LVN. She was told because of her medical history, she will need to be monitored for 30minutes instead of the 15 minutes; she agreed. After vaccination was given, patient sat with another co-worker talking and appeared in no distress. Co-worker left shortly after while she was still there for monitoring. At about 2:30ish pm notice that patient was starting to slide down her chair appearing to have a seizure. Immediately rushed over to her, guided her down to the carpet, supported her head, she was lying to her side. She was not conscious, eyes closed, teeth clenched, no foaming of the mouth were noted. +strong radial pulse. Can hear her loudly breathing through her nose. Pulse oxygen on room air, 92% and heart rate was 67. She was not turning blue. Arms and legs were mild jerking. Called out to have staff called 911 simultaneously while supporting and monitoring patient. About 5 minutes into this, patient started to slowing open her eyes, still altered, teeth still clenching and extremities stopped jerking. Slowly, she started to relax, asked her name and where she is at and why she was there, which she was able to answer slowly. Asked her if she wanted us to call her daughter, she said he because she is a minor. Asked her who she is with and she said her husband is outside. Paramedic arrived and took over care and she was told she will be transported to the ER. Her husband, came into the room. After patient's husband spoke to paramedic, I also introduced myself to him. Per her husband, patient has a history of seizure that has not been controlled. Per husband, he states she had 5 episodes on Sunday, 3/21/2021. Her doctor is aware and is doing more testing and changing her medications around. Per patient's husband, he states she was doing an MRA yesterday to further evaluate the seizure and they were not able to complete it because she had 2 episodes. When asked if her doctor mention anything about getting the COVID vaccine, per patient's husband he states they did not say anything. Per husband, she did ok with the 1st dose of the COVID vaccine and only had fevers. Per patient's husband, there was no change in her underlying medical condition with the seizure with getting the vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1136168-1 | 3 seizures 2 minutes apart lasting a few seconds. EMS called and he was transferred to the hospital. BP:117/72 98% 66 Pulse |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1136251-1 | New onset seizure 3 days after vaccination |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1136411-1 | Site: Pain at Injection Site-Mild, Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Seizure-Mild |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1136593-1 | Headache; Serious convulsion; Slight tenderness at the injection site; A spontaneous report was received from a consumer concerning an 81-years old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced serious convulsion/seizure, slight tenderness at the injection site/vaccination site pain and headache. The patient's medical history included blood pressure high, diabetes and rheumatoid arthritis. Concomitant medications included methotrexate. The patient received their first of two planned doses of mRNA-1273 (lot/batch number: unknown) on 04 Feb 2021. On 08 Mar 2021, prior to the onset of the event, the patient received the second of two planned doses of mRNA-1273 (batch number: 027A21A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 08 Mar 2021, the patient experienced slight tenderness at the injection site. On 09 Mar 2021, at 12.30 and 1.30 AM the patient experienced medically significant event of serious convulsion with no previous history of seizures. Since patient has a disabled husband, she didn't call ER (emergency room) and went to the neurologist next morning who told her to report it. On 10 Mar 2021, the patient experienced headache attributed to migraines. Treatment for the event headache included paracetamol. Treatment information for the events serious convulsion and slight tenderness at the injection site was not reported. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the events was not applicable. The outcome of the event slight tenderness at the injection site was resolved on 08 Mar 2021. The outcome of the event serious convulsion was resolved on 09 Mar 2021. The outcome of the event headache was resolved on 10 Mar 2021.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1136806-1 | Ten hours after vaccination I went into convulsions lasting eight hours. Horrible experience! |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1137277-1 | Patient reported to have a seizure approximately 4 hours after receiving the vaccine. The seizure reportedly went on for several minutes with the patient denies any postictal confusion, tongue biting, or incontinence |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1138074-1 | customer passed out and or had seizure and EMS was called. customer is alert and fine now. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1138095-1 | New onset Seizure with acute loss of consciousness. L arm induration and swelling. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1138157-1 | First it started as retching/vomiting and diarrhea, which lasted about 2 weeks, then subsided. Then a week after that stopped the patient reported having her first seizure that lasted about 5-9 seconds. Patient reports falling to the ground and being unable to control anything. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1138207-1 | HAD A SEIZURE APPROXIMATELY 3 HOURS AFTERWARDS. SHE DOES HAVE HISTORY. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1138639-1 | 1/20/2021: 1st dose. Zero side effects. 2/17/2021: 2nd dose. Mild soreness at vaccine site until about 36 hours after dose. No other symptoms. 3/1/2021: Woke with diarrhea and stomach ache. On & off mild diarrhea until 3/6/2021. 3/6/2021: Severe upper abdominal pain, severe diarrhea, vomiting for 24 hours. 3/7 - 3/24/2021: On & off mild-uncomfortable nausea and diarrhea. Varying levels of intensity but nothing that stopped daily functioning. 3/25/2021: 5 :15 am. Seizure (probably Atonic) lasting approx 7-9 seconds. (Have never experienced seizures of any kind before.) Afternoon, nausea returned. Gone by evening. 3/26/2021: midday nausea returned. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1138838-1 | Patient recived Moderna vaccination and was sitting while being monitored for 15 minutes when he began having seizures. Patient was then taken with paramedics. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1138863-1 | Patient received covid vaccine around 4pm and reported feeling like she was having a seizure around 4:10. Her eyes starting rolling backwards and she could not verbally respond. 911 was called and she was sat on the floor and monitored by the pharmacist until paramedics arrived. She was responsive when paramedics arrived and took her to ER |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1138968-1 | Seizure started at 1644, stopped at 1646, emesis, followed by dizziness. Ambulance called, patient taken to hospital, A/Ox4 upon transfer with reported dizziness present still, vitals stable: 122/80, HR: 78, 97% saturation on room air. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1139273-1 | Systemic: Fainting / Unresponsive-Mild, Systemic: Seizure-Mild, Systemic: Shakiness-Mild, Additional Details: pt came in for his first covid shot. checked pt health status pt was fine. while pt was at the observation seat his head went back and he started to have minor sshakiness/seizure like/faintness for about 5 sec. paramedic came and pt refused the pramedic he was checkout by paramedic and was responsive. pt then told us he had been fasting for 2 days and had marijuana on his injection day. pt went home and called his primary dr. and is doing well. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1139622-1 | seizure, resolved |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1140660-1 | Seizures; Swelling in left arm where she got the vaccine; A spontaneous report was received from a pharmacist concerning a female patient of an unknown age who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced seizures and swelling in left arm where she got the vaccine. The patient's medical history was not provided. No relevant concomitant medications were reported. On 12 Mar 2021, prior to the onset of the events, the patient received their second of two planned doses of mRNA-1273 (batch number: 044A21A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 12 Mar 2021, the patient experienced swelling in left arm where she got the vaccine. On 15 Mar 2021, the patient had medically significant event of seizures and was hospitalized for less than 24 hours. No treatment information was provided. The patient received both scheduled doses of mRNA-1273 prior to the events, therefore action taken with the drug in response to the events was not applicable. The outcome of the event swelling in left arm where she got the vaccine was resolved on 12 Mar 2021. The outcome of the event seizure was resolved on 15 Mar 2021.; Reporter's Comments: Based on the current available information which shows a temporal association between the use of the mRNA-1273 and the start date of the reported events and excluding any other etiology, a causal relationship with the events cannot be excluded. Injection site swelling is consistent with the safety profile of the product |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1141137-1 | Systemic: Dizziness / Lightheadness-Mild, Systemic: Flushed / Sweating-Mild, Additional Details: PATIENT RECEIVED MODERNA COVID-19 VACCINE AND IMMUNIZER DESCRIBED HIM AS WANTING TO FAINT OR HAVING A SLIGHT SEIZURE. THE PATIENT WAS RESPONSIVE AND HE DID KNOW HIS DATE OF BIRTH AND TODAY'S DATE. PATIENT DID SAY HE HADN'T EATEN ALL DAY OR ATE A LIGHT SNACK ALL DAY. WE CALLED THE AMBULANCE AND THEY SAID IT COULD OF BEEN DUE TO LOW BLOOD SUGAR OR MAYBE HIS BLOOD PRESSURE DROPPED. WHEN THEY CHECKED HIS BLOOD PRESSURE HE HAD PERFECT BLOOD PRESSURE. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1142184-1 | Patient had a seizure, followed by syncope |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1142599-1 | Became febrile, poorly responsive. Taken to the MGH ED. En route while in ambulance, he experienced a convulsion with rhythmic shaking in all limbs lasting several seconds. He had a second episode requiring midazolam and levetiracetam. On arrival to MGH ED, the patient was afebrile, heart rate 133, blood pressure 173/93, oxygen saturation 99% on a nonrebreather. He was found to be severely encephalopathic, mute, and not answering questions or following commands. He was admitted to the neuroICU and intubated for airway protection given his poor mental status. He was started on broad-spectrum antibiotics for empiric treatment of meningoencephalitis, but these were discontinued after his CSF was not concerning for a bacterial infection herpes simplex encephalitis. Antibiotics were discontinued. He was extubated on hospital day 2. After extubation he had persistent mixed receptive-expressive aphasia that was slowly improving over time. At discharge from the hospital, he was able to occasionally say a simple sentence, could repeat simple phrases, and could follow simple commands. He was discharged to Rehab |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1143662-1 | Patient appeared warm and RN asked her to consider taking her jacket off. Patient suddenly fell forward and appeared unresponsive; two nurses eased pt down to the floor. Within a few seconds, pt began having tonic clonic seizure and promptly turned onto her right side. EMS, came to pt's side. First seizure lasting 56 seconds; IV access to right AC secured. 2 min postictal/rest followed by 15 second seizure and 5 mg Versed infused to right AC access. Roughly a 60 second postictal/rest followed by 15 second seizure; more paramedics at site at this point. During this time, very little oral secretions, lungs clear, pulse 102; unable to obtain BP. 10 sec seizure began with postictal/rest. Pt remained on right side approx 2 minutes followed by an 8 second seizure. Paramedic directed another 2.5 mg versed. Within approx 60 seconds pt had sixth seizure lasting 31 seconds. Pt placed on stretcher and transferred to care of EMS. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1143868-1 | Seizure, administered patient's own diazepam once able to swallow, husband was familiar with how to care for wife when she has seizures. Aprox 15 min after seizure onset, patient walked with husband to car to go home. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1143895-1 | 13th of January received first Moderna shot. 18-19th began to have headaches 22nd headaches worsened 25th at the doctor's (tested negative nose swab) home till 28th (28th tested positive for corona after having her first shot at Advent) stroke symptoms at school 28th Advent did CT scan MRI venous thrombosis diagnosis, from front to back, hemorrage in the northern hemisphere 29th blood thinner administered to attempt to drain clot, seizures 31st passed away |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1144560-1 | passed out on way to bathroom; Maybe it was a seizure; Feeling weak; Fever of 103,Lowest the fever could get is 101; Diverticulitis attack; A spontaneous report was received from a consumer concerning a female patient of 68 years old, who received Moderna's COVID-19 vaccine(mRNA-1273) and experienced Diverticulitis attack, felt weak, passed out, seizure and Fever of 103. The patients medical history included sensitivity to medicines. No relevant Concomitant medications were reported. On 08 Mar 2021,prior to the onset of events, the patient received the first of two planned doses of mRNA-1273(Lot number: 011A21A) vaccine through unknown route for prophylaxis of COVID-19 infection. On 10 Mar 2021, at 1am, she woke up with a fever of 103. The highest was 103 and the lowest she could get it down to was 101. The patient passing out on way to bathroom at one point also and does not know how long she was out for. She believes she could have had a seizure. She also had a diverticulitis attack in this time period which she states being the worse attack and she felt pretty weak . Treatment for the event included Tylenol and used icepacks and was on a liquid diet. Action taken with the mRNA-1273 in response to the event was not provided. The fever resolved on 12 Mar 2021 while the diverticulitis attack and weakness resolved on 16 Mar 2021. The outcome were unknown for other events.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1144677-1 | Patient became lightheaded and dizzy. Patient was placed in seated position on floor and passed out. Mild muscle spasm/seizure like activity and pharygeal gurgling. Patient was unresponsive for approximately 2 minutes and regained consciousness without intervention. EMS was called and attended to patient. Sinus rhythm normal, blood pressure 140/82. Patient placed into an upright seated position, blood pressure remain unchanged. Patient declined transport to hospital, was observed for several minutes and released on his own volition. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1144772-1 | Patient's husband states pt's seizures have gotten worse since receiving second covid vaccine on 3/4/21. Directly after receiving vaccine pt had seizure and has been having two to four seizures a day since then. Husband also stated seizures changed to where her right side draws up and pt is unable to communicate. Seizure lasts 3-5 minutes and post stage can last up to 30 minutes. Pt states she feels cloudy and that feeling has never went fully away. Pt states she can normally hear what is going on while she is having the seizure but the one she had this morning she could not remember and could not hear during it. Pt had seizure upon arrival to room that lasted 4 minutes with post stage lasting 15 minutes. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1144798-1 | """Moderna EUA Requirement"" Patient hospitalized for decreased responsiveness and vomiting x2days. Has had approximately a week or so of decline with increase seizures. Acute exacerbation of CHF" |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1145090-1 | I felt crummy all day. I had a fever of 101.7 Stayed in bed all day. I wound up having a seizure, and going to the emergency room at the hospital. I had EKG, blood work done and fluid. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1145195-1 | Patient experienced a seizure after vaccine administration. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1146270-1 | Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe, Additional Details: Patient fell out of chair. Regain conciousness, fluttering eyes. Heart rate 35 , O2 was 98. Heart rate went up to 51 once paramedics arrived. O2 remained 95-98. Patient was brought to hospital by EMS. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1148079-1 | PATIENT RECEIVED VACCINE AT 1410. PATIENT STATED THAT SHE FELT DIZZY. PATIENT BEGAN SLURRING HER WORDS AND HER EYES BEGAN FLUTTERING. WHILE NURSE WAS EVALUATING HER SYMPTOMS. EMS WAS CALLED AT 1420 AND PATIENT WAS TRANSFERRED TO HOSPITAL VIA AMBULANCE. RECEIVED A CALL FROM A FAMILY MEMBER TO REPORT THAT SHE WAS EVALUATED IN THE ER. THEY PERFROMED LABS AND A CT. ACCORDING TO THE FAMILY MEMBER, EVERYTHING CAME BACK NORMAL AND THAT SHE HAD A SEIZURE DUE TO HER EPILEPSY. PATIENT WAS RELEASED FROM THE ER TO HER HOME. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1148112-1 | PATIENT HAD A SEIZURE FOR 2 TO 3 MINUTES THE EVENING OF HIS APPOINTMENT (HIS WIFE WITNESSED). HE HAS NO HISTORY OF SEIZURES. HE IS GETTING SEVERE HEADACHES STARTING FROM THE TIME HE HAD THE SEIZURE AND THEY HAVE CONTINUED FOR NOW ALMOST TWO WEEKS WITH NO IMPROVEMENT. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1148150-1 | I had seizures as a child but was not diagnosed. In 2018, I had two seizures, but was diagnosed and have been on 100mg zonisamide for 2.5 years with no episodes. In 2014, I had a bad fever during an infection, and may have seized while sleeping. Not sure. In my adult life, I have received annual flu shots every year, and twice developed fevers as a side effect. After Moderna #2, I woke at 1:30am at my apartment with chills and fever. Took 2 acetaminophen and used the bathroom. I seized before I could take my temp. Upon reviving, I noted that about 15 minutes had elapsed since I first woke, so this seizure lasted under 10 minutes. I had a bruise on the back of my head, and later developed some bruising on the front of my thigh from the fall. I followed the protocol that my neurologist has established for me: called my sister for a ride to ER for evaluation. After several tests, I was released to my sister's care. Precautions we took for the next 24 hrs at sister's home: take temp every 2-3 hours to watch for fever, take acetaminophen every 6 hours. I'm fine now. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1148274-1 | Patient received 1st dose of Moderna Covid-19 and patient had a seizure while waiting in the waiting area. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1148480-1 | Rash and broken blood vessels across shoulders High fever (103.5) Seizures Difficulty breathing Headache Fatigue Dizziness |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1149357-1 | 3 days after receiving the vaccine I had a seizure. I went to the hospital and they refused to listen to anything negative regarding the vaccine. The hospital was of no remedy to me. One doctor even boldly claimed that she wasn?t there so they can?t necessarily say I had a seizure. I received no medications and left the hospital with no CT scan. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1149669-1 | Client passed out of chair face first on ground while sitting in observation right after receiving injection. Client convulsed for 15 seconds. Vital signs taken - BP 70/50, pulse ox 98% on room air, pulse 60. Client then became alert and oriented. EMS called and arrived on scene. Client refused EMS transport. Vital signs stable. Mom and boyfriend called via client phone. Boyfriend took client in his car. ER follow-up recommended by APRN on scene. Client has history of 1 other seizure. No other pertinent medical history. No injury from fall. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1149912-1 | "Infections; Patient is having a fit; Patient is having nervous breakdown; A Spontaneous report was received from a consumer concerning a 68-year-old, female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced fit/seizure, nervous breakdown/mental disorder and infection. The patient's medical history was provided as ""allergic to all things"". No concomitant medications were reported. On 26 Feb 2021, approximately 11 days prior to the onset of the events, the patient received the first of two planned doses of mRNA-1273 (Lot number: unknown) intramuscularly in an unknown location for prophylaxis of COVID-19 infection. On 09 Mar 2021,patient developed fit and nervous breakdown for three days. After three days ,On 12 Mar 2021,patient was admitted in emergency room and was diagnosed with infection. Also the reporter inquired if it is safe to go for the second dose. The event fit /seizure was considered as important medical event term. The treatment medication was reported as antibiotics. Action taken with mRNA-1273 in response to the events was not reported. The outcome of the events patient developed fit and nervous breakdown was considered as resolved on 12 Mar 2021.The outcome of the event infection was considered as unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1150477-1 | She had seizure while driving home; Broken back as a result on an accident after receiving the vaccine; Previously diagnosed with seizure but it had been well controlled with medicine; A spontaneous report was received from a consumer concerning a 69 year old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced a seizure while driving home and a broken back as a result of an accident after receiving the vaccine. The patient's medical history was reported as she had previously been diagnosed with a seizure disorder but it had been well controlled with medication. It had been over three to four years since she had a seizure and last time she could remember was in 2017. Concomitant medications taken by the patient were not provided. On 19 Feb 2021, prior to the onset of the event, the patient received the first of two planned doses of mRNA-1273 (Lot number: 023N20A) intramuscularly in the right arm for prophylaxis of COVID-19 infection. On 19 Feb 2021, within about 30 minutes of getting the vaccine she had a seizure while driving home. This led to an vehicular accident and she had to be rushed to the hospital. Her car was totaled and she had a broken back. Treatment activities for event was not provided. Action taken with mRNA-1273 in response to the events was unknown. The outcome of events, Seizure, Spinal fracture , and Condition Worsened, were unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1151220-1 | The pt had a seizure about 10 minutes after the vaccine was given. She had reported to us ahead of time that she has a seizure disorder. This was discussed with Dr., and he instructed us to go ahead with vaccination. We had the patient lie down during and after vaccination, and she was under observation. Her father was with her in the room. Her seizure lasted less than 2 minutes, and she was then evaluated by Dr.. She was dismissed in stable condition, with instructions to follow up with her neurologist. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1151494-1 | "1124 End of 15 minute observation period. Per witness, attempted to stand and fell forward onto floor. Seizure noted for one minute, responded to name and answered questions appropriately. Stated he ""felt dizzy"". Vital signs 118/60, 99%, 54. Blood glucose 97. Physician Assistant, present. Questions answered. 1131 Attempted to stand patient up again with assistance/supported X2. Stated he ""felt dizzy again and blurry vision"". Fainted while supported X2. Positioned on left side and immediately responded. Positioned supine. 1133 Vital signs 110/60, 96%, 72. 1142 Sitting up awaiting EMS, answers questions appropriately.. EMS present 1145 Vital signs 128/76, 100%, 72." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1151585-1 | Patient called stating she had her 2nd Moderna vaccine on 03-29-2021. She was recently diagnosed with Focal Sensory Seizures. She states that she started having seizures last evening and continues to have them today. Pt states she can not get her physician on the phone even after numerous tries. I advised to have someone other than herself drive her to the emergency room. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1152016-1 | On 3/29/21, resident laying in bed and began on convulse . Sent out to ER and DX with new onset seizure disorder, |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1152321-1 | PT COLLAPSED AND FELL ON THE FLOOR FACE DOWN ABOUT 5 MINUTES, AROUND 9:35AM AFTER GETTING 1ST DOSE OF COVID VACCINE. PT WAS TURNED OVER WITH THE HELP OF A SAMARITAN WHILE WE CALLED 911. PT HAD SEVERAL SEIZURE EPISODES. PT REGAINED CONSCIOUSNESS AND BECAME RESPONSIVE AFTER ABOUT 2 MINUTES. PARAMEDICS CAME AND TOOK OVER. PER PT, NO PRIOR HISTORY OF SEIZURE OR MEDICAL CONDITION. PT CAME FROM 10 HRS NIGHT SHIFT (2 DAYS IN A ROW) TO GET HIS VACCINE. DAD WAS INFORMED PER PT'S AUTHORIZATION ABOUT INCIDENT AND HE SAID HE WILL BE ON HIS WAY. PT TO BE TRANSPORTED TO A NEARBY HOSPITAL PER ONE OF THE PARAMEDICS. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1152521-1 | PT STARTED HAVING A FEELING OF HEAVINESS, MALAISE, FATIGUE, HEADACHES ABOUT AN HOUR OR TWO AFTER THE SHOT WAS ADMINISTERED. THE SIDE EFFECTS CONTINUED THRU THE WEEKEND AND SHE TOOK TYLENOL TO HELP WITH SYMPTOMS. ON MONDAY, 3/15/21 AROUND 720PM SHE COLLAPSED AT HOME AND WAS RUSHED TO THE HOPSITAL E.R. CT SCAN WAS ORDERED BECAUSE DR WANTED TO RULE OUT STROKE DUE TO WEAKNESS ON RIGHT SIDE,SPEECH IMPAIRMENT,HEADACHE,WEAKNESS, AND SHE HAD BITTEN HER TONGUE. SHE WAS ADMITTED INTO THE HOSPITAL. TUESDAY 3/16/21 - DR ORDERED CT SCAN AND MRI TO RULE OUT STROKE...PT WAS CONFIRMED TO HAVE HAD STROKE WEDNESDAY 3/17/21- EEG ORDERED AND PT POSITIVE FOR SEIZURES PT DISCHARGED FROM HOSPITAL 3/17/21 AND PRESCRIBED CLOPIDIGREL AND ATORVASTATIN AS TAKE HOME MEDS. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1152766-1 | ABOUT 3 MINUTES AFTER RECEIVING COVID-19 MODERNA VACCINE CLIENT EXPERIENCED WHAT IT LOOKED LIKE SEIZURE ACTIVITY. ACCORDING TO MOTHER CLIENT WHO WAS SITTING ON A CHAIR FOR OBSERVATION POST VACCINATION, DROPPED HIS PHONE TO THE FLOOR AND RAISED BOTH OF HIS ARMS UP WITH PALMS OPENED AND STARTED TO SHAKE A LITTLE WITH EYES CLOSED. MOTHER ASKED FOR HELP. WHEN HELP ARRIAVED CLIENT WAS CONSCIOUS AND NO SEIZING ACTIVITY WAS WITNESS. CLIENT LOOKED PALE AND SWEATY. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1153127-1 | 4 seizure episodes, lasting for 3-4minutes; A spontaneous report was received from a consumer and other healthcare professional concerning a 37 years old male patient, who received Moderna's COVID-19 vaccine (mRNA-1273), and experienced 4 seizure episodes, lasting for 3-4minutes( seizure) . The patient's medical history was not reported. Concomitant medications taken by the patient were not provided. On 5 Mar 2021, prior to the onset of the event, the patient received his first of two planned vaccine doses of mRNA-1273 (Lot number: unknown) through unknown route and dose, in the left arm, for prophylaxis of COVID-19 infection. On 14 Mar202,1 at 3:00am, patient had a seizure episode which lasted for around 3-4 minutes. The event seizure caused for the hospitalization and was considered as medically significant. An ambulance was called and on the way to the hospital, he had 2 more episodes of seizure. While in the hospital the episode had again recurred. Blood work was done but the results were not provided. Patient was prescribed Levetiracetam 500mg 2x a day. Treatment for event was levetiracetam. Action taken with mRNA-1273 in response to the events was unknown. The outcome of events, experienced 4 seizure episodes, lasting for 3-4minutes, was unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1153924-1 | Seizure; A spontaneous report was received from a consumer concerning a 72-year-old female patient who received Moderna's COVID-19 vaccine (mRNA-1273) and developed light headache/headache, fever/pyrexia and seizure. Medical history or concomitant product use were not reported. On 17 Jan 2021, the patient received her first of the two planned doses of mRNA-1273 (batch number: 013620A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 14 Feb 2021, the patient received her second of the two planned doses of mRNA-1273 (batch number: 013M20A) intramuscularly in the right arm. Soon, she had a light headache and fever. She took treatment with paracetamol On 16 Feb 2021, the patient was hospitalized. She had her CT scan of the brain and was reported to have seizure because of the symptoms. On 18 Feb 2021, the patient was discharged from the hospital. The action was taken with mRNA-1273 in response to the events was not applicable since they developed after the second dose. The outcomes of the event headache was resolved on 15 Feb 2021 and for other events were unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1153998-1 | "A spontaneous report was received from a consumer (United States) concerning a 21-year-old, male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced fell out of the chair and passed out/Loss of consciousness, fell out of the chair and passed out/Fall, may have been a seizure but unsure/seizure. The patient's medical history included psychological problems. Concomitant product use was not provided by the reporter. On an unknown date, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Batch number unknown) intramuscularly for prophylaxis of COVID-19 infection. On an unknown date, after the injection he ""fell out of the chair and passed out"". The reporter stated that she heard it ""may have been a seizure but unsure"". She reported the male was obese. The events passed out and seizure was considered as medically significant. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not provided. The outcome of the events fell out of the chair and passed out, may have been a seizure but unsure was unknown at the time of this report.; Reporter's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1154411-1 | fainted/seizure ? loss of bladder control. EMT called and assisted. Said all vital were normal and no signs of seizure. EMT recc pt see primary MD for follow up. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1155255-1 | She got her vaccine and within 15 minutes she was having a hard time breathing. She told her husband that she needed to go to the bathroom and see if she could get the feeling to stop. She went into the bathroom and she was gasping and choking for breathe. They got her into the ambulance and her BP was extremely high 128/90 and her BP normally is 98/60. They started an IV, breathing treatments and oxygen. She was gagging up saliva and having a hard time breathing. They got her to where she was calm. Her body when it is under extreme amounts of stress goes into seizures, which it did. She then was transferred to in for observation. By the time she arrived her BP had come down and was starting to stabilize. She was given steroids, discharged home. She has had problems breathing, extreme/sharp pain on the left side of her head behind the eye, which has been going on for over a week. By the end of the day she is exhausted. She has never had a hard time breathing at high altitudes and now she can walk up the stairs and be winded. This has all happened since receiving the vaccine. She sent a message to her doctor who did seem concerned. The pharmacist at the facility at the time said that she was fine, to leave her alone. The EMT's said that there was something wrong with her and took her to the hospital. The hospital did not give her any long-term medications to take. She does have a routine APT with her PCP on 4/6/21. On Thursday she woke up and asked her husband if her face was swollen, and he asked why, she stated that her face was numb, and some spots so sensitive that she could not brush her hair. This was on the left side. The sensitivity is still there, but not as intense. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1155817-1 | pt syncopal episode 20 minutes after COVID vaccination cold, clammy, AMS, convulsions improved with supine position, leg raised BP 98/68 norm per patient STAT BG 118 likely vasovagal transported to ER by EMS |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1156310-1 | Vaccine administered at 10AM. At 1015 observer noticed she was feeling anxious patient walked to high observation area for further evaluation. Patient stated she was feeling anxious and that the light was bothering her, she used her inhaler prior to moving to high observation also stated the light triggered her epilepsy. Patient transfered to dark private area by high observation nurse to decrease stimuli. Patient stated she felt like a seizure was going to happen layed on her left lateral side vs 135/83 p 118 rr20 temp 36.7 sat 88%. Patient going in and out of sudden repeated episodes. 1035 ems activated. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1156466-1 | 9:19 Going to sit in seat for observation, seized, fell onto ground, hit head. VS: BP 108/52 HR: 57 RR: 22 O2sat: 100%; 9:20 911 was called; 9:21: BP: 132/84 HR: 72 O2: 99% RA Pupils: PERRLA; 9:27: Alert & Oriented, difficulty remembering wife's name: BP: 156/73 HR: 75 O2: 99%; 9:30 EMS arrived, transferred to ED for further treatment and eval. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1157220-1 | Patient was in observation area after vaccine administration. Twelve minutes after vaccination, he fell to the floor and appeared to be having a seizure. Staff protected him from injury, and administered oxygen, and called EMS. He stopped seizing, then had another seizure before EMS came to transport him to the ER. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1157599-1 | seizure; A spontaneous report was received from a healthcare professional concerning a 63-years-old patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced events seizure. The patient's medical history was not provided. Concomitant medications reported were Phenytoin, Norvasc for drug use for unknown indication. On 1 Mar 2021, prior to the onset of the events the patient received first of two planned doses of mRNA-1273 (lot/batch: not provided) via unknown route for prophylaxis of COVID-19 infection. Lab parameters done was not provided. On 1 Mar 2021, in the evening she went to bed and had a seizure. She was fine in the morning and her husband told her that she had a seizure last night. She is allergic to peanuts and peanuts oil. She has Epilepsy and take medications for that but didn't have a seizure for a long time. No treatment information was provided. Action taken with mRNA-1273 in response to the events was not reported. The outcome of event(s), seizure was unknown. Action taken with mRNA-1273 in response to the event was not provided.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1157706-1 | 10 seconds of tonic clonic seizure like activity 6 minutes after administration of the Moderna COVID-19 vaccine with associated hypotension, bradycardia, diaphoresis, and visual disturbance (spots in his vision) that self-resolved after being shaken. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1158073-1 | Patient received vaccine at 6:03 pm, patient was in recovery area and experienced syncope at 6:07 pm, patient fell to the group face down, nurses responded turned patient on left side, patient had 5-10 second seizure with full body seizing and eyes rolled backed. EMS called. Right frontal area hematoma due to hitting head on floor. Patient confused at first, BP 98/64, HR 80 at 6:10, patient diaphoretic, reassessed BP 105/60 HR 82, EMS assessed, patient LOC returning A&Ox4, able to remember she does have seizures and takes seizure medications but cannot remember medication name. Nurses advised patient to be transported by EMS, patient refused, patient boyfriend and mom also refused and stated they would take her themselves. Boyfriend to drive patient to ER for follow up per patient and family. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1158772-1 | Systemic: Seizure-Mild, Additional Details: Pt recovered. Fire dept called. Pt declined care of paramedics and returned home with boyfriend. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1159214-1 | 3/11/21: patient presented and was admitted through ED for Shortness of Breath and choking on food. His saturation was as low as 70s and placed on nonrebreather. Patient was brought to ED and eventually required to be intubated because of hypoxic respiratory failure. During hospitalization patient has one episode of seizure. Patient had similar presentation in May 2019 and he had to be intubated for choking fluid. per the EUA, hospitalizations to be reported irrespective of attribution of vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1161987-1 | Convulsions that did not let up, shaking and tremors; severe twitching; Shortened time interval between first and second dose; A spontaneous report was received from a family member concerning a 72-years old, female patient who experienced convulsions that did not let up, shaking and tremors (seizure), twitching (muscle twitching) and shortened time interval between first and second dose (inappropriate schedule of product administration). The patient's relevant medical history included essential tremor. Concomitant product use was not provided by the reporter. The patient received their first of two planned doses of mRNA-1273 (Batch number not provided) intramuscularly on 29-Jan-2021. On 26-Feb-2021, prior to the event onset, the patient received their second of two planned doses of mRNA-1273 (Batch number not provided) intramuscularly for prophylaxis of COVID-19 infection. On 27-Feb-2021, 25 hours after vaccination, the patient experienced very severe twitching, shaking, tremors and convulsions that did not let up. Reportedly, it lasted 12 hours until she fell asleep and remained ongoing. Treatment information was not provided. The patient received both scheduled doses of mRNA-1273 prior to the events; therefore, action taken with the drug in response to the events is not applicable. The outcome of the events, convulsions that did not let up, shaking and tremors and twitching, were not provided. The event, shortened time interval between first and second dose, was resolved on 26 Feb 2021.; Reporter's Comments: This report refers to a case of inappropriate schedule of vaccine administered for mRNA-1273 (lot #unknown) with an associated convulsions reported. Very limited information regarding this event/s has been provided at this time. Further information has been requested. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1162029-1 | "Did not sleep at all as he kept staring at the clock 2-3 times every hour; Feels bad now which was similar to the time when he had covid; Whole body was moving bad; Chills; Vomiting ( "" dry heaves"" throwing up but nothing was coming out); Shaking was similar to having convulsions was hard; Very sick this morning; Sore injection site area; Shaking shaking so hard at 2am; A spontaneous report was received from a consumer concerning a 57-years old male patient who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced the events shaking was similar to having convulsions was hard, very sick this morning, chills, sore injection site area, vomiting (dry heaves throwing up but nothing was coming out), whole body was moving bad, shaking so hard at 2am, did not sleep at all as he kept staring at the clock 2-3 times every hour and feels bad now which was similar to the time when he had Covid-19. The patient's medical history included COVID-19. No relevant concomitant product use was reported. On 25 Mar 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (lot/batch: 048A21A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 26 Mar 2021, the patient experienced very sick, chills, injection site sore, vomiting (dry heaves throwing up, but nothing was coming out). On the same day, the patient was shaking so hard at 2 am and the shaking was similar to having convulsions. The patient also reported that, his body was moving bad. The patient went to bathroom and laid back down, but he was unable to sleep and kept staring at the clock 2-3 times every hour. The patient also reported that, he felt bad now and it was similar to the time when he had COVID-19. No treatment details were provided. Action taken with mRNA-1273 in response to the events was unknown. The outcome of the events very sick, chills, injection site sore, vomiting(dry heaves throwing up, but nothing was coming out), shaking so hard at 2 am, shaking was similar to convulsions, whole body was moving bad, did not sleep at al as he kept staring at the clock 2-3 times every hour and feels bad now which was similar to the time when he had COVID-19 were unknown.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Very limited information regarding these events has been provided at this time. Further information has been requested" |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1163498-1 | Patient was at her day treatment program and had a two and a half minute seizure while sitting at a table. She bit her tongue during the seizure. She slowly came out of the seizure and was out of it for a while and confused. 911 was called due to the length of the seizure and a lack of seizure history. Seizure was two minutes; thirty seconds long about 21 hours after 1st Moderna Covid vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1163829-1 | Had a seizure the morning after receiving her 1st dose of the Moderna Vaccine. 911 was contacted and she was hospitalized at a local hospital. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1164300-1 | Earlier today, a Moderna patient at 3213 experienced a 15-30 second seizure after receiving his 1st Moderna vaccine. Shortly after sitting down for his 15-minute post immunization observation period, patient X began seizing resulting in him falling to the ground from a seated position to his left side and seizing for about 15-20 seconds. Patient was positioned in a left lateral recumbent position. Code white was called and EMT arrived on site within 10 minutes. Patient's immunization questionnaire did NOT have any contraindications that would warrant he should not receive the vaccine. Patient reported no allergies to medications/past immunizations/foods and reported no seizure and/or neurological condition. Once recovered and at baseline, patient reported having a light breakfast this morning and also having a needle phobia that may have played a role in his adverse response. Shortly after recovering, patient was coherent and aware of person, place, and time. He remained weak and fatigue and BP readings from EMT indicated hypotension. EKG was normal. Patient's mother happened to be waiting outside in the car. One of my associates was able to call her in and we updated here on the event. EMT recommended, and patient agreed, to be taken to the hospital for further examination. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1164647-1 | Patient had absence seizure immediately following dose. Patient has history of seizure of this type and kind at this time of day (mom says has one every evening around this time). |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1164976-1 | Per EMT report, approximately 5 minutes after vaccination, client had seizure lasting approximately 3 minutes. Client is hearing impaired and has a history of epileptic seizures. Spouse reports last seizure event x3 weeks ago. Per EMT/Paramedic, airway was maintained. EMS was called, after seizure event, client was awake, respirations even and unlabored, skin warm and dry, client was incontinent of urine, no acute distress. Spouse answered EMS questions on behalf of client as client is deaf. Client refused transport to hospital, but was transported to vehicle without further incident. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1165584-1 | Blood pressure dropped down to 85; Patient could not get out of bed; Slept on and off; Temperature of 100.4 ¦F; More than a shivering, like having convulsions; cold; Shaking; Left arm was a little bit tender; A spontaneous case was reported by a consumer concerning an 83-year-old female patient who experienced More than a shivering, like having convulsions, feeling cold/chilliness, shaking, Left arm was a little bit tender, blood pressure dropped down to 85, patient could not get out of bed, slept on and off) and temperature of 100.4 ¦F. The patient's past medical history was not provided. Concomitant medications included blood thinners (unspecified). On 26-Feb-2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Batch number not provided) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On 26-Feb-2021, the patient experienced SEIZURE (More than a shivering, like having convulsions), NASOPHARYNGITIS (Cold), TREMOR (Shaking) and TENDERNESS (Left arm was a little bit tender). On an unknown date, the patient experienced BLOOD PRESSURE DECREASED (Blood pressure dropped down to 85), BEDRIDDEN (Patient could not get out of bed), SLEEP DISORDER (Slept on and off) and PYREXIA (Temperature of 100.4 ¦F). Treatment information was not provided for these events. The action taken with mRNA-1273 in response to these events was unknown. On 26-Feb-2021, SEIZURE (More than a shivering, like having convulsions), NASOPHARYNGITIS (Cold) and TREMOR (Shaking) outcome was unknown. On 28-Feb-2021, TENDERNESS (Left arm was a little bit tender) outcome was unknown. At the time of the report, BLOOD PRESSURE DECREASED (Blood pressure dropped down to 85), BEDRIDDEN (Patient could not get out of bed), SLEEP DISORDER (Slept on and off) and PYREXIA (Temperature of 100.4 ¦F) outcome was unknown. The patient consented for safety follow-up.; Reporter's Comments: Based on the current available information which includes a temporal association between the use of the product and the start date of the reported event, and excluding any other etiology, a causal relationship with the event cannot be excluded |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1165586-1 | disorientation; couldn't properly respond/was speaking gibberish; weakness; cough; now she's dealing with fluctuating fever/running a slight temperature; Chills; was physically shaking, like a convulsion; doesn't feel she's completely okay; A spontaneous report was received from a consumer, who was the husband of a 72-year-old female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced extreme chills, was physically shaking, like a convulsion (seizure), disorientation, couldn't properly respond/was speaking gibberish (disorganized speech), weakness (asthenia), fluctuating fever/running a slight temperature (pyrexia), cough, and doesn't feel she's completely okay (malaise). The patient's medical history was not provided by the reporter. Concomitant medications included acyclovir. On 12 MAR 2021, the patient received their second of two planned doses of mRNA-1273 intramuscularly for prophylaxis of COVID-19 infection. On the same day, the patient had extreme chills and was physically shaking, like a convulsion where her husband had to hold her up. On 12 Mar 2021, she experienced disorientation, she couldn't properly respond/was speaking gibberish, and had weakness. The husband called 911 and a stroke was ruled out. At the time of the report, the patient was dealing with a fluctuating fever/was running a slight temperature and a cough. The husband didn't feel she was completely ok. Treatment for the events included Gatorade and paracetamol. The reporter considered the events of disorientation and couldn't properly respond/was speaking gibberish to be disabling. Action taken with mRNA-1273 in response to the events was unknown except for stroke it was resolved. The outcome of the events of chills, was physically shaking, like a convulsion, disorientation, couldn't properly respond/was speaking gibberish, and weakness were unknown. The events of fluctuating fever/running a slight temperature, cough, and doesn't feel she's completely okay were considered not resolved at the time of this report. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1165927-1 | Systemic: Flushed / Sweating-Severe, Systemic: Hypotension-Severe, Systemic: Seizure-Severe, Additional Details: Patient expressed that he didn't like needles. Patient stated that he has gotten flu shots in the past. Immediately after administering the vaccine, patient stopped responding, his eyes bulged, and his arms tensed and both arms went up to his chest. I was calling his name and asking if he was doing okay, he kept staring straight ahead and wasn't responding. Patient eventually came to after a minute. Measured blood pressure twice &, average ~90/55. Offered patient ambulance, patient declined. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1166581-1 | "9:45 patient received vaccine, at 9:52 she announced to EMT she was having a ""panic attack"". Patient lost consciousness briefly, and convulsed for about 1-2 seconds. Patient woke up quickly, 911 was called to evaluate. BP 98/80 at 9:52. 9:58 911 medics arrived, all vitals were within normal limits, patient declined transport. Patient was monitored for another 30 minutes and was able to walk to her car on her own with steady gait ." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1166647-1 | - Started vomiting overnight after receiving vaccination - vomiting stopped on day after vaccine, but fever remained high - then I had a seizure - i have never had a seizure in my life |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1167496-1 | Systemic: Flushed / Sweating-Medium, Systemic: Seizure-Mild, Systemic: Shakiness-Mild |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1168440-1 | PATIENT WIFE CALLED AND INFORMED PHARMACY PT DEVELOPPED SEIZURE AND DIFFICULTY BREATHING THE EVENING OF HIS FIRST COVID VACCINATION. PT IS NOW BETTER STAYED AT HOME |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1169005-1 | went into seizure; felt a metallic taste; felt dizzy; nearly fainted; not able to walk; had chest tightness; did not feel like she could breathe; did not feel well; her face was flushed like she was on fire; A Spontaneous report was received from a physcian concerning a 63 Year old Female patient, who received Moderna's COVID-19 vaccine (mRNA-1273) and experienced Dysgeusia/Felt like metallic taste, Dizziness/Dizzy, Presyncope/ Near fainting, Gait Disturbance /Walking difficulty, Chest discomfort/ Chest tightness, Dyspnoea/ Breathing difficult, Malaise/ Feeling unwell, Seizure, Blood pressure abnormal, Blood sugar abnormal and Flushing. The patient's medical history included Asthma. No relevant concomitant medications were reported. No information on allergies were provided. The reported stated that the patient was physically and mentally healthy before vaccination. On 9 Mar 2021, prior to the onset of the events, the patient received their first of two planned doses of mRNA-1273 (Lot number: unknown) via intramuscular route and unknown location for prophylaxis of COVID-19 infection. had chest tightness and she is an asthma patient. She did not feel like she could breathe and did not feel well. She went back to the pharmacy and they did not want to give her EpiPen. She went into seizure because she already had seizure disorder. Her blood pressure went to 162/80 and her blood sugar went to 152 when she was on her way to the hospital and her face was flushed like she was on fire. She took Zofran during her 5 hours of hospitalization and got a CT scan. They diagnosed her with a post vaccination reaction but she still wants to get the second dose. Action taken with mRNA-1273 in response to the events was not reported. The outcome for the event Dysgeusia, Dizziness, Presyncope, Walking difficulty, Chest discomforts, Dyspnoea, Malaise, Seizure, Blood pressure abnormal, Blood sugar abnormal and Flushing was considered unknown.; Sender's Comments: Based on the current available information which includes a strong temporal association between the use of the product and onset of the events, and excluding other etiologies but for history of asthma, causal relationship cannot be excluded. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1169184-1 | Patient had fallen out of chair approximately 5 minutes after being vaccinated and showed signs of having seizure (jerking motions) for approximately 30 seconds. We rolled patient on his side while he was having seizure and rolled him onto his back when he stopped seizing. Patient regained consciousness and was profusely sweating. Fire department showed up to take over. They had questioned patient on his medication history and whether he had a history of seizures. Approximately 15 minutes from then, the paramedics arrived and preformed vital check on patient and deemed patient unwell to leave on his own accord. Patient was then transmitted to hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1169987-1 | Patient became unconscious and fell out of his chair about 5 minutes after receiving his first Moderna vaccine. He came too but loss conscious two more times. He was clenching his arms and fist like someone having a seizure. When he came too he was not aware of what happened but he knew his name. Blood pressure was taken several times and each time was low. 911 was called and paramedics arrived about 15 minutes after he first loss consciousness. Paramedics took blood pressure and started IV fluids and took patient to hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1170610-1 | Convulsion- eyes rolled back, involuntary contraction of muscles, unresponsive, lasted 10 seconds other symptoms: chills, nausea, sweating |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1171305-1 | At end of 15 minutes, pt collapsed and then had a seizure < 15 s. No history of seizures. Pt declined going to the hospital. Wife drove him home. Instructed to see physician prior to dose 2. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1171426-1 | seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1172316-1 | Patient given educational material regarding vaccine and advised to continue to self-monitor per the CDC guidance. PT. was given her first dose of Moderna Vaccine in R deltoid at 1012 on 4-6-2021. Pt. began to have an adverse event at 1015. Pt. began to have LOC, then began to fall out of the chair face forward. Pt. had LOC approx.. 5-7 secs. PT. was assisted back to chair where she regained alertness. She was then transferred to W/C and moved to corner for privacy. She then began to have another episode and displaying seizure-like movements. Pt. was transferred out the chair onto the floor. She regained consciousness after approx. 7 seconds. She was A&Ox4 after episode, able to answer all questions, no respiratory distress observed. Face was assessed after falling face forwards, there was no signs of bleeding. Approx 1037 pt. felt vision going dark again, pulse dropped to 42 BPM, LOC 15 secs, assisted back to floor, no trauma observed. arrived on scene approx at 1057, pt. refused further medical care, verbalized boyfriend is coming to take patient home. 1018 VS: 112/82 P 63, RR 20, 98% 1023 VS: 108/70 P 62 RR 19, 99% 1038 VS: 88/50 P 70, RR 20, 98% (Pt. awake, verbalized tingling in hands and feet) 1048 VS: 104/68 P 62, RR 20, 100% |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1173082-1 | PT EXPERIENCED CONVULSIONS, TEMPORARY LOSS OF CONSCIOUSNESS, WITNESSED BY BYSTANDER. PT THEN REGAINED CONSCIOUSNESS BUT PRESENTED W/ ALTERED MENTAL STATUS FOR APPROXIMATELY 5-10 MINUTES. PATIENT PRESENTED W/ FOLLOWING SYMPTOMS: LOSS OF CONSCIOUSNESS CONVULSIONS BP: 118/74 O2: 98 PULSE: 85 PT DECLINED TRANSPORT, WAS TRANSPORTED TO HOSPITAL IN PRIVATELY OWNED VEHICLE. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1173393-1 | Patient received her 1st dose of the vaccine and I had her sit down, within 10 minutes she comes to the consultation window and she says she is having a hard time breathing. I take her to the IMZ room and sit her down and she says her throat is closing up. She is struggling to breathe so I give her a dose of an epipen. She starts to fill better. she says she is itching and her chest is a little read and has some bumps so I gave her some Benadryl. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1173600-1 | seizure; sore arm; A spontaneous report was received from a consumer, concerning a 67-years old male patient, who received Moderna's COVID-19 vaccine and experienced seizure and sore arm. The patient's medical history included brain tumor removed. No relevant concomitant product was reported. On 06 Ma 2021, prior to the onset of events, the patient received his first of two planned doses of mRNA-1273 (lot number 036A21A) intramuscularly in the left arm for prophylaxis of COVID-19 infection. On the same day patient experienced sore arm for couple of days. On 12 Mar 2021, 6 days after the first shot, the patient experienced seizure. The patient was hospitalized for a night and laboratory tests were performed. There was no indication of stroke and everything else came back inconclusive. No treatment information was reported. Action taken with mRNA-1273 in response to the events was unknown. The outcome of the event sore arm was resolved on 08 Mar 2021 and the outcome of the event seizure was unknown; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1173955-1 | PATIENT PASSED OUT AND APPEARED TO BE HAVING A SIEZURE WITH EYES ROLLING BACK IN HEAD. HE WAS SLUMPED IN CHAIR. NON- RESPONSIVE. wAS ABOUT TO ADMINISTER EPINEPHRINE , WHEN HE CAME TO. HIS VOICE WAS WEAK AND SAID NO TO EPI. HE WAS DIAPHORETIC AND VERY PALE. EMS CAME ONTO SCENE AND TOOK OVER. BLOOD PRESSURE WAS 80/53 PER EMS. HE REFUSED FOR THEM TO TAKE HIM. WIFE WAS CALLED AND CAME TO GET HIM BUT HE HAD TROUBLE STANDING AND HAD TO SIT AWAHILE. IT WAS ABOUT 45MINUTES BEFORE HE EXITED WITH ASSISTANCE. ATTEMPTED TO CONTACT HIM LATER AND HAD TO LEAVE |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | MESSAGE<br>Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1175500-1 | Legs and arms started shaking uncontrollably and I passed out or had a seizure for several minutes. I woke/came to and my husband helped me to bed. He said I was all sweaty. I slept for about an hour and got up. I fed my dogs, made tea, sat down and fell asleep. After waking I got up and continued my day with extreme fatigue, nausea, and a headache. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1175530-1 | On 3/16/21 his wife found him poorly responsive so EMS was called. He had seizures on the way to the hospital and was found to be COVID positive. He required intubated. Discharged on 3/24/21. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1176079-1 | The evening after vaccine she had trouble speaking and fatigue 3/2020. She went to lay down and outx 24 hours, on 3/21 friends were not able to wake her and went to the hospital where she was admitted. Had BP at the time of 220/100s. She was treated for PRES with seizure started on Keppra. She was discharged from the hospital 3/27 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1176129-1 | Patient had no reaction at time of vaccination, got up out of chair and walked approx. 20 feet to sit down in a chair with arms in the vaccine observation area at 1715. At 1722 patient fell out of chair and onto floor. PharmD started emergency chain including 911 call and call to patient's emergency contact. PharmD ran to patient and observed him lying facedown with head facing left. Eyes open but unresponsive, his name was called with no response. Right as he was observed to be breathing normally with a steady pulse, patient had mild seizure with jerking movements. He was turned to his side during seizure event lasting no longer that 2 minutes. Patient then regained consciousness and was kept on his side. Was alert and oriented. He knew where he was, who he was, what day it was. He was able to answer all 911 dispatcher questions relayed to him. Dispatcher advised he could sit up on floor, which he did. PharmD stayed right behind him until paramedics arrived. He was kept talking to stay alert. It was unknown if he hit his head on the initial fall. Paramedics arrived and checked BP/Pulse/EKG. Pt then had a gasp/shake attack that paramedic notated as a panic induced episode. He calmed and was transferred to ER |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1176372-1 | Narrative: Per law enforcement report, patient's death appears to be natural causes. Wife found 91 yo patient on the floor having seizures. Patient was treated for seizure disorder and had recent Primary Care visit with updated labs. Seizure medication lab monitoring was monitored with no concerns. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1177181-1 | Approximately 5 minutes after injection, patient started feeling faint. Pallor skin color, skin was moist. Patient then proceeded to faint, followed by a 15 second seizure. Once patient became alert, a second fainting spell occurred. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1177352-1 | patient walked to the observation room independently and about 5 mins after arrival to the observation room, he become very pale, eyes rolled back, and appeared to have a seizure type of activity. Patient was transferred to a cart with assistance, was able to respond to commands, and was transported to the Emergency department. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1178186-1 | "Pt completed her 15 minute wait time without complaints (at 1601). She exited the building with her brother into the parking lot. It was reported that she ""slumped to the ground"" and appeared to have had a seizure. I arrived at her side (at 1603) with EMS checking vital signs. Pt was able to whisper and acknowledge me. She was oriented to person and place. Her pupils were constricted, but was lying in the sunshine. EMS had already called for ambulance. I talked with Pt to obtain any medications, history and allergies - to which she denied all. She then began to tremor with her eyes rolling into her head, unresponsive during this episode. After about 20 seconds, she focused on me and was able to respond to some direction. By that time ambulance was present. She was lifted by 6 people and placed onto stretcher. Stretcher placed into ambulance and went to hospital" |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1178250-1 | Convulsions; In and out of consciousness; extreme pain throughout the body; Vomiting; Inability to speak; Couldn't walk; Couldn't raise limbs; Sustained premature ventricular tachycardia; Heart collapsed to 20 BPM; This spontaneous case was reported by a nurse (subsequently medically confirmed) and describes the occurrence of VENTRICULAR TACHYCARDIA (Sustained premature ventricular tachycardia), BRADYCARDIA (Heart collapsed to 20 BPM), SEIZURE (Convulsions), GAIT INABILITY (Couldn't walk), MUSCULOSKELETAL STIFFNESS (Couldn't raise limbs), SEIZURE (In and out of consciousness), APHASIA (Inability to speak), PAIN (extreme pain throughout the body) and VOMITING (Vomiting) in a 51-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 047A21A) for COVID-19 vaccination. The patient's past medical history included No adverse event (No historical condition reported). On 22-Mar-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 23-Mar-2021, the patient experienced VENTRICULAR TACHYCARDIA (Sustained premature ventricular tachycardia) (seriousness criteria hospitalization, medically significant and life threatening), BRADYCARDIA (Heart collapsed to 20 BPM) (seriousness criteria hospitalization, medically significant and life threatening), SEIZURE (Convulsions) (seriousness criteria hospitalization prolonged and medically significant), SEIZURE (In and out of consciousness) (seriousness criterion hospitalization prolonged), PAIN (extreme pain throughout the body) (seriousness criterion hospitalization prolonged) and VOMITING (Vomiting) (seriousness criterion hospitalization prolonged). 23-Mar-2021, the patient experienced GAIT INABILITY (Couldn't walk) (seriousness criterion hospitalization), MUSCULOSKELETAL STIFFNESS (Couldn't raise limbs) (seriousness criterion hospitalization) and APHASIA (Inability to speak) (seriousness criterion hospitalization). The patient was hospitalized on 23-Mar-2021 due to APHASIA, BRADYCARDIA, GAIT INABILITY, MUSCULOSKELETAL STIFFNESS and VENTRICULAR TACHYCARDIA. At the time of the report, VENTRICULAR TACHYCARDIA (Sustained premature ventricular tachycardia), BRADYCARDIA (Heart collapsed to 20 BPM), SEIZURE (Convulsions), GAIT INABILITY (Couldn't walk), MUSCULOSKELETAL STIFFNESS (Couldn't raise limbs), SEIZURE (In and out of consciousness), APHASIA (Inability to speak), PAIN (extreme pain throughout the body) and VOMITING (Vomiting) had resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 23-Mar-2021, Heart rate: 20 (Low) 20 BPM. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter considered VENTRICULAR TACHYCARDIA (Sustained premature ventricular tachycardia), BRADYCARDIA (Heart collapsed to 20 BPM), SEIZURE (Convulsions), GAIT INABILITY (Couldn't walk), MUSCULOSKELETAL STIFFNESS (Couldn't raise limbs), SEIZURE (In and out of consciousness), APHASIA (Inability to speak), PAIN (extreme pain throughout the body) and VOMITING (Vomiting) to be related. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1178462-1 | "was called to waiting room because it appeared the patient was having a seizure. When reached the patient, she was slumped over in her chair, diaphoretic, and pale. She was initally responsive and reporting feelng ""shaky"". Patient briefly became unresponsive which promped 911 EMS call. While waiting for EMS, pt blood pressure taken (88/66) as well was pulse (55). Patient regained consciousnesses about a minute after becoming unresponsive. Smelling salts administered and cold rag placed on back of patient's neck. Once EMS arrived, they removed patient via stretcher from the clinic and were encouraging her to seek treatment in the ER. Unsure if patient was actually taken to ER or UC since she was removed from the facility." |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1178630-1 | About a minute after the vaccination, the patient's head fell to the side, and he was unconscious. He seized for less than 1 minute. He was placed on the floor at which point he regained consciousness. He felt warm all over his body and fatigued. About 30 minutes later, he was still fatigued, and when he went to stand, he felt lightheaded again. He was taken to the hospital in an ambulance. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1178664-1 | Grand mal seizure at 11:30 a.m. Continued having seizures until 2:00 a.m. 3/29/21 He had not had a seizure for 3 weeks. He had not had seizures for this long a period of time for as long as we have on record. His neurologist stated to give him Ativan each time they were becoming constant, |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1179192-1 | very weak; very tired; heart was pounding; vomit; headaches; passed out 3 times; seizure; lost control of her bowels; very low blood pressure; migraine; very low temperature; chills; fever; This spontaneous case was reported by a consumer and describes the occurrence of SYNCOPE (passed out 3 times), SEIZURE (seizure), ANAL INCONTINENCE (lost control of her bowels) and HYPOTENSION (very low blood pressure) in a 67-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 006B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Thyroid disorder. Concomitant products included DILTIAZEM for Arrhythmia, LEVOTHYROXINE SODIUM (SYNTHROID) for Thyroid disorder. On 25-Mar-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 25-Mar-2021, the patient experienced PYREXIA (fever) and CHILLS (chills). On 26-Mar-2021, the patient experienced SYNCOPE (passed out 3 times) (seriousness criterion medically significant), SEIZURE (seizure) (seriousness criterion medically significant), ANAL INCONTINENCE (lost control of her bowels) (seriousness criterion medically significant), HYPOTENSION (very low blood pressure) (seriousness criterion medically significant), MIGRAINE (migraine), BODY TEMPERATURE DECREASED (very low temperature), VOMITING (vomit) and CLUSTER HEADACHE (headaches). On 28-Mar-2021, the patient experienced PALPITATIONS (heart was pounding). On 29-Mar-2021, the patient experienced ASTHENIA (very weak) and FATIGUE (very tired). On 26-Mar-2021, SYNCOPE (passed out 3 times), SEIZURE (seizure), ANAL INCONTINENCE (lost control of her bowels), HYPOTENSION (very low blood pressure), BODY TEMPERATURE DECREASED (very low temperature), PYREXIA (fever), VOMITING (vomit), CLUSTER HEADACHE (headaches) and CHILLS (chills) had resolved. On 28-Mar-2021, PALPITATIONS (heart was pounding) had resolved. At the time of the report, MIGRAINE (migraine) had resolved and ASTHENIA (very weak) and FATIGUE (very tired) outcome was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. This case was linked to MOD21-064116 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1179394-1 | "Systemic: Seizure-Mild, Additional Details: Patient sitting after vac. was administered. Patien was about to stand up but fainted while on floor he had a seizure for about 3 secs. After the event he was alert & oriented, but did not remember the episode. BP #1 was 98/70 . Client was provided water and stayed in lying position for 40min with the supervision of the nurse. He wanted to drive himself to work but was told he should have someone pick him up however client refused stating his job was only \""5 min away\"".BP before leaving 110/70." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1180096-1 | SEIZURES LEFT LEG AND LEFT CORE, TEN EPISODES SINCE 03/14/2021 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1180199-1 | "Patient experienced a ""seizure"" during his workday on 4-2. Store Management called 911 and he was sent with ambulance personnel. Patient reported another event a couple of days later. Patient reported 4-8 that he is Covid positive." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1180254-1 | Patient had a seizure after being seizure-free for several years. It resolved without intervention. However it lasted longer than usual approximately an hour and 45 minutes. Neurologist was notified. Levetiracetam levels taken within in the month was WNL. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1180614-1 | Initially she passed out following the vaccine - within 90 seconds- she has a history of passing out with injections and blood draws. Around noon she had a seizure. She describes a feeling of darkness and dread closing in on her and she was unable to speak or move. She was on the stairs at the time. I witnessed her stiffen, then go limp and fall between the electric stair hair and the wall. She hit the hardwood floor face first then she began to shake/twitch. She was unconscious. She awoke screaming, incoherent speech, and flailing limbs. It took about 5 minutes to calm her and be able to understand her speech. She only remembers the darkness and waking up scared and feeling awful. She was put supine on the floor with feet elevated, blood pressure monitored, given juice to drink, and vitals checked routinely. After about an hour supine and conscious, she felt good enough to sit up. She sat up for 15 minutes before she was able to stand with assistance. Family physician was notified immediately and we are still waiting for a response. She has a goose egg sized knot on her forehead, a bruise on the side of her face and a black eye from hitting the floor. She has a huge bruise on her outer thigh and lower leg where she hit the stair chair and then seized and it it repeatedly on the metal. She has underarm pain from where her armpit hit the edge of the stairs when she fell and seized. She has no history of any types of seizures. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1180786-1 | PT EXPERIENCED CONVULSIONS & DID NOT RESPOND TO EXTERNAL STIMULI FOR ~15 SECONDS. RECOVERED CONSCIOUSNESS W/ TEMPORARY ALTERED MENTAL STATUS. VITALS: BP: 118/74 SP02: 98% PULSE: 85 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1180874-1 | Sore arm for the night, slight fever 99.9 but the big issue is I had two seizures the morning after the first at 4 am and the 2nd at 7:30 am... missed no doses of me seizure meds |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1181388-1 | The patient fainted 10 minutes after his shot and fell from the chair he was sitting in. He had a brief seizure while on the ground and someone called for help. I ran over and yelled for someone to call 911. He stopped seizing and stood up when he came to. I supported him and asked him to have a seat. He sat down and I asked how he felt and if he would like food or water. He said he felt okay but accepted the food and water. At that time, firefighters that had been shopping in the store arrived and started interviewing the patient. They took his pulse and blood sugar levels. Medics arrived and he continued to be monitored. After several minutes, he refused the ambulance and said he was feeling good enough to leave. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1181430-1 | racing heart, ringing in ears, shaky, convulsions, head and face pressure, left side of body |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1181436-1 | patient briefly lost consciousness for a few seconds, less than 1 minute during administration- mother warned me that was likely due to past sycolpal episodes with injections not due to vaccine-sensitivity. Remained in pharmacy area for about 30 minutes post-administration with no further incident. Patient's mother notified us today that patient had a seizure several hours later that same day at approx 12 noon. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1181931-1 | Patient is an 18 year old female with no PMHx that presented with lightheadedness and three subsequent episodes of syncope approximately 3-10 minutes post-vaccination. Patient was found to have an abrasion to the outer corner of her right eyebrow following an unwitnessed. It was unknown if patient was seated or standing at the time. The nurse first on scene states the patient lost consciousness briefly again and experienced approximately 10 seconds of upper extremity muscle contractions (described as convulsions). Patient experienced a loss of bladder control upon loss of consciousness. Patient was lowered to the ground to be in a supine position by healthcare staff. At this time, patient was alert and oriented without agitation or confusion. Patient denies memory of the event. She states she had prior episodes of fainting after blood draw. Patient has no allergies to medication or food. No past surgical history. No prior hospitalizations. Denies personal and family history seizure disorders, cardiac disturbances, and hypoglycemic or hyperglycemic events. Patient was hooked up to cardiac monitor and found to be in normal sinus rhythm with a heart rate of 64bpm. Vitals Orthostatic BP measurements Lying supine - 110/72 Seated - 124/76 Standing - 128/72 HR: 64 bpm RR: 16 breaths/min without distress SO2: 99% On examination, patient was A&Ox3 without lethargy, agitation, or confusion. Patient has an abrasion to the superior aspect of the right orbit (outer eyebrow) without laceration or bleeding. Patient was diaphoretic and pale following event. Normal cardiac rate and rhythm. Radial pulses intact, strong and equal bilaterally. No obvious nystagmus. Upon standing, patient steady on her feet without abnormal gait. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1183361-1 | At approximately 10 minutes after receiving vaccine, patient developed dizziness, fainted for approximately 2-3 seconds patient then came too, patient then fainted again and began seizing, seizure symptoms last 5-10 seconds, patient then came too and stayed stable and alert, 911 was called and patient was monitored until ambulance arrived, patient was transported to emergency room, for additional evaluation and treatment |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1183381-1 | Patient developed 105 degree fever which would not go down, experienced severe chills and shaking and developed bruises. She also had 2 seizures, and had been seizure free for over two years. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1183792-1 | Having chills like she was convulsing; Arm felt unusable; Disoriented; Felt like she was hit by a bus; Extreme body aches; Temperature range of 102-104F that lasted around 24 hours; Chills like she was convulsing; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Having chills like she was convulsing) in a 36-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No recorded medical history). On 04-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, the patient experienced SEIZURE (Having chills like she was convulsing) (seriousness criterion medically significant), LIMB DISCOMFORT (Arm felt unusable), DISORIENTATION (Disoriented), ILL-DEFINED DISORDER (Felt like she was hit by a bus), MYALGIA (Extreme body aches), PYREXIA (Temperature range of 102-104F that lasted around 24 hours) and CHILLS (Chills like she was convulsing). At the time of the report, SEIZURE (Having chills like she was convulsing), LIMB DISCOMFORT (Arm felt unusable), DISORIENTATION (Disoriented), ILL-DEFINED DISORDER (Felt like she was hit by a bus), MYALGIA (Extreme body aches) and CHILLS (Chills like she was convulsing) was resolving and PYREXIA (Temperature range of 102-104F that lasted around 24 hours) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. Concomitant product use was not provided by the reporter. Treatment for the event included Ibuprofen and cold showers to relieve her symptoms. Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1184018-1 | Systemic: Seizure-Severe, Additional Details: Patient was taken to the ER via ambulance after having a seizure in the pharmacy. She was given Benedryl as she was thinking she was having allergic reaction. She has been on Tegretol to control her seizures. She didn't let us know she had seizures in her past. She did not let the pharmacist know until the next day that she is not allowed to be given the Flu or Pneumonia shot. She will not be getting her second dose even though her doctor at the ER told her not to be scared to. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1185515-1 | Around 135pm patient was sitting in chair in a stiff position, bilateral arms to her side with wrist flexed out. 5 mins prior to incident patient just received her first shot of Moderna lot #031A21A , received in left arm. Stiff position lasted less the 1 min. nurse called out to staff to help and to call 911. Patient started to come back to her self and stated that she has had this happen before. Patients was oriented x3 to person place and thing. She denies and shortness of breath or difficulty breathing. Patient stated her husband was in the car and ask for him to come in. Husband stated she has had seizure activity in the past. Upon retrieving her vitals BP- 93/62 Temp- 98.4 Pules 60 Respirations- 16. Patient also stated her having a history of low blood pressure as well. Around 145 EMS arrived and patient was able to communicate feelings of incident. Patient and husband then walked outside with EMS. Doctor informed of incident and was gave the report of patients activity. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1186546-1 | Patient fainted/ seized about 10 minutes after receiving vaccination. Patient admitted to not eating anything prior to coming in for vaccine. Patient was sat up on the floor and given crackers and water and a cold rag. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1186556-1 | Patient reported feeling dizzy. About 5 mins later had syncopal episode w/syncopal seizure. BP 70s/40s, P 45-47. 911 called. Patient became more alert but was transported to ED based on hypotension and bradycardia. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1187447-1 | Pt started to becomes lethargic and was placed on cot. Pt was laying down and started to have seizures. She would become alert and more responsive between seizures. She was laying down to keep her safe and prevent a head injury. 911 was called and arrived. She did not want to be touched, not even for vital signs, she only talked by emergancy services. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1187465-1 | Client received 1st dose of Moderna vaccine at 9:55 am. The client who was learning disabled, became extremely anxious, rocking and hyper-ventilating at approximately 10:10 AM. She had two events that may have been seizures, each lasted approximately 5 seconds. Vitals taken at 10:12 were BP 130/74, O2 98%, HR 102. 911 was called at 10:15 am. When the paramedics arrived, they knew the client by name and transported her to Hospital. Client's PCP was called and a message was left. PCP called back and confirmed message was received. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1187801-1 | Extreme chills, Right leg pain / jumping within 3 hours of getting vaccine, shortness of breath / Heart racing started around 11:00 pm, fever 101.3, Started over night, severe headache. Had a seizure during the night and the following day. Symptoms continued for a few days. My arm pain lasted for a couple weeks. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1187896-1 | Reported seizure, Heart rate at 40 bpm. For 15 mins. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1188048-1 | after 2 to 3 minutes of giving vaccine patient went unconscious for 30 seconds, i was holding him, got conscious and sat on chair spoke for few seconds saying he is ok, then went unconscious again for 15 to 20 second this time it looked like mild seizures but got awake very quickly and he looked ok within 3 to 5 minutes first responders came with ambulance , they were with him for about 30 minutes and looks like they offered to drop him or take hospital patient wanted to home , will follow op tommorow |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1188330-1 | Pt recieved 2nd Moderna Covid Shot, April 5. thirty min later, pt lowed to the ground with generalized Seizure lasting about one min. followed by post ictal confsuion. Pt remained confused, so brought to the emergency room on the 6th where I saw him. He was awake, but confused, knew his name, but that is about it. He was released from the hospital today. I speak with his daughter, he has been in a stupor, but today his mental status is improving.. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1188426-1 | High grade fever that lasted for 32 hours total and peaked at 103.5. Severe cold chills that led to involuntary convulsions. Body aches that last for three days. Extreme fatigue. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1188821-1 | An episode of seizure; Syncope; Unconscious; Dizziness; Fever; Nausea; Muscle aches; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (An episode of seizure), SYNCOPE (Syncope) and LOSS OF CONSCIOUSNESS (Unconscious) in a 43-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 046A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 23-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 23-Mar-2021, the patient experienced SEIZURE (An episode of seizure) (seriousness criterion medically significant), SYNCOPE (Syncope) (seriousness criterion medically significant), LOSS OF CONSCIOUSNESS (Unconscious) (seriousness criterion medically significant), DIZZINESS (Dizziness), PYREXIA (Fever), NAUSEA (Nausea) and MYALGIA (Muscle aches). On 23-Mar-2021, SEIZURE (An episode of seizure) and LOSS OF CONSCIOUSNESS (Unconscious) had resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 23-Mar-2021, Chest X-ray: normal (normal) normal. On 23-Mar-2021, Computerised tomogram head: normal (normal) normal. On 23-Mar-2021, Electrocardiogram: normal (normal) normal. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown Route) was unknown. Patient was taken to the emergency room (ER). Treatment included intravenous fluids.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1189620-1 | Passed out and convulsed; Passed out and convulsed; Vertigo; This spontaneous case was reported by a consumer and describes the occurrence of LOSS OF CONSCIOUSNESS (Passed out and convulsed) and SEIZURE (Passed out and convulsed) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history.). On 31-Mar-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 31-Mar-2021, the patient experienced LOSS OF CONSCIOUSNESS (Passed out and convulsed) (seriousness criterion medically significant), SEIZURE (Passed out and convulsed) (seriousness criterion medically significant) and VERTIGO (Vertigo). At the time of the report, LOSS OF CONSCIOUSNESS (Passed out and convulsed), SEIZURE (Passed out and convulsed) and VERTIGO (Vertigo) outcome was unknown. She received 2nd dose of Moderna vaccine 31 MAR 2021 and while she was at the pharmacy she passed out and convulsed, and later that night while at home she passed out and convulsed again. Treatment information was not provided.; Sender's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1190055-1 | Passed out, had a seizure. Required hospital transport. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1190299-1 | Pt had 1st dose of Moderna vaccine yesterday 4/9. Less than 5 min after vaccination pt had some jerking of limbs lasting about a minute per nurse & wife account. No LOC, no foaming at mouth, no incontinence. Did have eye deviation upwards & was groggy for about a minute but quickly was alert & able to answer questions & had a normal MSE. Vitals stable. Pt reports he is afraid of needles/blood. No hx of seizures & not on any meds. He also reported he felt faint after receiving vaccine. He was sent to ER by ambulance for further evaluation of possible seizure. Spoke to pt at home today 4/10, had ER evaluation - lab tests and heart studies; no radiological studies. All results normal. Pt reports he is feeling fine and has had no further symptoms or side effects. Recommended pt to discuss with PCP whether to take 2nd dose Moderna. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1190732-1 | 12 seizures so far after getting 1st dose of coronavirus vaccine; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (12 seizures so far after getting 1st dose of coronavirus vaccine) in a 32-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. unknown) for COVID-19 vaccination. Concurrent medical conditions included Seizures. Concomitant products included VALPROATE SEMISODIUM (DEPAKOTE SPRINKLE), CLONAZEPAM, LEVETIRACETAM, PYRIDOXINE HYDROCHLORIDE (VITAMINE) and CANNABIDIOL (CBD OIL) for an unknown indication. On 25-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced SEIZURE (12 seizures so far after getting 1st dose of coronavirus vaccine) (seriousness criterion medically significant). At the time of the report, SEIZURE (12 seizures so far after getting 1st dose of coronavirus vaccine) outcome was unknown. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Very limited information regarding this event/s has been provided at this time. Further information has been requested Reporter did not allow further contact; Sender's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1193790-1 | """Asyncope followed by apparent seizure activity. Palor, stiffness with jerking motion of muscles to extremities. Pt. lost conciousness multiple times (2 to 3). Patient was transported to hospital via EMS" |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1194628-1 | Diagnosed with JME. Seizures well controlled for over a decade with medication. Repeated nocturnal myoclonic seizures for multiple days. Has gotten better, but not resolved fully. Neurologist had no answer. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1195363-1 | "I was feeling fine directly after getting the injection. All of a sudden, after about 5 minutes, I felt a rush go through my body and managed to declare ""I'm not feeling well"" before I lost coherence and clarity. My wife called for help from the attendants as I started to convulse, get dizzy, start sweating, and feel like I was going to pass out. I then proceeded to throw up a couple of times and had to lie back for 30 minutes before switching to the passenger side of the vehicle for the ride home. I was completely worn out and weak, with flu-like symptoms and nausea for the rest of the day and for several days afterward." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1195995-1 | I received both my Covid-19 vaccines at the Health Department. I got my second one on 4/9/2021. I had no problem with the first shot but Saturday Morning on 4/10/2021 I woke up at 5:14 am in horrible condition. I was running a 103 fever, was freezing horribly causing my entire body to shake like I was having a seizure. I could not move. I felt like an elephant was sitting on my chest. My entire body was hurting badly. I am better today, 4/12/2021 but still feel slightly ill and very tired. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1196057-1 | at 1:30 am I started with the chills and feeling that i was going to vomit when i got up to go to the bathroom i because very dizzy and laid down and passed out this time i am not sure how long i was out for at approimently 430 am I had the same feeling went to the bathroom and yelled for my husband as i was very dizzy again when he got into the bathroom he said i was passed out and was doing some convulsing I was out for over a minute and he was trying to get me to wake up. Prior to waking i could feel him touching me and i could hear noise but i could not make out the noise or open my eyes and was unware at that momment what was going on after I woke i threw up and then went back and laid down. then again about 7:30 am I had to use the restroom so walked into the bathroom I went to the bathroom after I felt very dizzy again and laid down on the floor at this point i passed out again and this time i could feel myself shaking see bright light but couldnt stop the shaking or see anything else. I am unsure how long this lasted. After that I went and laid down again and felt better I then was only tired. After resting I felt good and didnt feel i should go in since i was feeling better I did call my dr a few days after and inform her on what happend. ** I had also started my period during this morning. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1196491-1 | Spouse reports that the following day after receiving the vaccine, Patient had 5 seizures. Spouse reports no history of seizure activity prior to the 5 reported. States client is homebound, and an ambulance was called to the home. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1197996-1 | Stood up, sat down and got light headed before blacking out. Nurses on-site said I had a seizure. Rushed to hospital. Blacked out for 1.5 minutes |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1198076-1 | "About five minutes after the vaccine patient reported that ""he wasn't feeling well."". When I went to evaluate the patient he was very warm and was breaking out in sweats. He said his vision was very blurry. The patient lost consciousness and had convulsions/lower extremity rigidity for about 30 seconds to a minute. Patient regained consciousness and did not have any more convulsions. Patient was drenched it sweat but slowly regained color and he said his vision was returning to normal. Patient did not remember losing consciousness. EMS was called during the episode and patient was taken for further evaluation by EMS." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1198700-1 | Seizure that left me unable to breath and rushed to ER then placed in a medically induced coma and intebated for 2 days. Cavernous malformation with venous anomaly that experienced a leak or bleed. Intercranial bleed, acute kidney injury, acute respiratory failure, altered mental status, leukocytosis, status epilepticus |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1198845-1 | "She experienced weakness & aches shortly after midnight (10-12 hours after 2nd dose). She fell in the middle of the night and was too weak to get herself up. The weakness subsided, but tremors (she has had essential tremors her whole life) are significant & began the day after the shot. She can ""feel them from the inside,"" they are much more significant than she has ever experienced, and sometimes violent, involuntary convulsions. She finds difficulty performing day-to-day functions such as eating or drinking. She first reported about 5 days after the shot (not to this severity, and she complained more about the weakness) , now reports they still persist. She is of good spirit. Her doctor is doing telemedicine & knows of the events. He was to get with her this afternoon after we talked." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1198924-1 | Patient fainted, became limp so we checked for pulse and held her head up, she began foaming saliva and choked on it, and began seizing for about 5 seconds then came to. Patient declined EMS |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1199230-1 | After the vaccination patient sat down in waiting room next to the pharmacy. He passed out in his chair and appeared to have a seizure. He was pale in color and had sweat dripping off is forehead. Blood pressure was 150/90 and pulse 80 bpm. He was given a cold compress and two bottles of water to drink. After 45 minutes patient felt fine and was able to leave on his own. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1199359-1 | "I had increased arm pain from the second dose, swelling in the upper arm, a splotchy rash that was raised, and increased neurological seizure activity with loss of sleep, mania, and weakness in the upper torso. I had issues with speech, reading, and word pronunciation. I called the neurologist who referred me to psychiatry and went to the ER who determined there was "" nothing they could do"", to check in with my GP who had referred it to neurology and the ER." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1199543-1 | Facility manager informed us that patient had a seizure on 3/17/21, which was 2 days after the vaccine was given (3/15/21) which then lead to a stroke. Patient passed died on 3/17/21. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1199705-1 | Around 8PM, began feeling cold/chills. Began shaking / having seizures. Heart rate went up to 150. No loss of consciousness, however, was unable to control body. Was taken to ER and was stabilized. With some pain medications and an IV, I was released. Had fever for 24 hours, reaching 104 F. By the third day my fever broke, but energy levels have remained low since the episode occurred. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1199710-1 | By 6PM my arm was swollen and red on outter left shoulder vaccine injection site. I could barely lift my left arm. Day #2, developed large baseball sized lump under left arm pit Day #3 and #4, couldn't put my arm down because of large lump under left arm. Day #5 swelling went down Day #6, returned from going out to dinner and tried to get out of car and my legs would not work. I fell to the ground in the garage. I couldn't speak or respond..... then my left side started to seize and convulse. My left clave, thigh, hamstring, glute and abdomen was in the worst ever constriction of cramping and convulsion. I could only scream out and cry. After about 10 minutes my sons had to carry me into the house. I was exhuasted and fell asleep. I had a bad headache for 3 straight days and loss of dexterity and strength on my left side. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1200263-1 | Systemic: Seizure-Medium, Systemic: Shakiness-Medium, Additional Details: PATIENT WAS PANICKING BEFORE GETTING THE SHOT. AFTER RECEIVING THE VACCINE SHE STARTED HAVING A PANIC ATTACK. AFTER ABOUT 10 MINUTES OF THE ATTACK SHE FELT A LITTLE BETTER. A FEW MINUTES AFTER SHE STARTED HAVING A SEIZURE. THE EMERGENCY ARRIVED RIGHT BEFORE SHE HAD THE SEIZURE. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1200281-1 | Systemic: Chills-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1200294-1 | Systemic: Seizure-Medium, Additional Details: pt was given moderna vaccine, as per technician onsite, patient tripped and fell to the ground and started having a seizure. pt has history of epilepsy as per husband who was with her at the time. i was in the pharmacy for a minute and got called to the immunization area. i asked technicia to call 911 immediately and had on her side on the floor as per 911 instruction. paramedic arrived shortly after and pt left in stretcher |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1201458-1 | Patient received Moderna vaccination at 10am. Ten minutes after receiving the vaccine patient started to have seizure-like convulsions for 45 seconds to 1 minute. Patient regained consciousness, but remained very faint and ambulance was called. Patient was able to speak to give EMT symptoms and they took the patient to the hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1201808-1 | uncontrollable shivering/convulsions to the point that my muscles started cramping and were sore the next day difficulty breathing and hyperventilating night sweats, vomiting (1 time), confusion, body aches |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1202761-1 | Pt had decerebrate seizure like activity. This lasted approx. 1-2 mins. Pt was postictal for approximately 5 mins. Pt remained Hypotensive and dizzy for approximately 25 mins until EMS arrived. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1203140-1 | Seizures; Redness; Soreness; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Seizures) in a 21-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical history was provided.). On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 29-Mar-2021, the patient experienced SEIZURE (Seizures) (seriousness criterion medically significant), ERYTHEMA (Redness) and PAIN (Soreness). At the time of the report, SEIZURE (Seizures), ERYTHEMA (Redness) and PAIN (Soreness) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No concomitant medications provided. No treatment provided. Reporter did not allow further contact |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1203162-1 | multiple seizures; fever; This spontaneous case was reported by a pharmacist and describes the occurrence of SEIZURE (multiple seizures) in a 37-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 030M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Epileptic seizure. On 11-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 15-Mar-2021, the patient experienced SEIZURE (multiple seizures) (seriousness criterion medically significant) and PYREXIA (fever). At the time of the report, SEIZURE (multiple seizures) and PYREXIA (fever) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1203776-1 | Pt received vaccine and went to sit in observation area. Stated did not feel good, lost consciousness and fell out of chair. Another party stated that pt appeared to be convulsing. Pt regained consciousness within < 1 minute, and was seated in chair, given water. EMS was called and responded to evaluate patient. Further course by EMS is unknown. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1204784-1 | breakthrough seizures; sinus infection; She also missed her 2nd appointment on 5APR2021 due to sinus infection; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of SEIZURE (breakthrough seizures) in a 53-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 002A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Seizure. On 04-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 04-Mar-2021, the patient experienced SEIZURE (breakthrough seizures) (seriousness criterion medically significant), SINUSITIS (sinus infection) and PRODUCT DOSE OMISSION ISSUE (She also missed her 2nd appointment on 5APR2021 due to sinus infection). On 04-Mar-2021, PRODUCT DOSE OMISSION ISSUE (She also missed her 2nd appointment on 5APR2021 due to sinus infection) had resolved. At the time of the report, SEIZURE (breakthrough seizures) and SINUSITIS (sinus infection) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. There were no concomitant medications reported. Treatment included antibiotics for the event sinus infection.; Sender's Comments: This report refers to a case of Product dose omission issue for mRNA-1273. Based on the current available information and temporal association between the use of the product and the start date of the events (seizure and sinusitis), a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1205652-1 | "During vaccine observation period, patient reports ""heaviness of legs"" and vision difficulties RN. RN instructed to put patients seat back to rest and removed patient's seatbelt. Patient began to convulse and was unresponsive to verbal stimuli for <1 min. EMS was immediately called and arrived shortly after. EMS assessed the patient who was AO x 4 after encounter with EMS. EMS plan of care is have her take uber/lyft home. Arrangements are made to pick car up next day at vaccination site. Patient left without further incident." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1206890-1 | Major motor seizure; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of SEIZURE (Major motor seizure) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included No adverse event (No recorded medical history). On 01-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 01-Apr-2021, after starting mRNA-1273 (Moderna COVID-19 Vaccine), the patient experienced SEIZURE (Major motor seizure) (seriousness criterion medically significant). At the time of the report, SEIZURE (Major motor seizure) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Concomitant product use was not provided by the reporter. Treatment information was not provided.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of this event, a causal relationship cannot be excluded. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1206907-1 | Seizures; fall; was scheduled for his 2nd dose on 29-Mar-2021 but did not receive it due to him being in the hospital; This spontaneous case was reported by a patient family member or friend (subsequently medically confirmed) and describes the occurrence of SEIZURE (Seizures) and FALL (fall) in a 73-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. unknown) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Seizure (Has a history of a stroke and seizure for the past 2 years.) and Stroke. On 01-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 27-Mar-2021, the patient experienced SEIZURE (Seizures) (seriousness criterion hospitalization) and FALL (fall) (seriousness criterion hospitalization). On an unknown date, the patient experienced INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (was scheduled for his 2nd dose on 29-Mar-2021 but did not receive it due to him being in the hospital). The patient was hospitalized on 27-Mar-2021 due to FALL and SEIZURE. At the time of the report, SEIZURE (Seizures), FALL (fall) and INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (was scheduled for his 2nd dose on 29-Mar-2021 but did not receive it due to him being in the hospital) outcome was unknown. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant medications were not reported. Treatment information was not provided. The patient has been hospitalized since. He was waiting to go to rehab but was uncooperative. No fractures were noted. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1206911-1 | Myoclonus seizures; His face went numb and the rest of body went numb/everything feels springing when walking on the inside and the outside of his body because of the numbness; face red swollen and thick tongue swollen; blood pressure lower one was 121 elevated; constant so sore throat and throat swelling; deep hoarse sound to his throat which is not how he normally sounds when speaking; spikes of heat within his body, almost neurological and like hot flashes; lost ten pounds of weight; decreased appetite; loud ringing in ears; inside of his mouth described as chewed up, due to loss of sensation due to numbness and swelling; constant so sore throat and throat swelling; severe anaphylactic reaction including that he could not breath; tongue was thick and swollen; swollen glands on both sides of neck; feels like he is almost in a dream state; trouble keeping his balance, described as being still wobbly; Severe anaphylactic reaction including that he could not breath; left side chest pain; blurry vision; This spontaneous case was reported by an other and describes the occurrence of ANAPHYLACTIC REACTION (Severe anaphylactic reaction including that he could not breath) and SEIZURE (Myoclonus seizures) in a 56-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 018BZ1A) for COVID-19 immunisation. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Allergy to arthropod sting. Concomitant products included VERAPAMIL, HYDROCHLOROTHIAZIDE and CELECOXIB (CELEXA [CELECOXIB]). On 25-Mar-2021, the patient received dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 27-Mar-2021, the patient experienced VISION BLURRED (blurry vision) and CHEST PAIN (left side chest pain). On 29-Mar-2021, the patient experienced ANAPHYLACTIC REACTION (Severe anaphylactic reaction including that he could not breath) (seriousness criterion medically significant). On an unknown date, the patient experienced SEIZURE (Myoclonus seizures) (seriousness criterion medically significant), HYPOAESTHESIA (His face went numb and the rest of body went numb/everything feels springing when walking on the inside and the outside of his body because of the numbness), SWELLING (face red swollen and thick tongue swollen), BLOOD PRESSURE INCREASED (blood pressure lower one was 121 elevated), STOMATITIS (constant so sore throat and throat swelling), DYSPHONIA (deep hoarse sound to his throat which is not how he normally sounds when speaking), HOT FLUSH (spikes of heat within his body, almost neurological and like hot flashes), DREAMY STATE (feels like he is almost in a dream state), BALANCE DISORDER (trouble keeping his balance, described as being still wobbly), WEIGHT DECREASED (lost ten pounds of weight), DECREASED APPETITE (decreased appetite), TINNITUS (loud ringing in ears), SENSORY LOSS (inside of his mouth described as chewed up, due to loss of sensation due to numbness and swelling), OROPHARYNGEAL PAIN (constant so sore throat and throat swelling), DYSPNOEA (severe anaphylactic reaction including that he could not breath), TONGUE DISORDER (tongue was thick and swollen) and LYMPHADENOPATHY (swollen glands on both sides of neck). The patient was treated with ACETAMINOPHEN (TYLENOL) on 05-Apr-2021 at an unspecified dose and frequency and DIPHENHYDRAMINE HYDROCHLORIDE (BENADRYL A) on 05-Apr-2021 at a dose of 50 mg. At the time of the report, ANAPHYLACTIC REACTION (Severe anaphylactic reaction including that he could not breath), SEIZURE (Myoclonus seizures), HYPOAESTHESIA (His face went numb and the rest of body went numb/everything feels springing when walking on the inside and the outside of his body because of the numbness), SWELLING (face red swollen and thick tongue swollen), BLOOD PRESSURE INCREASED (blood pressure lower one was 121 elevated), STOMATITIS (constant so sore throat and throat swelling), DYSPHONIA (deep hoarse sound to his throat which is not how he normally sounds when speaking), HOT FLUSH (spikes of heat within his body, almost neurological and like hot flashes), VISION BLURRED (blurry vision), DREAMY STATE (feels like he is almost in a dream state), BALANCE DISORDER (trouble keeping his balance, described as being still wobbly), CHEST PAIN (left side chest pain), WEIGHT DECREASED (lost ten pounds of weight), DECREASED APPETITE (decreased appetite), TINNITUS (loud ringing in ears), SENSORY LOSS (inside of his mouth described as chewed up, due to loss of sensation due to numbness and swelling), OROPHARYNGEAL PAIN (constant so sore throat and throat swelling), DYSPNOEA (severe anaphylactic reaction including that he could not breath) and LYMPHADENOPATHY (swollen glands on both sides of neck) was resolving and TONGUE DISORDER (tongue was thick and swollen) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. Based on the current available information and the temporal association of the product use and the start date of the events a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and the temporal association of the product use and the start date of the events a causal relationship cannot be excluded. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1207446-1 | Client passed out while seated in observation falling to the right side of the chair and onto the ground Client landed face down on the floor and was turned over onto his side first before being flipped onto his back Client?s head did hit the ground Client reportedly appeared to be having a seizure when he was turned over Multiple people were present to assist client including nurse and EMT At12:09, LVN called 911 and relayed information to the dispatch While on the phone, nurse went to get an Ambu-bag because staff present reported that the Client stopped breathing but had a pulse Upon bringing the Ambu-bag, the Client had already regained normal breathing pattern and no longer needed assistance breathing . Ambu-bag was present but was not used Client was assisted into a wheelchair and taken to the private recovery area. Physician, nurse, and EMT were present Client was alert enough to answer questions Client began to vomit / dry-heave for a short moment Client asked EMT about transport billing and was informed that he might possibly get a bill but that he had the option to choose not to pay it At 12:20, Vitals taken BP 155/112, Pulse 64 Client informed of the need to be further evaluated at the hospital Client verbalized multiple times that he did not want to be transported even after speaking with the physician Physician suspected that the client had some underlining reason that he did not want to disclose regarding his refusal to be transported At 12:25, Vitals taken BP 135/83, Pulse 58, O Sat 97% Blood sugar reading 104 Client reports no pain in the head, no nausea Client reports that he did not eat anything prior to coming At 12:31, Ambulance arrives EMT briefs paramedic regarding the incident and the client?s history Paramedics questioned client Client signed form and verbalized that he did not want to be transported and felt well enough to leave Client called his brother to drive him home At 12:41 Client was wheeled in the wheelchair to the car Client informed of selfcare and instructed to go to the hospital / ER if symptoms worsen or headaches develop Client informed to let further vaccine administrators know that he passed out in the past and needs to have the injection lying down Client verbalized understanding Client?s brother drove him home |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1208062-1 | Seizure w/ no loss of consciousness Severity: Moderate |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1208125-1 | Resident with temperature and seizure activity. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1208139-1 | "2 weeks after the first dose, I had arrhythmia attacks that got so bad I went to the ER. This continued for 2 months and then stopped. The first dose, I was tired and had a REALLY sore arm. 2nd dose was so severe, I almost went to the ER. I was convulsing and couldn't hold any objects or barely walk. I had a 101.4 temp but was cold to the touch. This lasted 3 days. I had ""Covid Arm"" and couldn't move my arm for 5 days and was a swollen bullseye for a week." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1208322-1 | seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1208453-1 | Patient started complaining of becoming very hot/over heated and showed slight signs of a mild seizure. Unresponsive for around 10 second and eyes rolled back into her head. Patient came to and then she became unresponsive again and eyes rolled back into her head once again for around 10 seconds. Patient woke back up and then vomited several times. Patient was fine afterwards. EMS was called to check vitals. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1209357-1 | Patient received first dose of Moderna, within 3 minutes while sitting for post-observation. Patient's head went back as if he was falling asleep, but he began making gurgling noises and his eyes rolled to the back of his head. Helped him slide him down out of the chair, so he would not hit his head or fall. Once on the floor the patient began seizing. After a sternum rub, the patient raised up and was helped back into the chair. He was sweating and flushed. He was able to answer questions as we awaited the EMT to arrive. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1209922-1 | The patient reports that he had 8 seizures the day after receiving the vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1209957-1 | PT FAINTED ABOUT 10 MINUTES AFTER VACCINE WAS ADINISTERED, FELL FORWARD FROM SEATED, HIT HEAD ON GROUND, HUSBAND CALLED EMT, PARAMEDICS ARRIVED TO TAKE PT TO EMERGENCY ROOM, PT HAD SUFFERED FROM POSSIBLE SEIZURE AND CONCUSSION |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1210317-1 | We both got our shot at the same time on March 17, 2021. Then on March 22, 2021 at 9:20 PM my husband suffered cardiac arrest and a seizure. His heart was revived however, due to lack of oxygen to his brain he suffered brain damage and never regained consciousness and passed on 4/3/21 with acute respiratory failure. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1210711-1 | Sudden seizure event (never experienced before). Out for 5 mins. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1210826-1 | Patient fainted and had a short seizure roughly 5 minutes after the injection. EMT came and drove patient to hospital for further evaluation. Outcome - unknown. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1211289-1 | On March 15 2021,in the ten o'clock hour my Mother experienced aphasia which progressed to muteness. In the ambulance she is reported to have had two gran mal seizures(no hx of such). She was intubated and, after a negative head ct, given tpa. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1211965-1 | Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Medium, Additional Details: Patient presented with seizure like symptoms for 15 seconds. The health hub concierge noticed and called myself over. He was out of it for maybe 15-20 seconds. I asked him questions to see if he was coherent. He was able to tell me where he was and his name. Patient stated he has history of vasovagal syncope so no EMS was required. BP taken at 101/59 on right arm. He waited an hour before leaving with his mother. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1213022-1 | This is a secondary VAERS for the same pt. Pt originally was very anxious before the vaccine, got the vaccine and subsequently had lightheadedness and nausea. He was treated for this by laying him down which resolved his sx's almost immediately. Vitals were all normal. He denies CP, SOB, nausea resolved and so did his lightheadedness. About 6 hours after the vaccine, pt was seen in the ER for a seizure. Pt has a hx of a brain tumor with surgical removal. No sz since March 2020, per pt. He was treated for a sz and for sinusitis. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1213232-1 | Seizure, convulsions |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1213973-1 | No symptoms during the 15 minute waiting period after the vaccine. Started to appear at around 7:30pm according to patients wife. Patient experienced sweating, fast heart rate (140bpm according to wife). The called 911, went to the emergency room. Wife reported patient had seizures in ER. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1214014-1 | "Patient was in post observation and reported to post observation RN dizziness. While Pt was speaking with RN, he had ""full body convulsions/twitching and his eyes rolled back"". The post observation RN reported this event happened 2 times and was done in less than 2 min. EMT's called to scene. Pt reported ringing in ears, and was diaphoretic after the event. Pt was immediately able to speak, and drank water. Pt was not postictal. Pt became pale after vaccine administration. No PMH, No Allergies, No meds taken daily or given at site. VSS throughout. EMTs took over care of Pt and stayed with Pt until wife came and picked him up. VS: BP: 118/78 HR: 68 RR:22 O2 sat: 99% on RA" |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1214267-1 | "Patient came to shot ex clinic for 2nd dosing of COVID vaccine. Was screened and received 2nd dose of vaccine then proceeded to waiting area with his spouse for 15 min observation period. After aprox 7 min patient and spouse called over nurse as patient was experiencing one of his ""normal-see medical explanation above of patient condition"" non-epileptic seizures. Staff of nurse and 4 men performed immediate first aid measures lowering the patient to floor for safety, supporting airway and 911 was called as patient vital signs were elevated. EMS services arrived within 5 min from call and proceeded to care for patient. Patient was given po fluids and nasal versed with good rapid resolution of symptoms. Patient and spouse both declined transfer to local hospital emergency services." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1214542-1 | Lightheaded then passed out, woke up with chest pain, gradually very low pressure and seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1215424-1 | 5 days after taking the second dose of the covid-19 vaccine, my mother had a bad suizure. She had to be hospitalized for a few day and relearn how to walk. She never had suizares prior to the vaccine . |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1215813-1 | Got shot on the 30th, on April 1st, 5th, 14th and 15th I have had mini seizures. No history of any either. They can't find out what has caused the seizures. But the vaccine is the only thing that has changed. All test have came back clear so far. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1215978-1 | Severe vertigo day of and day after Continued dizziness since vaccination 2 seizures on 4/13/2021, taken to Hospital via ambulance |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1218165-1 | After injection patient went to waiting room with mother for 15 minutes. Within 5 minutes he began seizing, He stiffened and hit his head on a shelf behind him. Pharmacist called over and did witness second (or continued) seizure. Mom and I held him steady until done. Patient breathing fine and responsive after seizure though not wanting to move. Called 911, stayed with him until paramedics arrived. He was talking to us, though very pale and weak. Refused to lie down. Paramedics transferred the patient to the hospital for further evaluation and treatment. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1218185-1 | patient fainted and had a seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1218682-1 | Seizure on 4/15/21, 1-2 minutes, post-ictal for a few hours prior to return to baseline. No prior history of seizures. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1218725-1 | pt had a massive stroke at 6:15 pm on 3/23/2021 when he was using the bathroom trying to have a bowl movement. He used his phone to text his mom to tell her he had a seizure. He was slurring, vomiting, and falling down. Ambulance was called. He was transport him to Hospital. Pt was aspirating. He was never treated as a stroke patient. He was monitored overnight. On 3/24/2021 the ER physician had a phone consult w/ a neurologist. He was referred to be transferred to another hospital. He was was being bagged in transit to hospital. He went into the ER stroke unit. Dr. called mother to let her know that if he didn't have emergency brain surgery he would die. Mother told him to save her son. He survived brain surgery and was put in the Neuro ICU. On 4/3 He was transferred to the Stroke Team floor. On 4/8 he was transferred to Rehabilitation Hospital. He will be at this location for weeks or months. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1218965-1 | Per provider notes, 26-year old male was brought to the emergency room after he had an out of the hospital cardiac arrest/seizure. Mother of patient provided initial history. Patient received his first COVID vaccine 2 days ago and the next day he started complaining of some chest pain. Patient woke up on the 15th, mother made breakfast and acting normal. Mother went up to room and found him unresponsive foaming at the mouth and may have been shaking. Paramedics arrived and started CPR and noted he was in V fib and shocked once into an organized rhythm. Patient experienced another seizure in the ED. Patient's family was positive for COVID in January. Patient was tested then and tested positive at hospital. Cycle threshold was 39.9. Patient was intubated initially yet extubated on 4/16/2021 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1219055-1 | "On April 3, 2021 the patient received the first dose of the Moderna COVID vaccine. The patient's husband states that ""crashed an hour and a half after she got the shot."" He defines this ""crash"" as decreased blood sugar, decreased responsiveness, and the seizures. She presented to the Hospital for evaluation and was subsequently transferred to the Medical Center on April 4th for further workup. She was intubated on April 4th and subsequently self-extubated on April 8th. Nursing staff and documentation indicate that the patient has had no further seizures since her presentation to the medical center. On April 14th she was found to have an acute lower extremity DVT. She was placed on a heparin drip and her platelet's dropped to 35. The heparin drip was discontinued, a HIT panel was ordered, and argatroban was started. Heamtology was consulted and the patient was found to have thrombotic thrombocytopenia. An MRI of the brain was ordered to rule out CNS thrombosis given recent seizures. The MRI has not been performed yet and the patient is still hospitalized." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1219832-1 | patient lost consciousness and then had a seizure for approximately 15 to 20 seconds |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1220744-1 | Uncontrollable shaking for roughly 1-hour and 20-minutes. Convulsive as though extreme hypothermic, patient could not control it. Shaking was so severe that my wife woke up in bed (heavy sleeping) and was so concerned that she was going to call 911, instead she called ER first and they said they couldn't provide any advice. I said I felt cold, even though I had a fever that was extremely high (no thermometer to measure) my wife then put the 30lb weighted blanket on me and after about 15-minutes the shaking started to decrease before finally subsiding completely. I then had a drink of water at room temperature which lowered my internal core body temperature and slight shaking started again until I warmed back up and stopped. Our house was 73 degrees F which normally I would sleep in my underwear, instead I was fully dressed, under all our blankets plus the 30lb weighted blanket and I still felt cold. That night I had sweated more than ever, my pillow was literally a swamp and stayed damp until the next night although pillow cases were removed. Half of the king size bed was soaking wet and yet I still felt cold. I sweated through the sheets again for 2 more nights before my body finally started regulating its temperature again and have since been okay. Felt very lethargic for 5-days. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1220927-1 | "seizure or mini stroke; hallucinations; seizure or mini stroke; pain; This spontaneous case was reported by a consumer and describes the occurrence of TRANSIENT ISCHAEMIC ATTACK (seizure or mini stroke), HALLUCINATION (hallucinations) and SEIZURE (seizure or mini stroke) in a 74-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 019B21A and 030b21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included no adverse event (NO Relevant medical information provided). Concomitant products included GALANTAMINE and LEVETIRACETAM (KEPPRA) for an unknown indication. On 09-Mar-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 09-Mar-2021, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 06-Apr-2021, the patient experienced TRANSIENT ISCHAEMIC ATTACK (seizure or mini stroke) (seriousness criterion medically significant), HALLUCINATION (hallucinations) (seriousness criterion medically significant) and PAIN (pain). On an unknown date, the patient experienced SEIZURE (seizure or mini stroke) (seriousness criterion medically significant). At the time of the report, TRANSIENT ISCHAEMIC ATTACK (seizure or mini stroke), HALLUCINATION (hallucinations), PAIN (pain) and SEIZURE (seizure or mini stroke) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Treatment medication included Aspirin. The drug history included ""blood pressure medication""; Sender's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1220940-1 | Seizure; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Seizure) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included Epilepsy. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. Three hours after the first dose, the patient experienced SEIZURE (Seizure) (seriousness criterion medically significant). At the time of the report, SEIZURE (Seizure) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No concomitant medications were reported. Description: The consumer got the first dose and developed seizure (medically significant) for three hours. No treatment information was provided.; Sender's Comments: Based on the current available information which includes a strong temporal association between the use of the product and onset of the reported events, and excluding other etiologies, a causal relationship cannot be excluded |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1220959-1 | Passed out; Seizure; Fever; This spontaneous case was reported by a consumer and describes the occurrence of LOSS OF CONSCIOUSNESS (Passed out) and SEIZURE (Seizure) in a 39-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 040A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history). No concomitant medication were reported. On 10-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form Lot # 040A21A.. On 10-Mar-2021, the patient experienced had a fever, passed out and had a seizure On 07 Apr-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form Lot # 045A21A. After 12 hours he passed out and had a seizure. The patient experienced LOSS OF CONSCIOUSNESS (Passed out) (seriousness criterion medically significant), SEIZURE (Seizure) (seriousness criterion medically significant) and PYREXIA (Fever). The outcome of passed out, seizure and fever is resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) is not applicable as both vaccines had been administered. Description: On 10 Mar 2021, the patient had a fever, passed out (medically significant) and had a seizure (medically significant). No treatment information was provided. This case was linked to (E2B Linked Report).; Sender's Comments: Based on the current available information which includes a strong temporal association between the use of the product and onset of the reported events, and excluding other etiologies, a causal relationship cannot be excluded. Fever is consistent with the known safety profile of mRNA-1273. MOD-2021-072699:2nd dose case |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1220969-1 | Was driving and had a seizure; Banged her head; This spontaneous case was reported by an other and describes the occurrence of SEIZURE (Was driving and had a seizure) in a 54-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical history reported). On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced SEIZURE (Was driving and had a seizure) (seriousness criterion medically significant) and HEAD INJURY (Banged her head). At the time of the report, SEIZURE (Was driving and had a seizure) and HEAD INJURY (Banged her head) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Very limited information regarding these events has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1220970-1 | Grand seizure; Circulation of left side was dead; upper back and shoulders and arm aches; upper back and shoulders and arm aches; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Grand seizure) in a 68-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 006B21A and 022M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Epileptic seizure. Concomitant products included TIAGABINE HYDROCHLORIDE (GABITRIL) for Epileptic seizure. On 24-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 24-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 25-Mar-2021, the patient experienced SEIZURE (Grand seizure) (seriousness criterion medically significant), ANGIOPATHY (Circulation of left side was dead), PAIN (strong body pain), BACK PAIN (upper back and shoulders and arm aches), PAIN IN EXTREMITY (upper back and shoulders and arm aches) and ARTHRALGIA (upper back and shoulders and arm aches). At the time of the report, SEIZURE (Grand seizure), ANGIOPATHY (Circulation of left side was dead), PAIN (strong body pain), BACK PAIN (upper back and shoulders and arm aches), PAIN IN EXTREMITY (upper back and shoulders and arm aches) and ARTHRALGIA (upper back and shoulders and arm aches) outcome was unknown. Other concomitant medication included: cardatril. Description: The patient experienced on 25 Mar2021, around 15 hours after vaccination grand seizure (medically significant), circulation of left side was dead. The patient also experienced on 25 Mar 2021, strong body pain, upper back and shoulders and arm aches. Treatment information included lorazepam at home. The patient received both scheduled doses of mRNA-1273 prior to the event, therefore action taken with the drug in response to the event is not applicable. This case was linked to MOD-2021-073130 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Patient has a Hx of seizure |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1220985-1 | 4 seizures; anaphylaxis; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of SEIZURE (4 seizures) and ANAPHYLACTIC REACTION (anaphylaxis) in a 19-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 037B21A) for COVID-19 vaccination. The patient's past medical history included Seizures. Concomitant products included ACETAMINOPHEN, ATOMOXETINE HYDROCHLORIDE (STRATTERA), CLONIDINE, DIAZEPAM (VALIUM), FLUOXETINE HYDROCHLORIDE (PROZAC), LEVETIRACETAM (KEPPRA), ONDANSETRON (ZOFRAN [ONDANSETRON]), OXYCODONE and OMEPRAZOLE (PROTONIX [OMEPRAZOLE]) for an unknown indication. On 09-Apr-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 09-Apr-2021, the patient experienced SEIZURE (4 seizures) (seriousness criteria hospitalization and life threatening) and ANAPHYLACTIC REACTION (anaphylaxis) (seriousness criteria hospitalization and life threatening). On 09-Apr-2021, SEIZURE (4 seizures) had resolved and ANAPHYLACTIC REACTION (anaphylaxis) was resolving. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter considered SEIZURE (4 seizures) and ANAPHYLACTIC REACTION (anaphylaxis) to be related. Hospitalization unknown meds. This is a 19 -year-old, male patient who received Moderna COVID-19 Vaccine) (batch no. 037B21A) and experienced seizures and anaphylactic reaction one day after receiving second dose of vaccine. Medical hx includes seizures Some relevant conmeds atomoxetine, clonidine, diazepam, fluoxetine, levetiracetam, and oxycodone were provided. Very limited information has been reported at this time. No further information is expected Reporter did not allow further contact; Sender's Comments: This is a 19 -year-old, male patient who received Moderna COVID-19 Vaccine) (batch no. 037B21A) and experienced seizures and anaphylactic reaction one day after receiving second dose of vaccine. Medical hx includes seizures Some relevant conmeds atomoxetine, clonidine, diazepam, fluoxetine, levetiracetam, and oxycodone were provided. Very limited information has been reported at this time. No further information is expected |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1221031-1 | I was diagnosed with type 1 diabetes in 1997. I have never had any complications. On Thursday, 4/15/21, I had a seizure in bed and was taken to the emergency room. While the cause is unknown at this time, and I doubt it is related to the vaccine, I thought I should report it. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1221150-1 | Patient experienced tinnitus four hours after injection. The tinnitus occurred 24 hours per day and 7 days per week. The volume fluctuated and was enough to interfere with level of focus and sleep. Small seizure was experienced by the patient approximately 7 hours after second Moderna dose. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1221171-1 | Went into a seizure; Completely unconscious; Extreme arm pain; Arm swelling; Woke up freezing; Did not feel well; Body aches; Felt tiredness; Felt like fever; Chills; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Went into a seizure) and LOSS OF CONSCIOUSNESS (Completely unconscious) in a 34-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 046A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history). Concomitant products included ESCITALOPRAM OXALATE (LEXAPRO) for an unknown indication. On 10-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 11-Apr-2021, the patient experienced SEIZURE (Went into a seizure) (seriousness criteria hospitalization and medically significant), LOSS OF CONSCIOUSNESS (Completely unconscious) (seriousness criteria hospitalization and medically significant), PAIN IN EXTREMITY (Extreme arm pain), PERIPHERAL SWELLING (Arm swelling), FEELING COLD (Woke up freezing), MALAISE (Did not feel well), PAIN (Body aches), FATIGUE (Felt tiredness), PYREXIA (Felt like fever) and CHILLS (Chills). At the time of the report, SEIZURE (Went into a seizure), LOSS OF CONSCIOUSNESS (Completely unconscious), PAIN IN EXTREMITY (Extreme arm pain), PERIPHERAL SWELLING (Arm swelling), FEELING COLD (Woke up freezing), MALAISE (Did not feel well), PAIN (Body aches), FATIGUE (Felt tiredness), PYREXIA (Felt like fever) and CHILLS (Chills) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 11-Apr-2021, Body temperature: 99.5 (High) 99.5. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Treatment medication included paracetamol. Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1221269-1 | On 4/15 at 1:50pm my injection arm started getting very itchy. I have a sore located 3 inches next to the injection site. Approximately 1 minute after it began to itch I got very hot and nauseous, approximately 30 seconds later I was unconscious and beginning to seize. I was unconscious for about 1 minute. When I awoke I couldn?t see anything, my entire body was numb and in pain. I couldn?t move my fingers. I was rushed to the ER but by the time I was seen I was fully coherent and fine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1222122-1 | Pt recieved dose and after sitting for a few minutes started to sweat and convulse pt regained awareness shortly paramedics called and patient was transported to receive care |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1222551-1 | "Time Course/Signs/Symptoms: 8-10minutes after vaccine -> bilateral arm ""paralysis"", Then, syncope. Was laid down. Awake and spoke her name. Then, Hyperventilation x 3-5 minutes @ about 100 rpm. Lost consciousness. O2 applied. BP=135/90; HR = 90/min. No wheezing, good B breath sounds. Ambulance arrived @ about 11:40am. Reportedly prolonged seizures and severe hypertension. Helicopter ambulance met road ambulance in route. Personnel immediately intubated the patient. Reportedly, this led to ""a fountain of blood""." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1222649-1 | Several minutes after receiving the vaccination, while waiting in the post vaccine area, patient had either a seizure or fainted. I did not witness the occurrence. 911 was called and patient was transported to the hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1222851-1 | 12 hrs after receiving, did not feel well headache , nausea, 48 hrs later had seizure during sleep ,affecting her speech , speech got worse over the day drs were running test , then had another seizure causing them to resuscitate, hospital was giving he4 seizures medications , she was giving 5 and a small amount of sedation, 1# days later they had them almost to a halt , ran several test to determine what could have caused the seizures and could find no reason , she never regained consciousness, she passed away 18 days later . I would like to know if the vaccine caused the seizures . |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1222853-1 | Within hours following the shot I started convulsing and shaking. I had severe tingles all over my body and weakness. This went on for days. I notified my doctor and she said to monitor for the inability to walk or move my limbs. I never lost complete feeling of my body parts. 2 months later and I still have tingling all over my body. I've had blood work, eye exam and MRI. I've had appointments with doctors-including radiologists and neurologists. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1223248-1 | Pt lost consciousness and convulsed for about 10 seconds. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1223781-1 | pt received vaccine. waited at pharmacy for 15 min. then went shopping. she returned to pharmacy with complaint of shortness of breath about 25 min after receiving vaccine. i sat her down and as i was talking to her about how she was feeling and she began to have convulsions. i laid her on ground and made sure she had an airway and pulse . pt was unresponsive for approx. 5 min. she regained consciousness and ems took over and took her to er |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1225667-1 | post vaccine patient went into a seizure state lasting no greater than 15/30 seconds. post seizure patient displayed fatigue with sweating as expected. No medical interventions required . |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1226321-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1226424-1 | Fever, chills, aches, difficulty breathing, confusion, shaking, Swollen joints hands, neck, throat, and tongue lasting from 4/15-4/18. Convulsions began 4/16-4/17. Treated with benadryl and ibuprofen and Tylenol and albuteral inhaler. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1226667-1 | Pt had chills starting 4/18/21 evening that lasted through the night. She then had 1 seizure that self resolved. Pt reported to pharmacy today with a rash on the left full forearm. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1226710-1 | Patient was given Covid-19 vaccination and 5-10 mins later patient had a seizure. Appeared to be an absent seizure and came to after about 3-5 mins. Patient was sweaty and clammy to the touch. EMS was called and took over. Patient did not fall and was breathing at all times. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1227387-1 | Approx 15mins after having the shot administered I sat in my car and felt the medication coming on by it clouding my vision then causing me to faint (and by description from my fiancT) I had what appeared to be a mild seizure. I was out for a minute or two and when I was conscious again my vision was blurry and I felt very drunk for the next 45mins - hour. I also felt like I could taste the chemicals from the vaccine when I became conscious again. The drunk/vertigo feeling subsided slowly over time but I was given a Benadryl from the pharmacist so I?m not sure when the dizziness stopped but I definitely could not drive home. My fainting was not due to any anxiety due to having a shot or anything, I was perfectly fine for approx 10-15 mins after the vaccine then I felt a cold feeling coming on from my right shoulder then up my neck then I got foggy and dizzy and passed out |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1229026-1 | Seizures |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1229152-1 | 101.5 fever Friday night, followed by a seizure at 3am. She was found unresponsive late Saturday afternoon, and was pronounced dead at the hospital. Sudden cardiac arrest. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1229552-1 | We administered the second dose of the Moderna COVID-19 vaccine on Friday, April 16th. We were contacted by the patients family to report that the patient began a fever and chills the night of 4/16, she subsequently began having nausea, vomitting, and sweating followed by a seizure, and was taken to the emergency department where she died the following day. She was encouraged to receive the vaccine at the encouragement of her oncologist. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1229623-1 | Patient with known seizure disorder, on Keppra, had a 3-minute seizure 5-10 minutes post second Moderna vaccine. This was observed by the officer and safety nurse. She had no reaction with the first vaccine four weeks ago, and stated that over the last four months she has had five seizures; her physician is aware and they are modifying her medication. Immediate return to baseline, no post-ictal period, no soiling with urine or feces. Patient reports new onset of seizures at age 18. She did not have rescue medication with her. She declined EMS transport. Nurse waited with her while her husband came to pick her up. No additional seizure activity in the time she was observed, although she was shaking. She |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1229710-1 | Nocturnal seizure on the morning of February 2, 2021. First seizure/epileptic event of lifetime. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1229889-1 | The first night I was ok, just felt slightly nauseous in the middle of the night. I woke up THursday AM with a little head ache, but was fine all morning. Got a little tired in afternoon, but was ok. In the middle of the night (Thurs into Fri), I felt like I had to throw up. I was in the bathroom, and the next thing I know, my husband is trying to wake me up. He said it looked like I was having a seizure. HE heard me groan and bang my head on the side vanity. After the 2nd time, he got out of bed to check on me. He got in the bathroom as I hit my head for the 3rd time.. He could not wake me up. I finally heard him call my daughter's name who was sleeping upstairs. I don't remember any of this but I banged |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1229940-1 | 3-4 hours - Flu like symptoms, body aches 12-14 hours - severe nausea and seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1230021-1 | PATIENT STARTED HAVING A SEIZURE after 10 MINUTES VACCINE. HE BECAME CLAMMY AND WET TO THE TOUCH. B/P 66/45 P. 60 EMERGENCY CALLED AND DR. RESPONED- B/P 61/41 P. 76 --PATIENT VINITED GREEN BILE nd second seizure. EMS CALLED AND EVALUTED. BLOOD SUGAR NOTED TO BE 99. TRANSPORTED AT 2;25 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1230043-1 | The patient experienced a seizure after administration of first Moderna Covid-19 dose approximately 4-5 hours and was involved in a car crash resulting from the seizure. The patient was taken to the emergency room Medical Center and was discharged in the afternoon with a diagnosis of vasovagal syncope. The patient also experienced a second seizure in his sleep later that evening and was hospitalized and discharged Wednesday of that same week (03/2 4/21). Witnesses of the car crash noticed patient had convulsed and crashed into three parked cars in a parking lot. His wife also witnessed convulsions during the evening seizure. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1230059-1 | Pt has a history of CVA and aspiration pneumonia in Feb 2021. Pt had been on olanzapine since 2/24 at Institute. He was given his second Moderna Covid-19 vaccine on 03/10/21. Per note on 3/12, pt had seizure like symptoms at 0545 for approx. 45 seconds (eye rolling, lack of response, increased confusion) Per staff, there was no flexing of limbs or loss of bowel or bladder control. No noted stroke like symptoms but he appeared more confused at neuro check. Pt was back to baseline at 15 min neuro check. Pt reported to have had additional seizure, of approx. 4 minutes duration, during morning report that day-but when MD got to his room, he appeared ? post ictal with a mildly agitated restless delirium? rolling back and forth on the floor, moaning, and not making eye contact. Pt did lose control of his bladder. Olanzapine was discontinued on 3/12, due to potential to lower the seizure threshold. Divalproex was initiated for seizures. Per note 3/22-no additional seizure type symptoms have occurred. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1230205-1 | I experienced a severe brain seizure! I am a 4 year Brain Cancer survivor and I have never had a seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1230368-1 | PATIENT RECIVED 1ST DOSE OF MODERNA VACCINE, HE WAS SENT TO SIT DOWN FOR 15 MINUTES AFTER VACCINES. AFTER 5 MINUTES SITTING, THE PATIENT STARTED TO SEIZING IN THE CHAIR. THE SEIZURE LASTED LESS THAN 1 MINUTE AND HE BECAME CONCISOUS AGAIN. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1230470-1 | "March 15th: Day 2 after vaccine: noticeable shortness of breath when walking March 17-18: Days 4 and 5 after vaccine: extreme fatigue/exhaustion March 20-24: Burning chest pain, pain in jaw, continued shortness of breath when walking and fatigue March 24: Went to doctor, D-Dimer = .51 March 25: Chest X-ray to rule out pulmonary embolism. No pulmonary embolism found. Enlarged lymph nodes on left side found. April 4: After 1/2 mile walk was exhausted. Experienced loss of strength in both hands, but more so in right hand. Experienced ""general feeling of doom/unwellness"" previously associated with seizure due to oligodendroglioma. April 3: Follow up with doctor. Suggested my brain tumor (oligodendroglioma) may be growing. April 6th: MRI. Tumor had not grown. April 7th: Meeting with oncologist who did not feel symptoms were due to tumor growth. Suggested possibility that vaccine could have triggered breakthrough seizure. Increased seizure medication in mornings from 50 mg Vimpat to 100 mg Vimpat. Sent me to my regular doctor. Met with regular doctor, who didn't think symptoms were due to the vaccine, but didn't know because it was so new. Did bloodwork. Severe fatigue in afternoon. April 10th: Was scheduled for 2nd vaccine, but did not feel well enough to get it. April 12th: All bloodwork normal except high LDL (but good ratio with HDL), high TPO (thyroid antibodies). Still fatigued. April 11-17: Fatigue gradually improving. Shortness of breath going away. Stamina returning, gradually. April 18-19: Feeling much better. Able to walk. No shortness of breath." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1230527-1 | At 4:40 AM the morning after the first vaccination shot, patient experienced the onslaught of the first of three epileptic seizures that day. Two more occurrences happened at 8:30 AM and 10:00 AM. At the beginning of each event I (husband & caregiver) administered prescribed prn 'breakthrough' medication to forestall a gran mal. After each administration of medication, patients symptoms subsided and she slept. Also it should be noted: she experienced anxiety about two hours after the vaccination shot on 3/11/2021. We were near the vaccination site, away from home. She self-administered a pain management pill at that point and the symptoms disappeared. Sometimes anxiety episodes evolve into seizures. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1230967-1 | Loss of control of bladder; Patient got her second dose after 35 days of first dose; fever; Convulsions; terrible contractions of muscles; This spontaneous case was reported by a non-health professional (subsequently medically confirmed) and describes the occurrence of SEIZURE (Convulsions) in an 80-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 019B21A and 010A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history). On 27-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 08-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 08-Apr-2021, the patient experienced SEIZURE (Convulsions) (seriousness criterion medically significant), MUSCLE CONTRACTIONS INVOLUNTARY (terrible contractions of muscles), INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (Patient got her second dose after 35 days of first dose) and PYREXIA (fever). On 09-Apr-2021, the patient experienced URINARY INCONTINENCE (Loss of control of bladder). On 08-Apr-2021, INAPPROPRIATE SCHEDULE OF PRODUCT ADMINISTRATION (Patient got her second dose after 35 days of first dose) had resolved. At the time of the report, SEIZURE (Convulsions), MUSCLE CONTRACTIONS INVOLUNTARY (terrible contractions of muscles), URINARY INCONTINENCE (Loss of control of bladder) and PYREXIA (fever) had resolved. No relevant concomitant medications were provided. No treatment information was provided.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1231451-1 | Short duration, while still seated, seizure event, patient recovered quickly, EMS called to site to assess patient even though patient had seemed to be fully recovered already. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1231718-1 | Site: Pain at Injection Site-Mild, Site: Redness at Injection Site-Mild, Systemic: Allergic: Anaphylaxis-Medium, Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Headache-Severe, Systemic: Hyperventilation-Severe, Systemic: Seizure-Medium, Systemic: Shakiness-Severe, Additional Details: Patient was given Moderna Covid Vaccine in Right Deltoid at 10:50. About 30 seconds later patient slid down from sitting possition and was shaking uncontrollably and reported difficulty in breathing. Patient was given Epi 0.3mg pen IM in right outer thigh and 911 was called. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1232030-1 | My daughter had a seizure one week after receiving the vaccine. She has no history of seizures nor do we have any in our family. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1232492-1 | The patient complained of trouble breathing and her heart racing within 5 minutes of receiving the vaccine. She began convulsing and gasping for breath. An epipen was administered and did not seem to help. A few minutes later we administered a second epipen. We did not administer benadryl because we were afraid she would aspirate on it. The paramedics arrived shortly after the second epipen and took her to the emergency room. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1233117-1 | CC: patient was watching TV as reported by his mother. started seizing and having difficulty breathing. EMS was called for transport. On arrival to ED, patient was breathing 60-70 BPM, tachy at 135-140 sinus rythym. B/P stable at 140's/90's. his pupils were equal and reactive to light. no response to aggressive sternal rub. slight seizure like activity with arm and leg jerking. Ativan IVP given Patient is on non-rebreather sao2 at 90-100 fluctuating. IV established. he desats to 80-85 on room air. Has frothy sputum from mouth. RSI performed with succs and versed to secure airway and ventilate patient. 7.5 tube placed with one attempt at 27/teeth. verified via direct auscultation and capnography. Tube secured. maintanence medications given to ensure sedation. transfer initiated and airmed launched. Dr. accepted. patient left building at 1940 via airmed. Patients labs (electrolytes WNL) normal wbc. D-dimer at 1500. suspect for PE or flash pulmonary edema although his breathsound are clear bilateral. 18:10 03/27/21. BP: 124/89. MAP: 100. HR: 135. RR: 54. O2 saturation: 94%. Temp: 99.2 F. Pain level now unable to obtain due to patient condition. --20:05 3/27/21 Weight: 81.6 kg estimated |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1233130-1 | Patient experienced at least 4 severe seizures on the day after the vaccine was administered. It is now three days since the vaccine and he has been unable to eat anything and has been incapacitated in bed with severe headaches and body aches and pain whenever he tries to move. He also fell during the seizure and sustained scrapes and rug burn. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1233166-1 | Lost consciousness, Either a siesure or passed out. Cadiac events - Varied and Rapid Heart rate, Low Potassium and Low Magnesium |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1233340-1 | pt received first moderna covid vaccine and was seated in our observation areas and complained to friend that he felt uneasy and then fell to ground and began to seize. Pt roommate states that this has happened to the patient before and has been seen by md however no clinical diagnosis of epilepsy was given nor is the patient being treated with any pharmaceuticals |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1233470-1 | Within 3 minutes after vaccine administration at 11:00am, person had two seizures within 5 minutes of each other. Decreased pulse, blood pressure and oxygen saturation. Loss of consciousness for several minutes each time. Emergency measures initiated, including IV and oxygen. Transported by EMS to Emergency Department at 11:25am. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1233580-1 | Full body convulsions and Paralysis. Left-arm went numb first and traveled throughout the body. Convulsions started in left hand and also traveled throughout the body. It took six minutes from the shot to the first convulsion. Convulsions didn't stop until lorazepam was administered. Benadryl was administered immediately on-site in pill form. The hospital also gave additional Benadryl as well. Blood sugar dropped to 50 within the first half-hour. Extreme eye sensitivity to light and extreme exhaustion afterward. Pain felt extreme as well. Many side effects such as very low pain tolerance, head ache, light sensitivity, confusion, loss of memory, severe muscle pains, muscle numbness throughout body, blood sugar dropping, etc. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1233755-1 | rcvd shot 3/25/2021, symptoms started 2 days after ... two days later swollen neck glands , higher bp than usual, numb face...Mar 30 th 6:am faceial numbness, thick tongue, anaphylaxis went to ER, could not breathe , trouble speaking...by the time got to er BP diastolic was about 200. discharged after 4 hrs. Multiple body symptoms since include all over numbness, balance, Balance issues, fatigue, loss of taste, Heat spikes, myoclonus and stare seizures, sense of Euphoria, infusion, many more symptoms, contact me |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1234238-1 | Patient became pale, diaphoretic. She was moved to a room where her feet were elevated and BP was taken. BP was low, pulse normal, but I was told patient lost consciousness and had seizure-like activity. Lasted less than 15 seconds and patient came to. Juice given to patient as she states she has a history of hypoglycemia. She reported eating something an hour before her appointment. Patient was examined by doctor. BP was back to normal and patient states she was feeling much better after drinking juice. Patient had ride home and was told by provider to follow up with PCP as soon as possible. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1235127-1 | Within 5 minutes after the shot, patient had a seizure-like episode that last about 5 seconds while sitting in the lobby chair. On duty rph, Bright, questioned pt to check mental status, vision affected. The patient stated he was fine, remained in the lobby for another 30 minutes, No other reaction was seen nor reported within this time frame. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1235685-1 | Dizzy; Fever 101 degrees Fahrenheit; Nausea; Body aches; Seizure; Symptoms like the flu; Felt like she was going to faint; This spontaneous case was reported by a non-health professional (subsequently medically confirmed) and describes the occurrence of SEIZURE (Seizure) in a 62-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 016B21A and 029A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical history provided.). On 09-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 06-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 06-Apr-2021, the patient experienced SEIZURE (Seizure) (seriousness criterion medically significant), INFLUENZA LIKE ILLNESS (Symptoms like the flu), DIZZINESS (Dizzy), PYREXIA (Fever 101 degrees Fahrenheit), NAUSEA (Nausea) and MYALGIA (Body aches). On an unknown date, the patient experienced PRESYNCOPE (Felt like she was going to faint). At the time of the report, SEIZURE (Seizure), INFLUENZA LIKE ILLNESS (Symptoms like the flu), PRESYNCOPE (Felt like she was going to faint), DIZZINESS (Dizzy), PYREXIA (Fever 101 degrees Fahrenheit), NAUSEA (Nausea) and MYALGIA (Body aches) outcome was unknown. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. This case was linked to US-MODERNATX, INC.-MOD-2021-054366 (E2B Linked Report). This case was linked to MOD-2021-077998, MOD-2021-077998 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. US-MODERNATX, INC.-MOD-2021-054366: |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1236956-1 | Patient reported no significant medical history or conditions prior to vaccination. About five minutes post-vaccination, he appeared to have a seizure. EMS was called and patient responded well to water and crackers. He then reported a history of seizure activity. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1237216-1 | The patient developed fatigue, malaise, skin allodynia, fever (103.5F) and took acetaminophen and ibuprofen. The fever resolved but he was diaphoretic. He also had a headache, vomiting, then lost consciousness overnight and had a tonic-clonic seizure lasting 10 minutes. He was brought to the emergency department and had 2 more seizures there which was controlled with lorazepam. He was admitted to the hospital and started on broad spectrum antibiotics (acyclovir, ceftriaxone, and vancomycin). On 4/11/21, the patient was extubated and improved symptomatically, and antibiotics were narrowed to doxycycline. He was then discharged on doxycycline and levetiracetam. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1237616-1 | post vaccination; documented seizure, vitals at 2:56pm BP 110/70 Pulse 78 RESP 99 , hit head, and was sent to ER by ambulance |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1238039-1 | Patient has hx of seizures well controlled no seizures for one year with in 15 minutes of Moderna vaccine had Generalized Seizure lasting > 10 mins no hypoxia transferred to local ED patient was dc the same day to follow up with neurology in good condition |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1238085-1 | Nausea, fainting, dizziness, chills, fever, body convulsions |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1238171-1 | "Pt fainted, fell off his chair onto the floor where he was convulsing. He then regained consciousness shortly after. Sweaty, clammy, pale, did not remember what happened. Asked ""what happened?"". 911 was called, the paramedics came. Took vitals. They administered IV fluids and wheeled him out on a gurney in a neck brace." |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1238187-1 | While monitoring post-vaccination a woman yelled from her car window that ?he? fainted. Upon arrival, it was noted that a young man in the passenger seat was slumped with his head on his chest and unresponsive. It was witnessed that the passenger stiffened and started shaking as if he was having a seizure. The nurse was called. It was noted that the shaking lasted just a few seconds and he then relaxed and opened his eyes. Once the RN, received call that there was a person having a seizure, 3 nurses went to the scene. Once RN arrived at the car the patient was awake and alert. The patient was assessed, and he was able to answer questions. History of the patient from the mother revealed that he has responded to other vaccines in the past by having a vagal response. RN noted that there were no signs of patient being postictal. Patient was alert, oriented and stated that he was feeling better. EMS arrived and assessed patient and noted that he was in no distress. Patient denied transport to ED. RN educated patient on importance of reporting this to nurse prior to next vaccination. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1238489-1 | Patient came in for 1st Moderna Covid vaccine. Patient filled out vaccine questionnaire form. Patient stated she has had no allergic reaction to another vaccine or injectable medication. Patient did state that she has allergic reactions to Wheat, corn, eggs, and nuts and does carry an epi pen. Patient stated she was nervous and did have anxiety problems. When going over paperwork with patient nurse again asked patient is there were ANY medication allergies to which patient replied ?no?. Patient was instructed to wait for 30 minutes in her car after vaccine administration to be observed for any adverse reactions and to honk car horn should she need assistance. Patient agreed and vaccine was administered at 1305. Very shortly after, patient honked horn of car. Nurses went to car with wheelchair. Patient stated her lips were tingling and she felt like she was having anxiety. Patient assisted into WC. While patient was being wheeled back to east entrance, vaccine clinic staging area, patient stated that she was feeling nauseated and felt like vomiting. Patient then threw her head back, eyes closed and patient started to slide from the WC. Nurse assisted patient to the ground. Patient then started to seize and became unresponsive. 911 called at 1309, patient became responsive. First set of vitals taken at 1310. Privacy screen placed, tent canopy was moved over patient and team, linen placed on ground under patient to try and protect her from the hot pavement. Cooling measures taken. Second set of vitals taken at 1316. Patient verbal, alert, responsive, answering questions. Patient drank a small amount of water. Ambulance and fire arrived at 1320. Patient called mother on phone. Nurse secured patients car. Left in ambulance at 1338. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1238664-1 | Patient was noted to have a low blood pressure between 80 and 90 systolic during and after the seizure. Did have an syncopal episode later on during course of treatment but was treated with 500 mL of NaCl and oral crackers w/ peanut butter. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1238797-1 | 2 seizure episodes occurred consecutively 15minutes post vaccination & during the observation period lasting 5minutes each. Patient caregiver take patient home once the seizures stop. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1239064-1 | He presented to the ER via ambulance after he had 3 witnessed seizures which included full loss of consciousness and rhythmic jerking lasting for an unknown duration. En route apparently he was seizing and prehospital personnel gave him 5 mg IM versed as well as 5mg iv versed which did seem to abate the seizure. He was apparently quite combative and has no prior history of seizures. In the ER the patient was apparently having right sided eye deviation and was given 2mg of Ativan. A stat CT of the head did not reveal any acute process. Telemetry neurology was consulted. During his work up the patient was found to have a urine toxicology positive for amphetamines as well as opiates. Telemetry neurology recommended loading the patient with Keppra, initiating regular Keppra doses and indicated they believed the etiology of his seizures was polysubstance abuse. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1241341-1 | On day 5 started not feeling well began to run a low grade fever lasted several days. On day 3 after symptoms started patient woke up in the middle Of the night to use the restroom something that is done every night. Patient passed out and hit his head and started having a seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1241747-1 | Convulsions at 6:30 am and fainting twice |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1242045-1 | Patient was feeling nervous and then had a seizure. Caregiver that was with her said that she has many seizures and believes it was brought on by her nerves. Patient was fine after seizure. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1242063-1 | Upon getting second vaccine dose, patient immediately lost consciousness and appeared to be having a seizure and difficulty breathing. Patient became responsive and was talking to EMS upon their arrival. Pt then lost consciousness for second episode and EMS transported to local ER. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1242107-1 | Within hours started having a seizure. I went on to have seizures for 8 days straight, often time having several seizures per day. Posturing, memory loss. Had a CRPS flare for several days after the shot. Hands were swollen and were red and purple looking, I broke out in hives around my jaw line. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1242849-1 | Had a seizure/stroke beginning at 8 pm and was brought to the ER. Was admitted in ICU |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1243390-1 | Patient experienced a headache that lasted for a few days prior to admission, relieved with ibuprofen. On 4/17/21, patient had two seizures at home and subsequently brought to the ER, started on levetiracetam. CT brain on admission showed dural venous sinus thrombosis, heparin drip initiated. Hypercoagulable workup was negative. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1243590-1 | I had a seizure 6 days after receiving my 2nd vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1244268-1 | Patient fainted, started having seizures, EMTs were called but patient refused recommendation to go to hospital for evaluation |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1244717-1 | Patient received vaccine in left deltoid and immediately responded which looked like a short seizure, losing consciousness shortly, then upon shaking responded by waking back up. Within the next few minutes the patient did the exact same thing and again responded after shaking by waking back up. Patient felt hot, weak and nauseous for quite a long time, he eventually vomited and thought he felt a little better. We called EMS and they responded by checking him over (B.S. 79 and Blood Pressure initially 87/60 but a repeat reading was 105/74 and patient felt well enough to decline a trip to the hospital. Patient was still feeling weak, so we observed him for over 2 hours and he took some water and drank some gatorade. After a bit we had him call his mother to drive him home. Patient was standing when we had one of our interns take him to his mother's car. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1244792-1 | Approximately 1 hour after receiving injection, patient developed blurred vision and decreased level of consciousness with inability to sit up straight, talk normally or walk. She subsequently had nausea and vomiting which was worse when she opened her eyes. Patient has history of seizures but this was not like her normal seizure in that she was responsive and did not have any tonic/clonic movements. She was brought to ER where exam was normal except for truncal ataxia. Labs/EKG/CT head and MRI revealed no new findings. She was monitored and her symptoms resolved by 9:30 PM the same day. She was discharged home from the ER in improved condition and her symptoms have not returned. She does have more palpitations since her COVID vaccine, however, and these are getting worked up. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1244795-1 | Her absent seizures started again after the second moderna shot on 10 April. She developed slight fever the next day and by 12 April Monday she started having the seizures and feeling weak and tired. She?s been feeling like that ever since. We went to the ER today, she?s still having random seizures but everyday she?s feeling tired and weak, today she had pressure on the back of the head and blurry vision. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1245349-1 | pt began having n/v in the evening and then seizures at night. pt does have seizure history but does not usually have breakthrough seizures. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1245358-1 | passed out; seizure; fever; This spontaneous case was reported by a consumer and describes the occurrence of LOSS OF CONSCIOUSNESS (passed out) and SEIZURE (seizure) in a 39-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 040A21A and 045A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No relevant medical history provided.). On 10-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 07-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 10-Mar-2021, the patient experienced LOSS OF CONSCIOUSNESS (passed out) (seriousness criterion medically significant), SEIZURE (seizure) (seriousness criterion medically significant) and PYREXIA (fever). On 10-Mar-2021, LOSS OF CONSCIOUSNESS (passed out) and SEIZURE (seizure) had resolved. At the time of the report, PYREXIA (fever) outcome was unknown. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Treatment information was not provided. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested This case was linked to US-MODERNATX, INC.-MOD-2021-072687 (E2B Linked Report).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested US-MODERNATX, INC.-MOD-2021-072687:1st dose vaccine |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1245385-1 | extrapyramidal syndrome from vaccine; shaking uncontrollably/ body tremors; uncontrolled convulsions/ seizure type activity; jaw was locked; This spontaneous case was reported by a physician (subsequently medically confirmed) and describes the occurrence of EXTRAPYRAMIDAL DISORDER (extrapyramidal syndrome from vaccine), TREMOR (shaking uncontrollably/ body tremors) and SEIZURE (uncontrolled convulsions/ seizure type activity) in a 21-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No reported medical history). On 16-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 16-Mar-2021, the patient experienced TREMOR (shaking uncontrollably/ body tremors) (seriousness criterion hospitalization), SEIZURE (uncontrolled convulsions/ seizure type activity) (seriousness criterion medically significant) and TRISMUS (jaw was locked). On 30-Mar-2021, the patient experienced EXTRAPYRAMIDAL DISORDER (extrapyramidal syndrome from vaccine) (seriousness criterion hospitalization). The patient was hospitalized on 30-Mar-2021 due to EXTRAPYRAMIDAL DISORDER and TREMOR. At the time of the report, EXTRAPYRAMIDAL DISORDER (extrapyramidal syndrome from vaccine), TREMOR (shaking uncontrollably/ body tremors), SEIZURE (uncontrolled convulsions/ seizure type activity) and TRISMUS (jaw was locked) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Electroencephalogram: Diagnosed Extrapyramidal syndrome from vaccine. On an unknown date, Magnetic resonance imaging: normal. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Patient has always been healthy. She was prescribed high strength Benadryl and Vistaril. These treatment medications did not help her and she went back again to emergency room. She was a college student and got vaccinated so she could continue her education in person. Concomitant medications were not reported. Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1245409-1 | seizure; passed out due to extreme vomiting as per doctor in ER; vomiting every 40 minutes; stomachaches; body pain; Sweating; Headache; This case was received via an unknown source no reference has been entered for a health authority or license partner on 15-Apr-2021 and was forwarded to Moderna on 15-Apr-2021. This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of SEIZURE (seizure) and LOSS OF CONSCIOUSNESS (passed out due to extreme vomiting as per doctor in ER) in a 36-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 027B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical history provided.). On 11-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 12-Apr-2021, the patient experienced SEIZURE (seizure) (seriousness criterion medically significant), LOSS OF CONSCIOUSNESS (passed out due to extreme vomiting as per doctor in ER) (seriousness criterion medically significant), HEADACHE (Headache), ABDOMINAL PAIN UPPER (stomachaches), VOMITING (vomiting every 40 minutes), PAIN (body pain) and HYPERHIDROSIS (Sweating). The patient was treated with IBUPROFEN at an unspecified dose and frequency. At the time of the report, SEIZURE (seizure), LOSS OF CONSCIOUSNESS (passed out due to extreme vomiting as per doctor in ER), HEADACHE (Headache), ABDOMINAL PAIN UPPER (stomachaches), VOMITING (vomiting every 40 minutes), PAIN (body pain) and HYPERHIDROSIS (Sweating) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No medical history or concomitant medications provided. Patient used ibuprofen for treatment of headache. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1245415-1 | Vomited for an hour; light headed; broke out in a cold sweat; body cramped up; nauseus; Sore left Arm; convulsions; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of SEIZURE (convulsions) and VOMITING (Vomited for an hour) in a 55-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 020B21A and 031L20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event. On 26-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1. On 06-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 2. On 06-Apr-2021, the patient experienced SEIZURE (convulsions) (seriousness criterion medically significant), VOMITING (Vomited for an hour) (seriousness criterion hospitalization), DIZZINESS (light headed), COLD SWEAT (broke out in a cold sweat), MUSCLE SPASMS (body cramped up), NAUSEA (nauseus) and VACCINATION SITE PAIN (Sore left Arm). The patient was hospitalized from 06-Apr-2021 to 08-Apr-2021 due to VOMITING. On 08-Apr-2021, SEIZURE (convulsions), VOMITING (Vomited for an hour), DIZZINESS (light headed), COLD SWEAT (broke out in a cold sweat), MUSCLE SPASMS (body cramped up), NAUSEA (nauseus) and VACCINATION SITE PAIN (Sore left Arm) had resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Blood lactic acid increased: increased (abnormal) increased. On an unknown date, Blood potassium: decreased (abnormal) decreased. On an unknown date, Blood pressure decreased: decreased (Low) decreased. On an unknown date, Body temperature: decreased (Low) decreased. No concomitant medications were reported. No treatment medications were reported. Company Comment Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1245436-1 | couldn't sleep; Felt sick; Fell; Body went stiff; Hit head on the wall; Vomiting; Fainted; Had seizures twice; Back pain; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of SYNCOPE (Fainted) and SEIZURE (Had seizures twice) in a 24-year-old female patient who received mRNA-1273 for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included COVID-19 in October 2020. On 02-Apr-2021, the patient received first dose of mRNA-1273 (Intramuscular) 1 dosage form. On 02-Apr-2021, the patient experienced BACK PAIN (Back pain). On 03-Apr-2021, the patient experienced SYNCOPE (Fainted) (seriousness criterion medically significant), SEIZURE (Had seizures twice) (seriousness criterion medically significant), INSOMNIA (couldn't sleep), MALAISE (Felt sick), FALL (Fell), MUSCULOSKELETAL STIFFNESS (Body went stiff), HEAD INJURY (Hit head on the wall) and VOMITING (Vomiting). At the time of the report, SYNCOPE (Fainted), SEIZURE (Had seizures twice), BACK PAIN (Back pain), INSOMNIA (couldn't sleep), MALAISE (Felt sick), FALL (Fell), MUSCULOSKELETAL STIFFNESS (Body went stiff), HEAD INJURY (Hit head on the wall) and VOMITING (Vomiting) outcome was unknown. The action taken with mRNA-1273 (Intramuscular) was unknown. For mRNA-1273 (Intramuscular), the reporter did not provide any causality assessments. Labs included Electrocardiogram: and Urine analysis, no test results provided. Treatment information not provided. Company comment: Very limited information regarding these events has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1245442-1 | seizure; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (seizure) in a 47-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 037B21A) for COVID-19 vaccination. The patient's past medical history included No adverse event (No reported medical history). On 11-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 16-Apr-2021, the patient experienced SEIZURE (seizure) (seriousness criterion medically significant). At the time of the report, SEIZURE (seizure) outcome was unknown. Not Provided The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. No concomitant medications were reported. Treatment information was not provided.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of this event, a causal relationship cannot be excluded. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1246091-1 | Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Mild, Additional Details: Pt fell face flat on her face within 5 minutes of her injection and scratched her left cheekbone. Look like she was having a seizure but she was already conscious when we flipped her over. She felt fatigue from working a night shift yesterday, and a morning shift today. She ate a couple hours before the appointment. FS associate, monitored her for an extra 15 minutes before she walked home. I followed up with her at 4:40pm and 7:30pm on 4/22. Recommended that she report this to her PCP. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1246136-1 | Patient reports today for second dose of Moderna vaccination. No known reaction to first dose of vaccine. During observation patient lost consciousness 5 minutes post injection, tipping over backwards and hitting head on the floor. Patient was unresponsive with strong pulse. Emergency response was activated and smelling salts were administered. Patient came to after smelling salts were given. While patient was coming to, mild seizing was noted. Patient noted headache after coming to. Emergency services arrived for extended assistance prior to releasing patient. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1246335-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1246454-1 | Patient received vaccine at approx 1645. Prior to vaccination, patient denied history of severe allergies to medications, vaccines, or anything requiring an epi-pen. Patient denied allergy to Miralax and was feeling well that day. Patient finished with injection and walked into the observation room. Observation provider FNP walked up to patient after he had sat down and the patient appeared to have a seizure for approx 90 seconds, was leaning to the side where provider was supporting him, and was unresponsive. Provider called for help and this provider & FNP responded. Patient was awake and looking at us but was not responding to questions. Patient was assisted fully to a wheel chair and moved to a private room. Vitals were obtained - oxygen saturations were low and patient began to look dusky and cyanotic around lips. AGNP, FNP, and Dr also arrived. Oxygen was applied. Blood pressure was in the 60s systolic and 30's diastolic. Patient started to pink up after oxygen was given. Patient's phone had an active call (girlfriend). She was unable to provide any history for the patient. Patient started answering questions slowly. EMS arrived and transported patient to Hospital Emergency Dept. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1246892-1 | At 0750 pt had 1st dose of covid vaccine moderna on Right Deltoid, at 0757 pt started to have seizure and witnesses by staff and mother lasted less than 30 seconds. Pt Woke up and alert oriented x4. (11 activated. Pt BP 138/45, HR 69, RR 17, 97. 0805 Pt BP 108/59, HR 64, RR 16, O2 at 100 % at 2lpm via nasal canula . 0810 fire deparment arrived. Pt and pt parents refused to go to ED 0820. Pt Bp 115/60, HR 66, RR 16, O2 at 100 % RA and NSR On ekg done by fire department . Pt is alert oriented x4 Fully awake. . Moderna lot # 001C21A Exp. 10/12/21. At 0830 pt went home assess by PA. Pt is asymptomatic. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1247205-1 | Patient had seizure event minutes after administration. Staff immediately called 911. Fire truck and ambulance arrived within minutes. Pharmacist attempted to administer epinephrine but failed. Seizure event lasted for approximately 30 seconds. Patient passed out but regained consciousness within a few seconds. Once patient regained consciousness, staff questioned patient about his whereabouts. Patient was able to answer questions about his name, date of birth and whereabouts. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1247274-1 | Patient reported having having seizure 2 hours after having the moderna covid shot. He said he woke up and didn't know what was going on and went to the emergency room. That was all that was mentioned and it was several days later that he reported the incident. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1247478-1 | This patient received his first shot of covid-19 vaccine and was asked to wait in the pharmacy observation area for 15 minutes. others in the observation area witnessed the patient appear to have some form of seizure while seated in his chair. the patient slipped from his seat and apparently hit his head on the floor. medics were called and patient was transported to an unknown local hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1247666-1 | Sharp pain through shoulder and neck upon injection. Fainting with convulsions 1-2 minutes after injection. Difficulty breathing and throat swelling followed; nurse on site administered epi shot, monitored vitals, and called paramedics. Transported to local hospital for check up. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1247759-1 | Resident had a stroke and seizures the next morning. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1247764-1 | Was at the golf course. His arms flew up and he had a seizure falling to the ground and striking head on ground. Blood from nose and mouth. He was transported to hospital. Diagnosed a brain bleed. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1248068-1 | The day after the vaccine I felt very weak and fatigued on April 7th. A couple days later on April 9th I developed a fever. A few days after that my muscles started twitching and haven't stopped. I feel like something is crawling under my skin and the vaccine is extremely affecting my nervous system. I did not have this problem before I had the vaccine. It has not gone away and it is now April 23rd I still feel weak, not the same as I used to feel before having the vaccine, and my muscles are twitching all over my body. My face is twitching and my eye and there is nothing I can do to make it stop. I am so young and I thought the vaccine was safe but I am suffering from it. Especially in my feet I feel like they are tingling and vibrating and my calves are convulsing too. Meanwhile, my heart is fluttering and I feel like it is very hard for me to focus and I feel things crawling under my skin in my brain. The muscle convulsions are happening everywhere. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1248350-1 | "PATIENT WAS WAITING IN POST-IMMUNIZATION CHAIR AFTER RECEIVING VACCINATION. HAD A SEIZURE AND FELL OUT OF CHAIR AND HIT THE BACK OF HIS HEAD ON THE FLOOR. HE WAS LYING ON HIS SIDE AND I RAISED HIS ARMS TO ENSURE PROPER AIRWAY. HE RECOVED COHERENCE AND HAD NO BREATHING DISORDER AND BECAME AWARE OF INFORMATION. HIS HEAD HAS A ""BUMP"" ON IT (~ QUARTER SIZE). TRANSFERED BY EMS AND RETURNED WITH HIS FRIEND IN ~ 45 MINUTES TO GET IMZ CARD AND WAS COHERENT." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1248445-1 | Patient has has seizures in the past, unknown to cause, but since the 1 st and 2nd subsequent dose patient is now having seizures daily . He had extremely high fever with the second dose |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1248578-1 | I administered the MODERNA vaccine to patient. He directly went to sit in the waiting area. About 1 and 1/2 minutes later we were told by a customer that we had a patient in our waiting area laying on the floor. I immediately went out and saw him and told the staff to call 911. His body started convulsing and I repeated to call the manager and 911. I got down on the floor on his left side. He was face first in the concrete. There was a man sitting beside him with his hand on his back. He didn't look like he was breathing and I wanted to turn him on his back, but he started making sounds and I left him lay like he was. His body started convulsing again. Then store management appeared. The man started to lift his head and I could see that his nose looked cracked open and he was bleeding. He tried to get to a position on his knees and then I could see blood on the floor and coming from his mouth. I told him to continue to lay down and that the ambulance was coming. 2 fireman came over to assess the situation. Then there was a woman there next to patient. It was his mother. She said that he has a history of fainting after shots. The man that was by patient's side on the floor was his father. EMS got there and started to take care of him. At this point he got to a sitting position against the wall. He did not remember any of what had happened. The EMS wanted to take him by ambulance to the hospital but patient was agitated and did not want to go by ambulance to the hospital. He thought he was fine but we were trying to tell him what had happened to him. He got up and went to the front with the EMS to sign a form. His mother and father wanted him to go to hospital to get checked out because he has never had a seizure before. We have not heard anything back yet. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1249115-1 | Got the vaccine in the morning, had a seizure, nausea, chills at night. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1249128-1 | Pt presented on 4/20 for 2nd dose of Moderna, in which at that time she informed MD & RN she had a convulsion 1 week after first dose. Pt has hx of convulsions. 2nd dose postponed until evaluation by neurology. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1249596-1 | Seizure; Weakness; Difficulty Breathing; tiredness; Lethargy; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Seizure) in a 32-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 030M20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No medical history reported). On 03-Feb-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 03-Mar-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 03-Mar-2021, the patient experienced LETHARGY (Lethargy). On an unknown date, the patient experienced SEIZURE (Seizure) (seriousness criterion medically significant), ASTHENIA (Weakness), DYSPNOEA (Difficulty Breathing) and FATIGUE (tiredness). At the time of the report, SEIZURE (Seizure), LETHARGY (Lethargy), ASTHENIA (Weakness), DYSPNOEA (Difficulty Breathing) and FATIGUE (tiredness) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) and mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Concomitant product use was not provided by the reporter. No treatment information was provided. Action taken with mRNA-1273 in response to the event was not applicable. Company comment: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of these events, a causal relationship cannot be excluded. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1249619-1 | Passed Out; Suspecting Seizures pending EEG Results; Sore Arm; This spontaneous case was reported by a pharmacist and describes the occurrence of LOSS OF CONSCIOUSNESS (Passed Out) and SEIZURE (Suspecting Seizures pending EEG Results) in a 60-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (medication history was not reported) and Pacemaker insertion (cardiac) since an unknown date. On 09-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 09-Apr-2021, the patient experienced VACCINATION SITE PAIN (Sore Arm). On 13-Apr-2021, the patient experienced LOSS OF CONSCIOUSNESS (Passed Out) (seriousness criteria hospitalization and medically significant) and SEIZURE (Suspecting Seizures pending EEG Results) (seriousness criterion hospitalization). On 10-Apr-2021, VACCINATION SITE PAIN (Sore Arm) had resolved. At the time of the report, LOSS OF CONSCIOUSNESS (Passed Out) and SEIZURE (Suspecting Seizures pending EEG Results) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Treatment information was not reported. diagnosis yet to be determent Suspecting Seizures pending EEG results Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, Very limited information is available at this time. Further information is requested; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.However, Very limited information is available at this time. Further information is requested. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1249628-1 | Breakthrough seizure (with no shaking, confusion, loss of consciousness); Numbness in left foot; Tingling in left foot; Sharp pain in left ear; Upper arm, back, neck and above shoulder starting aching and Whole torso aching; Back, neck and above shoulder starting aching and Whole torso aching; Neck and above shoulder starting aching and Whole torso aching; whole torso was aching; Shoulder starting aching; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Breakthrough seizure (with no shaking, confusion, loss of consciousness)) in a 68-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 022M02A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Epilepsy (had not had an episode in two years.). On 24-Feb-2021 at 4:00 PM, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 24-Mar-2021 at 9:00 PM, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On 24-Mar-2021, the patient experienced SEIZURE (Breakthrough seizure (with no shaking, confusion, loss of consciousness)) (seriousness criterion medically significant), HYPOAESTHESIA (Numbness in left foot), PARAESTHESIA (Tingling in left foot), EAR PAIN (Sharp pain in left ear), PAIN IN EXTREMITY (Upper arm, back, neck and above shoulder starting aching and Whole torso aching), BACK PAIN (Back, neck and above shoulder starting aching and Whole torso aching), NECK PAIN (Neck and above shoulder starting aching and Whole torso aching), PAIN (whole torso was aching) and ARTHRALGIA (Shoulder starting aching). On 31-Mar-2021, SEIZURE (Breakthrough seizure (with no shaking, confusion, loss of consciousness)), HYPOAESTHESIA (Numbness in left foot), PARAESTHESIA (Tingling in left foot) and EAR PAIN (Sharp pain in left ear) had resolved. At the time of the report, PAIN IN EXTREMITY (Upper arm, back, neck and above shoulder starting aching and Whole torso aching), BACK PAIN (Back, neck and above shoulder starting aching and Whole torso aching), NECK PAIN (Neck and above shoulder starting aching and Whole torso aching), PAIN (whole torso was aching) and ARTHRALGIA (Shoulder starting aching) outcome was unknown. Not Provided DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Electroencephalogram: seizure Seizure. No concomitant medication was reported. Patient reported she recognized the event as a seizure due to her electroencephalography (EEG) and her vagus nerve stimulation (VNS) machine overshooting. Patient reported taking naproxen (Aleve) and lorazepam (Ativan) to treat the events. Action taken with mRNA-1273 in response to the event was not applicable. Company Comment: This case concerns a 68-year-old female with a serious unexpected event of seizure, and nonserious unexpected hypoaesthesia, paraesthesia, ear pain, pain in extremity, back pain, neck pain, pain, and expected arthralgia. Event onset the same day as second dose mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. This case was linked to MODERNATX, INC.-MOD-2021-080130 (E2B Linked Report).; Sender's Comments: This case concerns a 68-year-old female with a serious unexpected event of seizure, and nonserious unexpected hypoaesthesia, paraesthesia, ear pain, pain in extremity, back pain, neck pain, pain, and expected arthralgia. Event onset the same day as second dose mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. MODERNATX, INC.-MOD-2021-080130:1st Dose |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1249643-1 | seizure; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (seizure) in a 37-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included Seizure since an unknown date. Concomitant products included TOPIRAMATE (TOPAMAX) for Seizure. On 15-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 15-Apr-2021, the patient experienced SEIZURE (seizure) (seriousness criterion medically significant). At the time of the report, SEIZURE (seizure) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No treatment medication information was provided. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1249689-1 | seizure; very tired; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of SEIZURE (seizure) in a 63-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 036B21A and 044A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No Medical history was reported). On 10-Apr-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 11-Apr-2021, after starting mRNA-1273 (Moderna COVID-19 Vaccine), the patient experienced FATIGUE (very tired). On 12-Apr-2021 at 3:00 AM, the patient experienced SEIZURE (seizure) (seriousness criterion medically significant). At the time of the report, SEIZURE (seizure) and FATIGUE (very tired) outcome was unknown. No Treatment related information was reported. Patient went to bed like normal that night. Patient called a nearby family member, who took patient to her neurologist later the next day.; Sender's Comments: This case concerns a 63-year-old female with a serious unexpected event of seizure, and nonserious expected fatigue. Event onset 1 day after first dose mRNA-1273, with seizure occurring 2 days after vaccination. Event outcomes unknown. Based on current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1249761-1 | Uncontrollable shaking/convulsions lasting about 45 minutes from onset at 6am accompanied by intense upper arm pain in injection arm. Low fever around 99 degrees Fahrenheit lasting most of the day. Arm pain diminished after a few hours and was a more mild throughout the remainder of the day into the next day. No treatment administered. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1251113-1 | Husband reports that pt was taken to local hospital by EMS & transferred to facility following a seizure at home around 22:00. She has had seizure type activity prior to this event she was admitted to medical center and treated (he didn't go into detail). She was released and is home she is still having issues with severe weakness and fatigue and sleeping most of the time. The events were reported to our hospital on 4/14/21. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1251487-1 | Patient experienced a seizure on 28MAR2021. The treating physician did not relate the seizure to the vaccine and provided patient with permission to get 2nd COVID vaccine. The patient reports she also had low blood sugar the same day as the seizure and was relating the seizure to possible low blood sugar. The patient denies history of seizures. The patient reports she has a history of low blood sugar and has implemented a new diet to try to control the low blood sugar. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1251736-1 | Patient experienced pain in the left shoulder that radiated up to her neck. She became lightheaded, started convulsing, and hit her head on the wall. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1251743-1 | "Patient received vaccine, was waiting for about 5 minutes in the waiting area when another customer yelled ""He's passing out!"". Upon running over, I noticed that the patients eyes rolled in the back of his head, his legs were straight out, and was making ""groaning"" noises. He was in this state for about 30 seconds. 9-1-1 was called immediately and patient was given water. When asked if he knew where he was, he stated ""a pharmacy store for my COVID shot."" He told me he remembers everything, saying he felt like he was in a dream during seizure. Questioned if he had ever had seizures before and he stated once when he was giving blood. No shortness of breath or hives noticed, therefore no EpiPen was administer. Ambulance arrived and asked similar questions that we had asked, and patient stated he was ""just hot."" He also seemed a bit yellow in color. Patient was able to stand up and walk to the ambulance with little to no help. All of this occurred in about 10 minutes total." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1251893-1 | "Per EMS observation staff: ""Patient experienced throat tightness, feeling funny, and had syncope after receiving the vaccine. Patient had a syncopal episode with convulsions for approximately 30 seconds. Patient was given 50mg of IM Benadryl at 11:18 and 911 was called. After administering IM Benadryl patient seemed to improve. Patient was transported by Fire Department at 11:26 and transported to Hospital."" VS per obs staff: 11:18: BP 80/palp, HR 54, resp 24 labored, oxygen 94% on RA. 11:23: BP 80/40, HR 56, resp 20 semi labored, oxygen 92% on RA. Per roommate pt received dose of epi upon arrival in ED. Attempted to make FU phone call. No answer at this time. Will continue to call and verify patients condition." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1251999-1 | Patient developed a headache & then had a seizure. Called 911, patient came out of seizure while paramedics were with him and was taken to the hospical |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1253777-1 | fatigue, headache, nausea, body aches, chills/convulsions, fever, soaring heart rate (120 at rest) |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1255803-1 | Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Medium, Systemic: Hypotension-Mild, Systemic: Nausea-Medium, Systemic: Seizure-Mild, Systemic: Shakiness-Mild, Systemic: Tachycardia-Medium, Additional Details: hypotension 102/74. symptoms resided after pt laid down with feet/legs elevated. after 30 minutes additional observation, patient felt back to baseline. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1255853-1 | 3/20/21: Pt bib Medical Center via helicopter with c/o headache/ seizure. Per FR, pt was driving when she was witnessed by friend having a possible seizure. Upon arrival to ED, pt had second episode of possible seizure. Pt given Ativan, Keppra and thiamine in ED. Pt is AAOx4 upon arrival, speech mildly delayed. VSS at this time. Pt reports drinking a bottle of liquor everyday and states a PMH of alcohol withdraw. Progress note from 3/25/21: Neurological examination at this time continues stable. Patient underwent DSA yesterday with findings of left frontal lobe cortical vein thrombosis with hemorrhagic conversion. Documented that given timing of events, a consideration should be given to possible COVID vaccine related thrombosis and may advise against second dose of vaccine. EEG with no evidence of epileptiform discharges. Continues with intermittent word finding difficulties/confusion, but continues following all commands consistently. Possible that some component is also related to longstanding ETOH abuse? Pending discussion of findings with NES, apparently patient was reported to have episodes of irregular heartbeat during DSA? |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1256289-1 | A little over an hour after receiving my second dose I experienced a severe seizure that resulted in a trip to the ER. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1256375-1 | Taken into emergency with sudden onset of seizure at 3 :30am while sleeping at home. Had another seizure when arrived at the hospital. After multiple exams abs tests, diagnosed as subarachnoid hemorrhagic stroke. Don?t know if it?s related to the vaccine received 2 weeks prior |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1256808-1 | Patient had a seizure 5 minutes after receiving the vaccine. It lasted 30 seconds to 1 minute. She was laid on the floor and recovered. EMS evaluated her and she was taken privately to the hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1256897-1 | Pt was seated in the observation area and slid to the floor from a chair. Pt had a witnessed seizure (mild jerking of body, eyes rolling into back of head) for approx 30 seconds. Pt was post-ictal. Pt was arousable after approx 1 minute however was slightly disoriented. Pt became more alert, assisted into wheelchair, and escorted to a private area. Fire/EMS arrived to resume care. Pt refused transport to local ER. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1256951-1 | Patient received dose, and was walking to sit down in waiting area. Patient passed out and convulsed. Patient immediately regained consciousness and was A&O X 3. Patient became stabilized and within 5 minutes reported feeling normal again. Patient completed 30 minute wait in facility with no additional s/s of reaction. Patient reported not eating for at least 6-8 hours prior to vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1257136-1 | Vomiting, Fever, Diarrhea, Nausea, Vertigo, Convulsions, Extreme Fatigue, Disorientation, Extreme Blurred Vision, Problems With Night vision, Extreme Chest Pain, Short of Breath, Extra Sleeping, Decreased Productivity, Confusion, Getting Lost Abnormally, Decreased to NO appetite |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1257465-1 | On Sunday 04/11/2021 started with a diarrhea until Thursday 04/15/2021, when I had convulsions at home and then 110 degrees fever, I stayed 15 hours in the ER, since that time the diarrhea has stopped, then on 04/22/2021 I had a rectal bleeding and needed to be hospitalized until 04/24/2021. Also I showed positive for Influenza type B, I will like a explanation please. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1257469-1 | Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: patient had a seizure that lasted a few seconds-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Seizure-Mild |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1257656-1 | extreme confusion and memory loss that has not cleared up, seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1258133-1 | "THIS PATIENT HAS A SEIZURE DISORDER AND WAS MONITORED AFTER RECIEVING THE VACCINE. THIS PATIENT DOES LIVEIN A GROUP HOME AND IS MONITORED BY STAFF. THE STAFF EMAIED TO LET US KNOW THAT ONCE THE PATIENT GOT HOME HE DID HAVE ""A RIDICULOUS AMOUNT OF SEIZURES TODAY."" THE GROUP HOME SPOKE TO THE DOCTOR AND TOOK A PREFILLED SYRINGE OF ATIVAN." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1258290-1 | Patient stated feeling dizzy after getting vaccination. than patient felt hot and ice pack and fan stated. Patient BP taken 104/68, 55 Pulse, 20 R at 10:08 am. Shortly afterwards patient black out and Nurse to get safely guide patient to floor, raised feet on chair and secured head up and continue to supply ice pack and fanning. Patient stated seizure activity and Nurse administered Epi injection to control seizure that last only 30-45 seconds and stop. BP taken after seizure and EPI injection 171/93, 65 pulse, 20 R, 98% sat. Patient stated talking and color stated coming back and 911 was called and patient remain on floor talking as we fan continue ice packs on him. Pulse ox 98%, R 18 and |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1258657-1 | Patient passed out and look like seizures, Called 911 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1258872-1 | Pt was seen in the Covid vaccine clinic for his second dose of moderna vaccine. Pt stated to this nurse that he typically passes out after receiving a vaccine or blood draw. This RN advised pt to sit in the same chair for his 15 min observation period. At approximately 1642 Pt started slumping over in his chair and was unresponsive to voice. His eyes were open, his skin become very pale and was diaphoretic. This Rn along with several RNs that were near by came to his aid. VS were obtained. At 1644 pt lost consciousness for approximately 15 to 30 seconds, EMS was called at this time (1644). Right before pt woke up he had witnessed convulsions. Upon waking, pt was lip smacking, no emesis at this time. His eyes were open and he was supporting his own weight but was not responding to voice commands. At approximately 1646 pt was alert and responding appropriately, stated that he knew where he was now and he was no longer confused. Pt was given an apple juice which he was able to drink without complications. At 1708 pt was A&O x4, had a steady gait, stated that he felt back to baseline and safe to drive home. Pt declined EMS evaluation and left the clinic. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1259060-1 | Patient states she was shopping in the am and woke up in the ambulance. She was told she had a seizure and fell and hit her head. She was admitted site from 4/10/21 to 4/13/21. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1259225-1 | "Within 1-2 minutes of receiving 1st Moderna vaccine, client lost consciousness, exhibited seizure activity. Regained consciousness with-in 1-2 minutes. Client assisted to wheelchair, transported to EMS observation area. Extended observation x 15-20 minutes. Client reported ""feeling fine"", declined transport to ED. Client left in stable condition under own power." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1259386-1 | SEIZURES- FOCAL AWARE /FOCAL MOTOR / SIMPLE PARTIAL BILATERAL FLANK PAIN FOR APPROXIMATELY A MONTH |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1259488-1 | SEIZURES (PARTIAL / FOCAL MOTOR) OFF & ON FOR ABOUT 35 MINUTES FLANK PAIN |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1259727-1 | Left frontal lobe focal headache all day, at 7:30pm, feeling of overwhelming doom, followed by sudden onset uncontrollable crying, culminating in a seizure without loss of consciousness. Legs, arms, abdomen jerking in contraction and release. Extreme fatigue following event. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1259795-1 | After receiving her first dose of the Moderna Covid-19 Vaccine at 10:55 a.m., the patient fainted while in her chair in the waiting area and had convulsions. We immediately called 911 and we were able to get the patient to the floor safely and elevate her legs. Her convulsions stopped shortly after they began, and I stayed at the patient's side. She had normal breathing and pulse and began to wake up shortly after her legs were elevated. I applied a cold pack to the patient's forehead with her consent. She was very disoriented upon waking up. EMS arrived at 11:08 a.m. and took her blood pressure and blood glucose reading. She was conscious when they arrived but still disoriented. Her blood pressure was low and the patient said she felt like she was going to pass out again after they stuck her finger to check glucose. EMS transported the patient to Hospital because of her persistent low blood pressure. I attempted to call the patient this evening to check on her but was unable to reach her. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1261544-1 | seizure; 14 pound weight gain; This spontaneous case was reported by an other health care professional and describes the occurrence of SEIZURE (seizure) in a 43-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Primary pulmonary hypertension. Concomitant products included MACITENTAN for Primary pulmonary hypertension, APIXABAN (ELIQUIS), EPOPROSTENOL SODIUM (FLOLAN) and SILDENAFIL CITRATE for an unknown indication. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 23-Mar-2021, the patient experienced SEIZURE (seizure) (seriousness criteria hospitalization and medically significant). On an unknown date, the patient experienced WEIGHT INCREASED (14 pound weight gain). The patient was hospitalized from 23-Mar-2021 to 25-Mar-2021 due to SEIZURE. At the time of the report, SEIZURE (seizure) and WEIGHT INCREASED (14 pound weight gain) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In March 2021, Weight: abnormal (abnormal) gained 14 pounds in 1-2 weeks. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. It was reported that it was not sure if the patient was getting her diuretic in the hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1261766-1 | increased body temperature, seizure, death |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1261998-1 | Narrative: 56 y/o male with history of seizure disorder received second doe of COVID-19 vaccine on 1/28/21 while impatient. The following morning, he told nurses he felt like he had a seizure in his sleep. The nocturnist witnessed an active seizure later that morning, and the patient was transferred to the ICU. A total of 5-6 seizures were documented that morning. According to his chart, he also has a seizure following his first COVID-19 vaccine. Of noted, the patient has had multiple intermittent breakthrough seizures during his hospitalization since being admitted back in 9/2020. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1262130-1 | About 10 minutes after the vaccination was given, our technician noticed that pt leaned back and called out to his mom. Then, pt started to have a seizure. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1262528-1 | "Within a couple hours of dose, I was feeling really awful as if I had the flu with a pounding headache, all of my body hurt, naseau as if I was going to vomit, and my arm was really hurting. It progressively got worse throughout the day with feeling hot and cold so I took an Extra Strength Tylenol in case of fever. I went to bed around 10 pm and woke up out of a dead sleep around 2 am feeling like I was having trouble breathing. All of my body hurt, I was freezing cold and shaking with chills, and really dizzy and my head was still pounding. My arm where the injection site was also felt like it was burning. I thought I would take a hot bath to ease the chills and go back to sleep, but when I got out my naseau was even worse, my head was really hurting, and I began getting really dizzy sitting on the floor. I called my roommate in and said, ""I think something's wrong. I'm going to vomit or black out"" and that's the last thing I remember. I did black out and my roommate said I had what looked like three seizures and he called 911. I was shaking for several hours after that at the hospital. It is now the same day, 4.27.2021, 9 am and I am home from the hospital. I still feel weak, dizzy and nauseaous and my entire body hurts." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1264303-1 | My husband and I sat down at the same time to get the shot. I got the shot stood up waited for my husband to get his. We then went to the chairs to wait. Right as we sat down I started having to clear my throat. They gave me water and I couldn?t swallow it. I started struggling to breath. They had me lay down and I was still having a hard time breathing. They took my oxygen and it was extremely low. I started having convulsions. They used an Epi pen on my right leg and then called 911. I started convulsing and couldn?t breath or control my body. I lost consciousness right after the ambulance got there. Last thing I remember was somebody picking me up and putting me on the stretcher and then I woke up in the emergency room with them hooking me up to an EEG. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1264634-1 | Patient had a seizure about 5-6 minutes after receiving immunization. They were unconscious for about 1-2 minutes. They regained consciousness and were taken by E,M.T. to be evaluated further. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1264688-1 | Whole body convulsing all day; Not doing well after her Moderna vaccine; Tongue began to spasm and hasn't quit/bad shape; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of SEIZURE (Whole body convulsing all day) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included No adverse event (No recorded medical history). On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced SEIZURE (Whole body convulsing all day) (seriousness criterion medically significant), MALAISE (Not doing well after her Moderna vaccine) and MALAISE (Tongue began to spasm and hasn't quit/bad shape). At the time of the report, SEIZURE (Whole body convulsing all day), MALAISE (Not doing well after her Moderna vaccine) and MALAISE (Tongue began to spasm and hasn't quit/bad shape) had not resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Reporter did not allow further contact Most recent FOLLOW-UP information incorporated above includes: On 12-Jan-2021: No specific follow-up information recorded. On 12-Jan-2021: No specific follow-up information recorded. On 12-Jan-2021: No specific follow-up information recorded. On 15-Jan-2021: No specific follow-up information recorded.; Reporter's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1264903-1 | After providing the Moderna vaccine, patient passed out going forward in slow motion and head was resting on table, then immediately started seizure-like action putting him in an upright position and I put my arms out to keep him from going forward and then he opened his eyes and came to. After talking to him while in observation, he mentioned that it felt like he was out for 5 minutes even though it only lasted for about 10-15 seconds. He mentioned that 12 years ago this happened (someone had thrown a rock and it hit his hand and when the nurse went to clean it, he went cold and when he came to it was exactly how it was after getting the vaccine). He only recalls feeling cold. When patient was about to leave, I suggested to him to reach out to his PCP to see if it's ok to give his 2nd dose with us or if he should be observed in a clinic setting. I did a follow up call a few hours later and he is doing fine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1264909-1 | Patient was sitting in observation area after vaccine, seemed to lean toward her mom and fall off chair. started having seizures. total of 4 with 8 minutes. BP 180 70 and HR 180 down to 110 after seizure. placed in sidelying-postion for recovery |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1265465-1 | At approximately 12:45pm on 4/27/2021, patient received his first dose of Covid19 (Moderna) vaccine, given by Pharmacist on duty. During the 15 minute observation period following the vaccine, the patient's father asked the pharmacist to check his blood pressure. While the pharmacist was checking his blood pressure (approximately 2-3 minutes following the vaccination), she notices the patient was starting to look pale and shut and squint his eyes as if he was having trouble focusing his vision. The pharmacist questioned the patient to make sure he felt ok, and the patient said his vision was going black and he was getting dizzy and lightheaded. The pharmacist moved nearby objects out of the way to prepare to lay the patient on the ground. When returning to the patient, he was staring blankly, hunched over, unresponsive, no pulse felt on a 5 second check, and had rheum dripping from nose and eyes. At 12:50pm the pharmacist instructed technician to call 911. Patient was lowered to the floor in the supine position where he remained unresponsive and no pulse could be felt on a 10 second check, but chest rise could not be evaluated as patient started to have convulsions. Convulsions ceased after approximately 15 seconds and patient started groaning and moving his head and said he could hear but he couldn't open his eyes yet. Patient remained supine and the Pharmacist continued to carry on conversation with patient until EMS arrived at 12:57pm to evaluate patient. EMS attributed the instance to syncope related to the vaccine. The patient denied ambulatory care to the hospital for any further evaluation. Patient denied history of fainting expect for ?one unprovoked episode at his grandmother's house when he thinks his blood sugar got too low.? |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1266127-1 | Fatigue; Brain fog; Sweating a lot; Was ghost white; severe chills,freezing; Very very high fever; Nausea; Had a seizure; Blue lips; Fainted; Was out for like 30 minutes; Something white on the patient's mouth; Little lightheaded; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of SEIZURE (Had a seizure), CYANOSIS (Blue lips), SYNCOPE (Fainted) and LOSS OF CONSCIOUSNESS (Was out for like 30 minutes) in a 28-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history was provided by the reporter. Concomitant products included VITAMINS NOS for an unknown indication. On 06-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 06-Apr-2021, the patient experienced SEIZURE (Had a seizure) (seriousness criteria medically significant and life threatening), CYANOSIS (Blue lips) (seriousness criterion life threatening), SYNCOPE (Fainted) (seriousness criterion medically significant), LOSS OF CONSCIOUSNESS (Was out for like 30 minutes) (seriousness criterion medically significant), ORAL DISCHARGE (Something white on the patient's mouth), DIZZINESS (Little lightheaded), HYPERHIDROSIS (Sweating a lot), PALLOR (Was ghost white), CHILLS (severe chills,freezing), PYREXIA (Very very high fever) and NAUSEA (Nausea). On an unknown date, the patient experienced FEELING ABNORMAL (Brain fog) and FATIGUE (Fatigue). On 06-Apr-2021, SEIZURE (Had a seizure), CYANOSIS (Blue lips), SYNCOPE (Fainted), LOSS OF CONSCIOUSNESS (Was out for like 30 minutes), ORAL DISCHARGE (Something white on the patient's mouth), HYPERHIDROSIS (Sweating a lot), PALLOR (Was ghost white), CHILLS (severe chills,freezing) and PYREXIA (Very very high fever) had resolved. At the time of the report, DIZZINESS (Little lightheaded), FEELING ABNORMAL (Brain fog), FATIGUE (Fatigue) and NAUSEA (Nausea) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. The patient's concomitant medication included Adderol used for an unknown indication. The patient had received 1st dose of Modena vaccine and was monitored for 30 minutes at the facility where she got the vaccine , the patient went to her house and had little light headed and nausea, that evening she went to sleep and around 9 or 10 Hours after she had received the 1st dose of the Moderna vaccine she¿ fainted and had a seizure. She was out for like 30 minutes, she had blue lips, had something white on her mouth. The HCP told, that she should go to the hospital but it was really busy so they stabilized her at her house. The patient had never had seizures, it is a life threatening event. The patient is being seen by a neurologist and her primary care, and ¿they have just started with the CT scans and the studies(caller did not specify)¿ with pending results, so once the caller has all the test results she wouldlike to call back and give the most updated details on the patient¦s case. The patient had fatigue and brain fogs, but she did not have another seizure, Caller reported that ¿for now, we are dealing with the symptoms she had on the 06-Apr-2021. The patient had cancelled her 2nd dose appointment. The patient treatment medication included Advil on 06-Apr-2021. Company comment: Based on the information provided which includes a temporal association between the use of mRNA-1273 vaccine and onset of the reported events, a causal relationship cannot be excluded. chills, nausea, pyrexia and fatigue are consistent with the product safety profile.; Sender's Comments: Based on the information provided which includes a temporal association between the use of mRNA-1273 vaccine and onset of the reported events, a causal relationship cannot be excluded. chills, nausea, pyrexia and fatigue are consistent with the product safety profile. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1266253-1 | Patient received 1st Moderna vaccine Reaction: Seizures Severity: High |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1266298-1 | 2:00AM Vomited 3 times. 8:00AM had a seizure and fell over and my hands cramped up for 10 minutes after seizure. I lost control of my hands completely. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1266685-1 | Patient experienced a seizure 7 days post second dose of moderna vaccine. Patient is getting MRI currently and awaiting results. Patient when to hospital and got seizure under control. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1266821-1 | Pt was seen in Family Medicine on 4/23/2021. Was given her first Moderna vaccine that day. On-call doctor received phone call on 4/24/2021 that pt had expired. Death certificate states cause of death: seizure due to possible complication of COVID 19 vaccine. Conditions if any, leading to immediate cause: cerebellopontine angle tumor of brain |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1266920-1 | Patient was given their first dose of the Moderna COVIDvaccine. Within 1 minute, the patient began having a seizure (jerking, eyes rolled back in the head, head went limp, and his body stiffed up), and then went unconscious. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1267289-1 | Patient was given immunization at approx. 10:19am, Pt. gave back 15 minute timer at 10:41am, at 10:49am per AP (watched video) patient collapsed. Management arrived at 10:51am to assist. The report submitted by AP stated that patient had grabbed another customer and a clothes rack then fell to the ground. Customer stated patient had a seizure. When AP, arrived patient was unconscious and not shaking. A different customer was there to comfort the patient through the seizure. Per AP, patient was unconscious for 19 minutes and when she awoke she could not state her name or basic information. She was helped into a chair. After 11 minutes she could lucidly state her name and give basic information. EMTs arrived, assessed her, and transported her to further medical attention. We administered IMZ and are reporting adverse reaction but were not there to witness actual event (only the reports thereafter). |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1268186-1 | She said initially she felt pain and a bad taste in her mouth. Then, she felt faint and had mild seizure activity. I sent for the nurse and she came to analyze her vitals. Her respiratory rate was normal at 20, but her pulse dropped to 40. She was still responsive and able to communicate. We called 911 and administered an Epipen. She was transported to the hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1268415-1 | Patient arrived to check in for appointment with his wife. Patient does not speak English so his wife translated and shared that the patient wasn't feeling well due to allergies to the pollen and wasn't sure if he could take the shot. I checked the patient's temperature and it was 98.7F. I asked the patient what his symptoms were. Patient reported mucus draining causing irritation to the back of his throat. I recommended OTC nasal spray for the post-nasal drip. I asked if patient had any history of allergic reaction to any vaccine, fainting, or history of seizures and patient denied. I stated patient was in the clear to take the shot if he was comfortable. Patient said okay. Pharmacist administered the shot and patient and his wife were seating in our waiting area to wait 20 min. After 10 min, patient's wife screams that her husband is not feeling well. Pharmacist rushes to the patient and sees his body shaking in the seat and asks a customer to lay him on the ground. Customer calls 911. Seizing lasted less than a minute. I approach the scene and immediately lay the patient to his side. Patient is conscious and breathing. Patient denied chest paint, headache, or tingling sensation in hands and feet. Patient vitals were checked. Paramedics arrive and did a full check up and everything was within normal limits. Patient openly reported he had not eaten all day and has history of fainting after shot due to anxiety of needles. Paramedics encouraged patient to seek medical attention, but patient denied. Patient was given water and a banana and went home. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1268684-1 | The patient fainted as soon as she got the immunization/Moderna 1st dose and fall down to the side of the chair she was sitting. She regained consciousness after a few seconds and sat down on the floor, she had mild seizure for a few seconds before she regained consciousness. She had no headache and her breathing was normal. She told she has no history of seizures. She told she was feeling fine. But after a few minutes she told she was feeling dizzy again, so we called the paramedics and she was taken to the hospital. I called and left message for patient to follow up with her. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1270391-1 | Patient had fever the night of administration and in the morning after patient had a seizure. (does have past hx of seizures) |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1270537-1 | seizure 2 days after vaccine |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1270848-1 | Patient received vaccine at 2:15 pm at Public Health clinic. She waited the appropriate 15 minute observation period and was feeling well. She then came to PCP office for a routine medical exam and reported feeling well when she first came, although her blood pressure was slightly elevated but pulse was normal. She was taken to an exam room and left for approximately 5 minutes, at which time she presented to the nurses station reporting that she thought her tongue may be swelling. Nurse evaluated and got NP to evaluate immediately. Patient reported she could still breath normally and swallow but that she was still feeling the swelling increase. At this time NP left to get PCP while nurse elevated HOB as patient began to choke on her tongue. PCP ordered epinephrine, 1 mL administered immediately. 911 called. Patient reported she was starting to feel better, swelling began to decrease. She then started to feel shaky, was pale and diaphoretic. She lost consciousness for approximately 10 seconds and pulse was not palpable. Staff readied for CPR and AED brought to room but patient regained consciousness prior to any care being necessary. She began to speak in full, clear sentences and was alert and oriented. 2L o2 applied. She was speaking with staff normally for around 5 minutes while awaiting ambulance, began to feel hot and felt her heart racing. Her PCP advised her that this was a normal sensation brought on by epi. As EMS arrived, patient reported feeling intense chest pain radiating down left arm, intense headache, and tingling in her fingers. As she was being transported to stretcher, patient experienced a 1.5 minute seizure followed by an episode of vomiting. She then left the building via ambulance and was take to Hospital emergency department. There it appears that she received 2 more rounds of IM epinephrine, IV epi, CPR, and was intubated. She was transferred from there to ICU where she is currently admitted on ventilation under sedation and receiving cardiac testing due to continued hypoxia and tachycardia. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1270981-1 | pt said he said his arm is sore, he felt shaky, cold and had a slight temperature the night after taking the vax. The next morning he had a seizure that lasted a few minutes. Pts mother contacted his neurologist. Pt was told the seizure could have possibly been related to him taking the vax. He will FU w/ him on his next scheduled appt in June 2021. His symptoms feels better today except his tongue is still sore from biting it during the seizure. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1271162-1 | patient was found down on the ground. he was slow to respond but eventually came around. he had a syncopal event or seizure. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1271622-1 | 10 minutes following vaccination patient had difficulty breathing. Pharmacist helped patient to the ground. Intern called 911. Patient had two seizures as well. Pharmacist attempted to administer epinephrine. Medics arrived and patient was doing better. Patient came back a few hours later to let us know she was ok and thanked us. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1271767-1 | "Seizure... 1/2 hour prior to incident patient was with friends in a classroom leisurely using PowerPoint. She reports she had pain in her teeth and her chest felt tight. She just didn't feel well. Closer to incident student felt dizzy, like she was ""going to pass out"". States she turned to someone to tell that person she was not feeling well ""but I couldn't talk; the words would not come out"". She felt herself sway and then knew she fell to the floor. She felt like she was lying still for a bit but she could hear people around her and she heard someone say ""somebody start timing this"" (as if they knew it was a seizure)." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1271880-1 | Patient experienced a small seizure the day after Moderna second dose which resulted in extreme exhaustion and unable to get out of bed for 36 hours. Patient did not follow-up with doctor and continues to take Keppra ER daily. Patient's seizures have been controlled for 3 years until second dose of Moderna. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1272390-1 | About 5 minutes after receiving his 1st moderna covid vaccine, patient fainted and began to convulse briefly (less than 1 minute). Patient was seated the entire time and did not experience any known injuries. Paramedics were called and stated vitals were normal. Patient followed up with a physician that said the reaction was due to vasovagal syncope. He felt fine afterwards and followed up a few hours to say he was ok. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1272475-1 | Vomiting, unconsciencious, convulsions. Transported by ambulance to Hospital. Hospitalized for 5 days. CAT scan, EEG, |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1273318-1 | Possible Seizure: nausea Dizziness Passed out ~1-2 seconds Soem shaking weakness high blood pressure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1273971-1 | About 5 minutes after patient left the consultation room she began seizing which lasted about 60-90 seconds. She then regained her senses and then had another episode about 3 minutes later. When questioned she mentioned she is terrified of shots and had not eaten this morning. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1274151-1 | approximately 10 minutes after vaccine was administered, patient started seizing for about 15 seconds and passed out. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1274710-1 | patient developed dizziness and syncope in chair in waiting room. Proceeded to rest on floor to relax and started to have what could best be described as a seizure, having uncontrolled body movements. EMS was called, unknown at this point if patient was released to home or taken to ER |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1274978-1 | Patient was seated completing the15 minute observation period and at 1349 was witnessed by clinic staff dropping his phone, leaning over to pick it up and falling down onto the floor. As nurse approached, patient laying on his right side below the chair with full body convulsions lasting approximately 15 seconds. Patient's head supported and protected, eyes rolled back, skin appeared pale, incontinent of urine. Patient appeared to regain consciousness for a few seconds and then began to convulse again for 5 seconds. Patient then regained full consciousness with no postictal confusion. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1275013-1 | Within hours of receiving the Covid vaccines, I began experiencing multiple seizures. I also lost the ability to open my right eye for 5-10 minutes. The seizures were also experiences with my first dose on 3-30-21, but as I had had multiple seizures that week, we did not think it caused by the shot. We now know it to be caused by the vaccine, as I had been seizure-free for almost 2 weeks prior to the second shot. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1275198-1 | Patient had a seizure a few minutes after the vaccine, 911 was called. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1275522-1 | I had a fever starting after the shot, and it increased nerve pain from my chronic condition escalating into a flare up where I was incapacitated and immobile due to pain. I started having seizures everyday for about 1 week after the injection, and then again on weeks 3-5 post injection. The pain flare lasted for over 5 weeks. I continue 7wks after the shot to have a fever, and still have not fully recovered from the complications of my flare up. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1276753-1 | Seizures; Sleep erratic; slept all day; Runny nose; excruciating pain, body was too much in pain; weakness; body ache; Fever 102F at night time; Nausea; Headache; Joint pain, pain in every joints; Muscles pain especially lower back; lethargic; Could not sleep; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Seizures) in a 54-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Seizures (History of seizures). Previously administered products included for an unreported indication: FLU VACCINE VII (Allergic reaction to flu vaccine, could not breath and in the ER room for 2 days and seizure activity.) in 2011. Concomitant products included LAMOTRIGINE (LAMICTAL) for Seizure. On 23-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 24-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 24-Apr-2021, the patient experienced LETHARGY (lethargic), INSOMNIA (Could not sleep), ARTHRALGIA (Joint pain, pain in every joints), MYALGIA (Muscles pain especially lower back), HEADACHE (Headache) and NAUSEA (Nausea). On 25-Apr-2021, the patient experienced SEIZURE (Seizures) (seriousness criterion medically significant), SLEEP DISORDER (Sleep erratic), SOMNOLENCE (slept all day), RHINORRHOEA (Runny nose), PAIN (excruciating pain, body was too much in pain), ASTHENIA (weakness), MYALGIA (body ache) and PYREXIA (Fever 102F at night time). On 26-Apr-2021, PYREXIA (Fever 102F at night time) had resolved. At the time of the report, SEIZURE (Seizures), SLEEP DISORDER (Sleep erratic), LETHARGY (lethargic), INSOMNIA (Could not sleep), SOMNOLENCE (slept all day), RHINORRHOEA (Runny nose), PAIN (excruciating pain, body was too much in pain), ASTHENIA (weakness), ARTHRALGIA (Joint pain, pain in every joints), MYALGIA (Muscles pain especially lower back), MYALGIA (body ache), HEADACHE (Headache) and NAUSEA (Nausea) outcome was unknown. Treatment included 1 tablet of Ibuprofen 200mg at approximately 3:00am 25Apr2021. Company comment: This case concerns a 54 Y/O F with H/O influenza vaccine reaction, with serious unexpected event of seizure, and nonserious unexpected sleep disorder, insomnia, lethargy, somnolence, asthenia, pain, rhinorrhea, and expected pyrexia, headache, myalgia, arthralgia, nausea. Latency Day 1 after 2nd dose mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between use of the product and start date of the event, a causal relationship cannot be excluded.; Sender's Comments: This case concerns a 54 Y/O F with H/O influenza vaccine reaction, with serious unexpected event of seizure, and nonserious unexpected sleep disorder, insomnia, lethargy, somnolence, asthenia, pain, rhinorrhea, and expected pyrexia, headache, myalgia, arthralgia, nausea. Latency Day 1 after 2nd dose mRNA-1273. Event outcomes unknown. Based on current available information and temporal association between use of the product and start date of the event, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1277153-1 | Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Severe, Systemic: appeared to convulse on way down from floor to chair and on floor -Medium, Systemic: Flushed / Sweating-Medium, Systemic: Seizure-Medium, Systemic: Shakiness-Medium, Systemic: Visual Changes/Disturbances-Severe, Additional Details: convulsions |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1277375-1 | Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Medium, Additional Details: Pt fell out of chair 5 minutes after vaccine. Showed symptoms of seizure. Briefly unconscious. recovered quickly and was coherent. Pt stated she had had this reaction previously when being fitted for contact lenses |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1277408-1 | Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Hypotension-Severe, Systemic: Seizure-Severe, Additional Details: pt had a series of seizures (3+ as montiored by a np), low bp and confusion. was taken to hospital |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1277414-1 | Systemic: Fainting / Unresponsive-Mild, Systemic: Seizure-Mild, Additional Details: Minutes after providing the Moderna Vaccine the patient had syncope and had seizure for less than a 1 min and was resonsive after. I was there and help the patient while my team called 911. The patient had muscle spasm from seizure in his neck and back. He was pale, his BP 110/70 and pulse was 110. His wife was there and she wanted him to go to the emergency room however the patient refused when the team arrived. they checked on him and then decided to go home. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1278098-1 | Patient came out of the immunization room (~12:29pm), and sat down in the waiting room, as he was told to do for 15 minutes following his vaccine. At 12:30pm, the patient hit his head on the wall in the waiting room, slumped down in his chair, and began seizing for approximately 30 seconds. He, then, woke up, sat up in the chair and did not know what happened. The last thing he remembered was getting his shot. The medics arrived and finished the discussion with the patient. He remained in the waiting room for a bit, and felt better in about 30 minutes. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1278388-1 | "Heavy limbs, shaking, chills, muscles ""seized up"", felt catatonic, fever 100.8, shooting pains in body, no appetite. Very tired, crabby, bad breath & taste , bad body odor. This lasted several days, but headaches, sore muscles, difficulty in breathing , vertigo lasted til end of next week. Headaches, fatigue, irritability & bad moods, inability to exercise (I usually do) lasted went until 3rd week of March before began to taper off." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1279904-1 | Pt admit 4/8/21 2' suspected TIA or stroke vs seizure disorder. Encephalitis (MRI+) post-Moderna COVID-19 Vaccine 2nd dose 3/8/21. Started on IVIG x5 doses and prednisone, along with seizure meds for tx. Temporary pacemaker placed 4/13 (HR=32). Pt with improved mentation post-tx and sx. Discharged home stable 4/19. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1280257-1 | "Seizure like movements (uncontrolled shaking in legs) 3 hours after injection of first dose. Happened twice for about 5 minutes. ""Covid Arm"" appeared on injection site about 2 weeks after first dose. Rash on legs and psoriasis flare up a couple days after first dose." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1280300-1 | Developed petichiae on 3/20. Labs drawn 3/22 showed Platelets of 20,000. Started 150mg prednisone 3/29. Neurological symptoms that week. Seizure and brain bleed noted on 4/3. Intubated and transferred from local hospital to neuroscience hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1280979-1 | Pt had a seizure, vomited about 7 hours following vaccine |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1281448-1 | Seizure-like convulsions, followed by lethargy. Was awakened from sleep with tremors. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1282066-1 | Patient suffered a seizure approximately 30 min after receiving the covid vaccine. EMS was contacted.... and patient regained consciousness at time of EMS arrival. She refused transport to the hospital and stated that she was feeling some better. EMS then left the scene and which time patient suffered from a second seizure. EMS returned and then transported patient to our local emergency room. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1282331-1 | Severe loss of cognitive function: short memory loss, inability to form words, non-epileptic seizure ( loss of motor control in legs), severe lethargy, severe loss of word recall. All symptoms lasted for 14-17 days. At present, 85% return to normal function but not 100% compared to pre-vaccine function. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1282703-1 | At 2:30 in the morning I woke up to go to the bathroom. On the way back to bed I fell. My husband hear me fall and came out. I was unconscious. When he tried to get me to our room, I had a seizure. He called 911 This was all a matter of 2 minutes total. I have never had one before. I am in good health. My BP was 92/ 65 when paramedics arrived. It is normally 110/ish/60ish. Paramedics thought perhaps I was dehydrated. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1282878-1 | 15 minutes post vaccine patient said she did not feel well. I noticed her arms starting to tremor she then went into a seizure. She had 2 seizures lasting about 1 minute a piece a few minutes apart. An ambulance was called. Patient refused to be seen at the hospital. The person with her stated she has seizures and has had one recently. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1283423-1 | Patient notified RN that she had previously had a seizure with first vaccine. Patient was stable, awake alert and oriented. Shortly after, patient began convulsing around 1528. Called nurse manager and provider of the day. Patient's O2 saturation began dropping to 85%, placed patient on 5L O2, raised HOB, removed all harmful objects and turned patient to side with assistance. Patient began seizing again while on the phone with physician at approximately 1532, was instructed to call 911. Called 911 and informed them of incident, was told to call again if patient began convulsing. Patient began seizing for a 3rd time at approximately 1540, called 911 again. Paramedics arrived on site at approximately at 1546 and took patient to ED. Husband and site manager notified. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1284017-1 | Complained of feeling dizzy and hot approximately 5 minutes after receiving the vaccine. As he was sitting down his head threw back, he stiffened, his eyes moved left to right, and he was not responding. The nurse and I immediately tried to lower him to the floor. While we were doing this he partly regained consciousness as another staff member called EMS. He was talking and answering questions when EMS arrived. They transported him to the hospital. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1284289-1 | Seizure. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1284986-1 | Care taker reported that patient vomited and started convulsing. She also reported that patient history of seizures. Care taker reported that was given rectal valium and was stable after administration. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1285411-1 | Patient had pallor and dizziness. He then experienced a syncopal event with subsequent seizure. The seizure was accompanied by loss of bladder control. Patient rapidly regained consciousness and had minimal post ictal state. He has no history of previous seizure though his mother had a seizure disorder. Patient was sent to the emergency department where he was given IV fluids, and bloodwork was noted to be normal. Was discharged in 1 to 2 hours to home. He states he is doing well this morning. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1285492-1 | C/O SYNCOPE, SEIZURE ACTIVITY X 20 SECS, NAUSEA, NO HX PRIOR ALLERGIES, PROVIDED WATER AND SNACK, SX RESOLVED, NO TRANSPORT. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1285503-1 | She got her vaccine, had no reaction, put ice on her arm and tried to stay moving it and was thirsty and drank a lot of water. She took her shower and went to bed as usual. The next morning early she felt so bad when she tried to stand up and she could not. She felt so bad and shaking that she was having seizures. Her whole body aches, her arm hurt, her head felt like she had gotten shot in the head. She went to bed for 4 hours, went to the bathroom and had severe tremors/violently shaking. She used the bathroom and slept for another 10 hours. By about 6:00 PM that night she could sip some water but not a lot as was afraid of throwing up. The 2nd day was bad as well, not as bad. She started drinking around 12:00 and tried to hold that down and by about 5:00 PM she was bale to eat. She had a temp of 101.7 and 101.9. She did take Ibuprofen and when she tried to eat, she felt sick again like she was back to the first day and her temp came immediately back. It's been a week and she still feels like crap, and was trying to go to the grocery store and had to leave as she had no energy. She does have a rash on her right arm around the injection site. She has improved some, able to eat 1/2 of what she used to, still feels sick after she eats, her temp is low grade and exhausts out quickly and does not feel well and not back to herself. She did drive today but was afraid to do so due to the feeling she is still having. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1285656-1 | for 18 y.o. woman who experienced a 10-15 second seizure in observation area. No trauma. Found to have low CBG, history of anemia. No seizure disorder. Alert and talking while waiting for transport. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1285700-1 | Aura/Seizure 44 hours following vaccine. Lasted 5 minutes. couldn't think clearly or remember address, workplace, etc. . A 2nd Aura/Seizure episode 72 hours following vaccine. One full week of brain fog and inability to work. Swelling in left rotator cuff area. Numb arm and pain in left hand. Unable to use left arm and hand fully from 3 days after vaccine to 7 days after vaccine. Tired, dizzy, headaches, nausea for a full week. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1285946-1 | Suffered several seizures in the weeks following the administration of first dose. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1286059-1 | The patient had a seizure in the pharmacy waiting room while waiting her 15 minutes. EMS was called and the patient was taken to the hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1286741-1 | Fluctuating temperature. Had a fever for 3 hours from 11 PM to 2 AM after the first shot that would range from 100 to 103. After the second shot, has had fatigue, body aches, shortness of breath, dizziness, memory loss, seizures, temperature fluctuations from as high as 104.9 to a normal temperature of 97.6 and then back up again within the span of hours. So far, have not had a fever free day for 45 days straight. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1287368-1 | Seizure 3-4 days after injection. Patient currently admitted to hospital for observation. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1288731-1 | presented to local ED lethargic, disoriented and unable to provide clear history on evening of 5/1/21 with severe frontal headache and increasing lethargy throughout the day. Admitted to hospital with suspected subacute stroke. Overnight developed LT sided weakness and RT gaze. Transferred to another healthcare facility on 5/3/21 with suspected seizure / encephalitis. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1289140-1 | pt says his right arm became very heavy the day he got his vax. He says it was so heavy he had to take his other arm to move it. He has had some shortness of breath and very fatigued. He has fever, dizziness, body aches and pains, chills, and joint pain. He says these symptoms come and go but has them almost ever day. He had a seizure one night while sleeping but was better next day. He will get cold and have to go to bed to sleep before warming up. He had an episode where his feet became very heavy and he couldn't walk. He has become extremely weak and has trouble doing daily task. He has cramping in his back muscles that moves up and down his back. He has never had any other these symptoms before getting vaccinated and has only had a couple of days where he felt normal. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1290096-1 | 4/20/21: patient arrived to ER per EMS status post PEA arrest. Per ER records, patient became unresponsive while sitting in bed witnessed by husband at home. According to husband, they had come home, she sat on the bed and complained she was not feeling good. She then fell back on the bed and began to seize. Subsequently she had intermittent episodes of alertness and was able to speak to the husband followed by unresponsiveness. At time of EMS arrival pt. was unresponsive. EMS noted BS 120s, SBP 50s. En route to hospital, pt. had a CP arrest for which epinephrine was given, CPR initiated with ROSC. Pt. arrived to the ER on a NRB mask attempting to speak. Subsequently, pt. had several CP arrests with asystole, and |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1290197-1 | Cardiac arrest, seizures death |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1290971-1 | Seizure, Not breathing. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1291606-1 | convulsing; Hallucinating; Fever of 104 degrees; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (convulsing) in a 45-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 023M20A and 025B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 29-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 26-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. In April 2021, the patient experienced SEIZURE (convulsing) (seriousness criterion medically significant), HALLUCINATION (Hallucinating) and PYREXIA (Fever of 104 degrees). At the time of the report, SEIZURE (convulsing), HALLUCINATION (Hallucinating) and PYREXIA (Fever of 104 degrees) outcome was unknown. Concomitant product use was not provided by the reporter. Treatment medication included Paracetamol. Action taken with mRNA-1273 in response to the events was not applicable. Company comment: Based on the information provided which includes a temporal association between the use of mRNA-1273 vaccine and onset of the reported events, a causal relationship cannot be excluded. Fever is consistent with event safety profile.; Sender's Comments: Based on the information provided which includes a temporal association between the use of mRNA-1273 vaccine and onset of the reported events, a causal relationship cannot be excluded. Fever is consistent with event safety profile. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1291612-1 | thinks it was a potential seizure; vasovagal effect from the needle; Patient fell off the bench onto the floor and became rigid and stiff and exhibited some rigid movement; Patient fell off the bench onto the floor and became rigid and stiff and exhibited some rigid movement; This spontaneous case was reported by a pharmacist (subsequently medically confirmed) and describes the occurrence of SEIZURE (thinks it was a potential seizure) and PRESYNCOPE (vasovagal effect from the needle) in a 38-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 007C21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 26-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 26-Apr-2021, the patient experienced SEIZURE (thinks it was a potential seizure) (seriousness criterion medically significant), PRESYNCOPE (vasovagal effect from the needle) (seriousness criterion medically significant), MUSCULOSKELETAL STIFFNESS (Patient fell off the bench onto the floor and became rigid and stiff and exhibited some rigid movement) and FALL (Patient fell off the bench onto the floor and became rigid and stiff and exhibited some rigid movement). At the time of the report, SEIZURE (thinks it was a potential seizure), PRESYNCOPE (vasovagal effect from the needle), MUSCULOSKELETAL STIFFNESS (Patient fell off the bench onto the floor and became rigid and stiff and exhibited some rigid movement) and FALL (Patient fell off the bench onto the floor and became rigid and stiff and exhibited some rigid movement) was resolving. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Concomitant medications taken by the patient were not provided. The reporter reported that patient never had any allergic reactions to vaccines or medications before and had no past medical histories for vasovagal reactions. After receiving the vaccine, the patient waited in the pharmacy for 15 minutes - 20 minutes. The patient fell off the bench onto the floor and became rigid and stiff and exhibited some rigid movement. The patient was out of it for 15-30 seconds. The reporter stated that she called 911. The patient came to, his eyes were huge, but he was aware to self and surroundings. The emergency team came, took the patient's vitals which were stable and stated the patient likely experienced a vasovagal effect from the needle. However, the reporter thinks it was a potential seizure; more than a vasovagal response. Emergency team offered no treatment. The emergency team had encouraged the patient to follow up with a doctor but the patient did not want to make a big scene. Emergency team offered no treatment for the patient. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1291617-1 | wanted to die because it was soo painful; a little headache; serious pain; convulsing for almost an hour; cramps all over my body\ spasming; muscle weakness; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (convulsing for almost an hour) in a 60-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Lupus erythematosus, Rheumatoid arthritis, Fibromyalgia and Spinal fusion. Concomitant products included METHOTREXATE, ETANERCEPT (ENBREL), HYDROXYCHLOROQUINE SULFATE (PLAQUENIL S) and IBUPROFEN (ADVIL 12 HOUR) for an unknown indication. On 06-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 06-Apr-2021, the patient experienced SEIZURE (convulsing for almost an hour) (seriousness criterion medically significant), MUSCLE SPASMS (cramps all over my body\ spasming), MUSCULAR WEAKNESS (muscle weakness) and PAIN (serious pain). On an unknown date, the patient experienced CONDITION AGGRAVATED (wanted to die because it was soo painful) and HEADACHE (a little headache). At the time of the report, SEIZURE (convulsing for almost an hour), MUSCLE SPASMS (cramps all over my body\ spasming), MUSCULAR WEAKNESS (muscle weakness), CONDITION AGGRAVATED (wanted to die because it was soo painful), HEADACHE (a little headache) and PAIN (serious pain) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Company Comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1292522-1 | Seizure |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1292883-1 | Seizure: no signs, the duration of the seizure was short and lasted 10 seconds approximately, though I cannot be sure. I was conscious when the seizure happened though a bit out of it. I remember after using the bathroom I started to have a convulsion when I stood up and then I was on the ground on my stomach and my head was flopping and banging on the ground. Following the incident I had very sensitive to the touch soreness on both temples. After this happened I struggled to get up off the flow and back into bed. I remember crawling sloppily and pawing at the bed to try to get back into it, it was as though my body was not coordinated. I believe I feel asleep after that. Some time after I woke up on my back in the middle of the room with a very sore spot on the back of my head. I assume I blacked out and fell and hit my head, but I don?t remember. I had a headache afterward for several hours. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1293061-1 | Patient received the COVID 19 vaccine and was being monitored for 15 minutes post-vaccination. Approximately 10 minutes after receiving the vaccine patient stated that she felt dizzy and her throat was scratchy. Pharmacist went to assist patient and noted that patient had yellow facial coloring and appeared disoriented. Patient was not responding when pharmacist was speaking to her. Patient was seated in a chair and her eyes were noted to roll back in her head and her body was convulsing. Patient was not conscious. Patient was assisted to floor by staff and assessed by pharmacist and technician. Approximately 5 to 10 seconds after being set on ground, patient stopped convulsing and regained consciousness. Patient stated she was not having difficulty breathing but was confused, shaking, light-headed and nauseous. A nurse who happened to be on site assisted with treatment. An ambulance was called for the patient and treatment was triaged to emergency responders. Patient was assessed and observed by EMT's and was discharged to home. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1293140-1 | Seizure: Approximately 12 hours after the vaccine my body started convulsing. I was thrown onto the floor and my head was flopping back and forth banging on the ground. I remained conscious throughout the duration of the event which seemed to last approximately 10 seconds, though I can't be sure the exact duration. After the convulsions stopped I remember stumbling to get off the ground which felt difficult for my body was not coordinated. I managed to stumble and crawl back to the bed in the neighboring room. Some time later, within the hour, I woke up on the ground in the middle of the room on my back. My head was pounding and it appeared I had blacked out and fallen on my back and hit the back of my head. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1293302-1 | 24 yo old male came to the pharmacy to receive his 2nd dose of Moderna. Pt fainted shortly after receiving their dose. I believe they also had a seizure. Pt was extremely anxious prior to receiving their dose. Pt was laid on mat and we called 911. Paramedics checked him out and monitored his BP, HR, and Mental Status. Pt was taken to the hospital upon his consent. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1293626-1 | Seizure on 02/19/2021 Narrative: Patient had a Seizure last Friday 02/19/2021. This is new-onset seizure activity started on Keppra. PMH of a Hemorrhagic stroke October 2020. Patient received the Moderna vaccine on 2/13 developed dizziness, headache and nausea all day on Monday then 4 days later had a seizure and ended up hospitalized so per hospital report may have been a combination of a weakened immune system and old stroke that included the seizure. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1293919-1 | On 4/23/2021 I suffered a seizure while showering, after meeting with my doctor and a neurologist I was advised to fill out this form while they are still researching what had caused the seizure. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1294087-1 | Seizure; Spike Body temperature; Swollen Lip; Headache; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Seizure) in a 40-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. Unknown) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 30-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 01-May-2021, the patient experienced SEIZURE (Seizure) (seriousness criterion medically significant), BODY TEMPERATURE INCREASED (Spike Body temperature), LIP SWELLING (Swollen Lip) and HEADACHE (Headache). At the time of the report, SEIZURE (Seizure), BODY TEMPERATURE INCREASED (Spike Body temperature), LIP SWELLING (Swollen Lip) and HEADACHE (Headache) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 01-May-2021, Body temperature: inconclusive (Inconclusive) temperature is not coming down, it is not going up, but it is also not coming down. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. Treatment medication included paracetamol. Company Comment - Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1294337-1 | Multiple seizures that were not common with epilepsy. This occurred for a couple of days after the vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1295475-1 | Seizure lasting less than 1 minute occured within 1 minute of vaccination. Brought to ER by ambulance for approximately 2.5 hours, given fluids, blood tests, and discharged. Took 2 extra strength Tylenol before bed in anticipation of fever, elevated temperature by 5AM following day (98.8 F). 2 more Tylenol at 5AM. Very tired, sore throughout body, sluggish, lack of appetite. Another 2 Tylenol at 10:30 AM. Continuing... |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1295703-1 | I went to the restroom during the middle of the night at 2:00 am. I passed out coming back to the bed, hit the ground, and had a seizure. My wife witnessed the event. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1295895-1 | pt reported being really warm, and then passed out; all vitals were good; ems was called; (pharmacy is in a clinic so provider responded and helped with vitals and managed situation). Patient and husband called to tell me she was ok, then while on phone she passed out again in parking lot. I ran outside and pt was laying in parking lot, did sternum rub again, and patient began seizing. Pt had approximately 8 seizures occuring about every 30-45 seconds and lasting anywhere from 15-30 seconds each. EMS arrived, pt came to and was put on stretcher. Spoke to patient last night about 10pm, and she was home, feeling tired. Hospital told her that it was a normal reaction to vaccine and she would be ok. I think it was a combination of her being overwhelmed and scared of the shot and her anxiety and ptsd took over. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1296268-1 | seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1296292-1 | Patient lost consciousness. Presumed seizure activity. Patient had low BP. Paramedics took him to the hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1296464-1 | Patient received first Moderna dose, was ambulating to obs, fainted. No injuries sustained per patient. Nurse caught him, lowered him to the ground. 1:04pm: BP 88/50 left arm, HR 56. 1:08pm: 126/71 BP left arm, 73 HR. 1:09pm: 123/76 sitting BP LA, 68 HR. 1:14: 124/82 BP LA, 72 HR. Short seizure just before 1:20pm, lasted about 5 seconds. 1:21pm BP LA 126/53, HR 46. 1:24pm BP sitting LA 102/58, HR 55. 1:20pm called 911, EMS arrived on scene, at 1:27pm transported patient. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1296963-1 | About 5 minutes after administration of the Moderna vaccine (dose 1) patient appeared to have a seizure. She was seated in a chair and we noticed she started having an issue when she dropped her phone, her back and arms became very stiff, and she proceeded to have convulsions. We called 911 and lowered her on the ground and she continued to have convulsions for about a minute. She then slowly regained consciousness and asked us what had happened. Patient reported feeling confused and dizzy immediately after and said she had ringing in the ears. EMTs arrived on the scene and ended up taking the patient to a nearby hospital for evaluation. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1297349-1 | patient was seated in chair in waiting area about 2-3 minutes after vaccine. he started seizing and straightening up his body and began falling out of chair. i ran over and caught him before he fell all the way out. i supported him in the chair for about 10 seconds and he came to. the whole ordeal only lasted about 15 seconds. he said he felt weird and remembered dropping his phone. he stated he did not eat that morning. i gave him water and a snack and we watched him while EMS was called. they showed up in about 5 minutes. took vitals, everything came back normal. pt did not have hx of any |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | disease states. parent picked him up from pharmacy. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1298899-1 | aura seizure; aura seizure; fatigue; headache; heart palpitations; aphasia; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (aura seizure) in a 61-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 008C21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concomitant products included MARIJUANA for an unknown indication. On 26-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 27-Apr-2021, the patient experienced PALPITATIONS (heart palpitations), APHASIA (aphasia), FATIGUE (fatigue) and HEADACHE (headache). On 30-Apr-2021, the patient experienced SEIZURE (aura seizure) (seriousness criterion medically significant) and AURA (aura seizure). At the time of the report, SEIZURE (aura seizure), PALPITATIONS (heart palpitations), APHASIA (aphasia), AURA (aura seizure), FATIGUE (fatigue) and HEADACHE (headache) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No medical history was provided by the reporter. Treatment included Aspirin for headache. Company comment:Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, the previous history of previous injury, is a confounder.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, the previous history of previous injury, is a confounder. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1299429-1 | Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Seizure-Severe, Systemic: Shakiness-Severe, Additional Details: He came with his caretaker (sister) and was told side effects after vaccine administration. I also advised to remain seated for 15 minutes. The patient is special needs and got up anyways. I had pharmacy door open to watch patient while sister was in front of him watching him for reactions. I saw him through door standing against the wall. I ran to help him sit back down and he collapsed and hit his head on the floor . Sister said he has seizures. Called 911 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1299586-1 | Patient almost immediately collapsed, flushed, slight convulsions, supported patent lying down, called 911. patient recovered quickly emt arrived bp was low took patient to er |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1299942-1 | Systemic: Dizziness / Lightheadness-Medium, Systemic: Nausea-Medium, Systemic: Seizure-Medium |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1300751-1 | Systemic: Chills-Mild, Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Seizure-Mild |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1300753-1 | "Systemic: Chills-Mild, Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Numbness (specify: facial area, extremities)-Mild, Systemic: Seizure-Mild, Systemic: Visual Changes/Disturbances-Mild, Additional Details: About 5 minutes after vaccination he had possible seizure for ~10-20 seconds with loss of consciousness & arched back posture followed by leaning forward and coughing, bit his lip, was confused & unaware of what happened as he began to resond to questions. Had ""waves"" of lightheadedness, tingling fingers, distorted perception of contrast in pictures with a white background, warm & thirsty ." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1300801-1 | Systemic: Chills-Mild, Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Seizure-Mild |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1301052-1 | Strong increase of Tinnitus |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1301283-1 | poor oral intake . Seizures. on admission she was found to have lactic acidosis. Transaminase elevation and thrombocytopenia and Cr of 1.2 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1301596-1 | Patient received her vaccination at approximately 13:35. Approximately 5 minutes later, in the observation area, patient began having a seizure and fell out of her chair. Several on site paramedics tended to the patient and emergency services was called. Patient declined transport and advised that husband would take her to car via private vehicle. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1302071-1 | During the 15 Observation Patient passed out and fell out of the chair. Patient was unresponsive for approx 30 seconds. He had seizure. Patient be came alert and responsive confused for about 2 minutes. After becoming more alert. Patient stated he has had this happen before when we was giving blood. Patient had not eaten anything before coming to get vaccine as well. 911 was called. BP was 160/80, pulse 60, 02 sat 97% . Patient refused to go the hospital. Stated he felt fine now. I observed him for another hour before letting him leave our facility. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1303157-1 | Pt had vaccination and returned to lobby for 15 minute waiting period. While seated in lobby, became stiff and fell from his chair to the floor. Nurse responded, pt's jaw was clamped shut and pt appeared to be seizing. VS within normal limits, and pt returned to alert state within 2 minutes. EMS responded several minutes later and evaluated pt, who denied need for transport to hospital ER |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1303353-1 | Patient exhibited almost instantaneous syncope and seizure-like limb movement. Patient was attended immediately by Nurse staff, given O2 via NC @ 4lpm. Patient regained consciousness after approximately 1 minute, was moved to an observation area and monitored for 30 additional minutes w/out any other complications or incidents. Please note that the patient was given Benadryl prior to injection as she self-reported multiple allergies. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1304163-1 | it cause him to have more strokes n more sizures n more chest pain n emotially melt done makes bipolar worse as well |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1305024-1 | it was convulsive shaking; I started shaking so bad/I was shaking out of my skin/shaking lasted for 15-20 minutes; chill bumps; I could not stand up; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (it was convulsive shaking) in a 63-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 007821A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 20-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 20-Apr-2021, the patient experienced SEIZURE (it was convulsive shaking) (seriousness criterion medically significant), TREMOR (I started shaking so bad/I was shaking out of my skin/shaking lasted for 15-20 minutes), PILOERECTION (chill bumps) and DYSSTASIA (I could not stand up). On 20-Apr-2021, SEIZURE (it was convulsive shaking), TREMOR (I started shaking so bad/I was shaking out of my skin/shaking lasted for 15-20 minutes), PILOERECTION (chill bumps) and DYSSTASIA (I could not stand up) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. It was reported that, patient was scared to take the 2nd vaccine. Patient almost fell back. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1306327-1 | suspected TIA or stroke vs seizure disorder; Suspected TIA or stroke vs seizure disorder; Suspected TIA or stroke vs seizure disorder; Encephalitis; This spontaneous case was reported by a pharmacist (subsequently medically confirmed) and describes the occurrence of TRANSIENT ISCHAEMIC ATTACK (suspected TIA or stroke vs seizure disorder), CEREBROVASCULAR ACCIDENT (Suspected TIA or stroke vs seizure disorder), SEIZURE (Suspected TIA or stroke vs seizure disorder) and ENCEPHALITIS (Encephalitis) in an 83-year-old patient of an unknown gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On 08-Mar-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 08-Apr-2021, the patient experienced TRANSIENT ISCHAEMIC ATTACK (suspected TIA or stroke vs seizure disorder) (seriousness criteria hospitalization and medically significant), CEREBROVASCULAR ACCIDENT (Suspected TIA or stroke vs seizure disorder) (seriousness criteria hospitalization and medically significant), SEIZURE (Suspected TIA or stroke vs seizure disorder) (seriousness criteria hospitalization and medically significant) and ENCEPHALITIS (Encephalitis) (seriousness criteria hospitalization and medically significant). The patient was hospitalized from 08-Apr-2021 to 19-Apr-2021 due to CEREBROVASCULAR ACCIDENT, ENCEPHALITIS, SEIZURE and TRANSIENT ISCHAEMIC ATTACK. On 19-Apr-2021, TRANSIENT ISCHAEMIC ATTACK (suspected TIA or stroke vs seizure disorder), CEREBROVASCULAR ACCIDENT (Suspected TIA or stroke vs seizure disorder), SEIZURE (Suspected TIA or stroke vs seizure disorder) and ENCEPHALITIS (Encephalitis) had resolved. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. The action taken with mRNA-1273 in response to the event was not applicable. The patient received IVIG x5 doses and prednisone, along with seizure meds for treatment. Temporary pacemaker placed 13-Apr-2021 (HR=32). The patient was improved post-treatment and was discharged on 19-Apr-2021. Company Comment: Very limited information regarding this events has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this events has been provided at this time. Further information has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1306667-1 | He got his vaccine, was in the store at the meat counter and then had a visual effect as people were looking at him funny, and things went from black/white to black/gray/white and passed out (told he had a seizure and on film at the grocery store), then woke up in the back of the ambulance on the way to the hospital. In the hospital he was given an injection to slow his heart rate down, said that he drank a pot of coffee and then had another 16 oz coffee after that. He was not admitted, treated in the ER, fed him and was discharged home and then walked about 1/2 mile to his truck at the supermarket, and finished his shopping. He has been a little tired since then, has been taking it easy and not pushing himself too hard and not working too many hours. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1306735-1 | CHILLS, FEVER, DIARRHEA, SEIZURES (3 TIMES LASTING 10-15 MINUTES) |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1306939-1 | The Patient received the vaccine at 8:33am. She was sitting in the waiting area after her dose and started to have a seizure at or around 8:45am. She fell from her chair. The pharmacist on duty immediately responded and assisted as much as possible. No drug interference was administered. The patient seized for about 3 minutes and then came to. She waited for EMS to arrive but they took longer than she wanted to wait and she left the store at 9:05 am. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1307161-1 | Per the observation nurse, the patient was sitting down in a chair, looking down on his phone, when he suddenly fell from his chair to the floor on his left-side. Patient was unresponsive for about 4-5 seconds with convulsion-like movements, while he was on the floor. He then regained consciousness, he independently stood up and assisted to sit in the chair. Patient was pale in color, cool and clammy to the touch at this time (while alert and oriented). Two doctors were at the patient's side to assess him. Vitals were taken. Patient was alert and oriented (answering all questions from the MD). Patient continued to be monitored and he was given water to rehydrate for an hour after the incident. He was sent home with his wife. Prior to leaving, the patient was alert and oriented. He stated he felt better. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1307429-1 | High fever, body aches, nausea, vomiting, headache, and chest pains the fever caused her to start having seizures which she has had under control for over 2 years with her meds |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1307534-1 | Right after administering the immunization the patients head rolled back and his body started to convulse. Put him onto the floor he stopped convulsing and went limp. As I was checking for a pulse he woke back up very disoriented. EMS was called they came and took him to the hospital |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1307843-1 | Witnessed seizure in a restaurant while working . Was sent to Hospital in via ambulance. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1307979-1 | Around 12:45p patient got his second dose of Moderna Covid-19 Vaccine. About 5 minutes into waiting outside the pharmacy sitting in a chair I heard a loud thud outside the clinical services room. I was alerted by pharmacy technician that the patient had fainted. We called 9-1-1 immediately. Patient was face down and unconscious for about 7-10 minutes. Patient also had some convulsions during this period. Patient regained consciousness but was very disoriented and did not know where he was. He then went in and out of consciousness for about another 7-10 minutes until EMTs arrived and began caring for patient. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1308055-1 | Patient stated today, 5/11/21, 24 hours after receiving the first dose of Moderna she passed out and had a seizure. Roomate called 911, she was taken to the hospital, treated and followed up with a neurologist. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1308079-1 | Unspecified convulsions |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1308908-1 | 19 hours after my second dosage of vaccine, I had a period of intense nausea followed by fainting and lost consciousness for a matter of a few seconds. while regaining consciousness I experienced involuntary convulsions/spasms of my arms and legs. I have no history of fainting or seizures. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1309374-1 | Patient has history of passing out when getting blood drawn. As patient was standing to get vaccination card filled out, he told associate to call RPH that he wasn't feeling well. I ran out to give my attention and patient was sweating and looked dizzy. His eyes started to shut while he was standing and as I was holding his arm and back to support him he started to fall to the ground. Patient gently went to the ground, I pushed him over to one side and he was out for about 3 seconds and woke back up. Patient was very hot and sweaty. He wanted to move to a more private area so I made an area with a privacy panel available to him. Patient stated to me that he has no history of seizure, but suffers from mild anxiety. Myself or one of the associates was with him for approximately 45 minutes just to make sure he was ok. His blood pressure was taken (twice) and water was given. His BP readings were normal. Patient was on his way. Moderna series completed. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1309987-1 | Mild headache, body aches and seizure. Resident has a history of seizures EMS was contacted and resident was administered Gabapentin and Tylenol. Resident is fully recovered |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1310863-1 | Patient came to vaccine site on 4/23/21 to get second COVID Moderna vaccine. He reported a stroke a day after his previous 1st dose Moderna on 3/24/21. He was hospitalized with stroke and seizures. He has a history of uncontrolled diabetes, high cholesterol, and triglycerides. He smokes and has a history of cirrhosis. Dr. spoke with the pt and approved the second dose administration. No reactions documented following the vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1310873-1 | Pt developed a spontaneous superior sagittal venous thrombosis with resultant subarachnoid hemorrhage and Frontal IPH and seizure. Pt had a sudden seizure at home and CTA/MRI showed Superior sagittal sinus thrombosis. Pt required intubation secondary to altered mental status. Pt underwent diagnostic cerebral angiogram which confirmed cerebral sagittal sinus thrombosis. Pt tolerated extubation on 5/11. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1310949-1 | On May 2nd started with symptoms of food poison, went to urgent care, gave her hydration and sent her home. On May 7th was taking to the hospital, look very weak and was confused, couldn't answer basic questions. They kept her in the hospital. On May 8th she had an apparent seizure and was was not until May 11 that she came out of it, being able to recognize people (though very weak). In the meantime her two kidneys stopped working. She continues to have seizures despite of the hospital giving her anti seizure medications. You could talk to the hospital more about the medical details. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1311138-1 | Immediately after the vaccination the patient reported not feeling well, a little dizzy, but said it was normal for her. She was instructed to sit in the waiting room for about 15 minutes with her boyfriend. About five minutes after sitting out in the waiting room, the patient almost passed out and had some convulsive like movements. 911 was called. The patient did not loose consciousness, but was extremely pale. She was nausea and almost vomited three times. She reported feeling shaky, and said her throat felt funny. EMS arrived and took over the care of the patient. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1311149-1 | Extreme muscle pain and cramping in legs, followed by chills and cold sweats and high fever over 104, after about 4 hours this turned into involuntary convulsions all through the night. In the morning head was severely painful, unlike a migraine but felt like brain was swelling, still experiencing the chills and body aches and sweats off and on . Very dizzy and nauseous from the head ache. Ibuprofen and acetaminophen taken and did not help. I am extremely sick from this second dose. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1311395-1 | R56.9 - Unspecified convulsions SEIZURES |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1312201-1 | 5 minutes after the administration of the vaccine, patient started to feel a bit off. 5 minutes afterwards, she had a seizure. Her husband was with her and he has helped her before with her seizures, but 911 was called just in case. 15 minutes later, paramedics arrived and she had another seizure. patient has a vagal nerve stimulation device and her husband used it several times to help her get out of the seizure. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1314081-1 | Rapid heart rate 12 hours after the shot, followed by seizure, body aches, and fever. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1314205-1 | I got the shot around 3:15PM on Monday 4/26/21. Woke up Tuesday 4/27/21 with a minor headache and just felt out of sorts. Around noon that day I had a seizure at work and was rushed to the ER. While at the hospital waiting for a room to open up, I had another seizure. This one was much worse than the first. They had to intubate me and I spent 5 nights in the ICU. Another 3 on the Neurology floor for observation. The seizures caused Rhabdomyolysis which caused damage to my kidneys and significant muscle loss/damage. I wasn't able to walk at all for 3 days. After that I started to be able to get up out of bed and move around a little more each day. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1315401-1 | I suffered relatively severe reaction to the 2nd Moderna dose: Very sore arm for 4 or 5 days, several hours of chills 14 hours after the injection, and swollen lymph nodes, including an egg-sized lump under the left arm that persisted for a week. However, the significant event was a seizure 10 days after the injection. This was a first seizure with no prior history or obvious cause. Seizure began while I was asleep. Wife heard odd noises, couldn't wake me and called 911. I woke up in an ER hours later. Neurologist said the MRI was clear, but EEG showed unusual activity in the left temporal lobe. Prescribed Keppra (ongoing) and speculated that the seizure might be related to aging. He thought the timing of the event 10 days after the CoViD vaccine was coincidental. However, I am reporting it out of an abundance of caution. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1317215-1 | Patient presented with seizures, found to have an Intracranial hemorrhage. On further investigation patient noted to have cerebral venous thrombosis of his superior sagittal sinus. No other obvious etiologies for venous thrombosis noted patient. Which included an extensive hypercoagulable workup.. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1318915-1 | Pt experienced a breakthrough seizure requiring hospitalization ( pt had been seizure free for 20 years). Also experienced vertigo. Pt did not have any fever or other systemic side effects, only a sore arm after receiving the shot till the seizure occurred. Pt also reports no alcohol consummation or change in diet. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1319845-1 | seizure; Rash on Both legs; Headaches; Fever; Fatigue; Nausea; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (seizure) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No relevant medical history reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, the patient experienced SEIZURE (seizure) (seriousness criterion medically significant), RASH (Rash on Both legs), HEADACHE (Headaches), PYREXIA (Fever), FATIGUE (Fatigue) and NAUSEA (Nausea). At the time of the report, SEIZURE (seizure), RASH (Rash on Both legs), HEADACHE (Headaches), PYREXIA (Fever), FATIGUE (Fatigue) and NAUSEA (Nausea) outcome was unknown. Very limited information regarding this event/s has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1321078-1 | After injection, patient felt light headed. Syncopal episode with some seizure activity. Was placed on floor of vaccinator?s area with feet elevated with return of consciousness within 30 seconds. She was escorted Medical Lead?s area for observation. Was given water and observed for an hour. Vital signs were stable(102/80., pulse 72) , light headedness resolved and taken to vehicle in a wheelchair. Was not the driver. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1321241-1 | My daughter did not sleep all night, had fever & chills. Got up early in am & fainted on tile floor in kitchen. She was easily aroused after fainting. Helped her to a chair Then she had a seizure. It was very short lasting, then she vomited. She was very weak for 2 hrs. after that & she continued to slowly consume water & crackers. After getting her to bed she slept for one hour. Still too weak to go to bathroom alone. Improvement shown after 5 hrs of rest & fluids/some food. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1322025-1 | Seizure occured. Never had a seizure before. Hospitalized . Started on Lamictal. Neurologist felt seizure was direct relation to Covid Vaccine |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1322614-1 | After injection pt felt light headed. Syncopal episode with seizure activity, was placed on floor and pt regained consciousness within 30 seconds. Patient was given water and sx resolved. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1323329-1 | "-received vaccine while pregnant: normal pregnancy except for vision loss Feb 2nd -baby born on due date, no complications, healthy weight (6 lbs 15.8 oz) and baby is healthy SYMPTOMS 3 months post-vaccine, over a 3 week period beginning 4/25/21: -tingling and ""crawling sensation"" in arms, legs, left side of head, left ear -extreme headache, fatigue, jerking/convulsions, extreme muscle weakness -ER visit 5/9/21: CT, EKG, labs all normal -fever up to 102F, increased pulse -loss of appetite -numbness in extremities -nerve pain -breast pain -chills and night sweats -pronounced weakness -tongue ulcer -cognitive issues such as brain fog, confusion" |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1323415-1 | While the patient was sitting in the waiting area, she passed out and began displaying signs of seizing, making nonverbal noises and convulsing. She quickly regained consciousness after approximately 1 minute of lost consciousness. The pharmacist on duty then asked the patient if she had eaten and drank today, to which she responded that she had not. The pharmacist then provided a granola bar and water. The pharmacist also took the patient's blood pressure, measuring 92/58 mmHg with a pulse of 60 bpm. She then took a second reading 5 minutes later, measuring 112/68 mmHg. The patient quickly recovered and was able to leave without further medical attention. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1324043-1 | Employee had a seizure about an hour post vaccination. EMS was called and employee was transported to ER. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1326616-1 | Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Seizure-Medium |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1330371-1 | Convulsions, Seizures |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1331213-1 | Patient's daughter called today wanting to report an adverse event that she believed was related to mother's covid vaccine. Patient received first vaccine 3/27 and on 4/4 had to go to the ER with severe dizziness. This incident was not reported to the pharmcay until today. Patient received 2nd dose on 4/28. On 4/29, the ambulance was called by patient's husband because the patient had passed out. When she got to the ER, they determined that the patient had a seizure and she was admitted to the ICU. The patient does not have any history of seizures. She is still currently in the hospital but was moved to a regular room on 5/10 or 5/11 (daughter did not know the exact date). She is still having effects such as cannot feed herself and daughter said that communication is VERY limited. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1332027-1 | "After leaving pharmacy, patient experienced a seizure while riding as a passenger in a vehicle. Patient was hospitalized and diagnosed with a ""Brain Bleed"" according to mother." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1332869-1 | High Fever, 106+, convulsions, trouble breathing, pnemonia, Ive never been so ill in my life. I nearly died. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1333317-1 | Approximately 2 weeks after receiving vaccination, patient developed confusion and lethargy. He presented to the hospital where he was found to be febrile. Alteration mental status continued to worsen, and then had a generalized seizure. Patient was empirically treated for possible meningoencephalitis but diagnosis is not confirmed. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1333326-1 | Pt has experienced seizure events and amnesia. She is continuing to undergo extensive evaluations. Events started around April 22, 2021. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1333517-1 | Systemic: Seizure-Severe, Additional Details: pt had seizure 12 hours after the vaccine was administered and was hospitalized |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1334892-1 | encephalopathy; seizures; This spontaneous case was reported by a consumer and describes the occurrence of ENCEPHALOPATHY (encephalopathy) and SEIZURE (seizures) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 036C01A and 006M20A) for COVID-19 vaccination. The patient's past medical history included Systemic lupus erythematosus since an unknown date. On 26-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 23-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 15-Apr-2021, the patient experienced SEIZURE (seizures) (seriousness criteria hospitalization and medically significant). On an unknown date, the patient experienced ENCEPHALOPATHY (encephalopathy) (seriousness criteria hospitalization and medically significant). At the time of the report, ENCEPHALOPATHY (encephalopathy) and SEIZURE (seizures) outcome was unknown. Treatment information not provided. Concomitant medications were not provided. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1337043-1 | Patient received dose 1 of Moderna vaccine on 5/8/2021 and had witnessed seizure 5/12/2021- (first time ever). He was admitted to ICU on 5/12/2021 and discharged 5/15/2021. He states he had one seizure while in the ICU and another seizure 5/16/2021- at home after discharge. He has since been placed on anti-seizure medications and is scheduled for follow up with neurology on 6/2/2021. Patient's mother states ICU doctors told her they found a blood clot in the brain picked up by MRI. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1337252-1 | presented to the ER at on 2/18/21 with seizures and was found to positive for COVID in the ER, was admitted and placed on the ventilator from 2/18/21 to 2/19/21 |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1337473-1 | SEIZURE |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1340164-1 | Seizure; Syncope; Diarrhoea; Chills; Vomiting; This case VAERS (Reference number: 0989940) on 11-May-2021 and was forwarded to Moderna on 11-May-2021. This regulatory authority case was reported by an other health care professional and describes the occurrence of SEIZURE (Seizure) and SYNCOPE (Syncope) in a 30-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Epilepsy. Concurrent medical conditions included Drug allergy (sulfa). Concomitant products included LAMOTRIGINE, PHENYTOIN SODIUM (DILANTIN D.A.) and LEVONORGESTREL (MIRENA) for an unknown indication. On 19-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 19-Jan-2021, the patient experienced SEIZURE (Seizure) (seriousness criterion medically significant), SYNCOPE (Syncope) (seriousness criterion medically significant), DIARRHOEA (Diarrhoea), CHILLS (Chills) and VOMITING (Vomiting). At the time of the report, SEIZURE (Seizure), SYNCOPE (Syncope), DIARRHOEA (Diarrhoea), CHILLS (Chills) and VOMITING (Vomiting) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Patient experienced profuse vomiting and diarrhea, syncope, chills, seizures. Emergency room visit received 3 bags of lactated ringers, 12 mg of IV zofran, 12.5 mg of IV Phenergan. Full blood work and 2 computerized tomogram (CT) scans but results were not provided. Based on the current available information and temporal association between the use of the product and the start date of the events of chills, vomiting, and diarrhea, a causal relationship cannot be excluded. Causality for the events of seizure and syncope are probably related to the patient's medical history.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events of chills, vomiting, and diarrhea, a causal relationship cannot be excluded. Causality for the events of seizure and syncope are probably related to the patient's medical history. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1340831-1 | stroke like systems including seizure, memory loss. Transported to emergency room at hospital via ambulance . Following test performed; cat scan, IGG scan, and MRI with contras . No exact cause for the seizure was determined at this time. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1342590-1 | Very high fever, 108, leading to passing out, convulsion then vomiting |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1343058-1 | High and low swings to my blood sugar levels. Low blood sugars to the point of seizure requiring emergency attention . |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1343206-1 | Pt was given vaccine and shortly after experienced seizure activity, EMS was called and pt. was transported to ER. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1343530-1 | Siezure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1344175-1 | tested covid positive by PCR on 5/23/2021, may have pneumonia, mild, unclear if covid or bacterial cause. Patient presented with a seizure after binge drinking, relapsed alcoholism |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1345826-1 | feels like had seizure; delirious; head swelled up like a pumpkin/face, neck, hand swelling; Bloated; migraine headache in half of head; injection site hot, hard, pink, swollen bigger than a deck of cards; brain fog; GI system feels like 100 bottles of hot sauce; GI system felt like 100 bottles of hot sauce; No appetite; shortness of breath; fast heartbeat; injection site hot, hard, pink, swollen bigger than a deck of cards; injection site hot, hard, pink, swollen bigger than a deck of cards; injection site very red; nausea; fatigue; face, upper chest, and arms turned pinkish; fever; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (feels like had seizure) and DELIRIUM (delirious) in a 64-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 07-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 07-May-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient experienced SEIZURE (feels like had seizure) (seriousness criterion medically significant), DELIRIUM (delirious) (seriousness criterion medically significant), SWELLING (head swelled up like a pumpkin/face, neck, hand swelling), ABDOMINAL DISTENSION (Bloated), MIGRAINE (migraine headache in half of head), VACCINATION SITE WARMTH (injection site hot, hard, pink, swollen bigger than a deck of cards), FEELING ABNORMAL (brain fog), ABDOMINAL DISCOMFORT (GI system feels like 100 bottles of hot sauce), FUNCTIONAL GASTROINTESTINAL DISORDER (GI system felt like 100 bottles of hot sauce), DECREASED APPETITE (No appetite), DYSPNOEA (shortness of breath), HEART RATE INCREASED (fast heartbeat), VACCINATION SITE INDURATION (injection site hot, hard, pink, swollen bigger than a deck of cards), VACCINATION SITE SWELLING (injection site hot, hard, pink, swollen bigger than a deck of cards), VACCINATION SITE ERYTHEMA (injection site very red), NAUSEA (nausea), FATIGUE (fatigue), RASH (face, upper chest, and arms turned pinkish) and PYREXIA (fever). At the time of the report, SEIZURE (feels like had seizure), DELIRIUM (delirious), SWELLING (head swelled up like a pumpkin/face, neck, hand swelling), ABDOMINAL DISTENSION (Bloated), MIGRAINE (migraine headache in half of head), VACCINATION SITE WARMTH (injection site hot, hard, pink, swollen bigger than a deck of cards), FEELING ABNORMAL (brain fog), ABDOMINAL DISCOMFORT (GI system feels like 100 bottles of hot sauce), FUNCTIONAL GASTROINTESTINAL DISORDER (GI system felt like 100 bottles of hot sauce), DECREASED APPETITE (No appetite), DYSPNOEA (shortness of breath), HEART RATE INCREASED (fast heartbeat), VACCINATION SITE INDURATION (injection site hot, hard, pink, swollen bigger than a deck of cards), VACCINATION SITE SWELLING (injection site hot, hard, pink, swollen bigger than a deck of cards), VACCINATION SITE ERYTHEMA (injection site very red), NAUSEA (nausea), FATIGUE (fatigue), RASH (face, upper chest, and arms turned pinkish) and PYREXIA (fever) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Heart rate: increased (High) increased. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. Treatment information was not given. Action taken was not applicable as patient completed both the doses. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, Further information has been requested.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. However, Further information has been requested. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1346657-1 | Found deceased in bed, no known symptoms, undetermined cause and manner of death |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1346739-1 | Client underwent seizure activity 10 minutes subsequent to vaccine administration. Nursing staff was available to keep client safe and to assess for airway, breathing and circulation; supplemental oxygen and rescue inhaler (provided by client's caregiver) was administered. EMS was dispatched and client was safely transported to a local hospital emergency department. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1347473-1 | "I experienced a seizure. A family member told me I was ""out"" for 1 or 2 minutes, got very stiff, breathed very heavy then seemed as though I stopped breathing, involuntarily urinated. When I came to, my speech was slurred for a few minutes and my blood pressure was very low. The EMT's arrived, took my blood pressure, reported it was 85 / 58. After a few minutes, drinking some fluids, I began to feel more normal. I declined to go with the EMT's. That afternoon, I was extremely tired and slept most of the afternoon." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1347637-1 | CHEST PAINS , VOMITING, EXTREME FEVER, MASSIVE HEADACHE BODY PAINS AND ACHES , MINOR CONVULSING , INTERNAL PAIN ALLOVER |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1347825-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1348311-1 | Patient had Moderna vaccine administered at 7:16pm and become unresponsive and began convulsing at 7:27pm. When patient came back around, he was disoriented and didn't know where he was. Patient blood pressure was 131/93 with a pulse of 89. Patient did remember where he was and that he had received his first covid vaccine. He knew the month, day and some other basic questions. The patient stated that before he become unresponsive that he started to feel very lightheaded and woozy. 911 was called and transported the patient to the local hospital for additional testing and evaluation. Upon further discussion with the ER physician, patient was diagnosed with syncope and low potassium. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1349125-1 | one episode of seizure attack while sleeping; low grade fever of 100F; injection arm soreness; tiredness; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (one episode of seizure attack while sleeping) in a 47-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 027C21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Epilepsy. Concomitant products included PHENOBARBITAL (PHENOBARBITONE COX) and LEVETIRACETAM for Seizure, ZONISAMIDE and PARACETAMOL (TYLENOL) for an unknown indication. On 14-May-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 14-May-2021, the patient experienced VACCINATION SITE PAIN (injection arm soreness) and FATIGUE (tiredness). On 15-May-2021, the patient experienced PYREXIA (low grade fever of 100F). On 17-May-2021, the patient experienced SEIZURE (one episode of seizure attack while sleeping) (seriousness criterion medically significant). At the time of the report, SEIZURE (one episode of seizure attack while sleeping), VACCINATION SITE PAIN (injection arm soreness), FATIGUE (tiredness) and PYREXIA (low grade fever of 100F) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Body temperature: 100 ¦F (High) 100 ¦F. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. The treatment information included Tylenol. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1350285-1 | The same day as the injection I experienced severe pain a few hours after in my bicep rather than my shoulder where I experienced pain during the 1st vaccine dose. I also experienced the common fatigue. However, at 12:13a.m on May 25th, I was woken from sleeping to what can only be described as either the most severe case of the shakes that have ever been experienced, or convulsions. I was unable to move, speak, and could hardly breathe. The effects of this lasted well over an hour and a half. It was only after what I was experiencing stopped, that I suddenly became burning hot, but did not have a fever. 98.7¦ was what was read at the time I started to feel hot. Since then I have experienced severe joint and knuckle pain on my left hand, still bicep soreness, pain in my left forearm, again joint and knuckle pain in my left hand, and headaches. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1351135-1 | Witnessed seizure, no history of any medical problems |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1351335-1 | Patient experienced HA on way home from receiviong vaccine. HA persisted on 4-23-21 throughout morning and into early afternoon. Patient became catatonic at home, family called 911 and pateint was rushed to hospital via ambulance in hypertensive crisis and seizure activity. Patient diagnosed with brain bleeds in two sepearte areas of brain. Original commentary by neurosurgeon was this was unrelated to Moderna vaccine, current neurologist thinks it could have been related. Patient was in hospital for several days then released on 4-28-21. Patient is healing, going to therapy and compliant with all neurology follow ups. Patient still not released to return to work or to driving as of 5-26-21. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1351354-1 | triggered seizures, headache, muscle pain |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1351379-1 | On 5/20/21 I suffered from a CVST stroke with low platletes and a seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1351622-1 | Sudden onset of seizure activity while at a student volleyball game on 4/25- I have no seizure history with myself or anyone in my family. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1353070-1 | Body went on involuntary convulsion; Felt like her brain was swollen; Feeling dizzy; Disoriented; Arm hurting very bad; Pouring out cold sweat; Extremely cold; Teeth chattering/Shivering; Body was shaking; Symptoms were worse; Fever with temperature of 104; Severe head pain; Severe muscle aches; This spontaneous case was reported by a patient and describes the occurrence of SEIZURE (Body went on involuntary convulsion) and BRAIN OEDEMA (Felt like her brain was swollen) in a 33-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 046B21A and 007B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 13-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 11-May-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 11-May-2021, the patient experienced SEIZURE (Body went on involuntary convulsion) (seriousness criterion medically significant), BRAIN OEDEMA (Felt like her brain was swollen) (seriousness criterion medically significant), DIZZINESS (Feeling dizzy), DISORIENTATION (Disoriented), PAIN IN EXTREMITY (Arm hurting very bad), COLD SWEAT (Pouring out cold sweat), FEELING COLD (Extremely cold), CHILLS (Teeth chattering/Shivering), TREMOR (Body was shaking), CONDITION AGGRAVATED (Symptoms were worse), PYREXIA (Fever with temperature of 104), HEADACHE (Severe head pain) and MYALGIA (Severe muscle aches). At the time of the report, SEIZURE (Body went on involuntary convulsion), BRAIN OEDEMA (Felt like her brain was swollen), DIZZINESS (Feeling dizzy), DISORIENTATION (Disoriented), PAIN IN EXTREMITY (Arm hurting very bad), COLD SWEAT (Pouring out cold sweat), FEELING COLD (Extremely cold), CHILLS (Teeth chattering/Shivering), TREMOR (Body was shaking), CONDITION AGGRAVATED (Symptoms were worse), PYREXIA (Fever with temperature of 104), HEADACHE (Severe head pain) and MYALGIA (Severe muscle aches) was resolving. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Body temperature: 104 (High) fever. Reporter called on 12-May-2021 to report feeling dizzy, disoriented, her arm hurting very bad, severe muscle ache, shivering, pouring out cold sweat, she was extremely cold, had fever with temperature of 104, her body went on involuntary convulsion, her teeth chattering, her body was shaking, she had severe head pain and she felt like her brain was swollen. The symptoms started 11-May-2021 after she received her second Moderna COVID-19 vaccine on 11-May-2021 around 9am in the morning. Symptoms were worse around 10 pm evening. She took Tylenol but it did not help. She said the symptoms were still ongoing, but it was fading. She received the second vaccine in her left upper arm with vaccine lot 046B21A. She received the first vaccine on 13April 2021 in her left upper arm with vaccine lot 007B21A. She did not have a doctor. Treatment medication included: Tylenol. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1353115-1 | I passed out and then I hit my head on floor and chin; Hit my head on floor and chin; I hurt my neck and put neck braces on me in hospital; My wife jumped up and came to me and put me up on floor and heard gargling noise; I have 2 provoked seizures from Moderna shot; Doctors found every thing normal in result except sinus; I woke up with slight headache; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of LOSS OF CONSCIOUSNESS (I passed out and then I hit my head on floor and chin), HEAD INJURY (Hit my head on floor and chin), NECK INJURY (I hurt my neck and put neck braces on me in hospital), GASTROINTESTINAL SOUNDS ABNORMAL (My wife jumped up and came to me and put me up on floor and heard gargling noise) and SEIZURE (I have 2 provoked seizures from Moderna shot) in a 28-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 043B21A and 040A21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 24-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 23-Apr-2021 at 5:30 PM, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 24-Apr-2021, the patient experienced LOSS OF CONSCIOUSNESS (I passed out and then I hit my head on floor and chin) (seriousness criteria hospitalization and medically significant), HEAD INJURY (Hit my head on floor and chin) (seriousness criterion hospitalization), NECK INJURY (I hurt my neck and put neck braces on me in hospital) (seriousness criterion hospitalization), GASTROINTESTINAL SOUNDS ABNORMAL (My wife jumped up and came to me and put me up on floor and heard gargling noise) (seriousness criterion hospitalization) and HEADACHE (I woke up with slight headache). On an unknown date, the patient experienced SEIZURE (I have 2 provoked seizures from Moderna shot) (seriousness criterion medically significant) and SINUS DISORDER (Doctors found every thing normal in result except sinus). The patient was hospitalized on 24-Apr-2021 due to GASTROINTESTINAL SOUNDS ABNORMAL, HEAD INJURY, LOSS OF CONSCIOUSNESS and NECK INJURY. At the time of the report, LOSS OF CONSCIOUSNESS (I passed out and then I hit my head on floor and chin), HEAD INJURY (Hit my head on floor and chin), NECK INJURY (I hurt my neck and put neck braces on me in hospital), GASTROINTESTINAL SOUNDS ABNORMAL (My wife jumped up and came to me and put me up on floor and heard gargling noise), SEIZURE (I have 2 provoked seizures from Moderna shot), SINUS DISORDER (Doctors found every thing normal in result except sinus) and HEADACHE (I woke up with slight headache) outcome was unknown. Concomitant medication use was not reported. It was reported that the patient was not taking any medication on regular basis. The patient reported that they did bunch of tests like CAT scan, EEG test, they monitor my heart for 30 days. Results were not reported. For treatment the patient reported they gave him IV and seizure medication which he was not taking right now. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1353771-1 | seizure; completely blurry vision; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of SEIZURE (seizure) and VISION BLURRED (completely blurry vision) in a 30-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The patient's past medical history included COVID-19 from 16-Mar-2021 to 25-Apr-2021 and COVID-19 from 28-Dec-2020 to 16-Feb-2021. Concurrent medical conditions included Drug allergy (Allergy to NSAIDS), Penicillin allergy, Drug allergy (Allergy to Tramadol), Drug allergy (Allergy to Wellbutrin) and Allergy to antibiotic (Allergy to cephalexin antibiotics). On 12-May-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 12-May-2021, after starting mRNA-1273 (Moderna COVID-19 Vaccine), the patient experienced VISION BLURRED (completely blurry vision) (seriousness criterion hospitalization). On 13-May-2021, the patient experienced SEIZURE (seizure) (seriousness criteria hospitalization and medically significant). The patient was hospitalized on 12-May-2021 due to SEIZURE and VISION BLURRED. At the time of the report, SEIZURE (seizure) had not resolved and VISION BLURRED (completely blurry vision) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. The patient experienced 3 episodes of seizure on 13-May-2021 and another 2 episodes of seizure on 14-May-2021. The patient stated that the doctor advised him not to receive the second vaccination dose. The patient was hospitalized right after the events. At the time of reporting, the patient was still in the hospital. Additional treatment details were not provided. Concomitant medication information was not provided. Company comment: Very little information has been provided. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested.; Sender's Comments: Very little information has been provided. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Further information has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1354165-1 | "Patient apparently passed out while waiting after receiving vaccine. She was sitting in a chair and fell over to her right side. She appears to have had a petit mal seizure. Her pupils were very dilated and it took her several minutes to become fully responsive, although she was unresponsive for just a short period of time. She is a student and the EMS staff who responded to the 911 call reports that she is well known to them, as she has a history of ""pseudo-seizures"". Patient's BP was 138/84 and SPO2 was 98%. Pt was transported to ED around noon, and was back to the clinic by 1:15 to collect her eyeglasses that had been left where she was sitting." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1354695-1 | Patient passed out within 45 seconds of vaccine, convulsed for 5 secs while unconscious. woke up with in a minute, vomited after 3 minutes. He was able to say his name and address. BP 116/69 Pulse 68. patient said that this has happened before after an unknown booster at age 17. Only ate french fries earlier today. Was able to stand after 5 minutes. Put cool paper towel on neck, ate fruit bar and drank water before leaving |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1354900-1 | patient with hx of epilepsy controlled, no seizures since 2018 on Depakote and lamictal, after second dose of Moderna vaccine two days later has had 7 seizures in one week. No other obvious seizure trigger. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1355788-1 | Within 1 min of vaccine administration, patient said he did not feel well and started convulsing briefly (5-10 second), he then started blacking out and lost control of his speech and his body. Pt sweated profusely and said he felt a burning sensation in his urethra. Called 911 for paramedics. They checked his BP, pulse and BG . All came back normal . Did not follow paramedics to ER |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1356063-1 | immediately had a seizure within a few minutes after the injection (~5mins). seizure lasted approximately 1 minute and was witnessed by the patient's long-term partner. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1357649-1 | Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Seizure-Medium, Systemic: Vomiting-Severe |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1357674-1 | "Patient presented to vaccine clinic for second covid vaccine. Following first dose, patient had mild side effects in the observation area after the first dose of the covid, where she was observed in our reaction room area more closely, for feeling foggy and ""just not right"", however patient was fine to be able to be sent home. Patient was encouraged to contact physician to verify they should receive second covid vaccine. When patient was in observation area, after receiving her second covid vaccine shot, she told the observation nurse that she had a headache. The nurse immediately took her to our reaction room area and was closely observed. Patient was talking and acting fine. Within minutes, she started to have a seizure. Documentation in patient's chart regarding incident. Patient then transferred via ambulance to ED. Per EMS patient had 5-6 seizures requiring 4mg Ativan IM. Patient reports she has seizures, is seen by Neurology and takes Keppra and Depakote. On further documentation review, patient was seen by Neurology and was felt to not have seizures. She was also seen by psychiatry who noted that patient most likely has psychogenic nonepileptic seizure-like activity. Patient observed in the ED without further symptoms or episodes. Discharged to home." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1358015-1 | Adverse event reported by patient's mother. Patient with severe autism disorder and partial complex epilepsy disorder. Patient had a breakthrough seizure about 3 hours after first moderna vaccination. Seizure lasted approximately 3 minutes per mother, who is his caretaker. Patient recovered to baseline after the seizure. Unknown if any medications were given. Mother did not have the patient evaluated in a clinic or ER after the event. Adverse event was not known until patient presented for the second vaccination, at which point, second vaccination was delayed. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1358056-1 | Seizure, resolved |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1358155-1 | WITHIN 28 DAYS OF MY LAST VACCINATION I STARTED HAVING EPISODES OF PASSING OUT AND HAVING SEIZURES. I HAVE HAD SEIZURES NOW EVERY DAY SINCE THE BEGINNING OF MARCH. NOTHING HAS CHANGED IN MY LIFE BESIDES GETTING THIS VACCINATION. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1358173-1 | "Pt reports probable seizure during sleep on night of 5/26/21-woke up in morning in ""wet bed"" due to urinary incontinence, one of the signs that she has had a seizure. States seizures usually only occur about once a year and can't remember when last seizure was but probably over a year ago. Also had right foot pain, possibly due to trying to get out of bed during night, no other sx." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1358553-1 | 04/27/2021-Headache,Fever, Chills, N/V Diarrhea. 4/29/2021- Hospital ED: Witnessed seizure while in ED. Fever, Chills Headache. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1359272-1 | PER PT - FAINTED, PER RPH SEEMS LIKE A SMALL SEIZURE FOR 3-5 MINUTES. CLIENT DID NOT RESPOND BUT WAS BREATHING THE WHOLE TIME - UNRESPONSIVE ON THE COUCH LAYING DOWN. RPH CONTINUE TO MONITOR BREATHING AND AFTER A FEW MINUTES THE PATIENT GAIN CONSCIOUSNESS. THE PATIENT BECAME FULLY AWARE OF LOCATION AND WHAT HAPPENED. STAFF CALLED 911 BUT WHEN THEY ARRIVED PATIENT REFUSED HELP. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1359534-1 | Patient Fainted for few minutes and looked like she was seizing. Few minutes she was back up to normal and stated that she fainted every time after a shot |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1359914-1 | Seizure; Dyspnoea; Nausea; Paraesthesia; Somnolence; This case was received via FDA VAERS on 18-May-2021 and was forwarded to Moderna on 18-May-2021. This regulatory authority case was reported by an other health care professional (subsequently medically confirmed) and describes the occurrence of SEIZURE (Seizure) in a 61-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 003A21A) for COVID-19 immunization. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Seizure. On 06-Mar-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 06-Mar-2021, the patient experienced SEIZURE (Seizure) (seriousness criterion medically significant), DYSPNOEA (Dyspnoea), NAUSEA (Nausea), PARAESTHESIA (Paraesthesia) and SOMNOLENCE (Somnolence). At the time of the report, SEIZURE (Seizure), DYSPNOEA (Dyspnoea), NAUSEA (Nausea), PARAESTHESIA (Paraesthesia) and SOMNOLENCE (Somnolence) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On an unknown date, Blood pressure measurement: 100/60 mmHg (Inconclusive) decreased. On an unknown date, Heart rate: 76 (normal) normal. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. The patient is taking unknown medicines for the seizures.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1361057-1 | I received my 2nd Covid 19 shot at clinic. I began to get sick that night. But by 4:00 am I woke up with seizures, freezing cold, nausea, fatigue, fever of 101.3, pain throughout my body. I had slightly labored breathing and took Elderberry juice. My nose was stuffy. I have a slight wheezy cough. Slightly labored breathing, not severe. I took ibuprofen 500 mg yesterday for the sore shoulder. This morning at I took Bayer's low-dose chewable tablets 350 mg. I really couldn't eat much from nausea, but I ate applesauce, broth, juices, and water. Later that day, as suggested by my doctor I took Tylenol PM. I am feeling 50% better the next day. High 102.5 Temperature went away in 48 hours. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1361767-1 | approximately 26 hours after immunization, patient had first of 3 seizures lasting 15-25 seconds. patient normally has not had seizure for 34 days (since taking doxycycline). Husband and wife reported to pharmacy 5/30 approximately 3 pm. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1362104-1 | Systemic: Chills-Medium, Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Seizure-Medium, Additional Details: Patient stated that he smoked marjuana earlier in the day. Patient fell over onto the floor after administration. Woke up less than 30 seconds after falling over |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1362141-1 | "Systemic: Fainting / Unresponsive-Mild, Systemic: Nausea-Mild, Systemic: Seizure-Mild, Systemic: Shakiness-Mild, Additional Details: Patient felt normal after the injection and for the remainder of the day. She woke up in the middle of the night to use the restroom and fainted in the bathroom. She then returned to bed where she felt like she ""blacked out for a short period"". Her husband reported that she was shaking uncontrollably and her eyes were darting back and forth (this lasted about 10 sec). She was encouraged to be examined by a physician for any further issues. She stated that she is currently feeling ok." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1362317-1 | Sense of Deja Vu, could smell burnt rubber, and sense of impending doom. Started on Saturday 22 and increased in frequency throughout the week. Each episode lasted about 15 seconds. Went to the Clinic on 5/28 who then sent him to the emergency room where they treated him for prefrontal cortex seizures. He was released from the hospital with a referral to a neurologist. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1363716-1 | Seizure; Condition aggravated; This case was received via FDA VAERS (Reference number: 1036286) on 18-May-2021 and was forwarded to Moderna on 18-May-2021. This regulatory authority case was reported by an other health care professional and describes the occurrence of SEIZURE (Seizure) in a 44-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 028L20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included seizure. On 12-Feb-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 12-Feb-2021, the patient experienced SEIZURE (Seizure) (seriousness criterion medically significant) and CONDITION AGGRAVATED (Condition aggravated). At the time of the report, SEIZURE (Seizure) and CONDITION AGGRAVATED (Condition aggravated) outcome was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. no known allergies has been reported. the concomitant medications not reported . the patient has the medical history of seizures. Company Comment: Very limited information regarding the events has been provided at this time. Further information is not expected.; Sender's Comments: Very limited information regarding the events has been provided at this time. Further information is not expected. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1363995-1 | blurry vision five minutes after the shot; seizures on the same day; This spontaneous case was reported by a consumer and describes the occurrence of VISION BLURRED (blurry vision five minutes after the shot) and SEIZURE (seizures on the same day) in a 30-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 027C21A) for COVID-19 vaccination. The patient's past medical history included COVID-19 (had covid-19 twice before receiving the vaccine once in APR-2021) in April 2021. Concurrent medical conditions included Epilepsy. Concomitant products included LEVETIRACETAM (KEPPRA [LEVETIRACETAM]), LAMOTRIGINE, LOPERAMIDE HYDROCHLORIDE (LOMOTIL [LOPERAMIDE HYDROCHLORIDE]), ATORVASTATIN, LORAZEPAM (ATIVAN), ONDANSETRON (ZOFRAN [ONDANSETRON]) and CLONAZEPAM (KLONOPIN) for an unknown indication. On 12-May-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 12-May-2021, the patient experienced VISION BLURRED (blurry vision five minutes after the shot) (seriousness criterion hospitalization). 12-May-2021, the patient experienced SEIZURE (seizures on the same day) (seriousness criteria hospitalization and medically significant). The patient was hospitalized from 12-May-2021 to 19-May-2021 due to SEIZURE and VISION BLURRED. At the time of the report, VISION BLURRED (blurry vision five minutes after the shot) outcome was unknown and SEIZURE (seizures on the same day) had resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In April 2021, Computerised tomogram: unknown (Inconclusive) unknown. In April 2021, Lumbar puncture: unknown (Inconclusive) spinal tab from CNS fluid to make sure there was no cox in his brain. In April 2021, Magnetic resonance imaging: unknown (Inconclusive) unknown. mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was withdrawn on an unknown date. The patient had epilepsy as pre-existing condition and he was on unspecified medication for that. The patient has seizures on the same day of vaccination and was transferred to hospital. Patient had magnetic resonance scan (MRI) and patient had seizures over there for which he was moved to sister hospital where they did scan under anesthesia. Before discharging patient from hospital they took spinal tab from central nervous system (CNS) fluid to make sure there was no Cyclooxygenase (COX) in his brain. Patient's physician told to not receive the second dose of Moderna vaccine. No treatment information was reported. Company comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded This case was linked to US-MODERNATX, INC.-MOD-2021-154269 (E2B Linked Report). Most recent FOLLOW-UP information incorporated above includes: On 25-May-2021: Additional information was received and events, hospitalization details and laboratory data updated.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded US-MODERNATX, INC.-MOD-2021-154269:Crosslinked case of reporter friend case |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1364808-1 | She got her vaccine, she went home and seemed to have slept a lot with both vaccines. She also had lack of appetite and did not want to come down to the table to eat, just wanted to sleep. If her mother could get her down to eat, she would take 2 bites of food and go back to bed, which mother feels the vaccine may have lowered her threshold for seizures. About 15 days after the vaccine she came to her door and she was banging in the hallway and was hollering help me. Her mother felt that she was having a seizure which she has not had any in about 2 1/2 years, and she was into one that her mother stopped with the cannabis oil. They have been controlled with the cannabis oil for the last 2 1/2 years but she was having multiple daily seizures prior to the cannabis oil. Her mother went downstairs and got her cannabis capsules and the MCT oil which she gave sublingually and she started to subside from the screaming and then moaned for 30 minutes. She then started to have involuntary neck movements and her head would swing back as she is walking, and she has been tapping her head on items and on her mother, which her mother thinks she is trying to tell her that something is wrong. She was not doing this prior to the 2nd vaccine. Her days and nights also seemed to be out of sorts since the vaccine as well. She is very limited in communication and does not speak much, but has so more since she started the cannabis oils. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1365072-1 | Patient has a history of seizures. Patient received 2nd dose of Moderna Covid 19 vaccination. They did ok with the first vaccine. Approximately 5 minutes after receiving the vaccine the patient had a blank stare, which the caregiver noted and informed staff that patient was having a seizure. Within 30 seconds the patient was jerking, had clenched fists, and was not coherent. The caregiver was able to keep the patient in the chair and keep her from hitting her head. After jerking motions stopped the caregiver was able to contact the person responsible for medical decisions for patient and mother decided that she need to be taken to the hospital. EMS arrived and took patient to the hospital within 15 minutes after seizure. Patient was alert and oriented when EMS arrived. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1365260-1 | The patient was administered the first dose of the Moderna COVID-19 vaccine. Immediately after the injection, the patient lost consciousness in his seat and slumped over. He was caught by the pharmacist, then briefly seized before regaining consciousness. Upon regaining consciousness, the patient complained of feeling hot and dizzy. Emergency medical services were called and they arrived within 5 minutes. In that time, the patient appeared to have mostly recovered and was comfortable leaving after being cleared by EMS. The patient was referred to their physician for guidance regarding the second dose of the vaccine. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1365402-1 | Patient received vaccine and after a few minutes patient had seizure. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1365424-1 | Client present to the clinic today through telehealth and states that she got the Covid vaccine last week and since then has been having seizures just like she did when she had Covid. On Senday she had 5 seizures, and yesterday she had 2. This morning she had 1 seizure. She denies any fevers or sore throat but does have malaise with general body aches. She does take topiramate 100mg at bedtime every night. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1365425-1 | First time seizure |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1365686-1 | Pt received his first dose of the Moderna Covid-19 vaccine. Immediately following the injection the pt began convulsing. Convulsions lasted for less than 30 seconds. Upon completion of convulsions pt was awake and alert. He stated he was thirsty. Before we could provide water to pt, the pt began vomiting. Pt was placed on his side and paramedics were called. Pt remained in a laying position until emt's arrived. Pt was examined and released. Pt was encouraged to follow up with his pcp. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1366868-1 | Dizziness/ dizzy; Weakness/ very weak; Seizures; Fainted; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of SEIZURE (Seizures), SYNCOPE (Fainted), DIZZINESS (Dizziness/ dizzy) and ASTHENIA (Weakness/ very weak) in a 19-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On 07-May-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 07-May-2021, the patient experienced SEIZURE (Seizures) (seriousness criteria hospitalization and medically significant) and SYNCOPE (Fainted) (seriousness criteria hospitalization and medically significant). On 16-May-2021, the patient experienced DIZZINESS (Dizziness/ dizzy) (seriousness criterion hospitalization) and ASTHENIA (Weakness/ very weak) (seriousness criterion hospitalization). The patient was hospitalized on 07-May-2021 due to SEIZURE and SYNCOPE, then on 16-May-2021 due to ASTHENIA and DIZZINESS. The patient was treated with PARACETAMOL (TYLENOL) at an unspecified dose and frequency. At the time of the report, SEIZURE (Seizures) and SYNCOPE (Fainted) outcome was unknown and DIZZINESS (Dizziness/ dizzy) and ASTHENIA (Weakness/ very weak) had not resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No concomitant medications were reported. Description: During the day of the injection, at 5 to 10 minutes, the patient fainted and had seizures that required hospitalization. Also, on 16 May 2021 the patient required hospitalization again because of the dizziness and weakness. The patient was still dizzy and was very weak. The patient had a consult with a neurologist and who told that the symptoms were probably becasue of the vaccine. Other treatment information included unspecified pill for dizziness at the hospital. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1366905-1 | Seizure episode; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Seizure episode) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On an unknown date, the patient experienced SEIZURE (Seizure episode) (seriousness criterion medically significant). At the time of the report, SEIZURE (Seizure episode) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. No treatment information was provided. No relevant concomitant medications were reported. Company comment: Very limited information regarding this event/s has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1366910-1 | Passed out; Seizure; This spontaneous case was reported by a consumer and describes the occurrence of LOSS OF CONSCIOUSNESS (Passed out) and SEIZURE (Seizure) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 004C21A) for COVID-19 vaccination. Concomitant products included COLECALCIFEROL (VITAMIN D [COLECALCIFEROL]) for an unknown indication. On 01-May-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 22-May-2021, the patient experienced LOSS OF CONSCIOUSNESS (Passed out) (seriousness criterion medically significant) and SEIZURE (Seizure) (seriousness criterion medically significant). On 22-May-2021, LOSS OF CONSCIOUSNESS (Passed out) and SEIZURE (Seizure) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No treatment information was provided. Company comment: Very limited information regarding this event/s has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1367836-1 | Seizure activity noted within 30 minutes of vaccination. Pt known to have functional neurologic disorder and pseudoseizures daily (sometimes back-to-back). Pt alert and orientedx4. Pt dizzy and states she did not eat lunch today. Provided with water and granola bar. Second seizure noted 20 minutes later. Pt stayed for observation for additinal 40 minutes following second seizure. Client refused transportation to hospital and clients brother came to pick her up. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1367959-1 | APPROXIMATELY 10 MINUTES OR SO AFTER RECEIVING SECOND DOSE OF MODERNA, PT EXPERIENCED A SEIZURE. PT'S MOTHER WAS NEXT TO THE PATIENT. THE PATIENT REMAINED SEATED IN HER CHAIR THROUGHOUT THE DURATION OF THE SEIZURE. MOTHER STATED THAT THE PATIENT HAS A HISTORY OF SEIZURES AND IS ON MEDICATION FOR THEM. SHE HAD ALREADY HAD MORNING DOSE AND STILL NEEDED EVENING DOSE. MOTHER DECLINED EMS SERVICES AND TOOK THE PATIENT HOME AFTER A 30 MINUTE OBSERVATION PERIOD AT THE PHARMACY. THE PATIENT WAS CONSCIOUS AND MOVING A FEW MINUTES AFTER THE SEIZURE OCCURRED. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1367982-1 | I had a metal taste in my mouth. I did not feel well. I was nauseous. When I came home, I was running a fever. I had a sore arm and my legs hurt. I did not feel good the next few days. Then I had a seizure on that Thursday or Friday. My husband called the ambulance and I went to the emergency room. I've had on and off seizures ever since. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1368230-1 | seizures, brain tumors, other tumors not previously evident prior to Covid 19 vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1368271-1 | On April 15th, the otherwise healthy 30 year old daughter of my cousin passed away in a hospital from a massive stroke and seizures related to encephalitis of unknown cause. She recovered easily from Covid19 back in November of 2020, along with several of her close friends and family members with no lingering effects. On March 30th, she was given a single dose of the Moderna vaccine along with her teaching colleagues at a local high school. She initially complained of mild nausea and vomiting but quickly developed a severe headache prompting her to visit the local ER where she received treatment for a migraine. She returned to the ER at least one more time after no relief from the headache. By April 3rd,Saturday, she no longer recognized her sister nor knew what a mask was for. Her family rushed her again to the same ER and she was subsequently transferred the following day to a Hospital. Due to dangerously high intracranial pressure, she suffered a stroke with paralysis of her left side and a seizure. Multiple lesions were noted on her brain via MRI. A shunt was inserted to relieve the pressure, she was intubated and placed into a deep coma from which she would never awaken. Despite these medical interventions and pharmacological interventions, the pressure did not subside. A craniotomy was performed the following Saturday as a last ditch effort to relieve the unrelenting pressure in her brain. The craniotomy was able to reduce the pressure but it was too late. There was no longer any brain activity and my cousin's daughter was removed from life support after they were able to say their goodbyes. The medical examiner will be examining her brain to attempt to find a cause but that report may take 6 months. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1368395-1 | Patient received the first dose Moderna she was a little scared but she was ok. She got her shot and was told to stay around for 15 minutes, she starting walking with her mom, when she told her mom she felt dizzy, then she passed out unto her mom's arms, her mom put her on the floor, did not heart her head. Mom helped her to get up and came back to the pharmacy, sat her down again. We called 911 for help, patient asked for water, while her mom went to get her some water, pharmacist was watching her when she had a short convulsion for about 2 to 3 seconds, she stretched her body to the back. When 911 came, she had already recovered her color, her vitals where ok, she was breathing normal. Patient refused to get on the ambulance, signed her release and left. Emergency personel advised her to follow up with her doctor. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1368708-1 | R56.9 - Unspecified convulsions |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | have not received second dose; terrible feeling/ feeling off; No strength; No strength to walk; lethargic; had vomited; lost control of bowels; tingling all over my body; Stroke; completely lost consciousness; Seizure; barely move her arm; lightheaded; sick to my stomach/ Stomach issues; arm was painful; interrupted her sleep; vaccination was given directly into the infected area; headache; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of CEREBROVASCULAR ACCIDENT (Stroke), LOSS OF CONSCIOUSNESS (completely lost consciousness) and SEIZURE (Seizure) in a 62-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 037B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Spider bite. On 15-Apr-2021 at 7:00 AM, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 15-Apr-2021, the patient experienced PAIN IN EXTREMITY (arm was painful), INSOMNIA (interrupted her sleep), DIZZINESS (lightheaded), GASTROINTESTINAL DISORDER (sick to my stomach/ Stomach issues), PRODUCT ADMINISTERED AT INAPPROPRIATE SITE (vaccination was given directly into the infected area) and HEADACHE (headache). On 16-Apr-2021, the patient experienced MONOPARESIS (barely move her arm). On 17-Apr-2021, the patient experienced CEREBROVASCULAR ACCIDENT (Stroke) (seriousness criterion medically significant), LOSS OF CONSCIOUSNESS (completely lost consciousness) (seriousness criterion medically significant), SEIZURE (Seizure) (seriousness criterion medically significant), PARAESTHESIA (tingling all over my body) and ANAL INCONTINENCE (lost control of bowels). On an unknown date, the patient experienced PRODUCT DOSE OMISSION ISSUE (have not received second dose), FEELING ABNORMAL (terrible feeling/ feeling off), ASTHENIA (No strength), GAIT DISTURBANCE (No strength to walk), LETHARGY (lethargic) and VOMITING (had vomited). On 15-Apr-2021, PRODUCT ADMINISTERED AT INAPPROPRIATE SITE (vaccination was given directly into the infected area) had resolved. On 16-Apr-2021, INSOMNIA (interrupted her sleep) had resolved. At the time of the report, CEREBROVASCULAR ACCIDENT (Stroke), LOSS OF CONSCIOUSNESS (completely lost consciousness), SEIZURE (Seizure), DIZZINESS (lightheaded), FEELING ABNORMAL (terrible feeling/ feeling off), GASTROINTESTINAL DISORDER (sick to my stomach/ Stomach issues), ASTHENIA (No strength), PARAESTHESIA (tingling all over my body), GAIT DISTURBANCE (No strength to walk), ANAL INCONTINENCE (lost control of bowels), LETHARGY (lethargic), HEADACHE (headache) and VOMITING (had vomited) outcome was unknown, PRODUCT DOSE OMISSION ISSUE (have not received second dose) had resolved and PAIN IN EXTREMITY (arm was painful) and MONOPARESIS (barely move her arm) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): In 2021, Computerised tomogram: inconclusive (Inconclusive) inconclusive. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No concomitant medications were reported. The patient's left arm was already itchy and swollen from a spider bite. Pharmacist injected arm where the spider bite was located, even though she noted the spider bite. During the night her arm was painful and interrupted her sleep. The next day, she could barely move her arm and it was very painful. The patient was transported to hospital emergency room. IVs and CT scan for over two weeks followed were performed. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested. Most recent FOLLOW-UP information incorporated above includes: On 27-May-2021: Patient demographics, new serious events ,new non serious events added. event outcome of painful arm( unknown to not recovered), and arm discomfort( unknown to not recovered) were changed.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1370312-1 | Seizure; Vomiting; Muscle aches; Chills; Pain in my arm from shot; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Seizure) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced SEIZURE (Seizure) (seriousness criterion medically significant), VOMITING (Vomiting), MYALGIA (Muscle aches), CHILLS (Chills) and VACCINATION SITE PAIN (Pain in my arm from shot). At the time of the report, SEIZURE (Seizure), VOMITING (Vomiting), MYALGIA (Muscle aches), CHILLS (Chills) and VACCINATION SITE PAIN (Pain in my arm from shot) outcome was unknown. Not Provided The case pertains to one patient from chatbot. No concomitant medications were reported. The patient had these symptoms after second dose. Treatment information was not provided. Company Comment: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded. Reporter did not allow further contact; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1370324-1 | Seizure; Vomiting; Muscle aches; Chills; Pain in my arm from shot; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Seizure) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, the patient experienced SEIZURE (Seizure) (seriousness criterion medically significant), VOMITING (Vomiting), MYALGIA (Muscle aches), CHILLS (Chills) and VACCINATION SITE PAIN (Pain in my arm from shot). At the time of the report, SEIZURE (Seizure), VOMITING (Vomiting), MYALGIA (Muscle aches), CHILLS (Chills) and VACCINATION SITE PAIN (Pain in my arm from shot) outcome was unknown. Not Provided The case pertains to one patient from chatbot. No concomitant medications were reported. The patient had these symptoms after second dose. Treatment information was not provided. Company Comment: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded. Reporter did not allow further contact; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1370821-1 | Inappropriate age at vaccine administration; Fever; Chills; bodyache; Seizure; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Seizure) in a 17-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 24-May-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 24-May-2021, the patient experienced SEIZURE (Seizure) (seriousness criterion medically significant), PYREXIA (Fever), CHILLS (Chills) and MYALGIA (bodyache). On an unknown date, the patient experienced PRODUCT ADMINISTERED TO PATIENT OF INAPPROPRIATE AGE (Inappropriate age at vaccine administration). At the time of the report, SEIZURE (Seizure), PRODUCT ADMINISTERED TO PATIENT OF INAPPROPRIATE AGE (Inappropriate age at vaccine administration), PYREXIA (Fever), CHILLS (Chills) and MYALGIA (bodyache) outcome was unknown. Not Provided No concomitant medications were provided by the reporter. No treatment information was provided. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the events Seizure, Pyrexia, Chills, and Myalgia, a causal relationship cannot be excluded. This report also refers to a case of product administered to patient of inappropriate age for mRNA-1273, lot # unknown, with no associated AEs.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events Seizure, Pyrexia, Chills, and Myalgia, a causal relationship cannot be excluded. This report also refers to a case of product administered to patient of inappropriate age for mRNA-1273, lot # unknown, with no associated AEs. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1371104-1 | Systemic: Seizure-Severe |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1371684-1 | PATIENT WASN'T FEELING WELL AFTER VACCINE (WAS A LITTLE NERVOUS) AND ASKED FOR SOME WATER. PATIENT SAT DOWN IN WAITING AREA WHILE I WENT TO GET HIM A DRINK. WHEN I CAME BACK PATIENT WAS RIGID AND LOCK JAWED AND NOT BREATHING. WHEN WE GOT PATIENT TO FLOOR HE WAS RESPONSIVE TO A STERNUM RUB AND HAD A PULSE. AT THIS TIME HE STARTED TO PRODUCE SNORE LIKE NOISES, CONVULSED FOR LESS THAN A MINUTE THEN CAME BACK TO. EMT'S CAME AND CLEARED PATIENT. PATIENT STATED HE HAS A VASOVAGAL REFLEX HOWEVER HAS NOT HAD AN INCIDENT IN MANY YEARS. IT IS UNKNOWN IF THIS IS WHAT PATIENT EXPERIENCED OR A REACTION TO THE VACCINE. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1371949-1 | After the individual received his vaccine he went to the medical monitoring area with two additional members of his party. At approximately 1412 the individuals friends alerted me that he needs help. I walked approximately 40 feet to find a 33 year old male patient that was unconscious and seizing. The seizure lasted about 20-30 seconds with the patient waking up confused. I instructed someone from my team to call 911 and request an ambulance. Another team member and myself assisted the patient to a wheelchair and moved him to our treatment area approximately 50 feet away. The patient was somewhat confused, hot & sweaty and fatigued. I took a basic set of vital signs and got: BP 90/70 Pulse 56 Respirations 22 LOC x 4 No CBG The ambulance arrived within 10 minuets and another round of vitals were taken. The patients blood pressure and pulse were still low. A CBG of 120 was achieved. The patient was still hot / sweaty and fatigued. The patient lied down on a cot and soon started feeling better. He stopped sweating and his BP / Pulse started rising to within normal limits. The two paramedics on site conducted a 12 lead ECG and didn't notice any amoralities. Due to this incident being the first of its kind for the patient and without being a able to find a definitive known cause it was recommended that the patient be transported to the local hospital for further evaluation. The patient declined and stated that he would have his friends take him if he starting feeling really bad. It was strongly advised that he be transported via medics to the hospital but in the end the patient refused. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1372011-1 | stroke after vaccination then episode of seizures several weeks later |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1372097-1 | We received an email today, 6/3/2021, from patients supervisor stating that approximately 30-45 minutes after we left the vaccine clinic, that the patient had a seizure or seizures. She does have a history of epilepsy. She was unconscious and had to be taken by ambulance to the hospital. She has recovered now and is resting at home. She was advised not to take her 2nd dose. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1372152-1 | "The patient received the first dose of the Moderna Covid-19 vaccine. The patient was administered the vaccine in the immunization booth. The PQCF was reviewed by the administering pharmacist and the patient marked no for all questions including Question 5 concerning seizure disorders. The patient remained in the immunization booth due to the immobility of the patient. The immobility of the patient was not related to the following event. The patient's mother within 5 minutes of the vaccine being administered called that the patient was having a seizure. Code White was called to the pharmacy to support the pharmacy staff in the needs of the patient. The patient was monitored and associates were stationed near the patient as she remained seated during and after the seizure. The patient was monitored closely. The patient's mother stated after the seizure that the patient has seizures regularly and was ""due for one"" meaning a seizure. The patient was continuously monitored for 20-25 minutes at which point she attempted to walk under the supervision of the pharmacy manager. The patient was able to walk under her own power and it was determined at this point she was able to leave the pharmacy area. Follow up with the patient will occur later in the evening and the next day to ensure the patient is doing well." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1373209-1 | Loss of consciousness; Seizure; This case was received via FDA VAERS on 25-May-2021 and was forwarded to Moderna on 25-May-2021. This regulatory authority case was reported by an other health professional and describes the occurrence of LOSS OF CONSCIOUSNESS (Loss of consciousness) and SEIZURE (Seizure) in a 21-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 040a21a) for COVID-19 vaccination. No Medical History information was reported. On 17-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 17-Mar-2021, the patient experienced LOSS OF CONSCIOUSNESS (Loss of consciousness) (seriousness criterion medically significant) and SEIZURE (Seizure) (seriousness criterion medically significant). At the time of the report, LOSS OF CONSCIOUSNESS (Loss of consciousness) and SEIZURE (Seizure) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. The patient lost consciousness seconds after vaccine. This was followed by seizure activity for 20 seconds. Blood pressure and heart rate were measured by emergency medical service, however results were not provided. Concomitant product use was not provided by the reporter. Treatment information was not provided. Very limited information regarding these events has been provided at this time. No further information is expected.; Sender's Comments: Very limited information regarding these events has been provided at this time. No further information is expected. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1374084-1 | I received my COVID vaccine on may 25 the next day i went for dialysis and had what they told me a seizure. So we stopped the treatment and continued it on Friday and literally 6 minutes into my treatment i went in to cardiac arrest. Was rushed to the hospital and they said my heart was not the problem and they don?t know what happened. So i am assuming its the vaccine because I?ve been downing dialysis now for 3 month and never had a problem. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1374247-1 | Cerebral infarction, unspecified; unspecified convulsions; facial weakness. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1374258-1 | Seizure; Acute kidney failure, unspecified; Hypo-osmolality and hyponatremia; Thrombocytopenia, unspecified |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1375021-1 | seizure, passed out..called 911 refused service |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1375723-1 | uncontroable convulsions for 4 hours; Based on the current case data, this case has been classified as invalid. This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (uncontroable convulsions for 4 hours) in a patient of an unknown age and gender who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On 27-May-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 28-May-2021, the patient experienced SEIZURE (uncontroable convulsions for 4 hours) (seriousness criterion medically significant). At the time of the report, SEIZURE (uncontroable convulsions for 4 hours) outcome was unknown. No concomitant medication information was provided. Treatment information was not provided, but the patient would've gone to emergency room if he could've made it. Action taken with mRNA-1273 in response to the drug was not applicable. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. Reporter did not allow further contact; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1375728-1 | mild seizure; sweaty; peaked and pale looked; felt clammy; fever of 100 degrees Fahrenheit; chills; achiness; not felt good at all; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (mild seizure) in a 57-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 042B21A and 006B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No medical history was provided by the reporter. Concomitant products included BUPROPION HYDROCHLORIDE (WELLBUTRIN) and VITAMIN D3 for an unknown indication. On 18-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 16-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 2 dosage form. On 17-Apr-2021, the patient experienced VACCINATION COMPLICATION (not felt good at all), PYREXIA (fever of 100 degrees Fahrenheit), CHILLS (chills) and MYALGIA (achiness). On 18-Apr-2021, the patient experienced SEIZURE (mild seizure) (seriousness criterion medically significant), HYPERHIDROSIS (sweaty), PALLOR (peaked and pale looked) and COLD SWEAT (felt clammy). The patient was treated with PARACETAMOL (TYLENOL) at a dose of UNK dosage form. At the time of the report, SEIZURE (mild seizure), HYPERHIDROSIS (sweaty), PALLOR (peaked and pale looked), VACCINATION COMPLICATION (not felt good at all), COLD SWEAT (felt clammy), PYREXIA (fever of 100 degrees Fahrenheit), CHILLS (chills) and MYALGIA (achiness) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 17-Apr-2021, Body temperature: 100 degrees fahrenheit (Inconclusive) 100 degrees Fahrenheit. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Treatment included as Tylenol. She also had orange juice and water during these episode. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1375982-1 | Patient was sent out to the hospital on Wednesday night (June 2) due to a decrease in oxygen saturation levels. He was admitted into the ER with a diagnosis for recurrent seizures. Patient has a history of seizures, but a facility worker mentioned that the seizures did not look like the ones he would have. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1376372-1 | Systemic: Seizure-Medium |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1376427-1 | Seizure Stroke |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1376480-1 | Systemic: Seizure-Medium. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1376634-1 | 81 year old male who presented to Medical ER 6/4/21 with possible seizure like activity at home after having his second dose of COVID vaccine on 6/3/21. His first dose of COVID vaccine was given on 5/4/21. After the patient arrived to the ED he was able so my questions. The patient had an EKG performed was not concerning for ACS. He was given a total of 1 mg of Ativan IV. CT head CTA head and neck were negative for any acute findings. He was started on IV lactated Ringer's. CBC was reassuring. CMP showed a sodium of 125 and potassium 3.3. The patient was started on a liter of NS. Magnesium was found to be 1.7 was given 2 g of magnesium IV. Ammonia level blood alcohol level were negative. Initial lactic acid level was 5.9. Repeat lactic acid level is down to 1.9. I had spoke with on-call neurology felt that seizure is most likely due to the patient's electrolyte abnormalities. Did not recommend antiepileptics at this time. I spoke with Dr. who is willing accept the patient for admission to the ICU. When Dr. came down and spoke with the patient he started having another seizure. After the seizure he continued to not breathe. The patient was bagged and started having some spontaneous respirations however continued to have a low O2 sat if he was not bagged. We were able to speak with the neurologist again who recommended giving Keppra 1500 mg IV. Dr. was able to speak with the patient's next of kin his son and the patient's brother who both recommend the patient not be intubated or any other life-saving measures. Would like the patient be kept comfortable. The patient passed away shortly thereafter time of death was 2044. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1377018-1 | Systemic: Seizure-Medium, Additional Details: Patient had a seizure, 24 hours post vaccine. Patient went to ER where they found a subdural hematoma |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1377020-1 | Systemic: Dizziness / Lightheadness-Severe, Systemic: Seizure-Mild, Additional Details: PATIENT STATED THAT THEY WERE DIZZY, THE PHARMACIST APPROACHED THE PATIENT RIGHT AWAY TO ASSESS. THE PATIENT HAD A MUSCLE CONVULSION AND THE PHARMACIST HELPED HIM TO THE FLOOR PREVENTING THE FALL FROM THE CHAIR. THE PATIENT ALSO URINATED. THE SYMPTOMS PASSED, BLOOD PRESSURE WAS TAKEN 122/82 BP, HR 99. ON A SCALE OF 1-10 (FEELING GREAT=1 , FEELING REALLY SICK =10) PATIENT FELT # 3., THEN #2 AFTER 10 MINUTES. INSTRUCTED PT TO GO SEE A PHYSICAN AT A WALK IN CLINIC TO BE ASSESSED. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1377033-1 | 1157 wife called for help and stated her husband was having a seizure. Wife stated he has had a seizure before but he does not take medication. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1377368-1 | "Patient received vaccine then left the immunization booth. Pharmacist was disinfecting the booth and heard the patient's mother saying Pharmacist stepped out of the booth and the patient was on the floor. Pharmacist went to the patient and instructed the staff to call 911. Patient's mother (who is a RN) stated that the patient fainted and had a seizure. Patient's mother stated the patient had a history of seizures (although on the consent form they marked no history). Patient was conscious and had a pulse, she could talk - but she was very slow and labored in speech. After a few minutes patient regained color in her face and was able to speak ""normally"". At that time the patient stated that she had a history of seizures and that her last seizure was 2 years ago. Patient also stated that her seizure triggers were fear and pain and that after the first shot she did experience dizziness (but had not told anyone about that). Pharmacist stayed with the patient until EMS arrived, EMS took over care and took the patient to a local hospital for evaluation." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1377781-1 | Patient received the vaccine on 6/6/2021 at 4 pm. This morning (6/7/2021) the patient woke up with a fever and chills. She got up to go to the bathroom and experienced a seizure. Patient reports that her husband was home during the seizure and he reports that it lasted for 4 minutes. Patient hit her head on the floor at the beginning of the seizure and reports having a horrible headache and sore neck currently. Advised patient to go to the doctor to be checked out. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1377875-1 | Woke up, went to the bathroom, passed out after standing up off the toilet, was lifted off the floor by my husband and made it halfway back to the bed before having a full blown seizure. Only sign was extreme dizziness when leaving the bathroom. Returned to bed, took two ibuprofen, and remained lying in bed for more than half of the day. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1378344-1 | I experienced a physosic event. Hallucinations, delirium, memory loss (I remembersome things but not all when talking with my family since then) ,, anger unlike I've ever had before, 'everyone against me'l. My family was scared for me and of me. I had left my twin neice and nephew and somehow ended up at a park down the street. Once home was still 'talking to people' and 'acting out as things were real to me at home and neighborhood. No sleep for 3 nights straight. Has a crisis worker visit in hospital and home visit. My family says I finally came myself about 6/2. Still have injuries due to things I did. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1378812-1 | Mom stated patient had a seizure after the vaccine and had to call paramedics. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1381885-1 | HE DEVELOPED A SEIZURE DISORDER 2 WEEKS AFTER HIS FIRST MODERNA VACCINATION AND WAS HOSPITALIZED FOR 3 DAYS AT HOSPITAL. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1381949-1 | Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Mild, Systemic: Tinnitus-Mild, Additional Details: Patient received 2nd dose and withing approximately 5 minutes, her eyes rooled back and her body went limp. She came too withing 1 minute and was ok for approximately 2-3 minutes. Then her eyes rolled in the back of her head and she experienced slight convulsions of her extremities. she came too once again within 1 minute. she was confued initailly when she came too, but pretty quickly was fully awae of her surroundings. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1382387-1 | Seizure like activity 10 min after injection x 10 seconds, then fatique/weakness, dizziness, chills, hypotension, and patient stated shortness of breath. 911 was called and transported to ER |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1382433-1 | patient had a seizure immediately following administration of vaccine |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1382461-1 | Patient reports on 3/29/21, he had a seizure after visit on 3/27, he was admitted to the hospital where he was observed, and discharged on 3/29/21. Client reports the treating physicians at the hospital think it is unrelated to the vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1382611-1 | Five days after the vaccine, 05/15/2021, the patient began having seizures and was not able to speak. The patient arrived to the emergency department of the hospital at 10:30 PM and was seen by the ED doctor at 2:30 AM. The patient's seizure medications dose was increased and the patient was initiated on hydrochlorothiazide. She was discharged from the hospital on 05/19/2021. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1382641-1 | Pt had an occipital stroke on the 13th of March. She lost half of her vision in both eyes. We went to the hospital after the eye doctor told her she had had a stroke. Eventually, after 4 trips to the hospital, 2 trips to rehab, we discovered the strokes apparently triggered non-convulsive seizures which they could never end up getting under control. She passed away on 31 May 2021. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1382892-1 | Approximately 2-3 minutes after receiving the shot patient reports that he had a seizure. Was sitting in the observation area, felt like vision was blacking out. Observers report that patient stiffened in chair and eyes rolled back. No one observed tonic-clonic movements of limbs, but patient did have bladder incontinence. He was unresponsive for several minutes, EMS was called and evaluated patient at the scene. He started to feel better fairly quickly after regaining consciousness and refused transport to hospital. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1383117-1 | Patient had trouble breathing and seizure following shot. Patient was taken to hospital for further treatment. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1384922-1 | Patient started seizing minutes after getting the vaccine which lasted about 30 minutes. Patient does have a history of seizures and takes medication for them. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1385101-1 | Patient was walking in waiting room, passed out, fell backwards and hit his head on a chair. When I came to the waiting room patient was actively seizing and bleeding from a laceration on the posterior part of his scalp. Patient moved from under chair and placed in recovery position. Active seizure time from my arrival was 30 seconds. Patient was minimally responsive and postictal for approximately 5 minutes and diaphoretic. Vital signs taken and oxygen placed on patient. Color returned to normal, and VSS. BS was 108 on glucometer. EMS called and patient transported out of facility. Patient is a 35 yo M with no sig pmhx presenting after syncopal event after receiving his COVID vaccine. Fell from standing, denies dizziness, SOB, CP, or other symptoms prior to the event. He hit the back of his head when he fell. He presented to the ED, at which time he felt very nauseous and per notes he was confused and perseverating. Admitted to the SICU for R frontal IPH and R frontal SDH. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1385504-1 | I had a seizure the date after I had the first dosage of the vaccine. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1386884-1 | ABOUT 30 SECONDS AFTER THE SHOT WAS ADMINISTERED THE PATIENT HAD A SEIZURE WHILE SITTING IN THE CHAIR IN THE WAITING ROOM. FULL BODY TWITCHING AND EYES ROLLING FOR 15 SECONDES OR SO. LEFT ARM WAS ALSO SWOLLEN AT THE ELBOW WHICH WAS OPPOSITE ARM OF THE IMMUNIZATION. PARAMEDICS WERE CALLED AND PATIENT WAS EVALUATED IN THE AMBULANCE BUT CHOSE NOT TO GO TO THE HOSPITAL AND TOLD THE PARAMEDICS HE WOULD GO ON HIS OWN. STILL HAS NOT BEEN SEEN PER PATIENT. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1387335-1 | Patient fell forward in his chair, briefly lost consciousness and started seizing for about 3-4 seconds. Patient stated he had not eaten all day. Company has an in-house safety/medical team that came over to observe and examine the patient. EMS and fire department arrived as well to further examine patient. He did not want to go to hospital despite EMS recommending it. Patient stated he felt fine as if nothing had happened afterwards. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1387892-1 | Seizure; This case was received via VAERS (Reference number: 1151220) on 01-Jun-2021 and was forwarded to Moderna on 01-Jun-2021. This regulatory authority case was reported by an other health care professional and describes the occurrence of SEIZURE (Seizure) in a 20-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 027B21A) for COVID-19 vaccination. No Medical History information was reported. On 31-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 31-Mar-2021, the patient experienced SEIZURE (Seizure) (seriousness criterion medically significant). At the time of the report, SEIZURE (Seizure) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. For mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular), the reporter did not provide any causality assessments. There was no treatment medication reported. There was no concomitant medication reported. The patient had a seizure about 10 minutes after the vaccine was given. She had reported to us ahead of time that she has a seizure disorder. Very limited information regarding this event has been provided at this time. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. However, patient's underlying condition of seizure disorder remains a confounder. Further information can't be requested.; Sender's Comments: Very limited information regarding this event has been provided at this time. Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. However, patient's underlying condition of seizure disorder remains a confounder. Further information can't be requested. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1388347-1 | Severe sore throat & loss of voice (result- swollen vocal chords, (hurt when I talked)- saw family doctor and ENT, had to go on steroids, took 6 weeks for pain to go away. Increased seizures- Seen by neurologist, had MRI done showing more gray areas. Administered neuresta for increased headaches (didn't work) from increased seizures. Seizures in face -I've never had before! Neuropathy pain increase/facial pain increase Sore arm with large lump |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1388515-1 | Immediately after I was very exhausted, headache, then went to the ER and woke up blind, following the blindness and had a seizure. I was put on life supprt. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1388817-1 | Systemic: Flushed / Sweating-Severe, Systemic: Hypotension-Severe, Systemic: Seizure-Mild, Systemic: Weakness-Mild, Additional Details: patient was sweating profusely, felt dizzy. We called 911 and they said patient's BP dropped and may not have had a real seizure. patient said he had experience the 'excessive sweating' side effect before when he had allergic reaction (but did not tell the pharmacy staff at check in when we were asking if he had any allergic reaction to something) |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1388987-1 | Patient has a history of seizure disorder, shortly after receiving 2nd covid vaccine she had 2 seizures one lasting 1 minute and the other lasting 2 minutes, patient has no memory of the events. She had myalgias and muscle pains in her lower extremities as well as mild headache, which is normal post seizure for her. After 1st dose she felt funny like she was going to have a seizure but did not have a full seizure. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1389027-1 | Patient had a seizure. He began to look to the left and blink constantly. Seizure lasted 4 minutes. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1389153-1 | Patient was exhibiting signs of seizure activity, guardian states patient has history of seizures, mostly grand mal bus some mild. Patient unresponsive with mild tremors in hands and feet. Respirations were nonlabored, BP 140/82. EMS called and was transported to ED. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1390733-1 | headache; tiredness; Convulsion; Severe chest pain; Breathing problem; Swelling of his whole body; Severe Allergic reaction; significant drop in blood pressure; Shaking and Tremor all over the body; Pain all over the body; exaggerated pulse at 92 bpm; Body ache; Chills; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Convulsion) in a 71-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 027B214 and 03114211A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. The patient's past medical history included Malaria (Had 2 types of Malaria.) and Sick child (Sickly as a child). Concurrent medical conditions included Rheumatic fever and Drug allergy (Allergic to sodium Pentathol). Concomitant products included MULTIVITAMINS [VITAMINS NOS], FISH OIL, COLECALCIFEROL (VITAMIN D [COLECALCIFEROL]), BUDESONIDE, FORMOTEROL FUMARATE (SYMBICORT), ASPIRIN [ACETYLSALICYLIC ACID], TRIAMTERENE, HCTZ, ATORVASTATIN, TERAZOSIN and DICLOFENAC SODIUM (FENDER) for an unknown indication. On 18-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 16-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 16-Apr-2021, the patient experienced SEIZURE (Convulsion) (seriousness criterion medically significant), CHEST PAIN (Severe chest pain), DYSPNOEA (Breathing problem), SWELLING (Swelling of his whole body), ALLERGY TO VACCINE (Severe Allergic reaction), BLOOD PRESSURE DECREASED (significant drop in blood pressure), TREMOR (Shaking and Tremor all over the body), PAIN (Pain all over the body), PULSE ABNORMAL (exaggerated pulse at 92 bpm), MYALGIA (Body ache) and CHILLS (Chills). On an unknown date, the patient experienced HEADACHE (headache) and FATIGUE (tiredness). On 16-Apr-2021, SEIZURE (Convulsion) had resolved. On 17-Apr-2021, TREMOR (Shaking and Tremor all over the body) and CHILLS (Chills) had resolved. At the time of the report, CHEST PAIN (Severe chest pain), DYSPNOEA (Breathing problem), SWELLING (Swelling of his whole body), ALLERGY TO VACCINE (Severe Allergic reaction), BLOOD PRESSURE DECREASED (significant drop in blood pressure), PAIN (Pain all over the body), PULSE ABNORMAL (exaggerated pulse at 92 bpm), MYALGIA (Body ache), HEADACHE (headache) and FATIGUE (tiredness) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 16-Apr-2021, Blood pressure measurement (120-90 mmHg): low mmHg (Low) 107/65 Significant drop in Blood pressure. On 16-Apr-2021, Heart rate: abnormal (abnormal) Exaggerated pulse at 92 bpm. For mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown), the reporter did not provide any causality assessments. Treatment information was not provided. Action taken with mRNA-1273 in response to events was not applicable. Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded.; Sender's Comments: Based on current available information and the temporal association between product use and the start date of the events a causal relationship cannot be excluded. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1391327-1 | Systemic: Confusion-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe, Systemic: Shakiness-Severe |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1391411-1 | Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Convulsions-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Seizure-Medium |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1391500-1 | Patient had his 2nd Moderna vaccine at pharmacy at 2:00 and was struggling to breathe a few hours later. We were at the emergency room around 6:00pm and he was placed on a ventilator between midnight and 1:00am. He died 10 days later after experiencing clots that led to seizures and congestive heart failure. I have a death certificate if needed. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1392619-1 | Sister of patient could not provide lot# or vaccine site. My sister started to have convulsions the day after her Moderna dose 2 vaccine. My sister is in a senior living facility and she is in a wheel-chair. My sister has history of epilepsies, which were controlled for one year, but since the Moderna vaccine, she has had four days straight of convulsiond. She has had 30 convulsions in the four day span along with fever and she has also lost her sensation to her legs. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1392850-1 | on March 20 I initially woke up with vertigo which I later found out was an adverse reaction to the first shot of the vaccine. Approximately three weeks after the second shot of the vaccine I endured a chest pain and had to call 911, where I later woke up after having open heart surgery, Due to the fact that I had an aortic tear I needed Emergency open heart surgery. In the midst of that I had a mild stroke, two seizures and blockage in my carotid artery, Which I will need additional surgery to fix and put a stent in my neck. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1393029-1 | After I was given the shot on my left upper arm, I sat down on a chair in the area where we were to wait 15 minutes. Within 5 minutes of being administered the shot, my entire body started profusely sweating. I remember my heart beat feeling like it was jumping out of my chest... almost felt like a heavy anxiety/panic attack, but the profuse sweating was bizarre. Next thing I know, I wake up on the floor, with people hovering over me trying to help me up. I was told by witnesses and pharmacy employees that it appeared as though I had a seizure because my body started shaking uncontrollably and then I fell off the chair in a passed out state. The person who administered it asked me if I am pregnant, and I said I am not. I asked for water and candy to get my sugar levels up. I realized my entire shirt was soaking through, as I had perspired like never before in my life. The pharmacist (male, 40s-50s age) told me that my reaction was not a normal one and that I should consider whether or not to take the 2nd dose and whether or not to do so in a hospital setting and not an or other grocery store pharmacy setting, since he said the 2nd dose is stronger and my reaction will likely be much worse. I waited for about an hour and half to regain my strength. I then walked to the car and waited in the car until my husband came and drove me home. I took a whole week off of work. I had never felt like this before. I had chest pains, difficulty breathing for almost a month. My heart rate kept accelerating and decreasing, and I truly feel like the chest pains are associated with the shot. Every morning I woke up to a puddle of my sweat. This lasted 2 months. I heard ringing in my ears and kept experiencing the feeling of falling and realized what I am feeling is vertigo -- which I had never felt before. The first few days I could not move and do much around the house. To this day, the lymph nodes and area near my left breast (where my heart is) and under my left underarm still hurt and feel tender/sore. To this day, I still experience random chest pains. All of these are new feelings that I did not have prior to dose 1.. I thought against submitting any report via VAERS, but because it's been 2 months and my health isn't back to 100%, I thought it would be best to submit a report after further consideration. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1394047-1 | Seizures; This spontaneous case was reported by a consumer (subsequently medically confirmed) and describes the occurrence of SEIZURE (Seizures) in a male patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. Concurrent medical conditions included Disabled child and Epilepsy. On 05-Mar-2021, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 15-Apr-2021, the patient experienced SEIZURE (Seizures) (seriousness criteria hospitalization and medically significant). At the time of the report, SEIZURE (Seizures) outcome was unknown. The patient's seizures have been under control at the time of report. Concomitant product use was not reported. Treatment information was not provided. Action taken with mRNA-1273 in response to the events was not applicable. Company comment: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. However, the previous history of epilepsy is a confounder.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the event, a causal relationship cannot be excluded. However, the previous history of epilepsy is a confounder. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1394059-1 | Seizure; Keratitis; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Seizure) and KERATITIS (Keratitis) in a 64-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 030B21A and 031A21A) for COVID-19 vaccination. Co-suspect product included non-company product ADALIMUMAB (HUMIRA) for Plaque psoriasis. The patient's past medical history included Coronary artery bypass in 2017, Leg amputation in December 2018, Leg operation (SURGERY IN LEG BLOOD VESSEL) in 2020, Gallbladder operation NOS and Carpal tunnel release. Concurrent medical conditions included Abstains from alcohol, Non-tobacco user, Sulfonamide allergy (All sulfur medicines manifest nausea), Blood pressure high, Plaque psoriasis, Neuropathy, High cholesterol and Diabetes. Concomitant products included CLOPIDOGREL BISULFATE (PLAVIX) for Anticoagulant therapy, LOSARTAN for Blood pressure high, INSULIN for Diabetes, ACETYLSALICYLIC ACID (BABY ASPIRIN) for Heart disorder, ATORVASTATIN CALCIUM (LIPITOR) for High cholesterol, GABAPENTIN for Neuropathy. On 24-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 22-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. In May 2021, the patient started ADALIMUMAB (HUMIRA) (Subcutaneous) 40 mg every two weeks. In May 2021, the patient experienced KERATITIS (Keratitis) (seriousness criterion hospitalization). On 17-May-2021, the patient experienced SEIZURE (Seizure) (seriousness criteria hospitalization and medically significant). The patient was hospitalized on 17-May-2021 due to SEIZURE. On 17-May-2021, SEIZURE (Seizure) had resolved. At the time of the report, KERATITIS (Keratitis) was resolving. Patient's concomitant medications also included taking unspecified vitamins. As per the patient's wife, he still had keratitis two weeks ago (as of 28-MAY-2021). Unknown lab tests were done as well as unknown medications prescribed. The patient was still taking unspecified antibiotics for the keratitis. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Also, the co-suspect drug humira should be considered as a confounding factor to the events.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Also, the co-suspect drug humira should be considered as a confounding factor to the events. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1394061-1 | seizures within half an hour of each other; left arm was sore; This spontaneous case was reported by a patient family member or friend (subsequently medically confirmed) and describes the occurrence of SEIZURE (seizures within half an hour of each other) in a 31-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 022B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Previously administered products included for Product used for unknown indication: MMR Vaccine (Patient got the vaccine when she was 2 years old). Concomitant products included SERTRALINE for an unknown indication. On 24-May-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) 1 dosage form. On 24-May-2021, the patient experienced PAIN IN EXTREMITY (left arm was sore). On 30-May-2021, the patient experienced SEIZURE (seizures within half an hour of each other) (seriousness criteria hospitalization and medically significant). The patient was hospitalized from 30-May-2021 to 30-May-2021 due to SEIZURE. At the time of the report, SEIZURE (seizures within half an hour of each other) had resolved and PAIN IN EXTREMITY (left arm was sore) outcome was unknown. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Unknown) was unknown. Patient was reported to have no history of seizure episodes. On 30-MAY-2021, she was reported to have 2 episodes of seizure within half an hour of each other. Patient was reported to be treated with iv medicine at the hospital, shot of anti-seizure medicine and anti-nausea medicine. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Of note, the patient's medical history of sertraline intake may be a confounding factor that may play a possible contributory role to the event of seizure. Further information has been requested.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Of note, the patient's medical history of sertraline intake may be a confounding factor that may play a possible contributory role to the event of seizure. Further information has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1394066-1 | mini-strokes which have increased in frequency; placed on low-dose seizure medicine Aptiom 200 and Aspirin 325 to prevent further seizures; Wheezing; Shortness of breath; Headaches; Soreness in arm; This spontaneous case was reported by a consumer and describes the occurrence of TRANSIENT ISCHAEMIC ATTACK (mini-strokes which have increased in frequency) and SEIZURE (placed on low-dose seizure medicine Aptiom 200 and Aspirin 325 to prevent further seizures) in a 94-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 013l20A and 039K20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. Concomitant products included ACETYLCYSTEINE, CALCIUM LEVOMEFOLATE, MECOBALAMIN (CEREFOLIN NAC [ACETYLCYSTEINE;CALCIUM LEVOMEFOLATE;MECOBALAMIN]), COLECALCIFEROL (VITAMIN D3) and AMOXICILLIN SODIUM (AMOXICILLIN [AMOXICILLIN SODIUM]) for an unknown indication. On 22-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 18-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient experienced TRANSIENT ISCHAEMIC ATTACK (mini-strokes which have increased in frequency) (seriousness criterion medically significant), SEIZURE (placed on low-dose seizure medicine Aptiom 200 and Aspirin 325 to prevent further seizures) (seriousness criterion medically significant), WHEEZING (Wheezing), DYSPNOEA (Shortness of breath), HEADACHE (Headaches) and MYALGIA (Soreness in arm). The patient was treated with ASPIRIN [ACETYLSALICYLIC ACID] ongoing since an unknown date for Seizure prophylaxis, at a dose of 325 dosage form and ESLICARBAZEPINE ACETATE (APTIOM) ongoing since an unknown date for Seizure prophylaxis, at a dose of 200 milligram. At the time of the report, TRANSIENT ISCHAEMIC ATTACK (mini-strokes which have increased in frequency) had not resolved and SEIZURE (placed on low-dose seizure medicine Aptiom 200 and Aspirin 325 to prevent further seizures), WHEEZING (Wheezing), DYSPNOEA (Shortness of breath), HEADACHE (Headaches) and MYALGIA (Soreness in arm) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 17-May-2021, Magnetic resonance imaging: mini-strokes (abnormal) mini-strokes were confirmed via MRI. The patient's caregiver reported the patient stopped taking amoxicillin 875-125 prior to receiving the second dose of the vaccine. After receiving the second vaccine, he began to experience a repeat of symptoms similar to those after the first dose which were described as a number of mini-strokes which increased in frequency. The patient was treated and released in an emergency room (less than 24-hour stay). It was reported the mini-strokes occurred within 24 to 72 hours post-vaccination. Company Comment : Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested. This case was linked to MOD-2021-207709 (Patient Link).; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. Further information has been requested. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1394072-1 | Seizure immediately after the dose was given; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Seizure immediately after the dose was given) in a 24-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch no. 025C21A) for COVID-19 vaccination. No Medical History information was reported. On 04-Jun-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 04-Jun-2021, the patient experienced SEIZURE (Seizure immediately after the dose was given) (seriousness criterion medically significant). On 04-Jun-2021, SEIZURE (Seizure immediately after the dose was given) had resolved. The action taken with mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) was unknown. No Concomitant medications were reported. No treatment information was reported.; Sender's Comments: Very limited information regarding this event/s has been provided at this time. Further information has been requested. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1394310-1 | PT DID FINE IMMEDIATELY, ATER VACCINE WITHIN A FEW MINUTES HE PASSED OUT, FELL OUT OF HIS CHAIR AND STARTED SEIZING. I RUSHED OUT OF THE PHARMACY PUT A SOFT PAD UNDER HIS HEAD AND PREVENTED HIM FROM HITTING IT ON THE FLOOR. I TOLD A CUSTOMER TO CALL 911, SHOTRLY AFTER PATIENT WOKE UP AND ASKED US TO CALL HIS PARENTS. ANOTHER CUSTOMER DID THAT AND THEN THE EMS ARRIVED. THEY CHECKED ALL HIS VITALS WHICH WERE WITHIN NORMAL LIMITS AND HE CHOSE TO NOT GO WITH THEM. HIS SISTER PICKED HIM UP TO GO HOME. PT STATED HE HAD NOT EATEN THAT DAY AND HAD TAKEN IBUPROFEN BEFORE ARRIVING. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1394828-1 | seizures lasting 10-12 minutes, hospitalized since May 16, 2021. Transferred to hospital on May 28, Expected to be transferred to long term care on June 14, 2021 . |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1395059-1 | Nine days after I received the shot, I had a first-time seizure and I was unconscious for about 30 minutes after. I broke my nose and busted my lip during it. The only signs I can think of that may have been a warning was that I couldn't spell cardiac and I had Deja Vu. My CT and MRI scans came back normal I go for a 24 hour EEG on June 26th. The doctors are unsure of what caused it. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1395087-1 | /Pt called to explain had seizure after second dose. Was provided first dose on 5/12/21 (no reported incident). Second dose provided on 6/9/21. Patient reported seizure occurred on 6/11/21. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1395618-1 | "Headache, Seizures, UrticariaPruritus & NauseaVomiting Narrative: NORMALLY HAVE SEIZURES EVERY EVENING, BUT THIS SEIZURE ABOUT 5.5 POST VACCINE WAS MUCH MORE SEVERE WITH ""EYES ROLLING IN BACK OF HEAD"" AND FELT ""IN A DAZE"". TOOK AN EXTRA DOSE OF CLONAZIPAM 1 MG" |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1395935-1 | PATIENT HAD A SEIZURE AND WAS TAKEN TO HOSPITAL. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1396089-1 | "No side effects from first shot. Second shot was different. Got my second shot about 2PM and around 1-2 AM I was getting ready for bed. At first I was just feeling tired but then I started shaking uncontrollably and muscles in my neck and back were spazzing out. I lost all control of my body and fell over, convulsing for an unknown amount of time. I apparently foamed and/or drooled all over myself. I woke out of this effect around 3:30 AM. This was Friday/Saturday. Its Monday now. I still cannot stand straight and cannot create complex thoughts in my mind. I had a hard time perceiving colors for the first day and a half to two days after the seizure or stroke I suffered. I still have a migraine that feels like an elephant is sitting inside my skull. I still cannot perform complicated thoughts nor can I do complicated things with my hands because of a lack of motor skills. I successfully pulled every muscle in my back and neck and cannot stand upright. I'm 35 and now need a cane. Its already been 3 days and things really have not changed. Won't catch me lining up for a booster shot. NO THANK YOU. I did not seek medical attention because lets face it the healthcare system is a joke I would have needed a ride to a hospital, increasing my odds of getting the virus, to have them hold me as long as they can to stab me and poke me and take samples, give me no results, and a humungo bill. I will die before I go to a hospital ever again because the amounts of testing I required at the time would have covered back and neck and brain scans of various types and those tests are stupid expensive and 99% of the time I've ever got one they said oh I'm sorry we don't know what's wrong go see my friend who is a specialist blah blah blah and its the ""doctor-go-round"" where you blow all your money on morons that only care about lining their pockets." |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1396366-1 | Patient experienced several seizures after vaccine administration. She also experienced the same symptoms after her first dose of vaccine. She was advised to have her second dose administered in Urgent Care so that appropriate monitoring could be performed. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1398516-1 | Seizure; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (Seizure) in a 27-year-old female patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. No Medical History information was reported. On an unknown date, the patient received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On an unknown date, received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (unknown route) dosage was changed to 1 dosage form. On an unknown date, after starting mRNA-1273 (Moderna COVID-19 Vaccine), the patient experienced SEIZURE (Seizure) (seriousness criteria hospitalization, medically significant and life threatening). At the time of the report, SEIZURE (Seizure) had not resolved. No concomitant medications were reported. Treatment medications were not provided. Company comment: Very limited information regarding this event has been provided at this time. Further information has been requested.; Sender's Comments: Very limited information regarding this event has been provided at this time. Further information has been requested. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1398755-1 | Long-term dizziness and lightheadedness Increasing frequency of passing out and seizing in heat and elevation gain (once a month in January after vaccine, now twice in a week) I passed out and got a concussion after my second dose in February, for example... |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1399325-1 | Per physician H&P notes; Patient states that she received her second Moderna vaccine in March and about 4 days later when she came out of the bathroom she felt her legs felt like Jell-O, she fell down, her patents were calling her but she was unable to respond, she heard them talking to her but she was unable to speak. She remembers EMS coming over to her home and the next thing she recalls that she woke up ICU 4 weeks later and her mother is telling her that she has paraplegia. According to notes for employee; Patient was admitted on March 20, 2021, discharged on April 16, 2021. She was admitted with seizures, DKA, aspiration pneumonia, septic shock, severe hypertriglyceridemia. She got intubated and during her MRI of the brain she had a brief cardiac arrest from 2 minutes. She developed pancreatitis also due to high triglyceride level. She received plasmapheresis for triglycerides above 5000. According to notes patients quadriparesis was worked up at Hospital. No definitive dx was found. She has been on chronic steroids. Continued physician notes; Patient comes with 24 hr hx of N/V, Chills. She has an indwelling Foley. She was discharged from this hospital on May 28, 21, see d/c summary. Patient is an unfortunate patient with paraplegia due to axonal neuropathy since March 2021. Patient does have indwelling Foley catheter and yesterday she started having severe nausea and she has been vomiting at least 5 times since then. She reports chills last night. She was brought to the emergency room where she was found to have abnormal urine suggesting UTI, then later she spiked temperature, 101.6 F. She does have the history of sinus tachycardia, currently her heart rate is 140/min. According to notes from employee; Quadriplegia due to axonal neuropathy. Started on plasmapheresis, 7/7 treatments completed. Received high-dose solu-medrol which transitioned to a taper of steroids 5mg qd; on 05/29 take 5mg qod for 3 doses, last dose on 06/02. On gabapentin 900 mg TID, nortriptyline 50 mg qhs. Has tried Topamax in the past and did note do well with it. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1400319-1 | Was extremely sick after the second shot with flu like symptoms. On the second day, my blood pressure was 190 over 110 and still sick with flu like symptoms. Got the blood pressure to come down by doubling up on high blood pressure meds. Remained sick for 13 days. During this time, was working full time (Office duties) and off hours working extreme hours to physical exhaustion on family farm. On the 13th day, suffered severe seizures that broke my collarbone and shoulder to the point my shoulder needs to be replaced. The broken bones were not from the fall when I passed out, as my brother caught me and took me to the ground. No medical history of seizures with me or my family. Right before the seizure I could only describe myself as feeling off, like I was in a slight fog and not clear of thought or sight. My brother told me I had about 10 mini seizures while standing and holding on the tailgate of the truck and then one big one that knocked me out for about 15 minutes dislocating and breaking my should and collarbone. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1400380-1 | Within 2-3 minutes after injection, patient fainted and had what looked like a brief seizure. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1400431-1 | Excessive fatigue lasting 2.5 days. Would get up to walk to the restroom and could only take steps that were about 6 inch strides and a walk that should only take 4-5 seconds would take 45 seconds each way. Inability to write legibly with a pen or open a bottle of Tylenol because of the protective seal. Convulsions while trying to breathe. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1400641-1 | On 5/23/2021 I experienced a seizure, and again on 5/9/2021. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1401697-1 | seizure; Rash on upper arm; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (seizure) in a female patient of an unknown age who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 014M20A and 026L20A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. No Medical History information was reported. On 28-Jan-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 25-Feb-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On an unknown date, the patient experienced SEIZURE (seizure) (seriousness criteria hospitalization and medically significant). an unknown date, the patient experienced RASH (Rash on upper arm). The patient was hospitalized on 26-Feb-2021 due to SEIZURE. At the time of the report, SEIZURE (seizure) and RASH (Rash on upper arm) had resolved. Concomitant product use was not provided by the reporter. Treatment information was not provided. This case was linked to US-MODERNATX, INC.-MOD-2021-030292 (E2B Linked Report).; Sender's Comments: US-MODERNATX, INC.-MOD-2021-030292:2nd Dose Case - Serious |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | second dose made it worse; increased seizure activity; some memory loss; motor control issue; out of work/ Have been unable to work since April 17th, 2021; loss of coordination in legs while walking/ loss of leg movement coordination; body aches; fevers ranging between 100-100.2 and a half for 10-20 hours a day/fevers ranging different temperatures on different parts of his head; extreme fatigue; headache/ severe headache; joint aches; This spontaneous case was reported by a consumer and describes the occurrence of SEIZURE (increased seizure activity) in a 56-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) (batch nos. 042B21-2A and 006B21A) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Drug allergy (Codeine allergy), Penicillin allergy, Drug allergy (Azithromycin allergy), Drug allergy (Dilantin allergy), Drug allergy (Trazadone allergy), Drug allergy (Levaquin allergy), Drug allergy (Aspirin allergy), Food allergy (Yellow onions allergy), Seafood allergy (All seafood except shrimp and flounder), Food allergy (Mild dairy allergy), Allergy to vaccine (Tetanus shot allergy), Allergy to vaccine (Flu shot allergy), Arthritis (worsening ever since received 1st vaccine.) since 01-Jun-1977, Asthma since 01-Feb-1987, Seizure (Frequency has increased by 300% since 2nd vaccine) since 01-Jul-1988, Aortic aneurysm (Aortic muscle damage caused by aneurysm) since 10-Oct-2011 and Crohn's disease since 01-May-1989. Concomitant products included BECLOMETASONE DIPROPIONATE (QVAR REDIHALER) from 01-Aug-1998 to an unknown date for Asthma, MIRTAZAPINE from 01-Feb-2014 to an unknown date for Sleep disorder, MELATONIN, CALCIUM, MAGNESIUM, POTASSIUM, DIPHENHYDRAMINE HYDROCHLORIDE (BENADRYL [DIPHENHYDRAMINE HYDROCHLORIDE]), ZINC, INOSITOL and IODINE (KELP [IODINE]) for an unknown indication. On 20-Mar-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 17-Apr-2021, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 17-Apr-2021, the patient experienced IMPAIRED WORK ABILITY (out of work/ Have been unable to work since April 17th, 2021), PYREXIA (fevers ranging between 100-100.2 and a half for 10-20 hours a day/fevers ranging different temperatures on different parts of his head), FATIGUE (extreme fatigue) and HEADACHE (headache/ severe headache). 17-Apr-2021, the patient experienced COORDINATION ABNORMAL (loss of coordination in legs while walking/ loss of leg movement coordination), MYALGIA (body aches) and ARTHRALGIA (joint aches). On 17-Apr-2021 at 11:00 PM, the patient experienced AMNESIA (some memory loss) and MOTOR DYSFUNCTION (motor control issue). On 20-Apr-2021, the patient experienced SEIZURE (increased seizure activity) (seriousness criterion medically significant). On 20-Apr-2021 at 1:00 PM, the patient experienced CONDITION AGGRAVATED (second dose made it worse). The patient was treated with NAPROXEN SODIUM (ALEVE) for Adverse event, at a dose of UNK dosage form. At the time of the report, SEIZURE (increased seizure activity), CONDITION AGGRAVATED (second dose made it worse), AMNESIA (some memory loss), MOTOR DYSFUNCTION (motor control issue), IMPAIRED WORK ABILITY (out of work/ Have been unable to work since April 17th, 2021), COORDINATION ABNORMAL (loss of coordination in legs while walking/ loss of leg movement coordination), MYALGIA (body aches), PYREXIA (fevers ranging between 100-100.2 and a half for 10-20 hours a day/fevers ranging different temperatures on different parts of his head), FATIGUE (extreme fatigue), HEADACHE (headache/ severe headache) and ARTHRALGIA (joint aches) had not resolved. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 07-May-2021, Antinuclear antibody: negative (Negative) negative. On 07-May-2021, Blood thyroid stimulating hormone (0.35-5.50): 3.19 (normal) 3.19 uIU/mL. On 07-May-2021, C-reactive protein: 0.5 (Low) <0.5 mg/dL. On 07-May-2021, Electrophoresis: normal (normal) No monoclonal proteins seen on serum. On 07-May-2021, Full blood count: normal (normal) Normal values. On 07-May-2021, Metabolic function test: normal (normal) Normal values. On 07-May-2021, Red blood cell sedimentation rate (0-15): 3 (normal) 3 mm/h. On 07-May-2021, Urine analysis: normal (normal) Normal values. On 07-May-2021, White blood cell count (4.0-10.5): 5.9 (normal) 5.9 K/uL. On 14-May-2021, Computerised tomogram: normal (normal) Normal study. On 17-May-2021, Computerised tomogram: normal (normal) Normal study. On 01-Jun-2021, Blood culture: no growth (normal) no growth. Lab investigations done 0n 05-May2021,included Quantiferon TB gold plus test which was reported as negative and Lyme antibodies, IgG and IgM tests which were reported as negative. Concomitant medications included various vitamins, minerals, enzymes,herbal extracts, amino acids and diet supplements. Patient reported that his primary care physician ordered a battery of lab investigations to rule out other causes than the vaccine for his symptoms, but the results were negative. The patient also maintained a log of the temperature fluctuations since 13-May-2021, for his doctor to establish a pattern. He reported that he has not been able to walk more than half a mile without getting extremely fatigued. He was not able to go to work since 17 April 2021. Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. This case was linked to MOD-2021-109846 (Patient Link). Most recent FOLLOW-UP information incorporated above includes: On 06-May-2021: No specific follow-up information recorded. On 06-May-2021: Added non significant information which was patient's address and contact details. On 02-Jun-2021: No new information. On 07-Jun-2021: Added patient demographics, medical history, concomitant medications, lab test data, new events and case was upgraded to serious due to Seizure event.; Sender's Comments: Based on the current available information and temporal association between the use of the product and the start date of the events, a causal relationship cannot be excluded. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1401703-1 | |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | Seizures; Bood clots; Stuggling to breathe; Struggling to walk; ARDS; Acute hypoxic respiratory failure; Acute exacerbation of heart failure and sepsis; Acute exacerbation of heart failure and sepsis; Cardiac arrest; Blood infection; Fever; This spontaneous case was reported by a patient family member or friend (subsequently medically confirmed) and describes the occurrence of ACUTE RESPIRATORY DISTRESS SYNDROME (ARDS), ACUTE RESPIRATORY FAILURE (Acute hypoxic respiratory failure), SEPSIS (Acute exacerbation of heart failure and sepsis), CARDIAC FAILURE ACUTE (Acute exacerbation of heart failure and sepsis), CARDIAC ARREST (Cardiac arrest), SEIZURE (Seizures), THROMBOSIS (Bood clots), DYSPNOEA (Stuggling to breathe) and GAIT DISTURBANCE (Struggling to walk) in a 53-year-old male patient who received mRNA-1273 (Moderna COVID-19 Vaccine) for COVID-19 vaccination. The occurrence of additional non-serious events is detailed below. Concurrent medical conditions included Obesity. On 16-Apr-2021, the patient received first dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) 1 dosage form. On 15-May-2021 at 2:00 PM, received second dose of mRNA-1273 (Moderna COVID-19 Vaccine) (Intramuscular) dosage was changed to 1 dosage form. On 15-May-2021, the patient experienced ACUTE RESPIRATORY DISTRESS SYNDROME (ARDS) (seriousness criteria death and medically significant), ACUTE RESPIRATORY FAILURE (Acute hypoxic respiratory failure) (seriousness criteria death and medically significant), DYSPNOEA (Stuggling to breathe) (seriousness criterion hospitalization prolonged) and GAIT DISTURBANCE (Struggling to walk) (seriousness criterion hospitalization prolonged). In May 2021, the patient experienced SEPSIS (Acute exacerbation of heart failure and sepsis) (seriousness criteria death and medically significant), CARDIAC FAILURE ACUTE (Acute exacerbation of heart failure and sepsis) (seriousness criteria death and medically significant), CARDIAC ARREST (Cardiac arrest) (seriousness criteria death and medically significant), INFECTION (Blood infection) and PYREXIA (Fever). On 17-May-2021, the patient experienced SEIZURE (Seizures) (seriousness criteria hospitalization prolonged and medically significant) and THROMBOSIS (Bood clots) (seriousness criteria hospitalization prolonged and medically significant). The patient was hospitalized from 15-May-2021 to 25-May-2021 due to DYSPNOEA, GAIT DISTURBANCE, SEIZURE and THROMBOSIS. The patient died on 25-May-2021. The reported cause of death was Cardiac arrest, Acute hypoxic respiratory failure, ards and acute exacerbation of heart failure and sepsis. It is unknown if an autopsy was performed. At the time of death, SEIZURE (Seizures), THROMBOSIS (Bood clots), DYSPNOEA (Stuggling to breathe), GAIT DISTURBANCE (Struggling to walk), INFECTION (Blood infection) and PYREXIA (Fever) outcome was unknown. DIAGNOSTIC RESULTS (normal ranges are provided in parenthesis if available): On 15-May-2021, Blood pressure measurement: elevated (High) Twice normal. On 15-May-2021, Glycosylated haemoglobin: elevated (High) High. On 15-May-2021, Oxygen saturation: low (Low) Required intubation and was placed on ventilator.. On 15-May-2021, SARS-CoV-2 antibody test: negative (Negative) 1 negative COVID antibody test. On 15-May-2021, SARS-CoV-2 test: negatie (Negative) 3 negative COVID antigen tests. No concomitant medications were provided. It was reported that within few hours after second dose of vaccine patient was struggling to walk and to breathe. The reporter and her husband went to see the patient and took him to an emergency room (ER). In the ER his blood pressure was markedly elevated (twice normal) and his oxygen level was low and by midnight he required intubation and was placed on a ventilator. His HbgA1c was noted to be elevated. Two days after admission (17-May-2021), he developed seizures which the medical team believed to be due to blood clots and he was anti-coagulated. It was determined that he did not have blood clots on his heart valves as the source of the clots. The source of the blood clots was never identified. He later developed fever and was diagnosed with a blood infection and treated with antibiotics. At one point his oxygen requirement on the ventilator went down to 65% but later returned and remained at 100%. He ultimately died on 25-May-2021 and as per copy of his death certificate he had 4 causes of death as cardiac arrest, acute hypoxic respiratory failure, acute respiratory distress syndrome (ARDS) and acute exacerbation of heart failure and sepsis. Treatment included, anticoagulants, antibiotics, intubation and ventilator. Very limited information regarding these events has been provided at this time. Further information has been requested. This case was linked to MOD-2021-219410 (Patient Link).; Sender's Comments: Very limited information regarding these events has been provided at this time. Further information has been requested.; Reported Cause(s) of Death: Cardiac arrest; Acute hypoxic respiratory failure; ARDS; Acute exacerbation of heart failure and sepsis |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1401732-1 | |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1402335-1 | Approximately 5 minutes after receiving vaccine, patient said she wasn't feeling well and sat down and then had a seizure lasting a minute or two. EMS was called and patient was transported to hospital. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1402822-1 | Patient came in for 2nd dose of Moderna Vaccine, after the observation time, per caregiver states as they were in the parking lot the patient mentioned he didn't feel good. He fell onto the floor and began to have a seizure, the seizure lasted about 2min, patient came to and less than a minute had a second seizure. Patient was given Atavan 10mg and about 4min later, the patient had a 3rd seizure. Paramedics were called and he was transported to the ER. |
| **SEIZURE** | **COVID19 (COVID19 (MODERNA)) (1201)** | **MODERNA** | 1403606-1 | 7 days after I experienced 3 seizures over a few hours and was hospitalized for 8 days. No link from the eeg could be found to any other reason except a reaction to the vaccine. No history of seizures. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1403772-1 | After the first vaccination on 2/10/2021 he started feeling weird in a nonspecific way. About 10-40 minutes later he started having episodes that have been diagnosed as seizures. He also developed erectile dysfunction in the same timeframe. Seizures are classified as facio-brachial-dystonic seizures and temporal lobe seizures. Clinically seizures began with a warmth feeling going up the left side of his neck, then has a quick vocalization and a sudden body jerk more on the left side. There is no postictal state. They can occur up to 10 times a day or more. They occur in sleep as well. Documented on video EEG testing. Has been refractory to medication, is currently on Keppra and Vimpat without full seizure control. Also had hyponatremia. Having memory decline. See test results below. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1403795-1 | 40 year old lady with hx fibromyalgia, inflammatory polyarthritis, Sjogren syndrome, anxiety who was admitted on 5/26 when she collapsed and noted to have generalized convulsions, bit her tongue and brought to the hospital, found to have another generalized seizure. EEG showed numerous electrical seizures mainly from the right but from 5/28 , had left sided involvement too. She initially was started on Levetiracetam and then Lacosamide, Phenytoin and Valproic acid were addend. She had LP and CSF was unremarkable. CSF was send for autoimmune encephalitis /epilesy panel were negative. On 5/30 she started on Solumedrol 1 gr daily for 5 days for presumably autoimmune seizure. Seizures were improved. Last subclinical seizure was recorded on 6/3/21 around 5 am. Patient had brain MRI shoed slight increased signal in right mesiotemporl , hippocampus region. Of note she had Moderana Covid-19 vaccine around 3 weeks prior to presentation |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1406729-1 | Brought on more seizures than normal. They started coming weekly and he had several petite seizures. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1407641-1 | shortness of breath, lightheadedness, tongue swelling ,rash, convulsions, lost of conscience |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1407804-1 | As per wife's account, patient died approximately 9 days after receiving vaccine on 4/21 of massive, unknown (suspected cardiac) event. Wife explained that patient was diagnosed with Wolff-Parkinson-White (WPW) syndrome prior to being vaccinated. PCP unaware of diagnosis, and patient did not disclose that on vaccine consent form. Patient reported to his wife that he was feeling unwell after receiving vaccine including unable to move legs well. Patient later diagnosed with thrush and supposedly treated by physician. Patient did not discuss concerns regarding vaccine or WPW with physician. Patient called his wife the day of death and asked her to bring him to the doctor the following day. Wife reported that patient experienced seizures but not concerned as it was similar to childhood seizure. Wife was done at work and drove home after phone call, arriving at house approximately 10-15 minutes after call. Patient supposedly dead when wife arrived. Wife performed CPR for ~15 minutes until EMS arrived, and EMS attempted for another 40 minutes for any electrical activity. Wife declined full autopsy from ME, suspecting that it was massive MI or clot. Wife and patient unaware that WCW could place patient at risk of clots and wondering if the vaccine was partially responsible. |
| SEIZURE | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1410150-1 | Severe shaking and convulsions. This was not the chills. I could not stand up straight from shaking and had to put in a mouth guard to keep my teeth from chipping. Lasted 1-2 hours. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0903332-1 | Seizure approximately 24 hours after vaccination |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0904052-1 | nausea, elevated blood pressure, syncopal episode x3, ?? seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0904359-1 | Within 5 minutes, started feeling very tired and dizzy, leaned head back trying to relax. Approximately 15 minutes after vaccine had seizure lasting up to 15 seconds possibly. Brought to floor carefully. Then had small second seizure (about 5 seconds in duration). Difficulty Breathing immediately. Then extreme trouble breathing/stopped breathing , given 0.3 mg EpiPen in right thigh, gasped and began breathing again. Checked pulse (80 b/pm) then waited about 3 minutes and EMTs arrived. BP was 140/90 ish. Both higher but not terribly high. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0905183-1 | 12/21@11:50-Caller stated that he had vaccine at 9am and had a seizure about 4am the next morning. Patient also had slight head. Caller stated that he is feeling better no medications were given .Caller had Cat scan and EEG. Caller has follow up 12/22. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0906532-1 | seizure, resident sent to er and in CCU |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0908342-1 | Seizure witness by wife who is a physician. Bit tongue. No history of seizure or other neurologic disease. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0910202-1 | Pediatrician working in the hospital. Was exposed the an office contact wo had covid. Shoulder in soreness. At work on Wednesday. Felt lightheaded had to sit in chair. That's all he reminders. He workup to a CODE team putting oxygen on him. He has a seizure. Took the COVID test has COVID. Admitted to hospital for 2 days. Likely a syncopal event. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0911880-1 | dejavu symptoms throughout the week after the dose. On Thursday Morning approximately 2.5 days after the dose, I had a seizure in my sleep at approximately 4am. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0913794-1 | patient in the monitoring facility post vaccination with possible allergic reaction with reported tongue swelling. Monitoring team called. Patient then had seizure. Transported to ED. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0914033-1 | Patient received the Pfizer-BioNTech vaccine at around 1:30pm on 12/29/20. After about 15 minutes, she complaints of headache, lightheadedness, weakness, shivering , shaking. and want to lie down. she was taken into a room where she lay down and then had seizures which lasted about 20 seconds. After she was stabilized and received supplemental oxygen, she was transfered to the ER by the EMT at approximately around 2:05pm |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0915428-1 | Required code to be called and short MICU admission for observation, including neurology and psychiatry services. Seizures & PNEA (Psychogenic Non-Epileptic Attack) |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0915587-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0916785-1 | After receiving the vaccine I began to feel lightheaded and short of breath. I felt tachycardiac and felt like passing out. I got transferred to the er where I received the epipen along with oxygen and antiseizure meds for my seizure. I was then transferred to Medical Center for further care where I was later discharged. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0917539-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0918776-1 | I had seizure like 3 times; Vasovagal reaction; Fever; Headache; Weakness; It's just little bit shaky and breathless; It's just little bit shaky and breathless; allergic reaction; This is a spontaneous report from a contactable consumer. A 40-year-old female patient received bnt162b2 (BNT162B2, lot number: EK5730), via an unspecified route of administration on 24Dec2020 at a single dose for covid-19 vaccination. There were no relevant medical history and concomitant medications. The patient reported that on an unspecified date, she had an allergic reaction. She had vasovagal reaction and seizures. Vasovagal was an allergic reaction that happened, and added that basically it's an allergic reaction. The patient experienced fever, headache, and weakness like right now. It was just little bit shaky, ever since yesterday and she had been way off like she take it as instruction yesterday, weakness, headache and breathless did not stopped from yesterday. The patient had been taking Tylenol for fever and headache. The patient reported that the events persisted. On 24Dec2020, lab work was done at the hospital, and she was told that the lab work was okay and they did CT scan of head because she developed seizure. She had seizure like 3 times so they scanned her brain. The outcome of the events was not recovered. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0921037-1 | nauseous; weak; no appetite; numbness on the skin of my arms and legs; I was post Ictal for 2+ hours; seizures/having 2 non epileptic seizures; dizzy and lightheaded; This is a spontaneous report from a contactable nurse (patient). A 21-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE. Batch/lot number: EK5730), intramuscularly on 28Dec2020 07:45 AM at right arm, at single dose for covid-19 immunization. Medical history was none. There were no concomitant medications. The patient was not pregnant at the time of vaccination. The patient received vaccine around 7:45 AM. Within 2 minutes she felt extremely dizzy and lightheaded on 28Dec2020. She sat down and drank some Gatorade and took deep breaths. The feelings persisted 5 minutes later. She then woke up after having 2 non epileptic seizures while still in 15m waiting period, (This included posturing and color change) a rapid response was called and she was taken to the ER. She was post Ictal for 2+ hours. Dizzy and nauseous, weak and no appetite for the rest of the day. She had no history of epilepsy. She also have numbness on the skin of my arms and legs within 24 hours of the vaccine. Onset date of all events (except dizzy and lightheaded) was reported as 28Dec2020 08:00AM. Treatment fluids, Zofran was received for all events. All event resulted in emergency room. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The outcome of the events was recovered with sequel.; Sender's Comments: A possible contributory effect of suspect BNT162BW on reported seizures cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0921151-1 | The resident who was known to have seizures, and under control for many yeas with Keppra 1000 mg twice a day, on the second day after vaccination developed recurrent seizures requiring hospitalization to an intensive care unit, with intubation and mechanical ventilation until 1/5/21 (to be extubated today). She is still at the hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0921914-1 | Episode of vomiting, change in mental status, hypoxia and seizure activity. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0927041-1 | Fever as high as 101.6, body aches, severe pain at injection site, convulsions/chills, nausea, cough, migraine |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0928104-1 | approx 20 after injection 1420, started getting chills, cold sweat, elevated heart rate, shortness of breath and blocky red rash on neck and torso. immediately drove to urgent care, was not allowed in for treatment due to did not have phone on med to call for appointment. went home, took 50 mg benadryl and pepcid po. had tachypnea and continued blocky rash on neck and torso with chest tightness. took albuterol inhaler. approx 0200 had rigors/ seizure. with continued prior symptoms. took additional 50 mg benadryl and albuterol inhaler. temp 99.0. in am 1/6 called urgent care to make appointment thought neded steroid. they said to go to ED. was afraid to go to ED in fear would be intubated as had before for allergic reaction. took additonal 50 mg benadryl, pepcid and zyrtec along with a shot of epi pen. within minutes, all symptoms ressolved. will be calling place where I got vaccinated today to report. 1/8/21 |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0930670-1 | The patient reported shortness of breast and difficulty breathing. The patient's husband stated that he witnessed the patient having a seizure. Patient advised to call EMS. EMS took the patient to hospital. The patient was stabilized after receiving emergency treatment. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0932270-1 | Almost exactly 12 hours after receiving the second dose of COVID vaccine, I woke up from sleep curled into a ball, covered in sweat, absolutely freezing, teeth chattering, and all my muscles were shaking violently. I tried to roll over in bed and all of my muscles locked up and I began to convulse even stronger. This made me feel extremely nauseous and then I began to vomit. I know I had a high fever but I was unable to keep down any medications as I kept vomiting. I felt ill like this for the next 24 hours, with a 100.1 fever even after rounds of ibuprofen and tylenol, and severe muscle soreness and achiness, and headache. I also have intermittent nausea and will occasionally vomit bile. I finally woke up on 1/10/2020 and don?t have a fever, but my body feels very beat up and sore. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0932920-1 | Seizure occurring at 0700 in dining room, 1 episode, unresponsive for 2 minutes, after episode experienced general weakness then shortly was able to walk after, vitals stable after |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0933755-1 | Numbness and tingling bil upper extremities, seizure, temporary paralysis R arm. Started day after vaccine given, was observed overnight in hospital. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0936047-1 | Patient had headache, diaphoresis, low blood pressure and seizure. Patient got Tylenol for her headache and was observed for a few minutes. She was offered Benadryl but patient was allergic to Benadryl. She exhibited grand mal seizure twice. The ambulance was called after the second grand mal seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0938055-1 | Seizure; This is a spontaneous report from a contactable physician (patient). A female patient of an unspecified age received BNT162B2 (Pfizer-Biontech Covid-19 Vaccine) on an unspecified date, at single dose, for COVID-19 immunisation. Relevant medical history and concomitant medications were unknown. On an unspecified date, after the vaccination, the patient had a seizure. Clinical outcome of the adverse event was unknown at time of this report. The information on the lot number has been requested.; Sender's Comments: A possible causal relationship between seizure and BNT162B2 cannot be completely ruled out considering the temporal relationship. However, more information would allow for a full medically meaningful assessment, especially medical history, concomitant medications, concurrent illness and event details description including time lag between the onset of the event and vaccination date of BNT162B2. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0938413-1 | Pt had a strong seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0940448-1 | Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0940708-1 | Jan 1st, patient had a seizure after breakfast. Temperature was 98.5 Pulse 95. B.P. 160/70 Two hours later another seizure at the home, with emesis, Sent to hospital at 2pm. Focal Status elepticus. Seizure activity along with continuous persistent activity with emesis throughout the 12 hour time in the ED. Seizure during the CT scan. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0941576-1 | Employee was awaken at 5:30 am on 1/13/2021 by chills and a feverish feeling. She then became nauseous and faint. She passed out and was noted by her mother who is a RN to have a seizure. She remained out for several minutes and then aroused. She has remained groggy the rest of today but has improved. She has a history of non-epileptic seizures since she was 14 and has been on medications for this. Employee stated she has not has any seizure activity in over a year. She did not see medical attention due to recovering quickly from this. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0943127-1 | Systemic: Chills-Mild, Systemic: Generalized Body Aches -Mild, Systemic: Joint Pain-Mild, Systemic: Nausea-Mild, Systemic: Vomiting-Mild, Systemic: Seizure-Mild, Systemic: hand spasms-Mild; symptoms lasted 1 day |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0943240-1 | Systemic: Chills-Mild, Systemic: Generalized Body Aches -Mild, Systemic: Joint Pain-Mild, Systemic: Nausea-Mild, Systemic: Vomiting-Mild, Systemic: Seizure-Mild, Systemic: hand spasms-Mild; symptoms lasted 1 days |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0943306-1 | Fever, uncontrolled convulsions, rapid cycling of body temperature for roughly 48 hours, migraine, intense body pain and lethargy, inability to sleep, no appetite |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0943307-1 | Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0944212-1 | Two seizures of Left arm shaking and non-responsiveness with urinary voiding and post-ictal state the day after vaccination |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0944477-1 | Patient given vaccine. Within 5 minutes husband said she?s having another spasm. She was being monitored for 15 minutes after the injection. After the spasm it appeared to. become a seizure and passed out for 5 minutes . Husband said she missed her medicine and needed her carbidopa/levodopa. 911 arrived and administered oxygen and took to the hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0944663-1 | Resident had been monitored and had shown no signs or symptoms of any kind until 2 pm on 1/14/2021. Resident was found in the floor of her room. She had fallen and was having a seizure, temperature was 99.7F and Oxygen saturation was 82%. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0946732-1 | Rash, swollen tongue and 2 seizures. Admitted to hospital with diagnosis of seizure and allergic reaction., |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0948026-1 | Day of the vaccination, patient went home and developed a bilateral nosebleed and had a seizure. Patient continues to feel poorly as of 1/15/2021 but has returned part time to work. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0948243-1 | Observed in her room having seizure activity and unresponsive to stimuli. BP of 200/120, oxygen level dropped to 86%, HR was 116. She was transferred from Hospital A and later transferred to Hospital B and placed on a ventilator. This remains her current status |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0951972-1 | I felt quite sick, like I had the flu; became very lightheaded and dizzy; passed out; felt quite sick; This is a spontaneous report from a contactable consumer (patient). A 69-year-old non-pregnant female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 08Jan2021 at 12:30 at single dose in left arm for covid-19 immunization. Medical history included R.A.D., osteopenia, migraine with aura, the patient had previously suffered episodes of vasal vagal syncopy when she got the flu or other severe illnesses, and the patient was diagnosed with COVID-19 prior to vaccination. Concomitant medication included atenolol, atorvastatin, azelastine, and fluticasone. The patient previously took gramicidin, neomycin sulfate, polymyxin b sulfate (NEOSPORIN) and experienced allergies. The morning after receiving the vaccine, she felt quite sick, like she had the flu. When she got up from bed and went to the bathroom to urinate, she became very lightheaded and dizzy. She attempted to return to bed, but passed out on the bedroom floor before she could get to the bed, and seized while she was unconscious. Once she came to, she was helped to bed and, after about 90 minutes, felt much better, and got up, and ate food and had coffee. All events occurred at 07:30 AM on 09Jan2021. All events were reported as non-serious by reporter. The patient did not receive treatment for the events. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient has not been tested for COVID-19 since the vaccination. The outcome of the events was resolved in Jan2021. Information on the lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0953793-1 | Next day after the 2nd dose of the COVID vaccine patient began feeling fatigued and nauseous. Then at urgent care, patient experienced difficulty breathing, tachycardia, and chest tightness. Patient also had a seizure and brief LOC. Patient went to urgent care, rapid response called and then transported to EMS to nearby hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0954055-1 | pt started having seizures and was given ativan. EMTs were called and patient was taken to the ER |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0955450-1 | Approximately 12/13 hours post-vaccine dose #2 I was woken from my sleep with severe body aches. Extremely uncomfortable, from neck to back to calves, without improvement with Tylenol or ibuprofen, causing me to be unable to sleep. Around hour 20 post-vaccine, I started to get chills. It wasn?t just feeling cold or shivering, it was full body convulsions that lasted approximately 15 minutes. I became nauseas and dizzy after that for about an hour, unable to stand or walk anywhere. The severe body aches continued, with no improvement from Tylenol or ibuprofen or heating pad. Aches resolved around hour 30 post-vaccine and the only symptom left was pain at the injection site. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0955540-1 | Systemic: Seizure-Mild |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0956313-1 | APPROXIMATELY 5 MIN AFTER RECEIVING VACCINE, IN OBSERVATION, BEGAN TO HAVE A SEIZURE. FELL ONTO STAIRS IN THEATER-LIKE SEATING. CARE WAS IMMEDIATELY REDERED BY RNS, A CODE BLUE WAS CALLED. CODE TEAM ATTENDED TO PATIENT AND SUBSEQUENTLY TOOK TO THE EMERGENCY DEPARTMENT. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0956352-1 | ABOUT 5 MINUTES AFTER RECEIVING VACCINE, PATIENT BEGAN SEIZURE. PATIENT FELL TO FLOOR FROM CHAIR. OBSERVING RN'S PROVIDED IMMEDIATE CARE. A CODE WAS CALLED. CODE TEAM TREATED PATIENT, THEN TOOK TO EMERENCY DEPARTMENT. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0957152-1 | ER/URGENT CARE VISIT: Opening Alert charting for RETURN FROM ER (DX SEIZURE HISTORY OF). resident was sent out to the ER @ 11:54 AM after having trouble breathing following her COVID vaccination. RN administered EPIPEN, emergency services was called and resident was sent out VIA ambulance |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0957781-1 | "Reported PM post vaccine she had fever, malaise, headache, left axilla swelling, ""pleurisy"" feeling in chest. No sob. Early on 1/8/21 in the AM, had 2 runs afib, that responded to metoprolol. She reported the afib to her cardiologists. Called again on 1/19/21 to report continued fevers, fatigue, body aches, nausea, and chills that caused her to call off on 1/17/21. Ordered COVID-19 PCR." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0958576-1 | Systemic: Anaphylaxis, Systemic: Seizure-Severe |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0959081-1 | Increased confusion on 1/13/21 with delusions. Seen in ER. No fever. CT found mass in amdomen. Upon returnning to personal care home had a seizure. Patient on pain meds. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0961128-1 | Patient experience a 3 seizures following administration of vaccine. Vaccine was administered at 10:35am, seizures started at 10:40am, EMS arrived at the 10:52am. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0961624-1 | Systemic: Seizure-Mild |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0962722-1 | Hypoxia, left sided weakness, seizures, transferred to Emergency Room. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0964591-1 | Patient recieved dose of pfizer COVID-19 vaccine and at some point during the week after had a seizure that lasted 10 seconds. Patient is being monitored. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0964886-1 | Fever, intense seizure for 10 min causing blackout, lost feeling in face and three toes, still can't feel 3 toes, lost consciousness. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0964931-1 | Systemic: Anaphylaxis-Severe, Systemic: Seizure-Medium, Systemic: Tingling, tremors, convulsions, numbness and difficulty breathing -Medium |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0965049-1 | I had a seizure in the early morning 2 days later. I have had seizures for several years and am on anti seizure medication (Vimpat) but have not had any for at least a year. I recovered quickly and am fine now. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0965563-1 | coughing quite a bit; seizure; his whole body feels sore; This is a spontaneous report from a contactable consumer (patient's mother). A 43-year-old male patient received the first single dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot EL3248) in right deltoid, on 11Jan2021 around 10:30, for COVID-19 immunisation. The patient was in high risk group, was living in senior facility and was disabled. Medical history included also ongoing hydrocephalus diagnosed when he was less than a year old, ongoing shunt (the first one when he was 11 months old, has had multiple revisions since then, the last in 2017), vagal nerve stimulator implantation ongoing from 2003 (for epilepsy; has had multiple since then, last one in 2015), ongoing hemiparesis since he was a baby and epilepsy (he was taking epilepsy drugs but it was well controlled). Concomitant medications included oxcarbazepine (TRILEPTAL) ongoing from 2000, at 1800 mg daily (600 mg in the morning and 1200 mg at night), for epilepsy and levetiracetam (KEPPRA XR) ongoing from 2000, at 1500 mg twice daily (in the morning and at night), for epilepsy. He was on prior medications to these, since he was young. Over the years he has changed to newer and better medications. On 11Jan2021 around 8-9 PM the patient experienced seizure. The patient has not had a grand mal seizure in over 5 years. On an unspecified date in Jan2021, after the vaccine, his whole body felt sore. He was unsure if it was from the seizure or the vaccine. The reporter also noticed that the patient had been coughing quite a bit on 12Jan2021 morning. Events outcomes were unknown. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0965837-1 | Received vaccine without complication. Has a known seizure disorder secondary to brain injury. Seizures often triggered by stress. During observation period, RN was made aware that patient had decreased responsiveness. States this is common activity for absent seizures which he has several per week. First set of vitals: HR 70, RR 20, SpO2 95% on RA. He was taken to tent where he became more alert and was A&O x 3 and recovered quickly. Second vital set taken 10 mins after first: HR 70, RR 16, BP 140/96, 97% on RA. Evaluated by provider: clear lung sounds, no signs of stridor or difficulty breathing denied any rash, SOB, CP, swelling of mouth or throat. Returned to baseline within 10 mins. Recommended to be evaluated at the ER though left AMA. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0966667-1 | I believe that I had a seizure lasting about 30 seconds or so |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0967836-1 | I passed out/minor seizure? Was transported to the ER and given fluids. All test results came back OK and I was released. Nothing like this has ever happened in my life. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0968007-1 | Patient given covid shot. Around an hour after the patient started having a seizure . Nurse gave oxygen and called rescue squad. Patient take to hospital |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0968115-1 | Patient experienced a seizure 2 hours post his second COVID 19 vaccination. Patient has a history of seizures but had been seizure free for greater than 12 months according to the nursing staff. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0969152-1 | Patient had 4 seizures within 72 hours after receiving the vaccination. This is increased frequency compared to regular amount of seizures. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0970850-1 | Severe shaking about 12 hours after injection. Started as shivering and turned into full body convulsions lasting just over an hour. Bundling up in blankets did not help as shaking intensified. Only other side effect was a sore arm at injection site. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0971969-1 | brought by EMS to ED; seizures at home in bed; 6 Epi and 1 bicarb; no hx of seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0972254-1 | Patient suffered from seizure right after vaccine administration. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0972563-1 | Patient has history of seizures under control with medication. After administration of vaccination, patient had seizure episode within 10 minutes. Patient said while waiting during observation period she got very hot and heat can be a trigger for her seizures. Patient's head and body was secure. Patient claims no injuries from seizure. With ice and water patient cooled down. Checked on patient frequently, Patient felt hot again after 2 hours, however patient was working at this time. Patient again sat and ate some ice and water. Checked patient's blood pressure and heart rate at 2 and half hours after administration. BP was 130s/70s and HR was 64. Patient was recommended to take Tylenol whenever she gets a chance or when she gets warm and was advised to contact her PCP or specialist as soon as possible. Patient felt good enough to continue working according to patient. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0972956-1 | On Jan 25th, 2021 patient went to the Covid clinic to get the first dose of covid vaccine at 5:50 pm. After receiving the vaccine , patient was advised to wait at the waiting room to watch for any adverse reactions. Around 6:05 pm patient had a seizure and was around by the hospital staffs. The rapid response team came and took the patient to the Emergency Department on a wheelchair. Patent was alert when she left the Covid clinic. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0974105-1 | Seizure after returning home from getting vaccination (Grand mal) 2 hours post vaccination She had an stressful episode with elevated HR and normal SPO2 5 minute after the shot which was controlled with clonazepam |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0974398-1 | AT 2130 ON 1/20/21 DEVELOPED SHAKES, THAT PROGRESSED TO 'CONVULSING. DEVELOPED FEVER OF 104.3. SEVERE ARM, NECK, AND CHEST PAIN. SHORTNESS OF BREATH THAT IMPROVED OVER TIME. ON 1/23/21 COMPLAINED OF SEVERE ITCHING OVER ENTIRE BODY |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0975148-1 | On 1/4/21 Client had what appeared to be a seizure and went unresponsive. He foamed from the mouth and turned blue. O2 Sat was in the 60's, O2 was applied previous to paramedics arrival. BP was high. Unresponsive for 30 minutes. When he woke he did not recognize anyone, did not know where he was at or what day of the week it was. He was transported to the Hospital. Multiple tests were ran and nothing out of the ordinary was found. Started seizure medication. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0977903-1 | Got him up in the morning after he had gotten the vaccine the day before. Sa t him down on the toilet and he immediately had a major seizure. Came out of it, let him sit for 5 minutes, got him up and sat on the chair, gave some juice and water, and he was back to normal. He had diarrhea the day of the vaccination and the day before. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0978083-1 | Dizziness, Seizures, Syncope, Bradycardia, cold, clammy Narrative: 10 mins after administration, Employee began expressing lightheadedness, Employee assessed, employee was cold and clammy. Employee then began to have a seizure which last approx 30 sec. Vital signs assessed BP 110/80 HR 87 then dropped to 50 which is unusual for employee. o2 sat 94% on room. Employee regained consciousness and was able to state name, time and place. Reported no previous history of seizures. Employee handed off to ER staff for further eval. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0979211-1 | seizure after vaccine |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0979422-1 | Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0979724-1 | Patient had vaccine administered by PA and was walking to do his observation period and stopped to get water from a fountain and leaned forward then fell to the floor was unresponsive and had an approximate 20 sec GTC seizure when the seizure was over he came to and was very confused and diaphoretic for approximately 15 minutes after the seizure. 911 was called by RN, and EMS came to assess the patient while waiting patient was placed into a wheelchair by multiple staff and taken to a cot where oxygen was applied. Vitals were taken and vitals were stable. EMS took blood sugar upon arrival that was stable. Patients sister has significant history of seizures but patient has never had a seizure before. Once patient was no longer sweating, pale and confused he was observed for half and hour. His parents came to get him and drove him home from the event. Patient was stable talking and no confusion or SOB or other symptoms after the half hour and patient was released to his father to drive him home and to monitor him for other symptoms. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0980197-1 | Approximately an hour after receiving he shot I began experiencing early signs of a headache, and slight fatigue which slowly increased throughout the evening. I woke at 1am (approx. 10 hours after receiving the second Pfizer vaccine) shaking and shivering uncontrollably, freezing and at times convulsing. I was experiencing mild nausea and was unsure if I was having a seizure due to level of shaking and convulsing. Through approx. 4pm the next day I was running a high fever, was almost incapable of speaking or moving due to level of fatigue and weakness. After my fever broke i remained feeling sick through the following day. I needed to take advil for the following 3 or 4 days to manage continual headache, and mild body aches. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0982414-1 | Approximately 10 mins post Pfizer vaccine patient notified EMT she was going to have a seizure. She was placed in a safe position, seizure lasted about 30 seconds. Mild body movement, patient urinated, no physical injury. Mother was present, primary historian. Described course of seizure as regular and last seizure 6months ago. As EMT began taking vitals, she expressed feeling nauseous, and vomited. Afterwards patient stated feeling very tired and wanted to leave. Refused paramedics to be called. Patient wanted to rest, left at 3:00PM. Alert and oriented, no complaints besides feeling tired, able to walk with steady gate. Counseled patient to follow up with provider as soon as possible. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0982529-1 | Petite mal seizure blank stare with poor respond to staff. Has not experienced this effect under current med regimen in 3 years according to caregiver. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0982978-1 | on Jan 20th, I took my dogs to their grooming appt and stopped at store for a few things. I woke up in store to EMS putting me in ambulance. I asked them what was going on and they said I had a seizure. I had no pre-warning, hit head, right shoulder, and bit lip. EMS took me to Emergency Department. Had labs and head CT, all normal. MD felt seizure was due to vaccine. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0983269-1 | At checkout post observation period, recipient fell to floor from standing position, seizure observed, series of seizures observed, occurring every 1-3 min, 15-20 second duration, with increasing intensity. BP 144/80 P 87 R 20. O2 Via NC at 6 liters initiated. EMS arrived 1:07 pm. EMS left to transfer to hospital at 1:14 pm. Recipient responding appropriately to commands before and after each seizure. Reported by caregiver that recipient has history of recurrent seizures. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0984800-1 | Multiple Seizures 24 hrs after event unable to breathe lasted for over one week. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0984810-1 | Multiple Seizures unable to breathe still continuing at times still taking normal seizure meds along with Ativan when needed |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0984853-1 | Syncope versus seizure with urinary incontinence and shaking. Transported to ED via EMS. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0985948-1 | He had a generalized seizure just over 48 hours from the administration of the second dose in the series. He has a longstanding seizure history with periodic seizures. He was hospitalized for two days which infection was ruled out and he had returned to baseline. There was no attribution of the seizure to the vaccine by the hospital team. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0987047-1 | Pt has hx of epilepsy but did not inform staff of this. Pt received vaccine. Approximately 12 minutes in to 15 minute observation period, pt expressed she began to feel an aura. RN tended to pt. Pt was safely lowered to the ground where she was placed on her right side. Pt was alert but not responding to RN questions, thus EMS was called as a precautionary. Seizure activity described as full body movements began and lasted approximately 30-40 seconds. EMS arrived post seizure. Post seizure, pt alert and answering questions appropriately. Declined going to hospital via EMS. RN placed call to pt boyfriend who came and picked up pt from the West Allis health department. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0989113-1 | Injection site pain, tiredness, headache, severe aches and pains throughout body joints and muscles, chills so bad that I was convulsing, injection site swelling, nausea, feeling sick for more than 2 days, swollen lymph nodes in left arm pit, chest feeling tight and lungs feeling heavy |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0989738-1 | Seated playing cards. Sudden onset extreme dizziness, short seizure, blacked out X 1-2 seconds Other player called 911. One fire truck followed shortly by one ambulance both with two very cute EMTs. All vital signs normal. Very similar to dehydration attacks but worse and that always followed rising and walking. This attack worse and was not set off ambulating. Worried about a worse effect after second vaccine. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0989888-1 | Shot administered 6:08pm. About 6:18pm I felt very tired and wanted to close my eyes. I told my husband 'I don't feel well'. Immediately my eyes rolled back and convulsions started. Then I passed out. EMTs were called over to car and started to administer oxygen. I woke up about 6:30pm cognizant of surroundings. BP was normal. No fever, no rash, no chills. I was just tired. Then 2 hours of vomiting started. Last vomit about 8:15pm in ambulance. EMT unable to administer IV. After waiting in ER waiting room for 45+ minutes, a bed was available (around 9pm). ER doctor gave me ondansetron ODT 4mg Once. Released at 10:12pm to go home. Next 3 days symptoms of lightheadedness and dull headache. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0990048-1 | Two hours post vaccination it was reported by nursing staff that patient had difficulty breathing. Pt shortly afterwards had a seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0991579-1 | Systemic: Anaphylaxis-Severe, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0992407-1 | Seizure, 60 sec generalized clonic-tonic |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0993536-1 | Seizure; muscle spasm; weakness; hard to breathe at time; can't stay awake; This is a spontaneous report from a contactable nurse (patient). A 28-year-old female patient (not pregnant) received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot number: EL3346), via an unspecified route of administration at Left arm on 15Jan2021 08:00 at single dose for covid-19 immunization. Medical history included seizure, asthma, known allergies to penicillins and NSAIDs. Concomitant medication included levetiracetam, escitalopram, phenytoin, lamotrigine. The patient previously took naproxen, azithromycin, clindamycin; all experienced drug hypersensitivity. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 15Jan2021 at time of 08:30, the patient experienced seizure, muscle spasm and weakness, hard to breathe at time, can't stay awake. Events resulted in doctor or other healthcare professional office/clinic visit, emergency room/department or urgent care. No treatment received for the events. Prior to vaccination, the patient was not diagnosed with COVID-19 and since the vaccination, the patient was not been tested for COVID-19. The outcome of the events was not recovered.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the seizure and other reported events due to temporal relationship. Of note, the patient has a medical history of seizure disorder. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0994265-1 | got the 2nd vaccine on Thursday and already had symptoms from 1st vaccine but became weaker, vomiting, diarrhea. headache went to the ER Sunday . She was coherent just weak. Did Xray of stomach found out she had colitis , started her on antibiotics and admitted her and by the next morning She started having delusions, almost like having a seizure. on blood work her magnesium was low. She started retaining fluid. Thought maybe she had stroke but CT showed nothing. Now she doesn't know who she is and just repeating numbers. Pt is currently in the ICU. She has a feeding tube now do to not eating. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0995462-1 | Seizure, low sodium, confusion |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0995563-1 | Seizure - onset approximately 1 hour after vaccination administration. No medical history of seizures. Duration estimated 3 min - myoclonic head jerking, eyes rolled back, cyanosis |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0995889-1 | Resident had seizure activity |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0996739-1 | Approximately 22 hours after vaccination had a seizure. Felt fine up until the seizure occurred. Never had a seizure in past. No other illness or symptoms. No fever or change in blood sugar.; This is a spontaneous report from a contactable Physician. A 75-year-female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) Intramuscular on 18Jan2021 19:30 at single dose on left arm for COVID-19 immunization. Medical history included Stroke, diabetes, hypertension, anaphylaxis to bee stings. The patient had no covid prior vaccination. The patient had no covid tested post vaccination. The patient was not diagnosed with COVID-19 prior to vaccination. Concomitant medications included sitagliptin phosphate (JANUVIA), hydrochlorothiazide, telmisartan, rivaroxaban (XARELTO), gabapentin and baclofen. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient previously had allergy to Morphine and experienced Hives. Approximately 22 hours after vaccination the patient had a seizure on 19Jan2021 17:15. She felt fine up until the seizure occurred. She never had a seizure in past. No other illness or symptoms. No fever or change in blood sugar. No treatment was received for the event. The patient had not been tested for COVID-19 since the vaccination. The outcome of the event was resolved. Information on the lot/Batch number has been requested.; Sender's Comments: Based on the time association and previously allergic reactions to bee stings and other drugs, the possible contribution of suspect BNT162B2 to the event seizure cannot be excluded in this elderly patient with multiple medical histories including stroke, diabetes and hypertension. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0997905-1 | Loss of consciousness, seizure, Fatigue, body aches, soreness at injection site, feveR |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0998018-1 | Reports she suddenly felt ill the morning of January 22, chills, weak, fatigue. Followed by what appeared to be a Grand Mal Seizure. Reports she has not had a seizure in 20 years. However writer found documentation of a seizure in 2014. Patient feels it was related to the vaccine. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0998412-1 | Patient is noticed to have generalized weakness, holding his head towards right side, mild right facial puffiness with mild left facial droop, and sent to ER, on 1/22/21. Patient also had mild fever for the last two days and was on Tylenol, blood pressure also remained elevated moderately than the usual readings. Patient was admitted through ER for 2 days and was discharged on 1/24/21, with a diagnosis of possible TIA, Todd's paresis post seizure. Patient's CT head and MRI of brain was negative for acute stroke. Patient's left facial droop and right side facial puffiness resolved over a week but noticed to have right sided pronounced weakness with moderate swelling on right arm. Patient used to eat by himself,but now not able to do so and not able to hold cup in the right hand. Patient was again sent to ER for repeat CAT scan of head, further evaluation and management. Not sure if patient had an adverse reaction to Covid-19 vaccination, but definitely these symptoms were developed after 2 weeks of receiving Pfizer vaccination, which may be coincidental. Patient was followed up by the neurologist a week after the discharge from hospital who couldn't rule out adverse reaction of vaccination. Patient is awaiting for an EEG, carotid ultrasound and Echo as an out patient. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0998549-1 | "Patient presented with a no health hx except for hives to PCN as a child and ""passed out"" with a childhood vaccine x 7 years ago. Vaccine given without incident, doctor present to distract patient while I gave vaccine. 3-5 min post vaccine patient c/o of nausea and trash can provided. Patient became silent while talking, head fell forward and clonic tonic posturing noted in upper extremities. Called to doctor and patient lowered to floor and placed in recovery position, MSE lasted approximately 30 seconds, EMS called. Post seizure: Patient very pale and diaphoretic, oriented to person quickly, no signs of facial swelling, resp distress or symptoms of a severe allergic reaction. B/P 134/50 HR 80 and regular, patient at this time shares that he had a MSE 3 or 4 years ago with friends. States came around after eating and drinking. States he did not share this information with his health care provider. Patient was AA&O x3 but with dismissed LOC from pre-vaccine state. 1200-EMS arrived, B/P 110/7, glucose 88/EMS, attempted to sit patient up/EMS, became dizzy and pale. Lowered to recovery position and waited for second team. Attempted to sit patient up again when second team arrived and again he became pale and dizzy. 1212- patient consented to be transported to hospital at this time/EMS." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 0998787-1 | Seizure unilateral right side, less than 2 mins. 2 times post injection. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1000739-1 | Approximately 10 minutes after receiving the COVID- 19 vaccine resident displayed seizure activity, staring straight ahead and strong allover muscle jerking of both the up and lower extremities, color became gray, activity lasted approximately 3 minutes, resident then became relaxed, color returned to normal, BP-140/80, 97.8, 60, 16, sleeping the remainder of the shift,. Resident continued to decline until resident CTB on 1/19/21 |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1000873-1 | Systemic: Anaphylaxis-Severe, Systemic: Fainting-Severe, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1001587-1 | I have never had a seizure in my life before or since, but that morning I had five partial focal seizures in y right arm, over the course of six minutes. As I was on the phone (to report the first one to my caregiver) when the second hit, I inadvertently punched myself rapidly and repeatedly in the right side of my head, with the phone handset functioning as an impromptu bludgeon, leaving bruises reminiscent of the victim of a fist fight. Also at the time I had a strong headache, cold chills, a 102 degree Fahrenheit fever and body aches. None of which persisted beyond noon. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1002630-1 | "Pt. stated that she received the COVID vaccine on 1/20/21. On 1/21/21 she felt tired, had loss of appetite. She reported that she went to a store, and apparently ""passed out."" Employees of the store told her that she had a seizure. Pt. was transported to local ER, where she states that she had a CT of brain, blood work and was told ""everything is normal."" Stated that she had COVID testing both in the ER and at work, both reportedly negative. This clinic, has thus far been unable to obtain the individuals medical records from the ER. When seen in our clinic on 2/3/21, pt. stated that she is feeling better, but fatigued. No other loss of consciousness reported by pt." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1002643-1 | Patient had seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1003382-1 | Began with vomiting and diarrhea. C/O chest pain. Bradycardia. Hypotension. 2 seizures in 45 minutes after not having one in years. We gave fluids. Gave Zofran. Comfort measures. Pt passed at midnight. Was completely fine one day before. Had minimal issues with COVID though did have a pneumonia that was treated w ATB early on and resolved. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1005098-1 | Systemic: Seizure-Severe |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1006005-1 | seizure; This is a spontaneous report from a contactable consumer (patient's wife). A 70-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot: EH9899, expiry: 31Mar2021), via an unspecified route of administration on 16Jan2021 09:00 at a single dose for COVID-19 immunization. Medical history included diabetes, cholesterol (abnormal), kidney (disorder), heart (disorder) and thyroid (disorder). Concomitant medications included insulin aspart (NOVOLOG) for diabetes, insulin glargine (LANTUS) for diabetes, atorvastatin for cholesterol, tamsulosin, valsartan (DIOVAN) for the kidneys, levothyroxine for thyroid, diltiazem for heart, metformin hcl, macrogol 3350 (MIRALAX) from 01Feb2013, aspirin [acetylsalicylic acid], vitamin D3 and cyanocobalamin (VITAMIN B12 [CYANOCOBALAMIN]). It was reported that the patient had seizures between his first and second dose of the COVID vaccine on an unspecified date. He has never had a seizure in his life, and he had the Covid shot last Saturday a week ago, not yesterday but the week before (16Jan2021). The patient's wife was asking if they are suggesting that a seizure could have been an allergic reaction and if there has been any other call with someone having a seizure after having the COVID 19 vaccine. The patient was admitted in a hospital from 22Jan2021 to 23Jan2021. Friday of this week (Jan2021), they did a CT scan, blood work, and an MRI. The doctor gave him a pill, anti-seizure pill to start taking. It is Keppra low dose, one in the morning and one in the evening. The patient's wife was not stating that the seizure is caused by Pfizer, but her husband has no history or family history of seizures and is wondering if her husband should take his second shot on 06Feb2021. The outcome of the event was unknown. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1006791-1 | Seizure Activity: Nursing assessment: 1/28/2021 17:55 Staff asked writer to check on resident, stating that there was something wrong with him. Resident found sitting up in wheelchair. Resident noted to be nonverbal, making small jerking movements with upper extremities and head articulated to the left. As writer attempted to assess pupils, resident squeezed eyes shut and grimaced. Resident did squeeze with both hands, equal strength. VS: 94, 16, 138/86, 97% on RA. Resident put into bed with assist of two staff and hoyer lift. MD notified: 1/28/2021 18:10 Return phone call received from Physician. Advised to continue to monitor and OK to send to ED if resident representative wants further evaluation done. Nursing assessment: 1/28/2021 18:35 Resident found to be alert and smiling at this time. Resident speech is garbled per baseline. VS: 111, 20, 129/77, 100% on RA. Resident able to follow commands. ROM equal with strength at baseline. No incontinence noted. Resident noted to be fatigued. Start of episode of seizure-like activity not witnessed. The time between first found by staff to noted resolution was approximately 40 minutes. No further seizure episodes noted. No previous hx of seizure activity. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1007638-1 | Patient experienced seizure activity and respiratory distress approximately 1 hour after receiving the vaccination. Patient does have a history of seizure activity and physician on site was skeptical as to whether this was due to the vaccination or the patients history. Could also have been a result of change in environment or stress of vaccination clinic day. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1007754-1 | Following second vaccine, about 12 hours after vaccine. Sever levels of fatigue, nerve pain, joint and muscle throbbing, convulsions, fever of 102.4 |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1012782-1 | Vaccine administered on 1/19/21 at 2:15pm and patient began having seizure activity on 1/20/21 at approximately 4pm Patient sent to ER for evaluation. Temperature of 102 was noted at ER. Seizure eventually resolved and he returned to his residence. He has a prior history of seizures. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1013143-1 | Pt is on hospice services for 5 months for CVD/CVA. On 2/8/21 pts dtr called to report new onset seizure (no hx of seizures). Per dtr report only change in pts condition is that he rcvd the COVID vaccine on Saturday 2/6/21. Dtr called 911 due to severity of seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1013233-1 | 24 hours after second Pfizer dose, multiple Seizure activity occurred. Client was transported to the hospital for a 3 day stay. During that visit client was sedated and has little recall of hospitalization. Medication upon discharge - Keppra 750mg BID. First dose Pfizer 1/12/21 no reaction, not even sore arm |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1015673-1 | "Confusion; General ""Don't feel right""; Seizure; Low Sodium level; This is a spontaneous report from a contactable consumer (reported for himself). A 71-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number: EL3247), via an unspecified route of administration on 27Jan2021 11:15 at single dose in left arm for COVID-19 immunization. Medical history included High Cholesterol; No known allergies. Concomitant medication in two weeks included atorvastatin. Facility type vaccine was Hospital. No other vaccine in four weeks. On 30Jan2021 23:00, the patient experienced Seizure, Low Sodium level, Confusion, General ""Don't feel right"". The events resulted in Emergency room/department or urgent care, Hospitalization, Life threatening illness (immediate risk of death from the event). The number of days hospitalization was 3 (from unspecified date in 2021 to an unspecified date in 2021). It was unknown if treatment received. No covid prior vaccination. Covid tested post vaccination: Nasal Swab tested on 01Feb2021 with the result of Negative. The outcome of the events was recovered on an unspecified date in 2021." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1017091-1 | severe shaking convulsive; chills; nausea; leg cramps; difficulty breathing; vomitting; This is a spontaneous report from a contactable consumer (patient). A 65-year-old male patient received single dose of BNT162B2 (PFIZER, Solution for injection, batch/lot number and exp date not reported ), via an unspecified route of administration (vaccine location: left arm) on 22Jan2021 10:45 for COVID-19 immunization. Medical history included diabetes and high cholesterol. The patient did not have Covid prior vaccination. The patient had no known allergies. Concomitant medication/other medications within two weeks included rosuvastatin calcium (CRESTOR), telmisartan, empagliflozin, metformin hydrochloride (SYNJARDY), and atenolol. There was no other vaccine within four weeks. On 24Jan2021 02:00, the patient experienced severe shaking convulsive, chills, nausea, leg cramps, difficulty breathing, and vomiting. No treatment was received for the events. The patient was not Covid tested post vaccination. The patient recovered from the events on an unspecified date in Jan2021. Information about lot number and expiry date for the suspect product will be requested in follow-up attempts. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1017874-1 | Patient had multiple seizures that were treated with 5 mg Versed intranasally and 5 mg IVP. Seizures broke and weas transferred to Hospital |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1018030-1 | Pt with seizure-like activity noted x2 by her husband, with symmetric jerking of legs, loss of responsiveness, loss of bowel/bladder function. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1018112-1 | Fever of up to 102.5 F, convulsions (with absolutely no control over my muscles), migraine, chills, extreme fatigue, stomach cramps and nausea. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1019827-1 | "Vaccine on Jan 25, 2021 Minor seizure on Jan 31. 2021- 4:35pm talking, then staring, ""blank stare"", didn't recognize either daughter for about 10 minutes. Daughter did stroke tests, all normal. called 911, they saw no stroke symptoms, EKG normal. Within 15 minutes, he was coherent but lethargic. Could not remember 15 minutes prior. Did NOT take to ER. Saw cardiologist next day and then had head CT later that week." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1020134-1 | "anxious, restless, weak, dizzy, felt ""horrible"". Continued to C/O symptoms,. At 01:15, patient lost consciousness , then stopped breathing and lost pulse. Narrative: Patient was first vaccinated for COVID 19 on 1/8/21. On 1/24/21: 61 year old presents to E.R. with CC of chest pain/sob, with multiple medical conditions including hypertension, atrial fibrillation on apixaban, cardiomyopathy with poor EF, dyslipidemia, COPD, CVA, lung CA s/p radiotherapy, PTSD, depression, Churg Strauss Syndrome, Sjogren's syndrome presented with chief complaint of chest pain or shortness of breath. He has been having worsening shortness of breath the past few days, also complains of cough productive of yellowish sputum, no hemoptysis. He complains of left upper chest pain with no radiation. There is no diaphoresis, palpitations or lightheadedness. He denies fever or chills. He complains of having fallen a few times recently, thus he passed out. Could not say if there were seizures activity. Admitted to 3D Tele. On 1/27, Pt advises he had episode of substernal CP this am. RN advises pt was in afib w/ RVR at a rate >140 at time of CP. Pt CP improved w/ prn NTG. Pt HR improved after daily medications. Pt sts his CP has resolved. Pt admits to continued dyspnea. Increased trop, transferred. 1/28, struggling with orthopnea and cough. He has no peripheral edema. He does have intermittent chest pain. Patient having periods of A-Fib RVR with non-sustained rates of 140's-150's 1/29 more chest pain at 04:00, relieved with NTG. HR = AF, with RVR 145. At about 08:00, Cardiology sees patient and signs off, ""shortness of breath and cough not due to heart failure as evidenced by orthostatic hypotension and no improvement in symptoms with diuresis. Consider underlying lung disease vs acute pulmonary disease."" No pulmonary consult noted. 1/29 Patient received 2nd dose COVID19 vaccine at about 3:30-4p. No notes from staff on this event. No notes from MD that this was discussed and still part of the plan. 1/29 nurse's note: At around 2240 Pt was able to rest briefly but is now restless and anxious again. Tachypneic, stating he feels so weak and dizzy and overall just feel horrible. Continuing to get up frequently to have small soft bowel movements with assistance. Pt also stated ever since he got ""that shot"" he hasn't felt well. When asked what shot pt replied ""COVID shot."" Pt did receive 2nd dose of COVID vaccine 1/29 at 1530. Around 2250 Spoke w MOD to relay above information and overall concern for pt, asked for MOD to come to bedside to evaluate pt. MOD states he's handing off to oncoming MOD and they will come to bedside to see pt. Around 2300 oncoming MOD called and all above and previous information discussed Around 2310 MOD came to bedside to see pt. Will continue to monitor closely. 01/30/2021 ADDENDUM Around 0115 pt called for help to use bedside commode to urinate and have BM. Assisted x2 to BSC. While sitting on BSC pt's eyes rolled back and pt made postures consistent with a seizure, body became very rigid. Pt was unresponsive still with pulse. Lifted patient back to bed with 3 staff assist. Pt stopped breathing and lost pulse. Chest compressions started immediately and Code Blue called at 0120. 1/30 Hospitalist note: Called for CODE BLUE AGAIN AT 4:53. While on Vent after s/p Code blue for reasons not clear patient went into Asystole and code called second time. Patient had a prolonged CPR and was actually called off at 5:17 but he started having pulse and agonal resp. he was placed on Levophed and D5NS. He got a total of 9 amps of epi, 3 amps od Bicarb and 1amp of D50. Trope bumped from 0.12 to 0.43 prior to this he already was on ASA, Apixiban for afib. Cards are on board for his CHF for his pulmonary edema Lasix ordered. Hid lactic acid is elevated. Blood cultures pending. Started Zosyn and is on Levophed. Continue to monitor. Updated patients Mom and she requested to do everything at this point. Coded again at 5:40, survived, but AOD writes a death note(?) Coded for the 4th time at 08:18. Family at beside, Mother asks for code to be stopped." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1020577-1 | PFIZER-BIONTECH COVID-19 VACCINE EUA. Vaccination occurred between 6:30am to 10am. Adverse event noted at 5:30pm included seizure activity followed by lethargy/unresponsiveness lasting a few minutes (approx 15 min unresponsive). VS 138/82, 76,16. Blood sugar 105. O2 sat 98% on room air. MD visited and ordered labs. Subsequently treated for UTI with Rocephin IM x 5days. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1021319-1 | Patient received vaccine in AM, had seizure in PM at work with typical post-ictal picture. Has epilepsy but no seizure since 2014. Also has history EtOH misuse but history not consistent with withdrawal. Patient had some waxing and waning altered mental status, worsening slowly over next 2-3 days. Presented to ER with AMS. Initially thought to be EtOH withdrawal, but due to atypical clinical appearance, LP performed and HSV encephalopathy diagnosed. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1022456-1 | 2:00 am seizure, dizzy, weak, diarrhea, nausea, head pain, rapid heart beat. This got better. 3:30 am bad seizure with foaming at nose and mouth, convulsions, dizzy, unable to move, terrible head pain, nausea, rapid heart beat, extreme hot and cold spells; freezing from bones out. The seizure got bettter after about an hour, but the tremors did not stop until around 6:00 am.The morning of the shot, I ate a banana for breakfast. Only thing I ate after the shot was late lunch was rice with tomatos in it, green beans, fried squash (all out of my garden). |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1022989-1 | my lips were tingling followed by naushia , high blood pressure and heart rate. the ambulance was called i was then transported to hospital. where i had two sezuires. i was given adavan and sent home. with the instructions i was not allowed to have a follow up shot |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1023359-1 | Seizure; This is a spontaneous report from a contactable consumer. A female patient of an unspecified age received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number/expiration date not reported), via an unspecified route of administration on 28Jan2021 at a single dose for COVID-19 immunization. Medical history included being immunocompromised from an unknown date and was taking a lot of medications. Concomitant medication includes a lot of medications (unspecified). The patient was previously vaccinated with the first dose of BNT162B2 on an unspecified date. It was reported that the patient received the second dose of COVID-19 vaccine on the afternoon of 28Jan2021 and experienced seizure. The reporter wanted to know if he needed to seek a doctor early this morning for the patient. The outcome of the event was unknown. No follow-up attempts are possible. Information about batch/lot number cannot be obtained. No further information is expected. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1023598-1 | I had a mild seizure this morning that lasted about a minute. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1024048-1 | The next two days following the vaccination, the patient was lethargic and not getting out of bed. His caregiver had to make him eat and bathe. On the third day his care giver had woken him up and found that he had wet himself (this has never happened before). He had altered mental status and was not able to recognize any of his family members. He was taken to the emergency room on 2/6/2021 where he had a seizure and found to have a subarachnoid hemorrhage. He is still hospitalized. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1024416-1 | At 1207, resident was noted having facial twitching and seizures and crackles , Vitals: BP 199/95, O2 Sats 89% on RA, PR 88, Temp 97.3, RR was hardly counted because of body movement. Blood sugar was 172 mg/dL. Hooked on O2 at 4L per NC. Informed MD and ordered to send to ER. Family - were updated. Ambulance was called. Family clarified resident's status is DNR. Report was given to ER nurse. Updated ER that INR today is 5.5 and MD ordered to HOLD Coumadin till 02-11-21. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1024618-1 | Patient started having seizures after 15 minutes of receiving the vaccine. The EMS was called. The pt was place on oxygen due to O2 dropping. The EMS took the pt to hospital |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1024685-1 | Seizure events for three consecutive times in one week. Urticaria, vomiting, diarrhea, hands and feet cramps and intense headaches. I actually still have headaches as of today. On January 24th I went to the Emergency Room for the events that I just mentioned. Also, I am currently going for treatment with a Neurologist |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1024900-1 | Chills, fever, muscle spasms, convulsing, splitting headache, bone and joint aches, muscle aches, rash on neck, chest and back, itchy back, swollen lymph nodes (under jaw) really large lymph node in groin area appeared 10 days post vaccination, trouble breathing, exhausted, light headed, nausea, white chalky furry tongue., diarrhea. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1025219-1 | Left side swelling to include face, arm, hand, trunk, legs and feet. Noted to be +3 pitting edema. On 2/5 @ 1307 start having seizure activity that lasted for over 20 minutes. Per hospital policy code blue was called. This resulted in an ER send out. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1025368-1 | Systemic: Seizure-Mild |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1025375-1 | Systemic: Seizure-Mild |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1026337-1 | Had back to back seizures 2 days after getting the vaccine (1/27/21). Hospitalized for 48 hours. came back and had another seizure after discharging from ICU. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1027039-1 | I am the patient and within five minutes I got extremely hot my hearing started to leave me and then I passed out I don?t know how long I was out for but staff that were there said I was having a seizure shaking and making gurgling sounds in my throat when I came to I could see people but my hearing took longer to come back. I was then brought to Midstate hospital via ambulance at Midstate I had an EKG and blood work done as well as blood pressure monitored and blood oxygen levels |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1027545-1 | seizure at 1:30 pm on 2/12/21; patient unresponsive x 20 min then somnolent x 3 hours |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1030655-1 | Initially reported numbness and tingling of lips and ringer after first dose of vaccine. She was given Benadryl 50mg IM. Within 15 seconds she reported not feeling well. Then she started seizing for about 30 seconds. Initial BP 148/88 and pulse ox 98. After 5 mins BP of 125/77 and pulse ox 99%. Patient regained consciousness, was A&O x3 but felt weak/tired. She was transported to the hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1031487-1 | spiked a fever of 101.3; spiked a fever of 101.3 which cause a 20 minute seizure; spiked a fever of 101.3 which cause a 20 minute seizure; headache; This is a spontaneous report from a contactable consumer reported for himself. A 33-years-old male patient received the 2nd dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3302), via an unspecified route of administration at right arm on 25Jan2021 11:00 at single dose for COVID-19 immunization. Medical history included seizure disorder and other neurological issues, allergy to latex. Concomitant medication included levothyroxine sodium (SYNTHROID), fluoxetine hydrochloride (PROZAC), omeprazole, lacosamide (VIMPAT), lamotrigine (LAMOTRIGINE). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Historical vaccine included 1st dose of BNT162B2 (lot number: EK9231) on 04Jan2021 12:00 PM at left arm for COVID-19 immunization when he was 32-years-old. The patient had a headache throughout the following day and evening on 26Jan2021. On 27Jan2021 spiked a fever of 101.3 which cause a 20 minute seizure. He was hospitalized for 2 days. Events resulted in emergency room/department or urgent care, hospitalization. Treatment was received for the adverse event in hospital. The events outcome was recovering. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, it was unknown if the patient had been tested for COVID-19. The report was reported as serious with seriousness criteria-caused hospitalization. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1034307-1 | Patients experienced a mild seizure during observation period following vaccine. EMS was called and patient came to immediately after. RN took vitals on Patient while we waited for EMS to arrive. Patient has history of seizure disorder but had no issue with 1st dose. EMS evaluated at scene and Patient returned to residence facility. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1035519-1 | At 4 Am the morning after my second vaccine I had a seizure.; I was found non responsive; blood pressure of 227/153; This is a spontaneous report from a contactable Other Health Professional (patient). A 37-year-old female patient received 2nd dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via intramuscular on 01Feb2021 10:00 at single dose on right arm for COVID-19 immunisation. Medical history included high blood pressure. Historical vaccine included 1st dose of BNT162B2 on 11Jan2021 08:00 am via intramuscular on right arm for COVID-19 immunisation. Patient was not pregnant. Concomitant medication included labetalol and HCTZ. At 04:00 am of 02Feb2021, after second vaccine patient had a seizure. Patient was found non-responsive with a blood pressure of 227/153. Emergency room was visited. Patient have no history of seizures and it was concluded by PCP that this was an adverse response to the vaccine. Treatment was received. Outcome of the events was recovered/resolved with sequel. Information on the lot/batch number has been requested.; Sender's Comments: Based on temporal association, the causal relationship between BNT162B2 and the events seizure, loss of consciousness and hypertension cannot be excluded. The information available in this report is limited and does not allow a medically meaningful assessment. This case will be reassessed once additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees, and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1035522-1 | First time seizure occurred 12 hr after injection; This is a spontaneous report from a contactable consumer (patient). A 75-year-old male patient received his first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL9265), via an unspecified route of administration on left arm on 30Jan2021 13:30 at single dose for COVID-19 immunization. Medical history reported as none. There were no concomitant medications. First time seizure occurred 12 hr after injection (AE resulted in: Emergency room/department or urgent care, Hospitalization for 3 days) on 31Jan2021 02:00. Therapeutic measures (LEVETIRACETAM TABLETS - (KEPPRA)) were taken as a result of event. The outcome of event was recovering. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1039359-1 | Patient was sitting in observation area after vaccination when she began seizing. Patient was taken to the emergency department. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1040563-1 | Lost consciousness; possibly had a seizure; tingling in his hands; unable to speak; felt dizzy; was tired afterwards; felt sick; This is a spontaneous report from a contactable physician. A 27-year-old male patient started to received dose 2 bnt162b2 (UNSPECIFIED TRADE NAME), via an unspecified route of administration from an unspecified date to an unspecified date at SINGLE DOSE for covid-19 immunisation. The patient medical history was not reported. The patient's concomitant medications were not reported. The patient received BNT162B2 first dose on unspecified date with unspecified lot and expiration date. The patient reported at 4:30 after second dose of vaccine lost consciousness for 15 seconds on an unspecified date, possibly had a seizure on an unspecified date, tingling in his hands on an unspecified date at 9:00 in the evening, unable to speak on an unspecified date for 15 seconds, felt dizzy on an unspecified date, was tired afterwards for about 2 hours on an unspecified date, and felt sick on an unspecified date. Outcome of event Lost consciousness was recovered, possibly had a seizure was unknown, tingling in his hands recovered, unable to speak was recovered, felt dizzy was unknown, was tired afterwards recovered, and felt sick was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the seizure, LOC and other reported events due to temporal relationship. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics including Head CT/MRI, serum toxicology screen, chemistry panel and EEG, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1040945-1 | Confusion, Admitted to Hospital on 2/12/21 Noted to have siezures |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1041969-1 | Dizziness (severe), cannot sit up or stand up without passing out, convulsing (shaking) and severe nausea. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1042340-1 | Seizure; AFib; Terrible chills; Muscle pain where every muscle in her body hurt; shaking like crazy and could not stop; This is a spontaneous report from a contactable consumer (patient). This female patient of unspecified gender received the 1st dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on 21Jan2021 at single dose for covid-19 immunisation. Medical history and concomitant medications were unknown. On Sunday night, the patient had to go to ER because she was having terrible chills and was shaking like crazy and could not stop. It lasted 45 minutes. She went to the hospital. They kept her in emergency room. She had AFiB and had a seizure from it. She thought she was dying. After she had this and finally thought it might be a side effect from the injection. She did not know it was in the muscle and she had muscle pain. Thought she was getting beaten by a stick. All evens were in Jan2021. They also called 3 times for her to come back in to get the second dose. She was sure this was what caused it. Every muscle in her body hurt. At the time she did not know it was injected into the muscle. She did not want to go through this again. She wanted to know if she should get the second dose. Outcome of the event shaking like crazy and could not stop, Terrible chills was recovered on Jan2021. Outcome of the events Muscle pain where every muscle in her body hurt, AFib, Seizure was unknown. Information on the lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1042346-1 | Seizures; This is a spontaneous report from a contactable consumer (parent). A female patient of an unspecified age received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot/batch number and expiration date were unknown), via an unspecified route of administration on an unspecified date at a single dose for COVID-19 immunisation. Medical history included epilepsy. The patient's concomitant medications were not reported. The patient hadn't had seizures in 3 years but 36 hours later from receiving her first dose, she had her first seizure after 3 years. Outcome of the event was unknown. Information on the lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1042821-1 | Hypothermia. Four days after second dose body temp dropped to 94 degrees F. Evaluation for sepsis was unremarkable. CBC was normal, blood cultures were negative. Hypothermia was treated with warming devices. Increased seizure activity was noted. Keppra was started for increased seizure activity. Hypothermia resolved with resolution of the seizures. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1042868-1 | Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Severe, Systemic: Seizure-Medium, Systemic: Shakiness-Severe, Additional Details: About 5 minutes after receiving vaccine, patient was seated in observation area and notified facility staff member who was in charge of observing patients that he felt faint. Staff member reported patient quickly turned extremely red and was showing seizure-like activity, unconscios. She alerted the pharmacists to come over I came over and patient appeared bright red, pupils extremely dilated and was not conscious, grabbed pt arm he woke up and then showed typical vasovagal symptoms thereafter. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1045819-1 | Had seizure 2/5/21 . Does have dx of seizures disorder |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1047391-1 | Lightheaded. Skin was clammy, convulsions started, Epi pen administered, she had tongue swelling, came around then eyes rolled back in head, nausea, blood pressure high. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1047607-1 | Received 1st dose Feb 3 @ 7am. Felt minor soreness for 2 days. Felt fine afterwards. Feb 12 developed flu like symptoms, headache mild fever, tiredness. Symptoms progressed Sat & Sun. Monday she was speaking with her brother who said she wasnt making sense. Called ambulance & brought her to hospital. Ran CT scan, multiple MRIs and did spinal tap. Diagnosed with HSE enciphilitis. Has had multiple seizures. Very confused, can barely speak, doesnt recognize or understand who people are. Troubling motor skills. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1048835-1 | Multiple Seizures: no long term side effects |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1049699-1 | Per H&P and physician notes, patient was admitted to hospital on 2/7/21 with status epilepticus from home. He had received his second dose of COVID19 vaccine on 2/6/21 per Emergency Department note. Patient was febrile on admission (40.7 Celsius) and was intubated. Patient had issues with hypotension, neurologic impairment, and metabolic issues. Received pressors, IV fluids, Keppra, IV antibiotics to cover for possible CNS infection. Lumbar puncture performed. Abnormal EEG on 2/9/21. Recurrent seizure on 2/10/21. Pt extubated on 2/12/21. Blood cultures, urine culture, and CSF culture all no growth. Sputum culture mixed oral flora. As of 2/22/2021, patient tolerating tube feeds, shakes head yes and no responding to questions. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1050244-1 | Anaphylactic shock? Shortly after receiving the vaccine my arm was sore and I had a severe headache. Approximately 24-48 hours after I received the vaccine I started developing a red, hot, itchy raised rash on my ears and buttocks which became more prevalent and peaked around 80-90 hours later. Approximately 82 hours after I received the vaccine, I began to feeI nauseous, dizzy, and fatigued so I stood up to get ready for bed early. While brushing my teeth, I went pale white and felt like I was going to vomit. I put the toothbrush down and got on floor. My pulse felt like it had stopped. I tried to check my pulse and I could only detect one beat every other second. I called for my spouse and by the time he got to bathroom I was passed out. I came back to after about 30 seconds and was convulsing from chills. He put a blanket on me and grabbed my Apple Watch to try to get my pulse which read in the 50s (so I assume it was much lower when I passed out). My hands and feet were tingly and I stayed on the floor until my pulse got back up. I then had diarrhea. At this point in time the rash was most prevalent and was present mostly on my buttocks but also on my ears, scalp, pointer finger on right hand, thighs, and hips. I went to doctor the following morning an my vitals, blood sugar, EKG, urine screen were stable and indicated no issues. 106 hours later I still have the rash on all areas mentioned and am dizzy, nauseous, and fatigued. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1051935-1 | Patietnt fell 12 hours post shot and then had a seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1051938-1 | Patient had witnessed seizure like activity for 30 seconds. Patient transported to ER on Gurney with RN All extremities contracted with grunting Airway maintained After activity was alert pale diaphoretic |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1052032-1 | Patient had seizure, provider could not find pulse, administered 2 rounds CPR and applied AED, EMS notified. Patient alert and awake after 2 rounds CPR and was admitted to hospital. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1053781-1 | Systemic: Allergic: Anaphylaxis-Severe, Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Allergic: Difficulty Swallowing, Throat Tightness-Severe, Systemic: Seizure-Severe, Additional Details: The incident happened at COVID clinic. Patient was recieving the 2nd dose of the vaccine. The first time we administered the vaccine to the patient, she informed the immunizer that she had a bad cough for 3 days. The patient did mention that she suffers from seizures often. The 2nd dose was administerd by the RPH immunizer and was directed to the waiting area for 15 minutes. During that time in the waiting area, she was talking to the. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1055645-1 | Seizure 2 weeks later with overnight hospitalization after not having seizure since 10/2016 |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1056657-1 | 10 days after 1st dose patient suffers ischemic stroke 4 days later the patient suffered a seizure; 10 days after 1st dose patient suffers ischemic stroke 4 days later the patient suffered a seizure; This is a spontaneous report from a contactable consumer. A 71-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection) on 23Jan2021 at 08:00 at single dose via an unspecified route of administration on left arm for COVID-19 immunization. Relevant medical history included Parkinson's disease, dementia, Post-traumatic stress disorder, high blood pressure and high cholesterol. Concomitant medication were not reported. It was mentioned other vaccine on 28Jan2021, but no further information provided. On 02Feb2021 at 12:00 am, 10 days after 1st dose of BNT162B2 patient experienced ischemic stroke and 4 days later the patient suffered a seizure. The events resulted in 6 days of hospitalization. At the time of the reporting the patient was recovering from events. Information about lot/ batch number has been requested |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1056850-1 | At about 2am on 2/10/21, Patient got up from bed and fell down a flight of stairs. He was initially bleeding and unconscious and was brought by EMS to the hospital. Upon arrival at the hospital he had a temperature of 40 C. He was found to have 2 small left temporal hemmorhagic contusions on CT scan. He had a seizure during the hospitalization. He was initially treated for HSV encephalitis but it is not clear if that was confirmed. The hospital team may not have known of the recent vaccination. He improved during the hospitalization, but remained with a very unsteady gait. He could not return to the group home. He was transferred to a rehab facility to receive PT on 02/16/2021. He remains at rehab. Prior to the fall, on the 3rd day after vaccination, on 2/8/21 at about 10 am, the patient coughed and had a small blood on the inside of his face mask while at his day program. He was seen by his PCP and had no abnormal findings. He had a CBC, BMP and CXR and all were unremarkable. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1057260-1 | Patient returned for there second dose and when stated that when he arrived home from his 1st vaccine he had 2 seizures that his wife witnessed and 1 while he was alone. Patient did not report the reaction to anyone at the office or the via the VSafe app. The provider was consulted and 2nd dose was not given. Patient is to follow up with his PCP as he does not have a history of seizures. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1058147-1 | "Two complex seizures; An 88-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection; Lot number: UNKNOWN) via an unspecified route of administration on 06Feb2021 (at the age of 88-years-old) as a single dose for COVID-19 immunization. Medical history included atrial flutter from an unspecified date and unspecified if ongoing. It was reported that the patient was not diagnosed with COVID-19 prior to vaccination. Concomitant medications (within two weeks) included warfarin sodium (COUMADIN). It was reported that the patient did not receive any other vaccine within four weeks prior to the COVID-19 vaccination. The patient experienced two complex seizures, serious for hospitalization, on 10Feb2021. The clinical course was reported as follows: ""Two complex seizures confirmed by ED (emergency department) physician. No history of seizures. Negative CT head and labs. Unclear if seizure was related to COVID vaccine 5 days prior."" It was reported that treatment was not received for the event. The clinical outcome of the event two complex seizures was recovered/resolved on an unspecified date. It was also reported that the patient had not tested positive for COVID-19 post vaccination. No follow-up attempts are possible; information about lot number cannot be obtained.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of event Seizures cannot be excluded. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1058150-1 | convulsing uncontrollably; stroke; rash; chest felt really heavy like someone was sitting on it; her throat felt like it was on fire; shaking uncontrollably/ arms and legs were shaking; Her speech was slurred, she could not communicate; Stuttering; dysphagia; tongue was falling to the side/mile was droopy on the right side/right arm- she would try to move it but it would not go/right leg was almost paralyzed; This is a spontaneous report from a contactable consumer (patient herself). A 39-year-old female patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EM9810), via an unspecified route of administration on 09Feb2021 18:10 at a single dose for COVID-19 immunization. The patient had no relevant medical history. She was healthy and takes no medications. The patient got the vaccine Tuesday night at 6:10 PM. She waited in the parking lot where she got it, which was through (School Name). She had a severe reaction and had to receive an Epi Pen. This reaction occurred maybe 10 minutes after she got it. She had not left the parking lot yet, so it was prior to the 15 minutes. She broke out in a rash, her chest felt really heavy like someone was sitting on it, like an elephant, and her throat felt like it was on fire which is what is started as, then it went to her ears. From there, it escalated. She had gotten out of her car and took her sweatshirt off, she thought she was just hot. As soon as she got back in the car and as soon as she got in she started convulsing uncontrollably and shaking uncontrollably. Two ladies she works with had parked next two her on both sides and they noticed this and went to get the emergency squad. She did not lose consciousness. She could still hear everything but her arms and legs were shaking, and her right leg was shaking and stuck. The emergency squad had to help her out of the car. The ambulance gave her an Epi Pen injection and the squad took her to the hospital. Her speech was slurred, she could not communicate. She was stuttering the same thing over and over. She had a CAT scan with contrast and the stroke team decided she needed TPA - the stoke medication. They administered that and admitted her to the hospital Tuesday night. Wednesday she had an MRI, echocardiogram and another CAT scan and they released her to come home last night. She is still having lingering effects. Her speech is back. Her arm movement is back. The reason they treated her as a stroke patient, they said, is because when they told her to stick her tongue out, she had dysphagia - her tongue was falling to the side, and her smile was droopy on the right side. Her right arm- she would try to move it but it would not go. And her right leg too. She could do everything on her left side and nothing on her right side. She was conscious and could hear but could not get anything to work. After receiving the TPA, Wednesday when she woke up, she was being checked on every 30 minutes throughout the night, she was able to speak and communicate. She will still stutter and have slow words but it is way better and she can communicate. Her right arm is able to move and she can use it but her fine motor is hard. Like writing stuff is a challenge. She also has a walker. Her right leg is almost paralyzed, it drags beside her as she walks. She can move but has to really concentrate to get going. She has not reached out to her doctor yet. She was admitted to the hospital and had a bunch of tests done. The Epi Pen gave her stroke like symptoms. They were not sure in the hospital if it was actually a stroke based on her 2 MRI's and CAT scans. It did not look like a stroke from those but they think that the Epi Pen and the stress it puts into your body made her body shut down. Which the Epi Pen they said can cause stroke like symptoms. They were unsure as they have seen multiple things with the vaccine come in over the last few weeks. They told her she would need to work on the therapies out-patient. She will have to have PT/OT for lingering effects she was suffering from. Outcome of events was recovered with sequelae. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1059086-1 | On Friday morning 2/26/21, we had a 24 yo male patient who had an anaphylactic reaction after his first dose of Pfizer COVID vaccine. He was instructed to wait on the chair, but had stood up at some point but was still in the pharmacy waiting area. A team member noticed he had fainted and called for help. The pharmacist on duty and immunizing tech came immediately to help him to a chair. At that point, he was conscious and talking. Then within a few seconds he started convulsing on the chair and lost consciousness. His eyes were open and head tilted back. A team member immediately called 911 and pharmacist administered 0.3mg Epipen to the thigh. We removed his face mask to check his breathing and also to allow him to breathe more easily. We also adjusted his head more forward and he started coughing. After about 15 seconds, he regained consciousness and could answer questions. EMT arrived soon after and took over. Patient does not have allergies or any history of anaphylaxis/ severe reaction from vaccinations. He did express some fear of needles and did not eat breakfast yet. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1059487-1 | "Injection into left deltoid. 1min later felt ""aura"" (muscle weakening, light headed). Took two pumps of rescue inhaler and took out Epi Pen. 2 Mins later: called for help, nurse gave patient provided EpiPen (I was shaking too much to inject myself), additional Epi from crash cart, non rebreather O2. Symptoms included: convulsions; dizziness; bronchospasms; throat closure; difficulty breathing; dry heaving." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1060237-1 | "came to the vaccination appointment with no current illness or cough. Within less than 5 minutes after the injection started with a cough that is similar to asthma attack onset. As talking with the nursing staff on site after waving them over I began to get worse very quickly. Within minutes I heard one of the staff say ""she's crashing, move it"". At that point I could not breathe, audible wheezing, shortness of breath, throat was closing, entire body felt like it was on fire, extreme itching on back (especially upper back), shaking/convulsing, incoherent. Paramedic staff was put into place and i was ambulanced to the hospital across the street from the vaccination site. Everything is a whirlwind at this point and treatment from what I can remember was albuterol svn, atrovent svn, use of cpap, epipen administration in the parking lot, benadryl via iv, solumedril, oxygen and pepcid. Once arrived at E.R. I was aggressively treated. Once stabalized began to wheen off the oxygen onto room air. I am a rare asthmatic and my oxygen sats usually do not drop, although I am in distress. At one point I heard oxygen sats were at 96, which is low for me. I was discharged from the hospital to my husband's care. In the next days now I am expriencing fever (100), itching, red rashy skin, severe headaches, joint pain, body ache, diarehha and extreme fatigue" |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1060629-1 | RECEIVED BOTH DOSES OF PFIZER VACCINE ON 01/28/21 & 02/18/21. ON 02/28/21 WENT ER FOR POSSIBLE SEIZURE ACTIVITY. AND DIAGNOSED WITH NEW ONSET SEIZURE AND THROMBOCYTOPENIA AND ADMITTED INPATINET INTO HOSPITAL. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1061096-1 | Seizure after vaccine overnight. Patient has a history of seizures. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1062218-1 | seizure; unresponsive for 20 minutes; This is a spontaneous report from a contactable physician reporting for himself. A 93-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) (lot number/expiration date: not provided), via an unspecified route of administration, on 10Feb2021 at 15:45 (at the age of 93 years old) as a single dose for COVID-19 IMMUNIZATION. Relevant medical history included dementia from an unknown date. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE) (lot number/expiration date: not provided), via an unspecified route of administration, on 21Jan2021 (at the age of 93 years old) as a single dose in the deltoid right for COVID-19 IMMUNIZATION. The patient did not have any known allergies. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medication included atorvastatin and levothyroxine. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 12Feb2021 at 13:30, the patient experienced a seizure and was unresponsive for 20 minutes. Treatment for the events included careful observation and airway protection. The outcome of the events seizure and unresponsive was recovered on an unspecified date in Feb2021. Since the vaccination, the patient had not been tested for COVID-19. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of events Seizure and Unresponsive to stimuli cannot be excluded. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1062563-1 | Fever of 102.5 and seizures |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1064256-1 | Pt presented by EMS for acute epigastric pain radiating to the back. While waiting for lab results, she was found down in her room and in post-ictal state. She was moved from an urgent care room to an ER bed and returned to near baseline when she had witnessed seizure activity and subsequently required multiple medications to break her status that lasted around 30 minutes |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1064665-1 | COVID19 VACINE CLINIC SHCE: 3/1/2021 4:57 pm: 1st Seizure 20 sec long 30 year old male, had a seizure 10 mins after receiving 1st dosage of pfizer. History of Seizures per parents that are accompanying the patient, every 4 days. Dx of Epilepsy. 3 RN's attending 1. FIRST RN 2. SECOND RN 3. THIRD RN MA attending: 1. ATTENDING MA Note: First Vitals taken, 10 mins after 1st dosage of Pfizer given. 5:00 pm: BP:147/82 HR: 74 O2: 96% Notes: No complaints of pain 5:07 pm: BP: 125/73 HR:76 O2:96 Notes: No complaints of pain Outcome: 30 mins in Observation area, 2nd Dosage for Pfizer appointment made for Hospital. 5:17 pm: 2nd Seizure 10 sec long 5:19pm: EMS called by NP 5:19pm: BP:140/71 P: 69 O2: 96 5:24 pm: EMS Arrived 5:31 pm: Vitals BP:115/72 P:87 O2: 97 Outcome: Family refused EMS. EMS released the patient to the parents due to history of epilepsy at 5:33pm, patient stable. **Instructions were given to the parents by Charge RN and atttending RN, advised the family to take the patient to the ER if symptoms worsen. Family understood and agreed. 5:34 pm patient was able to walk out with parent to the exit. Director, & RN on site notified |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1065771-1 | Patient's wife reported that he broke both of his shoulders four days after his first vaccine. He had a seizure and fell off the bed breaking his shoulders. No hx of seizures, TBI or stroke. His wife stated they were told by the PCP he could get the second dose of the vaccine. None of these records are accessible by the vaccinating site. No known ED visit or hospitalization related to the event. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1066358-1 | "Three days after receiving dose #1 of COVID-19 vaccine, patient had a first potential seizure event. Patient reports waking up with LLE pain and weakness and a bite mark on the right side of is tongue. He also noticed he had urinated on himself (a small amount). Pt presented to ED on 1/22 where seizure work-up performed. MRI brain showed ""non-specific gliosis along the L cerebellar hemisphere along with chronic BG infarcts."" Unremarkable EEG. Started on levetiracetam 500 mg BID at discharge and continues to follow with outpatient neurology." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1067158-1 | Seizure: Sunday 2/28 @noon Migraines: 2/28 post seizure & 3/1 & 3/2 Pre-seizure symptoms: 3/1 & 3/2 ExtremeMuscle&Joint pain, fatigue, Ubrelvy 100mg 2/28 & 3/2, Ibuprofen 800mg, alt w/Tylenol 2-500mg, Rest/sleep most of days, warm showers, heating pads |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1068484-1 | Patient experienced nausea, vomiting, chest pain and seizures (history of seizures but experienced it more strongly after the shot) |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1068850-1 | Pfizer-BioNTech COVID- 19 Vaccine EUA: Wife of patient called Primary Care Physician to inform that patient had received dose #2 of Pfizer COVID vaccine, and later that evening experienced a seizure and expired. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1069175-1 | Symptoms were: general allergic reaction with hives followed by a seizure and spontaneous recovery. Pt relates Seizure was consistent with her normal seizures but slightly worse. She had a seizure 1 week ago and has seizures in clusters, this was consistent with the waning period of the current cluster. Vital signs were (abnormal with tachycardia and hypertension on arrival to the ED). Exam was notable for neck pain. Patient was treated with Benadryl on scene and with Toradol and fluids in the ED and symptoms recovered but multiple shaking episodes characterized by patient as seizure. Patient was observed in the emergency department for an extended period. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1069672-1 | Patient received a dose of the Pfizer COVID-19 vaccine. Before he could exit the room to begin the observation period, the patient became unconscious and slipped into a seizure. Uncertain if it was hypersentivity coupled with vasovagal response, an epi pen was primed but not administered. The patient was unresponsive for a minute then came out of his apparent seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1069888-1 | Nausea Dizziness Had slight seizure (lasted approximately 5 seconds- arms up and shaking, eyes closed, fell back in chair) Cold sweats (still nauseous 3 1/2 hours after injection, unable to keep anything down (including water) |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1069931-1 | on 2/4/21, patient developed refractory seizures, requiring hospitalization and antiepileptic medications among others. She had no history of seizures, as well as negative LP studies and negative CNS imaging. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1071208-1 | "Patient DOB 9/21/75 sustained witnessed tonic/clonic seizure like activity with loss of consciousness lasting <15 seconds with eyes ""rolling back"" and skin color change from normal for age/race to pale followed by bilateral upper extremity convulsions. Witnessed by monitoring area Registered Nurse. Hx: Seizures, last seizure secondary to codeine ingestion >1 y ago. Anxiety related to injections. Timeline: 1759- Vaccinated with Pfizer Lot # EN6199 1st dose 1805- adverse reaction occurred 1806- mental status: slow to respond, skin: pale/diaphoretic, VS: HR 51 (regular at the radial site), BP 80/palp, RR: 12, T: 36.8, Spo2 100% on RA 1807- 911 activated, placed in position of comfort. 1815- EMS arrived, EKG consistent with sinus bradycardia, HR 58, BP 150/130, RR 15, Spo2 100% on RA 1820- EMS placed patient on gurney. 1825- Departed via EMS gurney" |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1071507-1 | Patient stated he felt dizzy. Then became unresponsive,gasping for air appox 15 seconds. Lowered to the floor head tilt chin lift to open the airway, Seizure began lasting approx 30-45 seconds. b/p166/64 Pso2 99% pulse 80. Patient became responsive, diaphoretic, arms cold, A&Ox3, pupils reactive@0825. 911 had been called. 0835 b/p 140/70 pulse 92 and pso2 99% Patients mother called. Patient taken to ER via ambulance. Patient did report he has had two seizures in the past after a shot and a blood draw. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1071602-1 | Patient had two witnessed seizure like episodes with nystagmus and unresponsive each episode lasted less than 20 seconds. Patient had prodrome prior to both events but no memory or either event. Both event happened within 15 minutes of vaccine administration. Patient was transported to the emegency department for further testing and care. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1072546-1 | seizure 3 days after vaccine; This is a spontaneous report from a contactable other health professional. A 38-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on an unspecified date at single dose for covid-19 immunisation. Medical history included seizure. The patient had known allergies: Risperidone. Prior to vaccination, the patient was not diagnosed with COVID-19. The patient's concomitant medications were not reported. The patient experienced seizure 3 days after vaccine on 25Jan2021. Since the vaccination, the patient has not been tested for COVID-19. The outcome of event was unknown. Information on the lot/batch number has been requested.; Sender's Comments: A possible contributory effect of suspect BNT162B2 on reported seizure cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1073017-1 | Patient was seated during her mandatory 30 minute wait, where she stated she began to feel light headed and had a headache. Stated that she has a history of pseudo seizures and that she had one with her first vaccine. Patient then became unresponsive, slumped back in her chair and began to seize. She was lowered to the floor while she was seizing and monitored by paramedics who were on site until the seizure was over. The seizure lasted approximately 4 minutes. Patient was postictal and elected to be transported to the ED for further evaluation. ED discharged her home. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1073258-1 | After receiving the vaccine client became flushed, clammy, labored breathing, LOC, and had seizure like activity. After she came to, she c/o not feeling good and lightheaded. She was taken by ambulance to the hospital. Husband said they ran several tests. She continues to sleep a lot and is sore all over. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1073821-1 | Was administered the Pfizer COVID-19 vaccine in our drive-thru clinic on 3/4/21 at approximately 2:15pm. Was in the driver's seat of his SUV with his father in the passenger seat. Nothing in the PQCF gave us any reason to be concerned over this particular administration. After administration, was asked to pull forward and park in a spot on the right in order to sit for his required 15 minutes post-administration. became unresponsive as he was attempting to park and continue to turn the wheel causing him to drive in a U shape into a rock covered median. The SUV was able to clear the median and the car stopped at the APEX. When I saw the car heading towards the median, I started to head toward the site safely. I approached the car slowly asking him to stop. When I did not receive a response, I knew something was wrong. Once I felt the car was safe to approach, I ran to assist the patient. The patient was barely able to communicate but did say he was dizzy. 15 seconds later he was unable to communicate, I called a second pharmacist to run over with an epi pen just in case (this was NOT administered). I immediately called 911 at 2:21 pm. reached into the vehicle and got the vehicle into park, while I assessed his airway, breathing, and pulse from a seated position. The patient began to seize. I continued to hold the patient from outside of the vehicle to maintain the patient's airway and keep him from hurting himself on the steering wheel. The patient regained consciousness approximately 3 minutes later with no memory of what happened. EMS arrived on scene about 2 minutes after he regained the ability to communicate. While EMS assessed the patient, and I reached out to and division one store management per SOP. EMS determined that the patient had a seizure and was able to go home if they wanted. The father moved into the driver seat. We monitored the patient for 30 minutes and allowed them to leave. We followed up with the patient via phone 2 hours later with no concerns noted. No property damage or bodily harm occurred during this incident. If we are given approval to vaccinate this patient with a second dose, we will arrange for this patient to be taken care of in the pharmacy. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1073905-1 | lightheadedness after about 5 minutes followed by confusion and loss of consciousness. Brief seizure and short-term aphasia. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1074019-1 | About 10 mins after vaccination patient stated she wasn't feeling well. When pharmacist went to check on the patient she was seizing. 911 was called. Patient's eyes were fluttering and unresponsive, but breathing. Patient came in and out of seizure a few times. 1 full body seizure about 20 to 30 seconds. Patient was laid on the ground on her side till paramedics arrived. She was then taken by ambulance. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1074341-1 | Systemic: Seizure-Medium |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1075240-1 | Loss of failing left side stroke like symptoms with seizures |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) | PFIZER\BIONTECH | 1076124-1 | Patient's son reported that patient had a seizure on 3/5/21 after receiving the second Pfizer-BioNTech vaccine on 2/24/21. |

| Symptoms | Vaccine (1200) | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1077148-1 | It was reported to us that at @1822 the patient sustained a Seizure at home. EMS was called and arrived to initiate CPR. CPR was performed but the patient was declared deceased by EMS at his home. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1077360-1 | 24 hours after the 2nd dose my temperature rose 4 degrees, full body aches and sweating for 24 hours. Followed by dizziness and headache. Within two days my body began having seizures accompanied with ongoing flushing/cold sensations in the occipital region/top of spine, with a feeling of fainting and dizziness, nausea, without loss of consciousness. Sudden jerking movements of the arms, legs and the head/neck range from 2-5 minutes in duration and continue in clusters for 8-20 hours per day. This seizure activity has not subsided since February 17th, and is ongoing to date. MRI confirms no new structural abnormalities in the brain. CBC and metabolic panels are all within normal range. EKG normal. I am not epileptic. No history of drug use. No alcohol use. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1078470-1 | Patient administered vaccine - was about to sit down - had syncopal/seizure episode - fell to ground with few seconds of tonic-clonic activity. Patient assisted by medical staff in clinic - ED physician, RN/NP, rolled to side - patient bit lip, mouth bleeding, unresponsive for a few seconds. Woke up - able to respond appropriately, coherent - alert, oriented to person, place and time - patient did not recall falling to floor. Pt denied hx of prior seizures or any allergies or other significant medical history. Taken by wheelchair to emergency dept by staff. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1079519-1 | Started having flu symptoms 3 hours after shot. By following morning had a temp of 105 and was not responsive. Rushed to Hospital by ambulance. Not responsive for 2 days. In hospital for 4 days. Hospital concluded she had a temp induced seizure. Worst response they had seen. Still rests and sleeps more than normal. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1079539-1 | After 23 hours of first dose had a less than ten second seizure. Last seizure over seven years ago. Had a migraine that night before bed. After 53 hours of second dose had migraine headache at that night. Not able to clearly read the number on the CDC card with the EN number. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1079979-1 | Patient had seizure 5 min after receiving shot. Lasted 2-3 minutes, given versed IM and started to improve. Monitored through post ictal phase - blood glucose was 186, BP 176/90. Was able to walk after about 20 minutes but taken by ambulance to hospital for further monitoring. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1080558-1 | 0900 PT arrived on site, expressed that she had a recent mild reaction to PEG during a recent colonoscopy. States that she broke out with hives on her face and arms. PT was administered 0.5ml of benedryl prior to administration of vaccination and had her wait 10 min for medicine to take effect. 0913 PT was administered 0.3ml of Pfizer COVID vaccine. 0922 PT's started to show signs of distress with heavy breathing. Upon first contact with PT she was speaking with labored breathing. 0924 PT started to seize. Dr. attempted to communicate with PT and reclined her car seat gain better access. 0925 EMS was called 0925 Epi Pen was administered (successfully) PT started to communicated again but started to feel light headed and nauseous and was returned to a sitting position. RN had taken over and was assisting with PT care. 0938 Paramedics arrived on scene 1005 Paramedics cleared scene and transported PT to ER. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1080592-1 | Patient fainted 2 minutes after receiving the Pfizer vaccine and had 10 second witnessed seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1080921-1 | Patient received 2nd dose of Pfizer COVID vaccine approximately 1:00pm. Around 1:15 pm staff were alerted by patient's father that he was having a seizure in the car. Staff went to assess situation, no seizure activity was noted at that time. Patient was lying on his left side in the back of truck, vomit present on truck seat and in patient's nares. Patient has a history of epilepsy. Pulse ox was 78 and HR was 136, and there was concern for aspiration. Pt was placed on oxygen while waiting on ambulance. Oxygen sat improved up to 94% on 4L of oxygen, HR continued in 130s. He was stable when ambulance arrived approximately 15 minutes later, and he was transferred to the hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1081565-1 | Chills day Feb 6, Sick feeling & worse tremors Feb 7-Mar 1, Multiple Seizures Feb `13, & F22. Extreme sporadic stuttering started Feb 20 and continues till today Mar mad 2nd shot March 1st. Had multiple seizures Mar 13 preceded by stuttering. Had 3 extreme whole body seizures Mar 7, Today Mar 8. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1082260-1 | Passed out within 10 minutes of getting the shot Went into a seizure An EpiPen was administered within a few minutes Transported to the hospital via ambulance and monitored at the hospital for about an hour after that. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1082600-1 | Pfizer-BioNTech COVID- 19 Vaccine EUA: Vaccine recipient?s wife reported that she notice he was slurring his speech and had some confusion prior to getting vaccinated. They contemplated seeking medical care but wanted to get the vaccinated first. After receiving the vaccine, the vaccine recipient was reported to have fell back in his chair and began seizing. EMS responded and treated the patient. They have no history of seizures. They were transported to emergency department at e Regional Medical Center. The patient was admitted to the intensive care unit for further work up and currently present. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1082751-1 | Patient finished observation, then suffered a seizure and fall on the way out of the clinic. Paramedics were called and the patient was monitored and transferred to the hospital on site |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1082809-1 | Client seated in observation Client lost consciousness (passed out) and fell out of her chair Client fell onto the floor on the left side hitting the side of her head (left temple area) Witness nearby reports the client had a seizure first prior to falling out of the chair Seizure activity was not witnessed by the nurse Client was assisted into a wheelchair and evaluated further in a private area by EMT EMT was present. EMT assessed client and vitals were taken at 9:36 : O Sat 99%, Pulse 53, BP 112/56 Client was able to report that she felt flushed and hot. Client is visibly sweating Client states that she felt like her heart was racing and that she was dizzy Client reports that she has no history of seizures. Client was offered water Nurse called for an ambulance (EMS) and spoke with dispatch Client drove herself and has no one with her The client?s status given included details regarding client?s vehicle Client voiced concern about the cost of an ambulance but decides that she would like to be taken to hospital which is in network with her insurance At 9:43 Client reports that she feels ?heat inside her head? and is feeling very dizzy A 9:46 EMS arrives on site At 9:49 Client was transported via stretcher |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1082967-1 | Two days after receiving the vaccination, experienced two seizures about 2 hours apart; This is a spontaneous report from a contactable consumer(patient). A 18-year-old male patient received the first dose of BNT162B2 (lot number: E13249), via an unspecified route of administration in right arm, on 15Feb2021 11:00 AM at single dose for COVID-19 immunisation. Facility where the most recent COVID-19 vaccine was administered was Adult Residential Facility. The patient's medical history included developmentally disabled, seizures, malaria at birth. Known allergies included Shrimp, Penicillin and Amoxicillin. The patient was not diagnosed with COVID-19 prior to vaccination. Since the vaccination, the patient was not tested for COVID-19. Concomitant medications included aripiprazole 5 mg, aripiprazole 10 mg, escitalopram. Two days after receiving the vaccination, the patient experienced two seizures about 2 hours apart on 17Feb2021 14:00. The patient had not had a seizure in 6 months. No treatment was received for the event. The outcome of the event was recovered in Feb2021. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1082977-1 | developed refractory seizures on 04Feb2021 after receiving covid-19 vaccine dose #2; This is a spontaneous report from a contactable physician. A 65-years-old non-pregnant female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number and expiration date unknown), intramuscular on 30Jan2021 at a single dose for COVID-19 immunization. Medical history included diabetes, breast cancer, rheumatoid arthritis and known allergies with penicillin. Concomitant medications included metformin (METFORMIN), hydrochlorothiazide, losartan potassium (LOSARTAN HCTZ), letrozole (FEMARA). The patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, lot number and expiration date unknown), intramuscular in Jan2021 at the age of 65 years old for COVID-19 immunization. It was unknown if the patient had other vaccines in four weeks. The patient developed refractory seizures on 04Feb2021, after receiving the second dose of BNT162B2 on approximately 30Jan2021. The patient was hospitalized for 5 days, in the ICU and received anti-seizure meds among others. The patient had no COVID prior vaccination and it was unknown if tested post-vaccination. The event resolved on an unspecified date in 2021. Information on the batch/lot number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1084517-1 | Friday at 1:30 (3/5 my husband received the first shot. That evening he wasn't feeling well at all. Went to sleep in the morning on 3/6 he still was feeling horrible. Looked gray in color- thought he was getting the flu. At 2AM I woke to him having a seizure. Followed by another seizure at 10AM ( 3/7) followed by another seizure at 3PM (3/7) followed by another seizure at 3AM (3/8) and another seizure at 6:30 AM on (3/8). |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1084984-1 | 73 yo F with renal mass was given her second Covid-19 vaccine IM in her right deltoid (lot# EN6206) on 3/4 at 1312. In the final minutes of this patient's 15 minute observation period, patient was noticed to have pulled her mask down and was looking at the observer as if she wanted to say something. Observer asked pt if she was ok. Patient nodded yes. A minute later, the patient dropped her purse and mumbled something. Patient's arm went up and patient became stiff and started seizing. Observer immediately called for help. Vitals, glucose and oxygen was placed on patient. EMS was called. Provider notified and went to patient who was sitting upright in chair actively having bilateral generalized |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1086454-1 | Body aches 7pm-10 am chills 7pm-10am body convulsions 9pm-8am vomiting 9pm-3pm headache 9 pm-present (currently 10 pm next day) Treatment-Tylenol, Motrin, fluids, ice pack for head |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1088172-1 | Patient began to feel short of breath then progressed to shaking and had a seizure. 10mg Versed was administered at the clinic. Once EMS arrived another 5mg of Versed was administered. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1088368-1 | Patient received vaccination at 12:10. At 12:25, patient complained of tongue thickness. EMS called. Difficulty breathing. Developed seizures. Epinephrine 0.3 administered. Seizures continued on/off for approximately 1234. Tongue swelling did improve. Transferred to hospital setting via EMS at 1245. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1090224-1 | Muscle pain; Headache; Having issues breathing; could not swallow; Muscle tightness in right jaw, mouth, neck, shoulder; Muscle type convulsions in neck, shoulder, arms and upper chest; This is a spontaneous report from a contactable consumer reported for self. This 70-year-old female non-pregnant patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number unknown) via intramuscular on 24Feb2021 at 10:00 AM at single dose in left arm in a pharmacy or drug store for COVID-19 immunization. The patient's medical history included high blood pressure. The patient had known allergies: anabolic steroids, many antibiotics. The patient did not have COVID prior vaccination. The patient's concomitant medications included hydrochlorothiazide, triamterene (MAXZIDE) and vitamins. At 24Feb2021 at 10:00 PM, the patient experienced muscles in neck, jaws and throat started clinching up and she could not swallow. The patient began having issues breathing. The patient was advised to go to emergency room (ER). At ER, patient started with muscle type convulsions in neck, shoulder, arms and upper chest. The patient had several episodes. Doctor administered diphenhydramine hydrochloride (BENADRYL) intravenously, did blood and urine workup. After 4 hours the shaking stopped, and the muscle contractions lessened. The patient was sent home. Next day 25Feb2021, she still had some residual muscle tightness in right jaw, mouth, neck, shoulder. On third day 26Feb2021, she had light shaking of hands and arms. The patient was still taking 25 mg diphenhydramine hydrochloride every 8 hours. She added ibuprofen (ADVIL) because she also had muscle pain and headache. The patient was recovering from the events. The patient did not test COVID post vaccination. Information on lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1090933-1 | He began convulsing in his sleep, almost like a seizure except he woke up and became aware of what his body was doing. He could not control his body or limbs to move or stop the shaking. He did not have a fever at the time and could not determine whether or not he felt cold. The uncontrollable shaking was consistent for about ten minutes and then continued sporadically for an hour or so, though it became much more controllable. Hours later, he has more typical symptoms like a bad headache and a fever. The shaking has not come back. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1091214-1 | Immediately after he said he was dizzy. I had him remove his mask and take some deep breaths. He did. I called for help from other nurses in the room. He had seizure activity and fell from the chair to the floor. In the process he hit his head on the table. He had his stocking hat on. The other nurses were there immediately. Talking to him, reassuring the mom, BP, pulse oximeter, ice pack, privacy curtains in place. He was offered food and drink. Other staff removed others from the room. The ambulance was called. And arrived. The ambulance assessed him. Education and instruction were given. They asked him to go to ER. He refused. They advised him to see his Doctor. The ambulance had him sign their needed paperwork. Helped him to his feet, he refused to use their cart provided. He said, I am fine. He was strongly encouraged to follow up with his Doctor. He walked out of the room with ambulance personal and his mom. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1091869-1 | First time seizure, normal MRI and EEG on workup |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1092279-1 | About 30 minutes after dose he passed out and had a seizure that lasted 10 -15 seconds. This happened a couple times. He went to hospital had low blood pressure and oxygen. He stabilized and was released. He has a follow up appointment with his primary care doctor. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1092810-1 | Seizures starting 1/25/21, transverse myelitis diagnosed 3/1/21 with symptoms of transverse myelitis starting 2/5/21. Now with diagnosis of multiple sclerosis but with atypical initial presentation |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1092857-1 | Patient was admitted to the Neuro ICU in critical condition. He is there currently on 4 seizure medications AND INTUBATED WITH GENERAL ANESTHESIA TO CONTROL THE SEIZURES. All diagnostic tests including MRI's, CT scans, laboratory tests, Spinal taps are negative. He was presented and they can arrive at no diagnosis!!!!! He has no history of a seizure disorder. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1093698-1 | Seizure like activity within minutes after vaccine; pt does have history of seizure disorder as well as some non-epileptic spells |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1093857-1 | According to the patient's wife, the patient had flu like symptoms 2/11/2021. Complaints: Thirsty, sweaty and seizure with no prior history. Died at home. Not sent to hospital. Pronounced by coroner |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1094521-1 | Itching all over, while being evaluated by EMS, patient began seizing-transported to nearest ER. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1094972-1 | A few weeks after receiving the vaccination she felt confused, was going to drive. Ended up having a seizure she said and was taken to Hospital and then to another Hospital. Stated was there for 3 days. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1095606-1 | Seizure followed by Acute encephalopathy a few hours after receiving 2nd dose of Pfizer COVId-19 vaccine. COPVID-19 PCR testing positive on admission. Ongoing encephalopathy and patient made Comfort care. EEG showed no overt siezures. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1096097-1 | Had a Seizure and was transported to hospital by Ambulance, was admitted and kept overnite to run test. Shaking and Unreponsive. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1096664-1 | I experienced a seizure the next day...broke my foot during seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1096741-1 | Had seizure in car when leaving the facility, about 1/2 hour after the vaccination. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1096983-1 | Nausea, Sudden vomiting, extremely low blood pressure, and then started having a seizure... no previous seizures or seizure disorders. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1098642-1 | dizzy, feeling numb, convulsions per spouse. Evaluated by EMS-Refusal to transport. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1100509-1 | Seizure; Could not move nor speak; Could not move nor speak; Chills; This is a spontaneous report from a contactable consumer (patient). A 77-year-old female patient received bnt162b2 (BNT162B2, Manufacturer Pfizer-BioNTech), via an unspecified route of administration, on 24Feb2021 at 10:00, at single dose, for COVID-19 immunisation. Medical history included mitral valve prolapse and ongoing food allergy (to cantaloupe). Patient did not have COVID-19 prior to vaccination. Concomitant medications included vitamin b complex (B COMPLEX) and calcium carbonate, colecalciferol (CALCIUM + D3). Patient did not receive other vaccine in four weeks. The patient experienced seizure (medically significant) on 27Feb2021 at 02:00 AM with outcome of recovered in 2021, could not move nor speak (non-serious) on 27Feb2021 at 02:00 AM with outcome of recovered in 2021, could not move nor speak (non-serious) on 27Feb2021 at 02:00 AM with outcome of recovered in 2021, chills (non-serious) on 27Feb2021 with outcome of recovered in 2021. No therapeutic measures were administered as a result of the events. Clinical course: the patient reported that she had been having chills for several hours. During the night while sleeping, she believe she had a seizure. She was awakened with her body quivering from head to toe. She had no pain. She was aware of what was happening. She could not move nor speak. The event did not last very long and, when the quivering ceased, she no longer had chills. Patient did not test for COVID-19 post vaccination. The information on the lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1100534-1 | convulsing throughout the night; Woke up with a fever of 102.4 degrees; This is a spontaneous report from a contactable consumer(parent). A 49-year-old patient of an unspecified gender received second dose BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 23Feb2021 at single dose for covid-19 immunisation. The patient medical history was not reported. Concomitant medications included 2 types of prescription medication (name of medications not known). Patient previously received first dose BNT162B2 on unknown date for covid-19 immunization. The patient experienced woke up with a fever of 102.4 degrees and convulsing throughout the night on an unspecified date with outcome of unknown. Information about lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1100800-1 | Systemic: Nausea-Medium, Systemic: Seizure-Medium |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1101594-1 | approximately 3-5 minutes after receiving dose, client states he felt a surge of warmth rush over him. Client loss consciousness and fell out of his chair. Client was laying prone with both arms down by his sides. Assume client hit his head when he fell. After approximately 10-20 seconds, client awoke, confused as to what happened, but oriented to person, place, and time. Client remains pale and diaphoretic. Client sat for 3-5 on the floor, recovering, then moved client to a wheelchair to escort him to the medical eval area. Upon transport to eval area, client stated he felt it happening again. He then fell unconscious again, with is head falling forward, client panic. Started to seize with body going stiff and sliding out of wheelchair. 4 staff assisted client safely to the floor, placing a blanket under his head. Approximately 10 seconds of so activity and client awoke again confused as to what happened, but oriented to person and place. Client had bladder inconvenience. 911 called at 1854. BP 130/84, stats 97%, HR 70 s, breathing non labored, 16-20 breaths per minute. Report given to EMTs. After 10 minutes client moved to chair. Vitals remain stable. After 20 minutes client stood up and walked around. Taking water and crackers. Color is better. Client refused ambulance to the ER. Called his friend, an RN, who will take him home. Client encouraged to stay with a friend if he chooses not to go to the ER. Also encouraged client to talk to his provider before receiving his 2nd dose. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1102517-1 | Received 2nd dose Wednesday,3/3/21 6:00pm Tues. 3/9/22 late afternoon? fever 101.4 Wednesday 3/10/21? 1:25 or so... while sitting in recliner, starting seeing very bright light? couldn?t see anything but bright light.... within seconds starting convulsing/ seizure- for about 30 -60 seconds- was unaware of what was happening- eyes open but not focused... arms, legs and whole body convulsing? after it stopped within a minute or two? started vomiting uncontrollably? was able to hear me at this point? 911 was called at 1:35.... Taken to Hospital Admitted? |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1102574-1 | approximately 5 minutes after receiving vaccination patients boyfriend said that she was filling light headed. I went to the waiting area to check on patient and take her blood pressure. while taking patients blood pressure she had a short (1-2 seconds long) seizure and lost consciousness. Patient quickly regained consciousness and reported no additional symptoms. EMS arrived on the scene quickly and patient left with them. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1102708-1 | Patient stated he had a seizure four hours after receiving the first dose and fell and hit his head. He was life flighted and was hospitalized for several days. He does not know if this was a reaction to the vaccine and said the hospital was not sure either, but he has never had a seizure before. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1103052-1 | Began feeling sick after injection. Low fever, fatigue for day of injection and day after. Day 3 felt normal, but day 4 began feeling sick again with no appetite, nausea and chills. At 5:30 I passed out and remained unconscious until my mother found me on the floor and then had a seizure lasting about 2 minutes. I was unconscious for at least 30 minutes. I have had seizures in the past, but never anything close to this. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1103742-1 | Beginning February 28, 2021 stroke, seizure, fever, headache and weakness. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1104003-1 | 3-11-21 4:26PM CALLED TO VACCINE STATION. PARENT STATES PT HAS BEEN HAVING SEIZURES OFF & ON X ARPOX. 20MIN. SEIZURES STARTED BEFORE VACCINATION. 4:40PM PT POST ICTAL; PINK, W/D, RESP REG WITH EASE - NO RESP DISTRESS. TO EXIT PER W/C TO BE TAKEN HOME PER MOM. NO SEIZURES AT THIS TIME. 3-12-21 9:30AM MOM STATES PT IS '100% BETTER TODAY'. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1104114-1 | 3 Seizures on 3/10 8 Seizures on 3/12 Placed on Ventilaor 3/12 Removed on 3/13 5 seizures on 3/13 Placed back on vent 3/13 Removed from vent 3/15 Seizure on 3/15 |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1104814-1 | Pt received the covid vaccine around 12:50 pm. Then as he was walking to schedule his second appointment soon after the vaccine, he fell to his knees (no CHI). I was notified and ran over to see pt was disoriented, pale, diaphoretic. While measuring his left arm BP (80/30), he began to convulse with both elbows flexed. The convulsions lasted about 10 secs, pt did not recall the event, we held him in a seated position on the floor. He felt much better after the convulsion + water/snacks, however we did call EMS during the event. Per EMS, BP was 128/80, and pt was AAOx3. Pt refused to go to the hospital and agreed to f/up with PCP. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1105675-1 | Pt received vaccine at 15:25. At 15:33 pt. reported her lips felt tingly. At 15:38 patient began seizing and was lowered to the ground by 2 staff members. Oxygen was placed on patient at 5L via nonrebreather mask. Initial BP 160/80 manually on right arm, Heart rate 26, oxygen saturation 84%. Oxygen increased to 10L and EPI 0.5 mg administered IM into right anterolateral by, APN at 15:43. 15:44 vitals: BP 182/90 manual R arm, 110 heart rate, 99% 02. Oxygen decreased to 8L. Seizure ended at 15:45. Vitals at 15:45 180/105 BP, 115 heart rate, 98% O2.Vitals at 15:48 185/100, HR 102, oxygen 99%. EMS arrived at 15:50 & 2nd seizure began at 15:50. 15:50 vitals BP 245/110, 131 HR, 99% O2. 15:52 vitals 240/110 BP, 107 HR, 99% 02. Pt. left via ambulance at 15:55. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1106306-1 | seizure; couldn't move and speak; couldn't move and speak; chills; This is a spontaneous report from a contactable consumer. A female patient of an unspecified age (age: 77, unit: unknown) received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date not reported), via an unspecified route of administration on 24Feb2021 at single dose for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient experienced seizure, couldn't move and speak and chills on 26Feb2021. The patient received first dose of Pfizer on 24Feb2021, and experienced a seizure 48 hours later. She was experiencing severe chills, then during the night, woke up with a seizure, couldn't move and speak, didn't go to the ER, no history of seizure, already filed safety report. She wants to know if she can receive the second vaccine. The outcome of the events was unknown. Information on the Lot/Batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1106430-1 | Phone call from husband on 3/12/21 at 2:43 pm that after leaving the Health Department around 12:20 pm they drove to restaurant and his wife ate lunch. They drove home and she was resting in living room and he found her at 1:30 pm unresponsive. He called ambulance and she was transported to the emergency department at Center. He reported that the doctor was running tests and he would let me know what they find out. 3/16/21 3:45 pm phone call to, husband and he said patient was sent by flight for life to Center on 3/12/21. He reports that it was determined she had a seizure and then had another in the emergency department and was intubated due to low oxygen levels. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1106432-1 | 10:00 am client received his COVID19 vaccination. Immediately the client fainted and fell out of his chair on his left shoulder. He did not hurt his head. Client was lying flat on the floor and then started having seizures and was placed on his left side. Episode lasted 3 seconds. Client was able to answer questions and alert and oriented x 4 and no complaints of pain or discomfort. 10:07 1st vitals taken. 10:09 am client stood up and walked to observation area. Client was under observation for 30 minutes. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1106520-1 | Seizure about 1 minute after injection, seizure lasted about 1 minute |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1106855-1 | The patient had a seizure and vomited several times post-vaccine. 911 was called and EMS took him to the hospital for further evaluation. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1108617-1 | After administering the covid 19 vaccine to patient, patient was observed for 15 minutes for any adverse reaction, then patient was taken back to his room and about 30 minutes after receiving the vaccine patient experienced seizure attack, felt and hit the wall. Seizure attack lasted for less than 1 minute as per staff who was monitoring him, 911 was called. Upon my arrival patient was back to normal and sitting on the chair. 911 arrived and took over. patient was transported to nearest ER. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1109365-1 | Seizure. Convulsions, lost consciousness, amnesia, high blood pressure, confusion. Numbness of lower lip, tingling in hands and feet, consistent headache, fatigue, memory problems, and filling out of my body are all still occurring five days later. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1110087-1 | Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1110344-1 | Recipient with history of epilepsy induced by stress started seizing approximately 5-6 minutes after receiving her vaccine. Before onset of first seizure pt reported throat tightness and had a mild dry cough. Dr. (Med eval) evaluated patient- lung sounds clear, pulse strong and steady 92 bpm, heart sounds normal. Pt reported that she felt like she was going to seize. Generalized tonic clonic seizure lasting approximately 1 minute. Post ictal period noted with minimal responsiveness but good color and respirations x 1 minute. Second seizure lasted approximately 1 minute, again generalized tonic-clonic with good color and respirations. Post ictal for approximately 3-4 minutes. Pt was transfered from car to stretcher. Sats 97% on room air. lung sounds clear with good respirations. 3rd generalized tonic clonic seizure ensued (lasting approximately 1 minute). EMS gave 5mg IM midazolam in her right deltoid. Transfered into ambulance, 3 lead EKG reviewed by Med Eval and no acute findings were noted. Recipient transferred to emergency department. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1111534-1 | Scared of needles. Syncope, flushing/sweating. BP 111/51 (pulse 90). Patient placed in supine position - appeared to show signs of convulsion. Taken to the ED. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1112336-1 | Resident had a seizure on 01/30/2021 at approximately 3:15PM. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1112604-1 | Approximately 5 minutes after receiving first dose of Pfizer COVID vaccine, patient had syncopal episode with brief seizure activity noted |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1113931-1 | Seizure; Headache; Couldn't feel lower legs; Extreme chest pains and chills; Extreme chest pains and chills; Arm swelling; Pain; Itching; This is a spontaneous report from a contactable healthcare professional (patient). A 23-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiration date unspecified), via an unspecified route of administration (left arm) on 02Mar2021, 16:15, as single dose for COVID-19 immunisation. Medical history included ongoing epilepsy, covid back in Dec2020, known allergies to flu vaccine and TB test and seizure (have history). Concomitant medications included levetiracetam (KEPPRA), lamotrigine (LAMICTAL), cenobamate (XCOPRI) and magnesium. The patient had no other vaccine in 4 weeks. On 02Mar2021 16:15, the patient experienced arm swelling, pain, itching, couldn't feel lower legs, extreme chest pains and chills. On 02Mar2021, at 17:15, the patient experienced headache an hour later. On 03Mar2021 01:00, the patient experienced seizure at the middle of the night around 01:00. The events resulted in emergency room/department or urgent care. The patient had Covid prior vaccination; and was not Covid tested post vaccination. Outcome of event seizure was not recovered; outcome of the rest of events was unknown. Information on the lot/batch number has been requested.; Sender's Comments: The patient had underlying epilepsy. However, based on the close temporal association, a possible contributory role of bnt162b2 to the development of seizure cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1113932-1 | "hip fracture; atrial fib; could not communicate; everything the patient's wife touched he said ""ouch""; rigors or chills; he was limp; loss the use of his legs; convulsion; Still not eating and confused; Still not eating and confused; This is a spontaneous report from a contactable consumer (patient's wife) medical information team. A male patient of an unspecified age (reported as 90, no units provided) received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date were not reported), via an unspecified route of administration on 24Feb2021 at a single dose for COVID-19 immunisation. Medical history included dialysis receiving dialysis 3x/week; and walker (walking aid user). Concomitant medications were not reported. The patient received his second Pfizer vaccine dose on 24Feb2021. When the patient came home Thursday morning (25Feb2021) from dialysis, he was limp, loss the use of his legs, could not communicate, everything the patient's wife touched he said ""ouch"". They had to push the patient around on his walker. Her son was helping the patient in the bathroom and he called out and thought the patient was having a convulsion, although she thought it may be rigors or chills. The patient was brought back to the recliner and took his vital signs and he was in atrial fib. The MD was called and medicated him. On Friday (26Feb2021), he was not doing so well, his nephrologist was called and was told to watch him for another day. The patient was admitted to the hospital on Saturday (27Feb2021). The patient was still not eating and confused and he has been diagnosed with a hip fracture. The patient's wife wanted to know if other people had these kinds of side effects. The patient has not recovered from ""still not eating and confused"". The outcome of the remaining events was unknown." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1113941-1 | Seizures; throat swelled up; Troponin level increased; Mild heart attack; arm was hurting; breathing issues; Dry heaves; Mucus to come out; Nauseous; Dizzy; Headache; Ears became hypersensitive; Senses heightened; Throwed up; This is a spontaneous report from a contactable other health professional (patient). A 65-year-old female patient received the 1st dose of bnt162b2 (BNT162B2, Manufacturer Pfizer-BioNTech), via an unspecified route of administration in arm left, on 27Feb2021 (lot# EN6205), as 0.3 ml single, for COVID-19 immunisation. Medical history included seizure from 2017 (she hasn't had a seizure in 8 months), allergy (to a lot of things). Concomitant medications were not reported. The patient did not have other vaccinations in 4 weeks prior. Within 15 minutes from having the vaccination at the center the patient experienced the first seizure that lasted about an hour. The seizure was really bad, she had breathing issues, dry heaving like she was trying to throw up, mucus to come out. The paramedics checked her out, they stayed around until she came out of the seizure. The patient went home and then at 07:50 PM she started heavy shallow breathing, was nauseous, dizzy, had a headache, which also happened at the center. Ears became hypersensitive, it was so noisy like loud, but her husband and the paramedics said it wasn't loud but she could hear it, all of her senses were heightened. She had a second seizure and didn't known how long it lasted. Patient had another seizure at 08:25 PM, at 08:40 PM she had another one, at 09:00 PM patient was coming back around and had another seizure and her throat closed up and that's when she went to the hospital, when her throat started to close up. While the patient was in the emergency room (ER) she had another seizure, she had 6 total seizures, she has never had this many before so she knows it was an adverse event to this vaccination. The seizures also increased the patient's heart enzymes- troponin levels. The patient has an EEG, was given 4 baby chewable Aspirin, as she had a mild heart attack. She thought the seizure increased her troponin. The patient mentioned that during the first event at the center, she was so into the seizures, she remembers grabbing her left shoulder, her arm was hurting. She was so into the seizure and trying to throwing up that it didn't dawn on her. The hospital didn't tell her she had a mild heart attack, it just dawned on her because her troponin levels were up mildly and she thought the seizures were triggering something in her heart, not just her seizures. The patient got another headache and was dizzy and had shallowing breathing. Seizures recovered on 28Feb2021. The patient underwent lab tests and procedures which included chest x-ray: normal, it didn't show pneumonia or fluid on the lungs on 27Feb2021, electrocardiogram (EKG): normal on unspecified date, electroencephalogram (EEG): normal on 27Feb2021, troponin: increased on 27Feb2021. Follow-up attempts are completed. No further information is expected.; Sender's Comments: A possible contributory effect of suspect BNT162B2 on reported events cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1113952-1 | Seizure like episodes.; Dizzy spells; High ammonia levels of 267 at the highest; Hit uric acid; She can not walk; Numbness on her right side; Terrible headache; Nausea; This is a spontaneous report from a contactable consumer. A female patient (mother) of an unspecified age received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiry date: unknown), via an unspecified route of administration on an unspecified date as single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. The reporter wanted to write because the patient (mother) has been in the hospital almost 18 days with no end in sight. She is going to a rehab facility soon. She had a terrible reaction to the vaccine and the reporter thought it should be noted somewhere. She is an interesting case because lots of things react bad with her. She has dizzy spells, seizure like episodes, high ammonia levels of 267 at the highest, hit uric acid, she can not walk, numbness on her right side, terrible headache, nausea and more from an unspecified date. The outcome of the events was unknown. Information on the lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1113959-1 | seizure; loss of energy; flu-like symptoms; bouts of nausea; This is a spontaneous report from a contactable consumer (patient). A 73-year-old male patient received his first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EL9266), via an unspecified route of administration at the age of 73-year-old at arm left on 27Feb2021 02:45 PM at single dose for COVID-19 immunisation. Medical history included epilepsy. Concomitant medications in two weeks included allopurinol; zonisamide; vitamin D and glutathione. There was no other vaccine in four weeks. There was no covid prior vaccination and no covid tested post vaccination. The patient had Pfizer COVID vaccine Sat, 27Feb2021 afternoon. Then 24 hrs after vaccine had loss of energy with flu-like symptoms and bouts of nausea on 28Feb2021 6:00 PM. Then at 4a.m. early Monday 01Mar2021 morning had seizure. There was no treatment for events. The event seizure was serious for being medically significant. The outcome of events was recovering. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1114722-1 | Sore arm for first few days. Woke up on day 5 feeling off. Had an aura start in the left side of vision and thought it was just a migraine. Took migraine medication and 45 minutes later had a seizure. This is the first in my life. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1115268-1 | seizure like symptoms; Dizziness; lethargy; fatigue; This is a spontaneous report from a contactable pharmacist. A 16-year-old male patient received first dose of intramuscular BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 02Mar2021 at 12:00 at single dose in left arm for COVID-19 immunisation at the age of 16-year-old. Lot number was EN6205. Medical history and concomitant medications were unknown. On 02Mar2021 at 12:00, the patient experienced Dizziness, seizure like symptoms, lethargy, fatigue. It was unknown if the patient was treated due to the events. The patient recovered from the events in Mar2021. It was unknown if the patient had COVID prior vaccination; it was unknown if the patient was tested for COVID post vaccination.; Sender's Comments: Based on the current available information and the plausible drug-event temporal association, a possible contributory role of the suspect product BNT162B2 to the development of event Seizure cannot be excluded. The case will be reassessed if additional information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1115499-1 | Aggressive convulsions, in 5 minute spurts, with pauses between, for roughly 3 hours 11:00pm to 2:00am. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1116387-1 | 12:45 Received Pfizer #2 13:00 Felt dizzy, lightheaded; consumed water and chocolate 13:05 Transported to EMS area of observation area; in wheelchair lost consciousness and had brief 15-20 second seizure 13:10 Repeated bouts of emesis. Patient had marked pallor and diaphoresis 13:35 EMS transport arrived, placed IV, gave phenergan, and transported via ambulance to Hospital Center |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1116796-1 | Recvd vaccination on 3/16/21 woke up on 3/17 with mild flu like symptoms nausea, headache low fever began having intense nerve pain/seizure like activity 3/18 and continuing. Used to have nerve pain seizures on daily basis but has not had seizure in over 14 months prior to 2nd vaccination. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1117364-1 | Delayed vasovagal response with possible seizure. 911 called and arrived minutes later. Pt was sitting in chair and was lowered to the floor when she slumped and started to have a seizure. As soon as she was on the floor she snapped awake. She was disoriented for a moment but was aware. After a few minutes she sat back down in chair and her blood pressure was taken. it was 139/81 with HR of about 79. The fire department came in at this point. Eventually, the fire dept released her as she was with her mother. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1117764-1 | Systemic: Allergic: Anaphylaxis-Severe, Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Hypotension-Medium, Systemic: Seizure-Severe, Additional Details: Approx. 15 minutes after getting his COVID vaccine pt. notifed clinic staff that he was feeling unwell and his heartbeat was irregular. Pt. then started to collapse and after being assisted to the ground had a seizure lasting approx. 10 seconds. After waking back up from seizure pt. had trouble breathing. Clinic staff notified me and I immediately administered 0.3 mg of epinephrine via an auto-injector. 911 was called and Pt. was able to sit back up while he waited for EMS. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1118328-1 | Seizure (staring, unresponsive to verbal stimuli) started approx. 5 min post vaccination. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1118714-1 | Two Seizures and 5 migraine headaches |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1119874-1 | "Took the COVID test has COVID; Took the COVID test has COVID; He has a seizure; Likely a syncopal event; Shoulder in soreness; Felt lightheaded had to sit in chair; This is a spontaneous report from a contactable physician (patient himself), received from the FDA. The regulatory authority report number is 910202. A 39-year-old male patient received the first dose of BNT162B2 (Pfizer-BioNTech Covid-19 vaccine; batch/lot EH9899, expiration date: 31Mar2021) on 18Dec2020 on the right arm, at a single dose, for COVID-19 immunization. Concomitant medication was none. The pediatrician was working in the hospital and was exposed to an office contact who had COVID. The patient had a shoulder in soreness. He was at work on Wednesday and felt lightheaded and had to sit in chair. He had a workup to a CODE team putting oxygen on him. He had a seizure. The patient took the COVID test and had COVID. He was admitted to the hospital for 2 days. It was likely a syncopal event. The onset dates of the events and the hospitalization dates were not reported. The patient was not recovered from the events ""took the COVID test and had COVID, seizure, and likely a syncopal event,"" while the outcome of the events ""shoulder in soreness and felt lightheaded"" was unknown. The events ""took the COVID test and had COVID, seizure, and likely a syncopal event"" were reported as serious due to hospitalization, and the other events were reported as non-serious. On 01Mar2021, investigation results from the Product Quality Complaints group was received for the described complaint of ""Took the COVID test has COVID"" for PFIZER-BIONTECH COVID-19 VACCINE INJECTABLE with lot #: EH9899, batch expiry date: 31Mar2021. Reasonably Suggest Device Malfunction was reported as ""No."" Severity of Harm was not applicable. No CAPA was previously identified. A full investigation was not required. Root Cause/CAPA: This was not process related; Final Confirmation Status was ""Not Confirmed,"" Vendor Related: No. Conclusion: The complaint for an adverse event requested by Safety with the use of the PFIZER-BIONTECH COVID-19 VACCINE lot EH9899 was investigated. The investigation included reviewing the manufacturing and packaging batch records, retained reference samples, deviation investigations and an analysis of the complaint history for the reported lot and product type. The final scope was expanded to the reported finished goods lot EH9899, fill lot EH9783, and the bulk formulated drug product lot EH9782. A complaint sample or photographs were not received. No related quality issues were identified during the investigation. There is no impact to product quality. The complaint was not confirmed. No reserve sample evaluation was required; this was not a confirmed reserve defect. No lot-specific trend was identified. No expedite trend was identified and no other trend was identified. Complaint sample evaluation: (Parent) Sample Status was not available; site sample status was not received. No follow-up attempts are possible. No further information is expected. Follow-up (01Mar2021): New information received from the Product Quality Complaints Group includes investigational results regarding the previous complaint. No follow-up attempts are possible. No further information is expected." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1120331-1 | Patient had one of her typical seizures on 3/14/21. She did not seek care. She managed at home and called 2 days later to notify my office that the seizure had taken place . She was feeling well. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1120526-1 | Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Nausea-Mild, Systemic: Seizure-Medium, Additional Details: Patient recieved first dose of Pfizer vaccine administered by Staff. Patient appeared confused and lethargic appearing to pass out. Staff administered epinephrine. Patient then started to seize ~2 mins. Patient was then reponsive. Emergency services came and took patient to hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1120807-1 | Seizures |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1120981-1 | Patient received vaccine and went to sit down in front of pharmacy. He then immediately started feeling lightheaded, his eyes rolled into the back of this head and he had a couple of convulsion. He did not lose consciousness and was immediately aware. He was pale, lips were blue tinged, pulse was 60, sweating and blood pressure was 98/50. Paramedics were called but he had recovered by the time they got there. They said he had a fainting episode due to the vaccination and did not have a seizure. The patient had not eaten anything the whole day and he felt that contributed. Followed up with patient's parent and he is feeling just fine now. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1121589-1 | Seizure; This is a spontaneous report from a contactable consumer (patient). A 25-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE lot/batch number and expiration date not reported) via an unspecified route of administration, administered on the left arm on 05Mar2021 11:30 at a single dose for COVID-19 immunization. Medical history included epilepsy. Concomitant medication included levetiracetam (KEPPRA). On 07Mar2021 07:00 AM, the patient experienced seizure. The event resulted in Emergency room/department or urgent care. No treatment was received for the event. The facility where the vaccine was administered was in a hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Patient is not pregnant. Post vaccination, the patient has not been tested for COVID-19. No known allergies. Outcome of the event was recovered with lasting effects. Information about lot/batch number has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1121592-1 | started shaking and jerking like was having convulsions; started shaking and jerking like was having convulsions; started shaking and jerking like was having convulsions; gets a spasm every once in a while; This is a spontaneous report from a contactable consumer (patient). A patient of unspecified age and gender received the first dose of BNT162B2 (BNT162B2, lot number and expiry date were not reported), via an unspecified route of administration, on 04Mar2021 (afternoon about 01:05 or 01:15 PM) at a single dose for COVID-19 immunization. Medical history and concomitant medications were not reported. The patient reported they got the vaccine shot (clarified as Covid-19 Vaccine by Pfizer) on 04Mar2021 afternoon about 01:05 or 01:15 and they were fine all day and all evening. On 05Mar2021, about 03:30 AM in the morning, the patient started shaking and jerking like was having convulsions. The patient was shaking so hard they couldn't get out of bed. They didn't know if that was a reaction to the vaccine or something else. It lasted about 15-20 minutes and then it subsided. The patient then gets a spasm every once in a while, for the next half hour and at the time of report it seems go stopped all together. Outcome of the events was recovered on 05Mar2021. Information about lot/batch number is requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1121595-1 | six small seizures; This is a spontaneous report from a contactable consumer (patient). A 75-year-old male patient received BNT162B2 (Lot Number: EL9264) via unspecified route on left arm single dose for COVID-19 immunization on 16Feb2021, 10:15 AM, at 75-year-old. Medical history included: hypertension, dementia, Lewy body dementia; known allergies: shrimp, coconut. The patient had not had COVID prior vaccination. Concomitant medication included: atorvastatin; donepezil; fish oil; fluticasone. No other vaccine received in four weeks. The patient experienced six small seizures on 19Feb2021, 04:30 PM, emergency room/department or urgent care visited and was reported hospitalized for one day. Treatment received included: a CAT scan, levetiracetam (KEPPRA). Outcome of the event was resolved. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1121904-1 | Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1122323-1 | Patient developed Gilliam Barre after administration of the second dose of Covid vaccine on 2/15/21; After multiple calls, clinic was where patient received vaccine with LOT #EN6200 (expiration date unavailable in computer system per pharmacist); pt then went to a hospital and was diagnosed as above; treated in the ED for several days per notes at the hospital and was not put in a room due to bed shortages so was transferred to another hospital; patient subsequently developed an NSTEMI, seizures, and was intubated. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1122929-1 | pt had a seizure while waiting on observation area she reports her family was with her and told her about seizures medical staff alerted and 911 called. pt awoke from seizure and declined to go to ER reports she felt okay. unclear if generalized seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1123690-1 | The patient has refractory epilepsy but seizures are generally well controlled (1 seizure every months). Her first seizure followed ~30 minutes after vaccination and she continued to have 6 additional seizures over the course of several hours, requiring admission to the hospital for several days as she recovered from her post-ictal state. She was febrile on admission to 100.5F. Mother of patient noted that she has never had this many seizures in a single day before. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1124512-1 | Arm hurt at injection site, upon lifting arm, felt a sensation in arm near injection site and had what appeared to be a seizure that lasted around 10-15 seconds. A few moments later another seizure occurred. Resulted in a hospital visit and a follow-up with a neurologist. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1124524-1 | Patient with PMH of poorly controlled siezures and no regular health care who reported symptoms of feeling warm and lightheaded after recieving her vaccine. Pt had a generalized siezure with postictal symtpoms, AOx2. She was then observed and evaluated by medical staff and EMS, during which time she had a second witnessed generalized seizure. Pt was sent by EMS to a local hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1124640-1 | "Patient received 1st dose of Pfizer Vaccine Lot#ER8730 and was sitting in chair at administering station when he lost consciousness. Patient regained consciousness, A/Ox4, skin pale, cold and clammy, pupils dilated. FNP assessed pupils were non reactive to light. Per FNP, patient then had a seizure for approx. 18 sec at 2:55 pm; seizure precautions maintained at all times. Upon regaining consciousness, pt. began projectile emesis. 911 called/patient brought to sick bay. BP 104/51, HR 120, O2 97%, Temp 97.1 Patient remained A/Ox4 and stated he felt ""very tired."" Patient transferred to paramedics and transported to Hospital. EMS Incident." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1125095-1 | Bell's palsy; jaundice looking legs; inability to communicate clearly; Seems to be experiencing numerous seizures; This is a spontaneous report from a non-contactable consumer. A 20-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/lot and expiry unknown), via an unspecified route of administration on 26Feb2021 as a single dose for covid-19 immunization. The patient's medical history and concomitant medications were not reported. The patient experienced Bell's palsy, jaundice looking legs, inability to communicate clearly and seems to be experiencing numerous seizures on 04Mar2021. The events were considered serious due to hospitalization. The patient was hospitalized on 04Mar2021. It was unknown if patient received treatment for the events. The outcome of the events was not recovered. Information on the lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1125418-1 | Patient had a seizure blood pressure and pulse elevated. Known history of seizures. Went to ER |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1125498-1 | Patient stated prior to vaccine he has a history of fainting after vaccination. About 1 minute after vaccination he became pale, clammy, and lightheaded. Spoke with patient while someone else retrieved an ice pack and water. About 2 minutes after vaccination patient became unconscious and upper body had seizure like activity. Patient was moved to the floor immediately regained consciousness. Event lasted approximately 15-20 seconds. After regaining consciousness, stated he felt better. Remained on the floor for about 5 minutes, EMS was called as precaution. EMS stated vital signs and blood sugar were stable. Patient refused transport to hospital. Instructed to follow up with PCP. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1125629-1 | Non-provoked first time seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1125834-1 | seizure; twitches jerks; This is a spontaneous report from a contactable consumer (patient) via Medical Information Team. A 73-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE, lot number: EW6205), via an unspecified route of administration on 25Feb2021 at SINGLE DOSE for COVID-19 immunisation. Medical history included high blood pressure, cholesterol, diabetes, seizure disorder, and was put on continuous positive airway pressure (CPAP) machine. Concomitant medication included unspecified medication for high blood pressures. Patient stated that her blood pressures are normal but she was on medication for it. The patient previously took phenobarbital for seizure. The patient got the first dose of the vaccine on 25Feb2021 and later that day, the patient had a seizure and was in the hospital for days. The patient was put back on seizure medication, Keppra. It was further reported that patient was diagnosed with a seizures disorder when she was 20. She haven't had a seizure probably in 40 years and she was put on a CPAP Machine and she started getting good sleep and she was able to go off all seizure medicines about 10 years ago. The patient got the first shot on the 25Feb, she sit around for 15 minutes and no adverse reactions. She went to lunch with her sister and started having like what she call twitches jerks (not clarified) and she went home and little bit later that afternoon she had a major seizure and had to be taken to the hospital and there she stayed about 4 days. Now she was home and back on her seizure medication (further clarified as Keppra). The patient was hospitalized for seizures on 25Feb2021 and was discharged March 1st or 2nd. Additionally, it was reported that patient had a bunch of laboratory test (unknown results) in the hospital. Electroencephalogram (EEG) and magnetic resonance imaging (MRI) were performed with unknown results. Therapeutic measures were taken as a result of seizure which included Keppra. The outcome of the events was unknown. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1125927-1 | Within 15 minute waiting period after vaccine administration, patient's mother alerted staff that patient had just had a seizure-like episode after becoming light headed. Patient started flaring with flexion and shaking of upper extremities, nonverbal during event. Staff examined patient and found no signs of a seizure. Patient was sent to the emergency room for further evaluation. Mother states that patient had a similar episode at age 8, but no further details provided. Patient was stable and discharged from the emergency room with a referral to follow-up with primary care physician. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1126229-1 | Seizure the next day plus headaches, tremors and vomiting. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1127515-1 | Patient was waiting for the 15mins post vaccine. Three minutes into waiting, patient slumps and falls out chair. He hit his head and turned face down, he then began to start seizing. During this time we held his head, to ensure he did not continue to hit the floor. A team was called, and the team attended to the patient. Patient's vitals were taking and he was stable. To take precaution, he was placed on oxygen to ensure he was comfortable during transfer. When picking the patient off the floor with the staff, patient began seizing once more before being transferred to the ED. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1127643-1 | The day following the vaccine, the above noted patient had a suspected seizure, the first one of her life. Upon investigation at the hospital, there are no signs of any other causation?s of this occurrence. Therefore considering the close proximity of the vaccination, we believe it may be an adverse event that should be reported. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1128283-1 | Systemic: Seizure-Mild, Additional Details: Minor seizure lasted only briefly. Patient seemed unconcerned afterwards and informed pharmacy staff that he goes through this outcome after getting any type of vaccine. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1128370-1 | Vasovagal Response Confusion, Disorientation, Dizziness, Loss of consciousness, Seizure, Weakness Nausea |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1128611-1 | On day 9 after the first dose, He Had an unprovoked seizure for the first time ever. He never had seizures his entire life. We took him to the emergency room , all tests were normal (including CT scan). Subsequently, he had his first-ever EEG that came back normal as well. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1129254-1 | BP dropped to 70/40; seizures; She did fall into a cabinet; bruised up; inflamed; back was on fire; if she moves her head quickly, she can feel like she will have a headache, hangover; could not walk; Trouble walking; Funny taste in mouth; Pain/ felt achy; tingling sensation from head to her to spine/ hands tingling/ it was also in her abdomen area and in her leg; Back pain; Could hardly move; could not stand up; autoimmune response; delayed allergic reaction; tweaky muscle/ pulled a muscle in her back; pain at the top of her head down to her hip; pain at the top of her head down to her hip; having trouble holding her urine; This is a spontaneous report from a contactable consumer (patient). A 61-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID19 VACCINE, Solution for injection, lot number: EL9266), via an unspecified route of administration in the left arm, on 05Mar2021 1:45 PM at a single dose for COVID-19 immunization. The patient did not receive any vaccines within 4 weeks prior to receiving the BNT162B2. Medical history included allergic reaction, autoimmune disease, brain barrier fever, epilepsy, encephalitis and meningitis. She had epilepsy as a child. She gets epilepsy when she gets sick. The last 4 times she got sick she had a seizure. The last seizure was 1 year ago (in 2020). She may have had COVID, but she got really sick and had a seizure. She is not sure if it was COVID or not. If it was the flu, she does not want that again. She had ataxia and ended up in hospital two times but did not stay. Prior to this, she did not go to hospital for 30 years. She was unable to walk, her gait was real bad. The neurological disorder messed her up for a while. Concomitant medications were not reported. It was reported that the patient received the PFIZER-BIONTECH COVID19 VACCINE first dose and experienced autoimmune response. After the vaccine, she had pain and tingling sensation from head to her to spine (05Mar2021), BP dropped to 70/40 (06Mar2021), seizures (06Mar2021), and delayed allergic reaction (Mar2021). She wanted to know if she should take the second dose or not. She also wanted to know if that would be considered the anaphylactic reaction. It was also reported that the patient experienced funny taste in mouth, back pain, hands tingling on 05Mar2021. The patient further explained that when she got the shot, she had a funny taste in her mouth. It started immediately after she got the vaccine and it lasted 30 minutes. She mentioned this to the people at the facility, but they said she was crazy and no one else has mentioned this. She thought they would be interested, but they did not care. About 20 minutes later she had a tingly sensation. It was in the back of her head that developed into a stingy, painful, heat, funny type feeling. It was all the way down to her back. She later further explained the back of her head was tingling (05Mar2021). Like were the cerebellum is to spine. This sensation is still there, but better. After she felt this feeling her back then started hurting. She bent over and her back went out. She felt achy. She already had what she called a tweaky muscle (05Mar2021). She had pulled a muscle in her back, but it was nothing that had caused a problem. After getting the COVID vaccine it triggered an immune response in her body. She started to have pain at the top of her head down to her hip (05Mar2021). She bent over and she could not stand up (05Mar2021). Her husband had to help her put her pants on and sit down due to this. She started to have horrible back pain (05Mar2021). She could hardly move (05Mar2021). She was having trouble walking (05Mar2021). She was having trouble holding her urine (05Mar2021). On Saturday evening (06Mar2021), her blood pressure started dropping and she later had a seizure. After the seizure occurred it seems like everything got better and she did not have any trouble since. It was very scary. She mentioned she was in the bathroom and there was a tub full of water. She had a hard time already getting to the bathroom. She was in a lot of pain. The amount of pain she had she thinks affected her blood pressure. She had pain in the back, middle of her back. It started at her head, back of head, down her spine, came down to her back and hips. She was hurting a lot and having a terribly hard time getting around. She could hardly walk. She was going to the bathroom because she felt like she had to go. Her husband was helping her sit on the toilet. When she stood up it was like her blood pressure dropped, she almost went headfirst in the tub full of water, but her husband caught her, laid her down, and had a seizure. This was a very unnerving feeling. The seizure did not last more than a minute, maybe two at the very most. The seizure occurred probably around 6PM or 7PM. It did not last long at all. She woke up on the floor. She had been sitting and she thought she had fallen off the toilet. However, her husband had to remind her that a few things happened in between. She almost fell in the bathtub and she has glass doors. She |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | between. She almost fell in the bathtub and she has glass doors. She mentioned she felt as clarified and confirmed sped up. She did fall into a cabinet and is bruised up from that seizure (06Mar2021). She is sore from the pain from that. Still inflamed (06Mar2021) possibly due to the seizure. Like she has ruminants of what occurred to back of head, cerebellum. Before she had the seizure, her blood pressure had started dropping. It started dropping in the evening around 5PM or 5:30PM. Mentioned she is a little confused about the time onset because she was hurting so much and bad all day. She does not take any pain medication. She has an autoimmune disease and it is difficult for her to take medications. On top of that, if she wanted to take an Aspirin she was told she should not take one. She was informed she was trying to promote an auto-immune response to the vaccine. As the day ran on, she was in a lot of pain. She had been in pain since Friday and was trying to deal with that. The patient further stated her blood pressure is back, no illness. After the seizure her blood pressure went back to normal and at this time it is perfectly fine. The back pain she experienced went from the brain down to her backbone. The pain is gone. It started to go away after the seizure and by Sunday 07Mar2021 it was totally gone. At first it was like she could not walk (05Mar2021). It was like she/her back was on fire (05Mar2021). The patient also mentioned if she moves her head quickly, she can feel like she will have a headache, hangover. She feels it in her back. She feels like she is near recovery, and this is a feeling she does not thing will stay. She further went on to say her hip where she fell is a different story. However, this is associated to a fall and not a vaccine. She was having this problem when she had the vaccine, but the vaccine caused it to be more and extra aggravating. She later added, when she first got home along with head tingling her hands were tingling as well. When her brain and hands were going through this tingling sensation, she started to notice the back trouble and it was also in her abdomen area and in her legs causing trouble walking (05Mar2021). The events did not require a visit to the emergency room or physician office. Outcome of the events trouble walking, could not walk, tingling sensation and hangover was recovering. Outcome of BP dropped to 70/40 was recovered on Mar2021. Outcome of seizures recovered on 06Mar2021. Outcome of funny taste in mouth was recovered on 05Mar2021. Outcome of back pain was recovered on 07Mar2021. Outcome of bruised up was not recovered. Outcome of the remaining events was unknown. The patient provided an unrelated causality between the vaccine and event fall. No follow-up attempts are needed. No further information is expected.; Sender's Comments: Based on the current available information, the event Fall is most likely related to an intercurrent or underlying condition which is not related to the suspected drug. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1130289-1 | 0900 PT arrived on site, expressed that she had a recent mild reaction to PEG during a recent colonoscopy. States that she broke out with hives on her face and arms. PT was administered 0.5ml of benedryl prior to administration of vaccination and had her wait 10 min for medicine to take effect. 0913 PT was administered 0.3ml of Pfizer COVID vaccine. 0922 PT's started to show signs of distress with heavy breathing. Upon first contact with PT she was speaking with labored breathing. 0924 PT started to seize. Dr. attempted to communicate with PT and reclined her car seat gain better access. Additional information for Item 18: 0925 EMS was called 0925 Epi Pen was administered (successfully) PT started to communicated again but started to feel light headed and nauseous and was returned to a sitting position. RN had taken over and was assisting with PT care. 0938 EMS arrived on scene 1005 EMS cleared scene and transported Pt. to ER. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1130356-1 | Client felt lightheaded when asked how she was feeling. She was immediately advised to put her vehicle in park. Client started seizing and nurse was called over. Her eyes were rolling and her muscles were tightening up. ALS called over. Client regained consciousness but was confused. Fire Dpt. and ambulance was called as well. PT moved to stretcher. While being moved, car seat was noted to be wet. ALS took PT to ambulance, patient transported to local hospital. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1130637-1 | Patient had a seizure/convulsion immediately after the vaccination. I did not personally see them have the convulsion, but his wife observed this. By the time I had made it to the vehicle he had come to and was fine. Patient was also extremely anxious about receiving the vaccination. We believe his anxiety may have manifested as a seizure/convulsion in some way. No other issues or allergic reactions. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1131071-1 | PT HAD A REACTION 10 MINUTES AFTER RECEIVING THE COVID VACCINATION. PT STARTED HAVING SEIZURE LIKE ACTIVITY THAT LAST 30 SECONDS ABOUT 10 MINUTES POST COVID SHOT; PT WAS SENT TO THE ED BY RAPID RESPONSE TEAM. PT WAS CHECKED OUT, DR THOUGHT IT TO BE A BASAVAGAL RESPONSE,BUT MONITORED HER IN THE ED. SHE WAS GIVEN NS BOLUS. AFTER MONITORING PT SHE WAS DISCHARGED. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1131114-1 | Patient lost consciousness for a minute while waiting in the pharmacy after her vaccination. She slid down from the chair she was sitting on and recovered consciousness soon after laying down on the floor. She mentioned she was dizzy but otherwise alright. No signs of allergy, had cold hands. Symptoms indicated syncope but witnesses mentioned they saw her having a small seizure, where she threw her hands and head back before sliding down. 911 was called, they checked her and walked her to her car and let her go with a friend. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1131771-1 | She received vaccine #2 on 02/04/2021. In the wee hours of the morning 02/05/2021, she had at least two episodes of seizure. she was found gurgling, hypoxic, jerking of arms. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1131842-1 | Systemic: Allergic: Difficulty Breathing-Mild, Systemic: Fainting / Unresponsive-Medium, Systemic: Hyperventilation-Severe, Systemic: Seizure-Severe, Systemic: Shakiness-Medium |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1132490-1 | "He was in a hospital now having an emergency due to complications that had something to do with a prostate procedure; he experienced having seizures; This is a spontaneous report received from the Pfizer sponsored program . A contactable consumer (patient himself) reported that a male patient of an unspecified age received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Formulation: Solution for injection, Lot number and Expiration date was unknown), via an unspecified route of administration on 10Feb2021 as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. It was reported that, initially, caller wants to cancel his second vaccine dose which according to him was today, 11Mar2021. He said that he was in a hospital now (on an unspecified date in 2021) having an emergency due to complications on an unspecified date in 2021 that had something to do with a prostate procedure he had 2 days ago. He had his first vaccine shot on 10Feb2021. That's more than 21 days if his next schedule was today, 11Mar2021. Consequently, during the call, he experienced having seizures on an unspecified date in 2021. The event ""he was in a hospital now having an emergency due to complications that had something to do with a prostate procedure"" was considered as serious (hospitalization) by the consumer. The outcome of the event he experienced having seizures was not recovered and unknown for the other event. Information on the lot/batch number has been requested.; Sender's Comments: Based on temporal relationship the causal relationship between BNT162B2 and event, post prostate procedural complications, seizures cannot be completely ruled out." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1133286-1 | 1/18 vaccination Within 4 minutes, my husband started with tremors in his hand. Feeling funny. Felt like something was wrong. He was trying to hold hands still but then other extremities started to shake. He passed out. Honked for help. It took both ambulances to tx my husband and onto the stretcher and strapped in. Grand Mal Seizure. It started to fade when he got into but then had another one after he was in the ambulance, worse then the first one. He continued to have seizures for 4 more days. Every couple hours, give him the kepra and topomax to help. 1/20 orthopedist 1/25 PCM 1/26 Neurologist 1/28 home health nurse 2/8 PCM, mental health 2/10 orthopedist 2/12 home health nurse 2/17 home health nurse **stated he cannot have 2nd vaccine. 'if he has another grand mal seizure it will kill him' |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1134107-1 | While I was asleep my partner saw me having what looked like a seizure on Tuesday 03/23/2021 @11:30pm. I was sleeping on my stomach, my partner describes it like a fish flopping. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1134274-1 | Seizure, aphasia, facial droop 3 days after receiving vaccination. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1134314-1 | seizure in early morning, 6:00am |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1134521-1 | She fainted, employee stated she saw her seize, EMS called and she was transfered. Intial reactiom 15:37 pm. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1135417-1 | 2.5 hours after vaccination, I was sitting watching tv when I had a sudden neurological event. It was like a seizure. I was unable to talk, my eyes rolled back, and my right shoulder and arm seized up. I was sputtering and unable to make it stop. Lasted for a minute or two then stopped for a minute and happened again. I felt disoriented, confused, scared. I was unable to walk straight or visually focus on anything. I contacted my primary care doctor and she recommended I be seen immediately but advised I call Providence and speak with a nurse. I did that and the nurse said to come in to the ER immediately. I did. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1135462-1 | Pt was in waiting area when he started to have a seizure. He went rigid and flipped his chair hitting his head on the cement floor. He was taken to the EMS area. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1135549-1 | "left arm is very sore, painful to touch and difficult to move; left arm is very sore, painful to touch and difficult to move; fainted /vasovagal syncope episode; might have convulsed on the floor; out of breath; nausea; dizziness; This is a spontaneous report from a non-contactable consumer (reported for herself). A 24-year-old female patient (not pregnant at the time of vaccination) received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), dose 1 intramuscular, administered in Arm Left on 11Mar2021 15:00 (Lot Number: EN6199) at the age of 24 years old as single dose for covid-19 immunisation. The patient's medical history was not reported. Concomitant medication received within 2 weeks of vaccination included levonorgestrel, ethinyl estradiol (reported as ""Levonor-E Estrad""). Facility where the most recent COVID-19 vaccine was administered in Pharmacy or Drug Store. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 11Mar2021 15:15, Few minutes after vaccination patient fainted and might have convulsed on the floor. Patient became conscious after a couple min. Patient had spouts of nausea and dizziness. 2 hr after dose (11Mar2021) patient was out of breath and went to a hospital. Doctors suppose that the incident was a vasovagal syncope episode. After 18 hr (12Mar2021) patient's left arm was very sore, painful to touch and difficult to move. The events resulted in Emergency room/department or urgent care. No treatment received for the adverse events. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient hadn't been tested for COVID-19. No covid prior vaccination. No covid tested post vaccination. The outcome of the events was recovering. No follow-up attempts are possible. No further information is expected." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1135577-1 | Began having seizures; Presented to the ER on 17 March 2021 for headache with blurry vision; Presented to the ER on 17 March 2021 for headache with blurry vision; Also had persistent nausea and subsequent vomiting; Also had persistent nausea and subsequent vomiting; Fever X1 to 100.4F on day of presentation/no further sz; This is a spontaneous report from a contactable physician. A 17-year-old female patient (not pregnant) received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) intramuscularly in right arm on 08Mar2021 (lot number: EN6206) at single dose for COVID-19 immunization. Medical history included headache and irregular periods, ongoing hospitalization. No known allergies. Concomitant medications included birth control pills. No other vaccine in four weeks. No COVID prior vaccination. Vaccine received during existing hospitalization. The patient began having seizures (hospitalization prolonged, life threatening) on 16Mar2021 12:00, presented to the ER on 17Mar2021 for headache with blurry vision (hospitalization prolonged, life threatening) on 16Mar2021 12:00, also had persistent nausea and subsequent vomiting (hospitalization prolonged, life threatening) on 16Mar2021 12:00, fever x1 to 100.4F on day of presentation/no further seizure (hospitalization prolonged, life threatening) on 16Mar2021 12:00. Clinical course: Presented to the ER on 17March2021 for headache with blurry vision. Patient reported symptoms for 1 day prior. Also had persistent nausea and subsequent vomiting. Presented to the ED at 23:00. Began having seizures. EEG shows localized to the occipital region. Fever X1 to 100.4F on day of presentation no further sz. LP shows 1 WBC, Gram stain negative. Cultures negative. HSV pending. On ceftriaxone and acyclovir. Continues to have focal sz on EEG now on 3 AEDs. MRI with contrast negative. CBC unremarkable. CRP elevated to 0.8 (normal less than 0.5). Tox screen negative. COVID tested post vaccination: Nasal Swab (SARS-CoV-2 Cepheid) with result of negative on 17Mar2021. Therapeutic measures were taken as a result of all the events which included treatment with IVIG, Antibiotics, Steroids, Antiepileptics. The outcome of the events was not recovered.; Sender's Comments: Based on the information currently available, a possible contributory role of the suspect drug to the reported events cannot be completely excluded based on temporal association and known drug safety profile. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1136006-1 | Pt received 2nd dose vaccine, waited her 15 minutes and upon leaving was witnessed by PD to have slumped on the floor, without trauma and began to seize. EMS called to scene and medical OIC called. Upon arrival, 911 called, SpO2 placed. VSS and respirations adequate. Negative for emesis. After 2 seizures, the patient regained consciousness and was able to communicate that her husband was outside, his name was in a blue vehicle. She confirmed she had a history of seizures. Her husband informed us she has a history of these seizures and brain CA. EMS arrived and took control of patient and transported to hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1136440-1 | Systemic: Seizure-Mild, Additional Details: Patient had a minor shock lasting briefly within 15 minutes of vaccine administration. 911 was called and the Fire Department arrived, but he had already recovered at that point and refused service. He informed the pharmacy staff that this is a regular occurrence every time he receives a vaccine. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1136741-1 | FiFive (5) seizures over the course of two (2) weeks. The seizures consisted of all of my muscles tensing up and my entire body twitching/ shaking for 1-2 minutes. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1136849-1 | after recieving the vaccine, patient turned very pale and appeared to lose conciousness as well as have convulsions. 911 was called. nurse had patient lie on the floor. o2 was measured to be 96 and bp was 103/74 |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1137628-1 | At approx. 1015 pt began to seize in chair and fell off chair. Pt continued seizing after fall. Another pt sitting next to pt placed pt onto left side during seizure. Nurse assumed care at approx. 1015. Nurse observed tonic-clonic seizure lasting approx. 30 seconds total. After seizure ended, pt had unlabored breathing and appeared foggy for approx. 10 seconds. Patient was then AxO x4. Pt reported 7/10 pain on left side of head and feeling tired. Pt reported no Hx of seizures and no blood thinners. 911 activated at approx. 1016. Pt denied taking any meds and any chronic medical conditions. Paramedics arrived and assumed care at approx. 1024. At approx. 1026, pt left facility via ambulance and transported to ER for further care. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1137915-1 | 20-year-old male with a past medical history of vasovagal episodes, cerebral palsy, dorsal rhizotomy and VP shunt followed by neurology, taking no medications presents to the ED for evaluation of a first-time seizure which occurred 1 hour ago 10 minutes after receiving a Covid vaccine. Mother states that the patient receive the Covid vaccine around 11:15 AM and 10 minutes later he became very pale the e-stim to left lower and patient he had generalized body convulsions lasting less than 1 minute and turned very pale/cyanotic. When he stopped seizing mother states that he was slightly confused as to what had happened and continued to be pale. Patient is completely at baseline at this time answering questions appropriately, however he still complains of having dizziness with sitting up or standing. Patient is answering all questions appropriately. He denies any numbness or tingling. He states he generally feels slightly weak but there is no focal weakness. No headache, nausea, vomiting, diarrhea, recent head trauma, abdominal pain, chest pain or palpitations. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1138131-1 | On 3/24/21, almost a week after my second vaccine shot, I had a seizure while sleeping in bed. I hadn?t had a seizure in over 30 years, and then only with a fever (I had febrile seizures as a child). My husband got some of it on video after being unsuccessful waking me. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1138349-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1138487-1 | Weakness, dizziness, chills and seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1139024-1 | At 11:00 pm I had an extremely intense seizure that caused me to convulse on the floor while arching my back. My partner thought I was dying as it was much more intense and extreme then normal. I am still having increased seizures in both pain and severity daily. Typically my seizures last 20 minutes and are from 4-5 in discomfort in pain out of ten. Now they are around 7, even a week later. The first severe seizure was a 10 level pain and diabling. I also got severe swelling in my arm of the site, extreme pain in the my arm lasting four days, and two large cold sores. Typically my cold sores small and last for two days. Mine are still active and gave me a fat lip. I also have extreme fatigue but could be caused by the increased seizures and pain of them. I been unable to perform my normal duties and responsibilities, which my seizures typically do not interfere with. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1139211-1 | On Friday, March 26, 2021 client 31 years old female received her second dose of Pfizer COVID vaccine (LOT # ER 8732, EXP 7/2021) at approximately 2:38pm by vaccinator. After vaccine was administered, client complaint of dizziness and brief seizure seating at the vaccination chair in an upright position. Vaccinator lead registered nurse clinician lead, came to assist vaccinator with client's care. (EMT) assumed care of client. Per EMT prior to onset of syncope and brief seizure, patient was alert and oriented to person, time, place, and situation with Glasgow Coma Scale score of 15 (responsive) with all airway, breathing and circulation intact. Client told EMTshe has no prior medical history or reported allergies and had no issues with first Pfizer vaccination on 3.3.21 with Lot #:EN6199.. EMT placed patient on the ground into a recovery position and assessed vitals first time at 2:43 PM: BP 86/60, P 70, R 18. Patient's vitals assessed the second time at 2:48 PM until paramedics arrived: BP 80/66, P 71, R 18. Client remained stable and paramedics arrived at 2:49 PM and they placed client in a supine position on a gurney before transported client to the hospital. No further interventions indicated. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1139891-1 | Friday afternoon my husband experienced chills, then violent shaking and full body seizure. he has never had a seizure before. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1139968-1 | PATIENT CAME IN ALERT AND ORIENTED. STATED HAD A REACTION IN PAST TO VACCINES AND HAS FAINTED. PREVIOUS VACCINE FOR GOING OUT OF COUNTRY. PATIENT AGREED ALONG WITH MOTHER TO GET VACCINE TODAY. PATIENT RECEIVED VACCINE WITH NO INCIDENT. WE HAD HER SIT THERE AND SHE STARTED FEELING FAINT. SECOND VACCINATOR ALSO NEXT TO PATIENT. PATIENT DID FAINT AND SEEMS TO HAVE A SMALL SEIZURE AS HAD INVOLUNTARY ARM MOVEMENT AND HAD LOST CONSCIOUSNESS. PATIENT BECAME ALERT IN ORIENTED WITHIN 30 SECONDS. PATIENT STATED FELT BETTER BUT CALLED 911 FOR THEM TO COME ACCESS HER. MOM CALLED INTO ROOM AND STATED THIS INCIDENT HAD OCCURRED BEFORE. FIRE DEPARTMENT (EMS) IN STORE AND RESPONDED ALMOST IMMEDIATELY. PATIENT WAS ON FLOOR AT THIS TIME BY DIRECTIONS OF PHARMACY STAFF WITH FEET ELEVATED. BREATHING NORMAL, ALERT AND ORIENTED BUT APPEARS PALE (MOM STATES NORMAL SKIN COLOR). PATIENT ASSESSED BY EMS AND BLOOD PRESSURE LOW. PATIENT AGREED TO GO GET CHECKED OUT BY HOSPITAL DUE TO LOW BLOOD PRESSURE, PALE. LEFT WITH EMS STAFF. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1140288-1 | AFTER 15 MINUTE OBSERVATION, PT WAS UNABLE TO WALK MORE THAN 10-15 FT BEFORE NEEDING TO SIT BACK DOWN AT WHICH TIME SHE SLOWLY SLID OFF THE CJAIR AND ONTO THE FLOOR (GUIDED BY HER FRIEND WHO ACCOMAPANIED HER). SHE REMAINED LYING ON THE FLOOR UNTIL MEDICAL PERSONNEL ARRIVED. SHE APPREARED TO HAVE PASSED OUT, HAD VERY BRIEF CONVULSIONS/TREMORS BEFORE COMING TO, AT WHICH TIME SHE WAS ABLE TO REPSOND TO QUESTIONS AND ANSWER THEM. HER PULSE RATE SEEMED WITHIN NORMAL WITH SLIGHTLY ELEVATED RESPIRATORY RATE. MEDICAL PERSONNEL ASSISTED HER FROM THE FLOOR TO THE GURNEY. SHE WAS TAKEN TO THE AMBULANCE IN THE PARKING LOT FOR FURTHER EVALUATION. NO UPDATE ON HER STATUS WAS GIVEN TO US. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1140685-1 | "mild nausea; Syncope (2x) w/mild seizure; Syncope (2x) w/mild seizure; Flu-like symptoms; chills; joint/muscle pain; joint/muscle pain; injection site pain; headache; labored breathing; dry-heaving after second syncope; This is a spontaneous report from a contactable consumer (patient herself). A 69-year-old female patient, not pregnant, received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: LOT 6205 (as reported)), via an unspecified route of administration in the right arm, on 08Mar2021, at a single dose, for covid-19 immunization. The patient has no medical history and has no known allergies. Concomitant medications included sertraline; docusate sodium, ferrous fumarate (FERRO-SEQUELS); and multivitamin - all taken for unspecified indications, start and stop dates were not reported. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EN6201) on 15Feb2021 17:00 in the right arm for covid-19 immunization at 69-years-old. The patient did not have covid prior vaccination. The patient did not receive any other vaccines in four weeks. The vaccine was given at the public health clinic. The following day on 09Mar2021 15:30 after a short walk, the patient experienced flu-like symptoms, chills, joint/muscle pain, injection site pain, headache, syncope (2x) with mild seizure, labored breathing, and dry-heaving after second syncope. The patient was then taken by ambulance to the ER (resulted in an emergency room visit) and was given saline fluids via IV. The vitals and EKG were ""ok"" on 09Mar2021. The patient recovered relatively quickly and was released. The only symptoms remaining on 11Mar2021 were mild headache and mild nausea. The patient had not recovered from headache and nausea at the time of the report; while recovered outcomes on Mar2021 for all the other remaining adverse events. The patient was not covid-tested post-vaccination." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1140790-1 | Patient was seizure free for almost 2 years. 3 days after first Pfizer dose, patient began having nocturnal seizures every night for the next 7 days and ongoing. Nights without seizures were due to added dosage of Clonazepam. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1141148-1 | Site: Pain at Injection Site-Mild, Systemic: Seizure-Medium, Additional Details: Patient sitting on chair post vaccine (waiting area) she reported (after seizure and fall) that she was feeling dizzy. She doesn't remember after that and was awake on the floor. Customer reported witnessing a seizure for 4-7 seconds BEFORE the fall. She has an abrasion on her left temple post fall. EMS called and patient refused to go to the ED. She said she would go with her friend. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1141161-1 | Systemic: Seizure-Severe, Additional Details: around 5:30pm patient was sitting after her covid vaccine. patient fell face first to the ground and begin to have a seizure. 911 was called and patient was taken to the hospital. Before leaving patient's vitals were back to normal, but was taken to the hospital for obseravation. RPh, and ARNP were performing immunizations at the time. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1141511-1 | Patient thought he sat in chair in observation area but he fell on the ground and began to seize. Multiple nurses and EMTs responded and found the patient in tonic-clonic seizure. Pt continued to seize for about 10 seconds and upon exiting the seizure he reported that this happened about 4 years ago The patient repeatedly declined to be transported to the hospital.. He was incontinent and finally he agreed to be transported to a nearby hospital to be checked out. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1141861-1 | Patient received CoVID vaccine #1 in drive thru lane. Approx 10minutes after vaccine patient driver reported something was wrong with patient. When patient was assessed, it appeared she was having a seizure. Medical alert called. Driver stated patient had history of seizures, but was not a good historian of medical information. EMS transported patient to ED. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1141985-1 | Patient received the vaccination and after he got up from the chair, he passed out and fell to the floor. The intern notified the pharmacist. When I went to see that patient, he was laying on the floor with his eyes rolled in the back of his head and was unresponsive. He was not alert. He started having a mild seizure and I rolled him over on his left side. While I was bracing the patient, pharmacist came in and administered an Epi-pen to his left thigh. Patient stopped seizing so I rolled him back on his back. He became alert and was able to provide me his name, DOB and what he was at the pharmacy for. I rested my hand under his head and monitored his pulse until the paramedics arrived |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1143767-1 | I passed out and had convulsions while sitting in a chair at a nail salon. During this event I peed myself. Prior to the event I had some minor body aches, but no fever. Following the event I returned home and began running a fever of 100.5. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1143929-1 | Patient states that she had numbness in both feet and legs. Several days later these symptoms were getting worse and she went into a seizure, lost control of her use of her legs, arms and her bladder. She called 911 and transported to y Hospital ER. She had MRI w/ negative results and was given fluids. She was released to go home. Pt has appt w PCP and will discuss her symptoms w/ them. Pt is still weak, has fatigue but can use her arms and legs. She is not able to do normal activities. She had her 2nd Covid dose on 3/26/21 @ 9:20 am in her right arm. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1144171-1 | Patient was wheeled in on a rolling chair(no wheelchair available at time) from nurse that administered vaccine because of anxiety and a needle phobia that put the patient into a kind of shocked state. Patient was sweating profusely, white to the face, and not speaking very much but would answer questions correctly. EMT was speaking with the PT before walking away to continue other monitor duties when he turned back to see patient limp in chair, head back, eyes rolled back, and some twitching movements of the body. EMT called for rapid response because first thought of seizure and seizure like activity with the twitching movements. EMT got to patient, supported head up straight, and opened jaw to ensure airway was clear. Patient had no response to EMT trying to communicate. Sternum rub was performed where patient came back conscious nearly instantly. PT was unresponsive for roughly 10-15 seconds. Patient was told of what happened and vitals were taken on her, response team was cancelled with most them already on scene. PT was feeling better, sweating stopped, color to the face returned, and PT was speaking and understanding more clearly than before. PT was given a snack and water and was monitored by EMT for an additional 15mins before patient and staff were confident with her leaving. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1144317-1 | Patient called into clinic to report about two hours after receiving vaccine he passed out and the person that was with him said he had a seizure. Patient reported feeling fine after about an hour, but was very tired and had a headache. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1144495-1 | Pt called stating on 3-26-21. She woke up with 102 fever. Had been taking Tylenol since received vaccine Twice that night and continued the next day. Later that day puts husband who is an md said she experienced a seizure for about 10 seconds and wanted to report the adverse effect to someone. The patient did not go to er or md office. Did not call her regular md. She stated she was fine and had no other ill effects |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1144593-1 | Headache; Seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1144895-1 | Pt at 1014 called RN observer over and stated that she felt like she was going to have a seizure. Pt explained that she has Focal Aware seizures and only has L arm tremors. Pt's L arm was tremoring Pt had seizure from 1015-1016. Pt was moved to triage and VS @1019 were 98.6, Hr 93, RR 20, BP 110/76, and sao2 of 98%. Pt was feeling nauseated at 1023 and self medicated with Zofran 8mg po. Pt called FM to come pick her up. Pt C/O headache and felt another seizure starting and took Ativan 1mg po @ 1039. VS at 1043 were 99.6, Hr 92, RR 20, BP 134/92, and sao2 99%. Pt had another seizure @1044 with L arm tremors lasting 1 min. Rapid response team called. Pt transported to ER at 1053 |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1145046-1 | About 10-12 hours after receiving the vaccine, patient had a significant increase in seizures - had seizure clusters (never had them previously). Patient had to be admitted to the hospital. Received rescue anti-seizure medication en-route via EMS, then additional Levetiracetam Bolus after arriving to the ER and subsequently additional dose of IV lacosamide following admission. seizures returned to baseline frequency about 3 days later. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1145121-1 | Approximately 4 minutes after receiving the vaccine patient appeared to have a absent seizure. We immediately contacted 911. Patient seem to become coherent shortly after. She remained diaphoretic. EMS arrived and further evaluated patent. Spoke to patient at 3:00 pm and she was home doing fine. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1145183-1 | 25 hours after receiving Covid vaccine, patient began seizing and went into cardiac arrest. Daughter began CPR and continued until EMS arrived. Patient subsequently passed away at Hospital. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1145605-1 | Client was in observation post vaccination. Had seizure and lost consciousness. Not responsive for a few seconds. Regain consciousness and was transported to Hospital via ambulance. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1146011-1 | Patient got seizure about 5 minutes after received injection. First seizure lasted less than a minute, and 2nd seizure happened about 5 minutes later lasted about 10 seconds. Paramedics arrived and take patient to local hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1146036-1 | 2/17 received 1st dose vaccine, Pfizer 2/20-3/9 admitted. Found to have seizures (twitching of upper extremities, aphasia). 2/24 RML pneumonia. Found to have MSSA bacteremia and bacteriuria. Transition from vanco/pip-tazo to cefazolin Mental status improved and he was sent on cefazolin which he was to complete on 3/26/21. Was not sent out on seizure prophylaxis. 3/23 second dose Moderna. Had recurrent seizure on 3/27. Evidence of post central stroke. Expressive and receptive aphasia. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1146065-1 | Patient had just finished recieving his covid-19 vaccination from vaccinator. At the time of patients fainting I was mixing up covid-19 vaccinations when the technicians said we need you to come out here because a patient is having a seizure, When arriving on the scene I found patient unconsious on the floor face down, while assessing the scene I noticed some blood on floor. I tried to look for any trauma, patient was breathing and I tried to awaken him. I told someone to call 911 and contact a store manager. Then all of a sudden he popped up and sat up like nothing happened. I then noticed the brusing on his nose and asked for an ice pack and a bottle of water. Patient knew his name, was coherent, and seemed to be fine. I stayed with patient until paramedics arrived. Paramedics did a thorough examination and everything checked out. Patient waited for parents to arrive instead of going with paramedics. Vaccinator stayed with patient till his parents arrived. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1146342-1 | Received second vaccine dose. Lay on cot and began to have a seizure. Vitals obtained and rolled on side. EMS called Complained of headache dizziness fatigue after woke from first seizure. Then had another seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1146345-1 | Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Seizure-Medium |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1146614-1 | I started having normal side effects such as sore arm, extreme tiredness and headache within 2 hours. By later that night I was in a dazelike state, had a lot of forgetfulness and lived life but as if I was sleepwalking and started having seizures over the next few days. A week later I'm still having seizures, have no recollection of anything starting from the night of the day I got vaccinated |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1147699-1 | mini stroke or seizure; mini stroke or seizure; pinched nerve; left arm was weak, numb, cold; left arm was weak, numb, cold; left arm was weak, numb, cold; a fine tremor on extension of my arm; This is a spontaneous report from a contactable other hcp (nurse and patient). A 72-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 03Mar2021 14:45 (Batch/Lot Number: EN6198) as SINGLE DOSE (at the age of 72 years) for covid-19 immunisation. Medical history included partial seizures, autoimmune thyroiditis, eczema, osteoarthritis, asthma, irritable bowel syndrome, carpal tunnel syndrome from an unknown date and unknown if ongoing 10 years ago. The patient is not pregnant, and the patient did not have Covid prior vaccination. Concomitant medication included phenytoin (DILANTIN) taken for seizure, start and stop date were not reported; levothyroxine sodium (SYNTHROID); ergocalciferol (VIT D) and unspecified vitamin. The patient previously took amoxicillin and experienced drug hypersensitivity, erythromycin and experienced drug hypersensitivity, azithromycin and experienced drug hypersensitivity. The patient experienced mini stroke or seizure on an unspecified date with outcome of unknown, left arm was weak, numb, cold and a fine tremor on extension of arm on 03Mar2021 14:45 with outcome of recovered. On 06Mar2021, patient woke up and left arm was weak, numb, cold and she had a fine tremor on extension of arm. Symptoms resolved after 45 minutes but returned within 30 minutes and lasted another 45 minutes. No treatment was received for left arm was weak, numb, cold and she had a fine tremor on extension of arm. Patient called doctor, spoke to the advice nurse and was advised to go to the ER (emergency room) now. Patient did deep breathing and relaxation, symptoms resolved, and did not go to the ER. Instead spoke with a doctor and agreed to go to the ER if symptoms returned. Patient also had a video visit with primary doctor, and she was advised to take baby ASA. The Doctor said it could be a pinched nerve on unspecified date with outcome of unknown. Symptoms have not returned. The patient underwent lab tests and procedures which included sars-cov-2 test: negative on 08Mar2021. The case was reported as non-serious.; Sender's Comments: Based on the information provided by the reporter, it appears unlikely that subject vaccine contributed to the CVA and other events. The reported events likely represent intercurrent medical conditions. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics including Head CT/MRI, EEG, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1147947-1 | She was given her 2nd dose for the Pfizer covid vaccine. As she was waiting her allotted time in the waiting room she became lightheaded and felt like she might pass out. She became nauseated and was sweaty. A nurse was present getting her 2nd dose and helped to care for her until the fire dept came and took over. She lay on the ground with her feet up until the FD arrived. Listening to her interview by the fire dept, it was discovered that she normally suffers from epilepsy and probably had a small seizure. She wasn't able to remember everything but she was coherent and able to answer most other questions. Her blood pressure was elevated and slowly came down as they monitored her. Her boyfriend and son were also present and the fire dept released her to their care after seeing her blood pressure come down closer to normal and seeing her able to stand and walk. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1148430-1 | Patient fell backwards from urinal in men's bathroom. Hit his head and sufferred a seizure. Ambulance was called. Witness to the incident. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1148462-1 | The day after the 2nd dose of COVID19 vaccination series this person had a seizure while at work. EMS was called and he had another seizure for them before they could transport him to the hospital. He also had a fever38.6. The individual was admitted and overnight became increasingly agitated and confused. Family reports that that after discharge from the hospital he has not returned to his normal functioning. Prior to this episode he was living alone and working. Now he cannot be left alone as his neurological status has quite deteriorated . He has had a ?substantial disruption of the ability to conduct normal life functions? Family have had to take time off of work and make arrangements to care for him. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1148563-1 | "3/29/2021 ERS Report: from Vaccination Clinic: Patient reported symptoms: Per ERS report: ""Pt was walking to car after receiving her COVID-19 vaccine and a syncopal episode. Pt then had seizure like activity for approximately 1 min. Family states that she does have ""stress seizures but is not on any anticonvulsants."" Vital signs and blood sugar were assessed by onsite paramedic (AMR) and were within normal limits. Pt was then transported to hospital for further care."" ED visit after Covid Vaccine 3/29/2021: HISTORY OF PRESENT ILLNESS: a 50 y.o. female who presents to the emergency department with history of bipolar and multiple psychiatric conditions including bipolar disorder. She presents today with episodes of ?seizure? and the desire to not speak to anybody. She has not been speaking to her husband since Friday and today while she was on the way out from getting a COVID vaccine fell to the floor and having shaking convulsing like episode. Husband states it lasted for 1 minutes and then resolved. He states that she has been unwilling to talk to him or medical staff and he does not know what is going on. He does affirm that she has been complaining about abdominal pain for the last 3 days and they did go to the hospital and have this worked up. He states that she has no known history of seizures and is not on any medications for this. CT head normal. Drug screen normal. Discharged to home." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1151129-1 | Pt had a seizure at 9:10 that lasted about 10 seconds. Pt.'s upper body stiffened and he turned pale. After the seizure pt. reported hx of seizures after vaccines that was not reported to the vaccinator. Pt was observed for an additional 30 minutes and left the observation area. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1151447-1 | feeling cold; running a fever 101.7; Headache; her muscles are seizing; she couldn't move her arms; muscles have gotten tired so she is a little sore; muscles have gotten tired so she is a little sore; seizures; This is a spontaneous report from a contactable consumer (patient) via Medical Information Team. A 52-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Lot number- EN6199) via an unspecified route of administration in left upper arm on 16Mar2021 at 15:10 (at the age of 52-years-old) at a single dose for covid-19 immunization. Relevant medical history included typical soreness. She says her son has sensitivity to vaccines. But she only ever has like typical soreness and stuff but normally she goes through fine. She went through the first dose of the vaccine fine. Patient's concomitant medications were not reported. Patient previously took first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Lot number: EN6200) administered on an unspecified date via an unspecified route. No prior vaccinations within 4 weeks were received. Patient reported that she had the second one yesterday and she is having some symptoms. It started with a headache, then running a fever of 101.7 on 17Mar2021. The things she is concerned about and she has been making all these calls about this morning is her muscles are seizing, like her whole body, down her back and derriere and her legs seize up and become like a board, it does not hurt but after a while she guesses her muscles have gotten tired so she is a little sore but it is not like a horse, her muscles just seize up, she couldn't move her arms on 17Mar2021. Its happened several times. She wanted to report it and make sure this is within the norm or if she should be going further with it. The headache started during the night, she says it was after midnight so 17Mar2021. It is ongoing but much less. Last night it was horrible, she confirms ongoing but improved. Her fever is ongoing at this time it is going up. Started out at 100.6 now it is 101.7, that also began 17Mar2021. It is getting worse. Her seizing muscles she noticed that at about 1 AM this morning so 17Mar2021 as well. It is ongoing but seems to be lessened. There is more time in between them. It was every hour but right now it is happening every 2-2.5 hours so it is improving. Patient stated that during the night/early this morning patient began experiencing feeling cold, seizures (undiagnosed. Muscle involvement), She explains seizures as not brain related, neck down to my leg, Tighten up. Hold for 10-15 seconds. Flatten out like a board, then it'll go away. Vaccination Facility Type was Hospital. No history of all previous immunization with the Pfizer vaccine. Additional Vaccines Administered on same date of the Pfizer Suspect was none. Adverse events do not require a visit to Emergency Room or Physician Office. The outcome of the events seizure, feeling cold, myalgia, muscle discomfort and limb discomfort were unknown, while for headache and muscle disorder was recovering and for fever was not recovered. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1151894-1 | For 36 hours after the vaccine she had a low grade fever and chills. She also had fatigue and body aches that lingered for several days. 10 days after the vaccine she had an episode of partial loss of consciousness that was later diagnosed as a seizure and she has had 2 subsequent seizures and has now been diagnosed with epilepsy. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1152271-1 | dizziness, sweat passed out, seizures |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1152509-1 | 4 seizures were documented and EMS and 911 was called, O2 given by nasal cannula |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1152562-1 | "Patient reportedly had seizure after placement of the Pfizer/BioNTech COVID-19 vaccine. The patient received the vaccine at a COVID vaccination clinic. The patient had vaccination needle in her arm, and then almost immediately after, within 3 minutes, that she had a seizure event. It was for extremity shaking lasting a couple minutes which then resolved. This was witnessed by family and they kept her from having any injury sustained. Reportedly she also was very scared receiving the vaccine and ""when she gets scared she has her seizures"". Mother reports that the patient seizes about once a month and has had other seizures with interventions like brushing teeth. The patient has been taking her medications for seizures. Patient was postictal when medics arrived. Glucose was 79. No recent illness. No recent injury or fever. Had coronavirus over the summer." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1152688-1 | Vaccine 3/22/21, started with fatigue/generally feeling unwell 3/25/21, fever. Received Tdap vaccine 3/26/21. Persistent fever, pain around eye, ear and radiating into her head, nausea. Symptoms continued to worsen, developed chest pain and new onset seizure 3/31/21- Sent to ER for evaluation |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1152705-1 | PATIENT HAD SEIZURE IN WAITING AREA AFTER RECEIVING FIRST DOSE OF COVID VACCINE. PT BECAME RESPONSIVE, EMS WAS CALLED AND MANAGED PATIENT AFTER |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1153287-1 | nauseous and vomited; nauseous and vomited; feeling weak; short of breath; I began seizing at the scene; tired; This is a spontaneous report from a contactable nurse. A 57-year-old female patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3302, expiration date: unknown), via an unspecified route of administration administered in left arm on 05Mar2021 at 00:30 as single dose for COVID-19 immunization. Medical history included hypertension (HTN), and known allergies to erythromycin. Concomitant medication included atenolol and furosemide, both for unspecified indication. The patient previously took first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EL3247) on 12Feb2021 at 15:00 in left arm for COVID-19 immunization. Within a few hours after administration of the second vaccine on 05Mar2021, the patient became tired so went to bed early. Upon awakening the following morning (06Mar2021), the patient was nauseous and vomited. She got herself ready for work but noticed she was feeling weak, tired and had short of breath resulting in worsening of symptom. The patient then got in her car hoping to feel better with fresh air. However, her condition significantly worsened resulting in me calling number due to fear that she may expire. Upon arrival of emergency services, her condition significantly worsened, the patient was weak and unable to open car door. She was informed by medical personnel that she began seizing at the scene, in the ambulance and in the ED. Once she was stabilized in the ED, she was admitted for 3 days to continue tests and evaluations. The outcome of the events was recovering. The patient had no COVID-19 prior to vaccination. The patient was tested post vaccination via nasal swab on 06Mar2021 and was negative. The events resulted in emergency room/department or urgent care, hospitalization, disability or permanent damage.; Sender's Comments: Considering the plausible temporal association and lacking any reported alternative explanation, a causative role of BNT162B2 vaccine for all reported SAEs cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1153556-1 | seizure; This is a spontaneous report from a contactable consumer. A 17-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection Batch/Lot Number: EP6955; Expiration Date: 30Jun2021), via an unspecified route of administration on 17Mar2021 as single dose for covid-19 immunisation. Zonisamide, via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 800 mg, (600 mg at night and 200 mg on the morning) for an unspecified indication; cannabidiol (CBD OIL), via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at 7 mL, daily (4ml at night and 3 ml on the morning) for an unspecified indication. The patient medical history included ongoing seizure PMH of temporal epilepsy who has been having break through seizures since July 2020. The patient's concomitant medications were not reported It was reported that patient had received vaccine on Wednesday 17 2021 with no complaints after it until today Friday 19, 2021 at around 7 pm when he developed a seizure while working at his desk. We (the parents saw the end of it which looked more generalized than usual) and gave him 2 mg of Clonazepam, which is his usual rescue medication. He was awake after it and was able to do homework. The action taken in response to the events for Zonisamide and Cannabidiol was unknown. The outcome of the event was unknown. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1153557-1 | had a major seizure on day 8 of dose one despite nearly no history of seizures; I was tired after the first dose (26Feb2021) on days 2-3; This is a spontaneous report from a contactable consumer (patient). A 27-year-old male patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration administered in arm left on 26Feb2021 15:00 (Batch/Lot Number: EN6204) as SINGLE DOSE for COVID-19 immunization at doctor's office/urgent care. Medical history included atypical trigeminal neuralgia since 2009, complex regional pain syndrome (CRPS), attention deficit hyperactivity disorder (ADD), anxiety, depression, asthma, Epilepsy-prone and many more. The patient also had orthopedic knee surgery on 26Aug2020 which she had pain after surgery. She also had known allergies with Cephalosporins and elemental nickel. Concomitant medications included tapentadol (TAPENTADOL), amphetamine (AMPHETAMINE), and candesartan cilexetil, hydrochlorothiazide (CANDESARTAN HCTZ) all taken for unknown dates and indications. The patient stated that she was tired after the first dose (26Feb2021) on days 2-3 (Feb2021). She also had had a major seizure on day 8 of dose one (07Mar2021) despite nearly no history of seizures which require emergency room/department or urgent care visit. The seizure has been attributed to other issues by her doctor. The patient had no COVID-19 prior vaccination and was not tested post vaccination. The events were considered life threatening. The patient did not receive any treatments for the events. The patient recovered on unknown date in 2021. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1154372-1 | Jerking movement were to hands when observed during med pass. Tonic clonic movements were assessed for approximately 2 minutes. Code called and patient sent to ER via 911 No history of Seizures she has ongoing seizures. there is a significant decline in her mental status. She is not speaking. She has to be fed. She is not walking.. She is scheduled to see a neurologist in June 2021. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1154478-1 | Patient had a seizure following administration of second dose of COVID-19 vaccine. Versed was given. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1154506-1 | Patient had a seizure post vaccination lasting less than 5 minutes. Patient has a known history of seizure disorder. Patient observed for 30 minutes post seizure (no more seizure activity was observed during that time). Patient was sent home with spouse @0945. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1155052-1 | Site: Pain at Injection Site-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Mild, Systemic: Seizure-Medium, Systemic: Weakness-Mild, Additional Details: P/T stated she had not ate since yesterday. She has had these fainting spells in the past especially when she gets her blood drawn. Her bp & respirations were all within normal levels. Was a and O x 4. P/t stated she was feeling faint and dizzy then asked for water. Pharm tech then went to notify RN of the situation. At the moment p/t began to collapse from the chair and fell on her right upper forehead which started to bruise and swell. She then started to seize & 911 was called & emt arrived. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1155074-1 | "Systemic: Fainting / Unresponsive-Mild, Systemic: Seizure-Mild, Systemic: Shakiness-Mild, Additional Details: patient was administered vaccine, was feeling well and walked to waiting area. patient \""lost balance\"" and fell to floor, hitting his face and began bleeding from his nose and upper brow area. Technician retrieved an ice pack from pharmacy, and in the meantime, worker aided patient to sitting position, which was when patient began to seize. worker called EMS while holding patient's head steady. Patient regained consciousness and EMS arrived. Whole event lasted around 5 minutes." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1155082-1 | Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Seizure-Medium, Systemic: Vomiting-Severe, Additional Details: none |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1155703-1 | "Patient woke up at 1ma the morning after her second dose of the Pfizer Bio N Tech vaccine. She was having ""convulsions"" of arms and legs but remained fully conscious. this lasted 30 min. she was able to speak during this time. It stopped. She returned to sleep. no loss of bowel or bladder control. She went back to sleep once it stopped. she woke up later in the AM. she had mild headache. she called Health Clinic and advised what happened earlier. she was advised to go to ER for evaluation. She did She has made full Recovery." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1156126-1 | Witness seizure activity by the patient's wife and observation clinical (RN) staff. Per the patient's wife this type of seizure happens on a regular basis. The patient was seated at the time of the seizure and did not fall from the chair. The patient was transported to the ER for evaluation and post seizure activity monitoring. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1156321-1 | Pt received Pfizer vaccine dose 1 at 12:05pm, immediately experienced seizure for aproximately one minute. Postictal state symptoms include agitation and confusion. At 12:20 pt is AOx4, BP 188/118, HR 116, O2sat 99% 8 LPM NRB. Pt transported via EMS to hospital to receive further care. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1157093-1 | Her husband called to report that he could not arouse her on 3-28-21. Advised to call 911. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1158682-1 | Increased seizures after 12 hours.; This is a spontaneous report from a contactable consumer (patient). A 39-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number and expiration date unspecified), via an unspecified route of administration, administered in right arm on 12Mar2021 09:30 as single dose for COVID-19 immunisation. Medical history included cerebral palsy and seizure and covid-19 (prior vaccination). The patient was not pregnant and had no known allergies. Concomitant medications included baclofen, rufinamide (BANZEL), levothyroxine sodium (SYNTHROID), and clobazam (ONFI) and valero acid syrup. In Mar2021, the patient experienced increased seizures after 12 hours. Had to call ambulance, and went to the emergency room (ER) at a hospital. The patient received Ativan, and Depakote and IV fluids. The patient had no other vaccine in 4 weeks and was not covid tested post vaccination. Outcome of event was recovered in Mar2021. Information about Lot/Batch number is requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1158683-1 | "Had 2 seizures; Had 2 seizures; Tongue hurts; it was an allergic reaction; Patient reported that next the day her arm was so hot that she could have roasted a weenie over her arm and it was very swollen; Patient reported that next the day her arm was so hot; got shingles again after receiving the vaccination; got shingles again after receiving the vaccination; This is a spontaneous report from a contactable consumer (patient's husband). A 66-year-old female patient received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot: EN6202), via an unspecified route of administration, administered in left arm on 12Mar2021 10:30 (at the age of 66-years-old) as single dose for covid-19 immunisation. The patient was not pregnant at the time of vaccination. The vaccination facility type was a health clinic. The vaccine was not administered at a facility. The patient had no additional administered vaccines. No prior vaccinations (within 4 weeks). Medical history included ongoing seizures from 1982 (began shortly after she had the surgery for her brain aneurysm (in 1982 to 1982). The patient had not had any seizure activity for 20 years before the seizures that occurred on 13Mar2021. Sometimes electrical activity in the brain hits the metal clamp used to treat the brain aneurysm and that triggers the seizures); migraines (suffered from migraines when she was younger but hasn't had one in umpteen years. The patient gets tension headaches like most people but not very often); shingles (patient had shingles three times. Patient's first case of shingles was in the early 1990's and that patient had recurrences in the mid 1990's and the early 2000's. The first incidence was the worst and that the second and third occurrences weren't nearly as bad as the first); blood pressure high; ongoing cholesterol; ongoing headache (tension headaches) and was adopted. Family history included migraines with grandkids, a couple of them had migraines and had MRI's she'd had a sister that was 6 years older than her that had died of a brain aneurysm. Concomitant medications included levetiracetam (KEPPRA) for seizures from an unspecified date (in the late 90's) to an unspecified date then from Mar2021 and ongoing; nadolol for headache from 2001 and ongoing; lovastatin for cholesterol from an unspecified date (been on it for a long time) and ongoing and on a low dose of medication for high blood. The patient had the Pfizer vaccine first shot on Friday (12Mar2021). The husband stated his wife (patient) had a possible side effect to the vaccine shot and was concerned with getting the second dose of Pfizer's COVID vaccine. She had 2 seizures the next morning after the shot (on 13Mar2021) which she hasn't had in 20 years. The patient experienced her first seizure about 11:00 on 13Mar2021. It took the patient about 45 minutes to come out of the first one completely, until she was conscious again. The second seizure occurred about 13:00 on 13Mar2021, about an hour and a half after the patient recovered from the first seizure. fter the second seizure, the fire department was called and she was transported to the Emergency Room. The doctor told the husband that it was up to them if they wanted to receive the second dose. The husband stated, ""I know there is something out there that I heard about where you can disqualify yourself from getting the vaccine for medical reasons."" Also on 13Mar2021, the patient's tongue hurts in the Emergency Room, no one was willing to give her a new tongue after she bit it. The patient's tongue was what hurt's the most, but that it was slowly healing. The patient seemed to be fine since Saturday. he patient's father was really persistent about them getting the Covid-19 vaccinations. A CT scan and blood work were performed while she was in the Emergency Room on 13Mar2021 and reported that everything was fine. The patient went to the emergency room on 13Mar2021 and physician office on 17Mar2021 as a result of the seizure activity on 13Mar2021. On 17Mar2021, the patient's blood pressure was 130/82 with blood work with result of everything was fine. The patient went to her physician on 17Mar2021 due to concern about getting the second dose of the Covid-19 vaccine. When asked about prior vaccinations within 4 weeks of the Covid-19 vaccine, the patient stated that she didn't want to get the first dose of the Covid-19 vaccine because she's never even had the flu shot. The patient stated that back in 1977 when they first came out with the flu shot, she was unable to receive the vaccine as she was pregnant and she has never gotten the flu. The patient reported that she was unable to get MRIs due to the metal clamp in her. Patient reported that the clamp in her head was metal, not surgical metal, and that she has to be very careful because getting an MRI could kill her. The patient reported that next the day (in Mar2021) her arm was so hot that she could have roasted a weenie over her arm and it was very swollen. The patient reported that she went to urgent care and was told that it was an allergic reaction. The patient also reported that she got shingles again after receiving the vaccination. The husband considered the case as non-serious. The patient recovered from seizure with associated disease recurrence on 13Mar2021; for tongue pain was recovering while for the remaining events was unknown." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1159281-1 | Immediate intense headache. Feeling faint. Lay down on floor, semi conscious. Ems staff moved her to sitting position where she completed blacked out. They struggled to hold her, so they lay her on the floor where she had convulsions similar to a seizure. Completely unconscious at this point. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1160145-1 | 1st dose Pfizer administered at 0940 at clinic. patient experienced no reactions or symptoms during observation period at the clinic. Patient had been home for approximately 2 hours when he started experiencing some chest pain prior to his seizures around 1210. He does have a history of seizures which are uncontrolled ranging from having them twice a week to twice a month. patient reports the seizures were no worse than any other seizure he has had in the past. The seizures lasted periodically for approximately 20 minutes. patient reports he didn't consult with his PCP or neurologist prior to the vaccine. The patient was encouraged to seek medical treatment if symptoms persist or worsen over the next hours. He was also encouraged to reach out to his neurologists prior to the second dose. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1160713-1 | DETAILS OF HOSPITAL STAY: PRESENTING PROBLEM: Cardiac arrest (HCC) [I46.9] HOSPITAL COURSE: Patient is a 74 year old female who receives care through healthcare clinic and second healthcare clinic with past medical history of HTN, CKD, cardiomyopathy/congestive heart failure, atrial fibrillation on Pradaxa who presented to the ED 3/16 after suffering an out of hospital cardiac arrest at her dentist's office. Per report, patient had SBP in the 80s on arrival but was asymptomatic. Prior to start of any procedure (no reports of being given sedative medications), she became unresponsive. CPR was initiated and was found to be in asystole. She received 3 rounds of CPR with ROSC. CT head without acute abnormality. Chest XR showing mild vascular congestion and interstitial edema. Initial labs showing AKI, elevated liver enzymes, BNP >29,000, troponin 39, lactic acid of 11, INR of 6.6, PTT 62, APTT 87. UA with protein, nitrite, moderate blood. Urine culture ordered. Blood cultures ordered. In ED, patient was hypotensive requiring addition of vasopressors. Targeted temperature management was started. Ceftriaxone and flagyl started for possible urinary tract infection and aspiration. Patient with profound coagulopathy, INR increasing to 12.0 on arrival to the ICU. Two units FFP and vitamin K were given. Patient with escalating pressor requirements at this time so CT t/a/p was ordered showing multiple bilateral rib fractures, nondisplaced sternal fracture with small anterior mediastinal retrosternal hematoma, small right sided hemothorax, right chest wall hematoma, patchy bilateral airspace disease consistent with atelectasis/infiltrate/aspiration, diffuse GGO consistent with interstitial edema, enlarged pulmonary arteries consistent with pulmonary hypertension, cholelithiasis. FDP elevated and 2 units of cryoprecipitate given 3/16. Hemoglobin decreased to 5.9 3/17 with INR of 5.4. Two additional units of FFP and additional dose of vitamin K ordered. Two units RBCs ordered. CTA thorax and abdomen 3/17 re-confirmed hemothorax and chest wall hematoma but no active bleeding noted. CT bilateral LE showed no evidence of hematoma. Trauma consulted who recommended chest tube placement. Overnight 3/16-3/17, patient also noted to have seizure activity on EEG and patient loaded with Keppra. Head CT 3/17 negative for hemorrhage or other acute processes. Patient remained in status epilepticus 3/17am and additional Keppra load was given and neurology consulted. Received Praxbind for continued bleeding/coagulopathy. 3/17pm went into PEA arrest with 10 minutes of CPR with ROSC. Bronchoscopy following ROSC noted evidence of bleeding from multiple areas, clots removed. MRI brain showing diffuse anoxic brain injury. Propofol stopped 3/19am. After goals of care discussion this morning, all first degree relatives (daughter and son) all in agreement to transition to comfort care measures. I received call from bedside RN that patient had passed away. On exam, no heart or breath sounds appreciated upon auscultation for 2 minutes. No spontaneous movement or chest rise noted. No pulse palpated for two minutes. Pupils fixed and dilated. No response to noxious stimuli. Time of death 1400 3/20/2021. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1160785-1 | Petite Mal Seizure- 20 seconds in length |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1161074-1 | Patient got Shortness of breath, leg cramps, lost control on his body and seizures 2 hours after getting the vaccine and stayed for about 5 minutes. No medication or treatment was given. reported by his sister |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1161145-1 | patient was in 15 minute observation when nurses witnessed patient seizing. patient was on floor, pulse and respiration was monitored. pulse diminished ; oxygen was administrated, CPR started AED applied patient shocked and transported to ER |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1161147-1 | Patient received 1st dose of Pfizer COVID vaccine. Upon administration, patient reported she felt as though she was having an anxiety attack. She then fainted and started falling forward in her chair. The pharmacist and technician caught the patient as she fell forward and as they were leaning her back in the chair she began seizing in their arms for approximately 5-10 seconds (no more than 20-30 seconds). At this point, the patient spoke and stated that was weird and said she felt lethargic. Another technician was on the phone with 911 at this time. We gave her a bottle of water and kept the patient seated in the immunization room until EMS arrived. She was complaining of being very hot and lethargic. EMS arrived and checked her vitals and recommended the patient go with them to the hospital due to B/P and pulse being very low (exact vitals were not communicated to us). She agreed to go to the hospital and we will be following up with the patient tomorrow. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1162064-1 | Seizure 2 days after shot. No history of seizures at all. Hospitalized for a week so far and still in there.; This is a spontaneous report from a contactable consumer (patient). A 79-year-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; unknown lot number and expiration), via an unspecified route of administration in right arm on 11Mar2021 at 13:00 as a single dose for COVID-19 immunisation. Medical history included chronic obstructive pulmonary disease (COPD), diabetes, and COVID-19 (if COVID prior vaccination: Yes). No known allergies. Concomitant medications included metformin; insulin lispro (HUMALOG); metoprolol; amlodipine; atorvastatin; vitamin D; and pioglitazone. The patient also received first dose of BNT162B2 on 18Feb2021 at 01:00 pm (at the age of 79 years old) for COVID-19 immunisation. On 13Mar2021 at 12:00am, the patient experienced seizure 2 days after shot. No history of seizures at all. Hospitalized for a week so far and still in there. Patient did not receive other vaccine in four weeks. The patient underwent lab tests and procedures which included COVID test: negative on 13Mar2021. The event resulted in emergency room/department or urgent care visit. The patient received treatment for the event. The patient had not yet recovered from the event. The event was assessed as serious (hospitalization). Information on the lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1162096-1 | Seizure that lasted about 10-15 minutes the next day; Headache; throwing up; arm tremors; not feeling well; sore arm; This is a spontaneous report from a patient. A 48-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date not provided), via an unspecified route of administration, administered in Arm Left first dose on 16Mar2021 09:30 at single dose for COVID-19 immunization. The patient's medical history included Epilepsy. The patient was not pregnant at time of vaccination. The patient's concomitant medications included oral levetiracetam (KEPPRA) for epilepsy at 4000 mg, daily, valproate semisodium (DEPAKOTE) for epilepsy at 500 mg, daily, and valproate semisodium (DIVALPROEX) for epilepsy at 500 mg. The patient stated that she got the vaccine on 16Mar2021. The patient had a a seizure that lasted about 10-15 minutes the next day on 17Mar2021 at maybe 11pm-1130pm. The patient was out with someone and he took her back to her house and she wasn't feeling like, not normal, and he told her she needed to go to the hospital and it took her awhile as she doesn't realize she had a seizure and it sometimes takes a while to convince her she did. States sometimes with seizures you don't remember. The patient was advised to go to the ER to get checked out and he was really worried. States immediately after the seizure she threw up and was not feeling well at all. States she was not admitted to the hospital. States they did a Ct scan of her head and she had bit her tongue a little bit, which is normal with seizures. States she is improved but she still has the medical condition of epilepsy. The patient stated that after she drove home she noticed when she stretched her arm out she was still having tremors and these for lasted about an hour and then she went to sleep. Caller clarifies that after the hospital she went home and went to sleep. States she had been given Ativan at the hospital to ward off additional seizures and that makes you very tired. The patient also had headaches and still gets them, states they are getting less and less frequent. States the headaches started that same evening, that it was weird she had gone out to dinner and was talking with her friend and she thought I have a headache and he is normally fun and she was not feeling so good. Relays that she thought maybe it was a problem with the food she ate, but states they ordered the same meal and she in confident it is not the food as he did not have any troubles. The patient hasn't had a seizure since age 14 and had she known the vaccine would likely cause one she would not have taken it. States she will not take the 2nd one. She said that this was ridiculous. States her arm was sore like from the flu shot or a little worse, but not a big deal. . States her main concern is the seizure. States she is a CPA and it is her busy season for tax returns and saying her arm being sore is eh maybe she wasn't waving it around as much as normal, she is like a praying mantis at her computer typing away. States the soreness started by the end of the work day or that afternoon. States it was no big deal and the next day she did work around the house and was using that arm more and then working from home that day thank God and it was St. Patrick's day and she went out to dinner. States she only noticed the arm soreness/sore arm 16Mar2021 and by the morning of 17Mar2021 she didn't notice it anymore. States she wasn't told she was at risk for a seizure and that would have been helpful as if she had known there was a chance of a seizure she would, like any medication, if there is a chance of seizures she doesn't take it. The outcome of the event Seizure was not recovered. The outcome of the event headache was recovering. The outcome of the event Pain in extremity was recovered on 16Mar2021. The outcome of the remaining events was unknown. Information about the lot/batch number has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1162138-1 | nocturnal seizures; extreme fatigue; This is a spontaneous report from a contactable consumer (patient). A 24-years-old female patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on 18Mar2021 17:00 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation. Medical history included Epilepsy (free for two years before the vaccine). No other vaccine in four weeks. Concomitant medications included zonisamide (ZONISAMIDE), sertraline hydrochloride (ZOLOFT), valproate semisodium (DEPAKOTE), ethinylestradiol, ferrous fumarate, norethisterone acetate (JUNEL FE). Prior to vaccination, the patient was not diagnosed with COVID-19. The patient previously took lamictal and experienced allergy. The patient experienced nocturnal seizures and extreme fatigue on 22Mar2021. The event nocturnal seizures was serious due to Life threatening. Detail clinical course was reported as the patient had epilepsy, she was seizure free for two years before the vaccine. Three days after the first shot, she began having nocturnal seizures, which have never happened before. All her past seizures have been while she was awake. Seven days later, she was still experiencing extreme fatigue and seizures. Nocturnal seizures result in Doctor or other healthcare professional office/clinic visit (Life threatening illness (immediate risk of death from the event)], and treatment included increased dosages of anti-convulsion medications. The event outcome was not recovered. Since the vaccination, the patient had not been tested for COVID-19. Information on the lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1162965-1 | Seizure - 5 minutes |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1163221-1 | At 9:15 am on 3/31/21, patient experienced a seizure characterized by unconsciousness and full-body rigidity. He had never previously experienced a seizure. The episode lasted for approximately 5-8 minutes; the patient gradually regained consciousness, but was confused and complained of a headache, eye pain, and nausea for some time afterward. He does not remember the event or what preceded it. He visited the ER that morning. He received an injection of lorazepam and ondansetron. He was held for observation for about 4 hours. He was prescribed a 3 day supply of lorazepam 0.5 mg (taken every 12 hours) upon discharge. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1163261-1 | Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Headache-Medium, Systemic: Seizure-Medium, Systemic: Shakiness-Medium, Additional Details: unconscious for less than a minute.Has a history of fainting from many years ago but no incidents since.Epi pen given 4:10p and 911 called. Paramedics arrived ~4:18p.Bp was 110/80 @4:13p, 128/88 @ 4:18p, 132/86 (pulse 70) @4:21p.Was clamy, shaky, sweaty,and had a headache post.Paramedics monitored sitting and standing.Advised to followup with physician. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1163648-1 | body aches, Severe headache, sore throat, ear ache, was awaken in the night with what seemed like a convulsion, severe shakes, all my joints hurt so bad I couldn't walk, hard time breathing. 2 days later i still feel fatigue and have a headache |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1164374-1 | Patient was administered vaccine around 1PM and was being observed as required after the dose. At around 1:05PM the patient began to convulse (which lasted about 15 seconds) I immediately had my technician call 911 as I tended to the patient. She was in and out of consciousness, as I grabbed our emergency kit to bring out she became conscious. She stated she was ok, but I still insisted on waiting for an ambulance and her husband agreed. I spoke more with her husband to see if the patient had any type of seizure condition and he said she did not. By that time the patient was able to drink water and seemed to stabilize. The EMS personnel arrived around 1:20PM and took over after that. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1164890-1 | * not sure directly related to vaccine but was to vaccination?? Pt did not disclose any seizure disorders and when asked if pt had had prior adverse events from vaccines it was stated that sometime he got nervous, nauseous and would vomit. immediately after injecting the vaccine the patient seemed fine, but was getting over excited having been given the vaccine (anxious) pt then went stiff and eye rolled back, I believe seizure. The father wasn't surprised and said that it has occurred before with other injections/ blood draws. pt recovered within a minute or two and was lucid and reported that he was fine. I monitored the patient for 30 minutes and recommended to the father that the patient be seen regarding the event, and that subsequent vaccinations be given at the doctors office. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1165082-1 | Hot sensations all over body, dizziness, light headed, shortness of breath, convulsions ? main episode lasted about 5 minutes. After that, continued light headedness and shaking. Tremors in extremities. Left chest pain/pinching sensations |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1168366-1 | Pfizer-BioNTech COVID-19 vaccine EUA Seizure |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1168656-1 | Pt got a pfizer COVID vaccine on Saturday 3/27 States that she was out in the sun over an hour to get a vaccine and then waited another 40 mins inside a warm building before she got her vaccine States that she had nothing to drink and barely anything to eat and prior to her appt she had been doing yard work States that about 10 mins after she got her vaccine she blacked out, clinic staff noted seizure like activity which resolved prior to EMS arrival. States that this is not the first time she was outside in the sun without water and she passed out before States that the vaccine site thought that this was a reaction to her getting the vaccine but she thinks it was due to her being in the sun for over an hour waiting to get the vaccine States that she has never had any reaction to any vaccines before States that the vaccine site informed her to call her PCP to inform them of what happened States that once she got a few sips of water she felt normal again. Was refereed to PCP who felt most likely related to orthostasis and clearred patient to receive dose # 2. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1168696-1 | Had seizure activity post vaccine. Transported via ambulance to Hospital |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1169930-1 | While sleeping had heart attack, seizure, went into cardiac arrest. No warning signs and did not have a previous heart condition. CPR was performed, shocked four times at home once in ER and placed on a ventilator. Catheterization procedure performed, full blockage of the right coronary artery received two stents. After surgery was in ICU on a ventilator for three days then went to step down unit for two days. Now being treated by cardiologist, pulmonologist, neurologist and primary care physcian. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | Monday, April 5, 2021 Thank you for this opportunity to share my experience. Healthy, no underlying conditions, active, On Saturday, March 27th at around noon, I had my 2nd Pfizer vaccine, administered in my right arm at the The injection was painless, I had zero symptoms initially following the injection and none the rest of that day. On Sunday, upon waking, my arm was uncomfortable but not painful. No symptoms on Sunday. On Monday, upon waking, my arm was more uncomfortable, I felt a little off; minor headache, minor light headed feeling, so I took 2 Tylenol. On Tuesday, upon waking, my arm was very painful at the injection site. It was difficult to raise my arm above my shoulder. I did not take any Tylenol although I still felt a little off. I massaged the injection site. We have a brand new 2021 hot tub that we use daily so I got in and positioned my right arm injection site on a bubbly jet to massage the area. It helped alleviate the severe pain and muscle stiffness. I had an English muffin, 1 poached egg and banana, I showered, got dressed and my husband and I went to the bank and to store. While in store, around 12:30 ? 1:00 PM, I began to feel light headed, very hot; not a fever hot, just very temperature hot. I told my husband I needed to leave NOW. He got me a cold water and we left. Upon arriving home ? say 20 minutes later, I was very light headed and nauseous. I went directly to bed to lie down. By 2:00 PM, my nausea was extreme as I laid in bed. I knew I would feel better if I could throw up, but I also knew I would have to make my self do it because it wasn?t happening on it?s own. I went to the bathroom and began to put my finger near my mouth and that?s all it took and I violently vomited 3 times. The vomit was liquidy, and old blood red. Remember, for breakfast I had had a dry English muffin, poached egg and banana. NOTHING red! I screamed for my husband who came in and was shocked to see the color and volume of vomit. He helped to clean me up and help me back to bed, where I immediately returned to the bathroom with severe diarrhea?the same old blood red color. Again, he helped to clean me up and help me to lie down. He got me cool water which I sipped. Within an hour, I rushed back to the bathroom and VIOLENTLY threw up again. Severe convulsions, unable to breath in between each convulsion. Old blood red, liquid, and to make matters even worse, the same color liquidy diarrhea. This went on for another 20 minutes. My husband was with me the entire time as the extreme convulsions contorted me and I could not keep aim to the toilet. I thought I had internal bleeding and was dying! I have never been this sick!!! Again, he cleaned me up, helped me back to bed where I was exhausted. He encouraged me to sip cool water which I did. On Wednesday morning upon waking, I was less nauseous. My husband urged me to try a dry English muffin (my normal morning routine). I was able to eat a few bites and keep them down. I showered to clean myself up and that did me in. I made it to the couch for the day. Sipping water and trying to complete the dry English muffin. On Wednesday I did not have a bowel movement. On Thursday morning upon waking, I was less nauseous and was able to drink a cup of tea and finish a dry English muffin. On Thursday I did not have a bowel movement. On Friday morning upon waking, I was not nauseous. I was able to drink a cup of tea and finish a dry English muffin and 1 poached egg. On Friday I did not have a bowel movement. On Saturday, now 1 week following the injection, I was better. Able to shower, able to eat, able to get out of the house. I had a small bowel movement that was the same dark color but somewhat in tact. On Sunday, Easter, I felt really good. Ate breakfast, lunch and dinner. Had a better bowel movement; not dark but ?my? normal color and condition. My theory (and I am not a scientist or medical person in ANY way!!!). When my arm was SO painful at the injection site and I got in the hot tub and placed my arm on a bubbly jet, it?s like I released the full burst of vaccine ? like a bolus ? into my system, rather than letting the muscle spasm release allowing the vaccine to gently circulate through my body. In July and I can assure you that in my all of my years of owning this body, I have NEVER experienced any flu or sickness with this severe or this violent convulsing vomiting and NEVER experienced the color of the contents!!!! My husband, with no underlying conditions, has also had both of his shots. He had no side effects. Yeah!! Since this experience, I have not been able to drink coffee or wine, of which both were a regular part of my diet. Now on a lighter note, less coffee and wine isn?t a bad thing, however since this episode I cannot fathom the thought of either of those entering my system. Thank you again for this opportunity to share my experience. I am glad to have both shots and I hope I am NEVER this sick again!!!! |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1169938-1 | |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1170062-1 | Had fainted for few seconds. Started to have seizures. Gave Epipen autoinjector. Called 911. EMS arrived. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1170150-1 | Pt had reaction in the waiting room. Pt became pale, diaphoretic, passed out and had brief seizure x 3-5 seconds. She suddenly became aware again with no recollection of what happened. She continued to be pale and diaphoretic and c/o confusion and blurry vision. Pulse ox 98-100, HR dropped to 40's and BP 90/60. Squad was called, they assumed care and transported pt to ER with her mother present. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1170184-1 | Pfizer BioNTech COVID-19 Vaccine EUA Patient experienced a seizure 9 hours after receiving his first dose of COVID-19 Pfizer vaccine. Patient has a history of seizures but has been well controlled with levetiracetam and has been seizure free for several years. Patient's wife called the pharmacy to report the event 6 hours later, and the pharmacist recommended the patient to follow up with primary care physician as soon as possible. Patient was evaluated by his physician and had dosage of levetiracetam increased. Patient was referred for further testing. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1170224-1 | A few minutes after vaccination the pt had what appeared to be a seizure with momentary loss of consciousness. Profuse sweating, tunnel vision and syncope also present. EMS was called and patient was transported to hospital directly from the pharmacy. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1170831-1 | Systemic: Confusion-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe, Additional Details: Pt was advised to set down in the waiting area for 15 minutes to be monitored, once in a sitting position patient started convulsing into a grand mal seizure, I immedietly ran to him, started restraining him and holding his head to prevent him from hitting the wall, patient was laid flat and restrained by family members and the nurse practitioner, seizure lasted for les than a minute, and patient started to regain consiousness. called 911 |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1170835-1 | Systemic: Confusion-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe, Additional Details: patient had an abscense seizure immediately after sitting down |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1171133-1 | Within 1-2 minutes my son passed out and started violently shaking/convulsing. His chin was pinned to his chest, he struggled to breath and was making a sound as if he was loudly snoring but seemed to be struggling to breathe. I was unable to wake him. I'm not sure how long it lasted but maybe 2 minutes or so. He woke up and asked what was going on as we had all been standing over him trying to unsuccessfully wake him. He shared that he thought he'd been asleep and had been dreaming. He also shared that his throat hurt very much. He had the shakes for about 30 minutes after and was extremely exhausted. He slept for 14 hours as soon as we arrived home. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1171143-1 | 3-31-21 6PM STATING PT PASSED OUT AND HAD A SEIZURE; HE WAS HOLDING HIS VACCINATION CARD IN HIS HAND - REQUESTING PHONE NUMBER. CALLED FOR TRANSPORT TO ER. 4-6-21 10AM PT STATES HE HAS A HX OF BECOMING LIGHTHEADED FOR MANY YRS. HE WAS IN THE CHECK OUT LINE AND 'FELT LIGHTHEADED AND WAS GOING TO GET SOME CANDY TO FIX IT(HADN'T EATEN MUCH THAT DAY)'. BYSTANDER STATES HE PASSED OUT AND HAD A SEIZURE. HE DID FX RT SHOULDER. HAS AN APPT TO SEE PCP FOR F/U. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1172254-1 | I suffered an apparent seizure according to the multiple pharmacists working that day. It happened within less than a minute of the injection. I went to sit down to be monitored and the next thing I know is I have a pharmacist in my face asking me if I am ok and telling me an ambulance was on the way. No idea what caused it or how severe the seizure was. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1172404-1 | I received the injection on Wednesday, by Saturday I was feeling very sick. I had a fever of around 102.5 on average and was feeling very weak. By Monday I was so weak I had to go to the doctor. In the dr. office I had a syncope event with tongue out, convulsions. Dr called 911 and was transported to the hospital via ambulance. The dr at the ER tested for Covid (negative) and stated this was a moderate adverse reaction to the vaccine. It took me a full 8 days to be able to not sleep all day and get some strength back. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1172547-1 | Started having mild to moderate seizures 4/5/2021. Continued off and on through 4//6/2021. Called Dr. She said do not get a second dose. Monitoring symptoms still. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1172639-1 | within 3 minutes of injection within 3 minutes had a seizure with (per nurses) generalized increased tone, gasping and unresponsive. Patient with multiple medical problems including sz disorder (off meds past 6 months), copd, anxiety, glaucoma, pacer When I got there patient breathing well, slumped back in wheelchair, not gasping and not seizing. VSS (110-120/54-68, pulse 70s, RR 18-20, O2 sat initially 95% on room air, put on oxygen while watching her), skin color pink. Initially unresponsive but when I was discussing with husband that we were going to call 911 and have her taken to ER, she opened her eyes and responded. Both patient and husband refused 911/ER saying that patient with sz disorder (also dissociative convulsions) and that she has a seizure at least daily, sometimes due to stressful situations, and that afterwards sometimes awakens quickly and sometimes takes longer. Usually sleeps for a few hours afterwards. As patient and husband refused transfer and VSS, patient was monitored for about 45 mins and released. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1172874-1 | Pt has syncopal episode/seizure following first dose of covid vaccine |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1172905-1 | Pt had syncopal episode and seizure following first dose of covid vaccine, resulting in calling 911, transferred to the ED |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1172972-1 | Patient received vaccine no issues, waited 15 minutes reported no issues, left pharmacy for approximately 5 min, returned complaining for dizzyness, we got her water and had her sit down, she began having seizures, she had 5 episodes before emd arrives, she was taken by ambulance |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1173880-1 | Vomiting, severe headache, 2 seizures , muscle aches and weakness in the legs, unable to walk, knee paralysis |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1175155-1 | Went to dialysis and within 2 to 3 hours had symptoms of a seizure. Loss of memory for 2 to 4 hrs acting stiff and unusual behavior; Went to dialysis and within 2 to 3 hours had symptoms of a seizure. Loss of memory for 2 to 4 hrs acting stiff and unusual behavior; Went to dialysis and within 2 to 3 hours had symptoms of a seizure. Loss of memory for 2 to 4 hrs acting stiff and unusual behavior; temp of 101.6; This is a spontaneous report from a contactable consumer (patient). A 61-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), second dose via an unspecified route of administration, administered in Arm Right on 01Mar2021 17:15 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation. Medical history included end stage renal disease (ESRD), high blood pressure and pulmonary hypertension; all from an unknown date and unknown if ongoing. The patient has no COVID prior vaccination and not tested to COVID post vaccination. There was no other vaccine in four weeks. Concomitant medications (reported as Other medications in two weeks) included clonidine (CLONIDINE), macitentan (OPSUMIT), minoxidil (MINOXIDIL), carvedilol (CARVEDILOL), and tadalafil (ADCIRCA); all taken for an unspecified indication, start and stop date were not reported. The patient previously took BNT162B2 (lot number: unknown) first dose on 22Jan2021 at 02:45 PM right arm for covid-19 immunization. The patient also previously took Hydralazine and experienced allergies. It was reported that on 01Mar2021 08:00 PM the patient went to dialysis and within 2 to 3 hours had symptoms of a seizure. Loss of memory for 2 to 4 hrs., acting stiff and unusual behavior. The patient's daughter took the patient and had a temp of 101.6 was sent home Tuesday morning. The events resulted in: Doctor or other healthcare professional office/clinic visit. The outcome of the events was recovered with sequalae (reported as with lasting effects). No treatment was given for the events. Information on the lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1175193-1 | seizure; I fell of my hight; headache; total amnesia; my waking is wobbly and not steady; This is a spontaneous report from a contactable consumer (patient). A 44-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection; Lot Number: ER8727) via an unspecified route of administration, administered in Arm Left on 22Mar2021 12:30, at the age of 44-year-old, as SINGLE DOSE for covid-19 immunisation. The patient medical history was not reported. The patient was not diagnosed with COVID prior to vaccination. Concomitant medications included vitamin c [ascorbic acid] (VITAMIN C [ASCORBIC ACID]); colecalciferol (VITAMIN D [COLECALCIFEROL]); fish oil (OMEGA 3 [FISH OIL]). On 23Mar2021, at 03:00 AM, the patient fell off his height and had a seizure. This was his first seizure in his life. The patient was rushed to the ED where a CT of the head and neck was done in Mar2021. The CT did not show any bleeding or fracture. The Neurologist dismissed the patient home and had the patient go back and see him in 2 days. The patient has been complaining of headache and taking Tylenol PRN for it. His walking was wobbly and not steady. The patient had a total amnesia of the accident. The patient did not receive treatment for seizure, fall, total amnesia and walking was wobbly and not steady. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not tested for COVID since the vaccination. Outcome the events was not recovered. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1175938-1 | Pt received vaccine and approximately 5 minutes later pt got light headed fainted and hit head on the floor of the waiting room. Pt begun to seize for approximately 30 seconds then regained consciousness. Pt was stabilized and monitored. 9-1-1 contacted immediately and handled pt care once they arrived. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1176055-1 | Involuntary shaking/convulsions/shivering across entire body. Was able to walk, but very difficult going up/down stairs. No fever nor did I feel cold. Shaking subsided after about 15 minutes. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1176180-1 | patient felt dizzy, was unconscious and upon awakening, patient was seizing |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1176871-1 | Started having seizures. One after the other. 3 within 20 minutes. Became completely unresponsive for 1 1/2 hours. Was taken to the ER to be monitored. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1177007-1 | Pt started to faint and then had a seizure. The patient awoke from seizure and 1 minute later had another seizure. EMS arrived and took the patient to a hospital facility. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1177264-1 | "Patient received 2nd dose of Pfizer at 10:14 am on left deltoid, lot # ER8729, expiration date on 07/2021. Patient reports no adverse reaction to first dose of Pfizer vaccine. Patient has history of epilepsy, stroke, hemiplegia left upper extremity. Patient takes medication daily for seizure, medication was last taken this morning. At 11:37 am, patient started to have a seizure in the chair. The three EMTs, and a RN responded immediately. No fall occurred, no clusters in observation room. At 11:38 am, EMS was activated. Patient remained in chair throughout seizure and was physically stabilized by EMT . His seizure lasted approximately 1 minute. At 11:38 am, patient was non-verbal, but breathing at a rate of 20 res/min. Patient nodded to respond to neurological assessment. Vital signs were taken every 5 minutes. At 11:38 am, BP 150/77 sitting, HR 103, SpO2 97% RA, RR 20 res/min labored. Patient was transferred to anti-gravity chair with assistance from EMTs. At 11:39 am, patient was able to verbally respond to questions. Patient was alert and oriented to person, place, time and situation. Patient states ""I just had a seizure"". At 11:42 am, BP 152/98, HR 104, Spo2 at 95%, RR 22 res/min, labored, patient stated ""I feel palpitation"". Staff approached patient calmly, encouraged deep breathing, provided quiet environment. Upon assessment, patient was alert, oriented X4, clear speech, communicated in Spanish and English. At 11:45 EMS arrived. patient stated ""I feel a lot better"". Patient was transferred into a gurney and transported to hospital. Emergency responders left with patient at 11:57 am. Patient was accompanied by his brother ." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1178001-1 | I had a seizure around 5 minutes after the shot. I was feeling sweat and my vision started to fade...I can explain further on a call or email. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1178083-1 | Patient had just received covid vaccine. She was still seated in immunization room and said she felt dizzy and then passed out. She then started having a seizure a few seconds later. She seized for about 2 minutes. Patient was breathing but unconscious. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1178264-1 | Complex seizures; Explosive diarrhea; Profuse vomiting; Chills; sweats; This is a spontaneous report from a contactable consumer (patient). A 56-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot Number: EN6207), via an unspecified route of administration in the left arm, on 22Mar2021 at 09:30 (at the age of 56-years-old) as a single dose for COVID-19 immunisation. The patient had no medical history. Prior to the vaccination, the patient was not diagnosed with COVID-19. The patient had no known allergies to medications, food, or other products. Concomitant medications included lisinopril (MANUFACTURER UNKNOWN) and atorvastatin (MANUFACTURER UNKNOWN). The patient did not receive any other vaccines within four weeks prior to the vaccination. The patient experienced complex seizures, explosive diarrhea, profuse vomiting, chills, and sweats on 22Mar2021 at 19:00. All of the events required hospitalization from an unspecified date to an unspecified date for one day. The patient underwent lab tests and procedures which included nasal swab: negative on 22Mar2021. Therapeutic measures were taken as a result of all of the events, which included intravenous fluids. The clinical outcome of complex seizures, explosive diarrhea, profuse vomiting, chills, and sweats was recovered on an unspecified date. The batch/lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1178267-1 | He had 2 seizures that following Monday, 08 Feb 2021 and another seizure on Friday, 12 Feb 2021.; discovered he had COVID; discovered he had COVID; This is a spontaneous report from a contactable consumer (patient) reported for himself. A 61-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), dose 1 via an unspecified route of administration on 06Feb2021 (Batch/Lot number was not reported) at age of 61 years old as single dose for covid-19 immunisation. The patient medical history and concomitant medications were not reported. The patient received his first dose of Pfizer's COVID vaccine on 06Feb2021. He had 2 seizures that following Monday, 08Feb2021 and another seizure on Friday, 12Feb2021. He also stated he discovered he had COVID. He was at the hospital for the seizures and diagnosed with Covid. He was due for the second dose which was supposed to be given the third week. He he spoke to the nurses there and they advised him not to do anything until after 90 days or something like that. He was told by the doctor that his second dose should be delayed until 30 to 90 days and heard from Department of Health that he had up to 42 days that he'll be ok. He stated that he just spoke to themDepartment of Health. He stated that they said after 40 or 42 some odd days, and there was an extra 7 days of leeway, he could get the second dose. He stated that his 42 days was up either today (24Mar2021) or yesterday (23Mar2021). He had an opportunity this Friday (26Mar2021) to get the second shot. He had to get the shot at the same location. He was tired of this. The patient stated when should he take the second shot? Should he wait the 90 days? He stated his primary said to see a neurologist, but he didn't see them until 05May2021 and the neurologist said they couldn't say anything because he was a new patient until they see him, so they say to go to his primary care. Dates for tested positive for covid after first dose of Covid Vaccine was unspecified. The outcome of events was unknown. Information on the lot/batch number has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1178401-1 | This patient has a history of epilepsy. He received the vaccine approximately 1pm. This is a minor who was here with his father. At approximately 1:10pm we were alerted that he started to seize. 911 was called. The father had him on the floor. He came out of the seizure prior to EMS arriving. Once they arrived, the parent declined ambulance transportation to the hospital and said he would call his physician. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1178762-1 | Patient seemed to have a seizure lasting 1 minute, hitting head as he fell out of his seat. He then became aware of surrounding. Paramedics came and took patient to ambulance. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1179437-1 | "Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe, Systemic: Weakness-Severe, Additional Details: Patient reported a history of \""passing out\"" with injections. Pt experienced diaphoresis and dizzyness immediately following injection. Two to three minutes later she said she was feeling better. Five minutes after dose, she began to present with seizure symptoms; blank stare, arms and hands contracting. First seizure lasted 30 seconds. One minute later, her second seizure began(45 seconds) with the same sytmptoms, plus convulsions. We transferred her to the floor and on her side. VSS. EMS called" |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1179626-1 | Pt. C/O feeling dizzy and nauseated. Had an episode of seizure that lasted for 5 sec, vomited small undigested food particles and became diaphoretic afterwards. A pkt of 125 mls of apple juice and water offered. (11 call made. Pt. finished the apple juice but had few sips of water. Pt reported having had similar episodes whenever he got blood draws and confirmed the reaction was related to sensitivity to needles ( vaccination needle) than the vaccine. Paramedic team arrived at 3:25 p m. Pt. and mom refused the Ambulance services to the ER, but agreed to remain in the observation room for further observation.at about 4:05 p m. Pt and mom left the recovery hall . |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1179642-1 | Patient received dose 1 of Pfizer vaccine LOT ER8733 on 4/6/21 at 0955. Patient had witnessed seizure at 0957. EMS called at 1000. Seizure lasted 15 seconds. Patient alert after seizure. Appeared very pale. Advised patient mother that she needed to be seen at the ED for further evaluation. 1004 attempt made to call ED Lead but unable to reach. 1005 called House Supervisor to confirm correct number for ED Lead. 1007 EMS arrives. Pt mother declines transport to ED. EMS assists patient to car. Patient and mother sat in car for long period of time prior to leaving lot. Further follow up documents there is no documentation of visit to ED. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1180323-1 | He got the vaccine, 15 minutes later he got very fatigued, could not walk in his house and could barely make it to the bed and had to lie down. He had headache, nausea, disoriented. Then he went to bed, woke up at 9:00 AM and had a seizure, which he has had in the past but it had been over a year. He rested after the seizure and knew what to do and it took 2-3 days to recover from that due to the weakness in the legs, disoriented. He has gotten stronger and is pretty much back to his normal self. He has not had any additional seizures since then. He had his FU physical today and she is aware of the seizure and told them to report the incident. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1180353-1 | Seizure occurred three days after vaccination. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1180677-1 | Approximately 5 minutes after receiving his first shot he passed out and seizured for approximately 15 seconds. Fire and EMT called and stabilized him then taken to hospital for tests. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1181485-1 | "Patient received immunization and felt fine after sitting in chair for a few seconds. Pt got up and went to waiting area and was sitting down in chair during the 15 minute observation window. Pt passed out and slumped/fell out of chair on patients left side. I was called out by the person monitoring the waiting area to see pt in fetal position on their left side seizing. The seizing lasted for about 15 seconds and then stopped. PT was motionless for a few more seconds and then came around and said ""I'm back"". The pt was given a bottle of water because he said he was thirsty. In the meantime the paramedics were called and arrived. They checked his BP and Blood Glucose. After several minutes they took the pt out on a gurney for further evaluation, there was a question as to whether or not pt hit his head." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1181559-1 | Patient was being observed after vaccine and passed out. While laying on the floor, he seized x 2 for about 45 seconds. No memory of seizure/seizure-like activity. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1181846-1 | Regular adverse events - bedridden from Friday night until Sunday afternoon - chills, joint pain, muscle weakness, chest pain, lung tightness, shortness of breath, hip trying to pop out of socket due to joint weakness - all experienced with covid in January 2021;Irregular adverse event: two seizures at approx. 11:30 p.m. uncontrollable body stiff, shaking, eyes roll back in head, moaning |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1181985-1 | post vaccine observation session, patient complained of throat tightness/trouble swallowing and voice became raspy. patient has multiple reported allergies and carries epipen. Received 2 doses of epi IM and one dose Benadryl prior to arrival in EC, for throat and tongue swelling again. At triage, sleepy, on transfer to floor became unresponsive and noted to be seizing (received 3 doses ativan) with no resolution, subsequently intubated for airway protection and transferred to ICU. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1182288-1 | Patient had a reaction to the Pfizer Covid-19 vaccine. While waiting for 15 minutes after the shot, patient had a 'seizure' according to patient's mom. She was flapping her hands, staring, and sliding down the chair. 911 was called. Patient was pale and calm but responding to the immunizer (technician) and pharmacist. Patient said she was fine. EMS came and checked the patient and said patient is fine. Patient said she was fine again. EMS left without the patient since she was fine. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1182553-1 | Patient was having seizure symptoms within 10 mins of receiving his first dose of the COVID-19 Pfizer vaccination. 911 was called immediately and while the EMS was arriving to the scene patient was starting to feel better. There was no reports of any signs of trouble breathing. EMS arrived on the scene and assessed the patient. Patient refused to go to the hospital with the EMS and reports to be feeling fine. Recommendations to follow up with a physician was advised. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1183172-1 | Patient had many auras and a seizure the day after his first vaccine. We needed to use rescue medicine (Nayzilam nasal spray) to stop the seizure. It took him 3 days to fully recover from the seizure. He had a hard time thinking of the correct word and many strange thoughts and experiences. We called his doctor and talked to him over the phone. He told us to watch the patient for further problems. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1183897-1 | "convulsions; bronchospasms; throat closure; difficulty breathing; Felt an ""aura""; joints loosening; dizziness; This is a spontaneous report from a contactable nurse (patient). A 31-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) at the age of 31-year-old, via an unspecified route of administration, administered in left deltoid on 26Feb2021 15:15 (Lot Number: EN6202) as single dose for COVID-19 immunisation. Medical history included known allergies to opioids, Toradol, Valium, and a lot of foods; mast cell activation disorder, eosinophilic oesophagitis (EoE), asthma, celiac disease, Hashimoto, and hypothyroidism. The patient was not pregnant at the time of vaccination. Concomitant medications included montelukast sodium (SINGULAIR), levocetirizine dihydrochloride (XYZAL), meloxicam (MOBIC), paracetamol (TYLENOL), and levothyroxine sodium (SYNTHROID); all taken for an unspecified indication, start and stop date were not reported. It was reported that one min later after the vaccination (26Feb2021 15:16), the patient felt an ""aura"" (joints loosening, dizziness), gave herself two puffs of albuterol and pulled out her epi pen and called for help. Two mins later (26Feb2021 15:17), the patient experienced convulsions, bronchospasms, throat closure, dizziness, difficulty breathing. Two rounds of epi, non-rebreather O2, rescue efforts. The patient was then transferred to emergency department (ED) to continue rescue efforts. The patient was treated with O2, Ativan, Steroids, Epinephrine, and Benadryl. The patient underwent lab tests and procedures which included Covid nasal swab PCR test: negative on 26Feb2021 (post vaccination). The patient was recovering from the events.; Sender's Comments: Considering temporal relationship, a possible contribution role of vaccination with the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) to the onset of the reported events, cannot be completely excluded. The case will be reassessed should additional information become available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1184031-1 | Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Medium, Additional Details: THE PATIENT FELL FROM A CHAIR IN THE POST-VACCINATION AREA AND WAS FACE-DOWN, NOT RESPONSIVE. THE PATIENT WAS TURNED ON HIS BACK WHEN HE BEGAN TO SEIZE, SO HE WAS PLACED ON HIS SIDE. HE RECOVERED AND OPENED HIS EYES SHORTLY THEREAFTER. HIS BP WAS 120/59 MMHG, AND HE WAS PROVIDED CRACKERS AND WATER. THIS PATIENT DENIED ANY EPISODES LIKE THIS IN THE PAST BUT ALSO DENIED HAVING BREAKFAST THIS MORNING. THE PHARMACIST RECOMMEND FOLLOWING UP WITH HIS PCP, AND A RELATIVE PICKED HIM UP FROM THE CLINIC. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1184823-1 | - got my phizer vaccine in my left arm - walks to 10-15 min waiting room - sits down and is looking at my phone for 3-5 mins - slight nausea hits and I start feeling dizzy - my eyes start going black snd I feel really hot - I tell the lady watching everyone that I don't feel good. A nurse and another woman come and put me in a wheelchair so I don't fall out of a chair if I faint - my eyes are going more black and I'm profusely sweating all over my body - I faint and convulse for 5 seconds - I wake up from passing out and my hands and feet are extremely tingly and feel like they have a million pins in them - my hands started cramping really bad and I can almost not open them for 5 minutes - over the next 15 mins the tingleynes and hand cramps completely fade away and I feel normal |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1186371-1 | Sitting in general observation area, began screaming and holding his head with clenched arms and hands. 1000 became rigid, suspect seizure, EMT reports syncopal episode. Assisted per EMT to w/c and taken to private observation area. BP 84/52 HR 54 O2 96% on room air. Color pale. EMT remains present. Offered patient water. Patient oriented x 3, Educated on taking next vaccine while lying down. Sister states patient has history of passing out while donating blood. Patient has needle phobia 1011 patient eating cookies and drinking water without difficulty. PB 105/79 HR 80 O2 98%. Denies dizziness, lightheadedness, Denies headache. 1015. STood at w/c - no dizziness. Patient states he feels well enough to leave, gait steady, ambulated to POV |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1187357-1 | "Patient is a 62-year-old, female. Alert, oriented X3, clear speech, able to answer to the questions before being vaccinated. At 3:34 pm, the patient received her first dose of Pfizer, (lot number EW0150, expires on 07/2021) on left deltoid, given by RN. The patient was able to give her verbal consent to receiving the Pfizer vaccine. RN, reports patient sounded ""normal"" and was responsive to all pre-vaccination questions. Patient reported mild anxiety to RN, immediately after being vaccinated. RN, followed the patient to the EMT observation area and assisted the patient to a zero-gravity chair. At 3:41 pm, while waiting in observation area, patient reported feeling ""anxious"" and ""faint"". EMT (Name), EMT (Name), EMT (Name) and RN, responded. At 3:41 pm, the patient became unresponsive to verbal stimulation. Her pupils were fixed and dilated. During this time, EMT took the patients vitals and found her BP to be 132/98 and HR 73 BPM. At 3:41 pm, RN called 9-1-1. The patient continued to be unresponsive for an additional 5 minutes with normal respirations of 17 per minute. At 3:45 pm, the patient jumped up out of the anti-gravity chair, screamed and proceeded to run down the hallway toward the patient restrooms. EMT followed the patient down the hall and RN followed. The patient collapsed to the floor and started to scream and convulse. While on the ground, EMT took the patient's blood pressure which was found to be 209/162 with a HR of 101 BPM. The patient was assisted to her feet by EMT (Name) and EMT (Name) and assisted her back to the anti-gravity chair at 3:47 pm. FD arrived on site at 3:48 pm and took over monitoring the patient's vital signs. The patient was A&Ox1 to self at 3:48 pm. She was unable to follow direction. Medical response assisted the patient to a stretcher chair with her arms and legs strapped to the chair. She left with EMS at 4:02 pm." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1187365-1 | After the vaccination, her arm started to swell up about 1 cm immediately. Benadryl was offered but the patient refused. After a couple minutes, the patient was lightheaded and dizzy. After two minutes the patient became unconscious, was not breathing, and was turning purple/blue. She then began having a seizure and was placed on to the ground. One dose of EpiPen was given to her and she regained consciousness. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1190545-1 | Pt received Covid vaccine, was told you wait 15 minutes to be monitored. While waiting, he was adjusting his sweatshirt and was flailing with the sleeves and hood. It was witnessed that his face became red, he started to convulse and fell to the ground while pulling on the handle of his shopping cart. He was able to sit up on his own; at which time 911 was dispatched. Paramedics arrived quickly and assessed patients blood pressure and condition. They cleared him and they left at 11:40am. Pt was escorted to his truck by staff pharmacist and left before noon. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1190937-1 | Possible seizure; Swelling inside brain frontal cortex; Brain hurts; Loss of short term memory; Tremors; Heart rate elevated upon movement; Loud tinnitis; Ears hurt; Teeth hurt; Neurological symptoms; This is a spontaneous report received from a contactable consumer (patient herself). A 59-year-old non-pregnant female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: Expiry date: Unknown) via unspecified route of administration in the left arm 16Mar2021 12:15 at SINGLE DOSE for COVID-19 Immunization. The patients medical history included Spinal degeneration and Red Yeast Rice (Mycotoxins-Citrinin) from an unknown date and unknown if ongoing. Concomitant medication includes Tramadol 0.25 occasionally but quit all 3 days prior. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not diagnosed with COVID-19 prior to vaccination and not tested for COVID-19 since vaccination. The patient experienced Neurological symptoms, loss of short term memory, tremors, possible seizure, heart rate elevated upon movement, loud tinnitus, swelling inside brain frontal cortex, ears hurt, teeth hurt, brain hurts on 16Mar2021 00:45. Mycotoxin alert Citrinin - needs to check their source for the lipids to see if red yeast rice is used or any derivative. The patient visited physicians office. The treatment included Tylenol every 6 hours helped, but EEG may be order. The outcome of the event was recovering. Information on the lot/batch number was available. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1191410-1 | 3 days after the covid-19 vaccine, she had a seizure and was taken to the hospital. She was diagnosed with sepsis and died 02/22/2021. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1191637-1 | Seizure |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1191774-1 | Weakness; dizziness; cold; seizure; This is a spontaneous report from a contactable consumer reporting for himself. A 73-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in Arm Right on 22Mar2021 10:45 (Lot Number: EN6205) as single dose for COVID-19 immunisation. Medical history included Heart stent. There were no known allergies to medications, food, or other products. Concomitant medications included atorvastatin; cyanocobalamine; loratadine (LORADINE); metoprolol, all taken for an unspecified indication, start and stop date were not reported. Prior to vaccination, the patient was not diagnosed with COVID-19. The patient experienced Weakness, dizziness, cold, seizure on 22Mar2021 16:45. The events resulted in Emergency room/department or urgent care and hospitalization. The patient was hospitalized for Weakness, dizziness, cold, seizure for 2 days. Since the vaccination, the patient has been tested for COVID-19. The patient underwent lab tests and procedures which included COVID test Nasal Swab post vaccination: negative on 25Mar2021. Therapeutic measures were taken as a result of events which included Anti seizure meds. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1191782-1 | Seizure like events; Began sputtering; My shoulder and neck seized up; Eyes rolled back in her head and she had no control over it; Did not remember some of it; Confused; Unable to focus with her eyes; Extreme fatigue; Walking is unsteady; This is a spontaneous report from a contactable consumer (the patient). A 40-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number: 59267-1000-03), via an unspecified route of administration, administered in left arm on 24Mar2021 16:45 as single dose for COVID-19 immunization. Medical history included asthma, bronchitis, anxiety, allergy to Aspirin, NSAIDs, agave, soy, and dairy. The patient has no history of COVID prior vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not COVID tested post vaccination. Concomitant medications included venlafaxine and progesterone taken for an unspecified indication. On 24Mar2021, 19:30, the patient experienced seizure like events. She began sputtering, her shoulder and neck seized up, eyes rolled back in her head and she had no control over it and did not remember some of it. It happened twice in a row. She had been confused, unable to focus with her eyes, extreme fatigue, and her walking was unsteady. The adverse event resulted in Emergency room/department or urgent care. The patient received treatment for the events. The patient was requested for testing and referral for neurologist for MRI. The patient has not recovered from the events. Follow up attempts are possible. Further information is expected. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1191880-1 | seizure like violent tremors in the middle of the night.; This is a spontaneous report from a contactable consumer (patient). A 39-year-old male patient received second dose of BNT162B2 [PFIZER-BIONTECH COVID-19 VACCINE (also reported as MODERNA; pending clarification), solution for injection, lot number and expiry date were not reported], via an unspecified route of administration, administered in the left arm on 25Mar2021 13:00 (at the age of 39 years old) at a single dose for COVID-19 immunization. Medical history included COVID-19 from an unknown date and unknown if ongoing. There were no allergies to medications, food, or other products. The patient's concomitant medications were not reported. The patient previously received first dose of BNT162B2 (lot number and expiry date were not reported), via an unspecified route of administration, on an unspecified date at a single dose for COVID-19 immunization. The patient experienced seizure like violent tremors in the middle of the night on 26Mar2021 04:00. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. There were no other medications received within 2 weeks of vaccination. The outcome of the event was recovering. Information on the batch/lot number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1191910-1 | seizure; fell out of bed; bruises; This is a spontaneous report from a contactable consumer. A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date (batch/lot number was not reported) as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient who received the vaccine experienced and similar seizure same day she feel out of bed/ bruises/spent night on an unspecified date. The outcome of the events was unknown. Additional information on lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1191929-1 | severe seizure; This is a spontaneous report from a medical information team. A contactable consumer (patient mother) reported that a 37-years (severely disabled) old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), dose 1 via an unspecified route of administration on 18Mar2021 (Batch/Lot number was not reported) as single dose for covid-19 immunisation. The patient medical history and concomitant medications were not reported. Caller stated both she and her daughter received the Pfizer Covid vaccine first dose on 18Mar2021. On 20Mar2021 her daughter had a severe seizure and was hospitalized for 4 days (from 20Mar2021 to an unspecified date in Mar2021). The patient mother wants to know if it's safe for her daughter to get the second dose of the vaccine. The seriousness for the event was hospitalization and medically significant. The outcome of the event was unknown. Information on the lot/batch number has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1192544-1 | He had flu-like symptoms after receiving the vaccine on Monday 3/29. He woke up on Tuesday 3/30 with fatigue and a low-grade fever. He was scheduled for a routine doctor's appointment late Tuesday afternoon. At the doctor's office he had a seizure, which caused him to lose consciousness for 15 seconds. Upon waking, he was transferred to the Hospital. He was released later that day. On Wednesday 3/31, he experienced a headache & went to the hospital. He was admitted and stayed in the hospital for 2 nights. An MRI found micro-bleeds on his brain. He was treated with lamotrigine and sent home with a prescription for 25mg/twice daily. He has a follow up appointment with a neurologist in 3 weeks. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1192612-1 | Seizure- first in medical history 26 hours after vaccine was administered |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1192864-1 | Systemic: Seizure-Medium |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1192894-1 | Site: Pain at Injection Site-Mild, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Medium, Additional Details: Thirty minutes after shot, patient passed out and urinated on herself. Plus, had what she discribed as a seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1192904-1 | Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Mild, Additional Details: Pt felt lightheaded after receiving vaccine. Instructed to sit for a few minutes before heading to the post vaccination area. Pt fainted within 10 secs onto the immunizer (me). Asked for help to move pt to a lying down position. Upon lifting pt up, her body/arms seized up. Asked someone to call 911 and I went to grab an epipen just incase. Within 5 secs, patient woke up, so did not admin epi. Pt was alert but did not know what happened. Pt refused ambulance, left after 30 min, was feeling ok. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1192907-1 | Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Mild, Additional Details: Pt felt lightheaded upon admin and fainted on immunizer after 10 sec. Asked others to help move pt to lying position. Upon moving pt, her body/arms seized up. Instructed others to call 911. Went to grab epipen. Within 5 secs of seizing, pt woke up, so epipen was no admin. Pt was alert, but did not know what occured. After 30 min of resting, pt was ok and left pharmacy. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1194550-1 | feeling dizzy, passing out and seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1195024-1 | After sitting in waiting room at 10:00, at 10:03 a.m. began to feel strange with a sort of coldness and dizziness. Woke up on the floor with nurses around. Was told by nurses, I was convulsing and was placed on the floor by nurse. After several minutes paramedics arrived and checked all vitals and blood pressure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1195089-1 | He had his first vaccine March 19th, 2021 at 12:15, same lot as above, and 24 hours later he had difficulty breathing, shortness of breath, fatigue, shakes, chills and feeling of weakness/dizziness. It lasted a few days. Then, April 9, 2021, he received his second Covid19 Pfizer shot, same lot at 12:15 pm and the next morning, Saturday, April 10th around 9 am Ira felt the same symptoms from shot 1, but more intense. He was feeling weak, had chills, shakes, profuse sweating, difficulty breathing, shortness of breath, dizziness and vomiting. He was unable to keep water down and stayed in bed. A little after 12pm, he complained of difficulty breathing and possibly not getting enough oxygen so I grabbed my equipment (since I'm a CNA) and checked his vitals. His B/P was very high ( 166/107), no fever (96.7), pulse was normal 72, and low respiration but oxygen was above 90. He said he needed to use the bathroom, I suggested using his urinal but he said he needed to have a bowel movement. Once he was in the bathroom, I went downstairs for a glass of water and then suddenly I heard a huge thump. I ran upstairs, knocked on the bathroom-no response but I could hear noises, so I opened the door and I saw he was face down on the floor, head under the bathroom sink counter, blood everywhere, and he was convulsing. I grabbed him immediately and moved him to his side (I had my fitbit on, it said it was 12:30pm), and he kept seizing. He looked discolored almost blueish color. I held him on his side, he vomited, making noises, but unable to speak, continuing to have a seizure. Seizure lasted three minutes. At 12:33pm, once he had calmed, I ran downstairs to find my phone. I was back at his side calling 911 at 12:35. Paramedics arrived 9 minutes later and took him to the hospital. My brother picked me up and took me to the hospital. Once outside his door, I noticed he was finishing taking X-Rays when he suddenly had another seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1195720-1 | Systemic: Fainting / Unresponsive-Mild, Systemic: Seizure-Mild, Additional Details: Patient felt dizzy for 5 minutes after getting the vaccine, she got on her knees, and then passed completely out. Her body was rigid and was unresponsive for about 30 secs. The patient woke back up and thought she has urinated. We took her vitals and her BP came up 141/131 Pulse 88. The paramedics arrive ad when they took her BP it was 137/82. She refused transport to the hospital. When she left the store she was feeling normal. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1195740-1 | Systemic: Flushed / Sweating-Medium, Systemic: Seizure-Medium, Additional Details: was laid down and legs elavated once calmed down, ems were called and further treated by them |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1195823-1 | Systemic: Flushed / Sweating-Medium, Systemic: Seizure-Medium, Additional Details: was laid down, epi given by imer, legs elavated once calmed down, ems called and treated, recovered soon after |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1196758-1 | About 1.5 hours after second dose of Pfizer COVID-19 vaccine, patient was driving and experienced what she believed was a seizure. She has a past medical history of seizures, but had not had one for over 15 years after being stable on Keppra. Patient did have a minor motor vehicle accident and went to ER. At ER, she returned to baseline and it was determined it was either a seizure or syncopal episode. She was instructed to follow-up with neurology. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1197115-1 | About 2 minutes after injection, patient began complaining of being dizzy. She then lost consciousness in what appeared to be a seizure: body stiffness, eyes rolled back, shallow breathing, lock jaw. After 30 seconds, she regained consciousness and function. She was a little light-headed and nauseous. 3 minutes later she vomited and 5 minutes later EMS arrived, After the incident and prior to EMS arrival, spouse stated that the patient had a history of similar incidents with needle exposure. Patient left with husband. We have tried to get in touch with the patient for follow-up and she has yet to return our calls. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1198417-1 | I immediately past out twice and was told I had two minor seizures. I declined ambulance and have felt dizzy spells since. I have appointments to get checked out. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1198515-1 | patient was post pfizer covid vaccination about 5 minutes seated in chair. fainted and appeared to have a seizure of around 1 min. his mother and I were trying to revive/wake pt during this time. called 911. pt was disoriented upon awakening and vomited about 5 times. emt arrived in about 7 mins. pt left in ambulance. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1199824-1 | Body aches, fainted followed by a Seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1200007-1 | Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Flushed / Sweating-Mild, Systemic: Seizure-Mild |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1200530-1 | Systemic: Fainting / Unresponsive-Mild, Systemic: Seizure-Mild, Additional Details: Pateint fainted after getting her first dose of the vaccine. Patient fainted while sitting in the chair, the immunizer led her down to the floor. Patient was alert in 20 seconds of fainting, she was not aware of what had happend. Patient was asked if she was having difficulty breathing. Patient was having hard time resposing, epinephrin was adminstered and 911 was called at 11:29am. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1201302-1 | seizure one week after second dose |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1202024-1 | seizure like episode ER visit following up with neurology may have been febrile seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1202360-1 | Patient had a seizure on the day of the Pfizer vaccine as well as arm & leg pain due to fall |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1202543-1 | Pt fell and hit his head, An eyewitness said pt was having a seizure, but pt said he does not have seizure disorder. Ambulance was called. Pt was alert and oriented. Patients dad was going to take him to the hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1202567-1 | Patient was intially responsive.. After waiting approximately 5 minutes patient informed staff at pharmacy that she felt like she was going to have a seizure. Patient moved to floor from chair. Was conscious for about 5 more minutes. Lost consciousness during seizure (approximately 2-3 minutes). Emergency medical personnel was called at that time. Patient regained consciousness and went with EMS to hospital for further testing. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1203461-1 | I got the Covid 19 Vaccine Pfizer at the pharmacy. After I got the Vaccine I was waiting in the waiting room for 15 minutes but before my time was up and it was my time to leave I felt really dizzy & light headed as I was sitting down on a chair. Then I just felt some one tell me to wake up because I had fainted, fell face down to the floor & convulsed for 5 seconds. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1203537-1 | "Patient was with Medical Examiner. She was reviewing his allergies (PCN, bee stings) and discussed with patient need to wait 30 minutes after vaccine for observation. She then gave him pfizer vaccine. Within 1 minute of giving vaccine, patient began to have seizure. He was assisted to ground by MD and RNs at vaccination site. He was assessed and assisted to remain safe throughout seizure, 911 called and arrived on scene. Meanwhile, caregiver with patient stated seizures are ""normal"" for him and he has 4-5 a day. She reported that in line he was not feeling well and had precursors to seizure. Patient had reported to MD that he felt fine today and did not report seizure history to her previous to giving vaccine. It was also later reported that he had a seizure the night before as well. IVF were started by RN's. When emergency services arrived, patient was recovering and refusing to go to ER - against medical advice. He was assisted back into wheelchair by emergency services personnel. Patient was alert, and oriented and able to make decision not to go to emergency room. Patient left facility with caregiver in private vehicle. Patient was instructed to contact his primary care physician and let them know what happened and ask if 2nd dose of pfizer is appropriate for him. Patient was also instructed if MD wants him to get 2nd dose to go to a more controlled setting then Mass vaccination site." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1203594-1 | Patient fainted and fell to the floor within 15 minutes of vaccination. He was observed to have seizure-like activity for approximately 20 seconds. Patient was transported to ER by EMS. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1203926-1 | Patient fainted and exhibited seizure-like activity within 15 minutes of vaccination. Patient was transported to ER by EMS. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1203939-1 | NA Septic shock Aspiration pneumonia Acute encephalopathy Pancytopenia Seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1204010-1 | hives, seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1204620-1 | Seizure lasting 2 minutes. Taken to er. Hospitalized for 3 days and all tests negative. Started on anticonvulsants |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1205170-1 | increased seizure activity; I had the normal yet severe side effects of sore arm & neck; I had the normal yet severe side effects of sore arm & neck; stiffness behind the ear, stiffness of the neck; stiffness of the neck and injection site arm; fatigue; fever; headache; sore throat; chills; I started suffering from tinnitus; dizziness; nausea; confusion; This is a spontaneous report from a contactable consumer (patient). A 36-year-old female patient received the second dose of BNT162B2 (Lot Number: EN6208) via an unspecified route of administration, administered in left arm on 21Mar2021 14:45 (at the age of 36-year-old) as single dose for COVID-19 immunization. Medical history included epilepsy and asthma. The patient is not pregnant. Concomitant medication included levetiracetam. No other vaccine in four weeks. The patient previously received the first dose of BNT162B2 (Lot Number: EN6203) administered in left arm on 28Feb2021 14:30 (at the age of 36-year-old) as single dose for COVID-19 immunization. The patient had the normal yet severe side effects of sore arm & neck, stiffness behind the ear, stiffness of the neck and injection site arm, fatigue, fever, headache, sore throat, chills, for the first few days her 2nd dose. But on day 2, she started suffering from tinnitus, dizziness, nausea, confusion in both ears and increased seizure activity. The events started about 2 days after the second shot on 23Mar2021 12:00 PM; its been a week now and it still hasn't gotten better or gone away. She had an appointment with her pcp tomorrow but so far nothing has helped. Its debilitating and extremely hard to focus & function. She mainly just wanted to know if any other vaccine trial participant/recipients have reported anything similar & if so, how long can she expect this to last. The adverse events resulted in Doctor or other healthcare professional office/clinic visit. It was unknown if treatment was received for the events. No COVID prior vaccination. No COVID tested post vaccination. The outcome of the events was not recovered. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1205238-1 | Seizures; dazelike stance for many days; forgetfulness; Feeling like sleepwalking; Memory loss; This is a spontaneous report received from a contactable consumer (patient) . A adult no pregnant female patient received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration, administered in Arm Left on 21Mar2021 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation . The patient medical history was not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID The patient's concomitant medications were not reported. On 21Mar2021 the patient experienced seizures, dazelike stance for many days, forgetfulness, feeling like sleepwalking and memory loss The adverse events resulted_in: Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care.No treatment received for the events.The outcome of the events was not recovered. Since the vaccination, the patient has not been tested for COVID-19 Information about the lot/batch number has been requested. Follow-up attempts are completed. No further information is expected. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1205449-1 | Nurse reported to myself and Regional lead that patient had a seizure at 1617 that lasted 90-120 seconds. Patient was lethargic but A&O x 4. Patient's mother reported hx of epilepsy. Vitals were stable at this time. 121/77, 68, 98.8, 100%, 16. Patient and mother present denied need for EMS to come out. No further reactions were noted at this time. Patient left in passenger seat with mother driving. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1205525-1 | Patient walked to waiting area and when he sat down he fainted, hit his head, and started having seizure-like activity (jerky, twitchy). Patient was down about 15 seconds and when he sat back down his blood pressure was 74/48 and his vision was black. Called EMT, patient refused to go with EMT, because he felt better after 30 minutes of sitting |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1206068-1 | Was not instructed to wait after shot so I went to my car. Drove for a couple of hours. Got out of car, walked forward and passed out with a seizure then throwing up when I came to. Received concussion. Taken to ER and admitted for 5 days. Still experiencing vertigo and nausea |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1206216-1 | Client had seizure activity approx. 10 mins after receiving vaccine. He was sitting on chair in observation area then fell to the left, hitting his head on the ground. He then proceeded to have what looked to be seizure activity, jerking movements of arms and legs. 911 was called by lead RN. Client regained consciousness approx. 10-15 seconds later. V/S taken @ 12:07pm: BP 133/72, HR 118, O2: 88, RR 22, AOx3 Client appeared diaphoretic, pallor to face, slurred speech. Denied hx of seizures. V/S taken @ 12:18pm: BP 133/71, HR 118, O2 88, RR 22, AOx3. Reported hx of asthma and uses an inhaler. Reported smoking marijuana prior to receiving vaccine. At 12:20 EMS arrived and assumed care of client. Was transported to hospital |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1206243-1 | Syncopal episode followed by 15 seconds of seizure activity. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1206363-1 | Within a few seconds of receiving vaccine, patient had a seizure last approx 10 sec. Code blue called, transferred to ED for evaluation. Stable and discharged home following event. Mom later reported previous hx of seizure following vaccination. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1206968-1 | Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Mild, Systemic: Shakiness-Mild, Additional Details: patient passed out and fell over and hit the floor face forward. bruised face and chipped tooth.911 was called and patient was taken to er. Not sure on final outcome. Called husband to check on patient and have not received a call back. will call again. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1208536-1 | had a seizure shortly after receiving his first dose of Pfizer Covid 19 vaccine. After EMS arrived they performed a fingerstick to check blood sugar and he had another seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1209268-1 | Collapsing or losing consciousness & Seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1209977-1 | Client experienced seizure-like activity immediately following receipt of the first dose of Pfizer vaccine. Client reaction lasted for approximately 45 seconds while inside of the vehicle. Vehicle was in park during the reaction. Client regained consciousness and was then moved from the vehicle onto a stretcher by EMS team. EMS team provided treatment onsite including starting an IV, checking blood sugar, and checking vital signs. Blood sugar was 103 and BP 92/53. Client was transported to Hospital by EMS. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1210025-1 | "Patient arrived with mom for Covid vaccine at 12:48 pm. Mom reports a history of fainting so nurse decided to administer vaccine with client lying down. Vaccine was administered and client immediately stiffened arms and appeared to seize while her eyes rolled back. Nurse reported she turned the client onto her side and she ""came to within 20-30 seconds."" She reported blurry vision but could read when asked to do so. She quickly became alert and oriented. Her mother reported that she had a previous episode one time in the past year with painful menses. Her vitals remained stable but each time she attempted to stand up, she reported feeling ""sick."" She developed a headache within minutes of the vaccine and took 2 Tylenol while still there. Client left with parent to follow up at hospital." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1210069-1 | Patient has a history of epilepsy. She has not had a seizure since age 13 and is not currently medicated. She received her first dose of Pfizer Covid 19 vaccine into her LEFT DELTOID on 4/5/21 at 8:40 am. Patient left a message on voicemail on 4/11/21 reporting a seizure on 4/10/21 and COVID 19 symptoms (fever, chills, body aches, etc.) The seizure was minimal compared her prior seizure history (she did not lose consciousness and did not require medical intervention). Patient wanted us to be aware of this issue and see if we recommended proceeding with her second Pfizer Covid 19 shot when due. I spoke to the patient and she told me she had had Covid 19 in February 2020. We have seen clinical reports of more pronounced reactions to 1st dose vaccines in patients who had the Covid 19 virus and explained that to the patient. I spoke to the patient on 4/14/21 and she was feeling much better. I recommended to patient that she delay getting her second dose indefinitely. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1210338-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1210580-1 | Seizure for about 1 minute - convulsing. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1210773-1 | 5 minutes after getting the shot I fainted / had a seizure. I heard from people around me that my face had turned pale and that my hands were cramping up. I woke up not knowing what had happened, or where I was for a good 30 seconds. They had to call an ambulance and take me to the hospital to get checked on. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1211087-1 | Patient began seizing after several hours of fever of >100 degrees F, post-vaccination. He was transported by ambulance from his home to the Emergency Department where he experienced another seizure. Patient was hospitalized overnight and discharged with medication for control of seizures. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1211245-1 | "The E.M.T's said my wife was having a ""mini stroke"" but cat scan was negative so it must have been a seizure. My wife is now home recovering. She is still experiencing headaches and is lethargic" |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1211330-1 | Patient was seen at Hospital for seizure, fall and head injury. Subsequent workup following transfer to another hospital revealed L frontal lobe parenchymal hematoma with overlying subarachnoid hemorrhage, no underlying aneurysm or vascular malformation. He had MRI with and without contrast revealing partial occlusion and thrombus of the superior sagittal sinus with adjacent hemorrhage and edema. Treated with heparin, transitioned to coumadin. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1212234-1 | 5:30AM 3/6/21 STARTED WITH NAUSEA, VOMITING AND HEADACHE DYSPNEA -- STOPPED AT DUNKIN DONUTS AND DRANK COFFEE WITHOUT IMPROVEMENT. SHE PULLED OVER AND CALLED 911 AND REPORTS PASSING OUT IN THE CAR. EMS ARRIVED AND HAD TO BREAK THE WINDOW TO EXTRACT HER. MEDICAL CENTER EMERGENCY ROOM. SHE HAD TWO WITNESSED SEIZURES WHILE IN THE EMERGENCY AND WAS ADMITTED AND DISCHARGED ON 3/8/2021. WEAKNESS AND SEIZURE WAS HER DIAGNOSIS UPON DISCHARGE. NEUROLOGIST FOLLOW UP WAS YESTERDAY AND SHE IS BEING RX LAMICTAL. EEG SCHEDULED 5/11/21. HISTORY OF SEIZURE TWO YEARS AGO. HER NEUROLOGIST SAID THAT THE VACCINE COULDVE PROMPTED PRE EXISTING CONDITION. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1212935-1 | The patient is a poor historian and history is obtained from him and his partner. His symptoms have started yesterday after receiving the second dose of a Covid vaccine. The couple went to eat a meal of Chinese food, and that evening the patient developed persistent nausea and vomiting. He had multiple episodes of emesis. According to his partner, he continued to have episodes of emesis this morning. The emesis was nonbilious and nonbloody, described as watery. The patient says he woke up this morning and may have felt some palpitations. He thinks the palpitations may have been worse than usual. He says he generally just felt unwell. He could not get out of bed and move around very much due to the nausea and vomiting. He says that for this reason, he activated EMS who brought him to the hospital. Regarding his atrial fibrillation, he says he is mostly compliant with taking his medications, however he did not take any of his home medications today.In the ER, he was hypertensive to 141/111 and tachycardic to 141, tachypneic to 23. His heart rate went up to the 170s and he was given multiple doses of IV metoprolol. On labs, he had a leukocytosis with a white blood count of 12 and the D-dimer was elevated greater than 20. CTA was obtained to rule out pulmonary embolism which was negative. However, down in the scanner he developed an episode of unresponsiveness with questionable seizure symptoms. He was treated with an LR bolus 500 cc but due to the findings of increased pulmonary vascular congestion, was diuresed with Lasix 80 mg IV x1. Blood cultures x2 were obtained. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1213342-1 | Parent reports seizure on 4/8 at 4:15 an child transported to Hospital. Sent home with ibuprofen. 4/9 at 10:30 PM seizure taken to Hospital. Sent home at 2:00AM with script of Kefir. 4/10 3 seizures back to back went back to Hospital. EEG done and told the are not epileptic seizures may be stress induced . Sent home on 4/11 with appt set up to see neurologist June 28. 4/12 had more seizure went to Med Cent then transferred to Hospital. Stay there and was released on the 13th told seizure could be cause by Migrain and IUD or homones Sent home on reglin and ibuprofen. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1213381-1 | After receiving first Pfizer vaccine, patient had a vasovagal episode. Patient states he became dizzy, lightheaded, and became diaphoretic prior to syncope. There were some mild seizure-type activity after the syncope. Patient was transferred to the ED In the ED, patient experienced no further episodes of seizure activities. Patient was evaluated, observed, and later discharged with PCP and neurology referral. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1213945-1 | Systemic: Seizure-Severe, Additional Details: pt had seizure approximately 5 minutes after receiving vaccination,was sitting in waiting are,stood up,passed out,hit head,then seized.was short.called 911.pt apparently has history of seizures with vaccination.was cleared by ems. worker called pt at 6 pm and pt was fine.. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1214206-1 | Seizure. Lasted approximately 5 minutes. Outcome was positive and no lingering effects. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1214500-1 | Patient at 27 weeks of pregnancy, reported to midwife at regular visit on 4/14/21 that she was experiencing SOB but all blood work normal - assumed normal SOB with pregnancy. Night/morning of 4/15 started seizures, transported to ED. Diagnosed with massive pulmonary embolism. Emergency C-section prerformed by Dr. Pt. did not survive. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1214636-1 | Patient experienced a seizure within 2 minutes of receiving vaccine. seizure lasted approximately 30 seconds. patient recovered and then experienced another brief seizure approximately 5 minutes later. This lasted about another 30 seconds. Seizures displayed muscle rigidity, slight shaking, and dilated pupils. patient became pale and unconscious during these seizures. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1214872-1 | During 15 minute waiting period, I started having increased heartbeat and overwhelming nausea. I reported it to the nurse, she took my vitals and my heartbeat was 140-150. My O2 levels were fine and my lungs were clear. Approximately 15 -20 min post vaccine I started having seizures.( I have no history of seizures) I was given Epinephrine, benadryl to calm my body down. It did not change any of my symptoms. I had approx. 5 seizures in the facility before they called the ambulance. I had 3-4 on way to hospital and more once I arrived. I was given ativan to help me relieve the symptoms. I was given a CAT scan and there were no issues as per doctor. I did not have any more seizures and I was sent home. The next morning I had a doctors appointment and started having seizures again. I had about 4 at home, ambulance was called and had more seizures throughout the day. I was admitted to hospital since my seizures were not stopping. I was given another CAT scan and MRI and nothing was was found in either test. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1215460-1 | PT APPEARED TO BE HAVING A SEIZURE THE PHARMACIST WAS PREPARING THE EPI-PEN WHEN THE PATIENT CAME AROUND. THE PARAMEDICS WERE CALLED. WHEN THE PARAMEDICS ARRIVED PT WAS ORIENTED AS TO TIME AND PLACE WHILE PARAMEDICS WERE TALKING TO THE PATIENT HE AGAIN APPEARED TO HAVE ANOTHER EPISODE. AT THAT TIME THE DECISION WAS MADE TO TAKE THE PATIENT TO EMERGENCY DEPARTMENT |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1215581-1 | "At 2:43pm patient received the vaccine in her arm. At 2:50pm my pharmacy technician witnessed the patient standing up from her chair and walk up to the pharmacy counter then faint into the pharmacy immunization booth. My technician states the patient did not hit her head on a wall. At 2:51pm my pharmacy technician brought the incident to my attention and we both ran to the patient to address the situation. The patient was unresponsive, so I ran and dial 911 then instructed my tech to take the phone. I then ran back to the patient and patted her back, said her name and asked her if she could hear me. It was at that moment the patient's eyes flickered and the patient had what looked to me like a 10 second seizure in the chair inside the pharmacy booth. Once the patient was done what I could only identify as seizing, she came to and I asked her if she new her name and where she was. The patient answered correctly and then asked me ""Have you had anyone with a reaction like this before?"". I answered that I have not personally witnessed a reaction like this before. My technician had 911 still on the phone and they instructed her to stand out front of the store to await the ambulance. A first responding officer came in and asked about the witnesses to the incident then took over for caring for the patient." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1216032-1 | Patient received 1st Covid-19 Pfiser Vaccine shot on Thursday February 11, 2021. Patient received the 2nd Covid-19 Pfiser Vaccine on Thursday, March 4, 2021. 7 days after second vaccine shot on Thursday, March 11, 2021, patient showed some symptoms of a itchy-horsed throat & a slight dry cough. Called doctors - they said nothing to worry about, drink hot fluids and take couch drops. It went away in 2-3 days. Exactly 4 weeks after second Covid-19 Pfiser vaccine on Thursday, April 1st 2021, patient was sent to the ER for a seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1216075-1 | Patient reported feeling dizzy after vaccination during observation period. Patient was placed in wheelchair and brought to a private observation area. During transport, patient seized and had syncopal episode in wheelchair twice. EMS was notified and arrived within one minute. Vitals were taken and patient regained consciousness. Initial blood pressure in supine potion was 92/62 with a heart rate of 58. Patient was alert and oriented times three, stable. Orthostatic blood pressure was taken. Patient was diaphoretic. Patient's wife was in tent with patient. Patient's blood pressure on recheck was 122/73, 132/78 with heart rate 75, 76. Patient agreed to have wife drive patient home. Patient to follow up with PCM if patient has recurring symptoms. ER precautions given. Patient agreed with plan. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1216226-1 | Patient experienced a seizure approximately 3 minutes after vaccination. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1216541-1 | Had approx 10-15 min convulsive seizure Went to ER, no treatment given Followed up with neurologist who increased Zonegran to 500 mg |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1217877-1 | APPROXIMATELY 12 MINUTES AFTER THE VACCINE WAS GIVEN THE PATIENT STARTED TO COMPLAIN OF FEELING LIGHTHEADED AND HAVING BLURRED VISION ALSO ASSOCIATED NAUSEA. SHE WAS BROUGHT BACK TO A STRETCHER AND VITALS WERE TAKEN AND STABLE. SHE SUBSEQUENTLY STARTED TO HAVE SOME DRY HEAVES AND FEELING OF ITCHING IN THROAT WITH PROGRESSION OF HER SYMPTOMS. HER PULSE OX WAS 93-98%, bp 110/82 AND HR 67. iT WAS DECIDED TO ADMINISTER AN EPIPEN AND SHE HAD AN INCREASE OF HR TO 102; AT THIS POINT EMS WAS CALLED. SHE DID START TO DEVELOP THROAT TIGHTNESS, ITCHING, AND COUGH AT WHICH TIME OXYGEN WAS ADMINISTERED. SHE WAS TRANSFERRED TO ER AT THE MEDICAL CENTER FOR FURTHER EVALUATION. REPORT FROM ER NOTES SHE DID HAVE SEIZURE WHILE ENROUTE WHICH WAS TREATED. THE PATIENT WAS KNOWN TO HAVE UNDERLYING SEIZURE DISORDER. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1218063-1 | "Pt sister reported that: Pt. after receiving the first dose had a severe allergic reaction within minutes of being vaccinated and required an ambulance and was transported to Hospital ED and then discharged. Them her sister said she was taken later to another hospital where she was admitted to the ICU. She said her sister was later discharged but is ""still having seizures"". Note: our clinic staff that observe patients with no allergy history for the minimum recommended time of 15 minutes post vaccination do not have any recollection of an allergic reaction or an ambulance coming to clinic to transport this patient." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1218777-1 | received her 2nd dose of Pfizer on 4/8@8:32am, was given discharge information, education and directed to our monitoring area. About 8:40am the clinic RN, went to assess the patient as she began to feel nauseated, began dry heaving without vomiting, had generalized redness, then complained of feeling light headed. She passed out so the RN eased her to the floor. A Rapid Response(RR) was called and the patient was moved to the stretcher. VS were taken and at about 8:50am the RR team arrived and assumed care. Once they arrived the patient began to seize. She was taken to the ER where she had another seizure. She remained in a post-ictal state for most of her stay at our facility. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1219279-1 | Pt lost consciousness in waiting room unwitnessed by staff. Transferred to the ED. Seizure activity noted. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1219374-1 | After vaccine I had a sore arm and on 3/17 I ended up in the ER because I had a seizure. Both me and my wife had the same reaction, a month ago both have had seizures and have never had seizures in our lives. We've seen the neurosurgeon and neurologist . I am on seizure medication now, Keppra 500mg bid. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1219443-1 | After vaccine it was almost a month later, the bed was shaking and she was having a seizure. I tried to get her back on target and called the ambulance. In the ER she started having a seizure again and I called the ER doctor. He said if that's what happened earlier and said its definitely a seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1220094-1 | patient sitting in post-vaccination area has a witnessed seizure at 1525, patient had twitching, LOC and eye rolling. EMT and RN were there and observed. Patient returned to consciousness, and moved behind curtin. Patient had another witnessed seizure @ 1532 lasting 10 seconds, with LOC, twitching, eyerolling and vomiting. Patient came to and placed on floor, alert and awake, able to answer questions but feeling foggy. EMS was called during 1st seizure. EMS arrived and took patient to hospital @ 1558. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1220206-1 | "Patient was sitting upright in chair looking down at phone. Had a syncopal episode, fell to floor, had seizure activity that lasted 5-10 secs. Patient awakened on his own, confused. Tried to get off of floor. Asked to stay on right side of floor. Vitals obtained. A/Ox2. Patient diaphoretic, pale, with shivering. Abrasions to right side of forehead and right posterior shoulder. BP 89/56, HR 56, O2 99% at 1257. Patient able to go from sitting to standing position to be sat in chair. Father notified of events. Father wanted patient to stay here at site for one hour. Within 5 mins of sitting in chair, patient became diaphoretic and pale again with focal stare. Per patient, ""I can't hear or see you at the moment."" EMS activated. BP obtained again, 78/52, HR 63, O2 at 99%. EMS arrived and assessed patient. Decided to take to Hospital. Father called and notified. Father will meet son at emergency dept." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1220212-1 | Patient was seizing while in wheelchair 10 min after receiving her covid vaccination. Moved to medical tent, Seized for ~ 1.5 min. follwed by 2 30 seccond seizures following initial . Post ictal after seizures but airway maintained. no other clinical complications noted. pulse and BP was normal. 911 contacted transferred to Medical Center. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1220406-1 | Patient had a dizzy spell, fainted twice for about 15 seconds each. appeared to have seizure like activity. Called 911 for furthur assistance. Patient was pale and cyanotic, became alert by the time paramedics got to the site. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1220415-1 | "Within an hour of receiving the vaccine, I began to feel ""odd"" (i.e heart racing, spine tingling, strange sensations in my hands, and dizziness). At the hour mark, while trying to ""walk it off"" inside my backyard, things escalated quickly. As I came back inside, I suddenly collapsed and and lost consciousness. Luckily my best friend was with me and she described my behavior as a full on seizure (which I am not predisposed to). According to her, I was flopping around, spitting wildly and drooling all over my face, my eyes wide and glazed staring into nothing, lips turning blue. She immediately called 911 and within 5-10 minutes, two EMT's arrived and began to speak to me and take my vitals. For a good 15 minutes I couldn't sit up and had to lay on the ground, still extremely out of it - unable to think, merely in extreme discomfort similar to the most intense flu I've ever experienced. After a half hour or so, I sat up and was able to thank them for helping me and answer some of their questions. Over another 15 or so minutes they said all my vitals were perfect and they were not worried about me - sure I'd make a full recovery, which I hope I did. I am feeling MUCH better today. The reason I felt it so important to submit this report is because I had never heard of anyone experiencing side-effects that severe. Of course I had heard it could wipe you out, give you chills, aches, and exhaustion - but I had never heard that it could lead to a seizure so scary that my best friend thought I might be dying. I truly don't know what might have happened without her. People should know to have someone at home with them after the second dose. I am not over-exaggerating about my symptoms whatsoever. My body still hurts all over and I feel as if I went through some type of gauntlet yesterday. I absolutely do NOT want to discourage anyone from getting the vaccine, but I wish I had some notion that something so severe could happen to me." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1220454-1 | This patient had received vaccination and was scheduling next appt in observation area. Medical alert called overhead. RN responded to alert. Pt conscious, but per RN, in observation area, she stated he had a loss of consciousness and although she tried to break his fall, he did hit his head on the wall. Pt was sitting in chair, vitals attempted to be assessed, no reading, but patient alert. Before vitals were repeated,16:18 pt eyes drifted left and closing, another loss of consciousness, followed by convulsions and gasping sounds from the throat. Pt convulsed and left leg /foot turned inward torsion. Pt was removed from chair by 3 RN's to floor safely. approximately 15-30seconds of convulsion. pt regained consciousness AOX4. Pt remained laying, head propped on cushion. vitals taken 16:24 BP 108/69 86bpm, 100%O2Sat. MD assessed and pt stable. MD provided recommendation for pt to be evaluated at ED for further evaluation due to the convulsions. Pt accompanied by friend, friend agreed to drive pt to ED. Blood Glucose 90, which was taken at 1630. Wheelchair was provided for patient, RN rolled pt out to car and friend designated driver. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1220589-1 | Patient was in 15 min waiting area after her vaccination. She suddenly fell to the floor and began convulsing. 911 was called. Clinic staff provided comfort , basic assessment with vital signs (110/58, 80, 100%RA), and oxygen on standby. Staff agreed convulsions lasted for about 1 minute. Pt began to awake, then promptly vomited clear watery fluid. Staff continued to provide comfort and awaited 1st responders-arrived after about 6min. Pt gradually awoke and was awake alert (AxOx4) by the time the first responders took over care and were interviewing her. Secondary transport (AMR) was called and showed up shortly after, pt was transported to ED for further w/u. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1220657-1 | <10 minutes after vaccination, patient had syncope episode, fall broken by another person, slight bump to head. Patient became conscious, was seated on a chair, and then had second syncope episode followed with convulsions. Stabilized patient. Vitals monitored, assessed by MD and released with referral to PCP. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1221459-1 | "he evening of 3-4-21 when I got home from work, I ate dinner, then started shivering badly with temp of 100.5. The shivering quickly changed to more of a convulsing and temp got up to 104.7F. When I woke the next morning, temp was back down to 101-102F and most of shakes were subsiding. But I noticed that I had a deep, cutaneous pain reaction from head to toe when I awoke on 3-5-21. I could not brush my hair because my scalp was too tender. I couldn't let anything touch me and put pressure against any part of my body. Then at 3:30 that afternoon, I went to bathroom and had a bowel movement. It was so excruciating that I truly though my colon might have come partially out. I was in too much pain to flush, so I crawled across the house to my bed and laid on my side for an hour, crying. When I was finally able to go back to the bathroom to flush, I was expecting a large BM. It was not. It was about 2"" x 1"" and soft. There was no blood. It just felt like it tore me up. ****Then at 7:30 PM on 3-5-21 was when things got very serious. I was sitting down watching TV after a light meal. Suddenly, I started noticing discomfort deep in my upper back, between my shoulder blades. Within 5 minutes, it was at its worst....I was have rated it 11/10 pain. The pain was just very deep, behind the spine, about palm sized radius and unrelenting. My first thought was ""maybe this is musculoskeletal since I've been in bed a lot because of the pain today."" So I looked in my medicine cabinet for what I had and took 5 mg of Oxycodone and 10 mg of Cyclobenzaprine. An hour later, these meds hadn't touched it. I was beginning to really worry about an MI, or aortic dissection or pulmonary embolism (though I had no SOB). Lying flat on my back on a hard surface seemed to provide the only relief (though minimal relief, 9/10 pain). I called another provider who was on call and told her. She said that I could try taking 800 mg of Ibuprofen, but if I wasn't relieved in 1 hour, I needed to call 911 or have someone take me to the ER. I was asleep in an hour. I took it easy the next two days but started feeling back to normal during the days. I continued to sweat throughout the nights and skin pain continued so much that I had to cut some of my hair out. That following Tuesday, the deep upper back pain returned." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1222204-1 | Systemic: Dizziness / Lightheadness-Mild, Systemic: Seizure-Mild, Additional Details: patient had a history of seizure not related to vaccination. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1222208-1 | Seizure lasting ~ 2minutes, patient incontinent of urine. Patient transported to ER via ambulance for treatment and observation. Patient post-ictal for several hours prior to discharge. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1222446-1 | Syncope, collapse, seizure, amnesia, brain fog, migraine, nausea, vomiting, double vision; all ongoing since time of second dose administration |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1222520-1 | PT SUFFERED APPROXIMATELY 4 SEIZURES, 1 IN LINE TO VACCINE CLINIC AND 3 IN OBSERVATION POST VACCINATION. SEIZURES WERE MILD LASTING NO MORE THAN ONE MINUTE EACH. PT CAREGIVER ADAMANT THAT SEIZURES WERE WITHIN SPECTRUM OF NORMAL FOR PATIENT. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1223552-1 | I had two seizures one on Thursday night and one on Friday night. It is very unusual for me to have two episodes back to back like that without there being a trigger. I did not experience any of my normal triggers for it. I was taking my medicine on time and going to sleep at a decent hour (those are my biggest triggers) I will send in another report if I have one again tonight. (mine are only at night) I will be going to see my doctor on Monday since they are not open on the weekend. There is not really any treatment to prevent this. Please do some research on the effects |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1223670-1 | pt was getting his first covid vaccine with his mom. pt was vaccinated first then mom was vaccinated. After mom was vaccinated I had my bad to the patient and his mom throwing away supplies, Pt passed out and was not responsive to mom or to myself the pharmacist. I thought the patient needed an EpiPen and went to get the EpiPen out of the pharmacy and while my back was turned mom stated that the patient convulsed a few times. By the time I returned with the EpiPen pt was not convulsing and had passed out and started to recover and become responsive. Pt was pale but was aware of his name, birthday, date, and current president. A tech called EMS. Pt was talking when EMS arrived and color had started to return to normal. pt was able to walk out to the ambalance to be checked out. Mom stated she wanted to take pt to ER for more evaluation. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1224348-1 | Seizures; This is a spontaneous report from a contactable consumer (patient's mother). A 27-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number and expiration date were not reported) as a single dose, with route of administration and therapy dates unspecified, for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. On an unspecified date, the patient had seizures. The patient's mother was worried that patient might develop fever; and was asking how soon after the vaccination could she give paracetamol (TYLENOL). The outcome of the event, seizures, was unknown. Follow-up attempts are completed. No further information is expected. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | seizures; muscle fatigue; hives; rash from head to toe; sore muscles; wrap around headache; This is a spontaneous report received from a contactable healthcare professional (patient herself). A 66 -year-old female patient received her second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 26Mar2021 (Batch/Lot Number: EN6208; Expiration Date: 30Jun2021) as a single dose for COVID-19 immunisation. She provided a brief history from 2017. She was walking her dog and she fell and suffered a concussion, she had a seizure, then she developed bipolar disorder. She's been taking sodium valproate (DEPAKOTE) for her seizures since 2017. She reports she's very active. She's not an old lady. She can run circles around some 22 year old's. In September of 2017, she had a concussion and had seizures. She's been on sodium valproate (DEPAKOTE) since that time. She's not mentally ill, the concussion she got in 2017 caused her brain to turn bipolar. It's hard for people to understand that. Sodium valproate (DEPAKOTE) was 500mg. She takes 1 tablet in the morning and 2 tablets at night because it can make you sleepy. She reports she was recently hospitalized in Feb2021 for atrial fibrillation with rapid ventricular rate (RVR). Her heartrate was 181 beats per minute, her blood pressure was dropping, she tested positive for rhinovirus and the doctor thinks the atrial fibrillation with RVR was caused from the rhinovirus. She was allergic to bee venom and carries an EPI PEN. Medical history also included ongoing high blood pressure from an unspecified date (controlled with medication). Concomitant medications included ongoing metoprolol tartrate (LOPRESSOR) taken for blood pressure; ongoing lisinopril; ongoing valproate semisodium (DEPAKOTE) taken for seizure from 2017; ongoing hydrochlorothiazide, lisinopril (LISINOPRIL HCTZ) taken for blood pressure; paracetamol (TYLENOL) from an unspecified date in 2021. The patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 05Mar2021 (Batch/Lot Number: EM9810; Expiration Date: 30Jun2021). The patient did not receive any recent vaccines for any other conditions or any recent vaccines for any other conditions prior to the event being reported; or any other vaccines around the time of Pfizer-BioNTech COVID-19 Vaccine vaccination. The patient reported that with the second Covid 19 vaccine she had two seizures on 27Mar2021. The seizures were back to back. The seizures resolved within 2 minutes. She had fatigue from an unspecified date, sore muscles and a wrap around headache on 26Mar2021. The wrap around headache felt like she was going to have a stroke even though her blood pressure was fine. She monitored her blood pressure at her home. She feels it's weird that they publish that the second Covid 19 vaccine is going to be worse. She thought she'd have muscle soreness and fatigue but not seizures. She looked it up and the wrap around headache and seizure are the rarest things that can happen after receiving the Covid 19 vaccine. She stayed in bed from Friday afternoon after she received the second Covid 19 vaccine on 26Mar2021 and started to feel better Sunday afternoon, 28Mar2021. Her blood pressure and pulse were both fine with her wrap around headache. She had fatigue with both Covid 19 vaccines. She also developed hives, which she still has. She has a rash from her head to her toes. It looked like she rolled around in an ant bed. The hives were clearing up. She was using an anti-itch cream. The hives and the rash started midday on Saturday, 27Mar2021. She only has around 5 hives now on her chest. She hasn't taken Benadryl. She doesn't like to take it. Her doctor didn't want her to open the hives and cause impetigo. She never had any soreness in her arm. She doesn't think the headache was serious because she had a blood pressure cuff at home. She just knew the hives and the rash were a reaction to the Covid 19 vaccine. She didn't go to the hospital for her seizures. She was not seen in the Emergency Department, hospitalized, or admitted to an Intensive Care Unit. She tries to do holistic medicines and treatments. She doesn't run to the hospital every time something happens. She tries to stay out of the hospital. She's fine now and she loves Pfizer. If she can get a medicine she needs that Pfizer makes she tries to get it. She tries to see every side of things. Outcome of seizures was recovered on 27Mar2021 and sore muscles was recovered on 28Mar2021; of remaining events was recovering. Follow-up attempts are completed. No further information is expected.; Sender's Comments: A causal association between BNT162B2 and seizure cannot be excluded based on a compatible temporal relation. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | **1224537-1** | |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1224541-1 | fatigue; felt like she was going to have a stroke; hives; two seizures; rash from head to toe; wrap around headache; sore muscles; This is a spontaneous report from a contactable other healthcare professional (patient). A 66-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot number: EN6208), via an unspecified route of administration on an unspecified date at single dose for COVID-19 immunisation. The patient's medical history included seizure, high blood pressure, and atrial fibrillation with rapid ventricular response on 03Feb2021, all ongoing. The patient's concomitant medications included metoprolol tartrate (LOPRESSOR) taken for blood pressure measurement, lisinopril taken for an unspecified indication, valproate semisodium (DEPAKOTE) taken for seizure from 2017 to an unspecified stop date, and hydrochlorothiazide, lisinopril (LISINOPRIL HCTZ) taken for an unspecified indication. The patient experienced two seizures on 27Mar2021. Patient felt like she was going to have a stroke on an unspecified date. The patient experienced hives on 27Mar2021, fatigue on an unspecified date, rash from head to toe on 27Mar2021, wrap around headache on 26Mar2021, and sore muscles on 26Mar2021. The outcome of the events wrap around headache and sore muscles was recovered on 28Mar2021, for hives and rash from head to toe was recovering, and the outcome of the rest of the events was unknown. Events relatedness was reported as related.; Sender's Comments: Other than a close temporal association, there was no other evidence or argument in support to causality for BNT162B2 in the serious events, Seizure and Cerebrovascular accident. Seizure was consistent with underlying medical condition, still on treatment with VALPROATE SEMISODIUM. Chronic hypertension may have increased the risk of vascular accident, despite the poly-medication with different type of antihypertensive agents. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1224599-1 | "breathing/unresponsive; seizures; blood sugar was 35/Blood sugar dropped into the 60's again; This is a spontaneous report from a contactable reporter. A 75-year-old female patient (reporter's mother) received second dose of bnt162b2 (BNT162B2, PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration on 20Mar2021 at single dose for covid-19 immunisation. Medical history included parkinson's disease from 2018 to an unknown date, the progressive type, covid-19 from Nov2020 to an unknown date (She had mild case of covid in November), she was not symptomatic, rheumatoid arthritis from 2018 to an unknown date, Heart failure from 2018 to an unknown date(which she was diagnosed in 2018 with and was being managed appropriately), spinal operation from an unknown date and unknown if ongoing PRESS (Posterior reversible encephalopathy syndrome) Complication, posterior reversible encephalopathy syndrome from an unknown date and unknown if ongoing (Complication after Back surgery). The patient's concomitant medications were not reported. The patient had the first dose of dose of bnt162b2 (BNT162B2, PFIZER-BIONTECH COVID-19 VACCINE) on 27Feb2021 for covid-19 immunisation. The patient experienced breathing/unresponsive but breathing on her bi-pap (hospitalization) on an unspecified date with outcome of unknown, seizures (hospitalization) on an unspecified date with outcome of recovered, blood sugar was 35/blood sugar dropped into the 60's again, blood sugar low (hospitalization) on an unspecified date with outcome of unknown. The patient underwent lab tests and procedures which included lumbar puncture: proteins and white blood cells on unknown date, Presence of proteins and white blood cells, magnetic resonance imaging(MRI): something that happened with brain on unknown date, assault from something that happened with brain, white blood cell count: nothing crazy on unknown date. Therapeutic measures were taken as a result of seizures, blood sugar was 35/blood sugar dropped into the 60's again. The clinical course was reported as follows: She states, ""Her mother was in a rehab facility up until the 26Mar2021, the CNA came in at noon and her mom wanted to keep sleeping. Thursday afternoon was the last time she got to talk to her. PT/OT came in at noon on Friday - found to be breathing/unresponsive. blood sugar was 35, gave her glucose, came up to 111. Still not responsive but breathing. Sent her to ER, she was breathing but still not responsive, then started she started having seizures. Blood sugar dropped into the 60's again, having seizures from Friday until Monday. managed it with Keppra and another seizure medicine and now she is in ICU. Her mother is 75 years old with degenerative Parkinson's Disease, wheelchair bound, and a history of PRES (Posterior reversible encephalopathy syndrome). She was about to be discharged but then all of this happened. The only thing that was really different is the vaccine that she received. She had mild case of covid in November, she was not symptomatic. Waited 3 months to get the covid vaccine after she had covid. The caller states that her mother received the first dose of the Pfizer COVID-19 vaccine on 27Feb2021 and the second dose on 20Mar2021. The caller would like to know if there have been any reports of low blood sugar associated with receiving the Pfizer COVID-19 vaccine. The caller wants to know if anyone has reported seizures as a side effect from receiving the Pfizer COVID-19 vaccine. Responded per page 23 of the attached EUA Prescribing Information LAB-1457-6.0 Revised: 25Feb2021: ""Throughout the safety follow-up period to date, Bell's palsy (facial paralysis) was reported by four participants in the Pfizer-BioNTech COVID-19 Vaccine group. Onset of facial paralysis was Day 37 after Dose 1 (participant did not receive Dose 2) and Days 3, 9, and 48 after Dose 2. No cases of Bell's palsy were reported in the placebo group. Currently available information is insufficient to determine a causal relationship with the vaccine. There were no other notable patterns or |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | numerical imbalances between treatment groups for specific categories of **Adverse Event Description** |
|---|---|---|---|---|
| | | | | non-serious adverse events (including other neurologic or neuroinflammatory, and thrombotic events) that would suggest a causal relationship to Pfizer-BioNTech COVID-19 Vaccine. 6.2 Post Authorization Experience: The following adverse reactions have been identified during post authorization use of Pfizer-BioNTech COVID-19 Vaccine. Because these reactions are reported voluntarily, it is not always possible to reliably estimate their frequency or establish a causal relationship to vaccine exposure. Immune System Disorders: severe allergic reactions, including anaphylaxis, and other hypersensitivity reactions (e.g., rash, pruritus, urticaria, angioedema)"". The caller has her best friend on the line with her in case the caller forgets something. The caller's is calling on behalf of her mother who had both doses of the covid vaccine. The patient is currently in the Intensive Care Unit. The patient was supposed to go home from a rehabilitation facility on 27Mar2021 and staff found the patient on 26Feb2021 unresponsive but breathing on her bi-pap. Prior to the patient being found like this she was tired at noon and asked the staff to hold her lunch for her because she was tired and wanted to lay down because she had been up late the previous night. When physical therapy and occupational therapy came in a couple of hours later to do therapy they found the patient unresponsive and the patient's blood sugar was 35 so they gave her glucose and the blood sugar came up to 111. Emergency medical services came and took the patient to the emergency room and then she was put in the Intensive Care Unit, this was all within 30 minutes. The glucose dropped one more time and she started having seizures. The medical staff stabilized the patient with Keppra and another seizure medicine that starts with a V on a drip. The patient has been off her sedatives since Tuesday and she has eye movement under the eyes, she withdraws from pain, and when (name withheld) was talking to the patient on speakerphone the patient moved her head towards the phone. The caller mentions that the patient was not protecting her airway when the emergency medical service showed up and so the staff placed a king airway and then the patient moved to a normal ventilator. Wednesday the patient was being weaned on the ventilator and was able to breathe on her own for 7 hours. The caller was only able to breathe on her own on the ventilator for 2 hours yesterday, split up into 2 different trials. The medical team is pressuring the caller talking about tracheostomy and peg tubes and the medical staff wants to talk about that next week if the patient is not coming around. Investigations: MRI showed basically an assault from something that happened with the brain from having a low blood sugar. The patient has no history with diabetes or low blood sugars. Maybe the patient had a seizure prior? The patient had signs of infections, her white blood cell count is nothing crazy. The patient's lumbar puncture showed proteins and white blood cells present. The caller is trying to figure out what may have caused this incident. The patient had 4 strokes on her left side and has come back from that and has been driving and fine after. The patient's outpatient neuro person said it is from the seizures. The caller is trying to rule out if there is anything weird with this vaccine that may have caused this or been reported? PRESS is a rare complication after back surgery and the patient had that. If something is super weird and rare then the patient usually has it, she usually gets weird things. Is this related to the vaccine? The caller knows it may not be likely but it was the only thing she hadn't looked into yet. Information on the lot/batch number has been requested." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1224830-1 | passed out from exhaustion; Fever; was unable to stand unassisted.; writhing in pain/so much pain; in and out of consciousness/passed out; tongue swelled up, making it hard to breathe and impossible to speak; tongue swelled up, making it hard to breathe and impossible to speak; tongue swelled up, making it hard to breathe and impossible to speak; sweating profusely; couldn't support her own body without tipping over.; seizure; lymph nodes in her left armpit swelled up so much that she couldn't put her arm down without extreme pain; lymph nodes in her left armpit swelled up so much that she couldn't put her arm down without extreme pain; chills; extreme muscle pain; spasms; This is a spontaneous report from a non-contactable consumer (patient herself). A 29-year-old female patient received BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine), dose 2 via an unspecified route of administration, administered in left arm on 02Apr2021 13:15 (Batch/Lot Number: ER8737) as single dose, for COVID-19 immunisation. Medical history was reported as no. Patient did not have COVID-19 prior to vaccination. Patient did not receive other vaccines within 4 weeks prior to COVID-19 vaccine. Patient's concomitant medication includes omeprazole, ethinylestradiol, levonorgestrel (MARLISSA), venlafaxine and gabapentin from unspecified dates, received within 2 weeks of vaccination, for unspecified indication. Patient historically took first dose of Pfizer BNT162B2 (Lot number: EN6204) on 13Mar2021 at 11:00 AM on the left arm for COVID-19 immunisation. Patient previously took hydrocodone bitartrate, paracetamol (VICODIN) on an unspecified date and indication and had allergy. On 02Apr2021, around 10pm, patient began having chills and extreme muscle pain and spasms, and the lymph nodes in her left armpit swelled up so much that she couldn't put her arm down without extreme pain. By midnight (03Apr2021 00:00), patient had a fever and was unable to stand unassisted. She was writhing in pain and arching uncontrollably off the bed. She believed in hindsight that this was a seizure as she went in and out of consciousness and her tongue swelled up, making it hard to breathe and impossible to speak. She was sweating profusely, and had to drink water constantly. Her husband had to help her get to the bathroom because she couldn't support her own body without tipping over. The chills and fever alternated all night, and she finally passed out from exhaustion at 03Apr2021 at 7am. The next 2 days, she was in a cycle of fever and chills again, and the fever got so bad that she seized twice more on Saturday (03Apr2021). She had to take the day off work on Monday (05Apr2021) as she was still in so much pain that she could barely leave bed except to use the bathroom. Events were reported as life-threatening, immediate risk of death from the events. Patient was not hospitalized. Treatment for the adverse events were cool baths, naproxen (ALEVE) for fever and pain, and PEDIALYTE. COVID-19 was not tested post vaccination. Vaccination facility type was at a hospital. The outcome of the events was recovering. No follow-up attempts are possible. No further information is expected. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1224974-1 | Fever of 103.1, seizures needing 911 to be called by my child and a trip to the ED, and entire body aches. The fever started within the hours after the injection and lasted through the night and and my child found me seizing the next morning. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1225207-1 | Site: Pain at Injection Site-Mild, Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Additional Details: Patient passed out the first time for about 15-20 seconds then was sat down. Patient passed out again the 2nd time with some convulsions. Paramedics came and took pt away. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1225396-1 | "Patient presented to clinic today for 1st Covid vaccine. After receiving vaccine, patient complaining of seeing ""colored spots"". Patient brought to reclining chair from waiting room. Patient has multiple comorbidity's - please see list in CMR. Patient's aunt in room with patient. 0807: Patient c/o having a ""heavy face"". VS 159/98, 89, 96% on RA. Patient denies any issues with breathing. Per patient when she swallowed some water, she felt as if it was hard to get down. Patient given 50 mg PO Benadryl (own supply). 0811: Patient stating that colored spots are now gone. VS: 169/95, 87, 98% on RA. 0817: VS 133/90, 96, 93%. Patient had small seizure in room; patient eyes rolled back, patient appeared to be non-responsive. Total time for seizure was approximately 30 seconds. After seizure, patient responsive and alert X3." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1225448-1 | The patient had a seizure 4 hours after receiving his first dose of the Pfizer Covid Vaccine. He has no history of seizures. As a result of his seizure, he was driving a moped which turned over and he has sustained severe brain injury/ Diffuse Brain Injury with left and right side nerve cell damage. He has been at the Medical Center, ICU Unit. Case Mgr., and Dr., Neurologist was called and was available for my questions. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1225895-1 | Patient received vaccine was sitting for 15 minutes and got up in the middle of his 15 minutes to approach the pharmacist and the pharmacist sat him down again and he passed out onto the floor hitting his head with a cut on his eyebrow and nosebleed. Ems arrived and got patient back into chair and he again passed out and began seizing. He again regained consciousness and was taken away in a stretcher. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1227170-1 | "During observation period member had what appeared to be a seizure lasting less than 1 minute - head fell back, rolled eyes, trembling. Confused when episode ended for about 15-20 seconds then became oriented and answering questions appropriately. Patient vomited face became very pale, complained of feeling hot and ""not right' transported to ER via EMS" |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1227366-1 | Patient received shot and told us about 2 minutes later that he did not feel good. His eyes rolled back into his head and he lost consciousness. He started convulsing and seizing for about 20 seconds. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1227827-1 | "53yo female with a Hx of migraines/seizures/normal pressure hydrocephalus received her second dose of COVID-19 vaccine 04/08/2021. 10 minutes after vaccination she started feeling nauseated and then doesn't remember what happened next. Was transported ""unresponsive"" to ER. CT MRI negative. Upon lab exam it was noted that her platelets had dropped from 245K to 86K. Received dose of epinephrine/solumedrol, pepcid. Diagnosed with having a seizure and thrombocytopenia. The next day her platelets had recovered to normal. Patient recovered and was discharged." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1227881-1 | Patient unresponsive; presented with seizure like activity; Patient fall from chair within 15minutes of receiving Pfizer vaccine dose 1; pale; diaphoretic; nausea; Full body clonus; This is a spontaneous report from a contactable nurse. A 26-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection) (at 26 years of age), dose 1 intramuscular, administered in arm left on 03Apr2021 10:45 (Batch/Lot Number: ER8737) as a single dose for COVID-19 immunisation. The patient's medical history included penicillin allergy. The patient's concomitant medications were not reported. The patient had no other vaccine prior to Covid vaccine. He was not diagnosed with COVID-19 prior to vaccination. It was unknown if patient has been tested for COVID-19 since the vaccination. It was reported that the patient fell from chair within 15 minutes of receiving Pfizer vaccine dose 1. Patient was unresponsive, pale, diaphoretic. Awakened within minutes, placed in recovery position on left side. Patient complained of nausea then presented with seizure like activity. Full body clonus. 911 notified. Patient woke within seconds able to state, name, location, date of birth accurately. He was placed on stretcher. EMS arrived. VS 154/80 HR 84, POx99% 2LO2. He continues to be pale. Family of patient notified of event at patient's request. He was transferred to ED via EMS. The events started on 03Apr2021 at 10:45 AM (as reported). Therapeutic measures were taken as a result of the events. The outcome of the events was unknown. Additional information has been requested.; Sender's Comments: Bases on the information in the case report and a strong temporal relationship, A causal relationship between adverse events Unresponsive to stimuli, Seizure and suspect product BNT162B2 cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1227889-1 | Unconscious; Stood up and became very dizzy; Fell to the floor; Legs and arms were seizing; Legs and arms were seizing; This is a spontaneous report from a contactable consumer (patient). A non-pregnant 53-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot Number: EW0150), via an unspecified route of administration, on 02Apr2021, at a single dose, for COVID-19 immunization. The patient's medical history included seizures (but they are rare). The patient had unspecified concomitant medications. The patient had no known allergies to medications, food, or other products. Prior to vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID-19 vaccine. On 03Apr2021 at 10:30 AM, the patient stood up and became very dizzy, she fell to the floor and was unconscious. When she came to a few moments after (unknown time), her legs and arms were seizing. The patient did have a history with seizures, but they are rare. No treatment was received for the adverse events. Since the vaccination, the patient has not been tested for COVID-19. The patient was recovering from the events. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1228479-1 | Pt had seizure and went to the emergency room |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1228620-1 | Received vaccine at 12:30 p.m. on Thurs., 4/15. By bedtime, I was experiencing body aches quickly followed by severe chills and a splitting headache. Was awful. Lasted all evening. At 9:10 a.m. on Fri, 4/16, I had a seizure that I believe was caused by the vaccine since I haven't had a seizure for over a year (and the last one was triggered by a med change). After the seizure, my symptoms increased to include vomiting and nausea along with a severe headache. The vomiting stopped around noon. My headache lasted until Saturday morning. I felt okay Saturday, just a slight headache. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1229531-1 | Patient received the vaccine and moments after passed out (head and eyes rolled back), starting slouching on his right side and started to show twitching/convulsions and turned pale. Regained conscience soon after his name was spoken to him. Called RRT, took vitals while waiting for RRT. Mother of patient explained that this happens every time the patient receives a shot or blood drawn. RRT showed up and assisted soon after. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1229632-1 | Employee had a seizure and LOC approx. 2 hrs post second vaccine. EMS was called and employee was transported to the hospital. Employee was hospitalized for observation. Discharged home after 2 days. Employee still reports feeling weak. Following up with primary care MD. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1229870-1 | I had a seizure and fell out of bed between the night of March 12th and the morning of March 13, 2021. I injured my face badly as well as my eye. I had to go to the Emergency room here on 3/16/21. I had a second seizure at the entrance to event on Saturday March 27, 2021 . It was a grand mal, clonic-tonic seizure. I was life flighted to Medical center on March 27, 2021 I was not discharged until 3/31/21. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1230275-1 | Patient fainted, dropped out of the chair, had a seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1230277-1 | Pfizer-BioNTech COVID-19 Vaccine EUA: patient with cerebral amyloid angiopathy, parenchymal microhemorrhages, and seizure disorder with recurrent seizures presents to emergency department with alertered mental status and left-sided weakness immediately following a seizure and two days after vaccination. Admitted to hospital, anti-epileptic medications adjusted, and patient discharged home in good condition. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1230281-1 | seizure, she will follow up with a neurologist |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1230493-1 | Patient had just been advised that his cancer had stopped growing and would be able to resume his immunotherapy drug Tagrisso. After receiving his first dose he went downhill very quickly. On the evening of 2/23 he had an unexplained seizure and went to the ER through 2/26. He was discharged to Hospice and passed away on 2/28. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1230990-1 | 10 min post vaccination patient became unconcious With clear signs of siezure *Incontinence *Cyanosis with postictal *headache *nausea *drowsiness *Airway management 30-60 sec *Tireness *Sleeppy *presentacion PT required |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1231048-1 | pt told her dad that she was not feeling well and lost consciousness and had seizure for about 5 seconds. vitals monitored, WNL. Pt A&Ox4, observed for additional 30 minutes while constantly monitoring vitals, stated she felt better and was driven home by her dad. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1231071-1 | pt informed mom that she was not feeling well. nurse in observation lane witness seizure. pt was unconscious for 5-10 seconds. pt vomited as well. bp was 104/54 at 1154a, 107/52 at 11:52a, rest of vitals WNL. Md assessed, observed for additional 30 minutes. pt stated she was feeling well and was driven home by her mom |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1232116-1 | Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Mild, Systemic: Seizure-Mild, Additional Details: Patient was found unresponsive on the floor by bystanders with ? siezure like activity, this RN and RN responsed. EMS called to store and was sent to the ER. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1232125-1 | small seizure, headache, nausea, dizzy, lightheaded |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1232131-1 | Systemic: Chills-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Nausea-Medium, Systemic: Seizure-Medium, Systemic: Weakness-Medium, Additional Details: Patient fainted in chair shortly after receving vaccine. She came to within a minute, but body became very rigid and she began to seize throughout her whole body. This lasted less than 30 seconds and she was very pale and lightheaded. Patient decsribed feeling extremely nauseous with chills, slowed breathing and lightheadedness. Moved patient to a new area to elevate feet, stated feeling better but was extremely nauseous and unaware that she had fainted or seized. 911 called per parents request |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1232226-1 | Nausea, vomiting, multiple falls, and ongoing multiple seizures. Patient required intubation and sedation. After admission, the patient experienced cardiac arrest. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1232368-1 | Seizure. I?ve been put on an anti-seizure medication. I?ve also been scheduled for an MRI and an EEG |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1232629-1 | Pt and father moved into the waiting area with vehicle. According to dad, pt began seizing in the car one minute after the vaccine administration. Dad called out to waiting area Monitor. Monitor called for help. LT and SPC appeared on scene. 1257 Pt was visibly having tonic clonic seizure. SPC administered EpiPen in Right Leg. 911 was called. Pt stopped seizing and was awake and confused. She then became AOx4. Pt visibly distressed and hyperventilating. 1259 Pt had tonic clonic movements and seizure again. Seizure last less than 15 seconds. Pt then became AOx4 again, distressed, and became nauseous. HR 56 SpO2 98% 1300 Pt vomited while sitting up. Still distressed and hyperventilating. RR 30. Post vomiting HR 116, SpO2 97%. Pt moved to stretcher and moved to shade. 1306 Firefighters arrived. HR 114 BP 141/46 SpO2 97% RR 24 AOx4 1312 Ambulance arrived. 1320 Pt left for medical center. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1232691-1 | 1110: Alerted that we had a medical patient. 1111: At patient side to find the patient wa slouched over and having snoring respiration?s. The patient appeared pale and diaphoretic. 1112: Contacted Safety Supervisor and also contacting 911. 1113: The patient was seated upright to open airway and asked if he could wake up. Patient was breathing on his own, eyes open, but not tracking. The patient was not responding to painful stimuli. 2 person lift assist to get the patient off the chair and laying on the floor. The patient then had seizure like activity, arms clenched at his side. 10 second passed by, the patient having minimal postictal phase, and the patient immediately sat upright, asking what happened. The patient informed mobile crew that he started to feel hot and dizzy before he started to dream. Vitals taken: BP: 110/54, HR: 40, R: 18, SPO2: 99%, CBG: 108. 1116: Patient care transferred to paramedic unit to transport to closest hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1232825-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1232874-1 | Patient reports she felt dizzy two hours after the shot. She went to a quiet area and had a witnessed syncopal episode and seizure like activity for 10 seconds with urine incontinence. She said she woke up on the ground. She did not go to the ER or call 911. She didnt report the episode until April 20, 2021, when she showed up for her second vaccination. She was declined the second vaccination. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1233406-1 | Patient had an episode with convulsions and loss of consciousness lasting a couple seconds after eating a marijuana edible. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1233884-1 | Patient had a seizure 9 days after dose #1. First ever seizure. Was not initially recognized as a seizure since she was post ictal and did not show up at ED until 36 hours later. Patient received dose #2 on 3/24/2021 and then a second seizure on 3/27/2021 and was hospitalized. Had MRI and EEG. Started on keppra. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1234502-1 | Pt received her first pfizer covid vaccine at 1519 in R delt. Approx 9 minutes later patient began having a seizure. Patient's 3 children were present and getting their vaccine that day as well. They informed staff she had a history of seizures. Patient was moved from chair to the ground in a laying position on her left side. RN was called immediately into the room. Her first seizure was approx 6 minutes long and the shortest was 45 seconds. Patient had 4 seizures in approximately 17 minutes prior to EMS arriving. No meds were administered in clinic. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1234871-1 | The night of receiving the vaccine I experienced an involuntary convulsion at the onset of sleep. As this reminded me of a previous experience when I expect I experienced COVID I was afraid and fought hard to stay awake. However, I drifted off to sleep a second time and immediately experienced another convulsion. I stayed awake deliberately all night. Another night I awoke with a racing heartbeat. Again, a repeat of a previous experience approximately 1 year ago. Yet, another night I awoke and my arm was numb from shoulder to fingers. Also, a repeat of a prior experience. However, other than the fear these repeat experiences aroused I have had no other considerable effects. I am not sure if these experiences classify as adverse events but they did concern me sufficiently to submit for review and I have slight trepidation about taking the second dose. I have a teaching credential and I believe I need it if I wish to work in the school system. Thank you! |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1235769-1 | seizures/Convulsions; weird metal or acidic taste in my mouth; felt heavy; feel shaky; back spasms; blood pressure spiked to higher than normal levels; nauseous; weakness on my left side; pain at the injection site; pain at the injection site, my back, and neck; pain at the injection site, my back, and neck; feel super tired; This is a spontaneous report from a contactable consumer (patient). A 28-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in arm left on 06Apr2021 11:15 (Batch/Lot Number: EP7533) as single dose for COVID-19 immunisation. Medical history included axenfeld reigers, bilateral congenital iris coloboma, bilateral glaucoma, hearing loss. Known allergies: peanut, albuterol, amoxicillin-pot clavulante, doxycycline, fentanyl, levosalbutamol (LEVALBUTEROL), oxycodone-acetaminophin, sedation. Concomitant medications in two weeks: cryofood (unspecific), folic acid, cyanocobalamin (B12), timolol and dorzolamide hydrochloride/timolol, all from unknown date for unknown indication. First, patient had a weird metal or acidic taste in mouth. Following that, patient felt heavy. Next, began to feel shaky having back spasms. His blood pressure spiked to higher than normal levels and started feeling shakey dropped. Patient was laid down by nursing staff and blood pressure dropped. After being laid down, patient started having seizures/convulsions, paramedics were called and patient was given midazolam hydrochloride (VERSED, anti-seizure meds) and was taken to the ER (emergency room). Once patient arrived at the ER, he felt nauseous and was given anti-nausea medication, after about 4 hours patient was released. But he was experiencing weakness on left side and pain at the injection site, back, and neck, and felt super tired. AEs onset at 11:30 of 06Apr2021. Outcome of the events was resolving. Patient had no COVID prior vaccination and had no COVID tested post vaccination. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1237142-1 | PATIENT ACCOMPANIED BY HIS WIFE REPORTED TO PHARMACY FOR HIS FIRST DOSE OF THE COVID-19 PFIZER VACCINE. THE PATIENT REPORTED THAT HE DID NOT LIKE NEEDLES AND ASKED IF HIS WIFE COULD BE WITH HIM DURING HIS VACCINATION. THE PATIENT WAS VERY ANXIOUS BUT THEN HAD CALMED DOWN. AFTER COMPLETING THE VACCINE , THE PATIENT STATED THAT HE WAS FEELING OKAY PRIOR TO PROCEEDING TO A VACCINE WAITING CHAIR JUST OUTSIDE THE PHARMACY BUT INSIGHT OF THE PHARMACY STAFF. THE WIFE AFTER ABOUT 4 MINUTES POST VACCINATION ASKED IF WE COULD LAY HIM DOWN. ONE OF OUR TECHNICIANS STATED THAT THE PATIENT WAS STARTING TO SEIZE. LAYING THE PATIENT ON THE FLOOR. CONFIRMED THAT 911 SHOULD BE CALLED. OUR TECHNICIANS, COMPLETED THE CALL AND NOTIFIED MANAGEMENT PER POLICY. BY THE TIME THE PATIENT WAS TO THE FLOOR, HIS SEIZING HAD SUBSIDED (~20-30 SECONDS TOTAL). THE PATIENT WAS ON THE FLOOR AT APPROXIMATELY 09:29 AM ON 4/21/21.STABILIZED THE PATIENTS' NECK AND HEAD WHILE HIS WIFE, A REGISTERED EMERGENCY ROOM NURSE OBTAINED A PULSE. GRABBED THE CLEAN BLOOD PRESSURE DEVICE SPECIFIC FOR VACCINE EMERGENCIES. A BLOOD PRESSURE WAS OBTAINED 120/63 WITH A HEART RATE OF 57 (NORMAL ADULT CUFF, LEFT ARM, IN THE SUPINE POSITION ). THE PATIENTS' FEET WERE ELEVATED ON A CHAIR TO RETAIN BLOOD FLOW AND COLOR. SHORTLY AFTER EMERGENCY MEDICAL SERVICES ARRIVED AND COMPLETED THEIR ASSESSMENT. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1237422-1 | After receiving dose one of covid 19 vaccine on 3/19/21, patient experienced a tonic clonic seizure on 3/21/21 at 2pm. After receiving dose two of covid 19 vaccine on 4/8/21, patient experience a different kind of seizure on 4/10/21 at 11pm. Patient has history of epilepsy but is controlled and has not experienced a seizure in many years. the adverse even occured approx 2 days after each dose. Follow-up with Neurologist has determined that most likely the immune response to the vaccines triggered the seizures. Patient had EEG and has appointments for more testing including MRI. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1237779-1 | Patient experienced syncope and possible seizure post vaccination, transported to hospital via ambulance |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1237907-1 | I felt dizzy and got hot and my legs started shaking. I had a seizure for about a minute and then collapsed to the floor and fainted for a few seconds. I hit my knee mildly but not my head. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1237960-1 | Systemic: Fainting/Unresponsive-Medium, Systemic: Seizure-Mild, Additional Details: Patient's pupils were dilated and affixed; then slight resemblance of a seizure, slight shaking and twitch, noise like to vomit; then she passed out. She regained alertness, but then passed back out again. 911 was called while NP took her oxygen level. Ambulance took her to ER where blood pressure was stabilized and blood work was checked. I contacted patient today to check on her and she was ok, normal, asked if ok to get second dose of vaccine when due. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1237965-1 | fever of 101.7, cold, then sweat, resulting in a seizure affecting speech and vision all gray. Ambulance to Hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1238040-1 | Patient given vaccine, was 10 minutes into the waiting period, passed out of his chair, appeared to have a seizure. Myself and the RN on duty giving vaccines provided first aid to make sure breathing, heartbeat, etc. Kept airway open. He came out of it in about 3-4 minutes and was coherent before the paramedics arrived (6-7 minutes) and was conversing with us and |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | the paramedics. They took him to the ambulance to be checked out. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1238264-1 | CLAMMY, SWEATY, SEIZURE LIKE ACTIVITY, NAUSEA, AND VOMITING |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1238281-1 | Patient received vaccine in right deltoid. Approximately 90 seconds later he lost consciousness. Had seizure like activity for approximately 30 seconds, then regained consciousness. BP checked and 130/90. HR initially irregular to auscultation then became steady. Strong pulse to palpation. EMS was called. Patient was given juice and crackers. Patient denies pruritis, difficulty swallowing, difficulty breathing, or facial swelling. Hx vasovagal response to vaccines in the past. No hx seizures. EMS arrived within 5 minutes and evaluated patient. Patient declined transportation to ER. He and partner waited in observation area for 30 minutes with no additional adverse effects. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1238781-1 | Seizure like activity, shaking and brief loss of consciousness. Called 911, transferred to local hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1238908-1 | 1:50 Called into observation room by RN. for assistance with this patient. Pt had Dose 2 of Phizer at 1: 16 pm and was now complaining of nausea and lightheadedness. Pt asissted to floor, legs elevated up on a chair. Pt is alert .He stated, his name is (unlisted). Skin: pale, hands diaphoretic. Immediately, pt 's chest was pounding;HR was elevated , pt's eyes closed and he appeared attempt to answer this RN's questions as to how he feels, however, could not. Would not/could not open eyes. It appeared that he was shaking/mild jerking as with the chills, however, this RN was discerning if it was seizure like activity. Upper body flushed/red. This lasted about 30-45 seconds. Then pt.'s shakiness slowed down, heart pounding resolved and he opened his eyes. Able to squeeze nurse hand. 1:53 pm DPN Came to assist.Ice pack to forehead Pt was still shaky, but now responding. Still w/ complaints of nausea, lightheadedness. 2:05 still lying on floor with legs elevated. 2:10 Sat up for 5 minutes. C/o nausea. Placed in wheelchair. Within 1 minute, pt. Is pale, shakiness returns, and c/o nausea. Returned to the floor , legs elevated and 9-1-1 initiated. HR steady, respirations -steady. MOC now present.Pt. now responding to MOC or RN's commands to squeeze hand or Speak. Eyes closed. HR and RR steady. 9-11 arrived at 2: 15 pm and pt. Left facility with paramedics and MOC. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1239095-1 | First time seizure. Postictal for 45 minutes. Iv. Ecg/12 lead. Bgl, Head CT, MRI, EEG. All negative. Awaiting sleep study and M.S. appointment in May. Unknown cause at this time. My neurologist wanted me to report it. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1240214-1 | 4 seizures over a 2 Week period involving hospitalization. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1241577-1 | Systemic: Dizziness / Lightheadness-Mild, Systemic: Seizure-Mild |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1241711-1 | Ariived to find 51 year old female actively seizing whiling prone on the floor. Pt was convulsing consistent with grandma seizure . Patience skin colour was normal and maintained her own airway without assistance. Pt skin color was normal and maintained her own airway without assistance. Patients breathing Was rapid but sufficient. Pt became postictal on the floor . Pt began seizing a 2nd time . Pt was rolled into left lateral position Pt was lifed on to the stretcher, began seizing for the 3rd time . pt was tf into the ems room. Pt became posticsl and began to recovering an had an increasing level of awareness. Pt states she had a hx of anxiety driven seizure and her lastbone was about a month ago. Pt vs were evaluated. Pt declind transport to ed against medical advice. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1241908-1 | pt started feeling really dizzy and nauseated immediately after taking the vax. she started having a seizure and made a growling type of noise and urinated on herself. The nurse at the vax site helped bring her back and was told to take her to a doctor. She was monitored and released from the vax clinic when her BP was 107/76. She was taken to medical center where she saw. She was told she had Syncope due to the stress of the situation of getting the vaccination. She is resting today and seems to have some fatigue. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1242005-1 | "Awoke from sleep at approx 1:50 am , ambulated to bathroom for water, returned to bed, began to experience severe chills and muscle shaking. Stated loss of conciouness for approx 10 second intervals with return to normal conciousness after 2 minutes with resolve of shaking During 2 minutes timeframe -Observed convulsions by partener with tonic extension of limbs and flexion of wrists. Partener also observed pale skin and ""purple"" tone to lips during 2 min time period. Took temperature approx 4 am. Was 99.3 degrees Farenheit. Client stated weakness for approx 2 hours after episode and return to baseline after 6 hours. Self administerd ibuprofen at 8:00 am. Currently experiencing muscle soreness." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1242048-1 | SYNCOPAL EPISODE, SEIZURE ACTIVITY. Evaluated by EMS-Refusal to transport. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1242371-1 | Vaccine 4/12/21. Afterwards severe headaches and feeling of getting sick for one week . On 4/19/21 had headache and feeling very tired. Suffered from seizure after being five years seizure free. Suffered three seizures in 30 minutes. Had never had more than one seizure in 3 prior events five years ago. Had a clean EEG done on 2/2/21 with no spikes seen Was hospitalized for two days. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1242448-1 | "Vaso vagal syncope with seizure. Had severe lethargy and arm pain for 3 days afterward. Diarrhea and headache started day after injection and lasted for 2 days. Saw doctor for follow up, as encouraged by the clinic's staff, on Friday, April 16th and she needed to get more information before making a decision on whether or not to get a second dose. The following Monday she messaged me via ""mychart"" through the healthcare that I would be fine to get a second dose but wouldn't be reporting the incident. I asked her to report the incident and she refused." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1242504-1 | My daughter has been diagnosed with catamenial epilepsy, and typically only had seizures very sporadically (months apart). However, she recently had a cluster of seizures, which was very atypical for her. I read a news story last night about the vaccine affecting some women by making their period come back after years of not having it. In reviewing my daughter's seizure events, a pattern emerged in relation to her Covid shots: -Dose 1 of Pfizer on March 17, and the worst seizure she ever had was on March 27 (10 days after first Covid shot) -Dose 2 of Pfizer on March 31, and the second worst seizure she ever had was on April 10 (10 days after second Covid shot) Prior to the Pfizer Covid shots, the shortest frequency between seizures was one month, and that was prior to her starting epilepsy medication (Keppra). She was taking her Keppra (morning and night) at 1000 mg twice daily as prescribed, and had not missed any doses when the seizures occurred. We now suspect that the two recent seizures might be adverse reactions to the Covid shots. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1242597-1 | I am patient's primary care provider. He reported to me yesterday, 4/21/21, that he received his first dose of Pfizer on 4/9, and subsequently developed a fever and seized later that day. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1242922-1 | My son developed headache, vomiting, nausea, and worst of all a 45 second seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1242990-1 | Patient fell to the floor and was seizing within minutes of receiving the vaccination. Patient had an injury to the forehead. Patient was placed in the recovery position by pharmacy staff and EMS was notified. After recovering, patient stated that she had had similar adverse reactions following injections but she had denied ever having an adverse reaction to a vaccination or any history of seizure disorders when being screened by the pharmacist prior to administration. Patient was evaluated by EMS but she declined to be taken to the hospital in an ambulance. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1243022-1 | IN 24HOURS my husband had a seizure and I found him unresponsive and was taken to the hospital in an ambulance, 2 weeks in hospital with organs failing etc and his kidneys are still coming back. He appears to hopefully be a full recovery. Doctors say they do not know enough about the vaccine to say it was the cause although he had blood work taken 3 days prior. and all good. He had a lot of tests due to finding that he had 2 very old strokes. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1243239-1 | PT STATES FELT DIZZY THEN HAD SEIZURE LASTING 3-4 MINUTES LONG NOTED CODE CALLED TRANSFERRED TO ER AT THIS TIME AWAKE AND ALERT , COLOR PALE COOL AND WET. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1244006-1 | Pt became diaphoretic and light-headed 5 minutes after vaccine was administered. He requested water and as I was giving it to him he started to pass out. He was conscious but slightly convulsing. He appeared to have a minor seizure for approximately 5-10 seconds. He was transferred to a wheelchair and sent into our recovery room. As we were transporting him, he had two episodes of vomiting and continued to feel diaphoretic and weak. He rested laying down but was not feeling better. He could not tolerate any water or juice. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1246148-1 | Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Mild, Systemic: Tingling (specify: facial area, extemities)-Medium |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1246600-1 | Patient Came into observation and said she felt like she was going to have a seizure, subject layed down and complained of feeling dizzy, blurry vision, stiffness and both arms are numb. Empress transported to hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1246637-1 | We didn't connect to the first vaccine shot, but patient started having spasms/seizures for several days. His neurologist had increased Bacolfen and we had scheduled a follow-up for May. He went to the ER, but was not in life threatening danger and additional tests were completed. He has been tired for a month. Then, he had his second shot, and he has begun having muscle spasms/seizures again. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1247035-1 | About 10-12 hours after both vaccines I had Grand Mal seizures and several clonic seizures throughout Sunday night/ Monday morning |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1247353-1 | On 4/18/21, it was reported that the patient had a seizure following the 2nd dose of Pfizer vaccine. This is a 19 year old female patient with a known history of a seizure disorder. She has been under the care of a neurologist x 6 years, is not on any seizure medications, and no diagnosis made. She reports she has a seizure every two weeks, which are triggered by anxiety/stressful events. On this day, 3 minutes after received the 2nd dose in the supine position, she fell unconscious and developed eyelid and arm twitching. Vitals signs remained stable. MD described seizure as 'starting as a sleep state, moving to slight twitching, then tonic clonic. Duration of seizure symptoms was 12 minutes. ' The patient regained consciousness, symptoms resolved, and patient was discharged home with family following increased observation. No medication treatment needed. Upon chart review, it was identified that she has a similar reaction following her 1st Pfizer dose. On 3/28/21, the patient received Pfizer (Lot ER8730 in the left deltoid). Following her 15 minute observation period, she rose from her chair and fell to the ground unconscious. She was taken to the treatment tent and observed to have 'seizure like jerking of upper and lower extremities, fluttering eyelids, unarousable.' Vitals stable (BP=103/68, HR =111, SpO2=98%). Patient and family described this seizure as similar to the ones she experiences due to stress/anxiety. Symptoms resolved, no medication treatment needed. She was advised to follow-up with PCP regarding 2nd dose, and if proceeds, recommended to lie down in treatment tent for 2nd dose (which was then done on 2nd dose). Patient reported that she has not had seizures with other vaccine administrations. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1247492-1 | Systemic: Seizure-Severe, Additional Details: Pt with history of seizure passed out while sitting down hit head then started seizing. Pt was placed on side till seizing stopped and until ambulance got to store. Pt was dazed and out of it while ambulance took him away. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1247604-1 | "Two 10 second convulsions followed by paleness and sweating. Patient was anxious prior to shot and was not responsive during convulsions. Wife stated that he ""always has this reaction"". Nurse Practioner that administered the vaccine stated that it was congruent with classic vasovagal symptoms after immunization. EMS arrived but patient did not want to go with them." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1247807-1 | 42 y/o male, past medical history of Anxiety, who presents with possible seizure post vaccination. Patient notified one of the observation nurses that he was not feeling well. The NP was assisting another patient but saw that the patient with his head back and pale. As soon as the NP was at the patient side, it was noted that the patient?s eyes were rolling back, his face was pale, and his lips were blue. The NP attempted a sternal rub with no response from patient. NP instructed police to please call Fire Rescue to transport patient to the ER. Patients left upper extremity was flexed at the elbow and stiff. At that time the patient was placed on the floor by several nurses and the paramedic and patient legs were elevated. Within 10-15 mins patient immediately sat up but was instructed to lay down. Patient was placed on 3L of O2 by nasal cannula and vitals were taken. Patient initial vitals 166/94 L Arm, 98% 3L O2, 84 Pulse and EKG was NSR. Patient no longer with pallor and lips were pink. Patient states that he isn?t feeling well and feels a nervousness throughout his body. Patient placed on stretcher in Trendelenburg. Vitals retaken, 137/97 BP, 98% 3L O2, 80 P. Patient pulses were thready and patient became diaphoretic. Fire Rescue arrive to site and transported patient to the ER. CNO and PM present during event and aware that patient transported to the ER for further evaluation |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1248127-1 | Ten minutes after receiving his second Covid-19 vaccine, patient became lightheaded. As I was moving him to the ground, he started to have what appeared to be a seizure. I got him on his side to the ground and he proceeded to vomit twice, about 2 minutes apart. 911 was called and patient was transported by ambulance to the emergency room for follow up. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1248276-1 | As soon as the injection was complete the patient started acting like he didn't feel well and that he might vomit. Then he started to seem like he might pass out. Then he was shaking for a few moments and his body straightened out on the chair and he seemed like he might be having a seizure. I had someone call 9-1-1. I stayed with him until the paramedics arrived. He kept seeming like he was nodding off, but when I spoke to him he was responsive. By the time the paramedics arrived he said he was feeling better, but they checked him out, BP and HR and blood O2 were normal. The paramedics offered transport to hospital but patient and his adult family member declined, and patient went home with his family member. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1248540-1 | seizures |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1248765-1 | Shortly after receiving the vaccine patient passed out on the floor and was seizing for a few seconds then he got up and was doing fine. He was pale but conscious. EMT came checked him out and he was normal. He refused to be transported to the ER. after EMT left patient left on his own. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1249605-1 | While the patient was waiting, seated for 5 of the 15 minutes, post-vaccination she began to feel light headed. The patient shortly after expressing this concern slumped over in the chair, shaking and twitching, for a few moments (likely 60 seconds or less) before regaining normal stature and attention. The patient expressed some changes in her field of vision, a continuation of feeling light-headed, and a ringing in her ears. EMS was called to evaluate the patient, concerned that the patient had experienced seizure activity. EMS arrived shortly after, evaluating the patient's current state and vitals. After assessment, EMS determined this was a syncopal episode related to the patient's anxiety around the vaccination and cleared the patient to drive themselves home after resting on-site. Patient rested and recovered in pharmacy vaccination room for an additional 20 minutes before leaving. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1249744-1 | Patient received a second dose of Pfizer vaccine at 3 pm today 04/23/2021 at our store. After noticing some blood coming from the injection site patient became very worried and said she felt lightheaded. She was offered a chair to sit on but within 5 minutes of sitting down she said she was not feeling any better. While I was talking to her she seemed to have a mild seizure-like episode which lasted less than a minute. After she became alert she said her thumbs were cramping up and asked us to call 911 for her. Paramedics took her to the hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1249745-1 | Seizure a week after each shot |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1249770-1 | I slept through several hours after receiving the vaccine. Later on that evening I began to feel nauseous and felt abdominal cramps. I had taken multiple paracetamol pills earlier in the night (Took 6 for the day maximum so could not take anymore). It was to relieve the muscle aches, cramps and joint pains. The pain was intense and I could not get back to sleep. I took a quarter of a tablet of unisom to put me to sleep as the pain was agonizing. I was crying and whimpering and couldn't stay still. Suddenly I had to use the bathroom and throw up at once while my husband was asleep in the bedroom. I blacked out and do not remember the next 5 minutes. My husband came into the bathroom and said he saw me having a seizure. My eyes were open and dilated with jerking movements coming from my muscles. My husband put me on my side in recovery position as to avoid choking on my vomit and tongue. When I regained consciousness I did not know where I was or who I was for a moment, it was like temporary amnesia. I vomited everywhere on the bathroom floor until the capillaries in my neck burst. I now have red petichiae all over my neck. The fall from the seizure caused me to severely bruise and damage my face. I cut my eyelid open and bashed my cheek, leaving a black eye and a laceration on the side of my face. I have been having severe exhaustion ever since and my motor skills are affected. I feel very clumsy and it is hard for me to write. All of my senses feel heightened and intensified. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1250840-1 | Systemic: convulsed immediately after getting shot, less than 10 sec, came to in less than 10 sec-Mild, Systemic: Seizure-Mild, Additional Details: he covulsed immediately after injection, staff got him on floor, he awoke in less than 10 sec and was completely aware, knew his name, where he was, and relatively the current time. We had him lay on floor with feet up, he said he felt fine, had normal blood pressure 142/88 hr 89, when emt arrived he felt lightheaded so they took him to hospital, He said no history of seizures, but said does pass out and do this after injections. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1250848-1 | Systemic: Flushed / Sweating-Medium, Systemic: Hypotension-Severe, Systemic: Seizure-Medium, Additional Details: after patient was given vaccine, he slumped into chair and fell over and started having a seizure. seizure lasted for about 10 seconds and regained consciousness. paramedics were called and he was taken to the hospital. patient said that he had an extreme fair of needles and that he had fainted that last time he got a vaccine. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1251235-1 | At 10 am on 4/23/21, the patient received his second Pfizer dose and became unresponsive and started to seize. He was sitting in the waiting area to be monitored when this occurred. The nurse and I went to assist him and I told staff to call 911. The patient quickly became responsive and said that he was fine and I told staff to cancel the call for an ambulance. I could tell he was shaken up and I asked him about any pertinent medical and medication history. He says he has high blood pressure but took his medication that day. He did not eat or drink anything and we gave him water and a granola bar to eat while he was waiting for his family member to pick him up. I recommended he call his provider to inform him or her what had happened and to report the side effect to VSAFE. I checked his blood pressure and it was 159/90 which was considered normal for him. His brother arrived and was thankful for the help. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1251715-1 | Blood clot in the brain, stroke, and seizure on 27th of March. Heparin drip, Keppra as a seizure medication, blood thinner medication. No movement right arm and hand, speech difficulties, impairment of concentration. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1251791-1 | Patient at pharmacy and sitting in chair after receiving vaccine. Patient slumped in his chair and had seizure x 2, incontinent of urine. Patient to ER and neurology consult.. Neurology diagnosed convulsive syncope. No further treatment. Patient discharged home. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1251801-1 | EMS came upon patient in observation after receiving second dose of vaccine. Patient was having an anxiety attack and stated she was going to have a seizure. Patient slid down in chair and began having a full body seizure. Patient was lowered to the ground by EMS. Patient was kept safe on the floor in right lateral recumbent position. Patient's seizure lasted approximately 2 minutes. Patient was lifted to a stretcher. Was alert to voice but was confused about where she was and what happened. Placed on O2, 4L nasal cannulla. Patient felt nauseous and cold. Was transported to local hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1251831-1 | Pt received vaccine at 306p and at 316p began to have seizure like activity for 30 seconds. VSS EMS here to assess pt, pt to ER |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1251902-1 | A few minutes after vaccine administration , while the patient was sitting in the waiting area for observation, Patient lost consciousness and started convulsing/ spasms. RPh ran outside to attend to patient. Pt's eyes were rolled back and looked very pale. RPh asked staff to call 911 while attending to patient. Patient came to after about 30 seconds- 1 minute and was scared and confused. RPh calmed him down and took his BP. BP and HR was normal. Paramedics arrived shortly after and retook patient's vitals and made sure he was ok before leaving. There were no signs of anaphylaxis and paramedics think it was anxiety- related. Advised patient to have 2nd dose ok'd by MD and if yes, get it at a clinical setting. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1251913-1 | Pfizer covid vaccine was administered to patient at around 2:10pm and was advised to stay in sight for 15 min before leaving the store. At around 2:15pm patient started to faint. Patient was accompanied by her mother. Rph on duty rushed to the scene noticed that patient had lost consciousness and started to have a seizure. I also noticed that the patient had passed urine while unconscious. I notified my technician to call 911. I quickly grabbed an EpiPen and administered one dose into the patient thigh. I assisted the patient along with her mother until the patient regained consciousness. Paramedic arrived to the seen few mins later. They checked all vital signs and patient was responding better and but still exhibiting some tingling effect in her hands. Patient decided not to ride with the paramedics. I advised her to stay for another 30 - 45 min so that I could monitor her. She was feeling much better and was released to go home along with a EpiPen. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1252046-1 | Patient began to seize less than 5 minutes after receiving vaccine. the seizure lasted less than 1 minute. registered nurse on site laid patient down and supported head and neck. EMS was called and patient was taken to hospital |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1252408-1 | "Recipient had a 20-30 seizure 8 minutes following vaccination. Medic arrived during seizure, repositioned for safety, recipient came back to consciousness with no memory of symptoms. Recipient still felt ""shakey"". Blood pressure: 120/58, HR: 55, SPO2: 100%. She was sent immediately to Hospital. Report called into ER before she arrived." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1252426-1 | "PATIENT PASSED OUT AND EXPERIENCED CONVULSIONS APPROXIMATELY 1-2 MINUTES POST VACCINATION. HE WAS UNRESPONSIVE FOR 5 - 10 SECONDS AND THEN BECAME ALERT COMPLAINING OF ""FEELING HOT"" AND HAD TROUBLE BREATHING. EMS WAS CALLED AND PATIENT WAS TRANSPORTED TO LOCAL HOSPITAL." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1253238-1 | Patient had a seizure about 5 minutes after having the vaccination while they were in the waiting area. The patient had the seizure for about 30 seconds and then regained their senses and were able to have a conversation with me, the pharmacist, and had a cup of water while we waited for the ambulance. The patient was then transferred to the hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1254579-1 | seizure; This is a spontaneous report received from a contactable pharmacist (patient) via medical information team. Follow-up (06Apr2021) was received from same reporter and processed together with initial information. A male patient of an unspecified age received first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot Number: ER8729; Expiration Date: 20Jul2021), via an unspecified route of administration on 06Apr2021 as SINGLE DOSE for covid-19 immunization. Other suspect medications included: saline [sodium chloride], via an unspecified route of administration from an unspecified date (Lot Number: 6023228), at unspecified dose for an unspecified indication. The patient medical history and concomitant medications were not reported. The patient reported that after administering the Covid 19 vaccine on 06Apr2021, within about 20 minutes there were 4 patients with reactions. One patient had a seizure and 3 patients passed out. These patients had just received the Covid 19 vaccine and were still being watched within the 15-minute post vaccination time. All 4 patients received the Covid 19 vaccine from the same lot number but not from the same vial. Seriousness of event was medically significant. The outcome of event was unknown. Information on the lot/batch number has been requested.; Sender's Comments: Based on the information in the case report and strong temporal relationship, A possible causal relationship between event Seizure and suspect drug bnt162b2 cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1254632-1 | "Full blown seizure; Fatigue; Confusion; Breathing was off; breath was heavier; patient's blood pressure was very low; Real sluggish/get slow; Speech started to get slow; This is spontaneous report from a contactable consumer (patient's wife). A 58-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: ER8734) via an unspecified route of administration in left arm on 04Apr2021 12:00 at age of 58-year-old at single dose for COVID-19 immunization. It also stated the patient was one of the most vulnerable against virus so he took the Covid-19 Vaccine. Medical history included ongoing cardiac failure congestive diagnosed probably 10 years ago, ongoing diabetes mellitus diagnosed probably 20 years ago, ongoing dialysis for 3.5 years. Concomitant medication included ongoing unspecified blood thinner. Caller reported that the patient didn't take any blood pressure medications and that she knew the patient took a blood thinner. Caller unable to provide further detail for the patient's medications as she doesn't have the patient's list of medications with her. The patient previously took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number: EP7534) injected in left arm in Mar2021 at age of 58-year-old for COVID-19 immunization and experienced fatigue after the first dose of the Covid-19 vaccine. Caller reported that it was hard to determine the cause of the fatigue because the patient was on dialysis, but that the patient has been more fatigued since he received the first dose of the Covid-19 vaccine. The patient was a compromised fellow with a host of pre-existing conditions as far as heart disease, diabetes, and dialysis. Caller was calling in regard to the Pfizer Covid-19 vaccine. Caller reported that she was calling to report a bad reaction that her husband, the patient, received on Sunday, 04Apr2021, following his second dose of the Covid-19 vaccine. Approximately 3 hours after receiving the Covid-19 vaccine, the patient had a full blown seizure at 15:00 on Sunday, 04Apr2021. Caller reported that she had to call emergency responders following the patient's seizure. The patient was doing better but the experience with his seizure was quite traumatic. Caller stated that if it was going to happen, it was going to happen to us. About 3 hours after receiving his Covid-19 vaccine on 04Apr2021, the patient became real sluggish and his speech started getting slow before the seizure occurred. Caller reported that the patient made a gradual descent downwards. Caller reported that she swears the patient has not been the same as far as fatigue goes since the patient received his first dose of the Covid-19 vaccine 3 weeks prior. Caller reported that she thought the fatigue was maybe from dialysis. The patient started to get slow just before the seizure, about 2.5 hours after he received the second dose of the Covid-19 vaccine. The patient was laying down following the second dose of the Covid-19 vaccine. Caller reported that the patient's breathing was off. The patient's breath was heavier. Caller reported that after she noticed the patient's breathing was off, she asked the patient if he was ok. Caller reported that this is when she noticed that the patient's speech was really slow and that he was experiencing confusion. The patient has had no more seizure activity. The patient was still being monitored in the hospital. Caller reported that the patient didn't remember any of it. It's hard to say if the patient's sluggishness and fatigue were ongoing. Caller reported that she couldn't go see the patient while he was in the hospital but that the patient's voice sounds much stronger. For Confusion and Speech: Caller reported that the patient seems to be back/ returned to normal. Caller reported that she knew that the patient's cardiologist went to see the patient. The patient's cardiologist said that there was nothing that happened to the patient's heart, that what the patient experienced was not a heart issue, and that the event had no effect on the patient's heart. The medical staff stated that the seizure the patient experienced was related to a blood pressure drop. Caller reported that the patient's blood pressure was very low on 04Apr2021. The patient required a visit to Emergency Room for event seizure, no visit of physician office. Admitted on Sunday, 04Apr2021 for seizure, and still hospitalized. For investigations: Caller reported that the medical staff at the hospital definitely did lab work but she was not sure if any imaging was performed. Caller reported that she has no results available for tests that were performed. The outcome of events confusion and ""speech started to get slow"" was recovered in Apr2021, the outcome of other events was unknown. Follow-up attempts are completed. No further information is expected.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021380129 same patient, different product(dose)/event" |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1254668-1 | I felt very tired and weak; I felt very tired and weak; my heart was skipping really bad I could hear it, could felt it in my chest. Then trembling; heart palpitations and it was skipping and trembling off and on; arm is sore; weird feeling; trembling; trembling, shaking and she thought she was going to have a seizure, she had no control over her muscles; muscles twitching, like if I had no control over the muscles; she had to use the bathroom a couple hours after the shot. She stated she has been drinking a lot; didn't feel good last night; This is a spontaneous report from a contactable consumer (patient). A 64-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in Arm Right on 06Apr2021 13:00 (Batch/Lot Number: ER8737) as SINGLE DOSE for covid-19 immunisation, at 64 years old. Medical history included cholesterol (abnormal, takes cholesterol medication 3 times a week as she gets side effects from it), cutaneous lupus (She always has to do bloodwork and goes in every 3 months), heart problem that is not major (she takes 1 medication, patient stated once in a while she sees her cardiologist every 6 months and she did get a halter monitor for 24 hours for a week and they take an average and said it wasn't as bad and knows that is a problem), 2 cervical spine surgeries, arthritis, allergic to contrast dye for CAT scans, allergy to medications (sensitive to medications), shrunk a lot because of issues, and had surgery which shrunk her because of her spine from an unknown date. Concomitant medication included atorvastatin calcium (LIPITOR) taken for blood cholesterol abnormal from 2016 and ongoing; and nadolol (CORGARD) taken for an unspecified indication from 2001 and ongoing. Patient's son got COVID on an unspecified date. Patient previously took generic atorvastatin which made her sick on an unspecified date and LIPITOR and experienced muscle weakness on an unspecified date. No additional vaccines administered on the same date of the Pfizer vaccine. No prior vaccinations. Patient never got a flu shot as she was scared. On 06Apr2021, her arm was sore which is normal. Normal side effects from the arm did not concern her, patient had no fever nothing else. She stated she came home and felt like she had to use the bathroom a couple hours after the shot. She stated she has been drinking a lot and she made sure of that. At 19:00 (also reported as 7-8pm), patient experienced her heart was skipping really bad. Patient could hear it and could felt it in her chest. Patient clarified her heart was not fast, it was more skipping, and she could feel it beating in her throat. She commented has a problem but that has not happened in a long time. Patient then experienced trembling described as lots of body trembling concerned like a seizure. She thought she was going to have a seizure. It was not chills; she had no fever or anything. The trembling came on and off. Her muscles were twitching, like if patient had no control over the muscles. Patient did not feel dizzy, it was a weird feeling. She did not feel good. On 07Apr2021 at 02:00, patient felt very tired and weak, her heart was better. About 02:00 she fell asleep. She woke up at 6:30 and she felt tired but that does not bother her. Her concern was the body trembling. She called her doctor but was not available. She was advised that it does not sound like a symptom of the vaccine. She was worried she needs to go to the cardiologist and see what is happening. She stated if it keeps happening, she will go, and she does not know if this is a side effect other people are reporting. Patient was wondering if this is a reaction as she cannot find it, one says a severe reaction is a fast heartbeat, really fast and skipping and she does not know. She expected anything, tired, headache, muscle aches but these did not happen, but she was expecting them to. Patient is wondering why her heart is doing that is it from the shot or what is going on with her which is weird, and stated the shaking, trembling of her whole body is weird. She mentioned she is sensitive to medication and gets reactions to a lot of medications. She stated this is why she was scared to get the vaccine and what the reaction was with the 1st. Patient stated her heart is a lot better than it was last night, that she feels very tired and feels unwell. She stated she took her temperature (Apr2021) and she had no fever, no nothing a little unwell, a weird feeling. Patient stated she is not trembling anymore and has no heart skipping, that went away about 2am when she fell asleep for a few hours (also reported as went away after about an hour, she had it off and on 3-4 times in an hour). Patient clarified she has not had testing done for the reported symptoms. The patient stated she is concerned and does not know what to do about second dose, which is scheduled for 04May2021. She does not if it was a reaction and stated she is very sensitive to medicine. Events did not require emergency room and physician office visit. Outcome of the event heart was skipping, tremor and palpitations was recovered on 07Apr2021 02:00 while unknown for the other events. Follow-up attempts are completed. No further information is expected. Lot number has been obtained. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1254770-1 | She was shaking, she thought she was having a seizure with how bad she was shaking; She was shaking, she thought she was having a seizure with how bad she was shaking; Chills; Fever; sore hands and wrists; sore hands and wrists; totally exhausted; Diarrhea; This is a spontaneous report from a contactable consumer (patient). A 62-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in Arm Right on 01Apr2021 15:00 (Lot Number: EPT533) as single dose for covid-19 immunisation. The patient previously took flu shot. Medical history included diabeticc, thyroid is done, real bad psoriasis, high blood pressure, triglycerides, cholesterol , anxiety, to replenish potassium. Concomitant medications included metoprolol taken for hypertension; acetylsalicylic acid (ASPIRIN (E.C.)); citalopram taken for anxiety; amlodipine taken for blood pressure; hydrochlorothiazide; fenofibrate taken for blood triglycerides; atorvastatin taken for blood cholesterol; losartan potassium to replenish potassium; colecalciferol (VITAMIN D3); metformin taken for diabetes mellitus; levothyroxine; hydroxyzine; guselkumab (TREMFYA) taken for psoriasis,. The patient was shaking, she thought she was having a seizure with how bad she was shaking, chills, fever, sore hands and wrists, totally exhausted, diarrhea on 01Apr2021. The outcome of events chills, Wrist pain, Pain in hand was recovered on 05Apr2021; The outcome of event Fever and Diarrhea was recovered on 06Apr2021; outcome of other events was recovering. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1254905-1 | Started shaking uncontrollably like a seizure; He felt energized; Shaking uncontrollably like a seizure/shaking (jerking side to side) on a very strong tremor; This is a spontaneous report from a contactable consumer (the patient) via medical information team. A male patient of an unspecified age received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, lot number was not reported), via an unspecified route of administration on Mar2021 as single dose for COVID-19 immunization. Medical history was not reported. Concomitant medications included clonazepam and gabapentin taken as mood medications (as reported). It was reported that after the patient was administered with the first dose of the Pfizer COVID vaccine on 18Mar2021 or 11Mar2021 (he said that he does not remember it very well since he has bad memory), the next two hours (in Mar2021), he felt energized and then started shaking uncontrollably like a seizure although he takes a variety of medications that could cause that. He mentioned that it was like shaking (jerking side to side) on a very strong tremor. He wanted to know if someone has reported seizures as a side effect of the vaccine. He also mentioned that he is scheduled to get the second dose on 15Apr2021. He stated he has never had tremors like the one he is reporting. The outcome of the events was unknown. Follow-up attempts are completed. No further information is expected. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1254945-1 | Convulsion; Syncope; This is a spontaneous report from a contactable consumer (patient). A 38-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose via an unspecified route of administration, administered in Arm Left on 08Apr2021 14:15 (2:15 PM) (Batch/Lot Number: ER8729) as SINGLE DOSE for covid-19 immunisation. The patient medical history and concomitant medications were not reported. The patient had no covid prior vaccination and not covid tested post vaccination. There were no other vaccines in four weeks. It was reported that the patient experienced Syncope and Convulsion on 08Apr2021 at 14:30 (2:30 PM). The outcome of the events was recovered in Apr2021. No treatment for the reported events. The event resulted in Emergency room/department or emergent treatment. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1255067-1 | jerking movements; keeps shaking her head and her arms/trembling; a couple of seizures; swelling on her arm; This is a spontaneous report from a contactable consumer (patient's parent). A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), first dose via an unspecified route of administration on 06Apr2021 (Batch/Lot number was not reported) as single dose for covid-19 immunisation. Medical history included nonverbal, Cerebral Palsy and seizure disorder. The patient's concomitant medications were not reported. The patient had swelling on her arm when they got home from getting the vaccine and they gave her some Tylenol. On 07Apr2021, the patient has been having these jerking movements, something like if she had Parkinson's, it was a trembling. The patient kept shaking her head and her arms. After the shot, the patient had a couple of seizures when they got home on 06Apr2021, which is not uncommon because she has a seizure disorder and has them pretty frequently. The jerking that the patient was doing was not like her seizures. The patient did have Cerebral Palsy, a seizure disorder, and other conditions. The event outcome for events was unknown. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1255133-1 | (name) had a seizure within 5 minutes or less of the first dose.; This is a spontaneous report from a contactable consumer or other non-HCP. A 16-years-old non-pregnant female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: ER8729) via an unspecified route of administration in Right Arm on 09Apr2021 00:30 as single dose for covid-19 immunization. Medical history included depression and seizure. The patient's concomitant medications were not reported. On 09Apr2021 00:30, the patient had a seizure within 5 minutes or less of the first dose. Therapeutic measures were taken as a result of had a seizure within 5 minutes or less of the first dose. The outcome of event was recovering. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1255135-1 | Seizure; Cough; Sore Right Arm; physical ability to do things has worsened, he is really tired, states she has no good words to describe it, but he is physically not able to do things after the two seizures; physical ability to do things has worsened, he is really tired, states she has no good words to describe it, but he is physically not able to do things after the two seizures; This is a spontaneous report from a contactable consumer (reporter's boyfriend). A 21-years-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection), dose 1 via an unspecified route of administration, administered in arm right on 07Apr2021 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunization. There were no medical history and concomitant medications reported. It was reported that, seizure (within the 15-minute wait time he experienced a seizure), cough, sore right arm, physical ability to do things has worsened, he is tired, states she has no good words to describe it, but he is physically not able to do things after the two seizures on 07Apr2021. No therapeutic measures were taken. The outcome of the event was unknown for seizure, for cough and physical ability to do things has worsened, he is really tired, states she has no good words to describe it, but he is physically not able to do things after the two seizures outcome of the event was not recovered/not resolved and for sore right arm outcome of the event was recovering/resolving. Information about lot/batch number has been requested. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1255193-1 | Muscles started convulsing; feeling dizzy; Vision started going in and out; Fell over; legs were weaker than ever; This is a spontaneous report from a non-contactable consumer (patient). A 31-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date (Batch/Lot Number: Er8733) as single dose for COVID-19 immunisation. Medical history included COVID: prior to vaccination. Concomitant medications were not reported. The patient had no known allergies. The patient had no other vaccine in four weeks. 3 hours after shot, the patient started feeling dizzy. Stood up then vision started going in and out. Fell over. Muscles started convulsing and legs were weaker than ever. The patient had no treatment for the events. The outcome of the events was unknown. No follow-up attempts are possible. No further information is expected. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | possible seizure; fainting; chills; headache; joint and long bone pain; dizziness; Right abdominal pain; temperature spike at 101; unquenchable thirst; sweating; This is a spontaneous report from a contactable consumer (patient) reported for herself that the 57-year-old female patient received second dose of bnt162b2 (BNT162B2), intramuscular, administered in Arm Right on 08Apr2021 04:00 PM (Lot Number: EW0151) at single dose for covid-19 immunization. Medical history included multiple allergies from an unknown date and unknown if ongoing, asthma from an unknown date and unknown if ongoing, chronic obstructive pulmonary disease from an unknown date and unknown if ongoing, orthostatic hypotension from an unknown date and unknown if ongoing , traumatic lung injury from an unknown date and unknown if ongoing , metaplasia from an unknown date and unknown if ongoing , hiatus hernia from an unknown date and unknown if ongoing , polyp from an unknown date and unknown if ongoing , diverticulum intestinal from an unknown date and unknown if ongoing , exposure to toxic agent from an unknown date and unknown if ongoing. Concomitant medications included pantoprazole taken for an unspecified indication, start and stop date were not reported; famotidine taken for an unspecified indication, start and stop date were not reported; cyclobenzaprine taken for an unspecified indication, start and stop date were not reported; calcium carbonate;soya isoflavones;vitamin d nos taken for an unspecified indication, start and stop date were not reported; ibuprofen;phenylephrine hydrochloride taken for an unspecified indication, start and stop date were not reported. The patient previously took firs dose of bnt162b2 (BNT162B2) intramuscular, administered in Arm Right on 18Mar2021 04:15 PM(Batch/Lot Number: ER2613) at single dose for covid-19 immunisation. The patient experienced possible seizure on 08Apr2021 20:00 with outcome of recovering , chills on 08Apr2021 with outcome of recovering , headache on 08Apr2021 with outcome of recovering , joint and long bone pain on 08Apr2021 with outcome of recovering , dizziness on 08Apr2021 with outcome of recovering , fainting on 08Apr2021 with outcome of recovering , right abdominal pain on 08Apr2021 with outcome of recovering , temperature spike at 101 on 08Apr2021 with outcome of recovering , unquenchable thirst on 08Apr2021 with outcome of recovering , sweating on 08Apr2021 with outcome of recovering. The patient underwent lab tests and procedures which included body temperature: temperature spike at 101 on 08Apr2021. Therapeutic measures were taken as a result of possible seizure. She is not pregnant at the time of vaccination. Facility where the most recent COVID-19 vaccine was administered was other. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The clinical course was reported as follows: 4 hrs post vax: chills, sub normal temperature drop >96 f oral, eat, and airmpit , sub normal low BP, headache, joint and long bone pain, dizziness, 2 episodes of warned fainting (vasovagal); followed by temperature spike at 101 F oral onset @21 hrs. post vax riggors and falls, with warned loss of consciousness & possible seizure, followed by lower right abdominal pain w/rebound tenderness, sweating, unquenchable thirst, until fever broke 30 hrs post onset. At febrile onset 400 mg ibuprofen, followed by 200 mg every 8 hrs until symptom resolution. The adverse event result in any of the following Doctor or other healthcare professional office/clinic visit. Treatment was received for the adverse event included Public Health RN telephone consult, ibuprofen see. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. Allergies to medications, food, or other products:Yes a long list that does not include PG. Other diagnosed illnesses/medical history/chronic health conditions:IMMUNE SYSTEM: multiple allergies including anaphylaxis; R.A., reactive asthma; CARDIOPULMONARY: reactive asthma, chemical exposure lung injury scaring, COPD, orthostatic hypotension; GI: Barrets esophagial metaplasia, hiatal hernia, colonic polyps adenocarcinoma, diverticula. Follow-up (20APR2021): Follow-up attempts completed. No further information expected. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1255215-1 | |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1255293-1 | fainting; seizure; Tachycardia; dizziness; This is a spontaneous report from a contactable consumer. This 24-year-old non-pregnant female consumer (Patient) reported that she received the first dose of BNT162B2 (Pfizer-BioNTech COVID-19 Vaccine; Solution for injection; Lot number: unknown; Expiry date: Unknown) via an unspecified route of administration in the right arm on 07Apr2021 at 12:45 PM. The patients past medical history included Postural orthostatic tachycardia syndrome. The patient was allergic to Phenergan and Zofran. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since vaccination, patient had not tested for COVID-19. Concomitant medication was not reported. On 10Apr2021, at 12:00PM the patient developed Tachycardia, dizziness, fainting and seizure. The patient did not receive any treatment for the events. The outcome for the events was recovering. Information about Lot/batch number is requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1255315-1 | "seizures; tired; This is a spontaneous report from a contactable consumer (patient). A patient of unspecified age (reported as Age: 65, Unit: Unknown) and gender received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date not provided) via an unspecified route of administration on 30Mar2021 as a single dose for COVID-19 immunisation. Medical history included cancer. Concomitant medication included unspecified pills. The patient called in to find out how they could reschedule their appointment for their second dose of Pfizer-BioNTech COVID-19 vaccine. During the call, the patient stated ""I have seizures, I got a shot but I was supposed to get another today but I couldn't make it cause I have seizures. I have seizures so you have to be careful with me. You know when they shot you in your arm so you won't get sick. It's people in my building that was sick, sick from that stuff."" When asked by the call agent if the patient was calling with regards to Pfizer-BioNTech COVID-19 vaccine. The patient stated ""Yes, exactly I got the first shot on the 30th of March I got that shot that day, but I was supposed to come today, I should have been up there this morning but I didn't make it."" The agent asked if the patient felt their seizure was brought on by the vaccine. The patient stated ""No, I don't know, to be honest with you, I feel better I mean really feel better but I was scared because I know I should have got another shot. It's not because of where they shot me, it's just what I didn't do. I didn't take my pills. I got ran over my head so I have seizures if I don't take those pills then I'll have a seizure. It was not cause by the shot and it has nothing to do with where I'm at. It messed with me cause I hadn't taken my pills and that's what the problem was. I'm skinny anyway I will be for the rest of my life cause I had cancer. I'm sorry I'm just tired"". The outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained.; Sender's Comments: The event ""seizures"" was most likely an underlying condition, unrelated to suspect vaccine BNT162B2." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1255695-1 | Seizure activity; potential cardiac arrest; This is a spontaneous report from a non-contactable consumer (patient). An adult female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) at single dose for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. It was unknown if she was pregnant. The patient experienced seizure activity / potential cardiac arrest (unknown etiology) on 15Apr2021. She was in ICU as of now. The adverse events resulted in emergency room/department or urgent care, hospitalization, life threatening illness (immediate risk of death from the event). Treatment and outcome for the events were unknown at the time of report. No follow-up attempts are possible. Information on lot/batch cannot be obtained. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1255702-1 | Generalized seizures without ever having a seizure before; This is a spontaneous report from a contactable consumer (patient). A 50-year-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot number and expiry date not available), via an unspecified route of administration, Left arm on 08Apr2021 at 09:00 AM (at the age of 50-years-old) at a single dose for COVID-19 immunization. The patient's medical history was reported as none. The patient had no known allergies. Concomitant medication included celecoxib (CELEXA). The patient was vaccinated at a hospital. No other vaccine was given in four weeks. Prior to vaccination, the patient was not diagnosed with COVID-19. The patient experienced generalized seizures without ever having a seizure before on 10Apr2021 at 15:00. The event caused hospitalization in Apr2021 and was also reported as life-threatening. The patient underwent lab tests and procedures which included nasal swab test: negative on 10Apr2021. Therapeutic measures taken as a result of the event included hospitalization and med flight, as reported. The outcome of the event was not recovered. Information about lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1255844-1 | Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1256207-1 | After shot felt light headed, dizzy, Requested water. Sat down put head back started snoring loudly. Stating seizing, eyes rolled back in head. Nurse had to wake up with smelling salts. Low blood pressure 60/40 All happened within 10 minutes. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1256320-1 | Patient arrives from vaccines site, having a witnessed seizure after receiving Covid -19 vaccine injection. Patient has no previous history of seizures. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1256491-1 | Pt sitting in chair in observation area. Pt appeared to be unresponsive. Pt was lowered to the floor. Upon assessment it was found that the pt was having a seizure. Pt was then rolled onto his left side. Pt then came to consciousness. On site EMS picked pt up off floor and put him into w/c. VS at that time, BP: 178/92, O2 sat: 98% on RA, HR: 66, RR: 16. Pt is now alert and oriented and verbal. Pt declined further assessment and transport to hospital. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1256517-1 | Patient was given the vaccine and sat in a chair to wait and monitor for any adverse reactions. After about 5 minutes she seized and blacked out. She came to pretty quickly, within a minute, and was responding to verbal cues. After becoming more responsive she began to feel nauseous and vomited. We gave her some water to drink. When paramedics arrived she was no longer vomiting and was back to normal responsiveness but still pale. They stayed with her for about 15 to 20 minutes and determined that she was okay to go home. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1256687-1 | "Patient experienced a seizure resulting in cardiac arrest. Witnesses described patient ""began convulsing and then tipped over"". AED applied with no shock advised. Unknown down time prior to initiation of CPR. Rhythm PEA upon arrival of EMS. 7 mins CPR before ROSC obtained. Initial troponin 12. 12 lead EKG without ischemic changes, arrhythmia, etc. Transthoracic echo without regional wall abnormalities or significant findings. CT of head negative for acute intracranial process. No history of seizure, cardiac issues, drug use, etc." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1257044-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1258866-1 | PATIENT HAS HISTORY OF SEIZURES. SEIZURE ACTIVITY X 4 MINUTES. PATIENT IS ALERT AND ORIENTED X 4. BP 141/64, HR 46, O2S 98%. 911 WAS CALLED AND EMS ARRIVED AT 10:52. PATIENT WAS TRANSPORTED TO HOSPITAL AT 10:53. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1259086-1 | Patient notified us that she has a history of a seizure disorder with stress events. They are not associated with decreased respiratory effort. Approx 3 minutes after receiving vaccination, patient's head fell back to pillow and her arms and eye lids started twitching. Dr notified and immediately came to bedside. Started monitoring VS. All vitals remained stable. Seizure went from calm, sleep state, to slight twitching, to brief tonic/clonic episodes. Total seizure time lasted about 12 minutes. Awake and comfortable with no further symptoms by 15 minutes post vaccination. Waited with Pulse ox on for another 15 then wheeled out with father and brother accompanying her. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1259114-1 | 32 hours after getting the vaccination, I was leaving my apartment complex and had a seizure in my truck, resulting in me hitting a parked car. I fell out of my truck and seized for 5 plus minutes, slamming my head on the pavement, 911 was called and I was taken to the emergency room. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1259422-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1259701-1 | Patient was vaccinated and left with her mother to sit in her car for 30 minute monitoring period. Patient's mother stated patient was experiencing extreme anxiety getting the vaccine and after 20 minutes was wheezing. She brought patient inside and a Pharmacist came to check on her and her mother stated that she has had a reaction to a medication in the past and just needed Benadryl. Benadryl was given to her and she took it orally. Her pulse and blood oxygen were measured with a finger pulse oximeter and were both normal. Shortly after she was panicking more and had a seizure. Her mother reported that she has frequent seizures when she has anxiety/panic episodes. Her seizures were persisting so 911 was called. Paramedics arrived shortly after and took patient to the hospital. A few hours later the patient's mother came back to us to inform us that she was released from the hospital and was feeling fine and back to normal. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1261783-1 | Convulsions; This is a spontaneous report from a contactable consumer. A male patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as a single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. It was reported that patient experienced convulsions on an unspecified date with outcome of unknown. Follow-up attempts are completed. No further information is expected. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1261787-1 | This is a spontaneous report from a contactable consumer. A patient of unspecified age and gender received bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration, administered in a clinic facility on 09Apr2021 as SINGLE DOSE for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. On 09Apr2021, the patient experienced convulsions. The outcome of the event was unknown. No follow-up attempts are completed; information about batch/lot cannot be obtained. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1262273-1 | Systemic: Fainting / Unresponsive-Medium, Systemic: pt had seizure-like twitching, fell off his chair face first. He cut his face.-Severe, Systemic: Seizure-Medium, Systemic: Shakiness-Medium, Additional Details: Pt told me he gets lightheaded after vaccines. I told him I'd help him get to a chair near vaccination area so I could monitor him. He agreed. I didn't even have time to apply the bandage when he started twiching & basically jumped out of his chair. He twisted 180 degrees and fell on his face. He got cut in at least 2 facial areas. Pharmacist cleaned him up. He never lost consciousness. EMS came and treated him. He refused to go to hospital at first, but eventually they took him. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1262310-1 | Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe, Additional Details: PT FAINTED AFTER FEW MINUTES IN OBSERVATION AREA. LOST CONSCIOUS AND SEEMED TO BE HAVING A SEIZURE, LASTING A FEW SECONDS. SHE REGAINED CONSCIOUSNESS AND STATED SHE HAS HISTORY OF VASOVAGAL RESPONSES/FAINTING. PARAMEDICS WERE CALLED AND UPON ARRIVAL, SHE BEGAN TO HAVE ANOTHER SEIZURE. GIVEN IV FLUIDS/MEDS AND TRANSPORTED OUT OF PHARMACY IN AMBULANCE. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1262497-1 | Systemic: Fainting / Unresponsive-Mild, Systemic: Seizure-Mild, Additional Details: Less than 5 mins after injection, patient blacked out and fainted to the ground and hit his head in the process. patient experienced mild seizure/movement after fall and regained consciousness after about 10-15 seconds later after pharmacist rolled patient to his side. patient reported similar events after having his blood drawn. ambulance was called and EMT team came to check out patient. patient reportedly felt fine, but after advise from EMT, patient drove himself to ER to get checked out. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1262511-1 | At about 1030 patient had a seizure.. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1262660-1 | Pt had a seizure roughly 5 min after receiving the vaccine |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1262682-1 | Patient describes loss of consciousness and seizure like episode witnessed by her husband and lasting 10 minutes on the evening of the day she received the vaccine. EMS was called by husband, she declined transport to ER at that time and presented to a walk-in Express clinic 3 days later. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1262693-1 | PT HAD SEIZURE LASTING <1MIN. SELF RESOLVED. PT BECAME AWAKE AND ALERT. PT REFUSED TX TO HOSPITAL AMA |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1263480-1 | At 2am 4/22 patient started to feel sick and sent a text that I didn't read until 630 as I was asleep. She had severe muscle aches, hurt to move, hurt to breathe and felt like she was having a heart attack. She felt like she might pass out and had some blurred vision. At 630am, I saw her texts and immediately brought her 2 tylenol and a large glass of water. She went back to bed. She woke up around 10:45 and was feeling decent except for a headache but no fever or anything so we went to try on some Prom dresses. At the dress shop, she collapsed and had a seizure lasting around a minute. She lost her bladder and was completely confused and incoherent. She's never had a seizure before. I scooped her up, brought her to the ER where they ran every test and scan imagineable. Full blood work up and cultures, a chest xray, a CT scan of her brain and lungs. Her temp was high 103-104 and she had full body chills and a pounding headache. Her BP kept dropping and got as low as 81/36. They threw 2 bags of IV fluids into her and admitted her to the hospital. She had also developed a heart murmur. Over the course of the night, her BP stabilized but her temp continued to spike and come back down with Tylenol/Ibuprofen. She also had IV Tordahl for the headache. Her inflammatory markers were high at 15.3 which we were told should be less than 1. They reran labs in the morning but everything can back really low which they felt was a dilution effect from all the fluids so wanted us to follow up with her primary care on Monday. On Saturday night, he lymph nodes were swollen to the size of ping pong balls but have since slowly reduced in size although still there. Her labs were better from discharge and her white blood cell count was within range and her inflammatory marker was down to 1.7. Her blood sugar was a little low. She did pass out and have seizure like response to giving blood in the doctors office, lost bladder control again, shot pupils, etc. She is still stuttering over words, has some short term memory retention and has some motor function issues which they think is a result of the initial seizure and should resolve itself over time. Her liver function tests were totally normal in the hospital but are a high now so they will be checking her out again next week. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1263960-1 | 10 minutes post shot patient was feeling light headed. Pharmacist went out to check on them and his eyes rolled back in his head and he started having a seizure that lasted for just under 1 minutes. regained consciousness, started sweating . no history of seizure. Ambulance called and came within 5 minutes |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1263985-1 | Patent experienced seizure like activity. Unable to follow commands, LOC x2-3 minutes. EMS immediately summoned over. Fire rescue notified, responded. Patient refused transfer to hospital, signed liability waiver with fire rescue and departed |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1264213-1 | Patient received her vaccine around 1:10 pm and was waiting in our lobby for the recommended 15 minutes. After 10 minutes, her body began to seize/shake for about 10-15 seconds and then she went completely limp in the chair she was seated in. I removed her mask to help with her breathing and lifted her head slightly. She began to seize/ shake again and then woke up. Patient was disoriented and reported of head pain, feeling hot and rapid heart rate. We called 911 and EMT arrived a few minutes later, checked her vitals, which all came out normal, and spoke with the patient for a few minutes. Patient refused to go to the hospital and wanted to wait for her mother to arrive. She has no history of seizures and only takes Zyrtec OTC. The patient's mother arrived and spoke with the EMT personnel and I spoke with her as well. I recommended that the patient does not receive the second dose until she has been checked by a doctor and has been given approval to receive it. The patient recovered after about 20-30 min since the event and went home with her mother. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1265995-1 | Seizure; lost control of her blaster as soon as she stood; dull headache; This is a spontaneous report from a contactable consumer (patient) reported that a 75-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: er2613), via an unspecified route of administration, administered in arm left on 17Mar2021 12:00 as a single dose for covid-19 immunisation. The patient had no other medical history. The patient had no known allergies. The patient had no covid-19 prior vaccination. The patient was not pregnant at the time of vaccination. The patient did not have any other vaccine in four weeks. The patient previously received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: En6202), administered in left arm on 24Feb2021 12:00 PM (at the age of 75-years-old) for covid-19 immunization. The patient did received other medications in two weeks. On 18Mar2021 02:00 AM, the patient experienced seizure, recovered from the desire about 30 minutes after stood up, lost control of her blaster as soon as she stood, and dull headache daily. The patient did not received any treatment for the events. The outcome of the events was unknown. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1266041-1 | seizure one week after second vaccine; This is a spontaneous report from a contactable consumer (patient). A 39-year-old male consumer received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 04Apr2021 at 11:00 as single dose for COVID-19 immunisation at the age of 39-year-old. Medical history was unknown and concomitant medications included ibuprofen (ADVIL), mometasone furoate (FLONASE). Historical vaccine included first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 14Mar2021 for COVID-19 immunisation at the age of 39-year-old. On 11Apr2021, the patient experienced seizure; the patient was treated for the event. On unknown date, the patient underwent Computerised tomogram, Electroencephalogram, Magnetic resonance imaging (results unknown). The patient was recovering from the event. Prior to vaccination, the patient was not diagnosed with COVID-19; since the vaccination, the patient has not been tested for COVID-19. Information about lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1266044-1 | lost consciousness for a brief period; doing something that looked like a small seizure; got tunnel vision; vasovagal response; feel faint, dizzy, and lightheaded; feel very weak; This is a spontaneous report from a contactable consumer (patient). A 30-year-old female consumer received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 12Apr2021 at 14:30 at single dose in left arm for COVID-19 immunisation at the age of 30-year-old. Lot number was EP7524. Medical history included periodontal surgery. Concomitant medications included spironolactone, adapalene, benzoyl peroxide (Epiduo Forte), azelaic acid (FINACEA), aciclovir, hydrocortisone (Xerese). The patient believed she experienced some kind of vasovagal response. On 13Apr2021 at 08:00, the patient got up from sleeping and went to the restroom, where she started to feel faint, dizzy, and lightheaded. The patient sat down and got tunnel vision and she started to feel very weak but regained her vision after sitting. The patient was helped back to bedroom but had to stop and sit in the floor where patient lost consciousness for a brief period, less than 10 seconds. Her partner said patient was doing something that looked like a small seizure. The patient had had this response before many times when giving blood and even after her periodontal surgery. The patient was recovering from the events. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1266053-1 | she was an epileptic and she do take anti-seizure meds. She have had 3 seizures in the last 24 hours; This is a spontaneous report from a contactable consumer. A 37-year-old female patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: ER 8731), via an unspecified route of administration, administered in Arm Left on 09Apr2021 15:15 as [SINGLE DOSE] for covid-19 immunisation (Age at vaccination: 37 years). Medical history included epilepsy. Concomitant medications included lamotrigine and hyoscine butylbromisde (COLOSPAN). On 13Apr2021, 13:00 the patient stated that she was an epileptic and she do take anti-seizure meds. She have had 3 seizures in the last 24 hours. The patient was not pregnant. The patient did not have covid prior vaccination and was not test post vaccination. The patient did not received any treatment for the event. Outcome of the event was not recovered. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1266058-1 | Low grade fever; seizure; Passed out; syncope/ fainted; Blood pressure drop; Sore arm; This is a spontaneous report from a contactable consumer (patient's parent). A 28-year-old female patient received her first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number and expiration date were not provided) at the age of 28-years-old, via an unspecified route of administration in left arm on 07Apr2021 at single dose for COVID-19 immunization. Medical history included autism, being nervous, passed out, and anxiety. Concomitant medications included sertraline hydrochloride (ZOLOFT), quetiapine fumarate (SEROQUEL), gabapentin, bupropion hydrochloride (WELLBUTRIN), and lorazepam (ATIVAN) for being nervous. The patient received the Pfizer vaccine last Wednesday (07Apr2021) and immediately after that, at about 1:30 (unspecified), she just started having a seizure. They thought that it was more of a major response she was just having, fighting and was nervous about it, but it was kind of a different situation. The reporter has seen the patient passed out before. She did some blood test on 07Apr2021 and her sugars were fine. The reporter's concern was that they didn't know whether she should get the second one. The reporter didn't believe she got a seizure but was not sure about it. It's just that what immediately happened after she got the shot was that she passed out and they called the ambulance. After she passed out, she went to the emergency room and they did blood work on her. The reporter just did not know if they were going to let her go for the second dose because they couldn't relay if it was a seizure or a bizarre response where she just syncope and fainted. They were just thinking it was a bizarre response as it was just blood pressure drop but they were just not sure where to go from here. The patient was told to rest and intravenous fluid and something through the blood were given. The patient also experienced sore arm from 07Apr2021 for 2 days and had a low-grade fever the following day (08Apr2021). The outcome of the event sore arm was recovered on 09Apr2021 and recovered on Apr2021 for all other events. Information about the lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1266354-1 | Patient received vaccine in clinic around 10:20am. Patient waited around the pharmacy for around 20 min and then left. Patient returned around 11-11:10 am with his mother in which we were notified that he was having a reaction. We brought the patient into the patient care room in which he was vomiting and patient's mother stated that he had a seizure. Patient was conscious but had some altered mental status. Patient denied any falls. 911 was called and EMS took patient to the hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1267034-1 | Seizure occurred 24 hours after receiving the vaccine that latest about one minutes. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1267047-1 | Pt stated that about 1.5 hours after receiving second dose began feeling burning in leg, headache, burning and numbness in first finger all unilaterally. He went to the hospital and was treated over the course of 2 days. He identified as having symptoms of stroke though hospital staff stated it was a seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1267534-1 | Pt had generalized seizure, pupils dilated, non reactive, upper extremities contracted, diaphoretic, apneic. Seizure activity lasted approximately 30 sec. Pt attended by Rn clinic supervisor and NP. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1267722-1 | Pt had Pfizer vaccine, lost consciousness briefly and had seizure and lost control of bladder. EMS was called, pt declined to go to ED. Documents were signed and since pt had seizure and lost consciousness, report was filed. Pt was informed. Pt's friend picked up patient. Pt was urged to followed up with PCP and go to ED. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1268125-1 | Presented to ED following witnessed seizure in setting of COVID+ and BG <50. Given dextrose. COVID treated with dexamethasone and antithrombotic - aspirin 81 mg and intermediate dosing of enoxaparin. Hospital course complicated by UTI. Discharged back. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1268291-1 | On cell phone at approximately 1120AM in monitoring area; per volunteer MD and volunteer RN, pt voice louder, was observed leaning forward in chair. Pt stated not feeling well and noted to have moist pale skin. Assisted to floor at approx. 1123, feet elevated. Pt had full body seizure with oral secretions at approximately 1125; O2 applied, airway/limbs and head were protected. VS at 1125 160/100, HR 93, O2 sat 99%. EMS called at 1127, pt seizure approx. 1 minute. Pt aroused, oriented to name, place, requested mom be called. Mom called at, she denied seizure hx. Pt VS monitored at 1130 99% sat, 96 HR, 160/115, EMS arrived at 1135 sat 99%, HR 81, transported to ED with EMS. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1269542-1 | Spasms in left arm; Went to ER bc I thought it was a seizure; This is a spontaneous report from a contactable consumer. A 65-year-old non-pregnant female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE) at the age of 65 years, via an unspecified route of administration, administered in Arm Left on 20Jan2021 (Batch/Lot Number: EL3247) as a single dose for covid-19 immunization. Medical history included cancer from an unknown date and unknown if ongoing. Concomitant medications included levetiracetam (KEPPRA); mesalamine; prednisone; and folic acid, all taken for an unspecified indication, start and stop date were not reported. In Jan2021, the patient experienced spasms in left arm and went to ER because she thought it was a seizure. The patient was hospitalized due to the events for 2 days. The patient underwent lab tests and procedures which included negative test for Covid-19 on 26Mar2021. The outcome of the events was recovered with sequelae |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1269545-1 | had 5 small seizures; felt very dizzy; This is a spontaneous report from a contactable consumer (patient). A 35-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in arm left on 14Apr2021 09:45 (Batch/Lot number was not reported) as single dose for covid-19 immunisation. Medical history included pre-diabetes and depression. Patient was not pregnant. The patient's concomitant medications were not reported. There were no other vaccine in four weeks. The patient previously took antibiotics and antidepressants and experienced allergies. 5 minutes after getting the vaccine, patient felt very dizzy. She had 5 small seizures on 14Apr2021 10:45 which resulted in emergency room/ urgent care. Treatment was received for the events. Outcome was recovering. Patient had covid prior to vaccination on an unspecified date and had not been tested post vaccination. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1269572-1 | Otherwise healthy patient with no past medical history presents to the ED after having a witnessed seizure. Patient was initially confused and only A&O x 2 for EMS. Improved back to baseline while in the ED. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1269632-1 | Spasms in left arm; ultimately leading to the left arm becoming completely numb after 2nd dose; went to emergency room because she thought it was a seizure; shortness of breath ever since 2nd dose; This is a spontaneous report from a contactable consumer (patient). A 65-year-old female patient received the second dose of BNT162B2 (PFIZER BIONTECH COVID-19 VACCINE) via an unspecified route of administration, administered in arm left on 14Feb2021 (at the age of 65 years old) (Lot Number: EM9810) as single dose for COVID-19 immunisation. Medical history included cancer. The patient was not pregnant at the time of vaccination, had no known allergies and did not have COVID prior to vaccination. Concomitant medications included levetiracetam (KEPPRA), mesalamine, prednisone and folic acid; all taken for an unspecified indication, start and stop date were not reported. The patient had her first dose of BNT162B2 on 20Jan2021 for COVID-19 immunization and experienced spasms in left arm and seizure. No other vaccines were administered within four weeks. In 2021, patient experienced spasms in left arm, ultimately leading to the left arm becoming completely numb after second dose. Patient went to emergency room because she thought it was a seizure. This happened twice. She also had shortness of breath ever since second dose. The events resulted in hospitalization for two days from an unknown date in 2021. It was unknown if any treatment was given. The patient recovered with lasting effects The patient underwent COVID-19 test (nasal swab) with result of negative on 26Mar2021 (post vaccination). The outcome of the events was recovered with sequel. No follow-up attempts are needed. No further information is expected. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1269670-1 | Had 5 seizures with in 36 hours 5 days after the first vaccine./Other medical history: Seizures; Had 5 seizures with in 36 hours 5 days after the first vaccine./Other medical history: Seizures; This is a spontaneous report from a contactable consumer (patient). A 58-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; Batch/Lot Number: ER8727), via an unspecified route of administration on 01Apr2021 13:30 (58-years-old) as single dose for COVID-19 immunization. Medical history included seizure. Patient is not pregnant. Patient had no COVID prior vaccination. Patient was not tested for COVID post vaccination. Concomitant medication included valproate semisodium (DEPAKOTE) for seizure. The patient previously took Paxil and experienced allergies. The patient had 5 seizures within 36 hours 5 days after the first vaccine (06Apr2021 11:45). They had to increase semisodium which has helped keep the seizures at bay. She have not had seizures in two years. Event resulted in Doctor or other healthcare professional office/clinic visit and Emergency room/department or urgent care. Therapeutic measures were taken as a result of event (Increase in routine medicine). The outcome of the event was recovering. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1269756-1 | Seizures; allergic reactions; This is a spontaneous report from a contactable consumer (patient) via Pfizer sponsored program. A patient of unspecified age and gender received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 2 and dose 1; both via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as SINGLE DOSE for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient received both vaccines & both times had seizures & allergic reactions. The patient was medicated properly for the second dose and symptoms were severe. The outcome of events was unknown. Information about lot/batch number has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1269758-1 | Lost consciousness; dizzy like she was about to faint; twitching and shaking; eyes went to one side; she was about to faint; seizure; Diarrhea; chills; head hurting; eyes hurting; Muscle soreness; joint pain; Nausea; temperature of 99.3; This is a spontaneous report from a contactable consumer (daughter of patient) and another consumer. A 59-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on 13Apr2021 16:21 (Lot Number: EW0164; Expiration Date: Aug2021) at vaccination age of 59 years old as single dose for covid-19 immunisation. Medical history included vertigo, antacid therapy. Concomitant medication included esomeprazole magnesium (NEXIUM 24HR) taken for antacid therapy from an unspecified start date and ongoing. No additional vaccines administered on same date of the Pfizer Suspect. The patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot EP7533), on 23Mar2021 at 17:38 PM at age of 59 years old in the right arm as single dose for covid-19 immunisation and only had a little bit of muscle soreness on her right arm on 23Mar2021 after the first dose and it went away the day after (24Mar2021). The patient took Tetanus shot about two weeks before the first dose of the Pfizer COVID 19 vaccine. Then received the second dose on 13Apr2021 16:21PM in the left arm. After the second dose she had chills; her head was hurting; her eyes were hurting; she had muscle soreness; she had joint pain all yesterday 14Apr2021. Then this morning 15Apr2021, after taking a Tylenol and getting a shower she felt dizzy like she was about to faint. Her mother had vertigo but this was not like her usual vertigo. Her mother sat on the bed and started to have what looked like a seizure with twitching and shaking; then she lost consciousness. Her mother's eyes were open and they saw her mother's eyes twisted, went to one side, and she fell back on the bed. They called at 05:30 AM and the ambulance arrived quickly but by the time they arrived she had regained consciousness. They recommended she follow up with HCP. They called the doctor who advised her to rest, and make an appointment to see the doctor tomorrow. Reporter clarified her mother had the chills from 10:00 AM today (15Apr2021) and had them day with a lot of headache, eyes hurting goes along with the headache, and she had a temperature of 99.3. The chills and temperature resolved last night then the eyes hurting ended this morning (15Apr2021) with the headache. All of the other symptoms resolved yesterday (14Apr2021). She also had nausea that started yesterday (14Apr2021) and she started to have diarrhea once today (15Apr2021)and felt like it had stopped. The nausea was coming and going from time to time. The events did not require a visit to emergency room or physician office. The outcome of events chills, muscle soreness, joint pain, temperature of 99.3 was recovered on 14Apr2021. The outcome of events Lost consciousness, head hurting, eyes hurting, felt dizzy, twitching and shaking, eyes went to one side, Diarrhea was recovered on 15Apr2021. The outcome of event seizure, she was about to faint was unknown. The outcome of event nausea was recovering. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1269764-1 | Severe nausea; vomiting; loss of consciousness; seizures; This is a spontaneous report from a contactable other healthcare professional (patient). A 39-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: ER8727 and expiration date not provided) via an unspecified route of administration, administered in left arm on 25Mar2021 as a single dose for COVID-19 immunisation. Medical history included Cancer hx, Supraventricular tachycardia (SVT), Sjogrens, Epilepsy, Chronic kidney disease (CKD), Hyperthyroidism, Short gut, Osteoarthritis, malnutrition, Bartter's Syndrome Type 3, Hashimoto's Disease, Allergies to Penicillin, Adhesive, Vicryl sutures and cobalt. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medications included hydroxychloroquine; doxycycline; and levothyroxine sodium (SYNTHROID) and more (unspecified). The patient previously took iron dextran, povidone-iodine (BETADINE), metronidazole (FLAGYL), lamotrigine (LAMICTAL) and doxepin and experienced Allergies. The patient also took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EN6205) in the left arm on 04Mar2021, 01:15 PM for COVID-19 Immunization. The patient did not receive any other vaccine in 4 weeks. On 26Mar2021 19:00, the patient experienced Severe nausea, vomiting, loss of consciousness, seizures. The events resulted in Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care and Life threatening illness (immediate risk of death from the event). Treatment was given in response to the events which included IV antiemetics, IV hydration, IV Benadryl, Antiepileptics. The patient underwent COVID test post vaccination via nasal swab (rapid antigen test) on 01Apr2021 which was negative and via nasal swab (PCR) on 16Apr2021 which was negative. The outcome of the events was not recovered.; Sender's Comments: Based on the close temporal relationship, the association between the events nausea, vomiting, loss of consciousness, and seizures with BNT162b2 can not be fully excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1269770-1 | seizures; dizziness; fatigue; passed away; This is a spontaneous report from a contactable Consumer. This Consumer reported for a 33-year-old male patient (friend) who deceased who received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot number unknown), via an unspecified route of administration on an unknown date in Mar2021 at a single dose for COVID-19 immunization. The reporter wanted to know if there were any reports or information on patients having severe seizures or blood clotting, he was trying to find out for some information on similar adverse events that occurred with the Johnson & Johnson COVID vaccine, but from receiving the Pfizer-BioNTech COVID-19 vaccine the person that had the severe reaction went to the doctor and the doctor said it was highly unlikely from the vaccine. The reporter tried to look online for potential side effects, to help the family provide some type of (information about this). The reported stated the patient was very healthy, young 33 years old, never had a history of seizures, he had no past medical issues. He received second dose middle of march, he passed on 13Apr2021. On the third week after receiving second dose, he started experiencing dizziness and fatigue that later progress into seizures, he was admitted into the hospital, and was no longer under control. Doctors said was highly unlikely it was from the vaccine however every test came back negative; X-Rays, biopsies, everything negative. The patient deceased and outcome of the events was unknwon. Information on the Lot/Batch number has been requested. ; Reported Cause(s) of Death: passed away |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1269772-1 | Seizure; Cardiac arrest; Arrhythmia; Began convulsing and then tipped over; Began convulsing and then tipped over; 12 lead EKG without ischemic changes, arrhythmia; Febrile 38+; This is a spontaneous report from a contactable other HCP. A 43-years-old male patient received second dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection, Lot Number: EW0169) via intramuscular route in arm left on 23Apr2021 at 12:45 as single dose for covid-19 immunisation. Historical Vaccine included first dose of bnt162b2 (Lot Number: EW0150) via intramuscular, administered in arm left on 02Apr2021at 14:15 for covid-19 immunisation. Medical history included obstructive sleep apnea, food allergy and intolerant of peanuts-causes sneezing and there were no concomitant medications. On 23Apr2021 at 18:30 the patient experienced a seizure resulting in cardiac arrest. Witnesses described patient began convulsing and then tipped over. AED applied with no shock advised. Unknown down time prior to initiation of CPR. Rhythm PEA upon arrival of EMS. 7 mins CPR before ROSC obtained. Initial Troponin 12. 12 lead EKG without ischemic changes, arrhythmia, etc. Transthoracic echo without regional wall abnormalities or significant findings. CT of head negative for acute intracranial process. No history of seizure, cardiac issues, drug use, etc. Intubated and sedated. Febrile 38+ on arrival requiring active cooling measures to maintain normothermia. The case classified as serious emergency room/department or urgent care, Hospitalization, Life threatening illness (immediate risk of death from the event). On 23Apr2021, the patient underwent lab tests and procedures which included body temperature: 38+ on arrival requiring active cooling measures to maintain normothermia, computerised tomogram head: negative for acute intracranial process, echocardiogram: without regional wall abnormalities or significant findings, electrocardiogram: without ischemic changes, arrhythmia, investigation: pea, sars-cov-2 test: negative Nasal Swab and troponin: 12. Treatment received included multiple life support measures, treatment for seizures, etc. No covid prior vaccination. Patient had covid tested post vaccination. No other vaccine in four weeks. The outcome of the events was not recovered.; Sender's Comments: Based on strong temporal association the causal association between the reported events seizure, cardiac arrest, arrhythmia, began convulsing and then tipped over, febrile 38+ and the usage of the vaccine are considered related. The case will be reassessed once new information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1270078-1 | Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Medium, Systemic: Shakiness-Medium |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1270451-1 | Possible seizure, ER treatment and keppra 500mg prescribed. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1270795-1 | She got the vaccine, and had no reactions at all other than perhaps a chill. About 2-3 weeks later on 3/7/21 she started experiencing what they are calling muscle confusions. She feels a tapping sensation on her biceps and triceps and then starts with muscle cramps running down her right arm creating her fingers to cringe or come together or contract. This then travels down to her right leg to her quadriceps which cramps and convulse and travels to her calves which tighten up like a Charlie Horse and down her toes to where they contract as well. They are intermittent, scattered and sporadic. Sometimes she will get 2-3 a day, and then none at all and then a few days later a couple more. These contractions last 3-5 minutes. She had COVID back in April of 2020 and was hospitalized until August of 2020 with that. During that time she was on a ventilator for 60 days and on a breathing tube and coded and was out for about 30 minutes. She had an EEG of her brain in September and told that she was fine. her neurologist felt she should have another one due to these symptoms, and she had that and everything was normal. The doctor prescribed 500 mg twice a day of Levetiracetam. The seizures kind of regress a little and then they came back and he upped that medication to 1000 mg twice a day. The seizures still continue and have continued but is still taking the medication. He felt that she should know see an epileptic specialist and they have an APT for 5/27/21. These episodes are exhausting and wear her out. She was going to PT due to the weakness from being in the hospital for so long, and now she is fearful if she is going to fall and uses a walker and is having a setback in that progress. She is to continue therapy at home for now and to follow up with the Epilepsy specialist. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1270907-1 | Sweatting and seizing |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1271051-1 | 3/23: upset stomach; diarrhea. 3/24: severe vomiting and diarrhea. so severe that transported to ER; provided fluids and anti nausea meds and discharged. DX--Viral Gastroenteritis; hyperglycemia. Later that evening experienced seizure and fell out of bed unconscious; suffered shoulder fracture. Transported to ER again, experienced 2nd seizure en route, and hospitalized/intubated in ICU. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1271138-1 | Within 10 minutes of the shot I had a severe headache, numbness in my lips, feet and hands and was weak and unable to walk without fear of falling. These symptoms continues for an hour, and while still weak I returned to work. I awoke the next day with a fever, body aches and fatigue that lasted 3 days. I have had 3 more bought s of severe fatigue since the shot and on Monday 4/26/2021 I suffered a seizure bi have no history nor symptomology of seizure activity, and was hospitalized for 2 days. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1271148-1 | Pt observed having seizures, lowered to ground. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1271246-1 | Hallucinations, seizures, severe nausea. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1271261-1 | Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: convulsion-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Seizure-Severe, Systemic: Shakiness-Severe, Systemic: Weakness-Severe, Additional Details: patient recieved first dose, went to go sit in observation area, few minutes later fell forward off his chair and starting having a seizure. called 911. patient was able to get up and sit in chair with feet elevated. paramedics came, patient refused hospital visit. Patient was oriented and went home after the paramedics. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1271530-1 | shaking, muscle spasms, eyeball spasms, fatigue, tightness in thigh and arms, come and go rash on back of arm, headache, fuzzy-headed, ringing in ears that sometimes sounds like an ambulance siren, had menstrual cycle 1 week after shot and haven't had one in two years. intermittent chills, cold and sweat at same time, takes longer to find words, brain seems slower - something I've been doing for years I have to look up because I can't remember. severe shakes from waist up I think it's called convulsions but only once so far, chest tight and shallow breathing, forgetfulness |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1271597-1 | Pt reported having one seizure the evening of his vaccination and two seizures back to back the morning after his vaccination. Per neurology, pt will be admitted to an epilepsy monitoring unit to better characterize the seizures. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1271628-1 | The patient was in the observation area with wife after being vaccinated. At 13:22 the patient fell out of his chair, he became unresponsive and started having a seizure which lasted 2 minutes. The paramedics arrives at 13:23 and took his vitals. At 1325 the patient had another seizure which lasted 1 minute and 42 seconds. After the seizures he became responsive, but very lethargic. He was transported to the hospital at via ambulance at 13:26. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1271876-1 | Fever, body aches, chills, involuntary violent full body convulsions that comes in waves, leg nerve pain, nausea, headache, muscle weakness: all symptoms began at 5 am waking me up from my sleep, currently still feeling symptoms 12 hours since symptoms began. Time of onset of symptoms was exactly 12 hours from vaccination injection. Important to note I have previously tested positive for covid in July of 2020. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1272277-1 | Approximately 5-6 days after my second Pfizer vaccine dose, I began having paresthesias in patchy areas on the outside of my right ankle. Over the next 3-4 weeks, the paresthesias (burning, tingling, temperature sensation) progressed to the other leg and then ascended up the legs bilaterally to the upper thigh area. I consulted my neurologist and he ordered a MRI of the cervical and thoracic spine. The day after the MRI (4/15/21), I had two seizures in the morning after being seizure free for a year. I had significant fatigue and felt very poorly. A few hours later, I had a sudden onset of severe bilateral leg weakness. Because I could not walk, EMS was called. I went to Hospital where I was admitted for leg weakness. Additional imaging was performed. I was able to walk a few steps after receiving a dose of 1g solumedrol via IV that night. My symptoms improved over the next few days with IV steroid treatment. I was discharged on 4/19/21 and was advised to follow up with outpatient neurology. My neurologist initially diagnosed acute transverse myelitis and ordered physical therapy. I continued a steroid taper for 6 days after hospital discharge. Today (4/29/21), my symptoms have improved but continue to have adverse effects. I am able to walk but tire quickly and am very fatigued. I have been unable to work since hospital discharge. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1272409-1 | Seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1272596-1 | PATIENT HAD SEIZURE ABOUT 5 MINUTES AFTER VACCINATION. THE SEIZURE LASTED ABOUT 5 SECONDS. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1272941-1 | Site: Pain at Injection Site-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: shakes-Mild, Systemic: Shakiness-Mild, Additional Details: pt fainted and had shakes/ convulsions for a few seconds. after 30 seconds pt awake and stated ok , after 30 min pt stated ok after 30 min observastion. mom n dad brought to hospital dad called and said pt was ok . no unusual findings |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1272982-1 | Systemic: Dizziness / Lightheadness-Mild, Systemic: Seizure-Mild, Systemic: Shakiness-Mild |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1273411-1 | The patient was vaccinated at approximately 0906 am, was walking out of the gym when a nurse noticed that she appeared to be unstable. The nurse got behind immediately before the began to fall to the ground, and she eased the patient to the ground so that she did not hit her head. After falling she was observed to lose consciousness and have rapid eye movement which appeared to be seizure like activity. After about two minutes she began to have more pronounced arm/leg movement that resembled seizure like activity. Staff attempted to arouse patient but she was not awake until 5 minutes after the seizure like activity. EMS was called at the 3 minute mark, about 0910am. Upon awakening, patient was lethargic, but able to identify herself and that she had a history of a seizure disorder, and took Keppra this morning. After regaining consciousness she again began to have seizure like activity and appeared to go in and out of consciousness. Medics arrived at 920 am and patient was transported to hospital. Husband was contacted via the patients cell phone and informed of the event. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1273497-1 | Patient was diaphoretic and dizzy approximately 10 minutes after receiving her first dose of the Pfizer vaccine. EMT went to the car and patient started having what appeared to be a seizure then the patient started slurring speech and had periods of a blank stare. Patient remained in car and EMT put seat back and continued to talk to the patient. The patient did not know what year it was or where she was. 911 was called and medical lead at site called. Medical lead continued to stay with the patient and talk to patient. Patient's speech and alertness eventually improved. When EMT arrived, patient was able to walk over to ambulance. Patient's speech and alertness to place continued to improve to baseline. VSS and patient did not want to be taken to hospital. Patient drove herself home with follow-up with primary care physician recommended. 2nd dose appointment cancelled. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1273758-1 | Seizures lasting for 10 days. The first 3 days experienced 1 per day. The next 4 days experienced multiple. Ended up at hospital. Treated there in neurology. The next three days experienced one per day. Then they stopped. And I felt completely back to normal. Resumed normal exercise and daily activities. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1273827-1 | Received shot sitting down. All was fine. Walked down long hallway to observation room. Spoke to nurse who told us to sit for 15 min. Sat down he started to sweat profusely. Told him to take his sweatshirt off. Continues to sweat his forehead his T-shirt was wet his back was wet. Then he tilted his head back his eyes rolled back into his head. I called the nurse. We got him to a wheelchair and behind the curtain. Before we had a chance to put him on the Exam Table he passed out and started to seize for the count of 3 or 4 seconds. Then he woke up. He said he saw white beautiful light. I am not kidding. He does not joke. Then he said he was fine. Insisted he was fine. His bp was low for the first two readings. Then It came back up to normal. He laid flat for 15 more min. Had some juice. Sat up when It was gone to go. Bp got super high. We waited till It was normal and left. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1273832-1 | Seizures/Spells. Two days after the vaccine injection I started having seizures/spells. It started with 1 a day for 2 days then increased to multiple spells per day (up to 4-5) I was seen at clinic neurology on April 13th. While there they called Emergency Services and I was transported to Emergency Department for what they believed to be prolonged seizure activity. Dismissed from there with appointment with Dr. who is looking into adverse reactions to Covid vaccine and referral to clinic. After 13 days recovered completely and back to normal activity and workouts. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1273929-1 | Seizure brought in by adverse reaction to my seizure medication. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1274146-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1274242-1 | The family reported he had a seizure 4 hours after immunization while driving motorcycle and while on bipolar medications. Ended up in hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1274283-1 | patietn says she had a seizure for roughly 1 minute. It is now 2 hours later and there are no lingering side effects. PT is at baseline |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1274429-1 | Patient came for 1st dose COVID-19 vaccine today. Patient denied having any vaccine reaction prior to today. Patient briefly convulsed and passed out post vaccination. Reaction was immediately and woke up a few seconds shortly after his name was called a couple times by the vaccinator. Patient admitted that he was very nervous and scared of needle, but denied ever experience fainting and convulsing. Patient was instructed to sit in the pharmacy for 30 minutes for observation. He rejected our offer to call EMT/Paramedics and for someone else to pick him up instead of driving himself. Patient received 4 cups of water from pharmacy. When he left at 30 minute mark, he was stable. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1274621-1 | One seizure experienced during sleep |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1274654-1 | Patient immediately felt dizzy after injection. He then passed out in his chair and we put him down on the floor. He then had a seizure lasting a couple seconds. The entire episode lasted less than a minute and he then regained consciousness and was responsive. Emergency services was contacted at the first sign of the seizure and upon arrival, they checked that he was alert and oriented x4. Patient did not go to the hospital but he did go home with a family member. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1274811-1 | Suffered a seizure in the minutes after injection. Urinated on self. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1274819-1 | I had a seizure during the 15 minute waiting period after receiving the vaccine. Important to note that I have epilepsy, but I had not run into any typical triggers that could have caused the seizure. Seemed like a reaction to the shot, but maybe not. Hit my head directly on the concrete and had to get a stitch in my forehead |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1274942-1 | On 4/28, I was feeling some side affects like tired, body pain and joint stiffness . I work at home and I was finished with work at 7pm. My legs felt like led weights and my right hand had lots of joint pain. I ate supper at 7pm. It was getting towards 8pm and was starting to have signs that Unintentional tremors. shaking in my legs, hands and head. I laid in bed and it was far worse, this was a seizure. was having hard time speaking or breathing at times. I managed to take a clonazepan and with in a hour it starting to calm down. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1275000-1 | 8 days after first shot, had a seizure. Within hours of second shot, had a seizure followed by multiple seizures on following days. Placed on Lamictal and had no more seizures until four weeks, then had multiple seizures in one day, today. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1275535-1 | "Client received first dose of vaccine @2:52pm. At 3:16pm client alerted EMT he was not feeling well, stated he ""felt like he was shutting down"". Client lost consciousness while EMTs supported him upright in chair. Client had convulsions for 5 seconds and was unconscious for approximately 20 seconds. Once client regained consciousness he was assisted to zero-gravity chair, alert and oriented. Client was pale and diaphoretic, no trouble breathing, able to talk and answer questions. Client denies having any seizure activity in past, denies medical conditions, not taking medication, no allergies. EMS was called by lead RN @ 3:30pm, arrived on scene @ 3:40pm. EMS completed assessment, made client aware everything appeared normal, offered to take patient to hospital, client declined. Client made aware to follow up with his primary care and when to call 911. Client's girlfriend and family present, client able to walk out with steady gait. Client |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | left @ 3:50pm." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1277171-1 | "seizures; soreness; extreme fatigue; injured; illness; This is a spontaneous report from a contactable consumer, the patient. This 56-year-old non-pregnant female patient the second dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: UNKNOWN), via an unspecified route of administration in the right arm on 08Apr2021 13:30 (at the age of 56-year-old) as single dose for COVID-19 immunization. Medical history included seizure (not medicated), asthma, allergies, deprived of nightly decent sleep (from 24/7 low frequency torture by neighbor's ventilation system), and allergies: DILANTIN (phenytoin sodium), ""1 other seizure drug"" and sulfonamide drugs. The patient was receiving unspecified concomitant medication(s). The patient previously took the first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: UNKNOWN) via an unspecified route of administration in the right arm on 18Mar2021 13:30 (at the age of 56-year-old) as single dose for COVID-19 immunization. On 11Apr2021 00:30, the patient experienced seizure. On an unspecified date in Apr2021, she also experienced the soreness, extreme fatigue, injured and illness. The clinical course was described as follows: ""I suffer from occasional seizures for which I am not medicated and I had one after midnight 2 days after the vaccination. Other symptoms were just soreness and extreme fatigue. I suspect this seizure is due to my lack of oxygen from my laying in bed the next day in this case but wanted to report it in case it matters. I normally suffer seizures very rarely and always in bed at 3 or 4 a.m. at times when I am sick or lacking sleep. This time I had my seizure in the bathroom and I am afraid I have no further information except that I likely only had one since I was missing from the bedroom for less than an hour as near as we can tell. I woke up on the floor injured and unaware of my surroundings. I have never had a seizure while awake before unless it was a second one. I have been deprived of nightly decent sleep by several neighbors for over 3 years now by a low frequency noise from a pot grow ventilation system that has caused me illness and was bad near the time of vaccination."" No treatment was received for the adverse events. The clinical outcome of the seizure, soreness, extreme fatigue, injured and illness was resolving. The lot number for the vaccine, BNT162b2, was not provided and will be requested during follow-up." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1277363-1 | unconscious; seizure; throwing up while unconscious; This is a spontaneous report from a contactable other healthcare professional (patient). A 23-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot Number: Ew0169), dose 1 intramuscular, administered in Arm Right on 13Apr2021 14:45 (at the age of 23years) as single dose for Covid-19 immunization. The patient is not pregnant at the time of vaccination. There were no medical history and concomitant medications. The patient was not diagnosed with COVID-19 prior to vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. It was reported that on 14Apr2021 (10:15 PM), the patient was unconscious for about 15 seconds, having a seizure for 5 seconds, and throwing up while unconscious. The adverse events resulted in Emergency room/department or urgent care. There was no treatment received for the adverse event. The patient has not been tested for COVID-19 since the vaccination. The outcome of events was recovering.; Sender's Comments: Based on known drug safety profile, there is reasonable possibility of causal association between the events loss of consciousness, seizure, vomiting and the suspect vaccine BNT162B2. The impact of this report on the benefit/risk profile of the Pfizer drug is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1277435-1 | Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Hypertension-Severe, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1278326-1 | % minutes after the patient was vaccinated he c/o abdominal discomfort, he told his mother that he felt like he was falling. Patient the fell to the floor and had a seizure the lasted approximately 5-10 seconds. Pt awoke postictal. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1278349-1 | Patient suffered a seizure and pulmonary edema four days after receiving second Pfizer shot. He was pronounced dead several hours later. Patient had no health issues and was 45 years old. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1278441-1 | Low fever beginning on 1:00AM Monday 12Apr; Experienced nausea Monday 12Apr evening and seizure; Experienced nausea Monday 12Apr evening and seizure; This is a spontaneous report from a contactable consumer. A 58-year-old male patient received first dose of BNT162B2 (BNT162B2) via an unspecified route of administration on 07Apr2021 (Batch/Lot Number: ENG201) as SINGLE DOSE for covid-19 immunization. The patient's medical history and concomitant medications were not reported. The patient experienced nausea monday 12Apr evening and seizure and low fever beginning on 1:00am monday 12apr at 01:00. The patient was hospitalized for experienced nausea monday 12apr evening and seizure and for low fever beginning on 1:00am monday 12apr for 4 days. Therapeutic measures were taken as a result of low fever beginning on 1:00am monday 12apr. It was unknown if therapeutic measures were taken for the events Experienced nausea Monday 12Apr evening and seizure. The outcome of the events was unknown. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1278540-1 | Loss of consciousness; Seizure; Drowsiness, couldn't stay awake; Vomiting; This is a spontaneous report from a contactable consumer (patient). An 18-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number and expiration date were not reported) on the left arm on 12Apr2021 (11:30) as a single dose, with route of administration unspecified, for COVID-19 immunization at the pharmacy/drug store. Medical history included peanut and penicillin allergy. The patient's concomitant medications were not reported. On12Apr2021 (11:45), the patient had loss of consciousness; seizure; drowsiness/could not stay awake; and vomiting. The events had resulted in an emergency room/department for urgent care, and were assessed as serious (medically significant). The patient was hospitalized in Apr2021 due to loss of consciousness. The patient had received epinephrine (EPIPEN) as treatment for the reported events. The outcome of the events was recovered in Apr2021. The patient did no have COVID-19 prior to the vaccination, and had not been tested post-vaccination. Information on the lot/batch number has been requested. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1278666-1 | felt low blood pressure; weak; confused; When fell hit self on head, lip, nose, and eye; When fell hit self on head; bruises on face; had burst lip; diarrhea; leg pain; fainted; seizure; felt hot; chills/shaking.; This is a spontaneous report from a contactable consumer (patient herself). This 62-year-old female patient (not pregnant) received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot number not provided), via an unspecified route of administration in the left arm, on 13Apr2021 at 21:00 (at the age of 62-year-old) as single dose for COVID-19 immunisation. Historical vaccine includes the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Lot number EP6775 MS 389) administered via an unknown route in the left arm on 17Mar2021 (at 10:00 AM) for COVID-19 immunisation. No other vaccine was received in four weeks. Relevant medical history included gastritis and anxiety. Past drug history included allergy to mirtazapine (REMERON). Relevant concomitant medications included diazepam (VALIUM), vitamins and probiotics. On 13Apr2021 at 23:00 the patient had chills / shaking. On 14Apr2021 at 02:00 AM, she felt hot. She went to bathroom, felt low blood pressure, weak, and fainted. Woke up, felt disoriented, not know where she was, confused. When fell hit self on head, lip, nose, and eye. She suffered various bruises on face. May have had seizure, had burst lip and felt was biting. Then suffered diarrhea that day. She also experienced leg pain. She went to the doctor on 16Apr2021. On unknown date, blood work up was done and results were not provided. The patient was recovering from the events. Information on the lot/batch number has been requested. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1278688-1 | About an hour later he was disoriented; headache; seizure; fever was over 103/temperature spiked so quickly; This is a spontaneous report from a contactable consumer. A 16-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration, administered in right arm on 16Apr2021 13:00 (Batch/Lot number was not reported) (at the age of 16-years-old) as a single dose for COVID-19 immunisation. Medical history included mental illness and autism from unspecified dates and unknown if ongoing. There were no concomitant medications. Patient previously took the first dose of BNT162B2, administered in right arm on Mar2021 (Lot number was unknown), at the age of 16 years old, for COVID-19 immunisation. There were no other vaccines in four weeks. Several hours after receiving the second dose of Pfizer Covid vaccine on 16Apr2021 20:00, the individual developed a headache and took ibuprofen (ADVIL) and water. About an hour later, he was disoriented and the parent (who was a nurse practitioner) asked him questions and he was having a hard time answering. Patient's fever was over 103 in the ambulance. He was tested for everything at the hospital and all was negative. It was determined to be an adverse reaction to the vaccine and what likely happened is his temperature spiked so quickly that he had a seizure. The events resulted in emergency room/department or urgent care. Treatment for other adverse events was unknown. There was no COVID prior vaccination and patient was not COVID tested post vaccination. The outcome of the events was recovering. Information about lot/batch has been requested. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1278704-1 | "Seizure; crashed my car.; don't remember 45 minutes of my life; This is a spontaneous report from a Contactable Consumer (patient). A 26-years-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in Arm Right on 17Apr2021 13:15 (Batch/Lot Number: ER8735) as SINGLE DOSE for covid-19 immunisation at a vaccine facility, at 26 years old. Medical history included known allergies: Penicillin from an unknown date. No other vaccine in four weeks. Patient did not COVID prior vaccination and has not been tested for COVID post vaccination. Concomitant medication included bupropion; and venlafaxine hydrochloride (EFFEXOR) taken for an unspecified indication, start and stop date were not reported. Patient waited 15 minutes and felt normal. Patient stopped for gas and soda and then patient stated to be honest he woke up surprised with EMT, police and fire just telling him he started having a seizure and crashed his car on 17Apr2021 13:30. Patient stated ""that's craziest laser I don't remember 45 minutes of my life (onset 17Apr2021). Thought I would be like 140. It was 3 pm which leave a large gap. This is really scary for me and my family"". The events resulted in emergency room visit for seizure and crashed his car. The patient was hospitalized for seizure and for crashed his car for 1 day. Therapeutic measures were taken as a result of seizure and crashed my car (Some things to regulate my heart rhythm). Outcome of the events seizure and crashed his car was not recovered while unknown for don't remember 45 minutes of his life." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1278904-1 | Seizure; This is a spontaneous report from a Pfizer sponsored program COVAX US Support from a contactable consumer (patient's grandmother). A 16-year-old female patient received bnt162b2 (Pfizer COVID vaccine), via an unspecified route of administration, administered in arm on 24Mar2021 (Batch/Lot number was not reported) as single dose for COVID-19 immunisation. Medical history included epilepsy from 2016 to an unknown date. There were no concomitant medications. The patient experienced seizure on 25Mar2021 03:00 with outcome of recovering. It was added that the patient did not have a seizure for 3 years and took her off after 2 years. She had not been on seizure medications for 4-5 years. She had been seizure free and had not been to her neurologist for 4-5 years. Epileptic but never had a seizure for the past 6 years. She is going back to the same doctor. She was diagnosed as being epileptic 5 years prior. Time the vaccination was given: 14:00-14:30. Her neurologist is informed not to get second dose. NO ER required. The patient went to the doctor. Last Friday, she had an EEG and results are unknown now. They have not had follow up appointment yet to get results. The patient underwent lab tests and procedures which included electroencephalogram: results are unknown on an unspecified date. Information on the lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1278922-1 | breakthrough seizure and frequent seizures; This is a spontaneous report from a contactable consumer. A 26-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), second dose via an unspecified route of administration, administered in Arm Left on 16Apr2021 13:00 (1:00PM) (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation. The patient is not pregnant at the time of vaccination. Medical history included ongoing epilepsy and known allergies latex, bee stings from an unknown date and unknown if ongoing. No other vaccine in four weeks. The patient had no Covid prior vaccination and not Covid tested post vaccination. The patient was vaccinated at a facility. Concomitant medication included (reported as Other medications in two week): cenobamate (XCOPRI) and zonisamide (ZONISAMIDE); both taken for temporal lobe epilepsy, start and stop date were not reported. The patient previously took bnt162b2 for covid-19 immunisation first dose from 18Mar2021 at 01:00 PM in the left arm. The patient also previously took oxcarbazepine and experienced allergies (reported as Known allergies: Oxcarbazepine). It was reported that the patient has temporal lobe epilepsy well controlled on Xcopri(200mg) and zonisdamide(300mg) and experienced breakthrough seizure and frequent seizures during the last 14 hours (reported as 15Apr2021 at 08:00 PM [20:00]). Previously well controlled for the past 2-3 months, upon titration to current dose of zonisamide/xcopri. The outcome of the event was recovering. No treatment for the reported event. Information on the lot/batch number has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | it could have been a seizure; Unconscious/Collapsed/ diagnosed her as having a Syncopal Episode; Urinated on self/Wet her pants; Headaches; Feeling light headed; Felt her heart beat faster; Sore arm; This is a spontaneous report from a contactable nurse (patient mother). A 45-year-old female patient received bnt162b2 (BNT162B2, lot number EW0150 and expiration date was not provided), via an unspecified route of administration first dose on 05Apr2021 15:00 at single dose for covid-19 immunisation. The patient's medical history included ongoing Hypertension (Patient diagnosed in her late 30's), ongoing Hypothyroid (Patient diagnosed when she was around 20 years old), ongoing Allergies, ongoing Gastrooesophageal reflux disease (The patient was exposed to a chemical in her 20's that caused this condition), ongoing Birth control, ongoing Allergic to eggs (States patient has never received the flu vaccine due to her egg allergy), and ongoing Allergic to shellfish. The patient's concomitant medications included ongoing levothyroxine at 150 ug, 1x/day for Hypothyroid, ongoing Hydrochlorothiazide at 12.5 mg, 1x/day for hypertension, ongoing omeprazole at 20 mg, 1x/day for gastrooesophageal reflux disease, ongoing losartan at 100 mg, 1x/day for hypertension, ongoing norethisterone (SHAROBEL) for Birth control. On 06Apr2021 13:00, the reporter stated that her daughter fainted at work, lost her urine, and was unconscious and was taken to the Emergency Room. Primary Care Physician told her daughter she should have no problem getting the second vaccine. States that she was not certain if her daughter should get the second shot. It was scheduled for next week. Also, reported that after lunch reporter stated that her daughter fainted in her office at work. She had urinated on herself and was unconscious. Caller was concerned it could have been a seizure. Her daughter was taken to the Emergency Room and they diagnosed her as having a Syncopal Episode. On 06Apr2021, the patient had headaches that continue since these events. The reporter stated that her daughter's doctor told her daughter that the blood work and electrocardiogram done at the Emergency Room were normal. The Emergency Room and her daughter's doctor acted like her symptoms were not serious. The reporter looked at the Vaccine Adverse Event Reporting System website and it said that a syncopal episode is a reportable event. Says that her daughter's doctors did not report this event. Says doctors need to have training on the importance of reporting events. The reporter called the Food and Drug Administration last week but she hasn't heard anything from them. States they told her it could take 5-7 business days. Says she called Pfizer today to see if there was any further information or guidance she could get as she is concerned about her daughter. She says her daughter has her own office so she was in there alone when she collapsed. Someone found her on the floor. The reporter was asking for guidance on administration of the second vaccine dose following a syncopal episode after the first. The patient received her first vaccine dose on 05Apr2021 15:00 and she was fine, she had a sore arm, but went to work the next day (06Apr2021) and after lunch she reported feeling light headed and felt her heart beat faster and went to get up and a colleague later found her on the floor and she had wet her pants. They took her to the ER around 1 pm the day after her vaccination and diagnosed her with a syncopal episode stating that they didn't think it was from the shot. The events syncope, urinary incontinence, seizure, and headache were considered as serious (medically significant) by the reporter. The events syncope, and urinary incontinence caused emergency room visit and physician office visit. The outcome of the events syncope, urinary incontinence was recovered on 06Apr2021. The outcome of the event Headache was not recovered. The outcome of the remaining events was unknown.; Sender's Comments: Based on the information currently available, a causal association between the reported events and bnt162b2 cannot be fully excluded.Case will be reassessed when additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and investigators, as appropriate. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1278949-1 | |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1279008-1 | "Dizzy; Seizure; lost consciousnesses; don't remember any of it; apparently lost consciousnesses and drove slowly and hit a pole; ""positional vertigo""; This is a spontaneous report from a contactable consumer (reporting for herself). A 48-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on 26Mar2021 (Batch/Lot Number: EP8737) as single dose for COVID-19 immunization. The patient medical history and concomitant medications were not reported. On 27Mar2021, the patient developed positional vertigo after the first dose. On 06Apr2021, the patient apparently had seizure with no history of seizures. The patient also had lost consciousness and drove slowly and hit a pole. They had to break the window to get the patient out of the car. The patient did not remember any of it. The patient stated that it was less than an hour that she was out; from the time recorded on the incident report and waking up in the emergency room (ER) and looking up at the clock in the room, it was under an hour. On an unspecified date, the patient experienced dizzy. The patient lab work and stuff done when she was in the ER after she had the seizure. The outcome of the events was unknown." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1279027-1 | multiple seizures; sick; pain in his legs; This is a spontaneous report from a contactable consumer. A male patient (reporter's husband) of an unspecified age received the second dose of BNT162B2 (Pfizer-BioNTech COVID-19 vaccine, lot number and expiry date unknown), via an unspecified route of administration on an unspecified date as a single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient received the first dose of bnt162b2 on an unspecified date for COVID-19 immunization. The patient received the two shots of the COVID-19 vaccine and has been sick ever since the second dose was administered on an unspecified date. The patient also experienced multiple seizures in the evening on an unspecified date. He has also been suffering from pain in his legs which he did not encounter before the contact with the second dose of the vaccine. The outcome of the events was unknown. No follow-up attempts are needed; information about lot/batch number cannot be obtained. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1279191-1 | my teeth was opening and closing as if I was having a seizure; My body was involuntarily twitching; I was cold; shaking; shivering; headaches; 1st dose: 28Mar2021/2nd dose: 14Apr2021; 1st dose: 28Mar2021/2nd dose: 14Apr2021; This is a spontaneous report from a contactable consumer (patient). This 20-year-old male patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number ER8731) on 14Apr2021 16:45 at single dose in right arm for COVID-19 immunisation. Medical history was none. Concomitant medication was not reported. The patient previously received first dose of BNT162B2 (lot number ER8733) on 28Mar2021 12:00 in right arm. The patient had no Known allergies. The patient had no COVID prior vaccination. The patient had no COVID tested post vaccination. The patient had not received other vaccine in four weeks. On 15Apr2021 04:00, his body was involuntarily twitching and his teeth was opening and closing as if he was having a seizure. He thought it was because he was cold so he put on 3 layers of clothes and 2 bundles of blankets and turned the heat up, but his body was still shaking and he was still cold. He tried to go back to sleep to see if that would fix it, but it did not until he went to work and around 7:30 a.m., the shivering stopped, but the headaches persisted and he had to ask to go home and he received an occurrence because he did not have a doctor's note. He clocked out at 8 and he went to sleep for an hour in the car in the parking lot because he was in no condition to drive home. Treatment received for the events included Acetaminophen and rest. The outcome of teeth was opening and closing as if I was having a seizure, body was involuntarily twitching, was cold, shaking, was resolving. The outcome of shivering was resolved. The outcome of headaches was not resolved. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1279275-1 | "arteries in my head on that side is narrowing, were narrowed.; seizure; it felt like somebody hit me on the head; I am sleeping a lot; violent headache; my body jerked; This is a spontaneous report from a contactable consumer (patient). An 80-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot Number: ER8733), via an unspecified route of administration on 06Apr2021 (at the age of 80-years-old) as a single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient previously received the first dose of BNT162B2 on an unspecified date for COVID-19 immunisation. Consumer stated, ""What happened when I came home exactly at 1:50, I had it exactly at 5:15. I thought somebody shot me in the head. I had the TV remote in my hand, and it felt like somebody hit me on the head and remote went flying across the room and on to the floor. That was the first time and a half hour later it happened again I had a teaspoon in my hand at the dinner table, my body jerked and that went across the room than it happened two more times. I had nothing in my hand. But I jerked in my body, body jerked and a violent headache for 6 days now. I have had MRI of the head and I have to see if my neurologist, but he cannot see me till the 30Apr2021."" Lab work: Consumer stated, ""I went and had the MRI."" When asked for any other help, consumer stated, ""No, but I still don't know. I still have to go to my neurologist and my artery doctor because they said my arteries in my head on that side is narrowing, were narrowed. So, I am in for a long holiday. I had to go to a lot of doctors to figure out what they are going to do, and I am sleeping a lot, there is something wrong. I just want Pfizer to know just something not right with that. If you want also my husband but he came with me and he had shot with me. He had headache for five days but nothing else just the headache for 5 days from the same LOT."" On 21Apr2021, information due to 2nd shot of Pfizer was again reported. She had a reaction 4 hours after that shot, kind of like a seizure, she had a TV remote in my hand and out of nowhere it when flying out of my hand across the table and onto the floor, this result happened 4 times within two hours that same day. Have had headache for 16 days since. The patient underwent lab tests and procedures which included magnetic resonance imaging: unknown result on an unspecified date. The outcome of the events was unknown." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1279705-1 | Patient described experiencing dizziness. He was accompanied by partner, who was holding him closely. He then fainted, which was followed by a seizure lasting between 15-30 seconds. He did not collapse to the floor, as his partner let him down on the floor slowly. Patient then regained consciousness, and sat down while waiting for EMS. He continued to experience dizziness for the following 20 minutes. He was then transported by EMS to the hospital |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1279771-1 | Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Mild, Additional Details: Within 5 minutes of receiving the vaccine, patient admitted feeling lightheaded. He immediately became unresponsive and his body went stiff. He was carefully lowered to the floor, still stiff with ragged breathing. Patient was given an Epipen which brought him back to responsiveness. Patient was able to answer questions following Epi and admitted to being scared. Paramedics were called and patient was taken to hospital for further treatment. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1279976-1 | Numbness in hands, muscle pain, joint pain, nausea, dizziness, migraine, tiredness, seizures |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1280277-1 | Patient passed out with associated convulsions within 2 minutes of vaccine being administered. No previous Hx of this post vaccination but did occur once after donating blood. Patient was lowered to flat position on floor. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1280450-1 | 5 second seizure activity. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1280774-1 | Upper arm soreness started at about 8:30 pm, about 10 h after injection. Went to be like normal and arm was just sore, but nothing else at that time. At 1:10 am, patient woke up with horrible shakes, verging on convulsions, and the feeling of freezing to death. Uncontrollable shivers/shaking. At around 1:40 am, patient was able to move enough to get out of bed to find a second blanket and extra strength Tylenol and took the Tylenol with some seltzer water and hid under blankets to get warmer. After about an hour, around 2:30 - 2:40 am, the shaking was reduced enough that the patient was able to relax and try to get to sleep. At 5;30 am, the patient woke up with much the same symptoms, but with the addition of the worst headache he had had since he stopped having migraines in his mid 20s and also his whole body ached like he had been hit by a truck (that [getting hit by a truck] had happened to him once about 15 years ago, so he has the actual reference to compare against). This experience was worst overall body aches/pains ever experienced by the patient. He took additional Tylenol at 6 am and about 30 minutes later, the chills subsided and the pain was reduced enough that he could go to sleep again. Shortly before 10 am the symptoms started to get worse again and he took ibuprofen (400 mg) at 10 am, after the shakes started to come back. He has traded off every 4 hours taking tylenol and ibuprofen, which keeps the temperature perception swings to a minimum and overall body aches lower, but the headache does not go away. He feels exhausted, and has slept for spurts of 15 - 30 minutes on and off all day. He was able to each crackers at around noon and some homemade chicken vegetable soup at about 1 pm as the nausea had subsided. Prior to that, he could only drink water and Gatorade. He is hoping that within 24 - 48 h he will feel much better, without having to take Tylenol or Ibuprofen. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1280776-1 | Woke up at 6:30 AM on May 2 with chills and moderate-severe headache, took 2 Ibuprofen at 7:00 AM. Took nap and then stood to speak to my mother, followed by a severe headache for a few seconds and then a seizure lasting less than 1 minute. Hospital released and recommended follow up with PCP for referral to neurologist. No further events as of May 2nd at 9:15 PM |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1281231-1 | Systemic: Allergic: Difficulty Breathing-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Mild, Systemic: Seizure-Medium, Systemic: Vomiting-Mild |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1281426-1 | Pt had a seizure about 3 days after taking the vax. Pt had not had a seizure for over a year. His father gave him a cool rag and extra seizure medicine. His father contacted his Neurologist. He was told just to keep and eye on him and give him extra seizure medicine if needed. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1281454-1 | Pt had some pain in his right arm and fever after taking the vax. Next day he woke up, went to the wash room and then had a seizure. His father gave him a cold compress and provided him with water and extra seizure medicine. His father called the Neurologist. He was told to give him some Tylenol for his fever and extra seizure meds if needed and to FU w/ an office appt if he has another seizure. It had been more than a year since he has had a seizure but had one on 4/14/21 that was 3 days after taking the 1st Covid Vax. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1281488-1 | Pfizer-BioNTech COVID-19 Vaccine EUA. 2 mins after injection, passed out and seized in my car for approximately 30 seconds. 5 medics and the 2 injection techs assisted me. Blood pressure was incredibly low, but heart monitor and blood sugar came back fine. Declined going to the hospital. The following day woke up with hives all over my face, neck and ears that last about 6 days with continual use of Benadryl. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1282675-1 | Seizure |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1282978-1 | Patient first presented with extreme nausea, vomiting and dizziness about 30 minutes after his second dose. Another 15 minutes later as he has a seizure and then was still very delirious. Ambulance was called but patient refused to go to the hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1283124-1 | seizure 3 days later |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1283970-1 | Headache, nausea, confusion, photophobia, seizure requiring a call to 911 and a visit the emergency room. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1284447-1 | Reduced immune system, potential. Strep throat infection required 4 antibiotics to resolve. Immediately followed by new onset seizures. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1284804-1 | "Seizures; lost consciousnesses; vertigo; This is a spontaneous report received from a contactable consumer (patient). A 49-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on 26Mar2021 (Batch/Lot number was not reported) as SINGLE DOSE for covid-19 immunisation. The patient medical history and concomitant medications were not reported. The patient experienced vertigo the following morning (27Mar2021) after the first dose. It was ""positional vertigo"" and not something that patient have on a regular basis but usually when it did happen, she went to the ear specialist and the Epley maneuver was done and resolves it. Patient have been having issues with vertigo since the first dose. She also developed a seizure, 11 days after the first dose. On 06Apr2021, she apparently had a seizure and have no history of seizures. Patient apparently lost consciousnesses and drove slowly and hit a pole. They had to break the window to get patient out of the car and she didn't remember any of it. It had to be less than an hour that I was out; from the time recorded on the incident report and patient waking up in the ER room and looking up at the clock in the room, it was under an hour. The outcome of event vertigo was recovered in 2021, the outcome of other events was unknown. Patient received the second dose on Friday, 16Apr2021. No follow-up attempts are possible, information about batch number cannot be obtained." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1284984-1 | Had back to back seizures 2 days after getting the vaccine (1/27/21). Hospitalized for 48 Hours. Came back and had another seizure after discharging from ICU. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1285152-1 | "Systemic: Fainting / Unresponsive-Medium, Systemic: Anixety-Mild, Systemic: Flushed / Sweating-Medium, Systemic: Seizure-Medium, Additional Details: Patient discussed vaccination with immunizer for a few minutes before injection was given. After the injection was given, patient experienced brief syncope episode with brief 2-3 seconds of ""seizure-like"" activity. Patient woke back up and was pale and diaphoretic. EMS services were activated and patient rested, given water and orange juice. Maintained a slow, steady heart rate of 48 bpm while awaiting EMS. EMS evaluated patient and transported to hospital" |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1285270-1 | Presented with seizures on 4/22. Found to have bilateral frontal hemorrhagic contusions. Later found to have venous sinus thrombosis. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1285279-1 | Pfizer COVID-19 Vaccine EUA Patient received dose #1 of Pfizer COVID-19 vaccine on 3/6/2021 and Dose #2 on 4/24/2021. Patient was found down on 4/25/2021 for an unknown amount of time and EMS was called. Patient noted to be seizing on EMS arrival. Blood glucose was noted to be 32 and an amp of D50 was administered. Patient arrested, received CPR (approximately 1 round) and was intubated in the field. His second glucose reading was undetectable and he received a second amp of D50. Patient also received sodium bicarb, calcium, and epinephrine and transported to ED. Patient subsequently transferred to Medical Center. He was treated for septic shock. His mentation remained very poor after pressors weaned off and sedation stopped. He likely had severe brain injury from hypoglycemia and anoxia - poor brainstem reflexed but did have spontaneous breathing - very poor prognosis - patient was extubated for comfort measures and all interventions stopped after family discussion and per their plan. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1285629-1 | SEIZURE 4 DAYS POST VACCINE. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1285671-1 | Patient was given dose #1 at a vaccine community clinic on Friday. There were no reports of him being ill. Parents were present at the time of the vaccine. He went to school on Monday and had a seizure and was transported to hospital. He was placed on life support and was unresponsive. He began improving and was taken of life support on Wednesday and was discharged after a few days. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1285794-1 | Dural venous sinus thrombosis complicated by intracranial hemorrhage and seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1285984-1 | She received her second COVID shot at the end of March first week of April. My mother had a stroke, several seizure and her lungs were filled with blood clots. She had to have a procedure to remove the largest one next to her heart. My mother has always been healthy and has never had any of the following issues in her life. She gets regular checkup and I spoke with her on April 19, 2021 at 12:00pm Central time and she was fine but at 1:20pm my brother who is staying at her house said she was having a seizure. I talk to my mother at least four times a day and she has never in 83yrs experienced anything like this. She doesn?t remember right now where her shot was administered but my brother took her but he is mad at me because I have full power of attorney and he is not happy. Therefore, he will not give me the information that is needEd to give to your office. My mother was admitted to the ICU. She is now at their rehab center in a hospital. Once my mother is released from the hospital she is moving with me out of state. This is and unexpected expense that I will need assistance with but I don?t mind because it is my mother and now someone has to be with her 24/7. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1286376-1 | seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1286555-1 | Presented to ED c/o fever s/p COVID-19 vaccination onset today. Received vaccine at 12 pm today and started experiencing chills around 8 pm today with continued progression in intensity. Patient received 2 doses of Benadryl PTA without relief. Patient experienced a seizure while in triage at 2135 and recorded temperature was 102.8 F. Temperature PTA 103.8. Patient had no more seizures and was treated and released. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1286876-1 | On January 12 around 10:50 PM, patient began convulsing in her sleep similar to a seizure and lightly foaming at the mouth. By 11:20, police and emergency services had arrived and moved her into an ambulance for transport to a hospital. She stopped convulsing by about 11:20 but did not seem to become conscious until they arrived at the hospital around 11:50 |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1286893-1 | At 22 hr mark, had a seizure and began vomiting. Vomiting continued throughout the day. No fever or other adverse symptoms besides the vomiting. Went to bed at 10pm with low grade fever (100). Had a complicated seizure at 10:56pm, incontinent, grossly disoriented and agitated, garbled language. Called 911. Then drove my daughter to local hospital, to ED, just prior to midnight. Discharged 4/12/21 (about 3 hrs at ED) |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1288069-1 | "Pale/unresponsive approx. 1 min after receiving vaccine. Appeared to have a seizure. After about 5-7 min appeared to improve. Reported after event that she had hx of ""vasvagals"". Transported to local hospital for further assessment." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1288371-1 | demyelination with brain inflammation; demyelination with brain inflammation; seizures; Fever; 2 seizures fever vomiting and demyelination with brain inflammation; This is a spontaneous report from a contactable consumer (patient). A 38-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via unspecified route on left arm single dose for COVID-19 immunisation on 01Apr2021, 06:45 PM, at 38-year-old. Medical history included: diabetes and hypertension; known allergies: penicillin. No other vaccine in four weeks and no other medications in two weeks. The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) for COVID-19 immunization on unknown date, 06:45 PM, at 38-year-old. On 02Apr2021, the patient had 2 seizures, fever, vomiting and demyelination with brain inflammation. Emergency room/department or urgent care visited and hospitalization for 10 days. Treatment included: plasma exchange, steroids, fluids and IV antibiotic. Lab data included: negative COVID test on 02Apr2021. Outcome of the events was resolving. Information about lot/batch number has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1288377-1 | seizures; This is a spontaneous report from a contactable consumer (Patient's husband). A 70-year-old female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), at the age of 70-year-old via an unspecified route of administration, administered in Arm Left on 26Feb2021 (Lot Number: EN6203) as single dose, second dose of BNT162B2 via an unspecified route of administration, administered in Arm Left on 19Mar2021 (Lot Number: EN8727) as single dose both for covid-19 immunisation. Medical history included High blood pressure, atrial fibrillation. No family medical history. No prior vaccination within 4 weeks. Ongoing Concomitant medications included rivaroxaban (XARELTO); losartan taken for hypertension; hydrochlorothiazide taken for blood pressure abnormal, fluid imbalance; diltiazem hydrochloride (CARTIA XT) taken for atrial fibrillation; loratadine. After the first shot, about a week and a half later, she started having seizures in Mar2021. Since the second shot, it had gotten worse. The event resulted in Emergency Room visit. She was taken in twice. The first time, she was in the hospital for 4 days. This occurred last month, in Mar2021. After the second dose, she had been hospitalized, the end of March, almost April. They took her twice. The first time, they did a bunch of tests and were questioning seizure or a stroke. At the end, they thought it was a seizure. She then came home and had it worse. They put her on medication. The patient underwent lab tests and procedures which included tests: all were negative, computerised tomogram: unknown results, electroencephalogram: unknown results, magnetic resonance imaging: unknown results all in Mar2021. The events outcome was not recovered. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1288401-1 | Seizure; No recollection of anything that happened between 2000 and 2100 hours; Very foggy, not thinking properly, repetitive in what he was saying; Very foggy, not thinking properly, repetitive in what he was saying; Very foggy, not thinking properly, repetitive in what he was saying; Not comprehending; He was very cold; Very tired; Very Sweaty; Headache; This is a spontaneous report from a contactable consumer (Patient's wife). A 53-years-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 1 via an unspecified route of administration on 19Apr2021 12:30 (Lot Number: EW0164) as SINGLE DOSE (at age of 53 years old) for covid-19 immunisation. Medical history included ongoing epilepsy diagnosed with this when he was 15 years old, seizure from an unknown date and unknown if ongoing (then at 2015 he had a seizure). Concomitant medications included levetiracetam (KEPPRA) 1250 mg, daily (250mg; 5 pills a day) taken for epilepsy from an unspecified start date and ongoing; carbamazepine (CARBAMAZEPINE) 1000 mg, daily (200mg; 5 pills a day) taken for an unspecified indication from an unspecified start date and ongoing. Family Medical History Relevant to events was none. The patient did not receive any other vaccine within 4 weeks prior to the vaccine. On 19Apr2021, the patient experienced seizure, Very foggy, not thinking properly, repetitive in what he was saying, very distant, like he was looking at his wife but not seeing her or hearing her, Headache, He was very cold, Very tired, Not comprehending, Very Sweaty, No recollection of anything that happened between 2000 and 2100 hours. The patient received his vaccine yesterday 19Apr2021 at 1230. On 19Apr2021 by 1500 he was very foggy, not thinking properly, and repetitive in what he was saying. He was very distant, like he was looking at the consumer but not seeing her or hearing what she was saying. He was very cold, very tired, and not comprehending. Then at 2015 he had a seizure. She called the paramedics, her husband was very sweaty on 19Apr2021 and that point and had no recollection of anything that happened between 2000 and 2100 hours. Patient was not taken to the Emergency Room or admitted to the hospital. Her husband is completely aware and recovered now. Consumer reported on 19Apr2021 he had a headache that is persisting since the seizure. The consumer reported that her husband is epileptic, but he hasn't had a seizure in over 10 years and hasn't missed any doses of his medication. Patient was evaluated by the Paramedics that came to his home but was not taken to the Emergency Room. Relevant Tests were none. Outcome of Seizure was Recovered/Resolved with Sequel on 19Apr2021. Outcome of Very foggy, not thinking properly, repetitive in what he was saying, He was very cold, Very tired, Not comprehending, Very Sweaty was recovered on 19Apr2021. Outcome of headache was not recovered. Outcome of No recollection of anything that happened between 2000 and 2100 hours was unknown. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1288407-1 | Extreme fatigue; brain fog; Passed out; Told possible seizure; Felt ill shortly after receiving shot; Threw up; This is a spontaneous report from a contactable consumer (the patient) and then from a contactable consumer (the patient's wife). A 59-year-old male patient received the first dose of BNT162B2 (lot number not provided), via an unspecified route of administration in the left arm on 31Mar2021 10:00 (at the age of 59-years-old) as a single dose for COVID-19 immunization. The patient had no medical history. The patient did not have any known allergies. Prior to the vaccination, the patient was not diagnosed with COVID-19. Concomitant medication included: fish oil (OMEGA 3 FISH OIL). The patient did not receive any other vaccines within four weeks prior to the vaccination. On 31Mar2021, the patient felt ill shortly after receiving the shot. Told to sit down. Passed out. Awoke on the floor. Told possible seizure. Sat up. Threw up. Told to lie back down. Ambulance came and took him to the hospital. He spent 90 minutes in the Emergency Room. He was unable to work for a couple of days. He had extreme fatigue and brain fog. He was not back to relatively normal for at least 10 days. Treatment received was reported as yes: ran tests including 3 EKGs, on an unspecified date. The outcome of the events was recovering. It was also reported that since the vaccination, the patient had not been tested for COVID-19. Information on the lot/batch number has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1288416-1 | increased seizure activity/mini seizures; increased seizure activity/mini seizures; confusion and memory issues; confusion and memory issues; fatigue/tired; This is a spontaneous report from a contactable consumer. A 17-years-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on 17Apr2021 09:00 (Lot Number: EW1064) as SINGLE DOSE (at age of 17 years old) for covid-19 immunisation. Medical history included epilepsy (interactable epilepsy) from an unknown date and unknown if ongoing. There were no concomitant medications. Historical vaccine information included BNT162B2 dose 1 on 25Mar2021 09:00, lot number as ER8733, in the left arm for COVID-19 immunisation(at age of 17 years old). On 17Apr2021, the patient experienced increased seizure activity, fatigue/tired, confusion and memory issues. After the 2nd shot, about 4-5 hours, he experienced increased seizure activity and it has progressed to today, today he is a little bit better but it has progressed to point he is having a lot of confusion and memory issues. He has several different types of seizures but he has what are called mini seizures, the blank stare, the confusion. Nothing has stopped completely, he isn't back to his baseline as far as his seizures. He always has seizures, daily so she is calling about the increased activity and when she says his baseline she means he has not returned back to his baseline activity, but he is doing better than yesterday. Saturday, Sunday, and Monday were horrible. Today he started to get back to his normal self. The events did not require a visit to the Emergency Room or Physician Office. Outcome of the increased seizure activity/mini seizures, confusion and memory issues were recovering. Outcome of fatigue/tired were not recovered. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1288455-1 | Seizure; This is a spontaneous report from a contactable consumer. A 44-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration on 09Apr2021 (Batch/Lot number was not reported) as single dose for COVID-19 immunization. The patient had no medical history. The patient had no known allergies. The patient's concomitant medications were not reported. The patient previously took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on an unspecified date. The patient experienced seizure on 10Apr2021. The patient had no other vaccine in four weeks. The patient was tested for COVID post vaccination. The patient underwent lab tests and procedures which included nasal swab: negative. Therapeutic measures (medication and follow-up treatment) were taken as a result of seizure. The outcome of the event was not recovered. The event was reported as serious-hospitalized, disability, life-threatening. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1288870-1 | Site: Swelling at Injection Site-Medium, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Medium, Systemic: Shakiness-Severe, Additional Details: Pt states they hadn't eaten and were dehydrated. pt definitley fell to ground from seated position. possible seizure activity for <1 mins |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1289195-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1289257-1 | Two days after my 2nd dose I exhibited severe pelvic cramping along with pain in both ovaries. The pain lasted for about an hour where I was unable to lay down, sit up or stand up without convulsing. There were muscle spasms, exhibited lots of shivering and cold. I treated this with Tylenol and it did not help immediately. After the hour I was able to lay down and go to sleep with the pelvic area still sore but not in as much pain as previously stated. The next two days I exhibited soreness in the pelvic and ovary areas. Currently I am experiencing no pain. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1289354-1 | Client complained of aura and had seizures. While on site client had 3 seizures lasting up to 3 minutes. EMT and MD on site. Given Versed x1 IM. EMS called. Client was taken via ambulance to emergency room. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1289568-1 | After my 2nd vaccine shot I kept getting heat flashes, headaches, felt dazed throughout the time I got the shot at noon till I have a seizure a few hours later at work. It took about 4 hours till I got a seizure in reaction to the 2nd covid shot. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1289873-1 | Patient appeared to have multiple seizures shortly after receiving her 1st covid vaccine (within 10 minutes). Mom reports last seizure was yesterday. Patient maintained airway and breathing during the incident. 911 was called and patient was transported to hospital. She also had nausea and 1 episode of vomiting. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1289980-1 | non-epileptic seizures onset 3 days after 2nd dose. 5-6 hours in the ER, trying to figure out if it was epilepsy, then 48 hours of observation once valium was given to calm the muscle spasms down. 5-5-2021 patient still has seizures less frequently, but they still occur. patient did not have these prior to 2nd dose of vaccine. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1290060-1 | patient had a seizure 3 hours after getting the vaccine.seizure disorder was under control for 6 years as per patient. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1291245-1 | Passed out and had seizure lasting 45-60 seconds. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1291275-1 | After receiving the vaccine, patient started to feel lightheaded. He then passed out and had seizures for 30 seconds. He then regained consciousness shortly after. No further reaction occurs 45 minutes after administering vaccine. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1291309-1 | felt a little woozy/ woozy and dizzy; I began violently shaking/ tremble; I couldn't lift my foot up I had to crawl up the steps; convulsions/ seizure like shaking it is terrifying; couldn't talk; she can't walk; palsy; not being able to function like I did/ am unable to be a minister now; stuttering; This is a spontaneous report from a non-contactable consumer (patient). A 68-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration on 02Mar2021 (Batch/Lot number was not reported) as single dose (dose 1) and then via an unspecified route of administration on 25Mar2021 (Batch/Lot number was not reported) as single dose (dose 2) for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient took the first shot on 02Mar2021, a few days, maybe on 2nd day or day or so after she took the shot, she went to the store and I felt a little woozy. She thought maybe she needed something to eat, but when she went to restaurant, she began to tremble and needed to get home. The patient drove slowly, when she got home, her husband was outside and she got out of the car and told him she was woozy and dizzy. She went in side and when she got to steps, she couldn't lift her foot up and had to crawl up the steps. She began violently shaking, she sat in a chair, it got worse. Her husband called the number, because she couldn't talk, like convulsions, just shaking, when Emergency people came, they took her to the hospital and she was there for 2 days. They did 2 computerized tomography (CT) scans, Magnetic resonance imaging (MRI) couldn't detect anything, but she continued with shaking and trembling. They weren't doing anything to find out what it was. One doctor said one thing the other said they didn't see anything, they sent me home. The patient was in hospital for 2 days, may have been 3 days, on 3rd day she went home (as reported). The patient went to the doctor and he sent her for other tests, but no one can determine or figure out what was going on. She didn't stutter, she was speaking normal, she was a minister. She was unable to be a minister now. She was well and doing well, then after that she can't walk, some times in bed at night, she go into shaking all over like she has palsy. She had to use a cane to walk. Some days she was feeling fine. She was still using a cane to walk and was stuttering, did not have her normal walk, she was afraid that she will fall. She was really trembly and shaky. Some days she can be fine, but then it comes right back. The patient stated that before she took the shot, she was fine. She is now 68 years old, she owns her own business sowing, active, walks and had no issues at all. Now, she was not able to go down stairs to sowing area and do anything. She had to use the buggy at the grocery store, because she can't walk and at night, some nights, she has a bell, her husband had to hold her from seizure like shaking it was terrifying. She had her second dose on 25Mar2021, the next day, she experienced worsening effects, she never had this shaking and not being able to function like she did before. She was concerned Ithat she was having seizure and palsy, because she had never been like this. It didn't start until after the first shot was bad and after the second one, it intensified even more. The patient stated that ever since the shot, her life had changed, she had never been in this position before. She can't think of anything else, checked her medications, never had any problems. She had been to the doctor, they can't detect anything else that could have caused her to get in this condition. Nothing like this. The patient stuttering, having to think of what she has to say, she had never ever had anything like this. She wanted to reach out because it was life changing and she was afraid and have never experienced anything like this at all. It has taken away any opportunity to get a job or anything. The outcome of the events was not recovered. Information about the Lot/batch number has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1291311-1 | "This is a spontaneous report from a contactable consumer (patient's father) via Medical Information team. A 16-year-old female patient received the first dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for injection), via an unspecified route of administration, administered in the right arm on 02Apr2021 at 10:15 (batch/lot number and expiration date were unknown) as a single dose for COVID-19 immunization. The vaccination facility type was reported as a ""drive thru COVID-19 vaccine clinic."" The patient's parents thought it was best for the patient to take the Pfizer COVID-19 vaccine, since she was eligible to get it so she would be protected. Relevant medical history included acne on the face from an unknown date and unknown if ongoing. Concomitant medication included isotretinoin taken for acne on the face, which she took for almost 3 months from an unspecified start date to 19Apr2021. The patient had no history of previous immunization with the Pfizer vaccine, since this was her first dose. There were no additional vaccines administered on the same date of the Pfizer suspect vaccine. The patient had no prior vaccinations (within 4 weeks) and had no adverse events (AEs) following prior vaccinations. The patient had no family medical history relevant to the AEs. On 17Apr2021 at about 16:15 in the afternoon, the patient experienced seizure. It was further reported that the patient had a side effect after receiving the Pfizer COVID-19 vaccine; the patient had a seizure 15 days after receiving the vaccine. The reporter was asking if seizure had been reported with the vaccine. The reporter had no idea for sure if it was the vaccine, but he wanted to let Pfizer know. The reporter was hoping the patient would be okay and it won't happen again. The patient would see her physician at the time of the report on 21Apr2021 in a few hours. They would listen to the doctor at the appointment, and they had an appointment with the neurologist to see if she should get the second dose on Friday. They didn't know yet. The reporter didn't have the vaccination card with him. The patient had no conditions other than this event. The patient went to the emergency room for the event on an unspecified from which she had blood tests, urine tests, and a computerized axial tomography (CAT) scan of her brain and they said they couldn't find anything wrong at that time. They needed to follow up with the hospital in the area to see a neurologist, which they would be doing the following day. They told them to follow up with the neurology department at their Hospital and told them until they find out more information; the patient could do what she needed to do, but she couldn't drive a car. The reporter asked if Pfizer has had any reports of this and wondered if there had been other reports of seizures. The outcome of the event was unknown. Information on the batch/lot number has been requested." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1291314-1 | seizure; This is a spontaneous report from a non-contactable consumer. A patient (the consumer's cousin) of unspecified age and gender received BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as a single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient experienced seizure and hospitalized over a week on an unspecified date. The outcome of event, seizure was unknown. No follow-up attempts are possible; information on the lot/batch number cannot be obtained. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1291322-1 | Had seizures and ended up in emergency room; Had seizures and ended up in emergency room; scar in left arm/scar in his left arm before he had a seizure; 'he could feel a bump, it was like a bump in there. So, it was between his armpit his heart where he felt the bubble; This is a spontaneous report from a contactable consumer (parent). A 40-year-old male patient received the second dose of BNT162B2 (lot number and expiry date were not reported), via an unspecified route of administration, administered in left arm on 14Apr2021 (at the age of 40-year-old) as single dose indicated to prevent from Corona virus (Covid-19 Immunization). Medical history included seizures and gout. The patient's concomitant medications included unspecified medication for seizures. The patient previously received the first dose of BNT162B2 (lot number: ER8730) on 24Mar2021 for Covid-19 Immunization. The patient got the second Pfizer shot later this month, left the office, 45 minutes later (on 14Apr2021) he had seizures and ended up in emergency room. He has had small seizures but they are not back to back, of and on throughout the years and now we are saying that maybe COVID Vaccine shot is what provoked him to, what made him had seizures. Reporter stated, even though he has had seizures in the past like it could be 2, 3 years apart for one. But the shot it caused him to have another seizure, but he is not going to continue to have seizures, as he is on medication (unspecified medication) right now. But the medication is on, if they take him off it, he could have multiple seizures constantly (name of medication not clarified further). Also on 14Apr2021, the patient also had a scar in left arm, it is another symptom he had. He had the scar in his left arm before he had a seizure, he said over here between his heart and his arm felt like a (incomplete sentence), now they don't know if he had a one scar or what it says but he says that 'he could feel a bump, it was like a bump in there. So, it was between his armpit his heart where he felt the bubble' (not clarified further). The patient underwent laboratory test which included: blood work, a urine sample and they did a CAT scan to see knowing the problem in his brain, all on 14Apr2021 with unknown result. The day of the test was on the 14th, it would have been on a Wednesday. It was the same day that he got the second shot. So, he had these test done on 14Apr (14Apr2021). Reporter confirmed of getting the test results on Thursday, so did not have the details. Therapeutic measures were taken as a result of seizures which included Levetiracetam 500 mg tablet, he takes one tablet twice a day, so he takes two tablets a day. This was ordered by his doctor in emergency room. The outcome of the events was unknown. Information on the lot/batch number has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1291442-1 | 16 hours later chills, fever, nausea and extreme tiredness. Lasted for 24 hours. A week and one day later had an unexplainable seizure of two to three minutes and afterwards being unconscious for 25 minutes. Cat scan and MRI all normal. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1292273-1 | Felt flushed and dizzy within minutes after receiving vaccine, and started convulsing. Later that evening on 5/1 started convulsing again and then twice more. Went to ER to get evaluated by a neurologist who believed he had vasovagal convulsions. Has not had a convulsion since but has had feelings that he might and has steady HA's and feeling faint. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1292682-1 | Pt stated the next day after getting her covid vaccine he gave herself a COPAXONE injection and then started getting flushing, shortness of breath that increased into shakes/convulsions and a fever that would spike and then fall and then spike again. It went on for a few hours until she finally vomited and then started to get better until it just stopped. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1292984-1 | Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Medium, Systemic: Seizure-Severe, Systemic: Vomiting-Medium, Additional Details: Patient began to seize/faint in chair within 5 minutes post-vaccination. Paramedics were called as I stabilized patient on floor. Consciousness regained within 60 seconds, patient confused/unaware of what had occured. Patient flush, lightheaded, vomiting. Paramedics arrived and confirmed patient was stable and safe to leave scene without further intervention. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1293217-1 | Suspected seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1293374-1 | Patient stated that she went home after vaccination and after about 2 hours she got red in the face head was spinning, and was walking sideways. She suffered a seizure and was hospitalized for 1 week. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1293512-1 | Patient got the 1st dose of Pfizer vaccine at 1:58 pm on 5/6/21. Patient felt slightly dizzy about 3 minutes after getting the vaccine. Then he passed out and fell on the floor with seizure for about 5 seconds. He regain conscious and said he didn't remember anything. He also said his stomach felt upset. Later he felt chest tightness and blurry vision. We called 911 at 2:02 pm. They came in at 2:07 pm. They checked the patient's blood pressure. Patient had low blood pressure. He was sweating and felt hot. He didn't eat or drink anything before getting the vaccine. They transferred him to the emergency room for further check-up. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1294160-1 | 25yo male patient fainted about 5min after receiving the vaccine while sitting in an observation chair. He fell to the side off his chair and hit head on the concrete floor, with his body still on the chair. Patient had convulsion-like movements. It was unclear if it was seizure-type activity or if his body was struggling to sit up from the supine position laying on the chair. Patient was attended to immediately by pharmacist - he responded immediately to my talking to him and touching his shoulders. Patient was guided to an upright seated position, then helped to floor and asked to lie on floor with legs elevated. 911 was called and Seattle Fire Dept arrived about 5min later. Patient was fully aware of surroundings, his name, etc. Evaluated him and took multiple blood pressure readings with him laying on floor and eventually sitting up. His pressure was initially low but recovered to normal over 15-30 minutes. Ambulance was called but patient declined as his parents were on their way. Patient's blood pressure recovered to normal and he was able to sit and stand, was fully conversational throughout the episode. Patient left building of his own accord with his family to seek medical follow-up. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1294726-1 | "seizure; Feel woozy; felt even weaker; jittery feeling; shaky; doesn't feel well; It has left her with a stutter; This is a spontaneous report received from contactable consumer (patient). A 67-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot Number: EN6198), dose 1 via an unspecified route of administration on 02Mar2021 (at the age of 67years) as single dose for Covid-19 immunization. The patient's medical history and concomitant medications were not reported. The patient reported that she got her first shot on 02Mar2021 and the second shot 25Mar2021. She took the first shot and she wanted to say a day or so after that she got up and did some things around the house and she went to the cloth store. She clarified that she went to the fabric store and came out she had a jittery feeling. Then she began to feel woozy and stated she may need to eat. She drove up to by (withheld) and there was a cookout restaurant in the same vicinity as (withheld). When she went to turn into the lot, she was ""shaky"" and pulled into the parking space. She added that the best thing is for her to go home. She didn't want to take the interstate and went to the back way just in case something happened. She went home and it was approximately 10 miles away. When she got home, she felt even weaker. Her husband was outside because he fishes and was working on his boat. She told him that she doesn't feel well and was shaky. He told her to go in the house and he would come in. She went in through the basement and when she got to the step her foot wouldn't come up, so she crawled up the steps. When her husband came in, she went into a seizure and had no control. She could hear her husband speaking but couldn't speak so he called. They told him to give her four 81 mg of aspirin. So, he gave her some aspirin. She could hear them when they came in to get her, but she couldn't respond. They took her to the hospital. At the hospital they did two CAT scans and another unspecified test. The patient added that she was concerned because she is a very active person, and this is not her normal talk. Before the shot she did a lot of sewing and that's her business. But a few days after the shot she began to have a lot of seizures and went to the hospital. And when she came home it continued. Before she left the hospital, she had not spoken to anyone. When her husband came in, she couldn't get her words out. It has left her with a stutter, and she decided to go to speech therapy. She went in and a few days it seemed like it had helped. The patient further stated that she is not getting back to normal and needs a walker or cane and she's 68 and healthy. The outcome of events was unknown. Information on lot/batch number was available. Additional information has been requested." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1294737-1 | syncopal episode; mild seizure activity; This is a spontaneous report from a contactable healthcare professional. A 43-year-old male patient received his first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: Ew0161) at the age of 43-years-old, intramuscular in left arm on 20Apr2021 at 11:00 at single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were reported as none. He has no COVID prior to vaccination and denied being allergic to anything. There was no other vaccine in four weeks and no other medications in two weeks. The patient received his first dose of COVID-19 vaccine in a workplace clinic on 20Apr2021 and experienced syncopal episode with mild seizure activity at 11:15, within the 15-minute period post vaccination (as reported). No treatment was given in response to the events. It was unknown if the patient was tested for COVID post vaccination. The outcome of the events was unknown.; Sender's Comments: A contributory role of BNT162B2 to the reported events cannot be fully excluded based on close temporal relationship and lack of alternate explanation at this time. However, the information provided is very limited and does not allow for a complete medical assessment. Case will be reassessed if additional information is received. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1295080-1 | Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Mild, Systemic: Exhaustion / Lethargy-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Nausea-Mild, Systemic: Seizure-Mild, Additional Details: Parents were with patient. says it happens every time she gets shots or blood work. possible NES and/or hypotension. says its happened in docs office before and they're testing her for pots and her sister has non epileptic seizures. She was fine after about 15 minutes. gave her a cold packet to put on the back of her neck and just monitored her for further symptoms. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1295415-1 | on 5/01/2021 member was with family and reported having a seizure which she does not remember having, stated she was drinking a Coke and spilled some and the next thing she remembers is being taken to hospital in ambulance, stated had Pfizer first covid shot on 4-12-2021. Stated started getting sick after this shot ?not felt well, didn?t feel like myself, achy, out in left field, had fever the following day after injection, loss of appetite and sense of taste, in a fog and not feeling well,? |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1296153-1 | Patient was very nervous prior to administration. After receiving the vaccination, pt walked back to his waiting area, then asked for assistance. He lost consciousness for a few seconds and briefly convulsed/arms contractured up. This lasted less than 20 seconds in total but he was slow to fully regain awarenesss/consciousness. This returned over the course of 1-2 minutes. EMS was called and responded. They spoke with the patient but by this time he had consumed 8-16oz liquid, eaten a snack, and was fully aware and alert. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1296227-1 | "Seizure, slurred speech, 5 mins into observation time of 30""" |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1296381-1 | I was called onto the scene around 1:25pm and was told by the manager on site to help with a patient who was feeling lightheaded. I went with one of the workers in the building who was able to obtain information from the patient that she had a history of epileptic seizures and directed me to the patient with a wheelchair. When I arrived on scene, which was a few hundred yards away in the convention center, there was a bystander there to help the patient and security a few yards away. I asked the patient how she was feeling and she stated that she was feeling weak and light-headed. I brought her over to a dark lighted area, via wheel chair, 10 yards away and laid her in on the ground to get maximum amount of blood flow to the brain. I was able to get her history, which she did not have allergies, and gave me the the information regarding her seizures that occurred every month to two months. As I asked about her medications for the seizures, first focal epileptic seizure started. The patient was away from all anything that could obstruct her and the seizure lasted for one minute. After this, colleagues and two EMS personnel from the convention center came on scene and the colleague dialed 911 after I stated that the patient had a seizure. The patient recovered, was able to obtain pulse, which was just over 100 bpm, and asked her questions regarding her name, time, place, and event and the patient was able to correctly respond. The patients skin was warm and was only brought to a sitting position when she needed to sip on water. I was able to give information to the dispatch during the call and monitored pulse and breathing. She was willing to go to the hospital when EMS arrived. The second focal epileptic seizure was five to seven minutes after the first one and again lasted for a minute. Again, the patient was alert and oriented to name, time, place and event. The patient was able to give me her ID and as I was getting her pulse and further information, a third focal epileptic seizure took place and this is when the EMS unit came on scene. They were able to take care of the patient and obtain vitals (130/90 blood pressure, just over 100 glucose). The patient was carefully sat up from the ground, laid on the cot, and the EMS unit transported the patient to a hospital. I signed witness to the security as to what happened and actions taken. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1296584-1 | Patient had a seizure about 5 minutes after vaccination was administered. Patient has a history of seizure according to the husband. We were not sure if the seizure started because of the vaccine or because of nervousness before getting the vaccination. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1296661-1 | Patient had a seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1299086-1 | "nausea; passed out; seizure; enlarged heart; hurt knee; sore mouth; This is a spontaneous report from a contactable other HCP (patient). A 19-year-old female non-pregnant patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: EP7534) via an unspecified route of administration, in the left arm on 20Apr2021 at 11:00 (at the age of 19-years-old) as a single dose for COVID-19 immunisation. Medical history was none. The patient's concomitant medications were not reported. The patient has no history of COVID-19 prior to vaccination. The patient had received other vaccines within 4 weeks prior to the COVID-19 vaccine: 2nd dose of Human papilloma virus (HPV) vaccine on 06Apr2021 in the right arm. On 20Apr2021 22:30, the patient experienced passed out, seizure, hurt knee, sore mouth, enlarged heart, and nausea. The patient reported, ""I was fine all day until around 10:30 pm I went into my mothers room and she was asking me how my arm feels I told her it was fine and right after saying that she said I passed out in front of her and then I began to have a seizure for about 50 seconds and then I woke up. After waking up from the event I had a hurt knee and sore mouth as well as an enlarged heart. I have no history of seizures in the past so it was definitely scary."" The patient underwent lab tests and procedures which included SARS-COV-2 test: negative on 20Apr2021. Therapeutic measures taken included anti seizure meds, fentanyl, and paracetamol (TYLENOL). The patient recovered with sequelae from the events, passed out, seizure, hurt knee, sore mouth, and enlarged heart. Outcome of nausea was unknown.; Sender's Comments: A contributory role of BNT162B2 to the reported events cannot be fully excluded based on close temporal relationship and lack of alternate explanation at this time. However, the information provided is very limited and does not allow for a complete medical assessment. Case will be reassessed if additional information is received. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1299087-1 | "After 15 minutes of sitting I passed out; slight seizure; headache; diarrhea; severe lethargy; arm soreness; This is a spontaneous report from a contactable consumer. A 34-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot Number: EW0164), via an unspecified route of administration, administered in Arm Right, at the age of 34 years, on 15Apr2021 12:45 at a SINGLE DOSE for covid-19 immunisation. Medical history included basedow's disease, gastrooesophageal reflux disease and allergy to metals from an unknown date and unknown if ongoing. Concomitant medications included methimazole (METHIMAZOLE) taken for an unspecified indication, start and stop date were not reported. The patient previously took hydrocodone and experienced drug hypersensitivity and gluten and experienced food allergy. The patient stated, ""After 15 minutes of sitting I passed out and had a slight seizure, then passed out and seized a second time. I had headache and diarrhea for two days following with severe lethargy and arm soreness"" on 15Apr2021 01:00 PM. The patient underwent lab tests and procedures which included sars-cov-2 test: negative on 19Apr2021. No treatment was received for the events. The outcome of the events was recovered on an unspecified date." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1299123-1 | had seizures; she fell; she was sleeping a lot; fever; fatigue; This is a spontaneous report from a contactable consumer (patient) received via Medical Information Team. A 47-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 12Apr2021 at 12:00 (Lot Number: ER2613) (at the age of 47-year-old) as single dose for COVID-19 immunisation. Medical history included ongoing ulcerative colitis. The patient's concomitant medications were not reported. The patient previously received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) (Lot Number: EN6208) for COVID-19 immunization. The patient experienced fever and fatigue (on 12Apr2021) but then got better. On Monday 19Apr2021 she was sleeping a lot, she fell and then had seizures. The patient was taken to the emergency room and a CT scan was performed; she was there for 5-6 hours. The patient confirmed that she was not admitted to the hospital. The patient outcome of fever and fatigue was recovering, the outcome of the other events was unknown. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1299146-1 | Seizures; Memory issues; Epilepsy; This is a spontaneous report from a contactable nurse (patient). A 32-year-old non-pregnant (including at the time of the vaccination) female patient received the 2nd dose of bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration administered on arm left on 19Jan2021 (Batch/Lot number was not reported) as SINGLE DOSE for COVID-19 immunization at the physician's office. Medical history included depression and anxiety. Concomitant medication included venlafaxine hydrochloride (EFFEXOR) taken for an unspecified indication and therapy dates. She had no COVID-19 prior to vaccination. The patient received the first dose of PFIZER-BIONTECH COVID-19 VACCINE on 29Dec2020 01:30 PM (Batch/Lot number was not reported) on the right arm as COVID-19 immunization. Then, received the 2nd dose on 19Jan2021. The patient was then diagnosed with epilepsy in Feb2021 a month after getting 2nd dose. On 08Mar2021 10:30, the patient had seizure and memory issues. The patient was brought to the emergency room/department or urgent care due to the events. Then was admitted in the hospital on 08Mar2021. The patient had nasopharyngeal swab on 05Mar2021 and showed negative. The patient received an unspecified treatment for the events but not yet recovered. Information on the lot/batch number has been requested.; Sender's Comments: Based on the information available and a close temporal association, a possible contributory role of the suspect BNT162B2 cannot be excluded for the reported events of Epilepsy.,seizures, memory impairment. The case will be reassessed once new information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1299172-1 | seizure; passed out; light headed; fell out of chair and hit floor; making a gurgling/growling sound; his right arm was contracted and tight; his right arm was contracted and tight; This is a spontaneous report from a contactable consumer, the parent. A 16-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE; Lot: ER8736), via an unspecified route of administration in the left arm on 23Apr2021 at 09:30 (at the age of 16-years-old) as a single dose for COVID-19 immunization. Medical history included Ehlers-Danlos syndrome. The patient had no known allergies. The patient was not diagnosed with COVID-19 prior to the vaccination. Concomitant medications were none. The patient did not receive any other vaccinations within 4 weeks of the vaccine. On 23Apr2021 at 09:45 (reported as 13 minutes after the vaccine), the patient said he was lightheaded and then fell out of the chair and hit the floor. He started making a gurgling/growling sound. After the nurses flipped him over, they noted that his right arm was contracted and tight. They were unable to determine if he had passed out or had a seizure. He had no seizure history. He regained consciousness after about 45 seconds to a minute. The patient was not treated for the events. Since the vaccination, the patient was not tested for COVID-19. The clinical outcome of passed out was resolved on 23Apr2021, while of seizure, lightheaded, fell out of chair and hit floor, making a gurgling/growling sound, his right arm was contracted and tight was resolving. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1299301-1 | worst seizure; This is a spontaneous report from a non-contactable consumer (patient parent). A 16-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number EN6206 and expiration date not provided), via an unspecified route of administration, administered in Arm Left first dose on 17Mar2021 10:30 at single dose for covid-19 immunisation. The patient's medical history included catamenial epilepsy has been taking 1000 mg Keppra twice daily to help control seizures. The shortest duration between seizures was approximately 1 month, and that was before her epilepsy diagnosis and starting on the Keppra. Additionally, patient's medical history included ADHD. The patient was not pregnant at time of vaccination. The patient's concomitant medications included levetiracetam (KEPPRA) for catamenial epilepsy at 1000 mg, 2x/day, amfetamine aspartate, amfetamine sulfate, dexamfetamine saccharate, dexamfetamine sulfate (ADDERALL), and unspecified medication. On 27Mar2021 08:30, the patient experienced her worst seizure ever. Also reported as suffered a cluster of seizures which is atypical for her. Last night the reporter read an article about some women starting their periods after years of not having it soon after receiving the Covid vaccine, so I looked back at my daughter's seizure record and noticed a potential link. Treatment included increased her Keppra dosage to 1250 mg. The event caused the patient for physician office visit. The outcome of the event was unknown. No follow-up attempts are possible. No further information is expected. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1299307-1 | worst seizure; First Pfizer Covid Shot on 17Mar2021# Second Pfizer Covid Shot on 31Mar2021; This is a spontaneous report from a non-contactable consumer (parent of patient). This report is for the second dose. A 16-year-old non-pregnant female patient received BNT162B2(PFIZER BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in left arm on 31Mar2021 (Batch/Lot Number: ER8727) as single dose for COVID-19 immunisation. Relevant medical history includes catamenial epilepsy and attention deficit hyperactivity disorder (ADHD). Patient had no other vaccines in 4 weeks. Patient had no known allergies. Patient had not had COVID prior to vaccination. Concomitant medications included levetiracetam (KEPPRA) taken at 1000 mg twice daily to help control seizures, start and stop date were not reported and amfetamine aspartate, amfetamine sulfate, dexamfetamine saccharate, dexamfetamine sulfate (ADDERALL) taken for an unspecified indication, start and stop date were not reported. Patient historically took first dose of Pfizer BNT162B2 (Lot number EN6206) on the left arm at age 16 years on 17Mar2021 at 10:30AM for COVID-19 immunisation and experienced worst seizures. Reporter's daughter has been diagnosed with catamenial epilepsy, and has been taking 1000 mg KEPPRA twice daily to help control seizures. The shortest duration between seizures was approximately 1 month, and that was before her epilepsy diagnosis and starting on the KEPPRA. She has recently suffered a cluster of seizures which is atypical for her. Last night, reporter read an article about some women starting their periods after years of not having it soon after receiving the COVID vaccine, so reporter looked back at her daughter's seizure record and noticed a potential link.Patient had her first Pfizer COVID Shot on 17Mar2021, and she experienced her worst seizure ever on 27Mar2021 (10 days after COVID vaccine). On 31Mar2021, patient had her second Pfizer COVID Shot and she experienced her second worst seizure ever on 10Apr2021 (again 10 days after the second COVID vaccine. Again, her daughter has never had seizures occur in such a short duration, with the minimum time between seizures being one month. The adverse reaction resulted in doctor or other healthcare professional office/clinic visit. Patient was treated for the event which is increase in KEPPRA dose to 1250 mg. Patient had not been tested with COVID-19 post vaccination. Vaccination facility was at a public health department. The outcome was unknown. No follow up attempts are possible. No further information is expected. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1299308-1 | I had a seizure and I am not common to having seizure; This is a spontaneous report from a contactable consumer (patient). A 33-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) at the age of 33-year-old, dose 2 via an unspecified route of administration, administered in left arm on 21Apr2021 (Lot Number: ER8735) as single dose for COVID-19 immunisation. The patient had no medical history. Concomitant medication included bisoprolol 10 mg. The patient was previously vaccinated with the first dose of BNT162B2 on 31Mar2021 at the age of 33-year-old for COVID-19 immunisation. The patient stated that he had a seizure on 21Apr2021, and he was not common to having seizure. No treatment was received for the event. The outcome of the event was recovering. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1299329-1 | seizure; Body soreness; Inability to sleep/stay asleep; Loss of memory/confusion; Loss of memory/confusion; This is a spontaneous report from a contactable consumer. A 26-yearsold male patient received his second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), on 29Apr2021 13:00 (Lot Number: EW0161) via an unspecified route of administration, administered in Arm Right as single dose for covid-19 immunization (Age at vaccination: 26 years). Medical history included High blood pressure. Concomitant medication included marijuana. The patient received his first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) via an unspecified route of administration, administered in right arm (lot number: EW0150) on 08Apr2021, 10:00AM for covid-19 immunization (Age at vaccination: 25 years). The patient experienced seizure, body soreness, inability to sleep/stay asleep (initial insomnia), loss of memory/confusion on 30Apr2021 07:00. The events were assessed as life-threatening by the reporter. The patient was not diagnosed with COVID-19 prior vaccination and the patient has not been tested with COVID-19 since the vaccination. Outcome of the events was not recovered. No follow-up attempts are needed. No further information is expected. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1299349-1 | I had a seizure and I have never had a seizure in all my life; It was like my lungs are about to collapse and especially my left lung; Difficulty in breathing; Dizziness; Have been bothered with my hand; Have been terrible ever since I had my shot; My first symptom was like in my head, it was like sinus pressure; My first symptom was like in my head, it was like sinus pressure; This is a spontaneous report from a contactable consumer. A 65-year-old patient of an unspecified gender received first dose of bnt162b2 (PFIZER COVID-19 VACCINE, Solution for injection), via an unspecified route of administration on 26Feb2021 as single dose for covid-19 immunization. The patient medical history and concomitant medications were not reported. The patient reported, had been having difficulty in breathing, dizziness, bothered with hand and have been terrible ever since had the shot, had never felt like this before. These symptoms started like about two weeks after taking the first one and first symptom was like in my head, it was like sinus pressure and everything but now, it has gone. And it just kept going on for about two weeks. Then on March the 11th, the patient went to doctor and told him about how the feeling was, and they gave a shot, a steroid shot (Unspecified Medication) as he was having difficulty breathing, like lungs are about to collapse and especially left lung and then, was okay for a day or so and two days after. The patient had a seizure and never had a seizure in all life of 65 years. The patient had to go to the hospital. The patient does not feel well. The outcome of events was unknown. Information on the lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1299509-1 | Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe, Additional Details: Pt apeared to have HTN crisis / seizure like aftivity 3 min after injection. Airway and then consiousness was lost with no breathing. EMS was called pt was assisted to floor and after opening airway and stimulation regained consiousness. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1299875-1 | My daughter had 4 mild seizures after she received the 2nd dose of the Pfizer. Her first seizure was 25 minutes after and other seizures were 25-30 minutes apart until I gave her Clonazepam for her on going seizures. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1300374-1 | This 75 year old female received the Pfizer Covid shot on 3/29/21 and went to the ED on 4/9/21 and was admitted on 4/9/21 with the following diagnoses listed below. I63.9 - Acute CVA (cerebrovascular accident) R56.9 - Unspecified convulsions |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1300533-1 | My prescribed medication therapeautic levels were stable. After receiving Pfizer BioN Tech vaccination on April 17, 2021, it triggered me a seizure (convulsion) on April 28, 2021. Why is Pfizer vaccination causing convulsions? |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1300756-1 | Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Medium |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1300763-1 | Site: Pain at Injection Site-Mild, Additional Details: Patient was waiting after the his first covid shot and he was talking with his parents, they had a conversation for 5 minutes and then the patient fainted, fell down, had seizure for few seconds and then woke up in few seconds. Patient was sweating, feeling hot. He was breathing normal. Face was red. .911 was called. Patient had no issues with needles. HR was 104. Patient felt better after 10-15 mins and left with his parents. No hospitalization needed. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1301195-1 | Immediately after injection patient passed out and then began to seize. Seizure did not last longer than 30 seconds and then shortly after patient recovered. 911 was called, vitals were checked and patient refused to be transported to the ER. No past history of seizures. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1301656-1 | fainting, eyewitness reported seizure (patient also had scrapped left shoulder) |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1302001-1 | Systemic: Seizure-Mild, Systemic: Shakiness-Mild |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1302104-1 | Fever of 103, Chills, Body convulsions, shaking,vomiting, chest pain on left side, stiffness on left side of body, weakness of the body, unable to stand long period of times, on going night sweats, migraine. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1302281-1 | 34 y/o male with no known medical history, who presents with seizure like activity lasting 2-3 seconds post vaccination. Patient states that this is his second vaccination in the two-dose series. Patient denies previous reaction with the first vaccination. Patient states that he fears needles. Patient was witnessed with upper arm stiffening, convulsions and syncope lasting 2-3 seconds. RNs lowered patient to the ground with legs elevated. Patient regained consciousness within seconds. Patient was not post ictal. Patient denies headache, sore throat, difficulty breathing or itch. Patient vitals (151/79 BP, 98% O2, 74 HR, 14 Resp, Glucose 125, EKG NSR). Fire rescue was called. Patient was placed in wheelchair and taken to private area where he was further assessed by the Paramedics, NP and RN. Patient was noted to be diaphoretic. Water provided and patient placed in Trendelenburg position. Fire rescue arrived. Patient refused to be transported to the ER, although it was advised by the NP. Fire rescue did not have the patient sign out AMA. AMA form provided and signed, witnessed by the NP. Patient aware of risk involved with no seeking further medical evaluation, such as worsening adverse reaction, subsequent seizures, cardiac event, MVA and/or death. Patient verbalized understanding. Patient ambulated to his car without difficulty. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1302596-1 | PT was administered the Pfizer COVID-19 vaccine at 11:10am and waited with wife and daughter in the designated waiting area. They walked to the store entryway to leave at 11:30am and Pt complained of nausea. His daughter brought him a garbage can; he retched into it twice without vomiting. He then arched back and started seizing. He was seated in a walker at the time, went very pale and seized for approximately 30-40 seconds. Emergency services were contacted by store personnel. We laid him down on the ground to decrease his fall risk. Approximately 5 minutes later he was verbal and responsive. EMS arrived and took over. I informed them of his vaccination and daughter relayed his health history. EMS then took patient to preferred hospital for evaluation. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1302726-1 | A week and two days after receiving the vaccine, I had a seizure while walking my dog. I was taken to the hospital and a Cat scan, MRI and EEG were all administered. No specific cause can be attributed to the cause of my seizure and the only factor that was different was that I was given the vaccine on 4/22/21. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1302950-1 | In the 15 minute waiting area patient begin to have seizure activity, then slumped into steering wheel and then went rigid again with seizure like activity. Each one lasted approx. 15 -20 seconds. No medical hx of seizures per patients. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1303311-1 | This 71 year old female received the Covid shot on 2/27 /21 and went to the ED on 3/3 /21 and was admitted on 3/4/21 with the following diagnoses listed below. R56.9 - Unspecified convulsions |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1303350-1 | This 73 year old female received the Covid shot on 3/2/21 and went to the ED and admitted on 3/25/21 with the following diagnoses listed below. R56.9 - Seizure R56.9 - Unspecified convulsions N17.9 - Acute kidney failure, unspecified |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1303450-1 | Pt reports that he waited for about 20 minutes after being vaccinated. During that time he felt a little hot and drank some water, but says he otherwise felt fine. He states that he stopped for gas after leaving the clinic and has no memories after that until he was being pulled from his car by a paramedic. He states that he was told he had a seizure and crashed his car. After the motor vehicle accident he says he was transported to the hospital, where they told him he had had a seizure, did some tests, and then released him. Pt states his heart rate and glucose were both elevated when he was at the hospital, but that his CT scan was normal. He states he was feeling fine we he got gas, and says he feels fine now (5/10/21: three weeks and two days later). He saw his primary care provider last week (5/5/21) and was referred to Neurology. He had an MRI done, which he reports was normal, and an EEG, which he says he is still waiting on results from. Pt reports no history of seizure prior to 4/17/21. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1303515-1 | Mom contacted our clinic today reporting that patient received the COVID vaccine at the Pharmacy. Mom reports about 2-3 minutes after the vaccine was given, patient 'had a seizure'. Mom reports loss of consciousness, twitching/jerking, pale skin, nausea. These s/s lasted less than 1 minute. They were at the pharmacy when the episode occurred. When he was alert and awake after the episode, he was acting normal and continues to act normal. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1303545-1 | 2 seizures within 24 hours of second dose. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1303851-1 | Syncopal Episode with seizure episode then syncope again. EMS at vehicle. Close to refused transport to hospital. Called emergency contact after EMS checked client out. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1304160-1 | CEREBROVASCULAR ACCIDENT R56.9 - Seizure (CMS/HCC) |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1304433-1 | Wife says I have had seizures at least twice just after falling asleep |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1305672-1 | The patient had a first time seizure a few minutes after having the vaccine; This is a spontaneous report from a contactable physician. A 17-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE) (Batch/Lot number: unknown), dose 1, intramuscularly on 25Apr2021 at 12:00 PM (at the age of 17-years-old) as a single dose for covid-19 immunisation. The patient's medical history was reported as none. Concomitant medications were not reported. The patient had no known allergies. The patient did not receive any other vaccines within four weeks prior to the vaccination. Prior to the vaccination, the patient was not diagnosed with COVID-19. No other medication was received within 2 weeks of the vaccination. On an unspecified date, the patient had a first time seizure a few minutes after having the vaccine. No therapeutic measures were taken as a result of the event. The event seizure did result in an emergency room/department or urgent care visit. Clinical outcome of the event first time seizure a few minutes after having the vaccine was resolved. It was also reported that since the vaccination, the patient had not been tested for COVID-19. Follow up attempts needed. Further information is expected.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the reported event of seizure due to temporal relationship. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics including EEG and Head CT/MRI, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1305733-1 | generalized convulsion/second seizure witnessed by medical staff; elevated CSF protein to 79, CSF Glucose 73; elevated CSF protein to 79, CSF Glucose 73; severe headache; confused; This is a spontaneous report from a contactable physician. A 47-years-old male patient received the first dose of BNT162B2 (PFIZER COVID 19 VACCINE), intramuscular on 22Apr2021 09:30 (Batch/Lot number was not reported) at age of 47 years as single dose for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. Patient was not diagnosed with COVID-19 prior to vaccination. Since the vaccination, patient had been tested for COVID-19. On Friday 23Apr2021, patient woke up with severe headache, per wife was confused. Then had a generalized convulsion. Presented to the ED, had a second seizure witnessed by medical staff. Workup with MRI, CTA and LP were notable for an elevated CSF protein to 79, CSF Glucose 73, otherwise no structural abnormality was identifed. Patient was clinically improving after being treated with seizure medications as of 26Apr2021. The adverse event result in Emergency room/department or urgent care, hospitalization. Covid 19 pcr nasal swab on 24Apr2021 was negative. Outcome of events was unknown. Follow-up needed. Information about batch/lot number has been requested.; Sender's Comments: Considering a plausible temporal relationship , a possible contributory role of suspect product BNT162B2 to the reported event seizures, CSF glucose increased, CSF protein increased, headache, confusional state cannot be completely excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1305782-1 | Shakes that feel like a seizure; Shakes that feel like a seizure; Choking; Side effects are minimal unless she got sun on her; sunlight made her sick; Nauseous; Light headed; Weak; Sweaty but chills; Sweaty but chills; Brain fog got really bad; This is a spontaneous report from a contactable consumer(patient). The 50-year-old female patient (not pregnant) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in arm right on 22Apr2021 16:00 (Lot Number: ER8736) as first dose, single for covid-19 immunization. Medical history included Polycystic ovarian syndrome(PCOS), Neuropathy, disabled, asthma, allergies, beat kidney cancer, autoimmune deficiency, anemic, gastric bypass. Concomitant medications included hydrocodone 10-325, escitalopram oxalate (LEXAPRO) 20mg, omeprazole 20mg. The patient had known allergies: tramadol, melamine, gabapentin. The patient stated sunlight made her sick. Side effects are minimal unless she got sun on her. Even through window. She got nauseous, shakes that feel like a seizure, light headed, weak, choking, sweaty but chills. Brain fog got really bad. She had brain fog from it but to the point she forgot she was headed to the bathroom after sunlight touched her. She had been able to handle indirect sunlight until today. Now she can't have any sunlight touch her without a reaction. Direct or Indirect. Nothing helped. Just sundown. Once the sun went down, the side effects calmed down. Events occurred on 26Apr2021 14:30 with outcome of recovering. There was no treatment received. Since the vaccination, the patient had not been tested for COVID-19.Case was assessed as non-serious by reporter. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1306197-1 | Twelve hours after the second shot, I had convulsions; About 5 hours after the second shot, my lips started to swell; I had a pain that started in my left armpit, shot down to my inner elbow, and caused my whole arm to get rigid; I had a pain that started in my left armpit, shot down to my inner elbow, and caused my whole arm to get rigid; Then my body would jerk and I groaned; Then my body would jerk and I groaned; This is a spontaneous report from a contactable consumer (patient). A 58-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EW0169) at left arm on 24Apr2021 09:45 AM at second dose, single for COVID-19 immunisation. Medical history included chronic rhinitis and Lyme disease. Patient previously received Morphine, cefzil and grass. Patient previously received the first dose of BNT162B2 on 03Apr2021 09:45 AM (lot number: EP7533) on Left arm for Covid-19 Immunization. Concomitant medication included loratadine, astaxanthin (BIOASTIN), spirulina spp. the patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. About 5 hours after the second shot (also reported as 24Apr2021 22:00), her lips started to swell. she took her allergy medicine and she felt better. Twelve hours after the second shot, she had convulsions. she had a pain that started in her left armpit, shot down to her inner elbow, and caused her whole arm to get rigid. Then her body would jerk and she groaned. It stopped and started in intervals, with calm in between. It was unknown prior to vaccination, if the patient diagnosed with COVID-19. Not tested for COVID-19. Outcome of the events was recovering. Follow-up information requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1306553-1 | Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Hypotension-Medium, Systemic: Nausea-Medium, Systemic: Seizure-Medium |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1307024-1 | Fell out of chair, seizure, pinpoint pupils. Noted patient laying on floor with open eyes. Pt is breathing comfortably. Pt was then transported via wheelchair to a bed. Pt reports that has history of psychogenic non-epileptic seizure due to history of abuse (pt will not further disclose her medical condition) that has recently been happening more frequently, and pt receives care . Pt also reported that did not drink enough water and did not have anything prior to visit. Pt was given cracker and juice. Pt was observed till 17:15 and was stable at discharge - discharged at 17:15. Pt declined transport via wheelchair and pt's friend picked up patient. Pt was advised to follow up with PCP. VS: BP: 110/64, HR: 64, R: 16 and O2 sat: 100% room air. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1307042-1 | Pneumonia, unspecified organism Thrombocytopenia, unspecified Trigeminal neuralgia Unspecified convulsions |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1307179-1 | Patient received second dose of Pfizer COVID vaccine and told nurse she did not feel well. Patient was the passenger in the car. Nurse stood near patient and stated patient had a mild seizure. Nurse reported patient began shaking. EMS, lead nurse, and clinical site manager notified and arrived to patient. Patient alert and oriented x3. States that she has a history of epilepsy and takes medication for it. Patient states she has a phobia of needles and had a seizure when she had her tetanus shot. Patient also stated she was fasting today and did not eat or drink much and her last seizure was two weeks ago. After approximately 10-15 minutes, patient stated she felt better and did not want EMS to transport her to the hospital. She stated she felt the same way she usually feels after she has a seizure. Vital signs and pallor WNL. Patient given crackers and Gatorade. She drank half of the Gatorade. Patient sent to observation to be observed for 30 minutes. Observation reported no further symptoms. Patient's friend drove her home. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1307307-1 | Pt received vaccine to R arm and within 3mins collapsed and hit back of hit head. Pt had seizure like activity for 1-2mins. Afterwards, pt was weak and confused. Pt taken to ER where he was given IVF and medication for nausea. Pt had neg head CT and CXR. Pt was discharged about 4hours later. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1307795-1 | Patient appeared to have 45-60 second seizure following first dose of Pfizer COVID-19 vaccine. Appeared to experience a tonic/clonic seizure. He was sitting in a chair, scheduling an appointment to receive his second COVID-19 vaccine and became unresponsive and stiff. Staff responded, patient was lowered to the floor for safety. Patient was turned on his side to maintain airway. O2 was take 97-99% on RA. Once rigidity had resolved, O2 was applies at 3L NC as a precaution once stiffness resolved. BP was taken, 83/59 and pulse 105 side laying. 5 min later, BP 109/73, pulse 106 supine. EMS was called, patient transferred to ambulance. Patient was alert and oriented. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1307856-1 | R56.9 - Seizure |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1309580-1 | Brain inflammation; Stroke like event/seizure; Stroke like event/seizure; This is a spontaneous report from a contactable consumer (patient). A 50-year-old male patient received bnt162b2 (Pfizer-BioNTech Covid-19 Vaccine), via an unspecified route of administration, administered in left arm on 19Apr2021 16:00 (Lot Number: ER8731) 2ND DOSE, single for COVID-19 immunization. Medical history included rheumatoid arthritis from an unknown date and unknown if ongoing. The patient's concomitant medications were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient previously received 1st dose of bnt162b2 (Pfizer-BioNTech Covid-19 Vaccine, lot number: EP6955) on 29Mar2021 01:00 PM in the left arm for COVID-19 immunization and experienced stroke like event/seizure. The patient had stroke like event/seizure following first and second injections. The patient also had brain inflammation. Events onset date reported as 22Apr2021 11:00. The events were reported as serious due to hospitalization in Apr2021 for 5 days. Events resulted in doctor or other healthcare professional office/clinic visit and a visit to emergency room/department or urgent care. Prior to vaccination, the patient was not diagnosed with COVID-19. The patient been tested for COVID-19 since the vaccination. Outcome of events was unknown. The patient underwent lab tests and procedures which included Nasal Swab: negative on 22Apr2021. No treatment received for the events. Further information has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1309586-1 | my arm hurt; I was hallucinating; my body was convulsing/having a literal seizure; uncomfortable; thirsty and craved water; tired; couldn't get up; felt freezing because I was so cold; teeth were chattering extremely fast; my teeth were chattering extremely fast like I had hypothermia; became very hot; shaking involuntary; This is a spontaneous report from non-contactable consumer (patient). An adult female patient received BNT162B2 (Pfizer-BioNTech COVID-19 mRNA vaccine), dose 2 via an unspecified route of administration, administered in left arm on Apr2021 (Batch/Lot Number: EW0110) as second dose, single for COVID-19 immunisation. The patient's medical history was not reported. Prior to vaccination, the patient was not diagnosed with COVID-19. Concomitant medication included metformin; spironolactone; ethinylestradiol, ferrous fumarate, norethisterone acetate (JUNEL FE); all taken for an unspecified indication, start and stop date were not reported, received within 2 weeks of vaccination. Patient historically took the first dose of BNT162B2 (lot number: EW0150) on the left arm on Apr2021 for COVID-19 Immunization. On 27Apr2021, patient went to bed at like 1200 and her arm hurt but she didn't take any medication. Then, patient like woke at about 1:47 and was shaking involuntary, everything was so uncomfortable and she was hallucinating trying to connect all her limbs - like she grew extra arms and legs and she had like her hands had mini hands and a friend that she hadn't seen in a while (who was not there) was holding her head up. She was very thirsty and craved water so bad but she was so tired and shaking that she couldn't get up. After about 30 minutes, she got up and her body was convulsing while standing and her room which is typically warm felt freezing because she was so cold and her teeth were chattering extremely fast like she had hypothermia. She got water, took some ibuprofen and she got back in her bed. she texted a friend at 2 something in the morning because she thought she was having a literal seizure like she couldn't control her body at all. Then, her body eventually stopped shaking on Apr2021 and she was just above sleep level for another hour or two and then became very hot. Since the vaccination, the patient has not been tested for COVID-19. The patient underwent lab tests and procedures which included covid-19: negative on Apr2021. The outcome of the event 'having a literal seizure' and 'shaking involuntary' was recovered on Apr2021, while for the other events, it was unknown. No follow-up attempts are possible. No further information is expected. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1309961-1 | Systemic: Seizure-Medium |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1310246-1 | Hypo-osmolality and hyponatremia Acute kidney failure, unspecified Unspecified convulsions Hyponatremia |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1310282-1 | immediately after receiving the Pfizer vaccine the patient had a seizure and passed out. once she regained consciousness she then had an additional seizure. The ambulance was called and she was taken to the hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1310472-1 | approximately 5 mins after recieving 2nd dose member began to have a seizure eyes open , no responsive with right arm and leg tremors. Pulse 100. lasted 5-8 minutes. Hx of seizure with does of HPV in 2014 |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1310752-1 | patient after the injection did not feel well and stated she was likely going to have a seizure. Patient seized for 30 seconds to a minute and then came back to. Vitals were stable at that time and the patient was responsive. EMTs came to check in with her and she refused to go in for any additional evaluation. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1310811-1 | "Wife reports that patient started declining on 4/5/21 after his second covid immunization. He started to have intermittent intermittent fevers, shortness of breath and labored breathing. Wife reported he would ""get sweaty and hot "" and therefore she would give him tylenol. He saw his pcp 2 days later on 4/7/21 for these symptoms. In addition she noticed him to present with decline in his cognition and hemibody weakness and swelling. His pcp was also concerned about diastolic dysfunction. He received an outpatient ECHO. He was placed on lasix and referred to cardiology. On 4/19 He saw cardiology who ordered EKG and reviewed his echo. Felt that his afib was likely contributing to his shortness of breath. His echo and recent blood work revealed preserved EF. He had occasional scattered wheezes on exam and therefore inhaler and cxr was ordered. On 4/22 he presented to the Emergency room for breakthrough seizure. Breakthrough seizure lasted longer than usual (20 minutes), so ED performed a CT head, which showed an age indeterminant lacunar infarct in the anterior limb of the internal capsule. ( new from MRI 2 months earlierI) ." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1310826-1 | 23 days after the second does the the Pfizer\BioNTech vaccine, I experienced a nocturnal seizure. I was 21 weeks and four days pregnant with my first child (estimated delivery date of August 12, 2021). I was diagnosed with high blood pressure and prescribed labetalol at 100 mg twice a day 4 days before the adverse event. It was my first time being put on blood pressure medication. During the seizure, I fell out of bed hitting my head, face, shoulder, hip and ankle on the right side of my body. 911 was called and I was brought to the ER and eventually transferred to Hospital on the labor and delivery floor. They ran a series of labs and tests which resulted in a three day stay. They determined that I have gestational diabetes and epilepsy which they believe had been dormant until the seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1311020-1 | RN administered Pfizer vaccination (2nd dose) approximately 11:06am to client via drive through. While RN was logging passenger of same vehicle, approximately 11:08am, passenger yelled out for help. RN called for MEDIC. 11:08-11:14 Client became alert, AO x3 11:16 MEDIC arrived on scene |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1311200-1 | R56.9 - New onset seizure (CMS/HCC) R56.9 - Unspecified convulsions N17.9 - Acute kidney failure, unspecified |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1311270-1 | R56.9 - Unspecified convulsions N93.9 - Abnormal uterine and vaginal bleeding, unspecified VAGINAL BLEEDING HEADACHE |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1311415-1 | Uncontrollable shaking and convulsions that lasted approximately an hour and a half. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1311433-1 | CVA (cerebral vascular accident) Unspecified convulsions |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1313012-1 | seizures; fever of 103-104F; This is a spontaneous report from a contactable consumer. A 25-year-old female patient (reporter's daughter) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 30Mar2021 14:00 (Batch/Lot number was not reported) as 2nd dose, single for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. On 01Apr2021, the patient started with fever and seizures. She was admitted to the hospital from Tuesday, 06Apr2021 to Saturday, 10Apr2021. During this time, she was seen by all the specialists, had CT scans, MRI, encephalograms, blood tests, and they have not been able to explain what happened to her. On 19Apr2021, she was seen by a neurologist and he explained that physically everything was fine in her body and brain, it's not epilepsy, this was probably the effect of the vaccine. To this day, patient continued with a fever of 103-104F, she takes acetaminophen 500 mg every 6 hours and ice packs were applied to her stomach and forehead. Reporter had a 1-minute video when patient got the seizures and can send it. Outcome of seizure was unknown, of fever was not recovered. Information on the batch/lot number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1313024-1 | seizure; Stroke like event; This is a spontaneous report received from a contactable consumer (Patient) reporting for himself. A 50-year-old male patient received first dose of BNT162B2 (BNT162B2) via an unspecified route of administration on 29Mar2021 01:00 (Batch/Lot Number: EP6955) as SINGLE DOSE for covid-19 immunization. Medical history included rheumatoid arthritis from an unknown date. The patient's concomitant medications were not reported. The patient experienced seizure and stroke like event on 22Apr2021 at 11:00. The patient was hospitalized for seizure and stroke like event for 5 days. The patient underwent lab tests and procedures which included sars-cov-2 test: negative on 22Apr2021. Outcome of the events was unknown Information on Lot/Batch number was available. Additional information has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1313067-1 | "seizure; This is a Spontaneous report from a contactable other healthcare professional (HCP). An 18-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 01Apr2021 at single dose for COVID-19 immunisation. Medical history included Bipolar disorder, Depression, Attention deficit hyperactivity disorder (ADHD) and sleep (disorder). Concomitant medication included cariprazine hydrochloride (VRAYLAR) orally from 18Mar2021 to 02Apr2021 at 1.5 mg, daily for Bipolar disorder; escitalopram oxalate (LEXAPRO) at 10 mg for Depression; amfetamine sulfate (EVEKEO) 2 times a day for ADHD; bupropion hydrochloride (WELLBUTRIN) and mirtazapine (REMERON) for sleep (disorder). It was reported patient experienced seizure on 02Apr2021 after using concomitantly Vraylar, Lexapro, Evekeo, Wellbutrin and Remeron, experienced seizure after using concomitantly Lexapro and Wellbutrin. The initial report from the United States was received via Company representative originating from a nurse on 15Apr2021, regarding an 18-year-old female patient who experienced seizure, drug interaction, and labelled drug-drug interacton medication error following the administration of cariprazine hydrochloride, amfetamine sulfate, escitalopram oxalate, mirtazapine, Pfizer Covid-19 and bupropion hydrochloride. Company received the report on 16Apr2021. Reportedly, the patient began cariprazine hydrochloride 1.5mg daily orally for Bipolar disorder on 18Mar2021, had the Covid-19 vaccine on 01Apr2021, and had a seizure on 02Apr2021. The patient had no history of seizures. The reporter did not believe the seizure was caused by the cariprazine hydrochloride (causality for seizure was also reported as unlikely). The patient was taken to the emergency room but not admitted, treatment and outcome unknown other than the emergency room staff advised the patient to ""discontinue everything"". The reporter assessed the relationship between cariprazine hydrochloride and the event of seizure as unlikely. Laboratory tests were not reported. The patient experienced the seizure one day after Covid 19 vaccine. Considering the short onset latency, the vaccine was also considered co-suspect. The case in confounded by patient's use of co-suspect medications that could have lowered the seizure threshold. The following important missing medical information will be helpful for further case evaluation: medical history, indications and therapy dates for all suspects, action taken, lab results (drug blood levels), investigations, treatment, outcome. Treatment information was not provided. At the time of the report, the outcome of seizure was reported as unknown. This case was considered serious due to the following seriousness criterion: medically significant. Information on batch number has been request.; Sender's Comments: A causal association between BNT162B2 and the reported events cannot be excluded based on a compatible temporal relation. Contributory role of concomitant medications should also be considered. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1314774-1 | "school nurse filled out incident report per their policies. Incident highlights: ""Pt got her mom?s attention and started to slump down, Mom and volunteer? Were able to assist her to the floor. No injuries during the episode, did not hit her head. She has twitching of her extremities which appeared to be a seizure. Mom stated there was no seizure history. EMS was called. Pt was alert when EMS arrived, they assessed her and it was determined that she should get an evaluation but EMS gave the option to transport themselves for follow up as she appeared stable."" unable to contact mother, no additional information available." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1315962-1 | Patient post-vaccination (Pfizer/0.3ml/1st dose administered @10:23a) appeared to be seizing in his chair during observation @ 10:26a. I rushed to him, requesting aid from his colleagues to help lay him on the ground and elevate his feet. He was unresponsive and disoriented, with shallow breathing and weak pulse, so I activated EMS @ 10:26a. He appeared to seize again so I instructed two men to help roll him onto his side, at which time, an RN managing the vaccines, took over monitoring while I talked to 911. EMS was on scene @ 10:29a. RN reports he'd had a vagal response, most likely due to witnessed severe anxiety during IM injection (name /right deltoid @ 10:23a). RN gave him Gatorade and he quickly became AOx3. When EMS arrived, he was able to stand up, with assist, and be placed on the gurney. EMS monitored him for ~ 20min onsite, at which time he became hypotensive, resulting in transport to the nearest ER with O2 and IV management. Per HR representative for a business patient was discharged @ ~2p the same day, with diagnosis of severe dehydration and hypokalemia, his reaction most likely a vagal event. Unknown if medications were given outpatient. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1316163-1 | "Seizure; Felt dizzy; Eye sight was blurry; Shake and jerk; Shake and jerk; Skin turned pale; Heart rate was high; Nauseous; This is a spontaneous report from a contactable consumer. A 17-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in left arm on 28Apr2021 16:00 as unknown, single for covid-19 immunisation. The patient medical history was not reported. Concomitant medications included fish oil; magnesium [magnesium citrate]; vitamin d [vitamin d nos]; probiotic [bifidobacterium lactis]; vitamin b complex (VITAMIN B). The consumer stated, approximately 20 minutes after receiving the vaccine (28Apr2021 16:15) the patient felt dizzy, eyesight was blurry, and he began to shake and jerk. It resembled a seizure. His skin turned pale, heart rate was high, and he felt nauseous. It took him approximately 5-10 minutes to feel ""normal"" again. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The adverse event result in emergency room/department or urgent care. There is no treatment for AE. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the events was resolving. Information about Batch/Lot no. has been requested." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1316515-1 | Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Nausea-Severe, Systemic: Seizure-Severe, Systemic: Vomiting-Severe, Additional Details: patient had a seizure when she was 12 after taking hep b vaccine (22 years ago). Patient had no reaction from COVAX dose 1. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1316754-1 | Person suffer a stroke and started having seizures and continuously having Seizures |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1317251-1 | Acute kidney failure, unspecified SEIZURES |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1317535-1 | Patient has history of vasovagal syncopy / seizure and told us in advance. When he was administered the vaccine, he passed out for just a short period of time and had a minor seizure (approx. 5 seconds). |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1317597-1 | Patient received vaccine, 1-2 minutes later stated she was feeling dizzy and passed out and began to seize. 911 was called. patient was monitored and given water and an icepack upon regaining consciousness. Paramedics did a physical assessment, including checking blood pressure and blood sure. Patient's guardian refused going to hospital. After 30 minutes patient and guardian went home as patient stated she felt fine. Pharmacy planning to follow up with patient the next day. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1317762-1 | J18.9 - Pneumonia, unspecified organism D69.6 - Thrombocytopenia, unspecified R56.9 - Unspecified convulsions |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1318043-1 | received vaccine and stood up. During walking out of room, fainted and potentially had seizure as she fell. Head hit the ground. Stayed awake, alert after she fell. Generally knew who, what, when, where and that she just had vaccine. EMS called who arrived and transported to ER for evaluation. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1318941-1 | On 4/1/2021 Patient had at least one seizure at home and upon arriving at the ER/hospital had a severe seizure. She was admitted to the hospital for treatment and was in the intensive care unit for about 9 days. She was given seizure medicine along with other fluids to keep her hydrated and fed. Multiple EEGs were taken to track the electrical activity within her brain - which even with high doses of medication was very active. A spinal tap was done to test for infection and no viruses were found. An MRI was completed to identify what part of the brain was being impacted. The area of the brain that was impacted was the side and the images showed it was very inflamed. She has since been moved to a physical therapy facility to try to help her improve. At this time, she still needs assistance for all activities and would not be able to return home due to the level of care she needs. Her current diagnosis is autoimmune encephalitis. She has never had seizures before and this one began about two weeks after receiving her first dose of the COVID-19 shot. She has been unable to receive her second shot due to being in the hospital and physical therapy facility. Due to the timing of the seizure event, we are very concerned with her receiving her second shot as well. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1320024-1 | seizures; This is a spontaneous report from a contactable consumer (patient). A 22-year-old female patient received the first dose of BNT162B2 (BNT162B2) via an unspecified route on left arm 1st dose, single for COVID-19 immunization on 28Apr2021 01:00 at 22-year-old. Medical history included cerebral palsy. There were no concomitant medications. The patient experienced multiple side effects throughout the day followed by seizures on 28Apr2021 17:00, reported as serious due to disability with outcome of recovering. Doctor or other healthcare professional office/clinic visited, emergency room/department or urgent care visited, reported as disability or permanent damage. The patient was treated by diphenhydramine hydrochloride (BENADRYL). Information on Lot/Batch number has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1320051-1 | I got out of my truck and collapsed; I had a grand mal seizure, seizing for 5 plus minutes; Slammed my head repeatedly on the concrete during the seizure leaving my head bleeding and cuts all over me.; Slammed my head repeatedly on the concrete during the seizure leaving my head bleeding and cuts all over me.; I leaned forward slamming on the gas colliding with another vehicle.; I don't remember starting my vehicle; This is a spontaneous report from a contactable consumer (patient). A 20-year-old male patient received his first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EP7533), via an unspecified route of administration at the age of 20-year-old at arm left on 21Apr2021 22:30 at single dose for COVID-19 immunization. Medical history included epilepsy, haven't had a seizure until now for 2 years. Prior to vaccination, the patient wasn't diagnosed with COVID-19. Concomitant medications included Men's Multivitamin GNC and fish oil received within 2 weeks of vaccination. Patient didn't receive any other vaccines within 4 weeks prior to the COVID vaccine. The was leaving he apartment complex to go to school after work around 7am 23Apr2021, the patient didn't remember starting he vehicle, but he leaned forward slamming on the gas colliding with another vehicle. he got out of his truck and collapsed, he had a grand mal seizure, seizing for 5 plus minutes, having to go to the emergency room, he slammed his head repeatedly on the concrete during the seizure leaving his head bleeding and cuts all over he. He was now unable to drive for 6 months and need to get an MRI an EEG and be put on medication. Adverse events resulted in Doctor or other healthcare professional office/clinic visit, Emergency room/department or urgent care, Hospitalization. The patient was hospitalized for one day for events. Facility where the most recent COVID-19 vaccine was administered in workplace clinic. Since the vaccination, the patient hasn't been tested for COVID-19. The patient was received treatment for all events. The outcome of events was unknown. Follow-up attempts are needed. Further information is expected. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1320090-1 | "This is a spontaneous report from a contactable consumer, the patient. A 60-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration on 27Apr2021 (at the age of 60-years-old) as a single dose for COVID-19 immunization. Medical history included ongoing tremors and prostate issue. The patient had no known allergies. The patient was not diagnosed with COVID-19 prior to vaccination. Concomitant medications included clonazepam, tamsulosin, oxybutynin. The patient did not receive any other vaccinations within 4 weeks of the vaccine. On 27Apr2021 (the first day), the patient was a little tired. On 28Apr2021 (the second day), the patient experienced joint pain, felt very tired and weak. By 19:00-20:00, the patient realized he was going to have a tremor attack, but quickly turned into what would be called a seizure. The patient lost motor skills, speaking and breathing issues accrued. The symptoms where coming and going. With the help of his wife, the patient managed to take one 0.5 mg clonazepam. The situation lasted for around an hour, after which the patient went to bed. The next morning, 29Apr2021, the patient still had a lot of joint and muscle pain. As soon as he tried to start some minor work around the house, the tremors started again, but this time the patient took clonazepam and rested in bed all day. Today, 30Apr2021, the patient was tired from the situation and will be resting also. Since the vaccination, the patient was not tested for COVID-19. The clinical outcome of seizure, "" tremor attack / tremors started again"", joint pain, tired, weak, lost motor skills, speaking and breathing issues accrued and muscle pain was resolving. Information about lot/batch number requested." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | "loosing urine; mind would 'go off' for a couple of seconds and she would just urinate.; seizure; she would just urinate.; This is a spontaneous report received from a contactable consumer (patient). A 68-year-old female patient received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for Injection, Lot number and Expiration date were not reported), via an unspecified route of administration, administered in Arm Left on 24Feb2021 10:00 (at age of 68 years old) as single dose for COVID-19 immunisation. The patient medical history was not reported. Concomitant medication included omeprazole (PROTONIX). No Prior Vaccinations (within 4 weeks). No AE(s) following prior vaccinations. No Additional Vaccines Administered on Same Date of the Pfizer Suspect. The patient previously took first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Solution for Injection, Lot number and Expiration date were not reported), via an unspecified route of administration, administered in Arm Left on 03Feb2021 (at 68 years old) as single dose for COVID-19 immunisation. Caller stated she received Pfizer's COVID vaccine and shortly afterwards (on 24Feb2021), her mind would 'go off' for a couple of seconds and she would just urinate. She stated, ""I never had this issue before. It happened one day, then 2 days later, then 2 days later. My mind would just go off for a second and I would just stand there and urinate. And it went on for 10 days every other day. Now it just happened. I just unloaded yesterday (29Apr2021). It all just started happening after the 2nd vaccine. It may be related or may not. The urologist said that's strange and they said there's nothing they can do about it. I will be seeing the neurologist on 07Jun2021."" Caller calling about the Pfizer COVID vaccine. She states that 2 days after getting the second shot every now and then her mind would go off, like a mini seizure and then she would loose her urine. She states that she has never had this issue before. It has been going on for almost over a month now, but it has been going down a little less, but it's still happening. She is going to a neurologist, but the neurologist can't see her until June. She is wondering has anyone else had an issue with this? She states she has been to a urologist, but they say they can't do anything for her and that she needs to see a neurologist. She states that it is very strange. She does state that it is becoming less and less, and it is like every 4 days now. She states she did have a 6 day stretch where she didn't have any incidence of the mini seizure or loosing her urine. She states she has never had anything happen to her like this, not even close. It happens out of the blue, and she doesn't even feel the sensation to urinate. She states she could be talking to someone, or in a store talking to someone and her mind goes out for just a second and then she just pees. She states that she is aware of what is going on. Caller states that she doesn't know what a mini seizure is like and does not know how to describe this event. However, it is usually when she is talking to someone, her mind might go off for a second then she just pees. She states it's weird. She states that it is usually when she is out, and that it doesn't happen at home. She states that she doesn't have the sensation of having to go to the bathroom she just goes. She says it's weird, nothing like this has ever happened before. She doesn't have a problem with fizzing out for a couple seconds. Caller states she doesn't want to use mini-seizure because then that marks her of having epilepsy. She also states that her doctor told her not to describe it as a seizure because they are not sure what it is yet. She wants to use the term fizz out for a min. Fizzing out for a minute: She clarified and states that the last two times this happened she did not fizz out, but she still just peed out of nowhere, without even having a sensation of having to pee. The last time she fizzed out was 10Apr2021. She doesn't know what to do and she is hoping that it gets figured out. She went four days without anything happening and then she was waiting in line and it just happened. She states she just urinated but doesn't recall fizzing out. She states it is not every day but every four days now, the urine. She states that it happened after the second vaccine. Dates for loosing urine was 04Mar2021. Physician Office visit for all events (went to the doctor after this happened. She states that the events might of happened before the second vaccine, she is not sure, but she started righting it down shortly after receiving the second vaccine). The outcome of the event loosing urine was not recovered, for other events was unknown. information on the lot/batch number has been requested." |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1320096-1 | |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1320099-1 | convulsions; Fever (up to 103 F degrees); chills; confusion; dizziness for first 48 hours; body aches for 96 hours.; This is a spontaneous report from a non-contactable consumer who reported for himself. A 54-year-old male patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; Lot Number: EW0172), via an unspecified route of administration, in Arm Left on 20Apr2021 at 13:30 (at 54 years) at single dose for covid-19 immunisation . Medical history included known allergies penicillin. Previously, on 29Mar2021, patient took the first dose of the vaccine (lot Number: EQ0150) administered in Arm Left for covid-19 immunisation. The patient's concomitant medications were not reported. Patient had no COVID prior vaccination and was not covid tested post vaccination. On an unspecified date in 2021 patient experienced fever (up to 103 F degrees), chills, convulsions, confusion, dizziness for first 48 hours, body aches for 96 hours. No treatment given. Patient recovered from all the events on an unknown date in 2021. No follow-up attempts are possible. No further information is expected. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1320177-1 | seizure; faint; feeling dizzy; drained again; his lips lost their color; difficulty hearing; nauseous; sweating profusely; This is a spontaneous report from a contactable pharmacist. An adolescent male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE; Batch/Lot Number: Er8736), intramuscular, administered in Arm Left on 30Apr2021 20:30 as 1st dose, single for COVID-19 immunization. Medical history, none known. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The patient's concomitant medications were not reported. The patient reported no previous adverse events with prior vaccinations, specifically dizziness or fainting. After the shot he went to the bathroom, returned fairly quickly & reported feeling dizzy and quickly took a seat and thought he might faint. Soon thereafter he seemed to have a seizure. His eyes remained open but rolled back, he stayed upright but was unresponsive. They removed his mask & his mother & they kept talking to him. It ended after about 10 seconds & he asked how long he had been out. His color was momentarily better, but drained again & his lips lost their color. They asked if he had any difficulty breathing and he did not. He reported that he had difficulty hearing (like he had headphones on) & was sweating profusely. His mother kept encouraging him to take deep breaths, they got him some water & asked if he had a history of hypoglycemia- he did not. They asked if they could get him a candy bar& they asked for a granola bar which they acquired. He was too nauseous to eat it & asked. The events started on 30Apr2021 20:30. No treatment was given. The outcome of the events was recovered.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the seizure and the other reported events due to temporal relationship. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics including EEG and head CT/MRI, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1320178-1 | pre-syncopal and syncopal episodes; pre-syncopal and syncopal episodes; seizure; This is a spontaneous report from a contactable consumer. A 66-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; Lot Number: ER8731), via an unspecified route of administration, administered in right arm on 14Apr2021, at 10:00 (Batch/Lot Number: ER8731) as single dose for covid-19 immunization. Medical history included hypertension, breast cancer, penicillin allergy, allergy to sulfa, and osteoporosis from unspecified dates. Concomitant medications included metoprolol tartrate (MANUFACTURER UNKNOWN) taken for an unspecified indication, start and stop date were not reported; losartan (MANUFACTURER UNKNOWN) taken for an unspecified indication, start and stop date were not reported; folic acid (MANUFACTURER UNKNOWN) taken for an unspecified indication, start and stop date were not reported; exemestane (MANUFACTURER UNKNOWN) taken for an unspecified indication, start and stop date were not reported. The patient experienced pre-syncopal and syncopal episodes and seizure on 23Apr2021, which were serious as they involved hospitalization. The patient was hospitalized for 2 days for the events. The patient underwent lab tests and procedures which included blood test: negative on 22Apr2021, Covid-19 test: negative on an unspecified date, since the vaccination, scan: no lesions on an unspecified date. Details were as follows: a week and a half after the vaccine, patient started having pre-syncopal and syncopal episodes, increasing in frequency. After two days, patient went to the emergency room, where she had a seizure and was admitted to the hospital. Scans showed no lesions. Patient was put on Keppra, and no more seizures. Therapeutic measures were taken as a result of the events; treatment received for the adverse events included benzodiazepine, Keppra, and intravenous fluids. No follow-up attempts are needed. No further information is expected. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1320255-1 | had two seizures on the same day; epilepsy; This is a spontaneous report received from a non-contactable consumer reported for a 20-year-old male patient received bnt162b2 (BNT162B2), via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as single dose for covid-19 immunisation. The medical history and concomitant medications were not reported. The patient had epilepsy. He had two seizures this week on the same day and he had not had a seizure in 1.5 years. The outcome of the events was unknown. Information on the lot/batch has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1320379-1 | had 2 seizures; This is a spontaneous report from a contactable consumer (parent). A 16-year-old male patient received bnt162b2 (lot/batch number unknown) via an unspecified route of administration on an unknown date at 2nd dose, single for COVID-19 immunization. Medical history and concomitant medication were not reported. The patient previously received bnt162b2 (lot/batch number unknown) via an unspecified route of administration on an unknown date at 1st dose, single for COVID-19 immunization. The patient had 2 seizures after receiving his 2nd dose of the Pfizer vaccine. The seizures occurred approximately 15 hours after the vaccine was given. He has no underlying seizure condition. The event was reported as serious for Life-threatening. The outcome of event was unknown. Information on the Lot/Batch number has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1320635-1 | pt received the shot and immediately felt according to him, intense pain in arm and began to loose sight. Patient then seized and went limp. We put the patient flat on the ground to protect from a fall injury and his seizing stopped. His color was very ashy and he was not responding properly to questions we asked. In about 2 minutes, he became more coherent and began talking and responding to our questions. Paramedics were immediately called and they arrived 30 minutes later after 3 phone calls to follow up. Father was with patient. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1321355-1 | "Patient was sitting with her mother in front of the pharmacy for the 15 min waiting period after vaccination, and mom alerted us to ""something going on here."" I (pharmacist) went over to the patient and she appeared to be having a seizure, hands clenched, eyes rolled back in head, and she shook a small amount for a short period of time, though mom believes she just passed out. Mom and I protected head and held her in place, it was over within a few seconds. A Nurse Practitioner was in the clinic next door and we alerted her. Together, we laid her down, asked her questions, took pulse with pulse oximeter and blood pressure. All seemed within normal range. We called 911 due to appearance of seizure. Rescue squad came and evaluated her." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1321585-1 | Systemic: Seizure-Mild, Additional Details: Mother stated that he had the same reacaction after getting the flu shot but did not tell us prior to injection. Called 911 (parents called MD) pt was assessed by the fire department and EMS and was cleared to leave. parents did not want the patient transported to the hospital, they plan to follow up with the MD |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1321744-1 | Syncope and alleged seizure as reported by mother and bystanders (Pharmacist did not witness event) |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1321746-1 | Patient is a 34 year old Female with a past medical history of pseudo-seizures. Her past allergies are shrimp (Unknown), Tylenol/ Advil/ Alieve (Unknown). She has 4 anti-seizure medications on her medication list: Zonisamide, Lamotrigine, Lyrica, Levetiracetam. She has had these pseudo-seizures in the past, but according to her sister who was her emergency contact, she has not had one in the past 1.5 years. The vaccinator did not she had baseline right hand weakness as well pre vaccination. The patient was vaccinated at 1406 in her right arm. A staff member noticed that the patient was not feeling well and went to check on the patient. She started presenting with grand-mal seizure symptoms at 1442, and she was lowered to the ground. Staff was with her and was protecting her head and trying to keep her on her side. EMS was called around 1445 and arrived around 1455. At this point the seizure symptoms continued. The patient would appear to be coming out of it and then when someone would say anything the convulsions would get stronger. At 1506 EMS administered 5mg of versed, which did not bring the patient out of the seizure. The patient was seizing for 24 min at this point and was still breathing, but the thought was in case it is not a pseudo-seizure. At 1509 the patient?s sister arrived and had explained that this happens in the past and she is able to be talked out of her seizure. Her sister describes them as ?behavioral seizures? At 1515 the patient came too and was alert and oriented. Around 1525 the patient was taken to Hospital with EMS. EMS staff that transported the patient. The patient and sister were agreeable to the plan as the event lasted 33 minutes. It is unclear if the vaccine caused this seizure or if it was provoked by anxiety and stimulation. It was recommended to consult their provider on receiving a second dose. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1321904-1 | Patient received her first dose of the Pfizer Covid-19 vaccine. While waiting for observation, patient started to faint and seized. She also reported being hot and asked to take off her sweater. Paramedic was called and patient was taking to the nearby hospital. Patient reported black out while sitting on her chair, though by the time paramedic finish with the transportation patient reported vision recovery. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1321944-1 | Syncope, seizure lasting less than 5 min, vomiting |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1321951-1 | Patient has a seizure history. Mother stated they have had numerous vaccines in the past without a problem though. Patient was waiting the period of time afterwards. Mother then stated she was having a reaction. Mother stated she is a nurse and said she believed the patient was having a seizure. Mother later was not sure if patient had fainted also since she was nervous about receiving the shot in the first place. After paramedics arrived, they took her glucose and was 77. Paramedics let mom then take patient home to get food. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1321992-1 | "Patient was given Pfizer Vaccine on 5/16/21 at 11:00-11:10am. I read through the patient medical history through the handheld and noticed there was ""yes"" on seizure history. I ask the mother what happened and she told me it was from the first incident with the Pfizer vaccine. At the time of the first incident the mother stated that patient fainted and convulsed upon regaining consciousness. Patient has had no history of seizures prior to then or had any big injuries that could trigger it. Patient's mother states physicians think it's triggered by anxiety and not a true seizure, so MRI or tests was not needed. Doctor recommended patient to come back if it happens again. With the information provided I used professional judgement and was on high alert with the patient. After administrating the vaccine to the patient, I monitored patient's vitals carefully. Patient was stable and I walked with him to his seat near the wall and left him with his family. About a few minutes later the mother told me to come to her aid. Patient had a 1 time continuous seizure for about 30 seconds-1minute. After regaining consciousness the patient said he did not remember getting the vaccine. Patient's mother was very concerned and under control and did not overreact to the situation. Also, I promptly relayed to (pharmacist) to call 911 and he called a member of management. While pharmacist was on the phone with 911 the patient regained consciousness. I monitored patient's vitals while I waited for a member of store management. Store management took a little bit longer to respond (5-10 minutes) but arrived to document the whole incident. About 30 minutes after the incident patient's vitals were stable and the ambulance was not needed and the family took him to the hospital to get monitored. Patient rode the electric wheelchair was escorted out by store management to the car." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1322150-1 | Patient received injection and sat down in the waiting area with her Mom. Less than 5 minutes after the injection she fainted and appeared to have a small seizure , her mother shouted at her and shook her and she became conscious and vomited. 911 was called , they evaluated the patient and she went to the hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1322179-1 | Lost feeling on right side of body, have minimal feeling in left leg. I've developed non epileptic seizures. Developed a superficial blood clot in my right arm. Muscles spasms so bad that my jaw/eyes clenches and I'm unable to swallow my spit. Occasionally I have apnea from the spasming. I cannot walk unassisted due to right side partial paralysis. I have developed a stutter. I cannot lift my right arm above my head nor can i pick up the right leg. I've developed foot drop of both feet. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1322457-1 | About 5 min after receiving shot, his head went to the side, lost consciousness. His legs, arms, hands went stiff and he started shaking. His eyes rolled back in his head, textbook seizure. Lasted a little less than a minute. When came to he said he couldn?t see anything. After about 30 seconds he could start to see. He turned pale, felt like he was going to throw up. But never did. A few minutes later he started to get a little color back in his face. He is tired but was better. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1322854-1 | Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: syncope/seizure like activity-Medium, Systemic: Hypotension-Medium, Additional Details: Patient experienced a syncope/fainting/hypotensive event immediately post vaccination that had characteristics of possible seizure activity. Patient regained consciousness after a few minutes and seemed disoriented but stable (still hypotensive). Transported to reading hospital (tower health) emergency room for evaluation |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1323428-1 | Vaccine given to patient and had a reaction to the vaccine. Patient appeared to have a vaso-vagal reaction color drained from his face and broke out in a sweat and then became unresponsive, then woke up. Moved to stretcher and vital signs monitored, heart rate to 40,appeared to have a seizure and post ictal. Mom present, instructed to call pediatrician and ask about second dose administration. Patient given OJ and banana, monitored for over an hour, color and VS improved, discharged with Mom. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1323709-1 | "Pt was seen at ED on5/8 for L sided weakness in the setting of a headache. Pt?s mother reports that these symptoms began 2 days after receiving second dose of Pfizer COVID-19 vaccination in R deltoid. She says that on 5/6, pt complained of L arm weakness during cooking class at school, which was followed by a mild L sided headache later in the day. Symptoms resolved without intervention but recurred on 5/8 with associated L sided facial droop, slurred speech, L arm spasms, and L foot drag. Pt was seen at ED for this and had a HA (5/10 in severity) at that time -- workup was unremarkable with a normal head CT, laboratory workup, and resolution of symptoms. Pediatric Neurology evaluated the pt, deemed no further workup necessary, and advised outpatient follow up. Pt presented again to the ED on 5/10 with concern for full tonic/clonic seizure, witnessed by pt?s mother. Mother reports that she heard pt fall and went upstairs to find pt seizing on his bed -- says that pt had shaking of bilateral upper extremities (in flexed position close to chest) and symmetric lower extremity shaking; eyes were closed without clear focality or eye deviation. Also some drooling, though no incontinence or tongue biting. Episode lasted for approximately 2 minutes; pt was confused and did not recall what happened immediately afterwards but improved within the next 8 minutes. He was taken to the ED by EMS. By the time he arrived in the ED, he had left sided weakness again. He was given Keppra 1g, placed on EEG, and was admitted. EEG overnight was read ""normal"" and additional workup was unremarkable. Pt had MRI brain completed showing cortical abnormalities in the R parietal lobe, suspected to be related to recent seizure. MRA showed patent intracranial cerebral vasculature. MRV showed no evidence of dural venous sinus thrombosis. Weakness resolved by the morning and pt was back to baseline on morning of 5/11/21. However, around 9 AM, L sided weakness (face, arm>leg) with associated headache recurred. Mom says that this event was captured on EEG. He was then transferred to our facility. He was placed on pEEG and had repeat labs, imaging completed. Pt did have L sided facial droop, L arm weakness, and slurred speech on arrival, but this resolved within 24 hours. Pt had one additional episode of ""wave"" of L sided weakness including L sided facial droop and slurred speech at one other time during the hospitalization, but no additional seizure like activity. He was discharged on 5/14 with a normal neuro exam-- some labs (including labs of Rheum and Id workup were pending at time of discharge.) Primary and consulting teams elected to forgo steroids but reconsider should symptoms worsen or return. Pt was readmitted on 5/16-- had an episode of expressive aphasia + headache while at a social gathering; states that he became overwhelmed by the noise. No additional seizure like activity." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1324109-1 | Vasovagal Syncope @ 10:05 14 year old female. No breakfast or fluids in am before vaccination. EMT called BP 104/68 oxygen 99% HR 78 . BS 85. 10:14 seizure like behavior eyes roll back in head both arms constrict. BP 100/60 IV fluids started 100ml saline. 10:30 BP 104/70. ( Per mother history of syncope four years ago after receiving an allergy shot.) alert and oriented x4 at 10:40. released to mother . |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1324110-1 | first shoulder and arm pain later in day post vaccine, subsequent neck pain on the left and eventually right neck pain. Admitted with neck pain. MRI cervical 4/18 with: Zones of anterior epidural thickening and enhancement causing ventral flattening of the thecal sac without cord compression or superimposed epidural fluid collection from the C4-5 through the C6-7 disc space levels. Additional zone of edema and enhancement within the prevertebral soft tissues along the anterior margin of the left longus coli musculature from the C2-C5 levels again without superimposed fluid collection. Given history of fever and neck pain is findings could be consistent with epidural cellulitis as well as prevertebral cellulitis. No evidence for superimposed abscess. Recommend correlation to CRP level in white blood cell count with differential. No evidence for displaced fluid or disc space enhancement to suggest concomitant discitis. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1324141-1 | "Patient received the vaccination. Approximately 20 seconds after receiving the dose patient said ""I'm going to faint'. Patient appeared to faint but also appeared to be having a seizure. The patients legs appeared to go rigid and he make movements with his arms. He appeared very pale. The patient ""came to"" within approximately a minute? Patients mother and I were able to lay Patient down on the floor. I asked his mother if she would like us to call 911 and she said yes. Prior to the incident, I discussed Patients past history of seizures with his mother. She sail he had seizures when he was younger and had been on medication, but he was no longer on any medication and had been seizure free for approximately 5 years." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1324568-1 | "PATIENT FAINTED FEW MINUTES AFTER RECEIVING THE VACCINE. HE LOOKED LIKE HE WAS HAVING A SEIZURE. IT LASTER FOR A BOUT 15-17 IN MY ESTIMATE. HE WAS ALERT AFTER AND ANSWERING QUESTIONS ABOUT HIS NAME, DOB AND WHERE HE WAS. TOOK HIS BLOOD PRESSURE TWICE-5 MIN APART AND IT WAS LOW. 113/58 AND THEN 102/50 TO MY RECOLLECTION. PARAMEDICS WERE CALLED IMMEDIETLY AND PATIENT HAD HIGHER BLOOD PRESSURE WHEN THEY WALKED IN. IT WAS ""NORMAL"". PATIENT TOLD US HE HAS A HISTORY OF VASOVAGAL SYNCOPE AND HE FAINTED BEFORE WHEN HIS BLOOD WAS DRAWN. HE SAID THAT IT SEEMED LIKE A SEIZURE BEFORE BUT CHECKED WITH NEUROLOGIST AND WAS NEVER DIAGNOSED WITH EPILIPSY. PT LEFT IN A STABLE CONDITION" |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1326151-1 | foaming from the mouth/foaming at the mouth; blood sugar dropping; He would not wake up and was unresponsive; seizures; swelling on brain; Pneumonia aspirating; so cold he could not work or anything; This is a spontaneous report from a contactable consumer reporting on behalf of her fiance. A 58-years-old male patient received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration on 08Jan2021 (Batch/Lot Number: |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | EL3248) as SINGLE DOSE for covid-19 immunization at the age of 58 years<br>**Adverse Event Description** |
|---|---|---|---|---|
| | | | | old. Medical history included sugar /diabetic, blood pressure. None vaccines administered on same date with the Pfizer vaccine considered as suspect. No other vaccinations within four weeks prior to the first administration date of the suspect vaccine. Family Medical History Relevant to AEs was none. Concomitant medication(s) included metformin hcl for Diabetes, he has been on for a long time; pregabalin for his back and leg because he had 2 pinched nerves or something and he has to get it repaired with injections. He has not gotten injections because of what he has been going through right now. It is 25 mg and he has been on this for a little while; lisinopril for cholesterol and is a blood pressure and heart pill; vitamin d [vitamin d nos] (VITAMIN D [VITAMIN D NOS]) for his vitamin D was low; diclofenac sodium (DICLOFENAC NA) for inflammation, he has been on this for as long as she knows; potassium chloride (POTASSIUM [POTASSIUM CHLORIDE]) for his potassium is low, She has been giving this to him. Whenever he gets blood work, sometimes they say his potassium is low so she gives it to him everyday; amlodipine besylate for blood pressure and heart; sertraline hcl for a mood pill, he has been on a long time; Metoprolol succinate for blood pressure and heart, He has been on for a long time. The patient previously received bnt162b2 (BNT162B2), dose 1 via an unspecified route of administration on 28Dec2020 (Batch/Lot Number: EJ1682) as SINGLE DOSE for covid-19 immunisation. The patient experienced foaming from the mouth/foaming at the mouth, blood sugar dropping, he would not wake up and was unresponsive, seizures, swelling on brain, pneumonia aspirating, so cold he could not work or anything in Apr2021. Reported as: He had the Pfizer shot, but he is currently hospitalized, he had an experience of foaming from the mouth, 3 months after the vaccine. He is on a trach/ requires trach and feeding tube. He is also on dialysis to clean the toxins in his blood. Caller stateed she is calling on behalf of her fiance. He can not talk to anyone at the moment. The reason she is calling is because he had his vaccine 08Jan2021. Caller states but the thing is that nobody knows what symptoms anybody is going to have. It has been what, 3 months, but his sugar dropped to 40 one day, and 30 one day. He was foaming at the mouth and had seizures. Aspirated, pneumonia: caller states that her fiance aspirated and had pneumonia in his right lung and has been in the hospital ever since. Foaming at the mouth: He is on a trach and feeding tube, dialysis in his neck, and caller is trying to figure out what is going on. Caller adds that he was foaming at the mouth. Blood sugar dropping, so cold he could not work or anything: caller states this happened Tuesday 2 weeks ago. She has been working and going there to see him. This is the first time she has trying to think and get answers herself. Caller adds that she tested his blood sugar and must have touched it with her own finger because it said 197. The paramedic said no it was 40. Caller states the paramedic gave her fiance IV stuff that shot it up and brought it up to 290, which was good. They wanted him to eat peanut butter and jelly and he said no and fought with them. The sugar was still not going up, and sugar was out of sorts. He took a few bites and it was okay. He asked for soup because he was so cold he could not work or anything. Caller becomes tearful and adds that her fiance's mom passed 6 months ago and they were talking. He got 20 units of lantus, normally he takes 50. They went to bed and caller adds she guesses because her nerves were shot or something she called off of work that night. She got up to go to the bathroom and let the dogs out and went to check on him. She did not have the light on and when she turned the light on she saw her fiance foaming at the mouth. He would not wake up and was unresponsive. Paramedics came and gave him a shot and IV to put sugar back in. They asked which hospital she would like him to go to and they said they could not take him to that hospital so they took him to another place. Seizures: They then put a breathing tube into him. The doctor said she was sorry but she knocked the man's tooth out. Then, they had to switch him to the mother hospital because they had to put probes on his head to monitor his seizures because he had seizures. He had swelling on the brain, pneumonia, and was aspirating. Caller adds she is not sure if she touched the strip with her finger and that was the false reason, and his blood sugar was only 40. caller confirmed that the blood sugar increased to 290 following the paramedics giving her fiance sugar. Caller adds she does not know how to work that stupid thing. He never showed her how to do it. If he had showed her, she would know what to do. She said it said 197 but the paramedics told her it was 40. She has to learn how to do this. Patient requires trach, feeding tube, and dialysis: Caller was asked to clarify dates and she states that this was Wednesday, the next day. He has not foamed from the mouth since then, and they are not sure if he is doing seizures or not. They asked and the hospital said they are not sure because they do not have probes on him. Now, he is on a trach and feeding tube. They are also giving him some type of dialysis through his neck to get rid of toxins in the blood and filtering it back to him. Caller clarifies date of hospitalization as 15Apr2021 she would think, but she does not even know. Caller thinks it has been two or three weeks. First, he went to the place she mentioned and then he was transferred to the other and that is where he has been since. Indication: he worked up on 4 a lot which he is the maintenance where he works. They wanted him to get the Pfizer because not too many people wanted to go up there. He figured he would take it and with his blood pressure and sugar it would help. He was up there fixing things and stuff like that, or at least that is what she was told by someone else. Caller verifies that the low blood sugars, foaming at the mouth, and being unresponsive were what hospitalized the patient. She does not know dates, she thinks it was around 15Apr2021, and he is still in the hospital. Investigations: caller states that she knows he went back, she does not know when, and that since it is May now, he must have gone back a few months ago for lab work. It was in the morning, he went before work, and they did all kinds of stuff and to see where his A1C was. Caller adds that it was 11. Whatever else they are checking him for now she is not sure. Reporter details: caller states that she |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | is a health care professional right no. She adds she is in housekeeping and in the health field and that she hears a lot of things, just because she does not say them. caller does not clarify statement regarding hearing a lot of things. Her head is going all sorts of ways. Caller adds she is batting her head against the wall. She is trying to put her head around everything happening. This is the only thing different. Everybody's body is different. No AEs required a visit to Physician office. but leading to Emergency Room, She states that it is the MIC Unit, and then clarifies as MICU. The outcome of the events was unknown. No follow-up attempts are needed. No further information is expected. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1326229-1 | I supposedly had a seizure/diagnosis was Convulsions; I began vomiting non-stop.; dry heaving; This is spontaneous report from a contactable consumer. A 58-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Solution for injection, Lot Number: EW0164) via an unspecified route of administration in left arm on 19Apr2021 12:15 as 1st single dose (at the age of 58-years-old) for COVID-19 immunization. The patient was not pregnant at the time of vaccination. Patient medical history was not reported. The concomitant medication included escitalopram at a dose of 10 mg. Facility where the most recent COVID-19 vaccine was administered was reported as Other. Patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Patient was not diagnosed with COVID-19 prior to vaccination. Patient has not been diagnosed with COVID-19 since the vaccination. At about the 13 minute mark post-vaccination and while waiting in the facility, on 19Apr2021 at 00:30 (as reported) patient supposedly had a seizure. She was sitting and feeling fine and then came into the medical tent. The military medic/personnel insisted she had a seizure. After she came to, she began vomiting non-stop. They put her in an ambulance and she continued vomiting/dry heaving at that point on the way to the hospital and at the hospital. She was given anti-nausea medication in the ambulance and again in the emergency room. The diagnosis at (withheld) was convulsions, unspecified type. The adverse event resulted in a visit to Emergency room/department or urgent care. The treatment given for the adverse events included Lab tests, CT Head without Contrast, Zofran. The outcome of the events was recovered. Information on Lot/Batch number was available. Additional information has been requested. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1326558-1 | Vasovagal syncope with mild convulsion for 5 seconds. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1326654-1 | Systemic: Seizure-Mild, Additional Details: AFTER 5 MINUTES OF ADMINISTARTION VACCINE PATIENT BEGIN A SEIZURE OF LESS 1 MINUTE MOTHER DESCRIBED TONIC SEIZURE PATIENT NOT HAD PAST HISTORY OF SEIZURE |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1326686-1 | Systemic: Dizziness / Lightheadness-Severe, Systemic: Exhaustion / Lethargy-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Hypotension-Medium, Systemic: Seizure-Mild, Systemic: Shakiness-Medium, Additional Details: Patient was immediately nauseous after vaccination, but that resolved quickly. Minutes after sitting down for the observation period, patient seemed to jerk and looked like he was seizing. He did not have trouble breathing. He was lucid after going in and out of consciousness for a minute or so. He was hypotensive and pale, but after water and some candy, patient was feeling much better. After the 30min observation period, his blood pressure was up and he was able to walk without trouble. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1326754-1 | Patient received the Pfizer covid-19 vaccine and during the 15 minute observation time began having a seizure. EMS was called and picked patient up and took them to the ER patient came to and was conscious before leaving the store with ems. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1327150-1 | After receiving vaccine in the left deltoid, patient fell face down on to the floor. Patient was noted with what appeared to be two seizures lasting 10-15 seconds in duration. Patient received immediate attention, contacting EMS and recording vital signs. Blood pressure noted at 105/64, heart rate 55, 02 saturation noted at 99%. EMS arrived and provided immediate attention. Parental guardian (Mother) refused transportation to the emergency room. Mother was provided patient education in the risk of refusing medical care. Mother signed AMA form and stated she would take patient to the hospital. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1327151-1 | Pt was given vaccine and began telling his brother he felt lightheaded. Pt's brother began to inform his mother. Pt then slumped in chair and began to fall to the floor. Mother tried to brace pt's fall. Pt still hit the floor and lightly hit his head. LPN's stated pt had a 5 second episode of convulsions that appeared to be a seizure. Pt did lose LOC for about 15 seconds and came to. Pt did not realize what had happened. Pt was placed on a cot. Pt stated he felt warm and lightheaded. Pt's VS were taken at 1640 - BP 136/70, HR 61, RR 18, 99% O2. EMS were called and in route. Pt began feeling better. Another set of VS were taken at 1645 - BP 127/76, HR 80, RR 16, 99% O2. Pt had ice packs placed on his neck and forehead. Pt sat up on cot after another 5 minutes and another set of VS were taken at 1650 - BP 123/82, HR 89, RR 16, 99% O2. Pt stated he was feeling better but still had a minor headache. EMS arrived and advised pt to be checked out. Mother agreed to take her son to the hospital herself not via EMS. Refusal form was signed by mother from EMS. Pt, mother, and brother left to go get checked out. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1327444-1 | seizure, encephalopathy, death |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1327525-1 | She received her first dose on 2/6/21 around 11:30 a.m. On 2/7/21 she was a bit tired and her arm was a little sore. Sometime after the afternoon of 2/7/21 and the morning of 2/8/21 she was found unconscious and unresponsive on the floor. As her dinner from the evening of 2/7/21 was still on the table unfinished and she was fully dressed we assume that whatever caused her to end up on the floor unconscious happened on 2/7/21 She was taken to the emergency room and it was determined that she was not going to survive. She never regained consciousness and was having seizures all the way to the hospital in the back of the ambulance. She was made comfortable and passed on 2/11/21. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1327800-1 | weakness, falls, delusions, seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1328059-1 | Patient appear to have a mild seizure (faint, stiffness on the arm that got the vaccine injection, eye rolled) about less than 5 seconds. Patient became fully awake as being put to laying down on the floor. Patient was able to answer to all questions was asked. Patient stated that he was nervous and scared of getting the vaccine. Patient's mother stated that he had fainting history of seeing cut or bleeding. The event occur 30 seconds after received that vaccine. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1329467-1 | "had multiple seizures over a few day; This is a spontaneous report from a contactable (patient) via COVID-19 Vaccine Adverse Event Reporting System (COVAES). A non-pregnant 48-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), dose 1 via an unspecified route of administration, administered in the left arm on 23Apr2021 at 10:45 AM (Lot Number: Ewo172), at the age of 48 years, as a single dose for COVID-19 immunisation. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19 The patient had prior history of epilepsy, petit mal seizures. None for the last 20 years. The patient did not receive any other medication within 2 weeks of vaccination Past drug events included penicillin [benzylpenicillin], ampicillin, amoxicillin, clindamycin, vancomycin. The patient reported that on 27Apr2021 at 08:30, four days after vaccine she had multiple seizures over a few days. No treatment was given for the event. The clinical outcome of the event was recovered. She reported ""I am now seizure free again"". It was also reported that since the vaccination, the patient had not been tested for COVID-19." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1329500-1 | full blown seizure and had several since then; little mini twitches on her face; This is a spontaneous report received from a contactable consumer reporting for his mother in law. An 89 years old female patient received the first single dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on an unspecified date in Feb2021, for COVID-19 immunisation. Medical history included pacemaker ongoing from 2015 and open heart surgery several years ago. The patient was very strong and lucid and could remember everything from the past. This lady was small. Until recently, she never took meds. Concomitant medications included alprazolam (XANAX) taken occasionally at 0.25 mg and maybe omeprazole (PROTONIX) for cholesterol. 2 to 3 days after the first vaccination, on an unspecified date in Feb2021, the patient started having little mini twitches on her face. They thought nothing of it. On the fifth day (in late Feb2021 or early Mar2021) she had a full blown seizure and had several since then and was hospitalized for like 20 days the first time. The reporter thought the patient had a total of about 4 or 5 seizures. When she experienced another seizure, they took her back and she was in the hospital for about 5 or 6 days, then released her. She had been back twice since then. The last time, they took her late at night and was out in the morning. That last time, she was not admitted. She was hospitalized at least 4 times, maybe a week or two apart, each time, all at the same hospital. They could not find out what was wrong with her. They put her on anti-seizure medication. They had tried several (the reporter thought more than 2). It was really a lot worse. It was really bad on her. The medications they had been giving her had really thrown her for a loop. They now believe she was way over medicated and sitting at home. They suggested for her to see a neurosurgeon who won't see her until the end of May. She had been having seizures and never had before. Seizures required ER visit. Events outcome was unknown. The hospital said they would give the second dose but they never did. Information on the lot/batch number has been requested.; Sender's Comments: Linked Report(s) : US-PFIZER INC-2021501795 same drug/patient, different vaccine dose/AE |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1329584-1 | I had a seizure with no prior history; This is a spontaneous report from a Pfizer-sponsored program, received from a contactable consumer (patient). A female patient of unspecified age and unknow if pregnant received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number not reported), on unspecified date as 2nd dose, single for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient previously received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number not reported), on unspecified date as 1st dose, single and she experienced headache and fatigue. It was reported that patient had a severe reaction to second dose of COVID vaccine. She had seizure with no prior history. She was concerned about getting a booster shot. Also want to know what ingredient in vaccine caused this. Proposed response was reported as speak from the attached documents regarding ingredients. It was asked if she was allergic to any ingredient of the vaccine. Without knowing if she was allergic to a specific ingredient it would be difficult to say what caused her reaction. Referred to health care professional (HCP). The outcome of the event was unknown. Information on the lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1329594-1 | unwell feeling; unable to move an inch; it had inflamed every cell in my body; ears, teeth, gums, hair, and especially brain; AS patient. First shot began electric shocks in lower back. Second vaccine after 24 hours gave me blinding siezures in my entire left back muscle. Saw stars blacked out. Laid on wooden floor for 5 hou; Saw stars blacked out; Inappropriate schedule of vaccine administered; Inappropriate schedule of vaccine administered; This is a spontaneous report from a contactable consumer (patient himself). A 67-year-old male consumer received the second dose of BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number unknown) via an unspecified route of administration in left arm on 22Apr2021 13:30 at single dose for COVID-19 immunisation. First dose of BNT162b2 was administered via an unspecified route of administration in left arm on 02Mar2021 13:30. Relevant medical history included hepatitis C, and ankylosing spondylitis. The patient had allergy to levothyroxine sodium (SYNTHROID). Concomitant medications were not reported. The patient did not receive any other vaccine within 4 weeks prior to the COVID vaccine. Second vaccine after 24 hours gave him blinding seizures in his entire left back muscle. Saw stars blacked out (as reported). Laid on wooden floor for 5 hours unable to move an inch without triggering seizure. 20 hours later he was able to get to bed. Have had overwhelming unwell feeling every single day since. Doctor suggested one Valium twice a day and 2 at bed. Seizures have stopped. The biggest problem is it had inflamed every cell in his body: ears, teeth, gums, hair, and especially brain (as reported). The patient had a concussion 8 years ago and this is triggering swollen brain synapse genius, followed by overwhelming guilt/anxiety/depression/anger (as reported). He got these daily attacks on his entire cellular being (as reported). His wife is freaked out because she had to hear the patient scream at the top of his lungs (even in his sleep if turning wrong) and they don't know how to turn off these full body cellular attacks (as reported). The patient have seen 4 top doctors and they basically have no answers.Onset date for all events was 23Apr2021, unwell feeling, unable to move an inch and inflammation to every cell in his body started at 12:00. All events were life-threatening and emergency room visit was required. Seizure resolved on an unspecified date, while the other events were not resolved. Outcome for inappropriate schedule of vaccine administered and off label use was unknown. The patient was not diagnosed with COVID-19 prior to vaccination, while he was tested for COVID-19 since the vaccination: nasal swab was negative on 10May2021. Information on lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1330262-1 | Following her covid vaccine patient presented to the observation area where she reported a headache. Within minutes she was in and out of consciousness with seizure like activity. Vital signs were stable, however her O2 sat was at 86%. Patient was transferred to the ED & admitted to the hospital. Admitted to the hospital. Patient with history of migraines and seizures. Evaluated inpatient for possible vaccine reaction vs. seizure vs. psychogenic seizures vs. AMS related to metabolic encephalopathy vs. B1 deficiency. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1330314-1 | Pt had syncope x 1 postvaccination followed by seizure x 2. Pt recovered spontaneously after 3-5 seconds. No labored breathing. Alert and oriented x 3. Pt brought to ER. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1330418-1 | Patient reported history of syncope episode with another vaccine in the past. Patient has history of seizure disorder. At 10:10am, patient was sitting with her mother when she started to convulse sitting up right in a chair. She also vomited while convulsing for about 15seconds. Full consciousness regained. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1330585-1 | An incomplete Vaers report was previously submitted for this patient. Please reference Report. Please disregard previous report. Adverse Event At 10:10am, patient was sitting with her mother when she started to convulse while sitting upright in a chair and vomited as well. This episode lasted for about 15seconds. Past medical Hx Patient reported one syncope episode after receiving a shot in the past, blood was drawn. No Hx of seizure disorder Treatment Patient was given crackers, juice, water EMS called at 10:31am for patient to have further evaluation. Patient was in stable condition prior to transport to ER A translator used, parent consent was provided. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1330936-1 | Patient had convulsive seizure, became unresponsive and was cyanotic, sternal rub, patient opened eyes. Heart rate was thready. Patient felt nauseous. Patient was disoriented for 1min and quickly regained orientation. Patient was given water, patient laid on the floor. Discharged to ER Past Medical Hx Hx of seizure at age 4 |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | (1200) | | | Medical Hx Hx of seizure at age 4 |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1331314-1 | patient felt dizzy right after the shot and had a seizure about 2 minutes later |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1331525-1 | PT HAD A SEIZURE APPROX. 30 MINS AFTER RECEIVING THE COVID VACCINE, PT FAINTED, STIFFENED UP, AND BEGAIN TO CONVULSE. PT WAS PLACED ON COTT IN THE RECOVERY POSITION, 911 WAS CALLED AND VS OBTAINED. P74, R22, BP118/80, O2SAT 98% ON RA. SEIZURE LASTED APPROX 10 SECONDS, AMBULANCE ARRIVED WITHIN 10 MINS, AND TOOK OVER PT'S CARE. PT'S COLOR REMAINED PINK THROUGHOUT, AND SHE WAS SLEEPY BUT ABLE TO ANSWER QUESTIONS APPROPRIATELY. VS: P83, R24,BP116/80, POX99% ON RA. PT TAKEN IN AMBULANCE TO HOSPITAL FOR FURTHER EVALUATION |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1332724-1 | Seizure; This is a spontaneous report from a contactable consumer (patient). A 73-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), on 17Mar2021 (Batch/Lot Number: EN6206) as 1ST DOSE, SINGLE and then on 14Apr2021 (Batch/Lot Number: ER8733) as 2ND DOSE, SINGLE; both dose administered via an unspecified route in the right arm for COVID-19 immunisation. The patient had no prior vaccinations within 4 weeks. Medical history included pain and inflammation and has a little problem hearing. The patient had no other medical history and no family medical history. Concomitant medication included ongoing etodolac taken for pain and inflammation. The patient was in good health and everything. He got the first shot on 17Mar2021, and 17 days later, he had a seizure on 04Apr2021. He has never had seizures in his whole life. He had the second vaccine on 14Apr2021 and had a second seizure 17 days later on 01May2021. Patient had both seizure in the afternoon. The patient further reported that he was taking a medicine that was supposed to keep him from having another seizure. It was Lev, and he can't read the rest. It looks like pmr, then acetam. He started taking that when he had the first seizure. The patient also mentioned that they did a brain magnetic resonance imaging (MRI) and bloodwork. He doesn't remember the exact date. The patient was taken to the emergency room by an ambulance. He was hospitalized both times. He doesn't remember how long he was in the hospital the first time. The second time he was there for 5 to 6 hours. They cut him loose pretty quick. The patient was first hospitalized from 04Apr2021 to an unknown date and then hospitalized again on 01May2021 for seizure. Therapeutic measures were taken as a result of seizure. The outcome of the event was unknown. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1332879-1 | "Client experienced a seizure reaction shortly after vaccine injection (2 mins.) for few seconds (5). Mother verbalized she always has that reaction after she shot. VS BP 95/66, P 90, O2Sat 100%. VS 114/73, P 90, O2Sat 100%. After 30 mins. of observation resident stated, ""I am feeling great."" Mom declined the need to go to the hospital. In stable condition, resident was send home." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1333227-1 | The patient had a Vasovagal response. She had a 15 second seizure ,blood pressure dropped, was flush, tired and nauseated. She has no memory of the event. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1333283-1 | While waiting for 15 mins monitoring after getting Pfizer covid vaccine, she fainted and fell off the chair. She fell on the ground and hit her head. Nurse and pharmacy staff rushed to her aid. She appeared to have convulsions for about a couple seconds but regained conciousness right away. We checked vital signs : low blood pressure but high heart rate, oxygen level was good. We placed ice pack on her head where said was hurting. She and her mother refused to call 911. She felt better, however we recommended her mom to take her to urgent care for further evaluations |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1333305-1 | 30 hours after vaccine had a generalized siezure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1333319-1 | Patient received vaccine and while walking around the store began to feel lightheaded/dizzy and fainted. Her parent caught her and brought her to the ground where she began to have a seizure. Paramedics were called and took over care of the patient. She was conscious and breathing after her seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1333397-1 | Almost immediately after patient received the second dose of vaccine he stood up and passed out to the floor. He slightly seized for a few seconds until it stopped. When patient came to he stated that his knee hurt but he didnt believe he hit his head and he felt a bit light headed. Patient laid down for a while with us until he started to feel better. His BP was 102/58, but normally runs low. He said that he has passed out before and has been under a lot of stress, also had not eaten that morning before getting vaccinated. His significant other was with him and was planning to drive home. Patient was offered a call to EMS but refused. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1333436-1 | The morning after my vaccine (5/18/2021), I woke up with a mild headache and achiness in my joints. I took ibuprofen to alleviate the pain and my headache came back later that afternoon. I started feeling nauseous in the evening before going to bed. The following morning (5/19/2021), I woke up with the same headache and was feeling nauseous still. After about an hour, I got out of bed thinking I was going to vomit. I was sitting on the bathroom floor and became lightheaded and my stomach started hurting worse. I got tunnel vision and passed out. My boyfriend was there and said that I started seizing for about 10 seconds and was cold. He said that I started to urinate and then regained consciousness after about 15 seconds. He called 911. I felt shaky and dizzy for about 15 min after. The ambulance showed up. My blood pressure was low, blood sugar was good, heart rate was good. I was able to walk to the ambulance and they took me to the ER. They gave me anti-nausea medication and fluids via IV. At the hospital, I received a CT scan for my head and another to check for clots in my lungs. Both tests came back negative. I had chills and body aches and was extremely tired. After about a couple of hours, I started feeling nauseous again and they gave me more anti-nausea medication. They did a urine sample and said I had a UTI, but other than that there was nothing wrong. They referred me to a neurologist to follow up about the seizure. They prescribed an antibiotic for the UTI and anti-nausea medication and I was discharged after about 5 hours. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1333577-1 | Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Mild, Systemic: Vomiting-Mild, Additional Details: Patient passed out within 30 seconds of receiving the Pfizer COVID vaccine. She was out for about 15-20 seconds, during which time she had a couple spasms. After that, she woke up, was aware that she had passed out, then threw up once. She waited with her mom for 30 minutes after that, but felt fine during that period. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1333610-1 | Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Hypotension-Severe, Systemic: Seizure-Medium, Systemic: Shakiness-Medium |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1333754-1 | After 2nd dose of Pfizer at 8:30 pm on April 24 2021 I developed seizures Taken to hospital via ambulance given Ativan to stop seizures, kept in hospital for 5 days |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1333860-1 | Patient experienced extreme fatigue and increase seizure frequency, and a new type of generalized seizures. This began 2 days after the injection, worsened, and then resolved by day 16. Rescue medication (ativan) was used at home on 3 occasions. Patient had a video visit with neurologist, who ordered tests thatr returned mostly nirmal votes (elevated whites consistent with immune response to vaccination). Prior to this, patient had been mostly seizure-free since October 2020. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1333902-1 | Similar to the reaction to his first dose, patient experienced extreme fatigue and increased seizure frequency, and more generalized seizures that worsened, and then resolved by day 26. Rescue medication (ativan) was used at home on 5 occasions. On April 7, 2021, (day 14) Pt had an in-person with neurologist to follow up on the seizures that occurred after the first dose. Later that day, Pt went into status epilepticus and had to go to the emergency room, which resulted in his being admitted to the neuroscience ICU for observation. He was discharged to home on April 8. Symptoms improved gradually and resolved by April 19 (day 26). Video foolow-up visit with neuro on 4/22. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1334208-1 | Patient is 18 year old male who received his first dose of Pfizer COVID 19 vaccine. graduate intern, administered the dose and within the first minute, patient tensed up and passed out. He appeared to look like he had a seizure. Patient was passed out for less than a minute. When he came to, he said he fell asleep. He said he felt warm. We checked his Blood pressure and it 94/62 and pulse was 54. We called 911 and laid patient on a mat. He was given gatorade and a warm wash cloth. Paramedics arrived and rechecked BP. It was 110/66 and pulse was 66. They evaluated him and told him to have someone drive him home. Patient has not history of seizures and no history of adverse reaction to vaccine. He did receive a tetanus booster on 5/17/21. Only other medical history is asthma. He uses albuterol prn but has not had to use it for > 4 years. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1334594-1 | "After receiving vaccine, we were told to sit and wait 10 minutes before leaving. About 7 minutes into waiting, my son said he was thirsty and not feeling that good. we started to walk to get a water and he totally blacked out and exhibited mild like seizure activity. After he ""came too"", he complained of blurry vision and still didn't feel good as we waited for ambulance. Once ambulance came he was feeling a little better. Vitals all checked out good and were declined going to hospital. He doesn't remember anything that happened in Pharmacy, except that he thought he was going to die." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1334697-1 | As per father the pt had 3 convulsions, became very disoriented. Upon my arrival he was extremely pale and somewhat disoriented. His heart rate was 47 as per the pulse ox and he had no palpable radial pulse. His initial blood pressure was 101/60. During our interaction his pulse increased to 60 and became palpable at the radial. His pulse was irregular. His color improved as did his mentation. Pt was transported to hospital |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1334945-1 | "Fainted; Didn't know if it was a convulsion or a seizure; Shaking; was very anxious; This is a spontaneous report from two contactable pharmacists. A 16-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EW0167, expiry date: Aug2021), via an unspecified route of administration, administered in the left deltoid, on 30Apr2021 15:30, as 1st dose, single, for COVID-19 immunisation, at a pharmacy/drug store. There were no medical history and concomitant medications. On 30Apr2021 15:30, the patient received the first dose of the COVID-19 vaccine and was very anxious. She wanted her mom to be present. On the same day, 30Apr2021 15:35, five minutes later, the patient was shaking, and she fainted. The reporter did not know if she was having a convulsion or a seizure. A few minutes later, the patient was sitting and becoming more alert. The patient was given water and one dose of Benadryl. The patient's vital signs were checked (unknown result). The reporter talked to the patient's mother and contacted the patient's pediatrician. The events resulted to emergency room and physician's office visits. Later in the evening, the reporter followed up with the mother and she confirmed that the patient was doing well and better. The mother asked the reporter if the patient should get the second dose of the COVID-19 vaccine. The outcome of the events fainted, shaking, ""didn't know if it was a convulsion or a seizure"" and ""was very anxious"" was recovering. The reporter assessed the events fainted, shaking, ""didn't know if it was a convulsion or a seizure"" as serious (medically significant). The reporter considered that BNT162B2 has a causal effect to the adverse events. Follow-up (18May2021: New information received from a contactable pharmacist includes: reporter information, lab data, suspect drug details (vaccination site and vaccination time), event details (onset time provided, outcome updated to recovering, causality and seriousness assessment provided). Follow up attempts are completed. No further information is expected.; Sender's Comments: Based on the available information, and on a reportedly closed temporal association, the company assessed that a reasonable possibility could not be excluded that the reported events (fainted; didn't know if it was a convulsion or a seizure) were related to the suspect product BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE). The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1336870-1 | Patient presented to the ER on 2/3/2021 with a seizure 2 weeks after his Pfizer vaccination, and was found to have striking inflammatory lesions on MRI that we presume are related to inflammatory CAA. We placed him on steroids and his edema has resolved. He feels back to his baseline. We're uncertain to what degree the induction of an inflammatory response by the vaccine might have precipitated this event (of course it did not precipitate his CAA) but to be on the safe side, we stated that he should not get his second COVID vaccination. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1337430-1 | Within 30 secs to 1 minute following vaccination patient started to seize. He came out of the seizure quickly (approx 20-30 sec). EMS was called and on site in minutes. Patient was breathing on his own but breathing was rapid. He lost color in his face/lips. When EMS arrived they noted that he was hypotensive and bradycardic. He began to regain color while EMS was on site. They opted to take him in for further evaluation. No history of seizures. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1337531-1 | Patient had syncopal episode with seizure. Diaphoretic and hives noted after regaining consciousness. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1337820-1 | Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Medium |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1338614-1 | "Within 3-5 minutes developed dizziness, tingling in feet and hands, elevated blood pressure, mild nausea. Within an hour started having trouble with focusing his vision. Was given IV fluids at hospital in ER 5 hours after the injection, while leaving the hospital developed a slight limp on right leg Felt feverish when he got home, took Tylenol when he got home. Noted extreme fatigue. The next morning was lethargic, dizzy and right side of face felt heavy, around 11 am. Called for a telemedicine visit around 12:30p. Became weak and unable to use right side of body, upper and lower extremities and right side of face was drooping, visible to wife. Wife had support of right side of body to move around. Went to urgent care around 2p. During urgent care evaluation, his vision became more impaired and speech became unclear, had to really focus to speak. Transferred to ER. Lost ability to write name, couldn't respond when asked for SSN. Admitted as a ""stroke 4"". Had CT scan, CT angiogram, MRI, blood labs, cognitive tests, neurologic tests. Neurology consult. Had lost sensation to heat and pressure. All imaging and labs were normal. After MRI, had convulsions. Wasn't dx'd as a seizure. Neck felt tight afterwards. Admitted to hospital x 1 week. Had a burning, red, rash on hands, feet. No bumps, hives, but just a ""splotchy"" red discoloration on surface of skin that would burn and itch, often flaring at night. Rx'd ativan. Checked for autoimmune disease, Bell's palsy, followed by neurologists, repeat MRI normal. Started to improve, discharged after one week with no clear diagnosis. Discharged to rehab facility. Patient preferred to transfer care to outpatient rehab service closer to home with more social support. Repeat hospitalized 3 weeks later, less extreme, went back to ER, stroke eval neg. Developed more aphasia. Called back to ER for further evaluation of C-spine due to mild abnormality on first scan. On further evaluation not thought to be connected to symptoms. EEG report pending. +Right hemiplegia, aphasia persists. +Rash, itching, burning persist." |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1340382-1 | "Not sure if seizure; body muscles started shaking; Pain in lower spine on back; Pain in lower spine on back; This is a spontaneous report from a contactable consumer (patient). A 16-year-old male patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration (at the age of 16-years-old), administered in Arm Right on 07May2021 13:00 (Batch/Lot Number: Unknown) as 2nd dose, single for COVID-19 immunization. Medical history included type 1 diabetic, allergies to severe peanut, ""tree but"", shellfish. Concomitant medication included insulin lispro (HUMALOG) taken for an unspecified indication, start and stop date were not reported. The patient previously received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration (at the age of 16-years-old), administered in right arm on 16Apr2021 13:00 (Batch/Lot Number: Unknown) as 1st dose, single for COVID-19 immunization. The patient experienced Pain in lower spine on back and body muscles started shaking uncontrollably, not sure if seizure on 08May2021 02:00. No treatment received for the events. The outcome of the events was recovered. The event seizure was considered as serious (medically significant). Facility where the most recent COVID-19 vaccine was administered was Hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. Information about lot/batch number is requested." |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1340410-1 | Had a seizure after getting their vaccine; This is a spontaneous report from a non-contactable other HCP. A patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), UNKNOWN, SINGLE for covid-19 immunisation. The patient had a seizure getting vaccine. The patient reportedly had a known seizure problem. Outcome of the event was unknown. Information on the lot/batch number has been requested. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1340429-1 | Breakthrough seizures; This is a spontaneous report from a non-contactable consumer (patient). A 27-year-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration administered in right arm on 17Apr2021 (at the age of 27-year-old) (Batch/Lot number was not reported) as 1ST DOSE, SINGLE for COVID-19 immunisation. The patient was not pregnant at the time of the vaccination. Medical history included epilepsy. The patient had known allergies to Ceclor. Concomitant medications included levetiracetam (KEPPRA); lacosamide (VIMPAT); and sertraline hydrochloride (ZOLOFT). On an unspecified date, the patient experienced breakthrough seizures. The patient stated that she was on a medicine to control epilepsy and the night after getting the shot, she experienced a breakthrough seizure. There was no treatment received from the event. The outcome of the event was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1340486-1 | His son having back to back seizure; His son having back to back seizure; This is a spontaneous report from a contactable consumer (patient's father). A male patient of an unspecified age received 2nd dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot number: Unknown), via an unspecified route of administration on an unspecified date as 2ND DOSE, SINGLE for covid-19 immunisation. Medical history included seizure (son already had a history of seizure). The patient's concomitant medications were not reported. On an unspecified date patient received 1st dose of BNT162B2 for covid-19 immunisation. On an unspecified date reporter son having back to back seizure after getting the second shot of Pfizer Covid Vaccine. Patient got VNS prior to getting shot. Son already had a history of seizure. The caller is asking does this medicine cause more seizure. The outcome of the event was unknown. Information on the lot/batch number has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1340497-1 | seizures; Vomiting; This is a spontaneous report from a contactable consumer (patient). A 63-year-old female patient received BNT162B2(PFIZER-BIONTECH COVID-19 VACCINE), second dose via an unspecified route of administration, administered in left arm at the age of 63-year-old on 02May2021 (Lot Number: EWQ0171) as single dose for covid-19 immunisation. Medical history reported as no. There was no known allergies. Concomitant medication included telmisartan (MICARDIS) from 2021 (received within 2 weeks of vaccination). The patient previously took first dose of BNT162B2(PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in right arm on 11Apr2021 (Lot Number: ER8729) as single dose for covid-19 immunisation. The patient experienced vomiting and 3 episodes of severe seizures after 9 hours of last vaccine dose on 02May2021. The patient was taking to the hospital emergency room and ICU for treatment. The patient reported the case as non-serious. The patient didn't receive any other vaccines within 4 weeks prior to the COVID vaccine. The was not pregnancy at time of vaccination. Prior to vaccination, the patient wasn't diagnosed with COVID-19. Since the vaccination, the patient had been tested for COVID-19. The patient underwent lab tests and procedures which included covid test(Blood test): negative on 03May2021. Therapeutic measures were taken as a result of the events. The outcome of the events was recovered in May2021. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1340667-1 | Seizure. He was stiff, shaking uncontrollably, gasping for air. Seizure lasted 2-3 minutes. Rescue was called to the house. Had to be taken to ER. ER conducted CBC test. Results came back normal. Was prescribed as needed Valium suppository bc this was his first seizure ever |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1340795-1 | Pt. fell to floor from chair, dizziness, possible seizure activity 12 Lead, started IV, 0 meds. Vital signs: 89/40 Pulse:60 89/41 Pulse :55 89/42 Pulse:56 Recorded by RN. Pt. transported to hospital via ambulance at 11:32 A.M. with mother. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1341067-1 | Patient began to feel light headed and asked her mom for water. Patient then fell to the side and hit her head as she fell to the floor, then had a seizure lasting 30 sec. patient was Alert and oriented x4 when we got to her. Patient stated she felt like she was falling asleep and dreaming then remembers everyone standing over her. Patient has small bump on upper left of head. Patient was taken to medical center for treatment and observation. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1341086-1 | AFTER RECIEVING VACCINE FIRST DOES PT HAD A SEIZURE AND VOMMITED. DOES HAVE HISTORY OF SEIZURES. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1341185-1 | Situation: 14yo male came in for first dose Pfizer vaccine. Within 5 mins after receiving vaccine, patient had a seizure for approximately 1 minute. During seizure, patient was incontinent of urine. RN was able to get to patient's side before he fell. Background: Patient did not alert vaccinator or RNs that he had a history of seizure. Mom informed staff after the event that he had a febrile seizure when he was a young child. She did not disclose what age he was at the time of the previous seizure. Assessment: RN observed patient in an active seizure for 1 minute in which his body contracted out and his eyes rolled back. She was at his side to prevent him from falling. He was placed on a gurney and moved to room 6 for closer observation for 30 mins. Pfizer vaccine administered on 5/22/21 at 12:52PM 1255 vitals ? 121/64(83), 97.3F 1257 vitals ? 122/75(90) 1311 vitals ? 116/76, HR 68, 100% O2 1318 vitals ? 112/75, HR 68, 100% O2 1325 vitals ? 111/61, HR 68, 99% O2 Recommendation: MD on call, was called and notified of the event. Her recommendation was for the patient to go to the ED for evaluation and labs. RN called the ED to notify them of the patients intended arrival. The mom agreed to take the patient to ED for further evaluation. The patient was taken out via wheelchair. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1341624-1 | Systemic: Dizziness / Lightheadness-Severe, Systemic: Seizure-Mild, Additional Details: patient suddenly fell down, had a slight seizure last around 5 sec and regains concious. He feels fine but pharmacy still called 911 and was escort to receive emergery/urgent services. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1341688-1 | First time seizure 6 days post vaccination GTC w/ post ictal state. Unknown duration of seizure. Back to baseline in ER |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1341935-1 | pt fainted/had seizure 50 to 10 minutes after covid vaccine. pt did not fall, dad held her.head and eyes rolled back, shaking and stiff for 2 seconds per dad. pt alert, breathing, and movement looked normal when I saw pt . pt mom called 911 and pt was taken to hospital . no history of fainting or seizures per dad |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1342339-1 | Epileptic Encephalopathy. Severe increase in seizures (number and intensity). Some of the worse ones she has ever had. Started within 3 hours of receiving her vaccine. For 4 days she had some other weird odd side effects besides significant increase in seizures. Weird reactions and increase in seizures with movement of any kind (in wheelchair, in car, carrying her from chair to bed, etc). Never had this before. Looked odd in her face, glassy eyes for a few days, weird movements. Her doctor called it a cytokoline storm type reaction at first but then she never went back down to her baseline for her seizures as they kept getting worse and worse. Finally on March 24th we did a medication infusion via IV to try to break the cycle and then on April 1st we started her on another seizure medication. On April 28 we increased the new seizure medication trying to get her back down to her baseline. She has never gone back down to her baseline, she is still dealing with an increase in seizures. She has days where she is just seizing all day long off and on for no other reason. Her team of doctors and I are 110% (yes 110%) sure this is a reaction to the vaccine. They called off the second dose, considered J&J vaccine but then with the risk of clots and her not 100% stable due to the first vaccine reaction we decided to hold off. This is horrible because for the last year I lived for the day to get her vaccinated to be protected from COVID and now she can't be. I am devastated and so afraid for her life because as you see in her dx she is very high risk for COVID death. We love to travel and just started cruising as she loves it and now we can't because she isn't vaccinated. She can't go back to her life the way she knew it before the pandemic because of the vaccine not being safe for her. :( |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1343184-1 | Passed out in observation room approx. 5 minutes after the dose, had a mild seizure and tore up my left ear on the carpet. History of passing out in hospital settings, possible vasovagal syncope, no history of seizures. recovered on hallway bed with granola bars and sprite. Approx. 9:30 pm temperature jumped within a couple of hours to around 101, after going to bed was half-awake-half-asleep until 7 am with vivid dreams/internal dialog. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1343249-1 | ~15-30 mins post vaccine dose, patient developed seizure and transferred to outside hospital emergency room via ambulance. Unknown if patient admitted. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1343518-1 | at 4pm the same day my stomach was really hurting and I was really tired with severe diarrhea. I went to bed at 8pm and woke an hour later at 9pm with a high fever of 102.2 I was shivering, I was convulsing and hyperventilating so I was having trouble breathing. I was unable to take any medication because I wasn't fully alert at the time my husband got my to take chewable Tylenol my fever broke at about 2am. the next day I had a severe headache and muscle aches and bad back pain and still had diarrhea. It is not the 24th and my back is still hurting and my stomach hurts I'm still having diarrhea and am breathing like I ran a marathon. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1343550-1 | Patient's husband said patient passed out and had a seizure around 30 minutes after vaccine. When I arrived at patient she was sitting up conscious. Ambulance arrived and she was turned over to their care. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1343575-1 | Patient reported they couldnt stand the sight of blood and had fainted during draws before. Father was present in the vaccine office as well. Immediately fooling the administration of the vaccine patients eyes glazed over and he fainted. A few seconds later he began to have a spastic seizure that was short in nature, followed by a voiding of his bladder before he regained consciousness. Patient was given water, glucose tablets, and instructed to lay on the floor of the room with his feet elevated while a member of the staff stayed with him to treat and watch him. Followed up with patient and doctor soon after to learn this was the only time it has happened, patient fully recovered. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1343707-1 | Approximately 1 minute after receiving vaccine, patient experienced what appeared to be a generalized tonic-clonic seizure, lasting 4-4.5 minutes. The patient regained consciousness and was awake, alert and oriented x3. Patient and father refused transport by EMS to ED for evaluation. The patient's father reported prior history of seizures after needlestick. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1343730-1 | Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Flushed / Sweating-Medium, Systemic: Nausea-Medium, Systemic: Seizure-Medium, Systemic: Shakiness-Medium, Additional Details: Patient had seizure with 1st vaccine, pediatritian informed mother to have patient lay down if it happens again. Patient said she felt out of it (at 11am) after administration of this vaccine so we helped her lay down on the floor with her head proped up. Gave her water and turned on the fan to try and make her more comfortable. Patient decidede to try sitting up slowly after 10-15 minutes, then after another 10 minutes she was able to stand and felt back to normal and left the store 11:30am. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1343737-1 | New onset generalized seizure, arrhythmia. Patient was sent to ED where labs and imaging were normal. She is now back at baseline and will be seeing a neurologist. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1343751-1 | Diaphoresis started same day following COVID vaccine 05-15-2021. On 05-16-2021, patient lost consciousness and had a seizure. Taken to ED for evaluation. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1343871-1 | Pt received vaccine and was standing outside of immunization room with her parents waiting for her brother to receive vaccine. She felt dizzy and fainted. She hit her head and collapsed. She was seizing/ shaking on the floor. She was conscious with no visible bleeding. She was able to say her name and DOB correctly. Mother reported no history of epilepsy or seizure. Called emergency services and pt was taken to Clinic for further evaluation. A 1.5cm laceration was noted behind her left ear. Pt received 2 staples in the lacerated area. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1344047-1 | Patient developed generalized tonic clonic seizure several hours after Pfizer vaccine. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1344876-1 | Patient frequently faints following vaccinations. About 2-3 minutes after receiving vaccination, patient fainted while sitting in a chair. Once patient began to come to, she convulsed. Pharmacist and nearby customers helped lay her on the ground. Patient came to and was given water and a glucose tablet. EMS was called at the start of the incident. Patient remained lying down until she felt ok to sit up. EMS checked her blood pressure, which was normal and she was ok to go home. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1345409-1 | Convulsions, unable to walk, Uncontrolled. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1346613-1 | PATEINT RECEIVED INJECTION AND ABOUT 6 MIN LATER SHE FAINTED AND HAD A 5 SEC SEIZURE. WOKE UP ON HER OWN |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1346649-1 | Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Mild |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1347417-1 | -After receiving 2nd dose of Pfizer, the pt stated that his arm started to hurt, became light headed, the pt began to slump into the seat-assisted to the floor by administering nurse. The pt begun to seize for approx 30 min. Shortly afterwards, the pt became responsive, able to voice name, location and name. MOC was present at side. Client/MOC both verbally deny any previous sz. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1347797-1 | Seizure at the time of vaccination. Mother in the car and recorded. Known history of seizures and they will follow up with an epileptologist. They are comfortable going home as this happened after the nasal swab as well and they suspected this would happen today. No further information needed today. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1347896-1 | Seizure and loss of consciousness, resulting in emergency room visit |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1348476-1 | PATIENT WITH HISTORY OF SEIZURES WENT INTO A SEIZURE ABOUT 5 MINUTES AFTER ADMINISTRATION. PATIENT ALSO HAD SEIZURE WITH 1ST DOSE. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1349421-1 | seizure like activity; it was very frightening for her; slurred speech and could not talk; more she started to talk the more slurred her speech got; slurred speech and could not talk; more she started to talk the more slurred her speech got; her tongue started feeling funny; On 19Mar2021 I had weakness in left arm radiating up to left side of neck on left side; went back to get the second one and they wouldn't give it to her; told to seek medical advice; he seizure activity occurred and it was like she had not taken her medicine.; This is a spontaneous report from a contactable consumer. This 65-year-old non-pregnant female patient (not pregnant at the time of vaccination) received first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE; formulation: Solution for injection, Lot Number: EN6205, Expiry date: Unknown) via unspecified route of administration in left arm on 19Mar2021 at 13:15 (at age of 65-year-old) as a single dose for COVID-19 immunisation. Patient's Medical History (including any illness at time of vaccination; Provide other relevant medical history including but not limited to these conditions: diagnosed allergies, compromised immune status, respiratory illness, genetic /chromosomal abnormalities, endocrine abnormalities (including diabetes) and obesity): history of partial seizures and migraine headaches since 1996. Facility where the most recent COVID-19 vaccine was administered was Hospital. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Any other medications the patient received within 2 weeks of vaccination: Yes (Topomax). Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient was not tested for COVID-19. The patient had known allergies (but not specified). The patient not received other vaccine in 4 weeks. Concomitant medication include Topomax 50 mg one tablet twice daily for partial seizures and migraine headaches (Batch number: 20EG075 and expiry date Mar2022). No further details provided. No other vaccines given the same day or 4 weeks prior. No problems with vaccines in past. On 19Mar2021, at 13:15, the patient experienced seizure like activity, patient was very frightened, slurred speech and could not talk, |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | more she started to talk the more slurred her speech got, her tongue started feeling funny, weakness in left arm radiating up to left side of neck on left side. The patient took her medication that morning and it was like she hadn't taken it. The patient went back to get the second one and they wouldn't give it to her and said to seek medical advice. After vaccination, immediately after the injection she felt the medication radiating in the arm and going up the left side of the neck and then her tongue started feeling funny. On 19Mar2021, the patient had weakness in left arm radiating up to left side of neck on left side, and slurred speech and could not speak immediately after getting Pfizer Covid 19 vaccine. She told nurse and they had waited another 15 min, and when it was over she felt like she had woke up refreshed and awake but it bothered me. The patient took medication to help and after getting the Pfizer Covid 19 vaccine 1st dose my medicine did not seem to be working on 19Mar2021 and continue to date. The patient received the first dose of the Covid vaccine and it appears to had given her seizure like activity and had explained all of that on the application. It was very frightening for her. Her doctor sent her for MRI/MRA testing and she does not know why she went into this as soon as she was given the Covid vaccine. She does take an anticonvulsant for partial seizures as well as migraine headaches and takes that everyday. Took her medicine that morning and it was just like she hadn't taken it. When she takes the anticonvulsant she doesn't have a problem, but after given the Covid vaccine immediately afterwards the seizure activity occurred and it was like she had not taken her medicine. Does not know what to do, she went back to get the second one and they wouldn't give it to her and advised her to get medical advice and then she would have to wait 30 minutes instead of the 15 minutes since having that reaction. The patient wanted to know if she should get second dose. That day she was observed and told to wait 30 minutes instead of the 15minutes until everything subsided. Immediately afterwards she had slurred speech and could not talk and was told if she was not okay they would send her to the emergency room. Had the seizure immediately afterwards before she could get to the waiting area. Went to see the neurologist yesterday and they want to see her back in 4 months. Does not provide manufacture and states she has been on Topamax for years and has had this condition since 1996. Also mentions on bottle she saw a S/N and GTIN, but does not provide any further details. The patient had gotten the results from the MRI/MRI and had the testing done on 30Apr2021. Again mentioned that immediately after the injection she could feel the medication radiating in her arm and going up the left side of her neck and then her tongue started feeling funny. The more she started to talk the more slurred her speech got. Caller stated she has already completed a vaccine adverse event application online on 09Apr2021 and provides reference: DFB2A40A-8C82-4220-B77E-F0A0F1C1F89E. The Outcome of the event weakness in left arm radiating up to left side of neck on left side was unknown and went back to get the second one and they wouldn't give it to her; told to seek medical advice was not recovered, feel the medication radiating in the arm and going up the left side of the neck and then her tongue started feeling funny/took her medication that morning and it was like she hadn't taken it, slurred speech and could not talk; more she started to talk the more slurred her speech got, it was very frightening for her and seizure like activity was recovering. Follow up needed, further information has been requested.; Sender's Comments: Based on the information currently available, a possible contributory role of the suspect vaccine BNT162B2 in triggering the onset of Seizures , dysarthria, Aphasia and other event cannot be excluded. But also consider medical history of partial seizure. however, the reported event of fear is consider as a consequence of seizure that patient experienced and not related to the suspect vaccine. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to regulatory authorities, Ethics Committees, and Investigators, as appropriate. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1349441-1 | 'seizes'/seizure; This is a spontaneous report from a contactable consumer (patient). A 54-year-old non-pregnant female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), on 31Mar2021 at 13:00 (at the age of 54-years-old) as 1st dose, single (Batch/Lot Number: ER8732), via an unspecified route of administration, administered in arm left for COVID-19 immunisation. Medical history included coconut allergy from an unknown date and unknown if ongoing. Concomitant medications included topiramate and triamterene, both taken for an unspecified indication, start and stop dates were not reported. Between 31Mar2021 and 21Apr2021 (reported as Apr2021), the patient had a total of 10 'seizes'/seizure. Before, he had 2 to 4 'seizes' within a three months' time. The patient received the second dose of BNT162B2 on 21Apr2021 at 13:00 (Batch/Lot Number: EW0151), via an unspecified route of administration, administered in arm left for COVID-19 immunisation. There was no treatment received for the event. The outcome of the event was unknown. Information about lot/ batch number has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | She keeps losing more and more weight; Petite mal seizures/frequency of seizures increased; Grand mal convulsion/ One clonic tonic or grand mal seizure; This is a spontaneous report from a contactable Nurse (patient). A 70-years-old female patient received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 administered in Arm Left on 19Feb2021 08:45 (Lot Number: EN6198) as 2ND DOSE, SINGLE for covid-19 immunisation. Medical history included epilepsy (diagnosed since age 6), guillain-barre syndrome (she cannot get the flu vaccine anymore because of her history of with Guillain-Barre Syndrome), she had COVID-19 in AUG2020 and has been having increased seizures since then as well, Seizures. She was positive on her COVID test, she forgets what was that it said when it came back, it didn't say positive, it said something else, she went back and forth after that first COVID test. She says it said detected, it didn't say anything else. She says after that she came home and self quarantined for 14 days, then went back for piece of mind to get a negative test, but they said positive, so then she quarantined 21 days that time. She says she went back and they tested her with the gold test which takes longer to her understanding to study that, and that came back negative. She says after 21 days she built up enough antibodies for it to be negative. She clarifies that she had COVID and COVID testing done before getting the doses of the Pfizer COVID-19 vaccine, before she got her her vaccinations. She had no other vaccinations on the dates she got her Pfizer COVID-19 vaccine doses or in the four weeks prior. She uses Lysol wipes and Clorox to clean her house and her door knobs. She says she uses hand sanitizer and wears 1-2 masks. She says in 1990 she had an airborne virus that put her in intensive care for 21 days and she was paralyzed, so she is thankful to be alive, and that she is no longer paralyzed. She says this came along, and it brought back a lot of horrible memories. Caller says she had to live with something, and her mask, and a lot of handwashing. Call handler attempted to clarify this statement with the caller. Concomitant medications included clobazam (Manufacturer: Microlabs. NDC: 4271-315-01, EXP: 09Aug2021) 10mg tablets, two twice a day taken for seizure; levetiracetam (LEVETIRACETAM 1A FARMA) 500mg, four tablets in the morning and four at night, taken for seizure. The patient previously received first doe of bnt162b2 administered in Arm Left on 22Jan2021 08:45AM (Lot Number: EL3249) for covid-19 immunisation . The patient would like to know if the COVID-19 infection increases seizure activity. She has a history of epilepsy and has received both dose of her vaccine. She states that she petite mal seizures and has One clonic tonic or grand mal seizure on 2APR2021 at 12:35AM. She also reports that she keeps losing more and more weight and does not know why. She states that in JUL2020 she was 196 pounds and today she weighs 177 pounds. About frequency of seizures increased, the patient says that her seizures had been pretty well been controlled, for 6 months. She says that there were a couple times she had months seizure free, but now can't get through the day without multiple seizures. She says they are petit mal, but she is also having grand mal seizures. She clarifies that her seizures increased last July, after she got out of rehab, they got worse during the month of August. She confirms that she was diagnosed with COVID-19 in August 2020. She clarifies her seizures increased before she got the doses of the vaccine this year. She says she had convulsions on 2Apr2021, a grand mal seizure, at 12:35 in the morning. She was just wondering if there was any connection between COVID-19 and increased seizure activity. She says her neurologist and she are both hitting their heads on the floor and trying to think of what combination of meds could stop her seizures and convulsions to get her down to where she is not having multiple petit mal every day. She says she used to see her neurologist every 2-3 months, now she sees him every month. She says every 2-3 months he changes her medication. She says he has her on two drugs now, and he increased them both, they are hoping to get answers, if her seizures have not calmed down and gone away he is going to take her off Keppra. She is taking the Keppra generic, named Levetiracetam, she takes 500mg, four tablets in the morning and four at night. She says the other anti seizure medication is Clobazam, she takes two pills a day. She says each time he puts her on a different drug it is another chemical change to her body and another expense to be constantly changing drugs. She says her neurologist might change her medications again when she goes back May 20th for her follow up. She says there could be drug interactions and stuff that her neurologist might not be aware of, she is not having a fun time. She says her neurologist tried to put her on two different drugs to good take care of the problem, one was Keppra and her insurance denied that one so he said let's try this one and put it thru her insurance for authorization and it was accepted but they said they don't carry it and get her private pharmacist. The outcome of Petite mal seizures and Grand mal seizure was not recovered, of other event was unknown. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1349563-1 | |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1349629-1 | seizure; patient missed second dose appointment due to hospitalization; This is a spontaneous report from a non-contactable consumer (patient) from a Pfizer-sponsored program. A female patient of an unspecified age received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), via an unspecified route of administration, on an unspecified date as a single dose for COVID-19 immunisation. The patient's medical history and concomitant medications were not reported. The patient experienced seizure on an unspecified date, which required hospitalization. It was also reported that the patient missed second dose appointment due to hospitalization on an unspecified date. The patient reported that she received first dose before the hospitalization. The clinical outcome of seizure and patient missed second dose appointment due to hospitalization was unknown. The reporter (patient) assessed the causality between the event and BNT162B2 as unrelated (reported as: nothing to do with seizure). The batch/lot number for the vaccine, BNT162B2, was not provided and will be requested during follow-up.; Sender's Comments: Based on an implied chronological connection to the vaccine, a causal relationship between event seizure and BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), cannot be excluded. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1350299-1 | Systemic: Allergic: Anaphylaxis-Severe, Systemic: Allergic: Difficulty Breathing-Severe, Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Hyperventilation-Severe, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1350414-1 | Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Seizure-Severe, Systemic: Vomiting-Severe, Additional Details: AFTER SHOT ADMINISTERED,PATIENT WAS WALKING TO WAITING AREA FOR OBSERVATION, WE FAINTED AND HAD 2 SEIZURES ABOUR 40 SECONDS LONG. NO PULS OR BREATHING. GAVE 10 CHEST COMPRESSIONS AND 2 BREATHS. EMERGENCY WORKER SHOPPING IN STORE HELPED ROLL TO RESCUE POSITION AFER FEEELING PULSE IN THE WRIST. HE SPIT UP A SMALL AMOUNT OF SPIT. HE SHORTLY CAME AORUND IN ABOUT ANOTHER MINUTE. NO EPINEPHRINE WAS ADMINISTERED. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1350584-1 | I've had my first seizure 3 weeks later after recieving the vaccine. Went to the ER and was diagnosed with Epilepsy. And was placed on KEPPRA medication. Where as I had my second seizure May 22 |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1350622-1 | Seizure for 20 seconds and then post ictal for 10-15 minutes, by time got to the ED back at baseline |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1350736-1 | A little more than 5 minutes after receiving shot had a seizure. Told me his wife he didn't feel right and hands were very sweaty cold his eyes rolled back in head. Lost his color loss control of bodily functions( urine). Throwing up hard. EMT were called vitals were alright. Once we were home vomiting subsided and he slept hard. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1351328-1 | Patient experienced seizure activity after receiving 2nd dose of pfizer vaccine. Sx started approximately 5 mins after receiving injection. fell and hit head. B/L upper extremity contractures noted that did not resolve and was associated with extreme pain and muscle rigidity. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1351663-1 | Patient had the vaccine and then he fainted after the needled removed. He passed out and then he had seizure after. He brought to the Emergency room and was released. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1351915-1 | Approximately 10 minutes after vaccination, patient's brother yelled out for help. The pharmacy cashier then observed the patient convulsing. Her body was leaned back on the bench, with head tilted back a bit. When I came out, patient appeared very pale. I immediately ran back into the pharmacy, instructed a fellow employee to reach out for assistance from front end management, and I called 911. While on the phone with 911, I walked out to check on the patient. At that point, she appeared to be coherent and said she was okay, and doesn't need any medical help. At that time, her brother explained that a reaction like this had occurred in the past when she got other vaccinations/injections so they were familiar with the symptoms. We continued to monitor patient for further reactions. After about 30 minutes, patient appeared to have no further reactions and left. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1352354-1 | Driving her to school this morning, she had a grand mal seizure for a little more than a minute...a couple hours until back to communicating. She's recovering perfectly as usual. She has them occasionally (every few months) but normallly driven by her menstrual cycle which is not coming up and made this uncommon. I just wanted to report it so you have the information. It could be in the birth defect category below, but I'm not a doctor so not sure and selected none of the above. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1352727-1 | Seizure with loss of consciousness, but without passing out, lasting shorter than 2 minutes with no prior history of seizures. Other present symptoms included: aura including heightened fear, visual and auditory abnormalities, loss of awareness, loss of muscle control in face and neck, staring episode, breathing difficulties/gurgling, and loss of bladder control. All symptoms subsided upon regaining consciousness/awareness. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1354157-1 | after administration patient showed immediate signs of dizziness and fainted. they came to almost immediately and seized for a moment, no longer than 30 seconds from the moment they fainted and revived. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1354479-1 | Patient had 2 seizures about 5 minutes after receiving her first Covid vaccine. Spouse was with her and did not think seizure was due to vaccine, but that she has a history of seizures if over anxious or becoming overheated. They did not want me to call 911 and seizures resolved. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1354558-1 | seizure at 3:30 in the morning. Partner discovered seizure activity awoken from sleeping. Last seizure activity was 2 years prior to event. No change in medications prior to immunization. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1354634-1 | 33 year old healthy man presented with seizure to Hospital ER on 5/7/2021. He required intubation. CT scan and MRI of brain showed dural venous sinus thrombosis along the anterior to mid aspects of the sagittal sinus. CBC was normal at presentation with WBC 13.9, HGB 16.1 and PLT 367k. He was admitted on unfractionated heparin. Repeat platelet count on 5/8/2021 was 153k. HIPA was negative. Patient was extubated and continued to improve. He was put on warfarin and sent home. He has some mild personality change in the immediate weeks of discharge. Hypercoagulable workup had normal Prot S & C activity, normal ATIII activity. The Factor V Leiden and Prothrombin Gene were negative. The homocysteine level was elevated at 16.3. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1355109-1 | High heart rate, fainting, convulsing or seizure, vomiting |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1355247-1 | Employee have a history of a seizure disorder received vaccine 1030 seizure started at 1047 |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1355310-1 | "This is a 45-year-old female with past medical history of multiple sclerosis, hypothyroidism, pseudoseizures, conversion disorder, who presents to the emergency department from COVID-19 vaccination clinic after having a reported allergic reaction and seizure-like activity. She presents by EMS who reports that she was given intramuscular epinephrine as well as IV Benadryl for her symptoms. EMS reports that they saw generalized convulsive activity while the patient was alert and oriented, he reports this as ""pseudoseizure-like activity"". She was receiving her second dose of the COVID-19 vaccination today, she reports that she immediately thereafter got a rash to her torso and became short of breath. She was feeling well prior to the vaccination. She denies any other recent acute illnesses including fevers, chills, nausea, vomiting, diarrhea, chest pain. She says that she is currently undergoing a relapse of her multiple sclerosis and has been wheelchair-bound for 1 month. This is a 45-year-old female with past medical history of multiple sclerosis, hypothyroidism, pseudoseizures, conversion disorder, who presents to the emergency department from COVID-19 vaccination clinic after having a reported allergic reaction and seizure-like activity. She presents by EMS who reports that she was given intramuscular epinephrine as well as IV Benadryl for her symptoms. EMS reports that they saw generalized convulsive activity while the patient was alert and oriented, he reports this as ""pseudoseizure-like activity"". She was receiving her second dose of the COVID-19 vaccination today, she reports that she immediately thereafter got a rash to her torso and became short of breath. She was feeling well prior to the vaccination. She denies any other recent acute illnesses including fevers, chills, nausea, vomiting, diarrhea, chest pain. She says that she is currently undergoing a relapse of her multiple sclerosis and has been wheelchair-bound for 1 month." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1355390-1 | Pt came in to pharmacy with her mom for her 1st dose Pfizer vaccine appointment at 2pm on 5/26/21. We checked her in and (pharmacist ) gave her shot with her mom present at 2 10pm and she was fine with no issues. Within 2 minutes in of her observation period, she started fainting and having seizure like for about 10 seconds, and regained conscious and said she felt dizzy and then blacked out. She was pale and sweating and asked for water. Our shift lead happened to be closed by her chair where she was sitting so she prevented pt from falling down from the chair and called pharmacist for help from inside the pharmacy. Pharmacist rushed to the patient and asked shift lead to call 911. Pt was consious, but lethargic, she could breath normally, no sign of obtruction airway. Pharmacist lift her legs up to opposite chair and started to take BP. Paramedic arrived within minutes and took her vitals which was normal. Mom agreed for paramedic took her out in stretcher to hospital for check up. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1355527-1 | After receiving vaccination, patient was reported to have fainted, with a potential seizure, and fallen over resulting in injury to head and laceration to forehead. Pharmacist was notified in which patient was immediately placed in laying position with elevation to her head and support to neck. Patient reported nausea, confusion, attempted to vomit without success. Patient was able to report name when prompted. 911 was called, fire service and ambulatory service arrived for further assessment. Patient was deemed safe without necessity of going to emergency room. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1357181-1 | "has a feeling that she described as an ""internal seizure"" that is not noticeable to the eye but that she feels in the brain and head; tachycardia; without strength in her legs and arms; headache; anxiety; This is a spontaneous report from a contactable consumer (patient). A female patient of an unspecified age received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot/batch number unknown), via an unspecified route of administration on 29Jan2021 as single dose for COVID-19 immunization. The patient's medical history and concomitant medications were not reported. The patient previously took the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 08Jan2021 for COVID-19 immunization. On 02Feb2021 (four days later), the patient experienced without strength in her legs and arms in addition to experiencing a headache. She was diagnosed with anxiety and prescribed with Prozac, after a few days of treatment she was studied and got good results. She has managed to regain strength in her arms and legs exercising but still had a headache. During the evenings (unspecified date), she experienced tachycardia and had a feeling that she described as an ""internal seizure"" that was not noticeable to the eye but that she felt in the brain and head. Therapeutic measures were taken as a result of without strength in her legs and arms, headache, and anxiety. The outcome of the events without strength in her legs and arms and anxiety was recovering; the outcome of the event headache was not recovered; and the outcome of the other events was unknown. Information about lot/batch number cannot be obtained. Additional information has been requested." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1357196-1 | Lose consciousness and faint as well as began to have a seizure; Lose consciousness and faint as well as began to have a seizure; Lose consciousness and faint as well as began to have a seizure; Vitals were not great, faint pulse, dilated pupils; Vitals were not great, faint pulse, dilated pupils; Vitals were not great, faint pulse, dilated pupils; This is a spontaneous report from a contactable consumer (patient). A 25-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE), via an unspecified route of administration, administered in right arm on 12May2021 09:45 (Batch/Lot Number: EW0182) (at the age of 25 years old) as 1st dose, single for COVID-19 immunization. The patient was not pregnant at the time of vaccination. The patient medical history included COVID-19. Concomitant medication included lithium taken for an unspecified indication, start and stop date were not reported. The patient previously took amoxicillin and had allergies. Facility where the most recent COVID-19 vaccine was administered was in Pharmacy or Drug Store. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. On 12May2021 10:00, the patient experienced lose consciousness and faint as well as began to have a seizure, vitals were not great, faint pulse and dilated pupils. After vaccine administration, patient began to lose consciousness and faint as well as began to have a seizure. EMT's were called vitals were not great, faint pulse and dilated pupils. The adverse event result in Emergency room/department or urgent care. Treatment received for the adverse event included ambulance ride, EMT's (as reported). The patient was recovering with lasting effects. Prior to vaccination, the patient was diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the events was recovered with sequelae on unspecified date. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1357237-1 | body aches; chills; headache; dizziness; goes from being cold and hot; passing out a few times; shaking similar to seizure/eyes kind of glazed; This is a spontaneous report from a contactable consumer (patient's wife) reported that a 57-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19, lot number: EW0182), via an unspecified route of administration, administered in arm left on 11May2021 08:00 (at the age of 57-years-old) as 2nd dose, single dose for covid-19 immunisation. The vaccine was administered at the Pharmacy/drugstore. The patient medical history included covid before, he had a bad case of it from Nov2020. The patient previously received BNT162B2 (PFIZER-BIONTECH COVID-19, lot number was not reported) on 20Apr2021 (at the age of 57-years-old) as 1st dose, single dose for covid-19 immunisation, and experienced all of the same symptoms (body aches, chills, goes from being cold and hot, headache and dizziness) but he did not pass out. The patient always gets the flu vaccine. The patient's concomitant medications were not reported. On 11May2021 15:15, the patient experienced passing out a few times, eyes kind of glazed, and shaking similar to seizure; and at 19:00, the patient body pain, chills, headache, dizziness and goes from being cold and hot. The outcome of the events was unknown. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1357256-1 | Seizures back to back to back/cause him to have more seizures; Wetting himself; This is a spontaneous report from a contactable consumer (patient's father). A 53-year-old male patient received bnt162b2 (BNT162B2 reported as PFIZER COVID-19 VACCINE), dose 2 via an unspecified route of administration on 01May2021 (Lot Number: EW0161; Expiration Date: 31Jul2021) as 2nd dose, single for covid-19 immunization (keep him alive and healthy). Medical history included ongoing sugar (diabetes) that was diagnosed with sugar 15 years ago (2005), heavy (overweight) been heavy for years. (biggest at 250 and is down to 236-238 now. It was stated that he lost weight before the shot and they do not know why), ongoing seizure all his life (he has had seizures all life), cholesterol (blood cholesterol abnormal), son that is special needs and high functioning and on vagus nerve apparatus. The patient received the first dose bnt162b2 (BNT162B2 reported as PFIZER COVID-19 VACCINE) via unknown site on 10Apr2021 (Lot number: EW0158) for Covid-19 immunization. Concomitant medication included unspecified medications for seizures and has a VMS (unspecified). The reporter stated that has a son that is special needs and high functioning. The father stated that he has had seizures all life, so he wanted to know if the shot cause him to have more seizures. The father mentioned that he is having seizures back to back to back and wetting himself. The father does not think this has anything to do with the shot, but his mom does. The reporter mentioned that the patient's mom looked online and saw something that stated it causes seizures. The reporter inquired if there were any reports of having seizures for special needs or anybody. He added that the patient had four seizures back to back in his sleep on May2021. The reported further stated that he has an apparatus that was put in his chest that slows the vagus nerve to seizure activity which he has had it since 2004. It was mentioned that that two weeks ago (May2021) when he was with his mom and last night that the seizures started in his sleep. He also was wetting himself which started two weeks ago (May2021) when he was with his mom. The reporter mentioned that he has blood work every 90 days (unknown date) for seizure medications and cholesterol but does not wish to provide (unknown). The father mentioned that the treatment included the patient taking his medication for his seizures as for the wets himself, he got cleaned up and puts fresh clothes on. The outcome of the event convulsions aggravated was recovered on May2021 while the outcome of the other event was recovered on 12May2021.; Sender's Comments: Based on available information the reported seizures and urinary incontinence are unrelated to bnt162b2. These are due to the patient's underlying seizure disorder. Case will be reassessed if additional information is received. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1357293-1 | "passing out/sort of out of body-ish awareness; Patient had never had a seizure, but it felt more like that than a faint; Felt heavy in upper arms/chest; Felt heavy in upper arms/chest; feeling uncoordinated walking through house; felt out of body; felt pain in knees/pain in right knee; joints seizing/cracking really hard; abrasions on both of knees; Moderate damage to L mcl; Must have fallen; stinging spot in the back of head; This is a spontaneous report from a contactable consumer (patient). A 57-year-old female patient received the second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EW0171) via an unspecified route of administration, administered in arm left on 01May2021 09:00 (at the age of 57-year-old) as single dose for COVID-19 immunization. Medical history included leukemia from 1998, breast cancer from 2001. No Known allergies. Concomitant medications were not reported. The patient previously received first single dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: EW0164) on 10Apr2021 08:00 AM (at the age of 56-year-old) in left arm for Covid-19 immunization, then experienced adrenal disorder and epinephrine increased. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient did not receive any other medications within 2 weeks of vaccination. Patient woke up Tues, 04May2021 08:00 AM. Felt heavy in upper arms/chest. Started feeling uncoordinated walking through house. Didn't remember actually passing out but felt out of body and felt pain in knees, and joints seizing/cracking really hard. sort of aware something was happening, but sort of out of body-ish awareness. Came back to awareness. abrasions on both of knees, moderate damage to L mcl. pain in right knee. must have fallen but no awareness of that - came to laying on back. Patient had never had a seizure, but it felt more like that than a faint. Also noticed a stinging spot in the back of head that seemed to travel up the back of skull for several days. Treatment was not received for the adverse event. Reporter assessed events were non-serious. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The outcome of the event ""passing out/sort of out of body-ish awareness"" was recovered in May2021, of other events was unknown." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1357666-1 | Systemic: Fainting / Unresponsive-Mild, Systemic: Seizure-Mild, Additional Details: While sitting on the chair, patient fainted and started to have seizure for 1-2 second then recovered completely by himself. Called 911 but patient did not want to have any medical attention. After that, patient sit for more than 30 minutes before going home. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1357775-1 | patient states she had a seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1357895-1 | SEIZURE MEMORY LOSS IN COHERENT |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1358197-1 | Approximately 5 minutes after administering the vaccine, he was waiting in his car with a friend, He became unresponsive and appeared to have lost consciousness. Upon arrival to the vehicle he looked to be having a seizure. Did not respond to verbal commands but did respond to sternal rub. EMS called. BP 118/58 and pulse 60. He was diaphoretic and pale. EMS arrived and during their interview he had another more intense and longer seizure. Transported to the Emergency Room. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1358243-1 | Patient reported tunnel vision and subsequently passed out, seized for 5 seconds, and then regained consciousness. Patient afterwards reported having a history of this type of reaction to vaccines, tattoos, and dental work. Patient became very warm, received water, and an ice pack. Patient was cooled down and left 30 minutes after the event. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1358298-1 | My son had a mild seizure that lasted 1 - 2 minutes. He has never had a seizure before. He then vomited a few minutes after the seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1358299-1 | Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Nausea-Mild, Systemic: Seizure-Mild, Systemic: Vomiting-Mild, Additional Details: PATIENT STARTED FELLING DIZZY SOON AFTER THE VACCINE. KEPT LOOSING CONSIOUSNESS. STARTED THROWING UP SOON AFTER. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1358387-1 | "The patient let us know that she had had a seizure after the first COVID shot and that she has them after every vaccine. This has happened since she was a little girl. The patient was visibly nervous before the vaccine was administered. During her observation time following the vaccine administration, she let provider know that she could feel her left arm tightening up. Provider provided the patient with an ice pack for her neck to try to calm her down. The patient asked for us to not call a rapid response yet and that ""I'm trying to calm myself down."" observed the patient's left hand starting to grasp and the patient became tearful so asked the patient if she was okay. The patient stated she was okay. Provider asked her to let her know if she felt like she was going to have a seizure. About a minute later, the patient let provider know she felt one coming. Provider called the RRT as the clinic Team Lead, let the patient know she was going to recline her in the chair she had been vaccinated in. Seconds after the chair was reclined, the patient's eyes started to roll back in her head and her eyelids started to flutter. Within about 10 seconds, the patient was jerking up and down in the chair. The clinic staff ensured the patient was safe until the arrival of the RRT. As the RRT arrived, the patient's seizure ended. The patient became alert to talk to the team that arrived to the clinic. She refused being seen by the ED. The clinic staff agreed to monitor her vitals until she felt comfortable to leave. After around 30 minutes after the seizure, the patient was in good spirits and stated she would like to stand and see how she felt. The patient stood up and walked around for a moment before saying she was ready to leave. Provider checked the patient out, and she left the clinic." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1358513-1 | She had been bleeding since May 2. We took her to Hospital Pediatric ER on Thursday, the ambulance took her in because she had a seizure on Wednesday (the Ambulance - they stabilized her that day and took her vitals and was sure she was okay - they knew we had an appt to go in the next day at 10:00 am for tests (previously scheduled); Thursday morning she had another seizure - we gave her seizure meds and she came out that - she ate breakfast after and then took her regular meds and the next thing we know ,50 minutes later, her head drop forward and her arms go completely limp and there was no response. She was breathing but she was out. I called the ambulance. And they took her in to ER. What they put in the paperwork was that she had a seizure and they wrote that she had had syncope episode - it took 20 minutes to come out of it. Which she has never had anything like that. We were in the ER for 7 hours. Was admitted to Hospital -from 24th -28th. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1358560-1 | Patient was admitted with a breakthrough seizure episode. Although patient had history of seizures, admitting provider had concerns that breakthrough seizure may have occurred due to vaccine inflammatory response. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1358679-1 | "Patient began experiencing ""tunnel vision"" five minutes after receiving his first dose of Pfizer COVID vaccine. Patient lost consciousness and began seizing for a few seconds. Patient regained consciousness after a couple minutes. Paramedics were called and patient was checked out. Vitals were good and parents decided to just monitor him and not send him to the hospital." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1358746-1 | 4-to-5-minute after administrating the vaccine, pt start having a very short episode of seizure. It didn't last for more than 1 to 2 seconds. It was very quick that most of us didn't see it. Then pt laid down the pt down for few minutes. She felt fine and her mom took her home. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1359541-1 | About 10 mins after shot, fainted with eyes rolling back in head, convulsions for a few seconds. Patient helped to lay on floor. Showed confusion for a few seconds and then came to. EMTs checked vitals and blood sugar levels and said things were normal. Visited urgent care facility a few hours later where physician said episode was likely vasovagal syncope. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1359848-1 | Mild seizure type activity. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1360119-1 | "A 24 y.o female fainted and appeared to have a seizure. She loss consciousness and had muscle contractions. The seizure was approximately 2 minutes. Patient did not hit her head or injury any part of her body. She was gradually dismounted from the chair and placed on the floor. 1st B/P reading was 70/40, then 108/63. Patient after waking up was alert and oriented X3. Once EMS arrived she was assessed and encouraged to go to the hospital for follow up. Patient and father refused to go to the hospital. They verbalized ""She has an important exam for school"". Patient stated she will follow up after her exam." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1360445-1 | "Problems with her heart; Shortness of breath; Pain the chest; Low blood pressure; Passed out; Started shaking ""like a seizure""; Started shaking ""like a seizure""; Dizziness; Tiredness; Stomach pain; Chills; Fever; Sweats; Nausea; Vomiting/throwing up; Inflammation in the chest, muscle or maybe heart inflammation; Inflammation in the chest, muscle or maybe heart inflammation; Inflammation in the chest, muscle or maybe heart inflammation; Pain in the heart; Not feeling well; Had a severe allergic reaction; Headache; Weak; This is a spontaneous report from a contactable consumer (patient's mother). An 18-year-old female patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot Number: EW0169; Expiration date was not reported) on the left arm on 20Apr2021 as a 1st dose, single dose, with route of administration unspecified, for COVID-19 immunization. The patient had no relevant medical history and concomitant medications. On 20Apr2021, the patient had passed out; started shaking ""like a seizure""; dizziness; tiredness; stomach pain; chills; fever; sweats; vomiting/throwing up; and nausea. The patient was brought to urgent care/emergency room (ER) due to the reported events. On 21Apr2021, the patient had shortness of breath; pain in the chest; and low blood pressure. On 22Apr2021, the patient had problems with her heart. The patient was brought to urgent care/emergency room (ER) due to the reported events, and for cardiac work up. On an unspecified date in 2021, the patient was not feeling well; had a severe allergic reaction; headache; and was weak. In Apr2021, the patient had ""inflammation in the chest, muscle or maybe heart inflammation"". The patient received treatment for the events, pain in the chest and ""inflammation in the chest, muscle or maybe heart inflammation"" (double dose of naproxen. The patient's laboratory tests included normal blood pressure on 22Apr2021; chest x-ray on 21Apr2021 (results were not provided); echo sonogram on 22Apr2021 (results were not provided); electrocardiogram (EKG) was normal on 21Apr2021, 22Apr2021 and 23Apr2021. The outcome of the events was not recovered for tiredness; was recovered on an unspecified date in 2021 for chills, sweats, vomiting/throwing up; was recovering for pain in the chest; and was unknown for all the other events. The patient's primary care provider was writing a doctor's note recommending that she not receive the second dose based on her reaction to the first dose, and the PCP recommended that the mother call Pfizer as well." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | getting lightheaded and dizzy all the time; Seizure; This is a spontaneous report from a contactable consumer (patient) and a consumer (patient's ex-wife/ roommate) A 47-year-old male patient received the first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number: ER2613 and expiration date not provided), via an unspecified route of administration, on 01May2021 (at the age of 47-year-old), at single dose, for COVID-19 immunization. Medical history included blood cholesterol, high blood pressure, ongoing seizures from 1991; patient was being hit in the head with a steel baseball bat 13 times, and had a lot of brain damage; and ongoing sleep. Prior Vaccinations (within 4 weeks) provided as no. Concomitant medications included ongoing topiramate (TROKENDI XR) for seizure, ongoing allopurinol (ELAVIL) for sleep, and medication for cholesterol and one for high blood pressure. Patient had been on topiramate a couple of months. They were working with him to get him better than he was because he was having a lot of the little ones. He got the pill packs. He tried the little compartment things and they weren't working. Roommate suggested they try the pill packs to make it easier. There was the time on the packs. The patient experienced seizures on 13May2021; getting lightheaded and dizzy all the time on unknown date. Patient's second dose was scheduled 22May2021. Due to symptoms that he experienced he was afraid to take second dose. Patient had petite mal seizure last night on 13May2021, he got ahold of the doctor and got an appointment with his family doctor. They don't know about the seizure yet. Patient was feeling ok until he got the shot. Now, he was back to getting lightheaded and dizzy all the time. Patient got social security and had a hard time remembering his phone number. Patient's ex-wife clarified that patient called the doctor and got an appointment. He had upcoming appointment. The doctor wanted him to go to the emergency room. She had known him since 2005. When he had a mild seizure the ER doesn't do anything for him. They just leave him in the bed and wait until he comes to his senses. She just told patient to go in his room and lay down and offered him paracetamol (TYLENOL) and all that stuff. She couldn't move him when he was having one of the worse seizures because he turns into a board. She tried to get him aware. They didn't last long. Patient had grand-mal seizures since the age of 18 after being hit in the head with a steel baseball bat 13 times. He had a lot of brain damage. The brain can't fix itself. She was the only one that knows how to handle him. Patient's ex-wife listed at the doctor office because patient had a hard time explaining things and stutters a lot, he can't answer right away. The seizure patient had yesterday was a petite mal seizure. It wasn't a full blown grand mal seizure. He had three different phases of seizures. He had the staring one where he was looking out in space. Then he had the next one that happened in the car. He sat down and put his head back to relax. She thought he was taking a break, but it was a seizure. She touches him to focus and get him back. At night was when he has the worst ones where he looses control of his bladder, foams at the mouth, and turns into a board. He can't bend. He has only had 3 of those in the time she had known him. The other ones he had quite often. The quicker he comes out of it the less headache he has after it. If they let it run its course he has a bad headache and nausea. She tries to open his eyes because he comes out better. One time when he had grand mal seizure she couldn't get him rolled over and had to get help. Even though it was saliva and he was foaming at the mouth she was afraid he would choke on it. He had one starring seizure shortly before the COVID vaccine. He had them a lot. If they take blood or run scan it won't show patient had a seizure. For a little while patient and his roommate weren't together. If he did have seizure during that time he got himself out of it. He has only had 3 bad ones since 2005. Patient told his doctor that he thought it was related to the COVID shot. Patient's ex-wife didn't believe that was what caused the seizure (She thought if it was related it would have happened within 20 minutes of getting the vaccine). She thought he just had one. It played in his mind that he had the shot. Patient's brain stopped growing when he was 18 due to damage. The outcome of the events was unknown.; Sender's Comments: Based on known drug safety profile, there is reasonable possibility of causal association between the events Seizures, Dizziness and the suspect BNT162B2. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | **1360482-1** | |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1360494-1 | Seizure; Major weakness (cannot walk or stand unsupported, cannot lift objects more than a pound or two); Major weakness (cannot walk or stand unsupported, cannot lift objects more than a pound or two); Major weakness (cannot walk or stand unsupported, cannot lift objects more than a pound or two); Minor weakness (wobbly legs); Minor to moderate stabby headache; Abdominal cramps; Joint pain (especially left wrist which has buckled under pain a few times and right pelvis area); Muscle pain (is decreasing, but flares up, especially in legs); Dizzines; Severe fatigue; Sore arm from injection; Minor fever; This is a spontaneous report from a contactable consumer (patient). A 37-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration, administered in the left arm on 12May2021 02:45 PM (batch/lot number: EW0712) as 1st dose, single for COVID-19 immunization. Medical history included Tourette's syndrome, tarsal tunnel (right foot), hyperreflexia, and known allergies to lavender. Concomitant medication included multivitamins; minerals ( DAILY MULTIVITAMIN) taken for an unspecified indication, start and stop date were not reported. The patient previously took hydrocodone, acetaminophen (VICODIN) and experienced allergies. Facility where the most recent COVID-19 vaccine was administered was pharmacy or drug store. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient has not been tested for COVID-19. The patient experienced seizure on 12May2021 03:05-03:45 PM, then on 15May2021 02:55-03:25 AM; major weakness (cannot walk or stand unsupported, cannot lift objects more than a pound or two) on 12May2021 03:05 PM; minor weakness (wobbly legs) on 12May2021 02:50 PM (this weakness increased); dizzines on 12May2021 02:45 PM to evening 14May2021; severe fatigue, has been increasing since shot, having to spend longer and longer in bed, nap a lot, very tired on 12May2021 02:45 PM; sore arm from injection around 12May2021 (reported as 02:40 PM; pending clarification) to morning of 14May2021; minor fever (estimate 99-100 degrees max) on the night of the 12May2021, broke around 02:00 AM on 13May2021, night of 14May2021, broke around 2:45 AM on 15May2021, afternoon of 15May2021, broke around 06:00 PM; minor to moderate stabby headache on 12May2021 02:50 PM, intermittent, managed by paracetamol (TYLENOL); abdominal cramps on 12May2021 02:45 PM; joint pain (especially left wrist which has buckled under pain a few times and right pelvis area) on 12May2021 02:45 PM; and muscle pain (was decreasing, but flares up, especially in legs) on 12May2021 02:45 PM. No treatment was received for the events, except for the event headache which included treatment of paracetamol. The outcome was recovered on 14May2021 for the events dizziness and sore arm from injection; and not recovered for the rest of the events. No follow-up attempts are possible. No further information is expected. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1360518-1 | "A 24 y.o female fainted and appeared to have a seizure. She loss consciousness and had muscle contractions. The seizure was approximately 2 minutes. Patient did not hit her head or injury any part of her body. She was gradually dismounted from the chair and placed on the floor. 1st B/P reading was 70/40, then 108/63. Patient after waking up was alert and oriented X3. Once EMS arrived she was assessed and encouraged to go to the hospital for follow up. Patient and father refused to go to the hospital. They verbalized ""She has an important exam for school"". Patient stated she will follow up after her exam." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1361020-1 | Systemic: Fainting / Unresponsive-Medium, Systemic: Hypotension-Medium, Systemic: Shakiness-Medium, Additional Details: pt passed out immediately after vaccination briefly, when she regained consciousness she convulsed for about 2 seconds, heart rate at 58, with weak pulse, called 911, pt taken to er as a precaution |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1361102-1 | PATIENT WAS SITITNG IN THE LOBBY FOR 15 MINUTES POST VACCINE, AND WAS GETTING UP FROM HER SEAT AND COLLAPSED HEAD FIRST ONTO THE FLOOR AND WAS CONVULSING FOR A FEW SECONDS. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1361144-1 | FACIAL NUMBING AFTER FIRST DOSE, SEIZURE 20 DAYS AFTER SECOND DOSE WHICH WAS ADMINISTERED 5/4/2021 |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1361387-1 | Onset of severe nausea followed by difficulty breathing, uncontrollable incessant dry heaving and coughing, spasms, full body shaking, full body tremors, inability to speak, seizure like reaction, dizziness, tingling in tongue, |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1361498-1 | Systemic: Confusion-Mild, Systemic: Fainting / Unresponsive-Mild, Systemic: Seizure-Mild, Systemic: Shakiness-Mild, Additional Details: Pt was unresponsive appr 5 mins after receiving COVID Vax. Pt was sitting next to husband and husband called for help. Upon galncing at the pt, pt appeared unconscious and shaking, possibly seizing. EMS (911) was called and in the mean time RPH attended to pt. By the time EMS arrived pt was starting to respond and gradually aware of environment and self. Pt was recommended visit ER for further check up, but pt and husband declined, she stated she is doing fine and much better and husband agreed |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1361782-1 | 05/28/21 around 22:30 waves of convulsions including uncontrolled shacking of the hands and upper body followed by chills and high body temperature. This lasted for until about 03:00 05/29/21. 05/29/21 consisted of mainly being in a bedridden state of fatigue, sleeping, loss of appetite, swollen and inflamed lymph glands particularly under the armpit of the injection site arm, soreness and pain in the injection site arm, headache, aches and pains throughout the entire body, and the inability to walk or stand for long periods of time. 05/30/21 lymph glands are still inflamed and swollen (particularly as stated above under the armpit of the arm that got the injection), head stills persists, along with some fatigue, and loss of appetite. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1362082-1 | Seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1362098-1 | Systemic: Seizure-Mild, Additional Details: Called patient and it seems that she had another seizure episode in the ambulance. She's doing okay. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1362123-1 | Systemic: Seizure-Mild, Additional Details: Spoke to mother and she said her daughter had another seizure episode. She's doing okay now. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1362680-1 | Received the vaccine and then sat in waiting area with no immediate issues. After about 10 minutes started to feel flushed and a couple seconds later blacked out. When coming around, felt disoriented and nurse was asking me questions as I was still sitting in chair. My wife reported that I was having a seizure and stiff against the wall with eyes rolled back and unresponsive for about a minute. My right arm was cramping, BP 220/180 and pulse 44. The clinic staff laid me on the floor and call an ambulance that took me to the ER for observation and testing. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1364300-1 | "11-year-old male patient received BNT162B2; 11-year-old male patient received BNT162B2; My son had a seizure 4 hours after receiving his first dose of the Pfizer vaccine.; This is a spontaneous report from a non-contactable consumer (patient's father). An 11-year-old male patient (reporter's son) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, lot number unknown), on 17May2021 03:00 PM (at the age of 11-year-old) as 1st dose, single for COVID-19 immunisation. Facility where the most recent COVID-19 vaccine was administered was reported as other. The patient's medical history and concomitant medications were not reported. The patient was not diagnosed with COVID-19 prior to vaccination. Patient's father stated that his son had a seizure 4 hours after receiving his first dose of the Pfizer vaccine (onset date also reported as 17May2021 20:30). The event resulted in emergency room/department or urgent care visit. Since the vaccination, the patient had not been tested for COVID-19. The outcome of the events was resolved for ""seizure"" and unknown for the other events. No follow-up attempts are possible; information about lot/batch number cannot be obtained." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1364318-1 | 3 days after the second shot, 2 seizures within 1 hour, hospital for help for 3 days; This is a spontaneous report from a contactable consumer(patient). A patient of unspecified age and gender received second dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, Batch/Lot number and Expiration date was unknown), via an unspecified route of administration, on an unknown date, as SINGLE DOSE for COVID-19 immunisation. Patient medical history and concomitant medications were not provided. The patient previously received first dose of BNT162B2 (PFIZ-ER-BIONTECH COVID-19 VACCINE, Batch/Lot number and Expiration date was unknown), via an unspecified route of administration, on an unknown date as SINGLE DOSE for COVID-19 immunisation. After 1 week of first dose of vaccination patient had experienced two strokes on both sides of the brain. On an unknown date, after 3days of second dose of vaccination, patient had two seizures within 1hour and was hospitalized for help for 3 days. The patient truly believed it was not a good thing, and patient suffered a lot. The outcome of the event was unknown. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1364320-1 | absent seizure; This is a spontaneous report from a non-contactable consumer reported for her husband. A male patient of an unspecified age received bnt162b2 (BNT162B2, PFIZER-BONTECH, COVID-19 Vaccine, Solution for injection, Lot number and expiration date: Not reported), via an unspecified route of administration on 26May2021, as (Batch/Lot number was not reported) as 2ND DOSE, SINGLE for covid-19 immunisation. The patient medical history and concomitant medications were not reported. The patient experienced absent seizure on 26May2021. It was reported that, the caller states her husband received his second dose of the Pfizer COIVD-19 vaccine today, 26May2021. and during the 15 mins wait time from after receiving the vaccine he had what she states the nurses there are calling and absent seizure. The caller states his eyes were awake but he was not responding, as she was getting ready to bring him to the ER, he became responsive so they did not go to the ER. She is wondering if there has been reports of this and what she should do next. A review of the Pfizer COVID-19 vaccine did not find information regarding seizures. The seriousness criteria of the event was reported as serious (medically significant) by the reporter. The outcome of the event was recovering. No follow-up attempts are possible. No further information is expected. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1364876-1 | DVT right leg, er visit, medication, still get my treatment Seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1365287-1 | Seizure immediately following injection |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1365290-1 | My daughter had a mild seizure 5 minutes or less after receiving her first vaccine. She fell out of her chair, her eyes fluttered and rolled in the back of her head, her teeth were clocking and chattering and her body was shaking mildly. She lost consciousness for approximately 2 minutes. At 8:33 pm she felt a second seizure begin, her step father grabbed her before she could fall and again, her eyes fluttered and rolled in back of her head, her teeth were clicking and chattering and her whole body was shaking. The second episode lasted approximately 2 minutes as well, with her losing consciousness again. She was taken to the emergency room and stayed overnight for observation. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1365495-1 | Patient appear to have seizure just after receiving the vaccination. After apparent seizure or loss of consciousness patient appear weak and had a hard time answering questions. 911 was called and patient transported for medical care. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1365695-1 | After the first dose my father got what the eye doctor thought was pink eye. After treating him it didn't clear up. It was later diagnosed as herpes of the eye and he became blind in one eye. Shortly afterwards I read an article from researchers who stated they had found fragments of the herpes virus in the vaccine. After the second vaccine he was fine one day and 2 days later started having seizures. He was hospitalized for the seizures. His personality totally changed. He no longer recognized my sister. He also became hostile which is not the person he was. He was released from the hospital and brought to a new facility. Then the lights went out. he just stared off into space. A day later he was dead. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1365910-1 | Patient fainted and had convulsions for 5-10 seconds. He came to and was just fine. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1365956-1 | Fatigue, sleepy, headache, Body jerks( like convulsions) nausea, rash |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1366337-1 | Patient had a seizure about 40 seconds after receiving the COVID19 (Pfizer) vaccine. He urinated, and became cyanotic, not breathing and faint pulse. CPR as initiated and 911 called. Patient regained consciousness after 30 compressions and was taken to the hospital after ambulance arrived. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1367153-1 | Unable to use left arm or hand; Seizure; Lost vision in left eye; This is a spontaneous report from a contactable consumer (patient wife). A 74-years-old male patient received bnt162b2 (BNT162B2), dose 2 via an unspecified route of administration, administered in Arm Right on 31Mar2021 10:00 (Batch/Lot Number: ER8730) (at 74 year old) as 2ND DOSE, SINGLE DOSE for covid-19 immunisation. Medical history included slight stroke from 2012, seizure disorder from 1972 and ongoing (She says her husband did have a seizure disorder since his car accident in 1972, but he hadn't had a seizure in years), road traffic accident from 1972 (Caller says her husband had a car accident in 1972 and had some injuries from that), injury from 1972 (Caller says her husband had a car accident in 1972 and had some injuries from that). The patient's concomitant medications were not reported. Historical Vaccine included first dose (LOT: EN6199) of BNT162B2 (Pfizer COVID-19 vaccine) for COVID-19 immunization on 10Mar2021 10:00AM in his right arm at 74-year-old experienced tiredness and arm soreness. The patient experienced seizure on 20Apr2021 with outcome of recovered in 2021, lost vision in left eye on 20Apr2021 with outcome of recovered on 21Apr2021, unable to use left arm or hand on 20Apr2021 with outcome of recovered on 21Apr2021. The events caused Emergency Room Visit, and were serious due to hospitalization since 20Apr2021 to May2021 for 19 days. The patient underwent lab tests and procedures which included magnetic resonance imaging and scan brain: no evidence of a stroke said it was a seizure on 20Apr2021. The consumer reported that her husband ended up going to the ER and spending 2.5 weeks in hospital after the second dose. She says it started out like a stroke, he lost vision in his left eye temporarily then couldn't use his left arm, couldn't raise it or use his hand or wiggle his fingers. She says that ended up being temporary too. She says he then took a seizure before the ambulance got there, so when he got to the hospital they assumed it was stroke and a seizure and he ended up in intensive care unit. She says as days went on and they did MRIs and brain scans, stuff like that, they found no evidence of a stroke said it was a seizure that caused it, and that next day he got his vison back after he was there overnight in the intensive care unit, and could use his arm, raise his arm, and hold things with his left hand. She says it was 20Apr, 20 days later, that this occurred and he was admitted to the hospital. The patient was home now after spending 2.5 weeks in the hospital. She says he is home and doing ok, he is back to how he was. She says that they did give him a seizure medicine. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1367193-1 | seizure; This is a spontaneous report from a contactable physician. A 12-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on 15May2021 (batch/Lot number was not reported) as single dose for COVID-19 immunisation. The patient medical history and concomitant medications were not reported. The patient experienced seizure in May2021 with outcome of recovered. Information on the lot/batch number has been requested.; Sender's Comments: The information currently provided is too limited to make a meaningful medical assessment hence, the events are conservatively assessed as related to the suspect drug BNT162B2 until further information becomes available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to RAs, Ethics Committees, and Investigators, as appropriate. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1367749-1 | Full body seizure, loss of consciousness. Stopped breathing. Was transported to the hospital by ambulance. Outcome is pending follow up with neurologist. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1367785-1 | Passed out. Seizure without shaking muscles contracted and fists clenched. Dizziness. Tingle in arms. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1367857-1 | Systemic: Fainting / Unresponsive-Severe, Systemic: patient had a seizure about 5 mins following adminstration-Severe, Systemic: Seizure-Severe, Additional Details: ems was called and patient was evaluated and pt was cleared with normal vitals and alert from ems parent refused to go to er i tried calling to follow up with patient and now answer on best contact number |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1367888-1 | Systemic: Fainting / Unresponsive-Medium, Additional Details: Patient received first dose of vaccine with her mother. Prior to administration, patient mentioned she was anxious receiving shots having a history of fainting. Immediately after administration, patient stated that she was relieved. About 2 minutes later, patient's mother called for the pharmacist for help claiming patient was having convulsions and was unconscious. Paramedics were called. Patient regained consciousness after 20 secs with nausea & no recollection of loss of consciousness. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1367896-1 | I63.9 - Cerebral infarction, unspecified N17.9 - Acute kidney failure, unspecified E87.1 - Hypo-osmolality and hyponatremia R56.9 - Unspecified convulsions |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1367995-1 | Systemic: Fainting / Unresponsive-Mild, Systemic: Shakiness-Mild, Additional Details: Patient appeared to have short (<1min) seizure approximately 5 minutes after having COVID vaccine administered. She woke up, eventually alert and oriented. EMS was called and responded to call. She refused ER visit stating she was feeling fine, just a little shook up. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1368080-1 | Two days later my grandson fainted, had a seizure and was taken to the ER. At the ER a CT scan of the head was performed. Also while getting an IV, my grandson also had a seizure. I do not have his CT scan results at this time. My grandson is also prepping for a surgery coming in June. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1368148-1 | I63.9 - CVA (cerebral vascular accident) I63.9 - Acute ischemic stroke R29.810 - Facial weakness R56.9 - Unspecified convulsions |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1368170-1 | Convulsions, twitching at 1:00am . Strong adrenalin rush. Got out of bed and worked, moved around rapidly. I've had mild twitching, muscle contractions, numb nerves in arms and hands ever since. It is mild though. Seems to come and go in waves, along with intense fatigue. June 1, 2021 first day I did not have intense fatigue. Just found out I was supposed to receive a CDC text or reaction monitoring form; I did not. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1368422-1 | passing out episodes, seizures, hospitalized |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1368691-1 | I woke up on Jan. 22nd and felt off. I developed a bad headache throughout the day and was sensitive to touch. I didn't sleep well that night and threw up in the middle of the night. I was very tired. I slept for most of the day Jan. 23rd and my parents stopped by that evening and noticed I wasn't feeling well. I had a fever and an altered mental status. My dad took me to the ER and I was admitted to the hospital that night. I had an EEG that showed I was having subclinical seizures and a spinal tap concluded that I had aseptic meningitis (which the doctors think is what caused the seizure). I regained my mental status Jan. 25th after being put on seizure medicine. The doctors thought the meningitis was most likely viral and I had an exhaustive infectious disease workup done which came back negative. The only thing that stood out was an abnormal ANA test. I was released from the hospital the evening of Jan 27th. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1368696-1 | Unspecified convulsions |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1368702-1 | New onset seizure Unspecified convulsions Acute kidney failure, unspecified |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1368714-1 | R56.9 - Unspecified convulsions |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1368719-1 | R56.9 - Unspecified convulsions N17.9 - Acute kidney failure, unspecified R56.9 - Seizure (CMS/HCC) |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1368728-1 | R56.9 - Unspecified convulsions. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1370586-1 | Nightly sleep seizures/spastic seizure lasting 5 minutes of uncontrollable myoclonus only of the left leg; Temporary, passing paralysis; spastic seizure lasting 5 minutes of uncontrollable myoclonus only of the left leg; longer aphasia (inability to speak); severe migraines; This is a spontaneous report from a contactable consumer. This 32-year-old female consumer reported that she received 2nd dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE; lot Ew0179) on 13May2021 at 02:45 PM into left arm for COVID-19 immunisation. Medical history included Hypermobile Ehlers-danlos syndrome, non-epileptic seizures, migraines, mild traumatic brain injury, intractable pain, severe food allergies. Known allergies: Wheat, gluten, eggs, soy, estrogens. Historical vaccine included 1st dose of BNT162B2 (lot Ew0171) on 22Apr2021 at 02:45 PM into left arm for COVID-19 immunisation. Concomitant drugs included Morphine, hydrocodone bitartrate, paracetamol (NORCO), diazepam (VALIUM), Propranolol, Hydroxyzine. The patient had a non-epileptic seizure disorder that was well controlled. After the second dose she began to have nightly sleep seizures, severe migraines, but am writing because of a spastic seizure lasting 5 minutes of uncontrollable myoclonus only of the left leg, with longer aphasia (inability to speak) and temporary, passing paralysis. The symptoms passed in an hour but an epileptic patient could have died. Event onset time was 19May2021 06:30 PM. No treatment was received. The outcome of the event was resolving. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1370620-1 | seizure; This is a spontaneous report from a contactable consumer (patient). A 65-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in arm right on 16Feb2021 14:00 at the age of 65-years-old (Batch/Lot Number: EN6201) as 1ST DOSE, SINGLE for covid-19 immunisation. Medical history included Stage 4 cancer from an unknown date, known allergies: Sulfa, Emcin. Concomitant medications included osimertinib mesilate (TAGRISSO); levothyroxine sodium (SYNTHROID) and paracetamol (TYLENOL) all taken for an unspecified indication, start and stop date were not reported. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. The patient was not Pregnant at time of Vaccination. Prior to vaccination, the patient was not diagnosed with COVID-19. Since the vaccination, the patient had not been tested for COVID-19. The patient stated 10 days after vaccine (as reported) she had a seizure on 21Feb2021 19:30. She was not saying it was related to vaccine but she had heard other people have had this happen and she should report it. The patient was hospitalized for seizure for 3 days. The event resulted in emergency room/department or urgent care. The patient underwent lab tests and procedures which included Brain EEG (electroencephalogram), Brain MRI (magnetic resonance imaging) with unknown results on an unspecified date. Therapeutic measures were taken as a result of seizure. The outcome of the event was resolved in 2021. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1371455-1 | The first vaccination dose when we went to the car we sat in the car for 15-30min. After about an hour I started to have Paraoxysmaldyskinesia and seizures (they are secondary condition to the MS). And I began to have this in the car. I started to have paralyze in both legs but my left leg began to hurt. And I began to have terrible diarrhea and I have Chron's disease and I have a Ileospomy bag (and I've had this since March of 2017). A week later after vaccination I had an infusion of Entyvio (biologic) which is regularly scheduled and happened to be a week after the shot. It helped the diarrhea. I contacted my GI doctor to ask if they could move up my infusion to so it could be after my next dose. They said all their patients are seeing diarrhea after vaccination and no they couldn't move it up. I continued to have pain in my legs, fatigue even after going up stairs, difficulty walking. In 2014 I had Sciatic in that leg and a blood clot so I thought it was due to that and never assumed it was a blood clot. And the pain was getting worse each day but I assumed it was all related to the Chron's and not a blood clot. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1371650-1 | Had a Seizure 2 wks after vaccine. No family or previous history of seizures. Had to be taken to emergency room by ambulance. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1371928-1 | Seizure for 2 second, blurry vision, pale skin, fatigue, and drowsiness |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1371929-1 | seizure (one time) |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1372010-1 | "Patient here for 2nd dose of Pfizer Covid-19 vaccine. No h/o allergies or significant medical history. LPN arrived on scene after vaccinator was yelling for help. Patient was ""in and out of consciousness"", awake and alert and then would have LOC for a few seconds and then become awake and alert again. This happened about 4 times with LOC with also some ""convulsing like movements in the arms"". Emergency responders and clinical lead, RN called. Patient laid back in seat as far as the seat would go, face pale and lips white. Pulse-ox put on and BP taken, 36 bpm (according to pulse-ox) and oxygen level 89%, BP 100/54. LPN gave epinephrine injection at this point at 1151, 0.3mg IM in right thigh. HCP arrived on site, patients VS after epi: pulse 76, 100/76, O2 sats 94% at 1155. Patient awake and alert, oriented to person, place and time. Lips and face pink. Care turned over to Paramedics who arrived on site at 1200." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1372059-1 | Pain from shoulder to elbow in left arm. Seizure next morning |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1373858-1 | like an affected brain function; intense chills/ severe chills so bad that she thought that she was going to have a convulsion.; intense chills/ severe chills so bad that she thought that she was going to have a convulsion.; symptoms like those for the flu/flu like symptoms; redness in her eyes; problems focusing her vision; pain in the eyes and very hard pain on the eft side of her skull that went down to the neck.; very hard pain on the eft side of her skull that went down to the neck.; pain in the eyes and very hard pain on the eft side of her skull that went down to the neck.; not thinking properly/her thinking processand her logic were affected; the muscular tone of the tongue was affected affecting her speech and swallowing; the muscular tone of the tongue was affected affecting her speech and swallowing; the muscular tone of the tongue was affected affecting her speech and swallowing; cry; This is a spontaneous report from a contactable consumer (Patient). A 78-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection), via an unspecified route of administration on 20Feb2021 (lot number: not reported) as second dose, single for COVID-19 Immunization. Patient had received first dose of vaccine Pfizer BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 30Jan2021 (at the age of 78-years-old) for COVID-19 Immunization and she was feeling fine. The patient medical history and concomitant medications were not reported. On 25Feb2021, 5 days after the administration of the second dose of the vaccine, patient experienced symptoms related with her eyes, her nervous system and symptoms like those for the flu, Ophthalmological symptoms like redness in her eyes, problems focusing her vision, pain in the eyes and very hard pain on the left side of her skull that went down to the neck and Neurological symptoms like an affected brain function, not thinking properly, the muscular tone of the tongue was affected affecting her speech and swallowing, these symptoms always on the left side of her head. The patient reported that the flu like symptoms were intense chills, so much that she could not get warmed even when she used very warm material, she took her body temperature and she found it to be normal, then she experienced severe chills so bad that she thought that she was going to have a convulsion, then she started to feel afraid and she started to cry, noticing that her thinking process and her logic were affected. Patient visited multiple specialists like Neurologists, Ophthalmologists, and Physicians for the events. The patient underwent lab tests and procedures which included body temperature: normal on an unspecified date in Feb2021. The outcome of the events was reported as recovered on 23May2021. The lot number for the vaccine, BNT162B2, was not provided and will be requested during follow up. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1374113-1 | Systemic: Confusion-Mild, Systemic: Dizziness / Lightheadness-Medium, Systemic: Fainting / Unresponsive-Severe, Systemic: Flushed / Sweating-Severe, Systemic: Seizure-Severe, Systemic: Shakiness-Severe, Systemic: Tingling (specify: facial area, extemities)-Medium, Systemic: Weakness-Medium, Additional Details: <5 min post dose patient noted feeling short of breath, numbness, dizzy, sweaty, shaky and then lost consiousness. I was able to catch her head so she didnt hit a hard surface. Patient was unresponsive for 10 seconds. She started to seize and her eyes rolled to the back of her head. After she regained consciousness she was moved into the pharmacy and laid down. Pt was given a cool towel and water.1st BP (112/70 & HR74), 2nd BP 15min later (110/70 & HR 84). After 45 min pt left with family member |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1374326-1 | Severe muscle spasms and seizing. Was caught by surprise with the onset and off balance and ended up falling into a wall and broke my arm. now have to have surgery. Also entire arm swollen and black and blue. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1374438-1 | generalized seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1374451-1 | R56.9 - Unspecified convulsions |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1374663-1 | patient had dose 2 of the Pfizer vaccine. he had a seizure, after the seizure he immediately woke up. after 5 minutes he had a second seizure and he remained unconscious until EMS took him to the ER. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1375113-1 | "Immediately after the patient received the vaccine, the patient turned pale and said, ""I feel a little dizzy and my vision is blurry."" The patient fainted and ended up having a seizure. Once the patient regained consciousness, the patient was nauseated and vomited. Minutes later she had another seizure but immediately came out of it. We asked the patient if this happen to her during the first dose and she said it did not. The patient does not have a history of epilepsy. The patient's mother did say she had the exact same reaction when she had braces put on. The patient sat in the waiting room for 30 minutes while drinking water. Before the patient left, we had check up on her and she said she felt completely fine. I (the pharmacist) called the mother a couple of hours later to check up on the patient. The mother said she felt fine as if nothing ever happened. I did recommend to her that her daughter gets checked up at urgent care today just to be on the safe side. The mother said she has an appointment with her primary care next week." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1375363-1 | Patient experience what it look like a seizure right after getting the COVID-19 vaccine. He started shaking and lost consciousness. The patient was sitting on a chair and the immunizer technician hold the patient so he didn't fell on the floor and requested 911 to be called. The paramedics came an assisted the patient. The patient recovered consciousness and stated that he felt fine. The paramedic help him get into his car. The patient's wife was present at the time the event happened. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1375998-1 | "25 year old Male with no significant PMH presented to the vaccination clinic for his first dose of the covid-19 vaccine. Patient recieved the dose at 6PM and around 6:10pm the nurse saw the Patients eyes roll back and began to shake all four extremities ""jerky movements"". Patient lost consciousness for about 15-30 seconds. Once Patient regained consciousness he began to say ""What happened to me?"". EMS was present and PA's. Patient reported that he had no symptoms prior to experiencing the seizure. Patient denies history of seizures, shortness of breath, chest pain, dizziness, blurry vision, abdominal pain, numbness/tingling, weakness and headache. Of note Patient has syncopized previously from blood draws. Patient was place on a 12 lead ekg: ekg unremarkable with no ST elevations, no inverted t waves, normal rate, intervals within normal intervals and no peaked t waves. Patients blood glucose was taken initially reading 54 and then Patient was given oral orange juice and the second blood glucose reading was 103. Patients initial vitals were HR: 62 RR:14, BP:117/82 with a SPO2: 100% on RA Second vital readings after 20mins there HR: 65 RR:15 BP:133/94 SPO2: 100% on RA. Patients physical exam revealed neurological exam within normal limits, Patient alert and oriented x4. Cranial nerves 2-12 intact, steady gait, ambulatory, normal finger to nose, no romberg, sensation intact in all fours extremities, all fours extremities reveal a strength of 5/5 and normal coordination. Patient was in no acute distress, alert and oriented. Cardiac exam: regular rate, rhythm, no rubs, murmurs, or gallops. Pulmonary: lungs clear bilaterally, no wheezing or rhonchi and airway patent. HEENT: Pupils equal round and reactive to light, EOM intact, airway patent, moist mucosa, no tongue lacerations, uvula mid-line. Patient was transported to the hospital via ambulance by Paramedic and EMT. Patients Mother was informed of what occurred at the vaccination site and was informed that her son was being transported to the hospital given Patients first seizure and no history of seizures." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1376329-1 | Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Mild, Additional Details: patient fell down and apper to have seizure , we called emc ,emc take care of the pt, and he was ok,pt refuse to go to er. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1376360-1 | Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1376366-1 | Systemic: Convulsion-Severe, Additional Details: Patient went into a 3 second convulsion episode within a few seconds of receiving the vaccine. She had trouble seeing for about 4 minutes afterwards. 911 was called and paramedics took her vitals, all in range. Her mom had an episode in the past (possible Family History), and she has not eaten since the night before, shot was administered at 10:30AM. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1376370-1 | Systemic: CONVULSIONS-Severe, Additional Details: Patient went into a 3 second convulsion episode within a few seconds of receiving the vaccine. She had trouble seeing for about 4 minutes afterwards. 911 was called and paramedics took her vitals, all in range. Her mom had an episode in the past (possible Family History), and she has not eaten since the night before, shot was administered at 10:30AM. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1376373-1 | Systemic: Seizure-Mild |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1376434-1 | Immediately got a shooting pain in arm with light headness. Got pale within 30 seconds. Started to have a seizure with uncontrollable arm and leg movement. Arms went limp broke out in a clammy cold sweat. Pupil got enlarged and were unresponsive. Patient blacked out and this continued off and on for 15-20 minutes post injection. Had very labored breathing. EMS arrived and attended to patient |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1376449-1 | Systemic: Fainting / Unresponsive-Medium, Additional Details: pt fainted about 10min after administration of vaccine. He shaked (seized) for a few seconds and then awoke. 911 was contacted |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1376469-1 | Systemic: Convulsion-Severe, Additional Details: Patient went into a 3 second convulsion episode within a few seconds of receiving the vaccine. She had trouble seeing for about 4 minutes afterwards. 911 was called and paramedics took her vitals, all in range. Her mom had an episode in the past (possible Family History), and she has not eaten since the night before, shot was administered at 10:30AM. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1376481-1 | Systemic: Seizure-Mild |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1376709-1 | Systemic: Confusion-Medium, Systemic: Dizziness / Lightheadness-Mild, Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Severe |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1376748-1 | Systemic: CONVULSIONS-Severe, Additional Details: Patient went into a 3 second convulsion episode within a few seconds of receiving the vaccine. She had trouble seeing for about 4 minutes afterwards. 911 was called and paramedics took her vitals, all in range. Her mom had an episode in the past (possible Family History), and she has not eaten since the night before, shot was administered at 10:30AM. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1376826-1 | Systemic: Fainting / Unresponsive-Medium, Systemic: Seizure-Mild, Additional Details: patient fell down and apper to have seizure , we called emc ,emc take care of the pt, and he was ok,pt refuse to go to er. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1376828-1 | Systemic: Dizziness / Lightheadness-Medium, Systemic: Exhaustion / Lethargy-Medium, Systemic: Fainting / Unresponsive-Medium, Systemic: Nausea-Severe, Systemic: Seizure-Severe, Systemic: Vomiting-Severe, Systemic: Weakness-Medium, Additional Details: Patient fainted, seized for less than a minute and then vomited. 911 was called. Patient was examined and felt normal after medics left the store. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1376829-1 | Patient felt shooting pain up her arm, felt light headed, and then had a seizure. 911 was called, she was taken out in the parking lot by EMT. Spoke to the parent and she has not had any prior history of adverse reaction to other vaccinations. According to the EMT, immunizer may have hit the never. Patient is doing fine as of few hours later, upon follow up with the parent. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1377023-1 | Systemic: Confusion-Severe, Systemic: Dizziness / Lightheadness-Severe, Systemic: Fainting / Unresponsive-Medium, Systemic: Nausea-Mild, Systemic: Seizure-Severe, Systemic: Shakiness-Severe, Systemic: Weakness-Severe, Additional Details: After confirming that the patient did not have allergies or any previous adverse reactions to any vaccines in general, immediately after the vaccine, the patient's eyes had rolled to the back of their head and he began to go limp. His body shook for a few seconds. He quickly regained consciousness but was very weak and confused. His sister stated that he has a fear of needles. He felt nauseous (did not vomit) and felt like his heart was racing but his pulse was normal. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1377037-1 | "After first shot - felt severe flu-like symptoms. Very lethargic, no energy, boy ached ALL over. Lasted two days. After second shot, at 1 am, I woke up with EXTREME convulsions. Entire body was shaking all over, looked like I was being electrocuted. Conditioned worsened over next 30 minutes. I then asked my husband to hold me as tight as possible to stop the shaking. He did so and it took over 30 min. for the extreme convulsions to cease.I was not ""hot nor cold"", meaning no fever. The next two days I had the same symptoms as after the first vaccine - felt severe flu-like symptoms. Very lethargic, no energy, boy ached ALL over" |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1377048-1 | My son had a fever, seizure and vomiting. We administered valtoco (diazepam nasal spray) for seizure. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1377132-1 | Pfizer COVID-19 Vaccine EUA Patient received 1st dose Pfizer at 1705. Patient stood up and had vasovagal reaction, passed out and seized for 15 seconds. Nurse performed sternal rub, patient was aroused. Patient A&Ox3. Physician arrived at 1708, vital signs obtained at 1711 (BP 113/68, O2 100%, HR 83 bpm. Patient right ear started to bleed at 1712. 1725 obtained another set of vital signs. BP 118/70, O2 96%HR 82 bpm. EMS/Fire arrived 1732. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1377138-1 | After receiving the vaccine we moved to waiting area. Within minutes she told me she was not feeling well she began sweating profusely, her skin became pale and clammy, her eyes rolled back she lost consciousness and began convulsing. She came to and said she could not hear well. She was taken to ED for observation and testing. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1377150-1 | Multiple seizures, went to ER, lost complete memory for 18 hours, 3 day hospital stay, loss of driving privileges for 90 days, on Keppra for seizures and on Eliqios for blood clot near the lung. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1377722-1 | PATIENT FAINTED AND FELL TO THE GROUND COUPLE OF MINUTES AFTER RECEIVING HER VACCINATION. SHE HAD SEIZURES ASSOCIATED WITH SYNCOPE. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1377797-1 | Chest pain, headache, shortness of breath. Now with convulsive movements and periods of unresponsiveness. Work up for seizures and encephalopathy in progress. Dx studies: troponin, BNP, EKG, chest CT, head CT (all negative), CRP (elevated). Currently in Pediatric ICU and work up in progress (6/7) |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1377967-1 | Within about 5 minutes of patient of patient receiving the vaccine, he had a seizure in the lobby of the pharmacy. The seizure was not witnessed by any employee, but by his companion and a customer. I immediately had a technician call 911 and ran out with our emergency kit when I heard the patient's companion screaming for help. When I got to the patient he was in a seated position in a chair in the lobby and was coming to. He was disoriented and looking around. I asked if he knew his name and what day it was, he did know. I asked if he knew where he was and he responded correctly. He said he felt week and hot, he appeared sweaty. I checked his blood pressure (100/58) and pulse (50 bpm). His temperature was 97.1. His companion stated he had never had a seizure before when asked. I gave him some water and sat with him until EMS arrived. He remained seated the entire time and said he felt week. A few minutes after EMS arrived, the patient left via stretcher by ambulance, but remained conscience. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1378062-1 | During the observation period after vaccine administration, patient's mom and another customer yelled for help and stated that patient was having a seizure. 911 was called immediately, and by the time the pharmacy staff came to help the seizure had stopped, but patient then slumped over onto her mother and was non-responsive. A minute or so later she sat up again, but still seemed very distressed and unable to answer questions. It appeared that she was going to vomit, and then gradually started to become more alert just before the paramedics arrived. She drank a little water and had some of a granola bar. The paramedics felt that she needed further evaluation, and she was transported to the hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1378100-1 | N17.9 - Acute kidney injury (CMS/HCC) SEIZURES FALL |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1378191-1 | He was living independently in a retirement home. They administered the vaccine. Since the jab he has been diagnosed with Parkinson's, Parkinson's dementia, Suffered two strokes and we were recently told he now suffers from seizures and will require medication for the rest of his life AND 24 hr. Care. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1378427-1 | Patient fainted in the bathroom around 2:00am. When we heard the thump, we ran to her and my husband picked her up. She wasn't talking much, she started gagging and fainted again and her body started convulsing. We believe she was having a seizure. Patient has never had a seizure, her fever was high. It only lasted probably 20-30 seconds. When she stopped, she was able to walk with assistance back to her room. We quickly gave her some medicine to bring down her fever. Wet wash cloth and a fan on her. I failed to take her temperature. I was too concerned at what was going on. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1378752-1 | Patient had a seizure and momentarily blacked out in the waiting room after administration of the vaccine |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1378781-1 | pt fainted within a couple of minutes and then appeared to have a seizure (brought arms towards body), this was witnessed by patient's mother. Vaccinator arrived and while talking to pt the same thing happened. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1378808-1 | Unspecified convulsions |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1379000-1 | Patient had syncope/seizure episode and fell face forward. Patient then had an episode of seizure like activity. She was transported to the emergency room. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1379300-1 | Patient fainted/passed out a few minutes after receiving the vaccine. Mom stated patient had a little seizure. Patient retain consciousness after 1-2 minutes and did not recall what happened. She felt hot/sweaty and had minor vomiting. 911 was called. They arrived and left without any major concerns. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1379305-1 | pt states he had a seizure at work at approximately 6:00 p.m., 4 hour after vaccine. He states he is certain that it was from the vaccine as his seizures are under control until he received the vaccine. Pt. could not stay any longer to speak about the seizure as his ride was here. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1381043-1 | "convulsions; he was not conscious/Blacked out/pass out; Tunnel vision; shaking; sweating profusely; Lightheadedness/Dizziness; sore arm; He turned ghostly white; tired; weak; feeling like he was going to black out/going to pass out; could not elevate his feet; couldn't get comfortable; restless; This is a spontaneous report from a contactable consumer (patient). A 34-years-old male patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), intramuscular in Arm Left on 17May2021 (at the age of 34-years-old) (Lot Number: EW0187) as single dose for covid-19 immunization. Medical history included higher than normal blood pressure, about 2-3 weeks ago, his blood pressure was very high due to really crazy stress in his life and eating terrible; headaches, smoked marijuana, drunk vodka, sometimes he had a sensitivity to needles, sometimes he will have angst or nervousness with needles, Sometimes he got a little queasy with the sight of needles and just had a ton of dental work done. Concomitant medications included cetirizine hydrochloride (Generic Brand Zyrtec); caffeine, paracetamol (EXCEDRIN) taken for headaches. He explained he took Generic Brand Zyrtec which he had been on for years now and he took Excedrin for headaches when he got them. Those were basically the only medications he took really. He hadn't had any type of vaccine. He previously had a tetanus shot about 10 years ago for Immunization. There was no previous immunization with the Pfizer vaccine considered as suspect. There were no additional vaccines administered on same date of the Pfizer suspect. There were no vaccinations within four weeks prior to the first administration date of the suspect vaccine. The patient received his first dose of the Pfizer BioNTech COVID 19 Vaccine on Monday, 17May2021. Within 3-5 minutes of getting the vaccine, he had a really crazy reaction. He remembered looking at his wife and she told him he was having mild convulsions as he was sitting in the chair in May2021. He was kind of shaking in May2021. He turned ghostly white and he began sweating profusely in May2021. He mentioned that her wife said that he was not conscious for around 5 minutes and was ""snoring with eyes open"" in May2021. He added that he was ""fighting to stay awake"" for around 15-20 minutes after that. He blacked out. All he remembers was that he was trying to fight off tunnel vision for a very brief time in May2021. The pharmacist continuously checked on him. The lightheadedness and feeling like he was going to black out lasted 15-20 minutes in May2021. They put him in a chair and told him to elevate his feet, but the caller explains he could not elevate his feet. He had his feet in another chair in front of him. He couldn't get comfortable, he was sitting down. He was restless, lightheaded. He kept feeling like he was going to pass out. So, then he tried to stand up and walk a little bit. He only made it 5 steps. So, he sat on the ground and laid down. He laid on the ground, flat on his back, and put his feet in a chair, which was about 2.5 feet above him for about 15-20 minutes. He started to feel better. He still felt very tired and weak in May2021 but he was able to stand up and walk and go home. He hadn't had a reaction since. He had had no other symptoms besides just a sore arm in May2021. He confirmed he recovered completely from his experience when he was administered the vaccine. He came home from the vaccine facility, laid on the couch and watched TV for a couple of hours and then fell asleep for 3-4 hours. He was tired, but he felt completely fine. He had no lightheadedness, no dizziness. He also wanted to add sometimes he has a sensitivity to needles, but he didn't when he received the COVID vaccine. Sometimes he will have angst or nervousness with needles, but he was actually excited to get the COVID shot. He was even comforting his wife and was telling her everything is going to be okay. He wasn't worried about the needle with the COVID shot. Sometimes, he gets a little queasy with the sight of needles, but he saw the needle and he didn't feel faint or angst when getting the shot. He just had a ton of dental work done, where he had huge needles shoved in his mouth and he didn't feel faint or anything. He really wanted to get the second shot to finish the vaccination series. He did kind of believe he had a reaction, he was not trying to play it off and say ""oh I got the vaccine and passed out"". He knew himself and knew what it's like to faint and this experience just felt different. He believed he had a reaction. He never felt tunnel vision that strong in his entire life, it felt like being punched in the face. Since those 2-3 weeks, his stress load had gone down and he had had a drastic change in his diet, so his blood pressure was reading much better now. This past Monday, 17May2021, when he received his vaccine, his blood pressure shouldn't have been that high. The EMT's did come before he left and because he passed out his blood pressure was low at 100/60. When providing the Lot number off of his vaccine record card, the patient explained the last digit was either a 7 or a 2, he can't read this person's handwriting"", however, he eventually confirmed the number was a 7. The events did not require a visit to Emergency Room and Physician Office. The outcome of event tired was unknown and the outcome of the other events was recovered in May2021." |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1381099-1 | 3 Violent seizures; 3 Violent seizures; body aches; chills; This is a spontaneous report from a contactable consumer (patient). A 57-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration, administered in Arm Left on 30Apr2021 15:00 at the age of 57-years-old (Batch/Lot Number: EW0161) as 1ST DOSE, SINGLE for covid-19 immunisation. Medical history included chronic kidney disease, atrial septal defect, essential tremors in both hands, seizures, currently taking blood thinners, known allergies: Ampicillin, Penicillin, grapes, raisins. The patient previously took ampicillin and experienced allergy. The patient was not pregnant at time of Vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Prior to vaccination, the patient was not diagnosed with COVID-19. The patient received unspecified concomitant medications within 2 weeks of vaccination. The patient experienced 3 violent seizures, body aches and chills on 30Apr2021 21:00. For 3 weeks non stop, she went to emergency room twice and was tested for COVID in one of those times at the ER, tested negative. Records of ER (Hospital name withheld) 03May2021 and 21May2021. There was no treatment received. The patient underwent lab tests and procedures which included Nasal Swab: negative on 21May2021. The outcome of the events was recovered with sequelae. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1381166-1 | As we discussed my 22 year old son got the Pfizer vaccine last week and 24 hours later he had a seizure; He fell over and was foaming at the mouth; He fell over and was foaming at the mouth; Eyes rolled up; This is a spontaneous report from a contactable consumer (patient's parent) and another consumer. A 22-year-old male patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 1 via an unspecified route of administration on 2021 (Batch/Lot number was not reported) as 1st dose, single for COVID-19 immunization; and amfetamine aspartate, amfetamine sulfate, dexamfetamine saccharate, dexamfetamine sulfate (ADDERALL), via an unspecified route of administration from an unspecified date (Batch/Lot number was not reported) to an unspecified date, at for an unspecified indication. The patient's medical history and concomitant medications were not reported. The patient got the Pfizer vaccine last week and 24 hours later he had a seizure. He fell over, eyes rolled up, and was foaming at the mouth, his roommate rolled him over and called. He went to the hospital and was screened for different possible drugs which all came back negative. He did say he took an Adderall that day to help study. Very odd and no history of seizures. ER documented it as a likely seizure. He recovered fully within several hours of the episode. They are trying to decide whether or not he should get the second shot and also asked if there have been any other issues like this. The events occurred in 2021. The outcome of the events was recovered in 2021. Information on the lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1381479-1 | Within the first 5 minutes of his 15 min wait time after receiving the vaccine, he appeared to be having a seizure & went unconscious. EMS was called, they checked his vital signs. He declined offer to go to hospital, waited another 15 min, then drove home. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1381485-1 | Patient told us that she has passed out and vomited after receiving vaccines in the past. After getting the vaccine, she didn't feel well. We monitored her in the vaccine room for about 5 minutes. She had a drink of water, then when she was ready, her family helped her into the lobby I returned to the pharmacy, and continued to watch her. The patient's mom came to the window and said patient had fainted. I went to her, and said we need to lower her to the floor. At that point, mom said patient was not breathing I quickly lowered her to the floor, while dad supported her head. I didn't have time to verify that she wasn't breathing, because as soon as she touched the floor, she began convulsing, then sat up and w was immediately awake. She sat up, and we explained that she had passed out and I had her lie down. I stayed with her for a few minutes, asking if they wanted an ambulance (which mom and dad declined) while making sure she was ok. She was just resting at this point, so I returned to the pharmacy, and ask them to let me know if anything changed I continued to watch her from the pharmacy window, and the patient said she was nauseated. We gave mom a bag, and patient vomited in the bag. After a couple more minutes, she seemed to be recovering, and mom and dad helped her out of the store. I followed up with mom at 4:15pm, and mom said patient was still nauseated and had vomited a couple more times. I followed up one last time at 4:45pm, and patient was feeling a bit better, but mom was going to keep an eye on her I recommended that mom take her to a doctor to be evaluated, but mom said she would just keep an eye on her through the night. I told mom that I would follow up again in the morning. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1381755-1 | Around 4 AM on the day after receiving my vaccine, I experienced a fever and generalized seizure with a loss of consciousness |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1381789-1 | Patient collapsed to the floor and sustained a seizure <1min. patient states LOC. parent of the patient states no prior hx of seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1381961-1 | Patient passed out approximately 4 hours post shot and exhibited seizure like symptoms |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1382051-1 | While giving a Pfizer Covid vaccine today, a patient appeared to be fine but after a few minutes suddenly passed out and had a short 3-4 second seizure on the ground. He did hit his head and appeared to be hypoxic. We called 911 immediately and informed store management. The paramedics asked him to walk off on his own power, but they did offer to escort the family to Hospital which I believe was accepted. His mother and sister were present too. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1382079-1 | Patient had a seizure episode within 15 minutes after receiving 2nd shot of Pfizer Covid-19 vaccine. Patient's mother started to scream suddenly after patient fell on the floor and started to seize. Patient did not have any ADR to the first dose of same vaccine, reported no history of seizures or health conditions. Pharmacist saw patient lying on the floor, eyes bulging and having difficulty breathing, asked manager to call 911 and administered EpiPen 0.3mg IM shot into the right upper thigh. Patient was able to breathe and talk within around 2 minutes. 911 arrived and took patient to the hospital for observation |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1382146-1 | seizure within 3 min of receiving vaccine, sent to hospital by ambulance. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1382277-1 | Mother told me he sometimes passes out with shots - gave vaccine and after about five seconds patients head shook like a seizure with lasted less than 5 seconds then he went unconscious - the mother and I laid him on the floor and he become conscious after 15 to 20 seconds but was confused and didn't remember what happened - we helped him back to chair and he said felt a little shaky and warm - we had him sit for 5 to 10 minutes - he felt better so we moved him to a chair outside counseling room - They waited an additional 15 minutes and said felt fine - mother said had never had the seizure symptom before - advised her to call Dr and make him aware and to ask Dr about second dose - she said would get his second dose with the Dr present. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1382336-1 | Patient received Covid vaccination and sat down afterward to wait. Within 10 to 15 minutes, patient fainted. She then had a seizure. We called 9-1-1. Patient stopped seizing and was alert by the time EMT's arrived. They checked patient, and allowed patient to leave and go home with a parent. No further problems/seizures were reported to have occurred. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1382424-1 | Pt given vaccination in left deltoid at 10am today, approximately 5 minutes later, pt lot consciousness, and had seizure like activity for approximately one minute. Pt's primary provider and pharmacist told pt to come to ER to be assessed. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1382626-1 | IMMEDIATELY AFTER PATIENT RECEIVED HIS VACCINE, HE FELT NAUSEOUS. PATIENT SAT DOWN AND SOON AFTER SITTING, STARTED SEIZING (HIS FATHER REPORTS ARMS CONTRACTING AND SHAKING). PATIENT DOES NOT REMEMBER THE EVENT. UPON REGAINING CONSCIOUSNESS, THE PATIENT SAID HIS FACE FELT FUNNY BUT THERE WAS NO THROAT SWELLING OR SIGNS OF ALLERGIC REACTION. PATIENT LAID DOWN WITH HIS FEET UP FOR ABOUT 15 MINUTES AND REPORTED FEELING MUCH BETTER. NO OTHER SIGNIFICANT EVENTS OCCURRED DURING THE OBSERVATION PERIOD. PATIENT DENIES A HISTORY OF PREVIOUS ALLERGIC REACTIONS OR REACTIONS TO VACCINES. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1382669-1 | Starting on the day of the vaccine, nothing significant. The next day when I woke up, I noticed my arm was extremely sore and felt very dizzy. I sat down when I realized I was about to faint. My husband found me passed out and was able to wake me up. He took me to the ER. They did a CAT scan, MRI, ECHO cardiogram, EEG, EKG, ultrasound of carotid artery, blood work. Everything normal except EEG showed spikes and maybe potential seizures. I was in the ER for 2 nights (3/27/2021-3/29/2021). They put me on Keppra (seizures) for 6 months. Now I am being followed up with the neurologist. Since then, I have had no issues, but I am being followed up with neuro. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1382694-1 | Starting 2 days post vaccine she experienced a series of mild seizures and headaches/dizziness. Her provider temporarily increased her dose Topamax which led to improvement of symptoms. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1384654-1 | she had a seizure; This is a spontaneous report from a contactable consumer (patient's mother). A 16-years-old age female patient (reporter's daughter) received first dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, solution for injection, Batch/Lot number was not reported), via an unspecified route of administration on an unspecified date as single dose for covid-19 immunisation. The patient's medical history and concomitant medications were not reported. The reporter stated her daughter today had the first Pfizer shot, she will be 17 in July and she had a seizure. She had a seizure when she had the first shot (Unspecified Vaccine), she's only 16 she will be 17 years old. She wanted to know if there is any precautions she have to look for, should she have her sleep with her so she could watch her. The clinical outcome of the events was unknown. Information on the lot/batch number has been requested. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1384683-1 | major seizure within minutes of receiving shot; This is a spontaneous report from a contactable consumer. A 78-year-old male patient received the second single dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE) on 05Mar2021 at 14:00 (at the age of 78 years), in left arm, for COVID-19 immunization. The first dose of BNT162B2 was given on 12Feb2021 at 12:00 PM in left arm (at the age of 78 years). The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Medical history was not reported. The patient did not have COVID prior vaccination and was not tested for COVID post vaccination. Concomitant medications included unspecified statin drug and blood pressure medicine. On 05Mar2021 the patient experienced major seizure within minutes of receiving shot. The event required Emergency room/department or urgent care and ended up on ventilator in ICU. Treatment received included lorazepam (ATIVAN), intubation, ventilator, CT scan, MRI, EEG. The event was reported as serious as required hospitalization for 6 days and was life-threatening. Event outcome was unknown. Information on the lot/batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1384858-1 | Seizure treated with anti-seizure medications, antibiotics, and mechanical ventilation for airway support |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1384898-1 | Systemic: Confusion-Severe, Systemic: Fainting / Unresponsive-Severe, Systemic: Nausea-Severe, Systemic: Seizure-Severe, Systemic: Vomiting-Severe, Systemic: Weakness-Severe, Additional Details: Aprox. 2 min. after vaccine admin., pt. fainted and appeared to have a seizure. Upon regaining consciousness, pt, began sweating and vomited. Pt was confused after the incident. EMS was called and took over care. Pt was taken to local hospital. Outcome of ER visit in not known. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1385337-1 | Was living happily and independently in a retirement community. After the second dose because losing his memory, focus, depression, followed by 2 strokes, brain bleed, blood clots, seizures, and a Dx of Parkinson's and Parkinson's dementia. He saw doctors monthly and never had any signs of any of these things. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1385824-1 | The patient was given the vaccination and told to wait 15 minutes in the recovery area to observe for signs of adverse reactions. The patient had syncope about 2 minutes after sitting and fell from a seated position on his chair to the ground. He had a brief seizure (unresponsive, tense muscles, open eyes) for about 2-5 seconds. He then became responsive and was able to respond to prompts and questions. He was given water. an ice pack (for injured spot on forehead), and told to wait for 30 minutes for further observation. He arranged to have a friend pick him up to take him home from the pharmacy and was told that he could not drive himself home after this adverse reaction. The patient stated that he otherwise felt normal afterwards (aside from some ache from the forehead after falling). |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1386076-1 | 6/8/21 -Presented with respiratory failure requiring intubation about 12 hours after 2nd dose of COVID-19 vaccine. Desaturated to the low 80's despite oxygen. Febrile to 38.8 after admission and had several breakthru seizures requiring loading doses of Keppra. 5/17/21-Had event of tachycardia into the 140s, and slight fever of 100.6, and 8 minute seizure after 1st dose. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1386160-1 | Medical assistant gave an initial Covid vaccination to her patient. While he was waiting his 15 minutes post vaccination to monitor for reactions, she noticed he was staring blankly at her. She asked if he was ok. Site Lead overheard her ask the patient and came into the room. RN noticed that he was slumped over and having a seizure. RN picked him up and placed him on the floor on his side. RN told MA to get an onsite MD and advised another RN in the room to call 911. Patient continued to seize. Blood pressure, oxygen level, and glucose levels were checked. All were within normal limits. Patient awoke and told RN he has a history of seizures but has not had his medication for a couple months. He stated that he has seizures when he gets nervous or upset. His last seizure that he could recall was a month ago. He then went into another seizure. EMS was on the scene. He came out of that seizure quickly. They placed oxygen on the patient. He wanted to sit up. RN helped him to sit up and helped him walk to the stretcher. He was awake, alert and oriented to person, place and time when he left the clinic. He was transported to Hospital per his request. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1386295-1 | Severe pain at injection site, hard lump at injection site, crying, then had seizures. EMS was called. I hadn't had seizures in months so I doubt this was a coincidence. Still in pain 2 days later despite taking Tylenol. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1386879-1 | PATIENT WENT INTO SYNCOPE 5 MINUTES AFTER RECEIVING THE VACCINATION AND HAD SEIZURES. HE TURNED RED AND STARTED SWEATING . HE SAID HE HAD NUMBNESS IN HIS HANDS AND FEET AND THEN HE HAD A TINGLY SENSATION AND WAS FEELING WOOZY. THE PARAMEDICS WALKED HIM NEXT DOOR TO THE IMMEDIATE CARE AND THE ATTENDING DOCTOR CALLED AND ME AND INFORMED ME THE REACTION WAS VASOVAGAL AND WAS MOST LIKELY FROM ANXIETY. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1387734-1 | Asthma; Oxygen was 89; Shortness of breath/breathing difficulties; Ribs hurt; Felt like she was coming down with the flu; Head and sinus congestion; Head and sinus congestion; Throat was on fire, it hurt so bad; Throat was on fire, it hurt so bad; Seizure; Kind of achy/achy feeling; This is a spontaneous report from a contactable consumer (patient) via medical information team. A 40-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, solution for injection, Batch/Lot Number: EW0186), via an unspecified route of administration, administered in left arm on 22May2021 10:45 (at the age of 40 years old) as 1st dose, single for COVID-19 immunization, at a pharmacy. Medical history included epilepsy from an unknown date and unknown if ongoing (seizure free for two years; diagnosed in 2009 or 2010). Concomitant medications were not reported. On 23May2021, the patient was having breathing difficulties and had to go the emergency room (ER). The patient reported she went to the ER Monday, 24May2021 and was released 11 hours later. She also stated that on Sunday morning on 23May2021, she woke up at 0400 AM and her throat was on fire, it hurt so bad. This was Sunday at 0400, and her husband heard her, and they walked around the house, she had her hands over head, like when running and her ribs hurt. She raised her arms, and tried to take deep breaths, and it was working, to breathe, but it felt like she couldn't breathe, she couldn't catch her breath. She stated she went to work and in 1.5 hours came home, she called the pharmacy and said she can't breathe, then she was told this is not normal. She was told to go to the hospital, and she went and stated that her oxygen was 89 and then it shot up to 92 with standing and raising her arms up over her head, and they did 6 breathing treatments and 3 doses of steroids in her IV and oxygen and she went up to 98. She was sent home with a diagnosis of asthma with albuterol inhaler and nebulizer machine, treatments and said that she all of a sudden has asthma. She then added she had a seizure Sunday morning of 23May2021. She also felt like she was coming down with the flu. On 22May2021, Saturday night, she was kind of achy, then on Sunday, 23May2021, she felt like she was coming down with flu, she had head and sinus congestion, the achy feeling, all that was fine, it was the breathing that scares her. The patient was not hospitalized due to the events. The outcome of the event seizure was unknown and for other events was recovering. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1387772-1 | experienced a seizure after vaccination; This is a spontaneous report from a contactable nurse. A 72-years-old male patient received bnt162b2 (BNT162B2), via an unspecified route of administration on an unspecified date as SINGLE for covid-19 immunisation . The patient medical history was not reported. The patient's concomitant medications were not reported. The patient experienced a seizure after vaccination on an unspecified date with outcome of unknown. They took patient to the Emergency Room (ER). Information on the lot/batch number has been requested.; Sender's Comments: Current information is limited and does not allow a full medical assessment. Relevant medical history and concomitant drugs are not reported. Case will be reassessed once receiving additional information. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to agency as appropriate.,Linked Report(s) : US-PFIZER INC-2021610416 Same reporter/drug/event, different patient. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1387858-1 | Increased frequency of seizures |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1388840-1 | patient got covid vaccine on 6/5 headache on the 6th last seen normal 6/6 10 PM found by son 7th status post seizure, progressed to status , was intubated no Hx of OD, no meds taken for 8 days due to no refills MRI suggestive of PRES (Posterior reversible encephalopathy syndrome (PRES) extubated 6/9 with resolution of symptoms no prior history of seizures. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1388995-1 | within 1 minute of administration pt felt dizzy and was helped to a chair. He went pale and eyes rolled back. He had trouble holding his head up, he continued to wobble his upper body around while seated. Mom reported he shook/seized. We gave him a bottle of water and monitored. He continued to appear pale and his head rolled back, and onto a merchandise shelf. 911 was called. In < 10 minutes from initial symptoms EMS arrived. Pt sysolic bp was 80 per EMT. pt was taken to ER for further evaluation |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1389062-1 | pt says she started feeling pain around the injection site. She then felt dizzy, had blurred vision and was nauseated. Her eyes were half shut and then she blacked out. She then had a seizure with shaking and convulsions. She came to and felt weak and was clammy feeling and was pale. Her hand arms and hands were tingling. Paramedics took her to ER. They took vitals, did CT and lab work. She was discharged to go home and FU w/ PCP. On 6/10/21 she saw PCP where they did more lab work. Her 2nd dose is scheduled on 6/29 at her doctors office where she will have medical supervision. Pt says she is feeling better today but still has pain from where she fell when having the seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1389066-1 | patient has history of seizures, presented with a seizure to ED, she was nonverbal, diagnosed with unspecified convulsions and pseudoseizures. Patient was intubated. diagnosed with seizures and acute respiratory failure. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1389136-1 | Patient presented to the ED with dehydration, elevated lactic acid and seizure, and was subsequently hospitalized for elevated troponin and seizure. This is within 6 weeks of receiving second covid vaccination. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1389340-1 | "Patient c/o ""severe"" headache that began immediately after receiving vaccine. She stated that yesterday she was at her neurologist's office and had an induction of a seizure, which resulted in a severe headache. She said she did not have a headache prior to the injection. VS 1120 130/70bp 98% 78HR 98.7t 16RR 5/10pain 1130 115/85bp 99% 75HR 98.7t 1140 99% 71HR 1/10pain 1145-patient left with her husband and little boy we educated her to inform her md about her symptoms today and to discuss measures to take regarding future vaccines." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1389508-1 | PT passed out unconscious for several seconds. poss. seizure. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1389791-1 | Seizure approximately 3 hours after vaccination |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1390054-1 | The patient was given Pfizer Covid vaccine and was the 1st dose in series. The patient walked to observation chair after receiving vaccine. He fell from chair to the floor and appeared to have a seizure with arm movements and became aware soon after. Ems was called. Patient had some water and disclosed that he had not eaten yet. He then had OJ while awaiting EMS. He did not go with EMS. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1390318-1 | about 2 weeks after 2nd injection, have had 3 episodes of left arm and hand (stroke affected), tingling, then hand seemed to shake progressing to arm violently shaking for a few minutes, conscious each time, but seemed like a dream, wet the bed unknowingly until waking up and feeling nauseous. The third time 05/30/2021, went by ambulance to emergency room and told they were seizures. was prescribed Levetiracetam 500mg. No seizures so far. Followed up today 06/10/2021 with primary care physician. Have July 21,2021 follow up appointment with neurologist *The reason I am reporting is because of my primary care physicians response to a comment I made to him about my sister thinking it could be the covid vaccine, while I thought perhaps it might be mini strokes, and he said it wasn't known that it might not be the vaccine. They told me in the hospital that the mri didn't show any more stroke damage than what had occurred from the initial stroke I had earlier. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1390926-1 | seizure happened; fainted; passed out or fainted; his face and lips became so pale; His body is shaking almost fell of the chair; his arm is so hard and straight (on the left arm where the vaccine was injected); This is a spontaneous report received from a contactable consumer (patient's father). A 16-year-old male patient received the 1st dose of BNT162b2 (PFIZER-BIONTECH COVID-19 mRNA VACCINE, Lot Number: UNKNOWN) via unspecified route in the left arm on 26May2021 at 10:00 (at the age of 16-years-old) as a single dose for COVID-19 immunization. There was no medical history. Prior to vaccination, the patient was not diagnosed with COVID-19. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. There were no concomitant medications the patient received within 2 weeks of vaccination. After seconds of injecting the vaccine, on 26May2021 at 10:00, the patient passed out or fainted. His father slightly slapped his face to keep him awake. The patient responded slightly and his face and lips became so pale. His father thought he was okay, then he fainted again and the seizure happened. The father was holding his body and his arm is so hard and straight (on the left arm where the vaccine was injected). His body was shaking, almost fell of the chair. Then they called for emergency assistance from the hospital. The events resulted in Doctor or other healthcare professional office/clinic visit. Patient was to schedule a visit to the primary doctor. The clinical outcome of the events passed out or fainted, face and lips became so pale, seizure, arm is so hard and straight, and body was shaking was unknown. Since the vaccination, the patient has not been tested for COVID-19. The lot/batch number for the vaccine, BNT162b2, was not provided and will be requested during follow-up. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1390929-1 | hallucinations; left sided temporal seizures; fevers; This is a spontaneous report received from a contactable other-HCP. A 66 years old male patient received BNT162B2 (lot number unknown) at single dose for COVID-19 immunisation on unknow date. Relevant medical history included: Type I Diabetes, CKD III (Chronic kidney disease stage 3), Hypertension and Heart failure. Relevant concomitant drug was unknown. Patient reported of fevers since 22May2021 two days after the vaccine. Two weeks later he reported to have hallucinations per son and also left sided temporal seizures, both since 22May2021. The patient was independent and living alone before this episode. Antiepileptic medication was received as treatment. The patient was hospitalized due to the events. The outcome of event was resolving. The patient had Covid-19 NAAT (Nasal swab) test on 22May2021 with negative result. Prior to vaccination, the patient was not diagnosed with COVID-19.; Sender's Comments: Based on temporal association and profile of the product, the events were considered related to suspect product BNT162B2 (lot number unknown). |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1390948-1 | seizure; This is a spontaneous report from a contactable nurse (parent of the patient). A 27-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 MRNA VACCINE), dose 1 via an unspecified route of administration, administered in the right arm on 13May2021 at 11:00 (Batch/Lot number was not reported) as 1ST DOSE,SINGLE (at the age of 27 years old) for covid-19 immunisation. Medical history included depression from an unknown date and unknown if ongoing. Concomitant medication included bupropion hydrochloride (WELLBUTRIN) taken for depression at 150mg once a day from Apr2021 (reported as 2 weeks prior to vaccination date) to May2021 (stopped after she had the seizure). The patient experienced seizure on 14May2021 at 13:00 with outcome of unknown. She had no history of seizure activity. No family history of seizures. The patient underwent lab tests and procedures which included blood test: normal on an unspecified date, computerised tomogram: normal on an unspecified date, electrocardiogram: normal on an unspecified date, and electroencephalogram: normal on an unspecified date. The event required emergency room visit and physician office visit. Information about lot/batch number has been requested.; Sender's Comments: Based on available information, a possible contributory role of the subject product, BNT162B2 vaccine, cannot be excluded for the reported event of seizure due to temporal relationship. There is limited information provided in this report. Additional information is needed to better assess the case, including complete medical history, diagnostics including head MRI, chemistry panel and serum toxicology screen, counteractive treatment measures and concomitant medications. This case will be reassessed once additional information is available. The impact of this report on the benefit/risk profile of the Pfizer product is evaluated as part of Pfizer procedures for safety evaluation, including the review and analysis of aggregate data for adverse events. Any safety concern identified as part of this review, as well as any appropriate action in response, will be promptly notified to Regulatory Authorities, Ethics Committees and Investigators, as appropriate. ,Linked Report(s) : US-PFIZER INC-2021605934 Same reporter/drug/event, different patient. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1390974-1 | seizures; This is a spontaneous report from a non-contactable consumer (patient) via a Pfizer. A female patient of an unspecified age received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as 2nd dose, single for Covid-19 immunization. The patient received the first dose of BNT162B2 on an unspecified date for Covid-19 immunization and experienced two strokes (within a week of receiving first dose). The patient's medical history and concomitant medications were not reported. On an unspecified date, the patient experienced two seizures after receiving second dose. The outcome of event was unknown. Information about Lot/Batch number has been requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1390976-1 | Three strokes; Two seizures; This is a spontaneous report from a Pfizer sponsored program. A non-contactable consumer (patient) reported that a female patient of an unspecified age received bnt162b2 (PFIZER-BIONTECH COVID-19 VACCINE), via an unspecified route of administration on an unspecified date (Batch/Lot number was not reported) as 1st dose, single for COVID-19 immunization. The patient medical history and concomitant medications were not reported. Caller complaining about Vaccine, she wanted to report Pfizer for the vaccine causing her three strokes, two seizures within a week of receiving first dose (unspecified date). Caller Disconnected shortly after being taken off hold to be referred to a facility. The outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1391353-1 | R56.9 - Seizure (CMS/HCC) |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1392097-1 | "Pt received his 1st dose of the Covid19 (Pfizer-Biontech) vaccine in his left arm by myself on June 11, 2021 around 9am at local pharmacy. About 5 minutes later while still being seated in the same seat, Pt started to look like he was going to pass out. His mother tried to keep him engaged and alert by talking to him. I raised his legs to see if it would help. Then, relatively soon after Pt's upper body and face began to shake and he started to foam from the mouth. We lowered him to the ground and placed him on his side. The ""seizure"" lasted less than 30 seconds. When Pt became alert and aware he stated he just had a ""4 hour dream"". When the paramedics arrived 5 minutes later we had Pt seated in a chair again and he had drank some water. About 5-10 minutes later he began to feel nauseated and vomited. The paramedics transported Pt to the hospital." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1392157-1 | Patient passed out, fell over out of chair, hit his head, then had a seizure. 911 was called. Patient refused to go to the hospital. Incident happened about 5 minutes after vaccine was given. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1392586-1 | R56.9 - Unspecified convulsions SEIZURES |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1392773-1 | Please see housestaff note for full details. In brief, 20-year-old neurologically normal man with history of asthma now presenting with new onset fever, headache and then status epilepticus. On 5/25 the patient received his second dose of COVID vaccine and then started to have intermittent fevers up to 102.5. This was associated with malaise, nausea, fever, headache, myalgias. He came to ED on 5/30 and had IVF, analgesics and a cardiac workup that was unremarkable and was discharged with diagnosis of possible pericarditis/myocarditis. He then had ongoing worsening headaches and increasing fevers and was unable to get out of his bed, and so his wife called 911 and he came to ED on 6/3. There he had vomiting and transaminitis and was diagnosed with gastroenteritis treated with flagyl. Headaches progressed and were associated with dizziness; he had HCT read as unremarkable but then while awaiting MRI had convulsion. He was returned to his room and had two more and thus was intubated, placed on propofol/versed, Keppra, dilantin, and broad-spectrum antibiotics and acyclovir before transfer to UCSF. on 6/5/2021 found to have reduced urine output, and serum creatinine found to be 1.72 and climbed >7 in days later normalized spontaneously with fluid support to 4.26 with continued improvement. LFTs were also found to be elevated. Was acutely encephalopathic. Seizures resolved on Keppra treatment though had acute agitation for several days. Slowly returning to neurologic baseline. with AKI and LFTs slowly normalizing. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1392866-1 | Approximately 3 minutes after receiving vaccination, patient experience seizure in waiting room. Seizure lasted approximately 45 seconds-1 minute. Regained consciousness. 2 inch laceration to chin and chipped tooth post seizure. EMS called. Patient transported to local ER for further treatment. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1392943-1 | After nothing occurred x 30 minutes post vaccine, Attendee suddenly became limp, stiffened body and convulsed. Was placed on cit, in recovery position, vital signs checked (stable) and EMS were called. Close monitoring and 2nd set of vital signs. Mother of Attendee was close by at all times. Attendee was awake, answered question appropriately, but slow speech - seemed post ictal. EMS arrived after 10 minutes and transported Attendee to local hospital. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1393237-1 | I started having pain 2-3 hours after receiving the vaccine. I started having convulsions late at night from 12:15AM-12:45AM. I put my symptoms in my app, for the hospital, and my doctor called me and told me to go to the hospital. I went to the hospital and had my appointment. They did a detailed check-up and did not find anything wrong. My doctor told me that if I have these episodes anymore, then I need to contact her and go to the hospital. I have not had any other episodes except for that night. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1394100-1 | Seizure; I had bitten my tongue; This is a spontaneous report from a contactable consumer (patient). A 20-year-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE lot number: EW0191) via an unspecified route of administration, administered on the left arm on 27May2021 14:45 as 2nd dose, single for COVID-19 immunisation. Medical history included Type 1 diabetes, epilepsy and PCOS. Concomitant medications included insulin aspart (NOVOLOG); insulin glargine (LANTUS); levetiracetam (KEPPRA); drospirenone, ethinylestradiol (OCELLA) and cran-stat. The patient previously received first dose of BNT162B2 on 06May2021 for COVID-19 immunization (lot number: EW0173, on 06May2021 01:30 PM, left arm). On 28May2021 11:30 AM, the day after 2nd shot the patient woke up on the kitchen floor. She believed she had a seizure because she couldn't remember falling and she had bitten her tongue. No treatment was received for the events. Patient was not pregnant at the time of vaccination. The patient did not receive any other vaccines within 4 weeks prior to the COVID vaccine. Since the vaccination, the patient has not been tested for COVID-19. Prior to vaccination, the patient was not diagnosed with COVID-19. Outcome of the events was recovered on an unspecified date. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1394227-1 | Patient loss consciousness and was having seizures. called 911, paramedics transported patient to a hospital for observations |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | Monday pt went for her 2nd covid shot. Within 2 hours she started to have a little hand tremor and headache. 2 hours later we were on our way to the hospital. On our way she started having a seizure... they continued to get worse and worse. The hospital believed it was an interaction between her meds she has taken for years and MAYBE the vaccine. They wouldn?t say it was the vaccine at all but just a possibility. Well after 8-9 hours and lots of other meds in her system they said she could go home and sleep it off, and she would continue to have these but they would lessen. So Tuesday morning after a night of tremors and shakes she started to have more full blown seizures. The 3rd one was so bad she passed out and was almost impossible to wake back up. 911 responders came (they were amazing at handling this) and brought her over to the hospital again. The hospital wouldn?t let me into the room for over 45 minutes till they did a full evaluation. They kept telling pt that I hadn?t arrived yet. So I don?t know what happened during that time frame. But she was still having seizures when I walked into the room. Even with the medicine they continued and weren?t where she was passing out each time but were insane and strong. They did a cat scan and the neurologist was located in the er. The hospital asked if I would drive her over to have her evaluated. I said I would do anything for her and packed her up. The hospital asks me to pay a 175$ convoy before we leave and I said Just send me a bill. Now we arrive at the neurologist (25 minutes away) and she?s having a bad seizure. We get her up there and the neurologist asks if this is how she as been the whole time and I said yes. He reads me the report from the hospital and it says she is having light tremors on and off. I was amazed at how off those notes were. He said she should NEVER have been allowed to leave the hospital and says she has to go back. So now I am driving 25 minutes back. We get back to the hospital and they have a room in the ER ready for her but not ready upstairs. We are down there for about 6 hours but it was okay because they had her on so many meds that she was finally sleeping and it gave her muscles a little while to relax. So they get her upstairs to the best nurses in the hospital. I know from personal experience how great the nurses on this floor are because they took care of me for 5 days and my brother in law for 5 days. They just need to keep her relaxed. The nurses say they have never seen a reaction like this before. Every time she wakes up she has 2-3 seizures and she is showing signs of seizures while sleeping. I finally have to leave because of the whole covid rules and the nurse is very sorry but the wife is sleeping and I felt ?okay? leaving her with such a great staff. I woke up I the middle of the night freaking out wondering where my amazing wife went and remembered she?s at the hospital. I call the nurses station and the head nurse talks to me and assured me she is still sleeping and hasn?t woken up yet. I can?t sleep foe th rest of the night but the nurse keeps me up to date by calling me. She had one attack on Wednesday morning around 5am when the person walked in to draw blood didn?t know what was going on and woke the pt up. The nurses stabilized her again and the made it so nobody could go in again without a nurse present. Now I arrive Wednesday and they are just reducing the amount of meds they give her. She has slight seizures but nothing like they were. She is able to eat breakfast but needs a nap. She can walk 100 steps but starts falling asleep. She was able to eat lunch with minor issues. They decide it?s safe to send her home with just taking ibuprofen as needed. This goes well and she does ?okay? but it started to pick back up Wednesday night. It gets bad but none last more that 30 seconds and she can still talk through most of them. Thursday first thing we call our primary care and get a video meeting 5 hours later. They see how bad she is and give her a prescription that is the same as the hospital but a lighter dose so she can rest. This has worked as she was able to be awake for 2 hours to watch some tv and has no seizures. This whole time all Sarah wants is someone to get all the knots out of her hair. So I am not amazing but my sister stopped by at the exact moment I was going to try and was able to get some out and get it up in a braid. Well I decided Thursday night to see what I could do. As suggested by a hair stylist just pour conditioner in and keep working it. So here we are both naked in the tub for 45 minutes and 1/2 a bottle of conditioner later I got like 95% of the snarls out and she?s exhausted. I finish washing her up and get her to lay back down. She sleeps for 3 hours because that was a lot on her body. She wakes up and eats dinner. She watched about 30 more minutes of TV (on and off) while I cleaned up after dinner. She then says she wants to go to bed. She has one seizure last night and here we are today. We will see how she does and I will keep you posted. There?s many more notes here but she?s waking up so I gotta run. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1394636-1 | |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1394980-1 | Subdural hematoma chronic with bleed for 3 weeks since about March 12, then acute subdural hematoma on April 2. Required EMS, had a seizure during transport, and required a craniotomy with evacuation on April 2 within hours of the second vaccine m. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1395021-1 | PATIENT BECAME FAINT, AND HOT AFTER RECEIVING VACCINE. PATIENT THEN WENT UNCONCIOUS, HIT HEAD ON FLOOR AND IS BELIEVED TO SEIZED FOR APPROXIMATELY 20 SECONDS. PATIEN THEN BECAME CONSCIOS, STATED HE WAS STILL FAINT AND LIGHT HEADED AND WAS SEATED UNTIL EMT ARRIVED. EMT CHECKED PATIENTS VITALS, RECOMMEND PATIENT BE SEEN AT NEARBY HOSPITAL TO EXAMINE PATIENT. PATIENT THEN WALKED OUT OF STORE WITH EMT PERSONELL AND GOT IN AMBULANCE |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1395030-1 | Generalized seizure, lasting less than one minute, with poetical phase. Hospitalized, questionable cyst on CT brain but subsequent MRI normal. Outpatient 72 hour EEG normal. Neurologist followup pending. No current medical treatment. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1395289-1 | Patient received vaccine and within 1 min of administration fainted. Patient also convulsed upon fainting due to quick drop in blood pressure. Patient was taken to hospital and received IV hydration only. He was able to return home after. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1395303-1 | 5 minutes after the injection I lost function in both arms and controlling my eyes. Couldn't hold my phone up. The pharmacist helped me to the floor and I began to convulse and spasm, especially on the left side. These convulsions, spasms, facial and body ticks came in waves of extreme, almost bone-breaking tension, then I would go limp, then repeat. It is day 9 after the injection and the convulsions, spasms, and general tremoring continues. Extreme overall body pain like electric shocks and vibrations that wake me from sleep when I can get it. The left side of the body worse. Blinding headaches began after 2 days. Left facial droop and generalized flat facial affect as I can't smile without spams. Eyes spasm when I try to look around. Extreme fatigue and irregular breathing (diaphragm spasm?). Grip strength impaired and I drop everything and food and liquids fall from my mouth. Sharp shooting electric pain through the left arm, neck, skull, face, ear, and shoulder blade. The ear will spasm to where my ear touches my shoulder and I can't move it. I cannot drive. And have had to be dependent on others for everything. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1395312-1 | Seizures on 2 separate events 16 May and 22 May in otherwise healthy male. Self-limiting. Scheduled to see neurology |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1395398-1 | Patient experienced fever to 103 and seizure about 28 hours after vaccine administration. Also had some fatigue. Since vaccine notes ongoing fatigue and weakness. Having some chest discomfort without wheezing that has been responsive to albuterol. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1395872-1 | I got the 2nd dose, I went and sat down my heart was racing and I was breathing funny. The side were I got the shot my muscles felt like it was moving and my face started to droop and was swelling. The rushed me to the er and they gave me an cocktail for my reaction and they said that I passed out. It was like I went to sleep and and woke up with a disability. I have muscle spams in my face, I could feed myself my daughter had to feed me. They told me that it was bells palsy. they gave me pretonze and stomach meds to treat it. They told me they wouldn't take my case since the vaccine was voluntary. They gave me muscles relaxer but it was messing with my heart. It took me until march till I was normal but I still have the fast blinking and lock in my mouth . I also had a seizure a month later. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1395956-1 | "PATIENT CAME TO PHARMACY TO RECEIVE FIRST DOSE OF PFIZER VACCINE. PATIENT CLAIMS TO NOT HAVE EATEN THAT MORNING AND WAS ANXIOUS OF RECEIVEING THE VACCINE. AFTER SHE RECEIVED THE VACCINE SHE SAT IN THE WAITING AREA AND IMMEDIATELY TOLD HER MOTHER AND FRIEND (WHO'S MOTHER WAS ALSO THERE) THAT SHE FELT NAUSEOUS. PATIENT BECAME CLAMMY AND FAINTED, THUS FALLING OUT OF THE CHAIR. SHE HIT HER HEAD AND HER MOTHER REPORTS ""SEIZING LIKE MOVEMENTS FOR A BRIEF SECOND."" THEY CALLED FOR HELP AND PATIENT DID NOT HAVE LABORED BREATHING AND WAS CONSCIOUS. WE WERE ABLE TO SIT HER UP, PUT A COLD TOWEL ON THE BACK OF HER NECK AND FOREHEAD AND SHE WAS ABLE TO DRINK SOME WATER AND A COKE. ADDITIONALLY, AFTER A FEW MINUTES SHE GOT BACK UP IN THE CHAIR AND ATE SOME GOLDFISH TO TRY AND CALM HER STOMACH. PATIENT THEN WAITED AROUND FOR 30 MINUTES BEFORE FEELING BETTER AND WAITING THE ALLOTTED TIME AFTER RECEIVING AN IMMUNIZATION. I CALLED MY DISTRICT MANAGER TO EXPLAIN THE SITUATION AND IT WILL BE REPORTED AS VASOVAGAL SYNCOPE. COUNSELED PATIENT AND MOTHER THEN THEY FELT COMFORTABLE LEAVING. STATED I WOULD FILL OUT INCIDENT REPORTS." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1395991-1 | Single seizure the next morning. No further events. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1396510-1 | 1st time seizure |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1396596-1 | seizure almost immediately after covid vaccine, |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1396805-1 | Approximately a minute and a half after the show was administered my daughter passed out and started convulsing for approximately 2 minutes. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1397715-1 | My son received his 1st shot of the vaccine on 5/15/21 lot # ew0177. On 5/27/21, my wife found my son in his bedroom unresponsive to verbal commands. He was dazed and confused and stared off into space when my wife tried to talk to him. After a minute or so, he stood up and tried to walk but he was staggering and ended up fainting and falling down. My wife took my son to the emergency room. The doctors examined him and ran blood tests, including a tox screen, but could find nothing wrong with him. We followed up with his family doctor the following week and she found nothing wrong other than dehydration. On 6/5/21, my son received his 2nd dose of the vaccine lot #ew0202. On 6/11/21, my son had a major seizure at home with convulsions, was unresponsive and had to be taken from our home by ambulance to the hospital. The emergency room doctors performed a CT Scan and other tests and again could find no reason for the seizure. My son has been healthy his entire life and has never experienced anything like this before. My son is very active with travel soccer and in very good health. I do not know if the vaccine was the cause of these two episodes but it seems to be the only common thread |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1398922-1 | The patient developed a severe headache. Grandmother (guardian) helped her sit in the car seat and she took 10 steps away from the car, when she looked back at the patient had began seizing. She was taken to the ER by rescue and diagnosed with having a grand mal seizure. Grandmother states her lips and around her mouth were blue and the seizure was severe. She was treated and released from the ER dept. The patient has been seizure free for 2 years. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1399195-1 | My daughter had a 40-1 minute seizure 40 minutes post vaccine shot. Not prior seizures to this one. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1400303-1 | After the second dose she had immediate pain at the injection site and over the next 24 hours she developed: A fever of 101.4 severe abdominal pain and chest pain that made her feel like her heart was being pulled out painful electric shocks down her neck and spine that made her walk hunched over numbness and swelling in the arm she got the shot pain in her fingers and toes that turned white and were ice cold to the touch Over the next 2.5 months her abdominal, muscle and nerve pain became unbearable plus she developed new symptoms: Fatigue gastroparesis, nausea and vomiting Eventually she couldn?t even swallow food or liquids without immediately spitting it up. An itchy rash on her arms peeling skin on her feet Her menstrual cycle lasted a month with large clumps of blood She had unexplained painful cysts vision problems headaches erratic blood pressure and heart rate memory loss, mixing up words and brain fog Dizziness, fainting and then nonepileptic seizures that we suspect were from lyrica verbal and motor tics loss of feeling from the waist down, muscle weakness, abnormal gait and eventually she wasn?t able to walk at all urinary retention From the day she got her 2nd dose to today we took her to the ER nine (9) times and she was admitted to the hospital a total of 3 times totalling 2 months. The last time she was admitted to the hospital she could not walk, was unable to feel or move below her waist, threw up anything she tried to eat or drink, had tachycardia and her blood sugar was at 47. Once she got an NG tube and was stable they transferred her to Inpatient Rehabilitation and she was just discharged on June 1st. Today she is able to walk with a walker and take care of herself but she still has little to no feeling below her waist. She still has an NG tube for nutrition and continues to have GI and urinary retention problems. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1400896-1 | As soon as vaccine administered, patient stated he felt like he was going to faint. RN grabbed his shoulders, he fainted in chair and started snoring. RN lifted his head to open airway and pt started convulsing and turned bright red. RN yelled for help. RN leaned the chair back to lay on the floor, holding patents head so it would not hit hard. Pharmacy worker called 911. Pt stopped convulsions and started coming too then turned very pale. He said he was starting to feel better but wanted to remain laying on the floor. When paramedics arrived they assisted him up in a chair, took his vitals, he was stable. Then checked his blood sugar and pt immediately passed out again. RN again assisted to lay him back in the chair to be flat on the floor. He again became very pale. Paramedics placed him on the gurney and took him to ER to be evaluated. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1401102-1 | Patient exhibited symptoms of a seizure that lasted about 1-2 seconds. She came out of it right away, drank some water, rested for 15 minutes then felt fine and was able to go home with her grandmother. She said she felt light-headed after her shot. She didn't seem to remember what happened though. She wasn't too talkative to tell us more about how she felt. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1402124-1 | Site: Pain at Injection Site-Mild, Systemic: Seizure-Medium, Additional Details: 5-10 minutes after vaccination, patient felt faint. When pharmacist walked over, patient had an absent stare, was unresponsive to questioning, and mild convulsions. Unresponsiveness lasted 30 seconds to a minute. Patient also lost control of urinary tract and relieved himself. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1402387-1 | Per incident report: Pt stated not feeling well and Dad asked for water. At 5:41pm pt began to seize in chair, 2 staff members assisted pt to ground. Seizure lasted approximately 1 minute, pt was oriented x3 after seizure. EMS was called, transported to hospital for evaluation. Staff member called next day to check on pt, pt's mom stated he saw physician and was doing well. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1402462-1 | Patient had a seizure in the parking lot after receiving second dose of vaccine and waiting in the observation room. Patient had bitten his tongue during the seizure and had blood on him. By the time the provider got to the car, the seizure had ended and the patient was post-ictal. They laid him down on his mother's lap while we waiting for EMS to arrive. He was breathing very deeply, but not tachypneic. Mom reported that the seizure lasted maybe 3 minutes and was full body shaking. She reported he had never had a seizure before, but has a history of autism and is basically non-verbal. He was able to maneuver himself from the car onto the EMS stretcher with assistance. Before he moved from the car, his breathing had returned to normal and he had O2 via nasal cannula running. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1403423-1 | This 12-year old's first dose of the Pfizer was deemed invalid due to storage error and repeated 13 days later. About 14 hours after revax he had a seizure in the middle of the night, which he reported to his mother the next morning. He also had fever that next day lasting about 24 hours. His mother reasoned his seizure was due to fever since his last seizure was 150 days ago and he had been well-controlled on 2 meds. She presented today for 2nd vaccination, (technically 3rd dose of Pfizer) expressing concerns about another seizure. She was advised to consult his neurologist, for guidance and was advised vaccine will be available if/when she and the doctor deem it safe to give. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1403778-1 | 6/16/21 patient had an episode of syncope within 5 minutes of vaccine administration - fell and hit tailbone first, then hit head against the ground and had brief seizure witnessed by mother (full body shaking), LOC, unresponsive, pale and cold/clammy. lasted for several seconds. no PMH of syncope, seizures. no medical problems |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1404227-1 | I took the dosage (1) today and the following day I went to work, felt dizzy and came home feeling a bit light headed. My husband heard me making some noises at 12 midnight (discovered that I bite my tongue...blood was everywhere) and 911 was called and I was rushed to the hospital's ER for treatment. I can't recall what happened at the hospital or the treatment outcomes because I lost my memory; however, I felt my tongue was swollen and I asked what happened to my tongue. My husband explained that I bite my tongue around 12 midnight while at home. The hospital explained to my husband that I suffered a seizure but I have never had any seizures before taking the vaccine. The doctor admitted her to the hospital at 1:00am and she released at 6:00 am. Her husband was upset because the doctor released his wife too quickly and also stated that they could not contribute the seizure to the vaccine. HIs wife's memory was affected and she could not drive for three months. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1404257-1 | I walked around the store for about 20 seconds. My arm started burning and throbbing. I walked into the aisle and sat my phone my card and keys on the shelf. I got light headed and told my friend that I felt weird. I grabbed the shelf and next thing I remember is him telling me to get up and trying to help me. I had passed out and was going into a seizure. I lost all functions of my bladder. Because I urinated on myself when I fell out. I was soaked in urine and sweat. I didn't report it. And just walked out because I was in shock I guess. But it's been 2 hours and I still feel sick. Nausea's |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1404481-1 | Clot on brain, seizure, massive stroke |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1405809-1 | "felt exhausted; Blood pressure low, after the seizure: 73/49 and 68/42; skin pale and sweating, after the first vaccine; skin pale and sweating, after the first vaccine; Tired and weak, with some lightheadedness, after the first vaccine; Tired and weak, with some lightheadedness, after the first vaccine; Seizure: described as staring, passing out, stiffening of arms, talking like a toddler and giddy, after the first vaccine.; Seizure: described as staring, passing out, stiffening of arms, talking like a toddler and giddy, after the first vaccine.; Seizure: described as staring, passing out, stiffening of arms, talking like a toddler and giddy, after the first vaccine.; Seizure: described as staring, passing out, stiffening of arms, talking like a toddler and giddy, after the first vaccine.; Seizure: described as staring, passing out, stiffening of arms, talking like a toddler and giddy, after the first vaccine.; felt funny; This is a spontaneous report from a contactable consumer(mother, a nursing assistant, years ago) reported for a patient(daughter). The 16-year-old female patient received bnt162b2 (BNT162B2, Pfizer vaccination, Covid vaccine) at the age of 16-year-old, dose 1 via an unspecified route of administration, administered in Arm Left on 28May2021 11:52 (Batch/Lot number was not reported) as 1st dose, single for covid-19 immunisation. Medical history included seizure from 28May2021 to an unknown date (doctor wants to schedule an EEG, for further evaluation of the seizure ,because they did not do that test in the hospital.), ongoing Feels down at times (Consumer states the doctor originally prescribed her daughter another medication. Because all the appointments were by video, Consumer felt the doctor was not understanding her daughter's issue. Consumer states the original medication for ADHD was helping her daughter, but it made her daughter uncomfortable, as her daughter had no problems with attention, or school. Caller states then the doctor changed the medication to Zoloft. Name of previous medication was Zenzedi.). No family Medical History. Concomitant medication included sertraline hydrochloride (ZOLOFT) taken for depressed mood from 19May2021 and ongoing. Consumer states that her daughter is not depressed, but just feels down at times, and it is not severe. Consumer states the doctor had her daughter on another medication before Zoloft, that is used for ADHD. Consumer states that her daughter has not been diagnosed with ADHD, and the doctor switched the medication once her |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | issues were further understood, as clarified in later part of report. The **Adverse Event Description** |
|---|---|---|---|---|
| | | | | patient experienced seizure: described as staring, passing out, stiffening of arms, talking like a toddler and giddy, after the first vaccine on 28May2021 with outcome of recovered, felt funny on 28May2021 with outcome of recovered , blood pressure low, after the seizure: 73/49 and 68/42 on 28May2021 11:52 with outcome of recovered , skin pale and sweating, after the first vaccine on 28May2021 with outcome of recovered , skin pale and sweating, after the first vaccine on 28May2021 with outcome of recovered, tired and weak, with some lightheadedness, after the first vaccine on 28May2021 with outcome of unknown, tired and weak, with some lightheadedness, after the first vaccine on 28May2021 with outcome of unknown, felt exhausted on an unspecified date with outcome of unknown. The patient underwent lab tests and procedures which included blood pressure measurement: 73/49 on 28May2021 low , blood pressure measurement: 68/42 on 28May2021 low , blood pressure measurement: normal on 28May2021, heart rate: 55 on 28May2021, heart rate: 70 on 28May2021. The clinical course was reported as follows: Consumer states she took her daughter Friday, to have her first Pfizer vaccination, later reclarified as the Covid vaccine. Consumer states her daughter had a seizure after the vaccine. Consumer states Height maybe 5'8"" or 5'9"". Consumer states her daughter was weighed at the hospital. Consumer states that the experience was terrifying for her, to watch her daughter have the seizure. Consumer states her husband got the vaccine, and was fine. Consumer reports that her daughter got the vaccine at 11:52 am and within 30 seconds, her daughter said she felt funny, and then rolled her eyes and passed out. Consumer states after a minute, her daughter was conscious and the staff was rushing to her aid, as the Consumer called 911. Consumer states that for the next 25 to 30 minutes, her daughter was talking like a toddler, and was pale and sweating. Consumer states that the paramedics, told her daughter that she had a seizure, as they took her to the hospital. Consumer reports her daughters blood pressure, around the time of the event. Consumer states the first blood pressure, when her daughter awakened, after the seizure about 2 minutes later was 73/49, pulse 55, and a few minutes after that it was 68/42 and her pulse was 70. Seizure: Time: 11:52 am, almost immediately after the vaccine. Outcome: caller answers as she is monitoring her daughter closely. Consumer states that during her seizure, her daughter started to stare, and then passed out. Consumer states her daughter did have some stiffening of the arms with the seizure. Blood pressure low: Consumer states he daughter's blood pressure, began to elevate, before they transported her to the emergency room. Time: 11:52 am, almost immediately after the vaccine. Outcome: Consumer answers as her daughter's blood pressure was stabilized enough by the time she was transferred to the hospital, where it normalized. Consumer reports later that her daughter's skin was pale and she was sweating, at this time. Reclarified, Consumer states that when her daughter was talking to the medical staff, she was talking like a toddler, and giddy. Consumer states she was trying to tell the staff that this is not normal for her daughter. Consumer reports her daughter feels tired and weak after all the events. Consumer states she signed up for VSafe. Time: Consumer states sometime, after the vaccine. End: Consumer answers as her daughter is not as tired and weak, as she was the first day the event happened. Caller states that the next day, her daughter relaxed all day, and the day after that, her daughter went to work and felt exhausted, but felt that she could still go to work. Consumer states that yesterday at work, her daughter said she felt weak, and lightheaded. Consumer states that after having a snack and a break, her daughter felt better and worked the rest of her shift. Outcome: Unknown. Reclarified, Caller states she does not want to assume anything, and is monitoring her daughter, and that this event may be due to another reason, as well. Consumer clarifies her daughter went to the emergency room and then was released. Vaccination Facility Type was pharmacy. No Vaccine Administered at Military Facility. No History of all previous immunization with the Pfizer vaccine considered as suspect (or patient age at first and subsequent immunizations if dates of birth or immunizations are not available).No additional Vaccines Administered on Same Date of the Pfizer Suspect. The event Seizure required a visit to Emergency Room, not Physician Office. Prior Vaccinations (within 4 weeks), list any other vaccinations within four weeks prior to the first administration date of the suspect vaccine was none. No AE(s) following prior vaccinations. Caller reports some prior vaccinations that her daughter had without any events. Consumer states that her daughter is not going to get the second vaccination. Consumer states that she does not know the potential risk, if her daughter gets another vaccination. Information about lot/batch number has been requested." |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | **1406755-1** | Body felt like it was on fire. Pain everywhere but also very focused in areas of previous injuries, rotator cuff, knee, hand. Muscle twitches that turned to convulsions and unstoppable shaking. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | **1407740-1** | Patient received shot and 5 mins later started having a seizure. I went out and held his head while 911 was called. Seizure lasted 15 seconds. 5 mins later he had another seizure that lasted 30 seconds |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| | | | | Throwing up, defecating, violently ill; Throwing up, defecating, violently ill; Throwing up, defecating, violently ill; Not totally conscious; Seizures; Has left side paralysis does not have movement in left arm and; nausea; Sweating/Cold sweats; hard time breathing; his legs were getting weaker and weaker as well/Whole left side of his body is extremely week, right side is weak; his legs would go numb/arms are numb; Not feeling so good; Sweating/Cold sweats; shaking; Dizzy; Pain is through his whole body; Not feeling good; Palms of his hands were pins and needles and pain after and the pain was so bad; huge pain in his groin; This is spontaneous report from contactable consumer (reporting for himself). A 51 year-old male consumer received the second dose of BNT162b2 (PFIZER-BIONTECH COVID-19 VACCINE, Lot number not reported) via an unspecified route of administration in arm right on an unspecified date at single dose for COVID-19 immunisation. Relevant medical history included chronic back pain (diagnosed for years) and type I diabetes mellitus, both ongoing. Concomitant medications were not reported. Historical vaccine includes first dose of BNT162b2 (got violently ill, weak, sweat, very dizzy, nausea, sick). After the second shot of vaccine, the patient started profusely sweating and nausea, had hard time breathing, only lasted a day, the next day he was fine. Stated within that week, he started noticing when he was kneeling in the garden he could not get back up, knew that it was not due to the chronic back pain from years ago and type one diabetic but otherwise he was fine and knew how to handle himself. The patient stated his legs were getting weaker and weaker as well, if he sat down with his nephew or with the neighbor's kids, the minute he sat down or tried to sit Indian style his legs would go numb. He reported this to his doctor, they did 2 conferences with him and they didn't know, all his labs were good, could be neuropathy from diabetes. Second week after second shot (middle of May2021 or end of May2021, as reported) he had to go to the ER at some point during the day he had a huge pain in his groin that felt like a pulled muscle but it progressed all day, by the end of the day if felt like there was a block in there or a clot in his artery going down his leg. went to the ER, did a full CT scan of whole body, no clots no hernias. Gave him morphine and sent him home. For another week he went home and went back to the ER because his legs were so numb it was not just when he was sitting down but all the time, getting worse when sitting down. They just had pins and needles all the time. his legs were getting weaker. On 23May2021, he was not feeling so good, called the doctors, arms are numb, he is just getting weaker, slept all day into the next day, palms of his hands were pins and needles and pain after and the pain was so bad that putting pressure on the hands would help with the pain. On 24May2021 he had cold sweats, not feeling good, dizzy, somethings messed up, pain through his whole body, whole left side of his body was extremely week, right side was weak. Throwing up and defecating just violently sick for 3 hours straight, not totally conscious because he did not remember so much of it. Shaking and profusely sweating, 8am he was able to slide arm and hit the emergency button, left a message they called him back, they sent 911 and they got him. Took him to ED and he had three seizures back to back and they treated the seizures with Ativan. They did another CT scan and they saw he has not fallen, no issues in his head. Sent him to a different hospital. That first night at that hospital he had three more back to back seizures. Woke up and had one more seizure. When he woke up he had electrodes on his head and were measuring his brain activity. He was cleared by neurology at this time, they did not find any issues with his brain. His full body MRI was negative. Rheumatology was now testing him for Lymes, MS, lupus, everything has been negative. He has still gotten worse, has left side paralysis did not have movement in left arm and leg. Can use right arm, but the pins and needles and dead arm comes and goes in right side. Throwing up, defecating, violently ill were serious due to hospitalization, required Emergency Room Visit and were not resolved. Outcome for other events was unknown. Information on the Lot/Batch number has been requested. |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1409668-1 | |
| **SEIZURE** | **COVID19 (COVID19 (PFIZER-BIONTECH)) (1200)** | **PFIZER\BIONTECH** | 1409702-1 | familiar to a seizure; collapsed; unconscious; fever; shaking; they told possible sign of infection; This is a spontaneous report from a Pfizer sponsored program. A non-contactable consumer reported that a 14-year-old female patient (consumer's daughter) received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), the second dose via unspecified route of administration on an unspecified date as single dose for COVID-19 immunization. The relevant medical history was not reported. Concomitant medications were not reported. On an unspecified date, after getting the second dose of the Covid Vaccine immediately started experiencing fever, shaking; her eyes were back as she seemed unconscious and collapsed; it was familiar to a seizure; was taken to the hospital, they told possible sign of infection and she was advised to go ahead and just to report what had happened. The outcome of the events was unknown. No follow-up attempts are possible; information about lot/batch number cannot be obtained. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1409706-1 | "Fallen unconscious and collapsed; Fell down and she was not conscious/passed out; Had concussion like falling on the ground but it appears like a seizure, that was a immediate thing; Fallen unconscious and collapsed; Fell down and she was not conscious; Had concussion like falling on the ground but it appears like a seizure, that was a immediate thing; Low blood pressure; Fever; Shaking/She was shaking/still moving; She was not feeling well; She is still twitching; Eyes go back; This is a spontaneous report from a Pfizer-sponsored program. A contactable consumer (mother) reported that a 14-years-old female patient received BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE), dose 2 via an unspecified route of administration, administered in Arm Left on 03Jun2021 (Batch/Lot number was reported as EW 'O or 0' 186) at the age of 14-years-old as SINGLE DOSE for covid-19 immunisation. The patient medical history was none. There were no concomitant medications. No family medical history of seizure. The patient previously received the first dose of BNT162B2 on an unknown date at Arm Left for covid-19 immunisation. The reason for the transfer today (03Jun2021) was that her 14 year old daughter immediately after getting her second dose of the COVID vaccine started shaking, experiencing fever and fallen unconscious and collapsed and was taken to the hospital and she wanted to go ahead and report those adverse side effects for her. She (patient) was 14 year old and she got her second vaccination today and few minutes after she got it, she stood up and she said she was not feeling well and then the next thing reporter knew like her eyes go back, she do not seem conscious and she was shaking as if, looks like she was having a seizure and then she fell down and she was not conscious, so she fell down, she is still twitching. She has no history of like seizures but that is like twisting and now she was taken to the hospital. So, the hospital treated her as if she had a concussion. Reporter have reported to them that she looks like it was a seizure before she fell down, into her head. Reporter further stated ""That day was her second shot and like I said she stood up, she got up from that, she said that she got funny and that I can see where she just kind of lost consciousness, eyes going back, shaking as if she was having seizures and then she fell down and she was unconscious and she is like still moving as if she is having a seizure and she was taken. Reporter stated, ""it was a like a seizure but it is like over and she had concussion like falling on the ground but it appears like a seizure, that was a immediate thing."" For treatment, reporter stated that ""Any treatment, No. She was taken to the hospital and the hospital needs to write it down and I don't understand that, the hospital wrote down concussion but the hospital they took the vital signs and she had low blood pressure."" For the date when patient went to the hospital, reporter stated ""That was today, June 3rd and she is discharged. The reason she was taken was potential seizure and it was concussion and it was after she fell, she passed out and had low blood pressure. The outcome of the events was unknown. Information on the lot/batch number has been requested." |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1409753-1 | Approximately 10 minutes after receiving the vaccine she fainted and at the same time he had convulsed about 20 seconds.; Approximately 10 minutes after receiving the vaccine she fainted and at the same time he had convulsed about 20 seconds.; due to fainting he fell to the ground; cut herself below from lip inside out 3/4 in; This is a spontaneous report from a contactable consumer or other non-hcp (Patient). A 14-year-old non pregnant female patient received first dose of BNT162B2 (PFIZER-BIONTECH COVID-19 VACCINE, formulation solution for injection; Lot Number: EW0177) via an unspecified route of administration (age at vaccination 14-year-old) in Left Arm on 07Jun2021 as first dose,single dose for COVID-19 immunization. Medical history included known allergies: yes, Cephalosporins, Keflex, Morphine indicated to clinic staff before vaccination. The patient did not receive any other vaccines within 4 weeks.The patient did not receive any other medication within 2 week of vaccination.The patient's concomitant medications were not reported. Since the vaccination the patient has not been tested for COVID-19 and prior to vaccination the patient was not diagnosed with COVID-19. On 07Jun2021 15:15, the patient experienced, approximately 10 minutes after receiving the vaccine she fainted and at the same time she had convulsed about 20 seconds. she regained consciousness and approximately 5minutes later she had another convulsion. Due to fainting she fell to the ground and cut herself below from lip inside out 3/4 in. They took her by ambulance to hospital.The event resulted in emergency room/ department or emergencies.The clinical outcome of the events was recovering. Follow-up attempts are needed, Additional information is requested. |
| SEIZURE | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1409911-1 | Systemic: Seizure-Severe |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (UNKNOWN)) (1202) | UNKNOWN MANUFACTURER | 0999881-1 | after having the COVID-19 vaccine, she mentioned that she was very sick in the hospital and is now getting well; She had seizures after receiving the MMR vaccine; She described her adverse reaction by having stroke like symptoms which she described as she cannot speak; She described her adverse reaction by having stroke like symptoms which she described as having numbness in her hands, face and lips; She described her adverse reaction by having stroke like symptoms which she described as having numbness in her hands, face and lips; She also felt exhausted; she also has pain in her arm; She mentioned that she also has her vision affected/She couldn't drive/There were wavy lines all trough her eyes; She described her adverse raction by having intense headaches/She described her adverse reaction by having stroke like symptoms which she described as having headaches; She described her adverse reaction by having stroke like symptoms; She started to have hallucinations such as seeing people that weren't there, seeing snowstorms, and seeing things shipping throughout the wind.; This spontaneous report has been received from Pfizer Inc, and a nurse, referring to a 65-year-old female patient. The patient's pertinent medical history, previous drug reactions or allergies, and concomitant medications were not provided. On unspecified date (reported as when the patient was younger), the patient was vaccinated with measles, mumps, and rubella virus vaccine (manufacturer unknown) (dose, vaccine scheme, route of administration, anatomical location, lot number and expiration date were not provided), as prophylaxis. On an unknown date, after received the measles, mumps, and rubella virus vaccine (manufacturer unknown), the patient had seizures. She mentioned that she did not have adverse event (AEs) with other immunizations but the measles, mumps, and rubella virus vaccine (manufacturer unknown). On 30-DEC-2020, the patient was vaccinated with the first dose of included SARS-CoV-2 spike protein mRNA vaccine (PFIZER BIONTECH COVID-19 VACCINE) (dose, route of administration and anatomical location were not provided), as prophylaxis. On an unknown date, after SARS-CoV-2 spike protein mRNA vaccine (PFIZER BIONTECH COVID-19 VACCINE) vaccination, she was very sick in the hospital. On 04-JAN-2021, she stated to experience an adverse reaction described as having intense headaches, having stroke-Iike symptoms (cerebrovascular accident), as she could not speak (speech disorder), having headaches, having numbness in her hands, face, and lips (hypoaesthesia and hypoaesthesia oral). The patient also felt exhausted (fatigue), had pain in her arm (but for that event she reported that she was not very concerned). Additionally, she mentioned that her vision was affected, she could not drive, and there were wavy lines all through her eyes (visual impairment). She also started to have hallucinations, such seeing people that weren't there, snowstorms, and things shipping throughout the wind. It was reported that the patient wanted to know recommendations about the second shot of the SARS-CoV-2 spike protein mRNA vaccine (PFIZER BIONTECH COVID-19 VACCINE) because with her experience, she was not comfortable having the second shot of that vaccine. At the reporting time, the patient was getting well from the event illness. The outcome of the cerebrovascular accident, headache, visual impairment, pain in extremity, fatigue, hypoaesthesia oral, hypoaesthesia, speech disorder, seizure and hallucination was not reported. The causality assessment between the event seizure and measles, mumps, and rubella virus vaccine (manufacturer unknown) was not provided. The causality assessment between the events illness, cerebrovascular accident, headache, visual impairment, pain in extremity, fatigue, hypoaesthesia oral, hypoaesthesia, speech disorder, seizure and hallucination and the suspect vaccine was not provided. Upon internal review, the events cerebrovascular accident, hallucination and seizure were determined to be medically significant. |
| SEIZURE | COVID19 (COVID19 (UNKNOWN)) (1202) | UNKNOWN MANUFACTURER | 1021768-1 | Patient had increased frequency of seizures (6 in the same day of vaccination), treated with Clorazepate bridge |
| SEIZURE | COVID19 (COVID19 (UNKNOWN)) (1202) | UNKNOWN MANUFACTURER | 1106722-1 | "After pt received Janssen J&J vaccine, pt was closing his eyes and leaning back. Per LPN, pt had seizure ~15-20sec, foot twitching, PHNs and FNP were called to scene. Pt A&O x4, but then had 2nd seizure <5min later, lasting 15-20sec, not responding to prompts. EMT called 911. Pt then A&O again x4. FNP measured pt pupils: L pupil initially 4mm, then escalated ""blown"", R pupil 1-2mm. HR 35, pulse ox 99%. Pt Hx of type 1 diabetes, BG 186 per paramedic. Paramedics took pt to ER." |
| SEIZURE | COVID19 (COVID19 (UNKNOWN)) (1202) | UNKNOWN MANUFACTURER | 1107354-1 | Patient received the vaccine about 1-2 weeks ago. She became nauseated and fatigued shortly afterward. This worsened until yesterday (3/16/21) when the patient became confused and polydipsic per the patient's mother. In the emergency department the patient had a seizure. CT showed severe brain edema with a sodium of 111. We are unsure if there is any relations to the polydipsia, fatigue, and hyponatremia with the vaccine administration itself. However there is a time relationship with the start of the symptoms. |
| SEIZURE | COVID19 (COVID19 (UNKNOWN)) (1202) | UNKNOWN MANUFACTURER | 1126831-1 | 3 to 5 minutes after vaccination patient had nausea and then had a seizure that lasted about 30 seconds. Patient was transported to ER via EMS. |
| SEIZURE | COVID19 (COVID19 (UNKNOWN)) (1202) | UNKNOWN MANUFACTURER | 1147830-1 | At approximately 1238 patient was noted to be on floor, experienced fall from chair. 911 called. came to patient. Pt placed in recumbent position. noted to be having seizure regained consciousness. Airway not obstructed no s/s if respiratory destress noted. Regain consciousness after 2 seconds. Vs bp130/82, O298% on RA, HR 72, RR 28. Denies pain or discomfort. Pt alert and oriented able to state his name date location. Mae x34 l neurologically intact. did not give Epi . No s/s of anaphylaxis noted. please patient and become a position. Ambulance and fire department on site at this time. |

| Symptoms | Vaccine | Vaccine Manufacturer | VAERS ID | Adverse Event Description |
|---|---|---|---|---|
| SEIZURE | COVID19 (COVID19 (UNKNOWN)) (1202) | UNKNOWN MANUFACTURER | 1186902-1 | Seizure, high fever of 104 with Tylenol, extreme chills, loss of consciousness |
| SEIZURE | COVID19 (COVID19 (UNKNOWN)) (1202) | UNKNOWN MANUFACTURER | 1216510-1 | I carried a fever, and had flu symptoms , with a horrible headache, and body aches for over a week. I also had quite a few seizures which is unusual for me. Some trouble thinking at times .( this could be from the seizure activity) Extreme fatigue. |
| SEIZURE | COVID19 (COVID19 (UNKNOWN)) (1202) | UNKNOWN MANUFACTURER | 1362551-1 | Patient experiences 2 seizures in the span of 10 minutes. |
| SEIZURE | COVID19 (COVID19 (UNKNOWN)) (1202) | UNKNOWN MANUFACTURER | 1400899-1 | After patient received the vaccine , he looked dizzy , when I spoke with him he was conscious and breathing. I had him lay down on the floor but he started having convulsions. Emergency 911 was called immediately and patient was taken to hospital. |
| SEIZURE CLUSTER | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1102060-1 | Pt had seizure x2 while in clinic during observation period. Son stated that pt does have seizure disorder and anxiety does exacerbate seizures. Pt denies feeling anxious about vaccine. Initially pt was unresponsive to stimulii, but then opened her eyes and was able to follow commands and answer questions. O2 sats during initial seizure was 86% and BP 190's/80's. Pt with tonic clonic movement during initial seizure. Pt then had subsequent seizure but did not lose consciousness during this one but was unable to respond to stimulii or commands. O2 sats low 90's during this event. Pt's son stated that it was not normal for her ot have clusters of seizures like this and so EMS was called. |
| SEIZURE CLUSTER | COVID19 (COVID19 (JANSSEN)) (1203) | JANSSEN | 1112032-1 | Patient describes a seizure episode that occurred this morning. Patient was feeling fine at her usual health, went and got the Johnson & Johnson vaccine. Was monitored for minutes afterwards. Patient stated soon as she got the vaccine, it just made her feel little bit funny but not really able to describe the symptoms further. Went back to work and spoke with her coworker, and walls during the conversation, patient had approximately 2-minute seizure episode in which she became unresponsive, generalized shaking patient did not fall on the floor she was still in the chair. She had a brief cessation of the seizure but then the had a 45-second seizure episode. Patient was post ictal and afterwards became alert and oriented x4 however she had a persistent stuttering which is new. |
| SEIZURE CLUSTER | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 0979461-1 | The patient lives in a group home. He has a history of seizures with occasional breakthrough. On 1/24/22 at ~4 am he had a cluster of seizures and a fever of 102.0F. The staff called 911 and he was taken to the Hospital and admitted for observation. All the details of the hospitalization and treatment are not known now. His group home staff person who was at the hospital with him reported that he was back to his baseline after 1 day. He remained in the hospital for video EEG monitoring. The studies will be reviewed by neurology to determine if medication changes are needed. His discharge is planned for tomorrow (1/28/2021). |
| SEIZURE CLUSTER | COVID19 (COVID19 (MODERNA)) (1201) | MODERNA | 1388268-1 | seizure cluster 24 h after the vaccine |
| SEIZURE CLUSTER | COVID19 (COVID19 (PFIZER-BIONTECH)) (1200) | PFIZER\BIONTECH | 1104041-1 | SARS-CoV-2 / COVID-19 mRNA IM (Pfizer-BioNTech) Date Status Dose VIS Date Route Site Manufacturer Lot# Given By Verified By 3/13/2021 Given 0.3 mL EUA 12/2020 IM RD Pfizer, Inc EN6208 RN -- |

**Note: Submitting a report to VAERS does not mean that healthcare personnel or the vaccine caused or contributed to the adverse event (possible side effect).**

## Notes:

**Caveats:** VAERS accepts reports of adverse events and reactions that occur following vaccination. Healthcare providers, vaccine manufacturers, and the public can submit reports to VAERS. While very important in monitoring vaccine safety, VAERS reports alone cannot be used to determine if a vaccine caused or contributed to an adverse event or illness. The reports may contain information that is incomplete, inaccurate, coincidental, or unverifiable. Most reports to VAERS are voluntary, which means they are subject to biases. This creates specific limitations on how the data can be used scientifically. Data from VAERS reports should always be interpreted with these limitations in mind.

The strengths of VAERS are that it is national in scope and can quickly provide an early warning of a safety problem with a vaccine. As part of CDC and FDA's multi-system approach to post-licensure vaccine safety monitoring, VAERS is designed to rapidly detect unusual or unexpected patterns of adverse events, also known as "safety signals." If a safety signal is found in VAERS, further studies can be done in safety systems such as the CDC's Vaccine Safety Datalink (VSD) or the Clinical Immunization Safety Assessment (CISA) project. These systems do not have the same limitations as VAERS, and can better assess health risks and possible connections between adverse events and a vaccine.

Key considerations and limitations of VAERS data:

- Vaccine providers are encouraged to report any clinically significant health problem following vaccination to VAERS, whether or not they believe the vaccine was the cause.
- Reports may include incomplete, inaccurate, coincidental and unverified information.
- The number of reports alone cannot be interpreted or used to reach conclusions about the existence, severity, frequency, or rates of problems associated with vaccines.
- VAERS data are limited to vaccine adverse event reports received between 1990 and the most recent date for which data are available.
- VAERS data do not represent all known safety information for a vaccine and should be interpreted in the context of other scientific information.

Some items may have more than 1 occurrence in any single event report, such as Symptoms, Vaccine Products, Manufacturers, and Event Categories. If data are grouped by any of these items, then the number in the Events Reported column may exceed the total number of unique events. If percentages are shown, then the associated percentage of total unique event reports will exceed 100% in such cases. For example, the number of Symptoms mentioned is likely to exceed the number of events reported, because many reports include more than 1 Symptom. When more then 1 Symptom occurs in a single report, then the percentage of Symptoms to unique events is more than 100%. More information. (/wonder/help/vaers.html#Suppress)

Data contains VAERS reports processed as of 06/18/2021. The VAERS data in WONDER are updated weekly, yet the VAERS system receives continuous updates including revisions and new reports for preceding time periods. Duplicate event reports and/or reports determined to be false are removed from VAERS. More information. (/wonder/help/vaers.html#Reporting)

For more information on how many persons have been vaccinated in the US for COVID19 to date, see https://covid.cdc.gov/covid-data-tracker/#vaccinations/ (https://covid.cdc.gov/covid-data-tracker/#vaccinations/)

**Help:** See The Vaccine Adverse Event Reporting System (VAERS) Documentation (/wonder/help/vaers.html) for more information.

**Query Date:** Jun 27, 2021 5:00:46 PM

## Suggested Citation:

United States Department of Health and Human Services (DHHS), Public Health Service (PHS), Centers for Disease Control (CDC) / Food and Drug Administration (FDA), Vaccine Adverse Event Reporting System (VAERS) 1990 - 06/18/2021, CDC WONDER On-line Database. Accessed at http://wonder.cdc.gov/vaers.html on Jun 27, 2021 5:00:46 PM

## Query Criteria:

**State / Territory:** The United States/Territories/Unknown
**Symptoms:** SEIZURE; SEIZURE CLUSTER
**Vaccine Products:** COVID19 VACCINE (COVID19)
**VAERS ID:** All
**Group By:** Symptoms; Vaccine; Vaccine Manufacturer; VAERS ID
**Show Totals:** False
**Show Zero Values:** Disabled