

**APPENDIX: Excerpts from the “Stormwater Management: Regulations, Standards, Procedures and Design Criteria, Adopted August 12, 2020”**

**2.04 EXCAVATIONS**

All lake/pond, wetland, canal, or other waterway excavations shall be in accordance with South Florida Water Management District (SFWMD) Environmental Resource Permit (ERP) rules for Storage Areas unless specified herein.

The regulations in this document supersede the Environmental Resource Permit

**2.04.3 LAKES/PONDS AND WETLANDS**

A surface water body that provides attenuation, floodplain storage or water quality detention or retention storage shall be considered a lake/pond or wetland. All three are referred to as a lake/pond in the following sections.

Equivalency established between lake/pond or wetland and lake/pond in the subsequent sections

Lake/Pond or wetland EXCAVATION shall have a minimum depth of 10 feet below control water elevation

2.04.3.10 Lake/pond excavations shall have a minimum depth of ten feet (10') below the water control elevation and a maximum depth as governed by SFWMD Environmental Resource Permit (ERP) Applicant's Handbook Volume II or a bottom elevation of (-) 41.6' NAVD 88, whichever is less.



EXCAVATION OUTSIDE LOT 26 (SUNIL's neighbor) on March 20, 2021

Aerial Views of Preserve in 2020, 2021 and 2022

2020



2021



2022

