

# **RIPA C30 INTELLIGENT MEETING ORCHESTRATOR**

Version:Version:1.1

#### Data Sheet

### RipaTech Pty Ltd

CONTENTS	
Product Summary	2
Feature Highlights	2
Technical Specifications	2
Product Demension	3
Product Image library	4
Ordering Guide	4



Ripa C30 Intelligent Meeting Orchestrator

### **PRODUCT SUMMARY**

Ripa C30 Intelligent Meeting Orchestrator is an industry standard video and audio CODEC. It is designed to process high quality 4K video and high-quality audio. The intelligent firmware and high spec CPU make this CODEC the most cost effective in the industry.

C30 is ideally used in the meeting room where a single display panel and single camera is present for huddle and medium room to communicate with remote meeting participants.



Figure 1 C30 Intelligent Meeting Orchestrator

### **FEATURE HIGHLIGHTS**

C30 offers a mature list of SIP/H.323 CODEC features:

- SIP and H.323 protocol stacks: supports both SIP and H.323 protocols.
- Audio Processing: support Automatic echo elimination (AEC), Automatic gain control (AGC), Automatic noise suppression (ANS)
- Multiple Video Compression Standard: It supports for H.263/H.264 video compression.

### **TECHNICAL SPECIFICATIONS**


Technical Specification			
Module	Function	Description	
System	SOC	RK3588	
	RAM/ROM	8G/32G	



### Ripa C30 Intelligent Meeting Orchestrator

System Interface	Support system interface customization		
Resolution	Up to 1080/30 fps (People and Content)		
Audio	Mics	Built in 2x Electret Microphone	
	Audio Processing	Auto Echo Cancellation (AEC)	
		Auto Gain (AGC)	
		Auto Noise Suppression (ANS)	
	Audio Codec	G.711(a/μ), G.719, G.722, G.722.1, G.722.1, AAC,	
		OPUS	
Codec	Format	H.261, H.263, H.263+, H.264, H.264HP	
Controller	Remote Control	Infrared Remote Control	
Network	IPv4, IPv6		
	Image Interface	1x HDMI OUT, HDMI 2.0, Support single-screen display	
	Content Interface	1x HDMI IN, HDMI 2.0	
	USB	2x USB 3.0	
		1x Micro USB debugging port	
	Audio Jack	1x 3.5mm linear output	
Interface		1x LINE IN Input, 3-pin Phoenix terminal	
		1x MIC IN Input, 3-pin Phoenix terminal (with phantom	
		power)	
	Network Port	1x 10/100M RJ45	
	Power Interface	HEC3800 Power Socket (DC12V)	
	Wall Mount Bracket	Wall/Ceiling Mount Brackets (Optional)	

## PRODUCT DEMENSION





# PRODUCT IMAGE LIBRARY



Figure 2 C30 Front



Figure 3 C30 Back

### ORDERING GUIDE

RipaTech product code: RP-C30- 00680