


Oil Pattern Distance	40	Reverse Brush Drop	34	Oil Per Board	50 ul
Forward Oil Total	16.4 mL	Reverse Oil Total	12.8 mL	Volume Oil Total	29.2 mL
Tank Configuration	N/A	Tank A Conditioner	Fire	Tank B Conditioner	Ice

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	14	A	148	0.0	5.9	5.9	7400
2	6L	6R	2	14	A	58	5.9	9.8	3.9	2900
3	9L	9R	3	18	A	69	9.8	17.4	7.6	3450
4	11L	11R	2	18	A	38	17.4	22.5	5.1	1900
5	13L	13R	1	18	A	15	22.5	25.0	2.5	750
6	13L	13R	0	22	A	0	25.0	33.0	8.0	0
7	13L	13R	0	26	A	0	33.0	40.0	7.0	0

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	26	A	0	40.0	30.0	-10.0	0
2	12L	12R	2	22	A	34	30.0	23.8	-6.2	1700
3	10L	10R	2	18	A	42	23.8	18.7	-5.1	2100
4	8L	8R	2	18	A	50	18.7	13.6	-5.1	2500
5	5L	5R	3	14	A	93	13.6	7.7	-5.9	4650
6	2L	2R	1	10	A	37	7.7	6.3	-1.4	1850
7	2L	2R	0	10	A	0	6.3	0.0	-6.3	0



Cleaner Ratio Main Mix NA Forward
 Cleaner Ratio Back End Mix NA Reverse
 Cleaner Ratio Back End Distance NA Combined
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.89	1.31	1	1	1.31	2.89

