




Patch Fitting Swing Door Series



KEY FEATURES

- Frameless Door
- Sidelite Includes Three sides of 2" Sidelite Channel
- Interior glazed applications
- 10mm and 12mm glazing thickness
- STC range: 20-28 - *Dependant on system configuration and built surrounding, sound dampening configuration.*



FOW - FEDERAL OFFICE WALL


SPECIALIZING IN: INTERIOR GLAZING PARTITIONS, DOORS AND HARDWARE
101 GORDON BAKER RD, TORONTO, ON. M2H 0B1
Telephone: 416-804-9915

AUGUST 2025

Frameless Door Patch Fitting Series

TABLE OF CONTENTS

Typical Section & Swing Door Section Details _____	003
Patch Fitting Series Image References _____	004




FOW - FEDERAL OFFICE WALL

SPECIALIZING IN: INTERIOR GLAZING PARTITIONS, DOORS AND HARDWARE
101 GORDON BAKER RD, TORONTO, ON. M2H 0B1
Telephone: 416-804-9915


AUGUST 2025

Patch Fitting Series - SWING DOOR

TYPICAL SIDELITE & SWING DOOR SECTION DETAILS




ELEVATION



1


PATCH FITTING DOOR
SECTION

TOP & BOTTOM PATCH FITTING HARDWARE



2

TYPICAL SIDELITE SECTION





FOW - FEDERAL OFFICE WALL

SPECIALIZING IN: INTERIOR GLAZING PARTITIONS, DOORS AND HARDWARE
101 GORDON BAKER RD, TORONTO, ON. M2H 0B1
Telephone: 416-804-9915

AUGUST 2025

Patch Fitting Frameless Door Series

IMAGE REFERENCES



FOW - FEDERAL OFFICE WALL

SPECIALIZING IN: INTERIOR GLAZING PARTITIONS, DOORS AND HARDWARE
101 GORDON BAKER RD, TORONTO, ON. M2H 0B1
Telephone: 416-804-9915

AUGUST 2025