SAFETY DATA SHEET

1. Identification

Product identifier Soybean Oil

Other means of identification

Synonyms RBD Soybean Oil * High Oleic Soybean Oil * Low Linoleic Soybean Oil * Non-GMO Soybean Oil *

Technical Grade Soybean Oil * Technical Grade Soybean Oil for Biodiesel * Refined Bleached Soybean Oil * Alkaline Refined Soybean Oil * Crude Degummed Soybean Oil * Crude Soybean Oil

Recommended use Food product; used as a feed component, in non-food applications, cosmetic products; food

compatible product used in technical applications and industrial applications.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier:

Cargill Incorporated

Wayzata, MN 55391

Address:

15407 McGinty Road W.

Telepjhone number

1-800-227-4455

Emergency Telephone

Number:

North America: 1-800-255-3924

International: +1-813-248-0585 Collect calls are accepted

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.

Signal word None.

Hazard statement The substance does not meet the criteria for classification.

Precautionary statement

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

Under improper storage or disposal conditions, porous materials such as rags, insulation, or clay classified (HNOC)

containing this material may spontaneously combust.

Supplemental information None.

3. Composition/information on ingredients

Substances

Chemical name Common name and CAS number synonyms

Sovbean oil 8001-22-7 Proprietary

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The manufacturer has claimed the exact percentage as trade secret under the OSHA Hazard

Communication Standard.

4. First-aid measures

If symptomatic, move to fresh air. Get medical attention if symptoms persist. Inhalation

Skin contact Wash skin with soap and water. Get medical attention promptly if symptoms occur after washing.

Soybean Oil

SDS US

Version #: 02

Revision date: 13-December-2019

Issue date: 04-September-2014

Eye contact

Ingestion

Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Get medical attention promptly if symptoms occur after washing.

First aid is normally not required, However, if greater than 1/2 liter (pint) ingested, seek medical

attention

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation. Prolonged or repeated skin contact may cause drying, cracking, or irritation.

cause drying, cracking, or irritation.

Treat symptomatically.

Indication of immediate medical attention and special treatment needed

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed such as: Carbon oxides. Rags, steel wool, or waste contaminated with this product may spontaneously catch fire if improperly discarded.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

In case of fire do not breath fumes. Move containers from fire area if you can do so without risk.

Specific methods
General fire hazards

Use standard firefighting procedures and consider the hazards of other involved materials.

Under improper storage or disposal conditions, porous materials such as rags, insulation, or clay containing this material may spontaneously combust.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Wear appropriate personal protective equipment (See Section 8).

Methods and materials for containment and cleaning up

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Dike for later disposal. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Flush area with water. Prevent runoff from entering drains, sewers, or streams.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Wear appropriate personal protective equipment. Wash hands after handling. Observe good industrial hygiene practices. Proper sanitation with food grade products is essential.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep container closed.

8. Exposure controls/personal protection

Occupational exposure limits

Material	for Air Contaminants (29 CFR 1910.1000) Type	Value	Form
Soybean Oil	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Mist

Soybean Oil

Components	Туре	Value	Form	
Soybean oil (CAS 8001-22-7)	PEL	5 mg/m3	Respirable fraction.	
		15 mg/m3	Mist.	
US. NIOSH: Pocket Guid	le to Chemical Hazards			
Material	Туре	Value	Form	
Soybean Oil	TWA	5 mg/m3	Respirable mist.	
		10 mg/m3	Total mist	
Components	Туре	Value	Form	
Soybean oil (CAS 8001-22-7)	TWA	5 mg/m3	Respirable mist.	
		10 mg/m3	Total mist	
logical limit values	No biological exposure limits noted for the ingredient(s).			
osure guidelines	No exposure standards allocated.			
propriate engineering trols	Good general ventilation should be used. Vent applicable, use process enclosures, local exhat maintain airborne levels below recommended established, maintain airborne levels to an access especially in confined areas.	aust ventilation, or oth exposure limits. If ex	ner engineering controls to posure limits have not bee	
vidual protection measur	es, such as personal protective equipment			
Eye/face protection	Wear safety glasses with side shields (or gogg	iles).		
Skin protection				
Hand protection	Wear protective gloves. Suitable gloves can be	e recommended by th	ne glove supplier.	
Skin protection				

Respiratory protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA 29 CFR 1910.134. Respirator type: Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister.

Wear chemical-resistant gloves, footwear and protective clothing appropriate for risk of exposure.

Thermal hazards

Other

Wear appropriate thermal protective clothing, when necessary.

Contact glove manufacturer for specific information.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Pale yellow.
Odor Vegetable.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.

Initial boiling point and boiling range

Decomposes.

Flash point

> 539.6 °F (> 282.0 °C) Closed Cup

Evaporation rate Not available.
Flammability (solid, gas) Not available.

Soybean Oil

SDS US

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

Not available.

Vapor density

Not available. Not available.

Relative density Solubility(ies)

Insoluble.

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperature Decomposition temperature

Solubility (water)

833 °F (445 °C) Not available.

Viscosity

Not available.

Other information

Flash point class

Combustible IIIB

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous

reactions

High surface area exposure to oxygen can result in polymerization and release of heat. No

dangerous reaction known under conditions of normal use.

Conditions to avoid

Contact with incompatible materials. Exposure to heat and contact with sources of ignition. High

surface area exposure to oxygen can result in polymerization and release of heat.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition

No hazardous decomposition products are known.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation

Excessive inhalation of oil mist may affect the respiratory system. Oil mist is classified as a

nuisance particulate by ACGIH.

Skin contact

Prolonged or repeated skin contact may cause drying, cracking, or irritation. Sensitive individuals

may experience dermatitis after long exposure of oil on skin.

Eye contact

Ingestion

None expected as this is a food product.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Not available.

Skin corrosion/irritation

Prolonged or repeated skin contact may cause drying, cracking, or irritation.

Serious eye damage/eye

Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

Sensitive individuals may experience dermatitis after long exposure of oil on skin.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Sovbean Oil

SDS US 4/7

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

NTP Report on Carcinogens

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not an aspiration hazard.

Chronic effects

Excessive inhalation of oil mist may affect the respiratory system. Oil mist is classified as a

nuisance particulate by ACGIH.

12. Ecological information

Ecotoxicity

Not expected to be harmful to aquatic organisms.

Persistence and degradability

No data available. No data available.

Bioaccumulative potential Mobility in soil

No data available.

Other adverse effects

None known.

13. Disposal considerations

Disposal instructions

Dispose in accordance with applicable federal, state, and local regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging

Dispose in accordance with applicable federal, state, and local regulations.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

15. Regulatory information

US federal regulations

This product is hazardous according to OSHA 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

This substance is on the TSCA 8(b) inventory and is designated "active".

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

Soybean Oil

SDS US

SARA 311/312 Hazardous

chemical

Yes

Classified hazard

categories

Hazard not otherwise classified (HNOC)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Soybean oil (CAS 8001-22-7)

US. New Jersey Worker and Community Right-to-Know Act

Soybean oil (CAS 8001-22-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Soybean oil (CAS 8001-22-7)

US. Rhode Island RTK

Soybean oil (CAS 8001-22-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date04-September-2014Revision date13-December-2019

Version # 02
HMIS® ratings Health: 1
Flammability: 1
Physical hazard: 0

NFPA ratings



List of abbreviations

PEL: Permissible Exposure Limit. TWA: Time weighted average.

Soybean Oil

SDS US

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

References

ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

Disclaimer

Cargill Incorporated cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

ats:

and the second s