




# GS ELEVATOR & ESCALATOR SOLUTION



**Electrifying Movement  
with Improvement**



**ENERGY EFFICIENT DESIGN, PRESTIGE BEST ELEVATOR COLLECTION**

# MR PASSANGER

## ELEVATOR

### Passenger Elevator

#### Autodoor

The Passenger elevators detailed here are designed to handle promptly and efficiently the transportation requirements of any type of building-which means any traffic condition.

They are renowned for fine quality and robust performance. Delivers maximum lifting power with a minimum of effort. A superior combination of flexibility and performance. It gives benefits of jerk less traveling economically low power consumption and excellent design.

**Features:** Cent percent safety, Jerk Free, Noise Less User Friendly & Latest Technology.



**Capacity 4 to 24 Passangers**



Glass with Stainless Steel Framed Finish Auto Door




Stainless Steel finish auto Door




MS Power Coated Telescopic Auto Door



MS Power Coated Center Opening Auto Door



Stainless Steel Designed Finish Auto Door



### VARIOUS OPTIONS ARE AVAILABLE

|                       |                                                                                                                                                                                                                                     |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Speed                 | 0.70 to 2.00 mps.                                                                                                                                                                                                                   |
| Capacity              | 4 to 24 passenger                                                                                                                                                                                                                   |
| Car Finish            | M. S. Power Coated Car.<br>Stainless Steel Hair Line Finish Car.<br>Steel Designed & Steel Hair Line Finish Car.<br>Steel Mirror & Stainless Steel Hair Line Finish Car.<br>Titanium Gold Designed with Stainless Steel Finish Car. |
| Type of Doors         | Center-Opening Auto Door • Telescopic Auto Door                                                                                                                                                                                     |
| Doors Finish          | M. S. Swing Manual Doors,<br>M. S. Collapsible Manual Doors<br>Wooden Swing Manual Doors                                                                                                                                            |
| Switch Panel Button   | Surface Micro Electro Button, Touch Button                                                                                                                                                                                          |
| Switch Panels Display | Seven Segment Digital LED Display<br>LCD Display                                                                                                                                                                                    |



# MRL SAVING ELEVATOR






Capacity 4 to 24 Passengers

## Machine Roomless

Our Machine roomless (MRL) designs keep people and the environment in mind with compact and highly efficient machine which consume little energy, yet deliver a very smooth and safe operation in combination with **GS ELEVATOR** advanced control and drive system technology.

The birth of our Machine Roomless product, catering for low to medium rise buildings, was a result technological advancement and innovative research. The permanent magnet synchronous (PMS) gearless drive unit is installed inside the shaft, eliminating the need for a traditional machine room, thus construction cost for the building is consequently reduced. Furthermore, this allows more freedom and flexibility in the building's architectural design.



### VARIOUS OPTIONS ARE AVAILABLE

|                       |                                                                                                                                                                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Speed                 | 1.00 to 2.00 mps.                                                                                                                                                                                                                     |
| Capacity              | 4 to 24 passenger                                                                                                                                                                                                                     |
| Car Finish            | M. S. Power Coated Car. Stainless Steel Hair Line Finish Car.<br>Steel Designed & Steel Hair Line Finish Car.<br>Steel Mirror & Stainless Steel Hair Line Finish Car.<br>Titanium Gold Designed with Stainless Steel Finish Car.      |
| Type of Door          | Center Opening • Telescopic                                                                                                                                                                                                           |
| Doors Finish          | M. S. Powder Coated Finish Auto Door.<br>Stainless Steel Hair Line Finish Auto Door.<br>Stainless Steel Designed Finish Auto Door.<br>Titanium Gold Designed Finish Auto Door.<br>Glass with Stainless Steel Framed Finish Auto Door. |
| Switch Panel Button   | Surface Micro Electro Button, Touch Button                                                                                                                                                                                            |
| Switch Panels Display | Seven Segment Digital LED Display<br>Digital Dot Matrix Display LCD Display                                                                                                                                                           |

# CAPSULE

## ELEVATOR



## Capsule Elevator


Capsule Panoramic Elevators 90 / 180 / 360 degree view (One Side, Three Side, Round type with Toughened Glass). Lift for Residential, Commercial Hotel, Clubs, Bungalows & Building depending upon the shaft size with speed / Amenities upto choice of owners.



Capacity 4 to 24 Passangers



Glass with  
Ms Power Coated Car



Glass with  
Ms Power Coated Car



Round Glass with Stainless Steel  
Hair Line finish Car



Glass with Stainless Steel  
Hair Line Finish Car



### VARIOUS OPTIONS ARE AVAILABLE

|                       |                                                                                                                                                                                                                                                                          |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Speed                 | 0.75 to 2.00 mps.                                                                                                                                                                                                                                                        |
| Capacity              | 4 to 24 passenger                                                                                                                                                                                                                                                        |
| Type of Car           | One side View Three side View Half Round View                                                                                                                                                                                                                            |
| Type of Door          | Center - Opening Auto Door Telescopic Auto Door                                                                                                                                                                                                                          |
| Car Finish            | Glass with M S Power Coated Car Glass with Stainless Steel Hair Line Finish Car Glass with Steel Designed & Steel Hair Line Finish Car Glass with Steel Mirror & Stainless Steel Hair Line Finish Car Glass with Titanium Gold Designed with stainless Steel Finish Car. |
| Doors Finish          | M S Power Coated Auto Door Stainless Steel Hair Line, Designed Finish Auto Door Titanium Gold Designed Finish Auto Door. Glass with Stainless Steel Framed Finish Door.                                                                                                  |
| Switch Panels Button  | Surface Micro Electro Button, Touch Button                                                                                                                                                                                                                               |
| Switch Panels Display | Seven Segment Digital LED Display Digital Dot Matrix Display LCD Display.                                                                                                                                                                                                |




# ENERGY SAVING ELEVATOR




## Hydraulic Elevator For Low Rise

Hydraulic Passenger / Goods Elevator Manual / Auto Door for Residential, Commercial, Hotel, Clubs Bungalows & Industrial Machine Room Less Movement of Men Material & Vehicles. With speed / amenities up to choice of owners.




### ♦ Rope Type

Side indirect acting suspension with wire ropes with one piston for regular loads and long travels.




### ♦ Hole Type

Direct Suspension. The simplest solution for any load with a simple or split piston



### ♦ Hole Less Type

Side Direct suspension with two simple piston for large loads and short travels. (Max. Travel 4 Mt.)



### Type of Suspension



Hydraulic Cylinder

### VARIOUS OPTIONS ARE AVAILABLE

|                       |                                                                                                                                                                                                                         |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Speed                 | 0.32 to 1.00 mps.                                                                                                                                                                                                       |
| Capacity              | 4 to 12 passenger                                                                                                                                                                                                       |
| Car Finish            | M. S. Power Coated Car. Stainless Steel Hair Line Finish Car. Steel Designed & Steel Hair Line Finish Car. Steel Mirror & Stainless Steel Hair Line Finish Car. Titanium Gold Designed with Stainless Steel Finish Car. |
| Type of Doors         | Auto Doors • Manual Doors                                                                                                                                                                                               |
| Doors Finish          | M. S. Swing Manual Doors, M. S. Collapsible Manual Doors, Wooden Swing Manual Doors                                                                                                                                     |
| Switch Panel Button   | Surface Micro Electro Button, Touch Button                                                                                                                                                                              |
| Switch Panels Display | Seven Segment Digital LED Display, LCD Display                                                                                                                                                                          |

# FREIGHT / GOODS

## *ELEVATOR*



Capacity 500 to 5000 KG Load

## Freight/Goods Elevator

With string durable and scientific space design products of G S Elevators freight elevator series fully understand the needs of up and down logistics transportation to provide user friendly design. Spaciousness and extremely convenient Technology makes it reliable.



## VARIOUS OPTIONS ARE AVAILABLE

|                       |                                                                                                                                                                                                                                                        |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Speed                 | 0.32 to 1.00 mps.                                                                                                                                                                                                                                      |
| Capacity              | 500 kg. to 5000 kg. passenger                                                                                                                                                                                                                          |
| Car Finish            | M. S. Power Coated Car.<br>Stainless Steel Hair Line Finish Car.<br>Steel Designed & Steel Hair Line Finish Car.<br>M. S. Swing Manual Door                                                                                                            |
| Doors Finish          | M. S. Swing Manual Doors.<br>M. S. Collapsible / Imperforated Manual Doors<br>M. S. Power Coated Finish Auto Door.<br>Stainless Steel Hair Line Finish Auto Door.<br>Glass with Stainless Steel Framed Finish Auto Door.<br>Wooden Swing Manual Doors. |
| Switch Panel Button   | Surface Micro Electro Button, Touch Button                                                                                                                                                                                                             |
| Switch Panels Display | Seven Segment Digital LED Display.<br>Digital Dot Matrix Display<br>LCD Display                                                                                                                                                                        |





Capacity 4 to 24 Passangers

## Passenger Elevator

### Manual Elevator


Being a customer focused organization, We are engaged in offering a wide and comprehensive range of Manual Door Elevators. These elevators are audited on different parameters by our proficiency analysts so as to offer a defect free range to clients. Also, this range is acclaimed by our clients for it. Secure safe usage, durability and high strength.



Collapsible Wooden Swing Door



Glass View M.S. Door



Full Glass Door



### VARIOUS OPTIONS ARE AVAILABLE


|                       |                                                                                                                                                                          |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Speed                 | 0.70 to 1.00 mps.                                                                                                                                                        |
| Capacity              | 4 to 24 passenger                                                                                                                                                        |
| Car Finish            | M. S. Power Coated Car.<br>Stainless Steel Hair Line Finish Car.<br>Steel Designed & Steel Hair Line Finish Car.<br>Steel Mirror & Stainless Steel Hair Line Finish Car. |
| Doors Finish          | M. S. Swing Manual Doors,<br>M. S. Collapsible Manual Doors<br>Wooden Swing Manual Doors                                                                                 |
| Switch Panel Button   | Surface Micro Electro Button, Touch Button                                                                                                                               |
| Switch Panels Display | Seven Segment Digital LED Display<br>LCD Display                                                                                                                         |

# AUTOMOBILE ELEVATOR




## Automobile Elevator

Car Auto Door Elevator for Residential, Commercial, Hotel, Clubs, Bungalows, Industrial Buildings depending upon the shaft size by owner / developer for convenient movement of men & vehicle. with speed / amenities up to Choice of owners.



Bal-Parting Auto Door



Telescopic Auto Door



Vertical Auto Door



### VARIOUS OPTIONS ARE AVAILABLE

|                       |                                                                                      |
|-----------------------|--------------------------------------------------------------------------------------|
| Speed                 | 0.3 to 0.5 mps.                                                                      |
| Capacity              | 3000 kg.                                                                             |
| Car Finish            | M. S. Power Coated Car.<br>Stainless Steel Hair Line Finish Car.                     |
| Type of Door          | Vertical Auto Door.<br>Telescopic Auto Doors.<br>Bal-Parting Autodoor                |
| Doors Finish          | M. S. Powder Coated Finish Auto Door.<br>Stainless Steel Hair Line Finish Auto Door. |
| Switch Panels Button  | Surface Micro Electro Button                                                         |
| Switch Panels Display | Seven Segment Digital LED Display<br>Digital Dot Matrix Display                      |






# OPTIONAL CAR DESIGNS

*A Wide Choice of Durable Interior Materials*



## Optional Car Designs

The novel and graceful designs, the broad and bright space, it can want only arrange and combine the ceiling floor and Car wall. It meets the Individual demands and displays an aristocratic personality.





# Push Button Operation Panel

Landing Push Button & Car Operating Panel

## Features & Specifications:


Face Plates: Hairline Finish S.S. Mirror Finish S.S.,  
Gold Mirror & Matt Finish S.S., Rose Finish S.S. & Black S.S.

Various Push Button of your Choice

Position Indicator : 7 Segments & Arrow.

Scrolling Dot Matrix Display & LCD Display e-Motive

Display, Monochrome LCD., Multi Color, TFT Screen Display.



Function in Beauty



# SPECIFICATION

## CHART

### PASSENGER LIFT

| LOAD    |      | CAR INSIDE |       | SHAFT DIMENSIONS |       | ENT  | MACHINE ROOM |         |          | TYPE OF DOOR |
|---------|------|------------|-------|------------------|-------|------|--------------|---------|----------|--------------|
| PERSONS | KG   | WIDTH      | DEPTH | WIDTH            | DEPTH | E    | WIDTH K      | DEPTH L | HEIGHT H |              |
| 4       | 272  | 900        | 900   | 1400             | 1450  | 700  | 2400         | 2400    | 2500     | MANUAL       |
| 5       | 340  | 1100       | 850   | 1550             | 1400  | 700  | 2400         | 2400    | 2500     |              |
| 6       | 408  | 1100       | 1000  | 1550             | 1550  | 800  | 2400         | 2400    | 2500     |              |
| 8       | 544  | 1300       | 1100  | 1800             | 1650  | 800  | 2400         | 2400    | 2500     |              |
| 4       | 272  | 1100       | 700   | 1600             | 1350  | 700  | 2400         | 2400    | 2500     | AUTOMATIC    |
| 5       | 340  | 1100       | 850   | 1600             | 1500  | 700  | 2400         | 2400    | 2500     |              |
| 6       | 408  | 1100       | 1000  | 1600             | 1550  | 700  | 2400         | 2400    | 2500     |              |
| 8       | 544  | 1300       | 1100  | 1800             | 1700  | 800  | 2600         | 2400    | 2500     |              |
| 10      | 680  | 1350       | 1300  | 1850             | 1900  | 800  | 2600         | 2400    | 2500     |              |
| 13      | 884  | 2000       | 1100  | 2500             | 1900  | 900  | 2600         | 2400    | 2500     |              |
| 16      | 1088 | 2000       | 1300  | 2500             | 2100  | 1000 | 2600         | 2400    | 2500     |              |
| 20      | 1360 | 2000       | 1550  | 2500             | 2400  | 1000 | 2600         | 2400    | 2500     |              |
| 24      | 1632 | 2150       | 1650  | 2500             | 2500  | 1000 | 2750         | 2400    | 2500     |              |

### HOSPITAL ELEVATORS

| LOAD    |      | CAR INSIDE |         | SHAFT DIMENSIONS |         | ENT  | MACHINE ROOM |         |
|---------|------|------------|---------|------------------|---------|------|--------------|---------|
| PERSONS | KG   | WIDTH A    | DEPTH B | WIDTH C          | WIDTH D | E    | WIDTH K      | DEPTH L |
| 15      | 1020 | 1100       | 2500    | 1800             | 3000    | 800  | 2400         | 3000    |
| 20      | 1360 | 1300       | 2500    | 2100             | 3000    | 1000 | 2600         | 3000    |
| 26      | 1768 | 1600       | 2500    | 2350             | 3000    | 1200 | 2950         | 3000    |

### DUMB WAITERS

| LOAD | CAR SPEED | CAR INSIDE |         |          | SHAFT DIMENSIONS |         | ENT | MACHINE ROOM |         |
|------|-----------|------------|---------|----------|------------------|---------|-----|--------------|---------|
| KG   | MPS       | WIDTH A    | DEPTH B | HEIGHT C | WIDTH C          | WIDTH D | E   | WIDTH K      | DEPTH L |
| 100  | 0.25      | 600        | 600     | 600      | 1000             | 1000    | 600 | 1400         | 1500    |
| 150  | 0.25      | 800        | 800     | 900      | 1200             | 1200    | 800 | 1500         | 1500    |
| 200  | 0.25      | 900        | 900     | 1000     | 1300             | 1300    | 800 | 1500         | 1800    |
| 250  | 0.25      | 1000       | 1000    | 1200     | 1400             | 1400    | 900 | 1800         | 2000    |

### FREIGHT ELEVATORS

| LOAD | CAR INSIDE |         | SHAFT DIMENSIONS |         | ENT  | MACHINE ROOM |         |
|------|------------|---------|------------------|---------|------|--------------|---------|
| KG   | WIDTH A    | DEPTH B | WIDTH C          | WIDTH D | E    | WIDTH K      | DEPTH L |
| 500  | 1500       | 1500    | 2100             | 1800    | 900  | 2700         | 2400    |
| 1000 | 1500       | 1800    | 2200             | 2100    | 1200 | 2800         | 2700    |
| 1500 | 1700       | 2000    | 2400             | 2300    | 1500 | 2800         | 2700    |
| 2000 | 1700       | 2500    | 2500             | 2800    | 1500 | 2900         | 3400    |
| 3000 | 2000       | 3000    | 2800             | 3300    | 1800 | 3400         | 3900    |
| 4000 | 2500       | 3000    | 3400             | 3300    | 2000 | 3400         | 3900    |
| 5000 | 2500       | 3600    | 3400             | 3900    | 2200 | 4000         | 3900    |

### MACHINE ROOM LESS ELEVATORS

| LOAD    |     | CAR INSIDE |         | SHAFT DIMENSIONS |         | ENT  |
|---------|-----|------------|---------|------------------|---------|------|
| PERSONS | KG. | WIDTH A    | DEPTH B | WIDTH C          | WIDTH D | E    |
| 4       | 272 | 900        | 900     | 1650             | 1450    | 700  |
| 5       | 340 | 900        | 1050    | 1650             | 1600    | 700  |
| 6       | 408 | 1000       | 1100    | 1850             | 1650    | 800  |
| 8       | 544 | 1100       | 1300    | 1950             | 1850    | 800  |
| 10      | 272 | 1300       | 1350    | 2150             | 1900    | 900  |
| 13      | 340 | 1500       | 1500    | 2350             | 2050    | 1000 |
| 16      | 408 | 1600       | 1750    | 2450             | 2300    | 1200 |

Note: All Dimension Units are in Milimeters.



*Accelerate your Moves*

## **GS ELEVATOR & ESCALATOR SOLUTION**

**Gwaliour Office:** 259, Jiwaji Nagar, Thatipur, Gwalior- 474011 (MP).

**Head Office:**

Plot No. 56, Street No. 3, Sidharthi Enclave, Bhagwati Garden Extn.,  
Near Dwarka More, Uttam Nagar, New Delhi-110059 (INDIA)

**E-mail:** [sales@gselevatorsolutions.com](mailto:sales@gselevatorsolutions.com)

**Web.:** [gselevatorsolutions.com](http://gselevatorsolutions.com)

**Office:** 8860839051, 8447380131

