

STS HOTSPOT INTERNET SOLUTION SYSTEMS

Hotspot Gateway

Model: K1

Authentication

No limit to the number of users

Throughput: up to 60Mb/s

Access code database: 10000

Ethernet

WAN: RJ-45 10/100

LAN1-LAN4: RJ-45 10/100

Wireless

Wireless port: 802.11/n, 300Mb/s

RF Power output: +20dBm (100mW)

Features

Peer to Peer Blocking

Works with any Access Point

Fully customizable login page

Access Code login

Set bandwidth limits per user

Cloud Management

Data limits

Multi-WAN - Load balancing and failover

Robust firewall

Facebook login

Email and data collection

Content filtering



Model: K3/K5

Authentication

No limit to the number of users

Throughput: up to 75Mb/s

Access code database: 10000

Ethernet

WAN: RJ-45 10/100

LAN: RJ-45 10/100



STS HOTSPOT INTERNET SOLUTION SYSTEMS

Wireless

Wireless port: 802.11/n, 300Mb/s

RF Power output: +23dBm (100mW)

8dBi Panel Antenna, H:60o V:33o

Polarization: Horizontal+Vertical

2.4GHz to 2.484 GHz

Features

Peer to Peer Blocking

Works with any Access Point

Fully customizable login page

Access Code login

Set bandwidth limits per user

Cloud Management

Data limits

Multi-WAN - Load balancing and failover

Robust firewall

Facebook login

Email and data collection

ModelContent filtering

Model: R2/R3/R4

Authentication

No limit to the number of users

Throughput: up to 75/100 /150Mb/s

Access code database: 10000

Ethernet

WAN: RJ-45 1Gb/s

LAN1-LAN4: RJ-45 1Gb/s

Features

Works with any Access Point

Fully customizable login page

Access Code login

Set bandwidth limits per user

Cloud Management

Data limits



STS HOTSPOT INTERNET SOLUTION SYSTEMS

Firewall

Facebook login

Email and data collection

Content filtering

Model: R6/R10/R20/R40/

Authentication

No limit to the number of users

Throughput: up to 200/400/600/1000Mb/s

Access code database: 10000

Ethernet

WAN1-WAN2: RJ-45 1Gb/s

LAN1-LAN3: RJ-45 1Gb/s

Features

Peer to Peer Blocking

Works with any Access Point

Fully customizable login page

Access Code login

Set bandwidth limits per user

Cloud Management

Data limits

Multi-WAN - Load balancing and failover

Robust firewall

Facebook login

Email and data collection

Content filtering



STS HOTSPOT INTERNET SOLUTION SYSTEMS

Model: R80

Authentication

No limit to the number of users

Throughput: up to 4x400 Mb/s

Access code database: 10000

Ethernet

WAN1-WAN4: RJ-45 10/100/1000

LAN1-LAN4: RJ-45 10/100/1000

Features

Peer to Peer Blocking

Works with any Access Point

Fully customizable login page

Access Code login

Set bandwidth limits per user

Cloud Management

Data limits

Multi-WAN - Load balancing and failover

Robust firewall

Facebook login

Email and data collection

Content filtering

