

INTERNATIONAL JOURNAL OF ACADEMIC RESEARCH

Vol. 3. No. 1. January, 2011, Part I

## ESTIMATED FUTURE SALINITY IN THE ARABIAN GULF, THE MEDITERRANEAN SEA AND THE RED SEA CONSEQUENCES OF BRINE DISCHARGE FROM DESALINATION

Raed A.I. Bashitialshaaer<sup>1</sup>, Kenneth M. Persson<sup>1,2</sup>, Mohammad Aljaradin<sup>1</sup>\*

<sup>1</sup>Department of Water Resources Engineering, Lund University, <sup>2</sup>Sydvatten AB, R&D, Malmö (SWEDEN) \*Corresponding author: Mohammad.Aljaradin@tvrl.lth.se

## **ABSTRACT**

Seawater desalination constitutes an important source for water supply to the population bordering the Arabian Gulf, the Mediterranean Sea, and the Red Sea. The three regions represent about 11.8% of the world land area and the countries hosted approximately 9% of the world population in 1950 and 2008 and are projected to do so again in 2050. Population statistics for a 100-year period has been used including a prognosis from 2010 to 2050. Data on desalination plant capacity covering 12 years from 1996 to 2008 has been summarized and a prognosis of the increase in desalination for the three regions until 2050, desalination for the three regions until 2050.