



Text Functions



ERJ Consulting

www.EulisesRoman.com

Text Functions



ERJ Consulting

Function	Description
ASC	Changes full-width (double-byte) English letters or katakana within a character string to half-width (single-byte) characters
BAHTTEXT	Converts a number to text, using the ฿ (baht) currency format
CHAR	Returns the character specified by the code number
CLEAN	Removes all nonprintable characters from text
CODE	Returns a numeric code for the first character in a text string
CONCATENATE	Joins several text items into one text item
DOLLAR	Converts a number to text, using the \$ (dollar) currency format
EXACT	Checks to see if two text values are identical
FIND, FINDB	Finds one text value within another (case-sensitive)
FIXED	Formats a number as text with a fixed number of decimals
JIS	Changes half-width (single-byte) English letters or katakana within a character string to full-width (double-byte) characters
LEFT, LEFTB	Returns the leftmost characters from a text value
LEN, LENB	Returns the number of characters in a text string
LOWER	Converts text to lowercase
MID, MIDB	Returns a specific number of characters from a text string starting at the position you specify
PHONETIC	Extracts the phonetic (furigana) characters from a text string
PROPER	Capitalizes the first letter in each word of a text value

Text Functions



ERJ Consulting

Function	Description
REPLACE, REPLACEB	Replaces characters within text
REPT	Repeats text a given number of times
RIGHT, RIGHTB	Returns the rightmost characters from a text value
SEARCH, SEARCHB	Finds one text value within another (not case-sensitive)
SUBSTITUTE	Substitutes new text for old text in a text string
T	Converts its arguments to text
TEXT	Formats a number and converts it to text
TRIM	Removes spaces from text
UPPER	Converts text to uppercase
VALUE	Converts a text argument to a number