



ASPHALT-A-WAY SAFETY DATA SHEET

DATE: 12/18/2025

1. IDENTIFICATION

Product Name (as labeled):	<i>Asphalt-A-Way</i>
Description:	Asphalt-A-Way is a biodegradable green solvent designed to break heavy organic molecules.
Manufacturer's Name:	Revive Production
Address:	80b Walnut Grove Rd, Boerne, TX 78006
Emergency Phone:	(830) 398-2240
Email:	msardo@reviveproduction.com
Recommended Use:	Solvent
Recommended Restrictions:	None known

2. HAZARDOUS IDENTIFICATION

Physical Hazards:	Not classified	
Health Hazards:	Skin Irritant	Category 2 H315
	Causes eye irritation	Category 2B H320
Environmental Hazards:	Not classified	
OSHA Defined Hazards:	Not classified	

Label Elements:

GHS07



Signal Word:	Warning
Hazard Statement:	May cause skin and eye irritation.
Precautionary Statement:	

Prevention: Wash thoroughly after handling. Do not eat, drink, or smoke while handling this product. Wear protective gloves and safety glasses as needed.

Response: If swallowed: Rinse mouth, call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes, remove contact lenses, if present and easy to do, continue rinsing. If eye irritation persists: Get medical advice/attention. If on skin: Wash with plenty of water. Take off contaminated clothes and wash them before reuse.

Storage: Store away from incompatible materials.

Disposal: Dispose of contents/container in accordance with local, regional, national, and/or international regulations.

Unknown Acute Toxicity: 100% of the mixture consists of ingredients of unknown toxicity.

Hazard(s) Not Otherwise Classified (HNOC): None known.



ASPHALT-A-WAY SAFETY DATA SHEET

DATE: 12/18/2025

Supplemental Information: None

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS	%
Eicosapentanoic Acid Ethyl Ester	86227-47-6	Proprietary*
Methyl Ester	67784-37-2	Proprietary *
Proprietary*		<2%*

* Chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Inhalation:	Not a normal route of entry.
Skin Contact:	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye Contact:	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do, continue rinsing. Get medical attention if irritation develops and persists.
Ingestion:	Rinse mouth. If vomiting occurs: keep head low so that stomach content does not get into the lungs. Get medical advice/attention if symptoms develop.
Most Important Symptoms/Effects, Acute and Delayed:	No further relevant information available.
Indication of Immediate Medical Attention and Special Treatment Needed:	No further relevant information available.
General Information:	Ensure that medical personnel are aware of the materials involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:	Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable Extinguishing Media:	Water. Do not use water jet as an extinguisher, as this will spread the fire.
Specific Hazards Arising from the Chemical:	Rags soaked with any solvent present a fire hazard and should always be stored in UL listed or Factory Mutual approved covered containers. Improperly stored rags can create conditions that lead to oxidation. Oxidation under certain conditions can lead to spontaneous combustion.
Special Protective Equipment and Precautions for Firefighters:	Self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective clothing must be worn in case of fire.
Specific Methods:	Treat as an oil fire. Use standard firefighting procedures for oil fires and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.
Hazardous Combustion Products:	No further relevant information available.
General Fire Hazards:	No unusual fire or explosion hazards noted.



ASPHALT-A-WAY SAFETY DATA SHEET

DATE: 12/18/2025

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of the SDS.

Methods and Materials for Containment and Clean Up:

Absorb spill liquid binding material: vermiculite, sand, diatomite, acid binders, universal binders, sawdust, or other inert material, then place in a container for chemical waste. Large spillages: Flush area with water, prevent runoff from entering drains, sewers or streams. Dike for later disposal. Dispose of the collected material according to regulations.

Environmental Precautions:

Contain spilled material. Transfer to secure containers. Where necessary, collect using absorbent material. Do not allow to enter waterways, sewers, or basements or confined spaces.

7. HANDLING AND STORAGE

Handling:

Precautions for Safe Handling:

Ensure good ventilation / exhaustion at the workplace. Prevent formation of aerosols.

Information about protection against explosions and fires:

No special measures required.

Storage:

Conditions for Safe Storage, Including any Incompatibilities:

Store in cool, dry, well-ventilated area away from direct sunlight and any incompatible materials (see section 10).

Further Information:

Keep receptacle tightly sealed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Additional information about design of technical systems:

No further data; see section 7.

Control Parameters

Components with occupational exposure limits:

Contains no substances with occupational exposure limit values.

Occupational Exposure Limits:

No exposure limits noted for ingredient(s).

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Additional information:

The lists that were valid during the creation of this SDS were used as basis.

Exposure controls

General Protective and Hygienic Measures:

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing and wash before reuse. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Breathing Equipment:

Not required.

Protection of hands:

Wear appropriate chemical resistant gloves.



ASPHALT-A-WAY SAFETY DATA SHEET

DATE: 12/18/2025

Protection of Eyes:	Wear safety glasses.
Engineering Controls:	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.
Personal Protective Equipment	
Eye/Face Protection:	Face shield is recommended. Wear safety glasses with side shields (or goggles).
Skin Protection / Hand Protection:	Protective gloves. The glove material must be impermeable and resistant to the product. Due to missing tests, no recommendation to the glove material can be given for the product. Select glove material based on penetration times, rates of diffusion, and degradation.
Material of Gloves:	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality, and varies from manufacturer to manufacturer.
Penetration Time of Glove Material:	The exact break-through time must be determined and observed by the manufacturer of the protective gloves.
Respiratory Protection:	Not required for properly ventilated areas.
Thermal Hazards:	Wear appropriate thermal protective clothing, when necessary.
Other:	Wear suitable protective clothing.
General Hygiene:	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	
Physical State:	Liquid.
Color:	Light yellow.
Odor:	Light vegetable / slight citrus
Odor Threshold:	Not available.
pH:	6.5 - 7.0
Melting/Freezing Point:	Not available
Initial Boiling Point and Range:	664 °F (351 °C)
Flash Point:	>300 °F (>149 °C)
Evaporation Rate:	Not available.
Flammability (solid, gas):	Not applicable.
Upper/Lower Flammability or explosive limits:	
Flammability limit - Lower (%):	Not available.



ASPHALT-A-WAY SAFETY DATA SHEET

DATE: 12/18/2025

Flammability limit - Upper (%):	Not available.
Explosive limit - Lower (%):	Not available.
Explosive limit- Upper (%):	Not available.
Vapor Pressure:	<0.4 mmHg @ 77 °F
Vapor Density:	Not available.
Relative Density:	Not available.
Solubility:	
Water	Insoluble.
Partition Coefficient (n-octanol/water):	Not determined.
Auto-Ignition Temperature:	Not determined.
Decomposition temperature:	Not determined.
Viscosity:	4.50 cSt @ 77 °F
Other Information:	
Kauri-Butanol Value:	61

10. STABILITY AND REACTIVITY

Reactivity:	No further relevant information available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of Hazardous Reactions:	No dangerous reaction known under conditions of normal use.
Conditions to avoid:	Thermal decomposition will produce toxic oxides of carbon.
Incompatible materials:	Strong oxidizing agents, acids, and alkalis.
Hazardous Decomposition Products:	Oxides of carbon (COx).

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation:	No adverse effects due to inhalation are expected. Excessive inhalation of mist may result in respiratory irritation. Overheating may produce vapors which may cause respiratory irritation, dizziness, and nausea.
Skin Contact:	May cause skin irritation.
Eye Contact:	May cause mild eye irritation.
Ingestion:	Harmful if swallowed.
Symptoms Related to the Physical, Chemical and Toxicological Characteristics:	Eye irritation. Symptoms may include stinging, tearing, redness, swelling and blurred vision.

Information of Toxicological Effects

Acute Toxicity:	Harmful if swallowed.
------------------------	-----------------------



ASPHALT-A-WAY SAFETY DATA SHEET

DATE: 12/18/2025

Components	Species	Test Results
Proprietary formulation		
Acute		
Oral	LD50	Rat >5,000 mg/kg
Dermal	LD50	Rabbit >5,000 mg/kg
Skin Corrosion/Irritation:		Prolonged skin contact may cause temporary irritation.
Serious Eye Damage/Eye Irritation:		May cause eye irritation.
Respiratory or Skin Sensitization		
Respiratory Sensitization:		Not a respiratory sensitizer
Germ Cell Mutagenicity:		No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity:		This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):		Not listed.
Reproductive Toxicity:		This product is not expected to cause reproductive or developmental effects.
Specific Target Organ Toxicity - Single Exposure:		Not classified
Specific Target Organ Toxicity - Repeated Exposure:		Not classified
Aspiration Hazard:		Not an aspiration hazard.

12. ECOLOGICAL INFORMATION

Toxicity	No further relevant information available.
Aquatic Toxicity:	No further relevant information available.
Persistence and Degradability:	This product is expected to be readily biodegradable.
Behavior in Environmental Systems	
Bioaccumulative potential:	No further relevant information available.
Mobility in Soil:	No data available.
Additional Ecological Information	
General Information:	Not known to be hazardous to water.
Other Adverse Effects:	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product.



ASPHALT-A-WAY SAFETY DATA SHEET

DATE: 12/18/2025

13. DISPOSAL CONSIDERATIONS

Disposal Instructions:	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local, regional, national international regulations.
Local Disposal Regulations:	Dispose in accordance with all applicable regulations.
Hazardous Waste Code:	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from Residues/Unused Products:	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see Disposal instructions).
Contaminated Packaging:	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

UN Number:	GHS07
DOT, ADR, ADN, IMDG, IATA:	Non-Regulated Material.
UN Proper Shipping Name:	
DOT, ADR, ADN, IMDG, IATA:	Non-Regulated Material.
Transport Hazard Class(es):	
DOT, ADR, ADN, IMDG, IATA:	Non-Regulated Material.
Class:	Non-Regulated Material.
Packing Group:	
DOT, ADR, ADN, IMDG, IATA:	Non-Regulated Material.
Environmental Hazards:	Not Applicable.
Special precautions for user:	Not Applicable.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:	Not Applicable.

15. REGULATORY INFORMATION

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D):	Listed.
CERCLA Hazardous Substance List (40 CFR 302.4):	Not Listed.
SARA 304 Emergency Release Notification:	Not listed.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):	Not listed.
SARA 302 Extremely Hazardous Substance:	Not listed.
SARA 311/312 Hazardous Chemical:	No.



ASPHALT-A-WAY SAFETY DATA SHEET

DATE: 12/18/2025

SARA 313 (TRI reporting):	Not listed.
Other Federal Regulations	
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List:	Not regulated.
Clean Air Act (CAA) Section 112® Accidental Release Prevention (40 CFR 68.130) :	Not regulated.
Safe Drinking Water Act (SDWA):	Not regulated.
US State Regulations	
US California Proposition 65:	Not listed.
Chemicals known to cause cancer:	Not listed.
Chemicals known to cause reproductive toxicity for females:	Not listed.
Chemicals known to cause reproductive toxicity for males:	Not listed.
Chemicals known to cause developmental toxicity:	Not listed.
Carcinogenic Categories:	Not listed.
EPA (Environmental Protection Agency):	Not listed.
TVL (Threshold Limit Value established by ACGIH):	Not listed.
NIOSH-Ca (National Institute for Occupational Safety and Health):	Not listed.
GHS label elements:	The substance is classified and labeled according to the Globally Harmonized System (GHS).

16. OTHER INFORMATION

Further Information

Disclaimer: The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road.

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

IMDG: International Maritime Code for Dangerous Goods.

DOT: US Department of Transportation.

IATA: International Air Transport Association.

ACGIH: American Conference of Governmental Industrial Hygienists.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

NFPA: National Fire Protection Association (USA).

HMIS: Hazardous Materials Identification System (USA).