

## PERIPHERAL NERVES CONDITIONS (Not Including Diabetic Sensory - Motor Peripheral Neuropathy) DISABILITY BENEFITS QUESTIONNAIRE

NAME OF PATIENT/VETERAN	PATIENT/VETERAN'S SOCIAL SECURITY NUMBER
IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENDENTING AND/OR SUBMITTING THIS FORM.	NSES OR COST INCURRED IN THE PROCESS OF
Note - The Veteran is applying to the U.S. Department of Veterans Affairs (VA) for disability benefits. VA will conside of their evaluation in processing the Veteran's claim. VA may obtain additional medical information, including an exeveteran's application. VA reserves the right to confirm the authenticity of ALL questionnaires completed by providers by the Veteran's provider.	amination, if necessary, to complete VA's review of the
Are you completing this Disability Benefits Questionnaire at the request of:	
Veteran/Claimant	
Other: please describe	
Are you a VA Healthcare provider? Yes No	
Is the Veteran regularly seen as a patient in your clinic? Yes No	
Was the Veteran examined in person? Yes No	
If no, how was the examination conducted?	
EVIDENCE REVIEW	
Evidence reviewed:	
No records were reviewed	
Records reviewed	
Please identify the evidence reviewed (e.g. service treatment records, VA treatment records, private treatment re	ecords) and the date range.

SECTION I - DIAGNOSIS						
1A. DOES THE VETERAN HAVE A PERIPHERAL NERVE CONDITION  Yes No (If "Yes," complete Item 1B)	N OR PERIPHERAL NEUROPATHY?					
1B. PROVIDE ONLY DIAGNOSES THAT PERTAIN TO A PERIPHERAL	L NERVE CONDITION AND/OR PERIPHERAL NEURO	OPATHY:				
Diagnosis # 1:	ICD Code:	Date of diagnosis:				
Diagnosis # 2:	ICD Code:	Date of diagnosis:				
Diagnosis # 3:	ICD Code:	Date of diagnosis:				
1C. IF THERE ARE ADDITIONAL DIAGNOSES THAT PERTAIN TO A P FORMAT:	ENPHENAL NEIVE CONDITION AND/ON PENIFILE	VAL NEUKOFATTI, LIST USING ABUVE				
<b>DEFINITIONS</b> : For VA purposes, neuralgia indicates a condition charact characterized by loss of reflexes, muscle atrophy, sensory disturbances		ion so as to identify the nerve, while neuritis is				
SE	CTION II - MEDICAL HISTORY					
2B. DOMINANT HAND  Right Left Ambidextrous						
	SECTION III - SYMPTOMS					
3A. Does the veteran have any symptoms attributable to any peripheral  Yes No  If yes, indicate symptoms' location and severity (check all that apply) Constant pain (may be excruciating at times)  Right upper extremity: None Mild  Left upper extremity: None Mild  Right lower extremity: None Mild  Left lower extremity: None Mild  Left lower extremity: None Mild						
Intermittent pain (usually dull)  Right upper extremity: None Mild Left upper extremity: None Mild Left lower extremity: None Mild Left lower extremity: None Mild Left lower extremity: None Mild Left upper extremity: None Mild Left lower extremity: None Mild Mild Left lower ext	Moderate Severe Moderate Severe Moderate Severe Moderate Severe  Moderate Severe  Moderate Severe  Moderate Severe Moderate Severe Moderate Severe Moderate Severe Moderate Severe Moderate Severe					

SECTION III - SYMPTOMS (Continued)											
3A. Does the veteran have ar	ny sympton	ns attrib	utable	to any pe	eripheral ne	rve conditio	ns? (Continue	ed)			
Numbness											
Right upper extremity:		$\equiv$	one	Mi	=	Moderate	=	vere			
Left upper extremity:		∐ No	one	Mi	=	Moderate	∐ Se	vere			
Right lower extremity:		∐ No	one	Mi	ld	Moderate	Se	vere			
Left lower extremity:		No	one	Mi	ld	Moderate	Se	vere			
3B. Other symptoms (describ	e sympton	ıs, loca	tion ar	ıd severii	ty):						
					CECTION	IV MUC		NOTUT	TOTINO		
4A. Rate strength according t	o the follow	uina oo	alo:		SECTION	IV - MUS	CLE STRE	NGIHIL	ESTING		
0/5 No muscle			ale.								
			ntrooti	on but no	laint maya	mont					
1/5 Palpable or					John Hove	mem					
2/5 Active mov				ated							
3/5 Active mov											
4/5 Active mov	ement aga	inst sor	ne resi	stance							
5/5 Normal stre	ength										
All normal											
Elbow flexion:	Right:		5/5	4/5	3/5	2/5	1/5	0/5			
	Left:		5/5	4/5	3/5	2/5	1/5	0/5			
Elbow extension:	Right:	_ [i] :	5/5	4/5	3/5	2/5	1/5	0/5			
	Left:	$\Box$	5/5	4/5	3/5	2/5	1/5	0/5			
Wrist flexion:	Right:	=	5/5	4/5	3/5	2/5	1/5	0/5			
	Left:	=	5/5	4/5	3/5	2/5	1/5	0/5			
Wrist extension:	Right:	=	5/5 [	4/5	3/5	2/5	1/5	0/5			
WIIST EXTERISION.	Left:	=	5/5 [	4/5	3/5	2/5	1/5	0/5			
Odni		=		=	=	=	=	=			
Grip:	Right:	=	5/5	4/5	3/5	2/5	1/5	0/5			
	Left:	=	5/5	4/5	3/5	2/5	1/5	0/5			
Pinch	Right:	=	5/5	4/5	3/5	2/5	1/5	<u></u> 0/5			
(thumb to index finger):	Left:	_ ∐ ;	5/5	4/5	3/5	2/5	1/5	0/5			
Knee extension:	Right:	_	5/5	4/5	3/5	2/5	1/5	0/5			
	Left:	<u></u>	5/5	4/5	3/5	2/5	1/5	0/5			
Ankle plantar flexion:	Right:		5/5	4/5	3/5	2/5	1/5	0/5			
	Left:		5/5	4/5	3/5	2/5	1/5	0/5			
Ankle dorsiflexion:	Right:		5/5	4/5	3/5	2/5	1/5	0/5			
	Left:		5/5	4/5	3/5	2/5	1/5	0/5			
4B. Does the veteran have m	uscle atror	hv?									
Yes No		y .									
If muscle atrophy is present	•		_								
For each instance of muscle	e atrophy, p	orovide	measu	rements	in centimete	ers of norma	al side and a	trophied sid	de, measured at maximu	m muscle bulk:	
	Normal s	side:			cm		Atrophie	ed side:	cm		
						ECTION V	- REFLEX	FXAM			
5. Rate deep tendon reflexes	(DTRs) ac	cording	to the	following		<u> </u>	- IXLI LLX	LAAN			
0 - Absent	(2 ) as	, o o . u g	,		, 554.5.						
1+ Hypoactive											
2+ Normal											
3+ Hyperactive	without cl	onus									
4+ Hyperactive	with clonu	IS									
All normal											
Biceps	Right:		0 [	1+	2+	3+	4+				
Біооро	Left:	=	0 [	<b>≓</b> 1+	2+	3+	4+				
Tricens		=	o [	1+	2+	3+	4+				
Triceps	Right:	=		=	=	=	$\equiv$				
Deschious di P	Left:	=	0 [	1+	2+	3+	∐ 4+ □ 4:				
Brachioradialis	Right:	=	0 [	1+	<u></u> 2+	<u></u> 3+	<u></u> 4+				
	Left:	=	0 [	1+	2+	3+	4+				
Knee	Right:	=	0 [	1+	2+	3+	4+				
	Left:	∐ ՙ	0 [	1+	2+	3+	4+				
Ankle	Right:		0 [	1+	2+	3+	4+				
	Left:		0 [	1+	2+	3+	4+				

SECTION VI - SENSORY EXAM							
Indicate results for sensation testing for     All normal	light touch:						
Shoulder area (C5):	Right: Normal Decreased Absent  Left: Normal Decreased Absent						
Inner/outer forearm (C6/T1):	Right: Normal Decreased Absent  Left: Normal Decreased Absent						
Hand/fingers (C6-8):	Right: Normal Decreased Absent  Left: Normal Decreased Absent						
Upper anterior thigh (L2):	Right: Normal Decreased Absent  Left: Normal Decreased Absent						
Thigh/knee (L3/4):	Right: Normal Decreased Absent  Left: Normal Decreased Absent						
Lower leg/ankle (L4/L5/S1):	Right: Normal Decreased Absent  Left: Normal Decreased Absent						
Foot/toes (L5):	Right: Normal Decreased Absent  Left: Normal Decreased Absent						
Other sensory findings, if any:							
	SECTION VII - TROPHIC CHANGES						
7. DOES THE VETERAN HAVE TROPHIC	CHANGES (characterized by loss of extremity hair, smooth, shiny skin, etc.) ATTRIBUTABLE TO PERIPHERAL NEUROPATHY?						
Yes No							
If yes, describe:							
	SECTION VIII - GAIT						
8. IS THE VETERAN'S GAIT NORMAL?  Yes No							
If no, describe abnormal gait:							
Provide etiology of abnormal gait:							
	SECTION IX - SPECIAL TESTS FOR MEDIAN NERVE						
9. WERE SPECIAL TESTS INDICATED AN	ID PERFORMED FOR MEDIAN NERVE EVALUATION?						
Yes No							
If yes, indicate results:  Phalen's sign: Right:	Positive Negative						
Phalen's sign: Right: Left:	Positive Negative						
Tinel's sign: Right:	Positive Negative  Positive Negative						
Left:	Positive     Negative						
SECTION	X - NERVES AFFECTED: Severity Evaluation for Upper Extremity Nerves and Radicular Groups						
Based on symptoms and findings from this exam, complete the following section to provide an estimation of the severity of the veteran's peripheral neuropathy. This summary provides useful information for VA purposes.							
NOTE: For VA purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete paralysis that is given with each nerve.							
	heck the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete /A purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.						

	SECTION X -	NERVES AFFECTED: Seve	erity E	ivaluation for Upper Extremity Nerves and Radicular Groups (Continued)			
NOTE: INDIC	ATE THE AFFECTE	D NERVES, SIDE AFFECTED	AND SI	EVERITY OF CONDITION.			
10A. Radial nerve (musculospiral nerve)							
				exed; cannot extend hand at wrist, extend proximal phalanges of fingers, extend thumb or make exion weak, hand grip impaired)			
Right:	Normal	Incomplete paralysis		Complete paralysis			
	If Incomplete para	llysis is checked, indicate severit	ty:				
	Mild	Moderate		Severe			
Left:	Normal	Incomplete paralysis		Complete paralysis			
	If Incomplete para	llysis is checked, indicate severit	ty:				
	Mild	Moderate		Severe			
10B. Median	nerve						
		nd inclined to the ulnar side, inde anx of thumb; wrist flexion weak,		middle fingers extended, atrophy of thenar eminence, cannot make fist, defective opposition of			
Right:	Normal	Incomplete paralysis		Complete paralysis			
	If Incomplete para	llysis is checked, indicate severit	ty:				
	Mild	Moderate		Severe			
Left:	Normal	Incomplete paralysis		Complete paralysis			
Leit.			ь <i>и</i>	Complete paralysis			
	Mild	llysis is checked, indicate severit  Moderate	ıy:	Severe			
	Willia	Ivioderate	Ш	Gevele			
10C. Ulnar ne	erve						
		iffin claw" deformity, atrophy in c ımb; wrist flexion weakened)	dorsal ii	nterspaces, thenar and hypothenar eminences; cannot extend ring and little finger, cannot spread			
Right:	Normal	Incomplete paralysis		Complete paralysis			
	If Incomplete para	llysis is checked, indicate severit	ty:				
	Mild	Moderate		Severe			
Left:	Normal	Incomplete paralysis		Complete paralysis			
	If Incomplete para	lysis is checked, indicate severit	ty:				
	Mild	Moderate		Severe			
10D Musculo	ocutaneous nerve						
		akened flexion of elbow and sup	ination	of forearm)			
14010. 00							
Right:	Normal	Incomplete paralysis		Complete paralysis			
		llysis is checked, indicate severit	ty:				
	Mild	Moderate	Ш	Severe			
Left:	Normal	Incomplete paralysis		Complete paralysis			
	If Incomplete para	llysis is checked, indicate severit	ty:				
	Mild	Moderate		Severe			
10E. Circumf	lex nerve						
		ervates deltoid and teres minor:	canno	t abduct arm, outward rotation is weakened)			
Right:	Normal	Incomplete paralysis	. $\square$	Complete paralysis			
		llysis is checked, indicate severit	ty:	C			
	∐ Mild	Moderate		Severe			
Left:	Normal	Incomplete paralysis		Complete paralysis			
	If Incomplete para	llysis is checked, indicate severit	ty:				
	Mild	Moderate		Severe			
10F. Long the	oracic nerve						
Note: Complete paralysis (inability to raise arm above shoulder level, winged scapula deformity)							
Right:	☐ Normal	Incomplete paralysis	ь <i>и</i> :	Complete paralysis			
		llysis is checked, indicate severit  Moderate	.y:	Savera			
	∐ Mild		ᆜ	Severe			
Left:	Normal	Incomplete paralysis	Ш	Complete paralysis			
		llysis is checked, indicate severit	ty:				
	Mild	Moderate		Severe			

	SECTION X - NERVES AFFECTED: Severity Evaluation for Upper Extremity Nerves and Radicular Groups (Continued)
10G. Upper r	radicular group (5 <sup>th</sup> & 6 <sup>th</sup> cervicals)
Note: Co	omplete paralysis (all shoulder and elbow movements lost; hand and wrist movements not affected)
Right:	Normal Incomplete paralysis Complete paralysis
	If Incomplete paralysis is checked, indicate severity:
	Mild Moderate Severe
Left:	Normal Incomplete paralysis Complete paralysis
	If Incomplete paralysis is checked, indicate severity:
	Mild Moderate Severe
10H. Middle r	radicular group
Note: Co	omplete paralysis (adduction, abduction, rotation of arm, flexion of elbow and extension of wrist lost)
Right:	Normal Incomplete paralysis Complete paralysis
	If Incomplete paralysis is checked, indicate severity:
	☐ Mild ☐ Moderate ☐ Severe
Left:	Normal Incomplete paralysis Complete paralysis
	If Incomplete paralysis is checked, indicate severity:
	Mild Moderate Severe
10I. Lower rad	idicular group
Note: Co	omplete paralysis (intrinsic hand muscles, wrist and finger flexors paralyzed; substantial loss of use of hand)
Right:	Normal Incomplete paralysis Complete paralysis
	If Incomplete paralysis is checked, indicate severity:
	Mild Moderate Severe
Left:	Normal Incomplete paralysis Complete paralysis
	If Incomplete paralysis is checked, indicate severity:
	Mild Moderate Severe
	SECTION XI - NERVES AFFECTED: Severity Evaluation for Lower Extremity Nerves
	symptoms and findings from this exam, complete the following section to provide an estimation of the severity of the veteran's peripheral
neuropathy	y. This summary provides useful information for VA purposes.
	VA purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of
complete p	paralysis that is given with each nerve.
	e is completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete
. ,	and indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.
<del>1</del>	CATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.
11A. Sciatic n	nerve omplete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)
Right:	Normal
	If incomplete paralysis is checked, indicate severity:  Mild  Moderate  Moderate  Severe, with marked muscular atrophy
Left:	Normal Incomplete paralysis Complete paralysis
Leit.	If incomplete paralysis is checked, indicate severity:
	Mild Moderate Severe Severe, with marked muscular atrophy
11B. External	Il popliteal (common peroneal) nerve
	omplete paralysis (foot drop, cannot dorsiflex foot or extend toes; dorsum of foot and toes are numb)
Right:	Normal Incomplete paralysis Complete paralysis
ragin.	If Incomplete paralysis is checked, indicate severity:
	Mild Moderate Severe
Left:	Normal Incomplete paralysis Complete paralysis
Leit.	
	If Incomplete paralysis is checked, indicate severity:  Mild Moderate Severe
110 ::	
	ocutaneous ( <i>superficial peroneal</i> ) nerve omplete paralysis ( <i>eversion of foot weakened</i> )
Right:	☐ Normal ☐ Incomplete paralysis ☐ Complete paralysis  If Incomplete paralysis is checked, indicate severity:
	Mild Moderate Severe
Ī	

	SEC	TION VI NEBVES AFFECT	ED:	Soverity Evaluation for Lawer Extremity Names (Continued)
	350		ED.	Severity Evaluation for Lower Extremity Nerves (Continued)
11C. Musculoo	cutaneous (superfici	(al peroneal) nerve (continued)		
Left:	Normal	Incomplete paralysis		Complete paralysis
	If Incomplete para	lysis is checked, indicate severity	y:	
	Mild	Moderate		Severe
11D. Anterior	tibial (deep peroneal	) nerve		
Note: Cor	mplete paralysis (dor	siflexion of foot lost)		
Right:	Normal	Incomplete paralysis		Complete paralysis
, and the second	If Incomplete paraly	ysis is checked, indicate severity	:	
	Mild	Moderate		Severe
Left:	Normal	Incomplete paralysis		Complete paralysis
	If Incomplete paraly	ysis is checked, indicate severity	:	
	Mild	Moderate		Severe
11E. Internal	popliteal (tibial) nerve	<del></del>		
Note: Cor	mplete paralysis (plai h in popliteal fossa. r	ntar flexion lost, frank adduction o plantar flexion of foot is lost)	of foo	t impossible, flexion and separation of toes abolished; no muscle in sole can move; in lesions of the
Right:	Normal	Incomplete paralysis	П	Complete paralysis
5	If Incomplete paraly	ysis is checked, indicate severity	:	
	Mild	Moderate		Severe
Left:	Normal	Incomplete paralysis		Complete paralysis
	If Incomplete paraly	ysis is checked, indicate severity	:	
	Mild	Moderate		Severe
11F. Posterior	tibial nerve			
Note: Cor flexion im		alysis of all muscles of sole of fo	ot, fre	quently with painful paralysis of a causalgic nature; loss of toe flexion; adduction weakened; plantar
Right:	Normal	Incomplete paralysis		Complete paralysis
	If Incomplete paral	ysis is checked, indicate severity	:	
	Mild	Moderate		Severe
Left:	Normal	Incomplete paralysis		Complete paralysis
	If Incomplete paral	ysis is checked, indicate severity	:	
	Mild	Moderate		Severe
11G. Anterior	crural (femoral) ner	ve		
Note: Cor	mplete paralysis <i>(par</i>	ralysis of quadriceps extensor m	ıuscle	s)
Right:	Normal	Incomplete paralysis		Complete paralysis
		ysis is checked, indicate severity	: 	2
	∐ Mild	Moderate		Severe
Left:	Normal	Incomplete paralysis	Ш	Complete paralysis
		ysis is checked, indicate severity	:	C
	Mild	Moderate	Ш	Severe
11H. Internal s	saphenous nerve			
Right:	Normal	Incomplete paralysis		Complete paralysis
		ysis is checked, indicate severity	: 	Course
	∐ Mild	Moderate		Severe
Left:	Normal	Incomplete paralysis		Complete paralysis
		ysis is checked, indicate severity	:	C
441.011.1	Mild	Moderate	Ш	Severe
11I. Obturator	nerve Normal	Incomplete peralucia		Complete paralysis
Right:	_	Incomplete paralysis ysis is checked, indicate severity	:	Complete paralysis
	Mild	Moderate		Severe
l offi	Normal			
Left:	_	Incomplete paralysis ysis is checked, indicate severity		Complete paralysis
	Mild	ysis is checked, indicate severity  Moderate		Severe

SECTION XI - NERVES AFFECTED: Severity Evaluation for Lower Extremity Nerves (Continued)
11J. External cutaneous nerve of the thigh
Right: Normal Incomplete paralysis Complete paralysis
If Incomplete paralysis is checked, indicate severity:
Mild Moderate Severe
Left: Normal Incomplete paralysis Complete paralysis
If Incomplete paralysis is checked, indicate severity:  Mild Moderate Severe
11K. Illio-inguinal nerve
Right: Normal Incomplete paralysis Complete paralysis
If Incomplete paralysis is checked, indicate severity:
Mild Moderate Severe
Left: Normal Incomplete paralysis Complete paralysis
If Incomplete paralysis is checked, indicate severity:
Mild Moderate Severe  SECTION XII - ASSISTIVE DEVICES
12A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES AS A NORMAL MODE OF LOCOMOTION ALTHOUGH OCCASIONAL LOCOMOTION BY OTHER METHODS
MAY BE POSSIBLE?  YES NO
If yes, identify assistive device(s) used (check all that apply and indicate frequency):
Wheelchair Frequency of use: Occasional Regular Constant
☐ Brace(s) Frequency of use: ☐ Occasional ☐ Regular ☐ Constant
Crutch(es) Frequency of use: Occasional Regular Constant
Cane(s) Frequency of use: Occasional Regular Constant
Walker Frequency of use: Occasional Regular Constant
Other: Frequency of use: Occasional Regular Constant
12B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:
12B. II THE VETERAN OBES ANT ASSISTIVE BEVIOLS, OF ESTIT THE COMBINION AND IDENTIFE THE ASSISTIVE BEVIOL OSED FOR EACH COMBINION.
SECTION XIII - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES
13. Due to peripheral nerve conditions, is there functional impairment of an extremity such that no effective function remains other than that which would
be equally well served by an amputation with prosthesis? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.)
Yes, functioning is so diminished that amputation with prosthesis would equally serve the veteran
No
If yes, indicate extremity(ies) (check all extremities for which this applies):
Right upper Left upper Right lower Left lower
For each checked extremity, describe loss of effective function, identify the condition causing loss of function, and provide specific examples (brief summary):
To oddit disclose statistics, accorded to the activity are contained eacting took of failures, and provide specific statistics (and provide specific statistics).
SECTION XIV - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS
14A. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS RELATED TO ANY
CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?
YES NO
IF YES, DESCRIBE (brief summary):

SECTION XIV - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYLLAB. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY	MPTOMS (Continued)					
DIAGNOSIS SECTION ABOVE?	TOONDITIONS EIGTED IN THE					
YES NO  IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM (6 square inches); OR						
ARE LOCATED ON THE HEAD, FACE OR NECK?  YES NO						
IF YES, ALSO COMPLETE VA FORM 21-0960F-1, SCARS/DISFIGUREMENT.						
IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS.						
LOCATION: mEASUREMENTS: length cm X width cm.						
<b>NOTE:</b> An "unstable scar" is one where, for any reason, there is frequent loss of covering of the skin over the scar. If there are multiple scars and measurements in Comment section below. It is not necessary to also complete a Scars DBQ.	s,enter additional locations					
14C. COMMENTS, IF ANY:						
SECTION XV - DIAGNOSTIC TESTING						
<b>NOTE</b> : For the purpose of this examination, electromyography (EMG) studies are usually rarely required to diagnose specific peripheral nerve clinical setting. If EMG studies are in the medical record and reflect the veteran's current condition, repeat studies are not indicated.	conditions in the appropriate					
15A. HAVE EMG STUDIES BEEN PERFORMED?						
Yes No Extremities tested:						
Right upper extremity Results: Normal Abnormal Date:						
Left upper extremity Results: Normal Abnormal Date:						
Right lower extremity Results: Normal Abnormal Date:						
Left lower extremity Results: Normal Abnormal Date:						
If abnormal, describe:						
15B. ARE THERE ANY OTHER SIGNIFICANT DIAGNOSTIC TEST FINDINGS AND/OR RESULTS?						
☐ Yes ☐ No						
If yes, provide type of test or procedure, date and results (brief summary):						
SECTION XVI - FUNCTIONAL IMPACT  16. DOES THE VETERAN'S PERIPHERAL NERVE CONDITION AND/OR PERIPHERAL NEUROPATHY IMPACT HIS OR HER ABILITY TO	WORK2					
Yes No	WORK?					
If yes, describe impact of each of the veteran's peripheral nerve and/or peripheral neuropathy condition(s), providing one or more examples:						
SECTION XVII - REMARKS						
17. REMARKS (If any)						
SECTION XVIII - PHYSICIAN'S CERTIFICATION AND SIGNATURE						
<b>CERTIFICATION</b> - To the best of my knowledge, the information contained herein is accurate, complete and current.						
18A. PHYSICIAN'S SIGNATURE 18B. PHYSICIAN'S PRINTED NAME	18C. DATE SIGNED					
18D. PHYSICIAN'S PHONE AND FAX NUMBER   18E. NATIONAL PROVIDER IDENTIFIER (NPI) NUMBER   18F. MEDICAL LICENCE N	UMBER AND STATE					
165.1111 6161/1161 1 1 1 1 1 1 1 1 1 1 1 1 1						
18G. PHYSICIAN'S ADDRESS						