Neck Disability Index						
This questionnaire is designed to enable us to understand how much your neck pain has affected your ability to manage everyday activities. Please answer each Section by "checking" the <b>ONE CHOICE</b> that most applies to you. We realize that you may feel that more than one statement may relate, but please <b>just check the one choice which closely describes your problem</b> <i>right now</i> .						
Section 1 – Pain intensity	Section 4 – Reading					
$\square$ I have no pain at the moment.	$\hfill\Box$ I can read as much as I want to with no pain in my neck.					
$\Box$ The pain is very mild at the moment.	$\hfill \square$ I can read as much as I want to with slight pain in my neck.					
$\Box$ The pain is moderate at the moment.	$\Box I$ can read as much as I ant with moderate pain in my neck.					
$\Box$ The pain is fairly severe at the moment.	$\Box$ I can hardly read at all because of severe pain in my neck.					
$\Box$ The pain is very severe at the moment.	$\Box$ I cannot read at all.					
$\Box$ The pain is the worst imaginable at the moment.	Section 5 – Headaches					
Section 2 – Personal Car (Washing, Dressing, etc.)	$\Box$ I have no headaches at all.					
$\Box$ I can look after myself normally without causing extra pain.	$\Box$ I have slight headaches which come infrequently.					
$\Box$ I can look after myself normally, but it causes extra pain.	$\Box$ I have moderate headaches which come infrequently.					
$\square$ It is painful to look after myself and I am slow and careful.	$\Box$ I have moderate headaches which come frequently.					
$\Box$ I need some help but manage most of my personal care.	oxtimes I have severe headaches which come frequently.					
$\Box$ I need help everyday in most aspects of self-care.	$\Box$ I have headaches almost all of the time.					
$\square$ I do not get dressed; I wash with difficulty and stay in bed.	Section 6 – Concentration					
Section 3 – Lifting	$\Box$ I can concentrate fully when I want to with no difficulty.					
$\square$ I can lift heavy weights without extra pain.	$\Box  I$ can concentrate fully when I want to with slight difficulty.					
$\Box$ I can lift heavy weights but it causes extra pain.	☐ I have a fair degree of difficulty in concentrating when I					
☐ Pain prevents me from lifting heavy weights off the floor, but I can manage if they are conveniently positioned, for example, on a table.	want to.					
	☐ I have a lot of difficulty in concentrating when I want to.					
☐ Pain prevents me from lifting heavy weights but I can manage light to medium weights if they are conveniently positioned.	☐I have a great deal of difficulty in concentrating when I want to.					
	☐I cannot concentrate at all.					
☐I can lift only very light weights.						

 $\Box I$  cannot lift or carry anything at all.

Name\_\_\_\_\_\_ Date\_\_\_\_\_\_ Patient#\_\_\_\_\_

Section 7 – Work	Section 9 – sleeping		
$\square$ I can do as much as I want to.	$\square$ I have no trouble sleeping.		
$\square$ I can only do my usual work, but no more.	<ul> <li>☐ My sleep is slightly disturbed (less than 1 hour of sleep loss).</li> <li>☐ My sleep is mildly disturbed (1-2 hours of sleep loss).</li> </ul>		
□ I can do most of my usual work, but no more. □ I cannot do my usual work.			
$\square$ I cannot do any work at all.	<ul><li>☐ My sleep is moderately disturbed (2-3 hours of sleep loss).</li><li>☐ My sleep is greatly disturbed (3-5 hours of sleep loss).</li></ul>		
Section 8 – Driving	$\square$ My sleep is completely disturbed (5-7 hours of sleep loss).		
□I can drive my car without any neck pain.	Section 10 – Recreation		
$\square$ I can drive my car as long as I want with slight neck pain.	$\Box I$ am able to engage in all my recreation activities with no neck pain.		
$\square$ I can drive my car as long as I want with moderate neck pain.	$\Box \mbox{\sc I}$ am able to engage in all my recreation activities with some neck pain.		
$\square$ I cannot drive my car as long as I want because of neck pain.	$\Box$ I am able to engage in most, but not all of my usual recreation activities because of neck pain.		
$\square$ I can hardly drive at all because of severe neck pain.	$\Box I$ am able to engage in only a few of my usual recreation activities because of neck pain.		
□I cannot drive my car at all.	$\Box$ I can hardly do any recreation activities because of neck pain.		
	$\square$ I cannot do any recreation activities at all.		
Scoring instructions for the physical therapists:			
Section 1 – Pain intensity			

My pain is mild and comes and goes The pain is mild and does not vary much

The pain is moderate and comes and goes. (A check at this level is scored as 2)
The pain is moderate and does not vary much. (A check at this level is scored as 3)

The pain is severe and comes and goes.

The pain is severe and does not vary much

(A check at this level is scored as 0)

(A check at this level is scored as 1)

(A check at this level is scored as 4)

(A check at this level is scored as 5)


If an item in each section is filled out, add up the score from each section and double it to get the final percentage score

(e.g., If total points from all 10 sections was 20, double the points and the final score would be 40. This is the score you report.)

If all items are not scored, then add up the total from all of the sections that were filled out, then divide by the total number of available points (i.e., if only 8 sections were answered, then the total possible points would be 40, not 50)

(e.g., if total points form the 8 sections was 16, then calculate 16/40 x 100= 40. This is the score you report)

Name				Date	_ Date				
Using the symbols below, please draw at the location on the body outlines, the type of pain you are experiencing									
Ache	Burning	Numbness	Pins and Needles	Stabbing	Other				
MMM		() () () () ()	NNNN	/////	xxxx				



## Chief Complaint and Visual Analog Scale My Chief Complaint is: Date First Symptom of your problem occurred on: 2nd Complaint: 3rd Complaint: No pain 0 1 2 3 4 5 6 7 8 9 10 Pain as bad as it gets Please mark on scale below to indicate your AVERAGE level of pain: No Pain 0 1 2 3 4 5 6 7 8 9 10 Pain as bad as it gets Please mark on scale below to indicate your AVERAGE level of pain: No Pain 0 1 2 3 4 5 6 7 8 9 10 Pain as bad as it gets Please mark scale below to indicate your WORST level of pain: No Pain 0 1 2 3 4 5 6 7 8 9 10 Pain as bad as it gets