



ISO 14001:2015

Free eBook. Learn More!

softexpert.com

OPEN

BIOLOGY

CHEMISTRY

EARTH

HEALTH

PHYSICS

SCIENCE

SPACE

TECHNOLOGY

HOT TOPICS

SEPTEMBER 21, 2020 | ULTRAVIOLET AURORA PHENOMENON DISCOVERED ON COMET CHURY – “THE RESULTING GLOW IS

SEARCH ...

HOME

BIOLOGY NEWS


SUBSCRIBE

Bending the Curve of Biodiversity Loss: Ambitious Conservation and Restoration Efforts Required

TOPICS: Agriculture Biodiversity Ecology

International Institute For Applied Systems Analysis Popular

By INTERNATIONAL INSTITUTE FOR APPLIED SYSTEMS ANALYSIS SEPTEMBER 9, 2020



This artwork illustrates the main findings of the article, but does not intend to accurately represent its results (<https://doi.org/10.1038/s41586-020-2705-y>)

This artwork illustrates the main findings of the article, but does not intend to accurately represent its results. Credit: IIASA

Plant and animal species across the world are steadily disappearing due to human activity. A major new IIASA-led study suggests that without ambitious, integrated action combining conservation and restoration efforts with a transformation of the food system, turning the tide of biodiversity by 2050 or earlier will not be possible.

Biodiversity — the variety and abundance of species, along with the extent and quality of the ecosystems they call home — has been declining at an alarming rate for many years. It is clear that we cannot allow the current trend to continue. If it does, there

SciTechDaily: Home of the best science and technology news since 1998. Keep up with the latest scitech news via email or social media.

E-mail

Submit



DON'T live life WITHOUT IT™

We've Added Something

Get up to \$10 back each month

Terms apply. Offer through 12/31/20

Learn More



POPULAR ARTICLES

will simply not be enough nature left to support future generations. While ambitious targets have been proposed, practical issues such as feeding the Earth's growing human population could make reaching such targets a challenge.

The study, which has been published in *Nature* and forms part of the latest World Wide Fund for Nature (WWF) Living Planet Report, for the first time set out to explore biodiversity targets as ambitious as a reversal in global biodiversity trends and shed light on what integrated future pathways to achieving this goal might entail.

"We wanted to assess in a robust manner whether it might be feasible to bend the curve of declining terrestrial biodiversity due to current and future land use, while avoiding jeopardizing our chances to achieve other Sustainable Development Goals (SDGs)," explains study lead author and IIASA researcher David Leclère. "If this were indeed possible, we also wanted to explore how to get there and more specifically, what type of actions would be required, and how combining various types of actions might reduce trade-offs among objectives and instead exploit synergies."

Using multiple models and newly developed scenarios to explore how addressing these elements in an integrated way might help reach biodiversity targets, the study provides key information on pathways that could materialize the 2050 vision of the UN Convention on Biological Diversity — "Living in harmony with nature". For global trends of terrestrial biodiversity as affected by land use change to stop declining and start recovering by 2050 or earlier, the researchers say that action is needed in two key areas:

- Bold conservation and restoration efforts together with increased management effectiveness, will have to rapidly be stepped up. The study assumes that protected areas quickly reach 40% of global terrestrial areas. This should happen in tandem with large efforts to restore degraded land (reaching about 8% of terrestrial areas by 2050 in the study scenarios) and land use planning efforts that balance production and conservation objectives on all managed land. Without such efforts, declines in biodiversity may only be slowed down rather than halted and any potential recovery would remain slow.


- Food system transformation: As bold conservation and restoration efforts alone will likely be insufficient, additional measures are needed to address global pressures on the food system. Efforts to bend the curve of global terrestrial biodiversity include reduced food waste, diets that have a lower environmental impact, and further sustainable intensification and trade.

Integrated action would however need to be taken in both areas simultaneously to bend the biodiversity loss curve upward by 2050 or earlier.

"In a scenario with increased conservation and restoration efforts alone, almost half of biodiversity losses estimated in the counterfactual business-as-usual scenario could not be avoided, a bending was not observed for all models, and when it did occur, it was often only in the second half of the 21st century. In addition, we found that bold conservation and restoration efforts alone might increase the price of food products, thereby potentially hampering future progress on eliminating hunger," says Michael Obersteiner, an IIASA researcher and Director of the Environmental Change Institute at Oxford University.

Conversely, scenarios that combined increased conservation and restoration efforts with efforts to transform the food system showed that opportunities for ambitious conservation and restoration efforts were larger, and potential adverse food security impacts defused, thereby securing a bending of global trends in global terrestrial biodiversity as affected by land use change by 2050. Finally, such transformative change in food and land use systems would also deliver significant co-benefits such as a large contribution to ambitious climate mitigation targets, reduced pressure on water resources, reduced excess of reactive nitrogen in the environment, and health benefits.

According to the authors, a true reversal of biodiversity declines will however likely necessitate an even broader set of actions, addressing biodiversity loss jointly with climate change.



SEPTEMBER 18, 2020

Scientists Discover Why We Need Sleep – “Important Work Is Being Done”

In very early life, sleep helps build the brain's infrastructure, but it then takes on an entirely new decluttering role. Prolonged sleep deprivation can lead...

[READ MORE](#)



SEPTEMBER 18, 2020

Ultra-Fast Magnetic Switching Could Transform Fiber Optic Communications & Expand the Capacity of the Internet



SEPTEMBER 18, 2020

Earth From Space: Awe-Inspiring Vatnajökull, Iceland [Video]



SEPTEMBER 18, 2020

Revolutionary Quantum Cryptography Breakthrough Paves Way for Safer Online Communication



SEPTEMBER 17, 2020

Our Early Ancestors May Have Boiled Their Food in Hot Springs Long Before Learning to Control Fire



SEPTEMBER 17, 2020

Most Shoes Have a “Toe Spring” That May Lead to Weaker Muscles and Painful Foot-Related Problems



SEPTEMBER 17, 2020

First Proof That a Safer UV Light Effectively Kills COVID-19 Virus

“If unmitigated, emerging threats to biodiversity such as climate change and biological invasions may become as important as land-use change — the largest biodiversity threat to date — in the future. A true bending of biodiversity losses will necessitate ambitious climate change mitigation that exploits synergies with biodiversity, rather than further eroding biodiversity,” says Andy Purvis, professor at the [Imperial College London](#), and researcher at the National History Museum in the UK.

With the Strategic Plan for Biodiversity 2011-2020 coming to an end with mixed outcomes, the study’s findings are directly relevant to on-going negotiations at the United Nations Convention on Biological Diversity.

“This study shows the world may still be able to stabilize and reverse the loss of nature. But to have any chance of doing that as early as 2030 we will need to make transformational changes in the way we produce and consume food as well as bolder, more ambitious conservation efforts,” says Mike Barrett, executive director of science and conservation at WWF-UK and a coauthor of the study. “If we don’t do this, and continue with business as usual, we will end up with a planet that cannot support current and future generations of people. Never has a “New Deal for Nature and People” that halts and starts to reverse biodiversity loss, been needed more.”

Reference: “Bending the curve of terrestrial biodiversity needs an integrated strategy” by David Leclère, Michael Obersteiner, Mike Barrett, Stuart H. M. Butchart, Abhishek Chaudhary, Adriana De Palma, Fabrice A. J. DeClerck, Moreno Di Marco, Jonathan C. Doelman, Martina Dürauer, Robin Freeman, Michael Harfoot, Tomoko Hasegawa, Stefanie Hellweg, Jelle P. Hilbers, Samantha L. L. Hill, Florian Humpenöder, Nancy Jennings, Tamás Krisztin, Georgina M. Mace, Haruka Ohashi, Alexander Popp, Andy Purvis, Aafke M. Schipper, Andrzej Tabeau, Hugo Valin, Hans van Meijl, Willem-Jan van Zeist, Piero Visconti, Rob Alkemade, Rosamunde Almond, Gill Bunting, Neil D. Burgess, Sarah E. Cornell, Fulvio Di Fulvio, Simon Ferrier, Steffen Fritz, Shinichiro Fujimori, Monique Grooten, Thomas Harwood, Petr Havlík, Mario Herrero, Andrew J. Hoskins, Martin Jung, Tom Kram, Hermann Lotze-Campen, Tetsuya Matsui, Carsten Meyer, Deon Nel, Tim Newbold, Guido Schmidt-Traub, Elke Stehfest, Bernardo B. N. Strassburg, Detlef P. van Vuuren, Chris Ware, James E. M. Watson, Wenchao Wu and Lucy Young, 10 September 2020, *Nature*.

DOI: [10.1038/s41586-020-2705-y](https://doi.org/10.1038/s41586-020-2705-y)

f SHARE

🐦 TWEET

📌 PIN

in SHARE

◀ Previous post

Next post ▶

MORE ON SCITECHDAILY



BIOLOGY

More Biodiversity Loss Outside of Cities Due to Urban Growth



BIOLOGY

Biologists Explore the Effect of Coral Restoration on Caribbean Reef Fish Communities



EARTH

The Truth Behind the Paris Agreement Climate Pledges – “Insufficient to Address Climate Change”



SCIENCE

Healthier Diets and Reducing Food Waste is Vital to Reducing Climate Change



BIOLOGY

Spying With Drones to Help Hippo Conservation Efforts




BIOLOGY, EARTH

Earth’s Stunning Biodiversity is a Puzzle Worth Exploring



BIOLOGY

Humans Not Always to Blame for Genetic Diversity Loss in Wildlife,



EARTH

Large-Scale Hydrological and Water Resources Model Aids in the



SEPTEMBER 17, 2020

Experts Calculate Future Ice Loss and Sea-Level Increases From Greenland and Antarctica



ServiceNow

Be ready to reope

When it's time to le home office, reope confidently with the Workplace suite



DON'T live life WITHOUT IT™

We've Added Something

Get up to \$10 back each month

Terms apply. Offer through 12/31/20

[Learn More](#)



TAGS

Astronomy Astrophysics

Behavioral Science Biochemistry Biotechnology Black Hole Cancer Cassini-Huygens Mission Cell Biology Climate Change Cosmology COVID-19 Disease

Earth Science Ecology European Southern Observatory European Space Agency Evolution Exoplanet Genetics Geology Harvard-Smithsonian Center for Astrophysics Harvard University Hubble Space Telescope Images JPL Mars Materials Science Max Planck Institute Medicine MIT

Nanoscience Nanotechnology NASA NASA Goddard Space Flight Center Neurology Neuroscience

Paleontology Particle Physics Planetary

Science Popular Public Health

Quantum Physics Virology Yale University

New Conservation
Research Reveals

Accurate Assessment of
Water Supply and
Demand

BE THE FIRST TO COMMENT

ON "BENDING THE CURVE OF BIODIVERSITY LOSS: AMBITIOUS CONSERVATION AND RESTORATION EFFORTS REQUIRED"

Leave a comment

Email address is optional. If provided, your email will not be published or shared.

Comment

Name

Email

Website

POST COMMENT

☐ Confirm you are NOT a spammer



The 5 Most Influential Visualizations of All Time

GET THE WHITEPAPER



The 5 Most Influential Visualizations of All Time

GET THE WHITEPAPER

FOLLOW SCITECHDAILY

Facebook

Twitter

YouTube

Pinterest

Newsletter

RSS

SCITECH NEWS

Biology News

Chemistry News

Earth News

Health News

Physics News

Science News

Space News

Technology News

LATEST NEWS

Cosmic X-Rays Reveal a Distinctive Signature of Black Hole Event Horizons

Ultraviolet Aurora Phenomenon Discovered on Comet Chury – “The Resulting Glow Is One of a Kind”

Coronavirus Researchers Discover How COVID-19 May Trigger Fatal Levels of Lung Inflammation

Coronavirus-Induced CO2 Emission Reductions Are Not Yet Detectable in the Atmosphere

This Computer Predicts Your Thoughts, Creating Images Based on Your Brain Signals