

**CRANE****PUMPS & SYSTEMS**

Barnes

Grinder Pumps, Blade XGV Grinders, Stealth Panels & Grinder Pump Accessories

January 1, 2019

Updated: January 16, 2019

CONFIDENTIAL PRICE LIST

Prices Subject to Change Without Notice.

All prices in U.S. Dollars, F.O.B. Piqua, Ohio.

**All Terms & Conditions are subject to Crane Pumps & Systems Terms & Conditions.
Please visit www.cranepumps.com for comprehensive details of our Terms & Conditions.**

**IMPORTANT NOTE: Please consult the catalog for important warnings, specifications
and other vital information for the product(s) in which you are interested.**

BARNES - GRINDER PUMPS / STEALTH PANELS

DATE	Page(s)	Change / Correction
12/01/16	all	Price increase
12/12/16	4	PGPT pumps - lowered to pre-12/1 price
12/12/16	14-19	Stealth Panels - corrections (some too high, some too low)
12/12/16	6	108339 Leg Kit - corrected from \$67 to \$73
12/12/16	21	131834 base kit - increase to match epump
12/12/16		084913 - corrected price to \$494
12/20/16	5	changed Replacement Core verbiage to Upgrade Core
10/01/17	9 - 11	Added BLADE XGV grinder pumps & discontinued 3HP, 5HP & 7.5HP XSGV pumps.
11/02/17	9 - 13	Clarified / corrected verbiage
11/03/17	13	Corrected movable fitting part number to include the letter B on end. 141065B
12/01/17	all	Price Increase
07/23/18	All	Price Increase
09/28/18	Cord Pages	Price increase
10/04/18	7	Added pump stand to SGV 3, 5 and 7.5 hp page
01/01/19	11	Added BLADE NGV Non X-Pruf grinder pumps
01/01/19	11 & 12	Changed 7.5 & 10 HP 21 Frame BLADE grinder pumps to 18 Frame.
01/01/19	All	Price increase
01/16/19	6,7	Changed moisture/temp sensor & Impeller Trim Adder

Barnes - Grinder Pumps / Stealth Panels

SECTION	DESCRIPTION	PAGE
	Cover, Changes, Index	1-3
	OGV OmniGRIND pumps Volute Kit - Flanged Discharge PGPT High Head Low Amp Turbine Grinder Pumps	4
	Upgrade Core Units, Replacement Grinder Pumps	5
	2HP SGV Residential and Commercial Grinder Pumps	6
	3HP, 5HP, 7.5HP SGV pumps	7
	Cables	8
	X-Pruf Grinder Pumps & Cables (2HP XSGV)	9 -10
	BLADE XGV grinder pumps	11
	BLADE XGV pump power cords	12
	BLADE XGV pump accessories and options	13
	Simplex Factory Prewired C-Channel Rail Packages	14
	Simplex Basin Package - Job Site Wired	15 -16
	Stealth Panels	17 - 22
	Capacitor / Relay Packs	23
	Pump Stands Break Away Fittings Movable Fittings Pump Float Kit	24
	Junction Box Conversion Plug	25

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.

Prices subject to change without notice.

OGV - OmniGRIND - 1.25" Discharge

Model	Power Cord	Part No.	Motor (hp)	Volts	Phase	RPM	Weight (lb)	List Price
High Flow								
OGVF2022L	30'	110651	2	240	1	3450	84	\$2,354
OGVF2022AUE	30'	116892	2	240	1	3450	84	\$2,418
OGVF2022AUF	30'	110652	2	240	1	3450	84	\$2,823
OGVF2022L,MF	NC	110651NC	2	240	1	3450	89	\$2,835
High Head								
OGVH2022L	30'	110649	2	240	1	3450	84	\$2,354
OGVH2022AUE	30'	116896	2	240	1	3450	84	\$2,418
OGVH2022AUF	30'	110650	2	240	1	3450	84	\$2,758
OGVH2022L, MF	NC	110649NC	2	240	1	3450	89	\$2,835

NC = No Cord

MF = Movable fitting for C-Channel Guiderail

1. AUE = Automatic type pump - ESPS Level Control. Purchase ESPS-150 Separately, See ABC ACCESSORIES SECTION
2. AUF = Automatic type pump - Includes Tethered float switch for automatic control and alarm.
3. For additional cable lengths refer to page 8
4. When pump is used with C-Channel rail systems, select the appropriate movable fitting in ABC ACCESSORIES SECTION

Use the **STEALTH-O** series control panels with the OGV and OGP 1 phase pumps. Use the Versatrol series for OGP 3 phase pumps.

Alarm / Disconnect panels can be used with the AUE and AUF model pumps.

Flanged Discharge Replacement Pump / VOLUTE KITS

Model	Power cord	Part No.	Motor (hp)	Volts	Phase	Weight (lb)	List Price
OGVF2022M	30'	113750	2	240	1	87	\$2,391
OGVF/SGVF*, Kit	-	116426	-	-	-	-	\$925
OGVH/SGVH*, Kit	-	116424	-	-	-	-	\$925

* Contains volute with pre-installed shredding ring. Ready to install on existing pumps.

PGPT High Head Low Amp Turbine Grinder Pump 1hp 1.25" Discharge

Model	Part No.	Motor (hp)	Volts	Phase	RPM	Cord Length (ft)	Weight (lb)	List Price
PGPT1022	140708	1	240	1	3450	20 ft	91	\$2,784
PGPT1022A*	140709	1	240	1	3450	20 ft	91	\$2,929

*A = Automatic with piggy back float

The PGPT cannot be used on a channel or guide rail system due to the pressure rating of the rail system

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.

Prices subject to change without notice.

Upgrade Core Unit - Fixed Discharge and 1.25" NPT

						OGP Upgrade Core	
Model	Power cord	Part No.	Motor (hp)	Volts	Phase	Weight (lb)	List Price
OGP2022CO	15'	131717	2	240	1	145	\$3,394
OGP2022CO	30'	131717XC	2	240	1	145	\$3,563
OGP2022CO - EQD	15'	131717E	2	240	1	145	\$3,643
OGP2022CO - EQD	30'	131717EXC	2	240	1	145	\$3,812
OGP2022CO - EQD	15'	131717T	2	240	1	145	\$3,728
OGP2022CO - EQD	30'	131717TXC	2	240	1	145	\$3,897
OGP2022AUE	15'	131281	2	240	1	130	\$3,247
OGP2022AUE	30'	131281XC	2	240	1	130	\$3,325
OGP2022AUE - EQD	15'	131281E	2	240	1	130	\$3,375
OGP2022AUE - EQD	30'	131281EXC	2	240	1	130	\$3,456
OGP2022AUE - EQD	15'	131281T	2	240	1	130	\$3,369

Part numbers suffixes with "E" have a factory installed EQD to mate with the E|One 2000 series stations.

Part numbers suffixes with "T" have a factory installed EQD to mate with the E|One Extreme Series Stations

Kit Includes pump, pump bracket(s), ESPS-150 Level Control, and required cords

For optional indoor alarm plate, see GRINDER / PANEL PRICE PAGES

Circuit breakers purchased separately, see below

ITEMS BELOW RECEIVE PARTS PRICING. PLEASE SEE CP&S CONNECT FOR LIST PRICES

Circuit Breakers for Upgrade Core Units

Part No.	Description
113291B	20 AMP, GE THQP 220, Plug-in Breaker
105476	20 AMP, Square D, QOU220 DIN Rail Breaker

EQD Kits

Part No.	Description
131960T	Cord Assembly, 15 foot long with EQD, Extreme series
131960TXC	Cord Assembly, 30 foot long with EQD, Extreme series
131960	Cord Assembly, 15 foot long with EQD, 2000 series
131960XC	Cord Assembly, 30 foot long with EQD, 2000 series

Check Valve Kit, Compact Discharge Grinders - EcoTRAN & Upgrade Cores

Model	Description	Part No.	Size
OGP-CE / OGV-CE	EcoTRAN	119499B	1.25"
OGP-CT / OGV-CT	1.25" NPT Upgrade Core	131858	1.25" NPT
OGP-CT / OGV-CT-BSP	1.25 BSP	124331	1.25" BSP
OGP-CC / OGV-CC	C-Channel Rail	124332	1.25"

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

SGV - 1.25" Discharge

Model	Power cord (ft)	Part No.	Motor (hp)	Volts	Phase	Weight (lb)	List Price
High Flow							
SGVF2002L*	30'	110614	2	200	1	100	\$2,439
SGVF2022L	30'	110609	2	240	1	100	\$2,328
SGVF2022L, MF	30'	110609GE	2	240	1	122	\$2,955
SGVF2022L MF, NC	NC	110609NC	2	240	1	122	\$2,658
SGVF2062L	30'	110610	2	200	3	100	\$2,626
SGVF2032L	30'	110611	2	240	3	100	\$2,441
SGVF2042L	30'	110612	2	480	3	100	\$2,441
SGVF2052L	30'	110613	2	600	3	100	\$2,441
High Head							
SGVH2002L*	30'	110620	2	200	1	100	\$2,425
SGVH2022L	30'	110615	2	240	1	100	\$2,328
SGVH2022L, MF	30'	110615GE	2	240	1	122	\$2,940
SGVH2022L MF, NC	NC	110615NC	2	240	1	122	\$2,658
SGVH2062L	30'	110616	2	200	3	100	\$2,626
SGVH2032L	30'	110617	2	240	3	100	\$2,441
SGVH2042L	30'	110618	2	480	3	100	\$2,441
SGVH2052L	30'	110619	2	600	3	100	\$2,441
SGV 2 hp Leg Kit		108339					\$80

Standard Units:

* This pump is NOT UL or CSA listed.

NC = No cord MF = movable fitting

GENERAL NOTES:

- For additional cable lengths refer to page 8
- Above SGV models include temperature sensors as standard except SGV_2022L and SGV_2002L - includes overload protection in the motor.

For moisture/temp sensor add:

List
\$207

- For other than standard impeller diameter add List Price of:


List
\$177

- When pump is used with C-channel rail systems, select the appropriate movable fitting on Page 24

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

SGV - 2" Discharge

Model	Part No.	Motor (hp)	Volts	Phase	RPM	Weight (Lb.)	List Price
SGV3072L	111608	3	200/230	1	3450	186	\$4,448
SGV3062L	111612	3	200	3	3450	186	\$4,434
SGV3032L	111609	3	240	3	3450	186	\$4,434
SGV3042L	111610	3	460	3	3450	186	\$4,434
SGV3052L	111611	3	575	3	3450	186	\$4,434
SGV5002L	115657	5	200	1	3450	198	\$5,565
SGV5022L	115658	5	240	1	3450	198	\$5,127
SGV5062L	111619	5	200	3	3450	198	\$4,857
SGV5032L	111616	5	240	3	3450	198	\$4,857
SGV5042L	111617	5	460	3	3450	198	\$4,857
SGV5052L	111618	5	575	3	3450	198	\$4,857
SGV7532L	111613	7.5	240	3	3450	202	\$5,673
SGV7542L	111614	7.5	460	3	3450	202	\$5,673
SGV7552L	111615	7.5	575	3	3450	202	\$5,673
SGV's	082306	SGV, 3, 5 and 7.5 hp Pump Stand					\$553

Standard Units:

Temperature sensor cable is 14/3 SOW, 0.530 OD except for 5 hp SGV, 1 phase pumps which use 14/2 SOW
(Optional - Moisture/Temperature sensor cable for all models is 18/5 SOW, 0.476 OD, replaces Temp Sensor Cable)

NOTES:

- For additional cable lengths refer to Page 8
- Above SGV models include temperature sensors as standard except SGV_2022L and SGV_2002L, includes overload protection in the motor. **For moisture/temp sensor add:**
- If your pump requires a smaller than standard impeller - **Impeller trim charge - add:**
- When pump is used with c-channel rail systems, select the appropriate moveable fitting on Page 24

List
\$207

List
\$177

GENERAL NOTES:

A BAF Break Away Fitting, movable fitting assembly or a pump mounting stand **MUST** be used to mount a grinder pump into a sump/basin. **See Barnes ABC Accessory Section** for control panels and other accessories.

IMPORTANT! - Use ONLY the STEALTH-R series control panels with all SGV & XSGV grinder pumps.

Above single phase models **MUST** use Barnes Stealth-control panels, or Barnes Capacitor/Relay Power Packs must be used in customer supplied panels, or **WARRANTY IS VOID**. Power Packs are on Page 23

REFERENCE			Part Number
Seal Kit	Double Seal	3 - 7-1/2 hp, SGV	085223
Service Kit	Double Seal	4 - 7-1/2 hp, SGV	115771

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.

Prices subject to change without notice.

Additional Cable Length Adders

Power and Sensor Cords	Cord Length		
Pump Model Series	50'	75'	100'
SGVF - 1PH - temp only	\$139	\$315	\$492
SGVF - 1PH w/moisture and temp sensor	\$478	\$829	\$1,180
SGVF - 3PH	\$253	\$567	\$885
w/moisture and temp sensor	\$478	\$829	\$1,180
SGVH - 1PH	\$139	\$315	\$492
w/moisture and temp sensor	\$478	\$829	\$1,180
SGVH - 3PH	\$253	\$567	\$885
w/moisture and temp sensor	\$478	\$829	\$1,180
SGV - except 5HP/1PH	\$253	\$567	\$885
w/moisture and temp sensor	\$478	\$829	\$1,180
SGV - 5HP/1PH/200V only	\$281	\$630	\$979
w/moisture and temp sensor	\$509	\$892	\$1,276
SGV - 5HP/1PH/230V only	\$281	\$630	\$979
w/moisture and temp sensor	\$509	\$892	\$1,268
OGP & OGV - 1PH (Manual)	\$215	\$307	\$412
OGP & OGV - 1PH (AUE/AUF)	\$350	\$413	\$577
OGP - 3PH - temp only	\$139	\$315	\$492

PUMP CABLE LENGTH MUST BE INDICATED WHEN PUMP IS ORDERED.

Automatic (AUF) Grinder Pump conversion Plug (Auto to Manual) on page 22

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

XSGV - Explosion Proof, 1.25" Discharge

1

Model		Part No.	Motor (hp)	Volts	Phase	RPM	Weight (lb)	List Price
XSGV2022L	UL	127325	2	230	1	3450	122	\$2,938
XSGV2062L	UL	127326	2	200	3	3450	122	\$2,938
XSGV2032L	UL	127327	2	230	3	3450	122	\$2,919
XSGV2042L	UL	127328	2	460	3	3450	122	\$2,919
XSGV2052L	UL	127329	2	575	3	3450	122	\$2,919

Moisture/temperature sensor cable for all models is 18/5 SOW, 0.485 OD.

Standard motor power/sensor cable length is 30'.

IMPORTANT!

- A) Moisture and temperature sensors must be connected to validate the UL listing and the Barnes warranty.
- B) A special moisture sensor relay and test circuit is required in the control panel for proper operation of the moisture sensors, refer to Section A for more information. Contact Barnes for information concerning moisture sensing relays for customer supplied control panels.
- C) A 1.25" for a 1.25" discharge non-sparking break away fitting must be used to validate the UL listing also, where pump discharge is piped in rigid for permanent installation, power cord must be installed in rigid conduit connected to pump to validate the UL listing.
- D) These pumps are Underwriters Laboratories Inc. listed for pumping water and wastewater. Do not use to pump flammable liquids.

1

Above models include moisture and temperature sensors as standard.
For additional cable lengths see next page.

See Accessory Section for control panels and other accessories.

CONFIDENTIAL
All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

Additional Cable	List Prices				
	50'	75'	100'	125'	150'
XSGV - 2HP w/moisture and temp sensor	\$283	\$633	\$983	\$1,339	\$1,690
EXTRA CABLE LENGTH MUST BE INDICATED WHEN PUMP IS ORDERED.					

	Part Number	List Price
Moveable fitting with check valve	142508B	\$897

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

NGV - Non-Explosion Proof, Vertical, 2" NPT Discharge, 18 frame

Pumps and Power Cords are sold separately; cord pricing is available on page 13

Moisture sensor and temperature sensor wires are included in power cable

Model	Part Number	Motor HP	Voltage	Phase	RPM	Weight	List Price
NGV3072	141339N	3	208-230	1	3450	194	\$4,828
NGV30N2	141340N	3	208-230/460	3	3450	194	\$4,380
NGV3052	141342N	3	575	3	3450	194	\$4,529
NGV5072	141343N	5	208-230	1	3450	194	\$5,596
NGV50N2	141344N	5	208-230/460	3	3450	194	\$5,047
NGV5052	141346N	5	575	3	3450	194	\$5,247
NGV75N2	141347N	7.5	208-230/460	3	3450	194	\$5,406
NGV7552	141349N	7.5	575	3	3450	194	\$5,656

NGVH - Non-Explosion Proof, Horizontal, Flanged Discharge, 18 frame

Pumps and Power Cords are sold separately; cord pricing is available on page 13

Moisture sensor and temperature sensor wires are included in power cable

Model	Part Number	Motor HP	Voltage	Phase	RPM	Weight	List Price
NGVH3072	141350N	3	208-230	1	3450	204	\$5,402
NGVH30N2	141351N	3	208-230/460	3	3450	204	\$4,479
NGVH3052	141353N	3	575	3	3450	204	\$4,628
NGVH5072	141354N	5	208-230	1	3450	204	\$5,696
NGVH50N2	141355N	5	208-230/460	3	3450	204	\$5,147
NGVH5052	141357N	5	575	3	3450	204	\$5,347
NGVH75N2	141358N	7.5	208-230/460	3	3450	204	\$5,506
NGVH7552	141360N	7.5	575	3	3450	204	\$5,756
NGVHH75N2	143385N	7.5	208-230/460	3	3450	215	\$6,355
NGVHH7552	143386N	7.5	575	3	3450	215	\$6,504
NGVHH100N2	143387N	10	208-230/460	3	3450	215	\$7,107
NGVHH10052	143388N	10	575	3	3450	215	\$7,282

NGVH - Non-Explosion Proof, Horizontal, Flanged Discharge, 21 frame

Pumps and Power Cords are sold separately; cord pricing is available on page 13

Moisture sensor and temperature sensor wires are included in power cable

Model	Part Number	Motor HP	Voltage	Phase	RPM	Weight	List Price
NGVHH150N2	141375N	15	208-230/460	3	3450	470	\$8,603
NGVHH15052	141377N	15	575	3	3450	470	\$9,002

STANDARD SEAL & SEAL OPTIONS

Outboard	Inboard	List Adder
Carbon/ Ceramic	Carbon/ Ceramic	standard
Sil Car/ Sil Car	Carbon/ Ceramic	\$226
Sil Car/ Sil Car	Sil Car/ Sil Car	\$247
Tung Car/ Tung Car	Carbon/ Ceramic	\$403
Tung Car/ Tung Car	Sil Car/ Sil Car	\$503
Tung Car/ Tung Car	Tung Car/ Tung Car	\$982

Single phase pumps have start components provided with pump

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

XGV - Explosion Proof, Vertical, 2" NPT Discharge, 18 frame

Pumps and Power Cords are sold separately; cord pricing is available on page 13
Moisture sensor and temperature sensor wires are included in power cable

Model	Agency	Part Number	Motor HP	Voltage	Phase	RPM	Weight	List Price
XGV3072	CSA	141339	3	208-230	1	3450	194	\$5,158
XGV30N2	CSA	141340	3	208-230/460	3	3450	194	\$4,679
XGV3052	CSA	141342	3	575	3	3450	194	\$4,839
XGV5072	CSA	141343	5	208-230	1	3450	194	\$5,979
XGV50N2	CSA	141344	5	208-230/460	3	3450	194	\$5,393
XGV5052	CSA	141346	5	575	3	3450	194	\$5,606
XGV75N2	CSA	141347	7.5	208-230/460	3	3450	194	\$5,776
XGV7552	CSA	141349	7.5	575	3	3450	194	\$6,043

XGV - Explosion Proof, Horizontal, Flanged Discharge, 18 frame

Pumps and Power Cords are sold separately; cord pricing is available on page 13
Moisture sensor and temperature sensor wires are included in power cable

Model	Agency	Part Number	Motor HP	Voltage	Phase	RPM	Weight	List Price
XGVH3072	CSA	141350	3	208-230	1	3450	204	\$5,771
XGVH30N2	CSA	141351	3	208-230/460	3	3450	204	\$4,786
XGVH3052	CSA	141353	3	575	3	3450	204	\$4,945
XGVH5072	CSA	141354	5	208-230	1	3450	204	\$6,086
XGVH50N2	CSA	141355	5	208-230/460	3	3450	204	\$5,499
XGVH5052	CSA	141357	5	575	3	3450	204	\$5,712
XGVH75N2	CSA	141358	7.5	208-230/460	3	3450	204	\$5,883
XGVH7552	CSA	141360	7.5	575	3	3450	204	\$6,150
XGVHH75N2	CSA	143385	7.5	208-230/460	3	3450	215	\$6,789
XGVHH7552	CSA	143386	7.5	575	3	3450	215	\$6,949
XGVHH100N2	CSA	143387	10	208-230/460	3	3450	215	\$7,593
XGVHH10052	CSA	143388	10	575	3	3450	215	\$7,780

XGV - Explosion Proof, Horizontal, Flanged Discharge, 21 frame

Pumps and Power Cords are sold separately; cord pricing is available on page 13
Moisture sensor and temperature sensor wires are included in power cable

Model	Agency	Part Number	Motor HP	Voltage	Phase	RPM	Weight	List Price
XGVHH150N2	CSA	141375	15	208-230/460	3	3450	470	\$9,192
XGVHH15052	CSA	141377	15	575	3	3450	470	\$9,618

STANDARD SEAL & SEAL OPTIONS

Outboard	Inboard	List Adder
Carbon/ Ceramic	Carbon/ Ceramic	standard
Sil Car/ Sil Car	Carbon/ Ceramic	\$226
Sil Car/ Sil Car	Sil Car/ Sil Car	\$247
Tung Car/ Tung Car	Carbon/ Ceramic	\$403
Tung Car/ Tung Car	Sil Car/ Sil Car	\$503
Tung Car/ Tung Car	Tung Car/ Tung Car	\$982

Single phase pumps have start components provided with pump

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.

Prices subject to change without notice.

Power Cord List Prices (includes temperature and moisture sensors)

	HP/ Phase	208V	230V	460V	575V
30 foot	3 HP 1&3 Ph	125496XC	125496XC	125497XC	125497XC
		\$496	\$496	\$496	\$496
	5 HP 1 Ph	125498XC	125498XC	N/A	N/A
		\$680	\$680	N/A	N/A
	5 HP 3 Ph	125496XC	125496XC	125497XC	125497XC
		\$496	\$496	\$496	\$496
	7.5 HP 3 Ph	125496XC	125496XC	125497XC	125497XC
		\$496	\$496	\$496	\$496
	10 HP 3 Ph	125498XC	125498XC	125497XC	125497XC
		\$680	\$680	\$496	\$496
	15 HP 3 Ph	125498XC	125498XC	125497XC	125497XC
		\$680	\$680	\$496	\$496
50 foot	3 HP 1&3 Ph	125496XF	125496XF	125497XF	125497XF
		\$580	\$580	\$580	\$580
	5 HP 1 Ph	125498XF	125498XF	N/A	N/A
		\$779	\$779	N/A	N/A
	5 HP 3 Ph	125496XF	125496XF	125497XF	125497XF
		\$580	\$580	\$580	\$580
	7.5 HP 3 Ph	125496XF	125496XF	125497XF	125497XF
		\$580	\$580	\$580	\$580
	10 HP 3 Ph	125498XF	125498XF	125497XF	125497XF
		\$779	\$779	\$580	\$580
	15 HP 3 Ph	125498XF	125498XF	125497XF	125497XF
		\$779	\$779	\$580	\$580
75 foot	3 HP 1&3 Ph	125496XJ	125496XJ	125497XJ	125497XJ
		\$837	\$837	\$815	\$815
	5 HP 1 Ph	125498XJ	125498XJ	N/A	N/A
		\$1,040	\$1,040	N/A	N/A
	5 HP 3 Ph	125496XJ	125496XJ	125497XJ	125497XJ
		\$837	\$837	\$815	\$815
	7.5 HP 3 Ph	125496XJ	125496XJ	125497XJ	125497XJ
		\$837	\$837	\$815	\$815
	10 HP 3 Ph	125498XJ	125498XJ	125497XJ	125497XJ
		\$1,040	\$1,040	\$815	\$815
	15 HP 3 Ph	125498XJ	125498XJ	125497XJ	125497XJ
		\$1,040	\$1,040	\$815	\$815
100 foot	3 HP 1&3 Ph	125496XL	125496XL	125497XL	125497XL
		\$1,118	\$1,118	\$1,048	\$1,048
	5 HP 1 Ph	125498XL	125498XL	N/A	N/A
		\$1,302	\$1,302	N/A	N/A
	5 HP 3 Ph	125496XL	125496XL	125497XL	125497XL
		\$1,118	\$1,118	\$1,048	\$1,048
	7.5 HP 3 Ph	125496XL	125496XL	125497XL	125497XL
		\$1,118	\$1,118	\$1,048	\$1,048
	10 HP 3 Ph	125498XL	125498XL	125497XL	125497XL
		\$1,302	\$1,302	\$1,048	\$1,048
	15 HP 3 Ph	125498XL	125498XL	125497XL	125497XL
		\$1,302	\$1,302	\$1,048	\$1,048

cord weights

part #	wt., lb.
125496XC	24
125497XC	24
125498XC	26

cord weights

part #	wt., lb.
125496XF	34
125497XF	34
125498XF	42

part #	wt., lb.
125496XJ	51
125497XJ	51
125498XJ	63

part #	wt., lb.
125496XL	68
125497XL	68
125498XL	84

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

Volute Leg Kit

Volute Leg Kit - (3) Cast Iron Feet with SS Mounting Hardware	Part No.	List Price
	125506	\$191

Reference	Part No.	List Price
Breakaway fitting (BAF-3x3)	134202	\$1,004
Moveable fitting with check valve (vertical discharge only)	141065B	\$1,078

Coating options

Option	List Price Adder
Water based Enamel	Standard
Epoxy	\$696

Outboard Seal Kits

REPAIR PARTS MULTIPLIER OF .60 APPLIES TO SEAL KITS				
Material	Seal Kit Part No. 18 Frame		Seal Kit Part No. 21 Frame	
Carbon/ Ceramic	141536	\$61	141537	\$80
Sil Car/ Sil Car	141536SD	\$331	141537SD	\$434
Tung Car/ Tung Car	141536SB	\$809	141537SB	\$1,058

REFERENCE	Part No.
Breakaway Fitting (BAF-3x3)	134202
Movable fitting with Check Valve (vertical discharge only)	141065B
Seal Kit & Gasket Kit	TBA

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

Simplex Factory Pre-wired OGV_2022L, SGV_2022L, OGP2022L

Basin Packages with Stainless Steel "C" Channel Rails,

FloatTREE and Integrated Control Panel with Remote Alarm Light and Horn, Ultra CAP2

Model	3rd Party Listing	Part No.	Basin Diameter (in)	Basin Depth	1.25" Discharge List Price
2448SSRS	UL	116721-M	24	48	Consult Factory or use ePump Configurator on CP&S Connect
2460SSRS	UL	116721-M	24	60	
2472SSRS	UL	116721-M	24	72	
2478SSRS	UL	116721-M	24	78	
2484SSRS	UL	116721-M	24	84	
2490SSRS	UL	116721-M	24	90	
2496SSRS	UL	116721-M	24	96	
24108SSRS	UL	116721-M	24	108	
24120SSRS	UL	116721-M	24	120	
24132SSRS	UL	116721-M	24	132	
24144SSRS	UL	116721-M	24	144	

Simplex Factory Pre-wired OGV_2022L, SGV_2022L, OGP2022L

Basin Packages with Stainless Steel "C" Channel Rails, FloatTREE and J-Box, Polycover

Model	3rd Party Listing	Part No.	Basin Diameter (in)	Basin Depth	1.25" Discharge List Price
2448SSRS	UL	116853-M	24	48	Consult Factory or use ePump Configurator on CP&S Connect
2460SSRS	UL	116853-M	24	60	
2472SSRS	UL	116853-M	24	72	
2478SSRS	UL	116853-M	24	78	
2484SSRS	UL	116853-M	24	84	
2490SSRS	UL	116853-M	24	90	
2496SSRS	UL	116853-M	24	96	
24108SSRS	UL	116853-M	24	108	
24120SSRS	UL	116853-M	24	120	
24132SSRS	UL	116853-M	24	132	
24144SSRS	UL	116853-M	24	144	

1.) 2" Piping NOT available in 24" Dia. Simplex Basins. Basins include (1) 4" inlet fitting. Specify SDR 35 or Schedule 40.

Above prices include 50' of direct burial cable.

ADDITIONAL CABLE

List

For 100' of cable	#REF!
For 150' of cable	#REF!

Float TREE and Direct Burial Cable Grips for SGV, OGV, OGP Grinders

Model	3rd Party Listing	Part No.	Basin Diameter	Basin Depth	1.25" Discharge List Price	2" Discharge List Price
2448SSRS	UL	116854-M	24	48	Consult Factory or use ePump Configurator on CP&S Connect	
2460SSRS	UL	116854-M	24	60		
2472SSRS	UL	116854-M	24	72		
2478SSRS	UL	116854-M	24	78		
2484SSRS	UL	116854-M	24	84		
2490SSRS	UL	116854-M	24	90		
2496SSRS	UL	116854-M	24	96		
24108SSRS	UL	116854-M	24	108		
24120SSRS	UL	116854-M	24	120		
24132SSRS	UL	116854-M	24	132		
24144SSRS	UL	116854-M	24	144		
3048SSRS	UL	116854-M	30	48	Consult Factory or use ePump Configurator on CP&S Connect	Consult Factory or use ePump Configurator on CP&S Connect
3060SSRS	UL	116854-M	30	60		
3072SSRS	UL	116854-M	30	72		
3078SSRS	UL	116854-M	30	78		
3084SSRS	UL	116854-M	30	84		
3090SSRS	UL	116854-M	30	90		
3096SSRS	UL	116854-M	30	96		
30108SSRS	UL	116854-M	30	108		
30120SSRS	UL	116854-M	30	120		
30132SSRS	UL	116854-M	30	132		
30144SSRS	UL	116854-M	30	144		
3648SSRS	UL	116854-M	36	48	Consult Factory or use ePump Configurator on CP&S Connect	Consult Factory or use ePump Configurator on CP&S Connect
3660SSRS	UL	116854-M	36	60		
3672SSRS	UL	116854-M	36	72		
3678SSRS	UL	116854-M	36	78		
3684SSRS	UL	116854-M	36	84		
3690SSRS	UL	116854-M	36	90		
3696SSRS	UL	116854-M	36	96		
36108SSRS	UL	116854-M	36	108		
36120SSRS	UL	116854-M	36	120		
36132SSRS	UL	116854-M	36	132		
36144SSRS	UL	116854-M	36	144		
4248SSRS	UL	116854-M	42	48	Consult Factory or use ePump Configurator on CP&S Connect	Consult Factory or use ePump Configurator on CP&S Connect
4260SSRS	UL	116854-M	42	60		
4272SSRS	UL	116854-M	42	72		
4278SSRS	UL	116854-M	42	78		
4284SSRS	UL	116854-M	42	84		
4290SSRS	UL	116854-M	42	90		
4296SSRS	UL	116854-M	42	96		
42108SSRS	UL	116854-M	42	108		
42120SSRS	UL	116854-M	42	120		
42132SSRS	UL	116854-M	42	132		
42144SSRS	UL	116854-M	42	144		

1. 2" Piping NOT available in 24" Dia. Simplex Basins. Basins include (1) 4" inlet fitting. Specify SDR 35 or Schedule 40.
2. 24" Dia. Basins include polydome cover, 30" and 36" Dia. Basins include vented fiberglass covers. 42" Dia. and larger basins include steel access covers.
3. Pumps not included. See Pump Section of Price Pages. Pumps must be ordered with movable fitting for C-Channel rail.
4. Control Panel not included. Please specify STEALTH panel model and part number on order.

For systems other than standard, consult factory. NOTE: Some changes may void UL listings.

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.

Prices subject to change without notice.

FloatTREE and Direct Burial Cable Grips for OGV, SGV, OGP Grinders

Model	3rd Party Listing	Part No.	Basin Diameter	Basin Depth	1.25" Discharge List Price	2" Discharge List Price
3648DSRS	UL	116856-M	36	48	Consult Factory or use ePump Configurator on CP&S Connect	
3660DSRS	UL	116856-M	36	60		
3672DSRS	UL	116856-M	36	72		
3678DSRS	UL	116856-M	36	78		
3684DSRS	UL	116856-M	36	84		
3690DSRS	UL	116856-M	36	90		
3696DSRS	UL	116856-M	36	96		
36108DSRS	UL	116856-M	36	108		
36120DSRS	UL	116856-M	36	120		
36132DSRS	UL	116856-M	36	132		
36144DSRS	UL	116856-M	36	144		
4248DSRS	UL	116856-M	42	48	Consult Factory or use ePump Configurator on CP&S Connect	Consult Factory or use ePump Configurator on CP&S Connect
4260DSRS	UL	116856-M	42	60		
4272DSRS	UL	116856-M	42	72		
4278DSRS	UL	116856-M	42	78		
4284DSRS	UL	116856-M	42	84		
4290DSRS	UL	116856-M	42	90		
4296DSRS	UL	116856-M	42	96		
42108DSRS	UL	116856-M	42	108		
42120DSRS	UL	116856-M	42	120		
42132DSRS	UL	116856-M	42	132		
42144DSRS	UL	116856-M	42	144		
4848DSRS	UL	116856-M	48	48	Consult Factory or use ePump Configurator on CP&S Connect	Consult Factory or use ePump Configurator on CP&S Connect
4860DSRS	UL	116856-M	48	60		
4872DSRS	UL	116856-M	48	72		
4878DSRS	UL	116856-M	48	78		
4884DSRS	UL	116856-M	48	84		
4890DSRS	UL	116856-M	48	90		
4896DSRS	UL	116856-M	48	96		
48108DSRS	UL	116856-M	48	108		
48120DSRS	UL	116856-M	48	120		
48132DSRS	UL	116856-M	48	132		
48144DSRS	UL	116856-M	48	144		
6048DSRS	UL	116856-M	60	48	Consult Factory or use ePump Configurator on CP&S Connect	Consult Factory or use ePump Configurator on CP&S Connect
6060DSRS	UL	116856-M	60	60		
6072DSRS	UL	116856-M	60	72		
6078DSRS	UL	116856-M	60	78		
6084DSRS	UL	116856-M	60	84		
6090DSRS	UL	116856-M	60	90		
6096DSRS	UL	116856-M	60	96		
60108DSRS	UL	116856-M	60	108		
60120DSRS	UL	116856-M	60	120		
60132DSRS	UL	116856-M	60	132		
60144DSRS	UL	116856-M	60	144		

1. 2" Piping NOT available in 36" Dia. Duplex Basins. Basins include (1) 4" inlet fitting. Specify SDR 35 or Schedule 40.
 2. 36" & 42" Dia. Basins include steel cover, 48" and 60" Dia. Basins include Aluminum access cover.
 3. Pumps not included. See Pump Section of Price Pages. Pumps must be ordered with movable fitting for C-Channel rail.
 4. Control Panel not included. Please specify STEALTH panel model and part number on order.
- For systems other than standard, consult factory. NOTE: Some changes may void UL listings.**

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

STEALTH-R - Simplex NEMA 4X, Wall Mounted for SGV Grinders

Part No.	Motor (hp)	Volt	Phase	Model	Weight (lb)	List Price
113421	2	240	1	STEALTH-R-101-22	12	\$1,059
110147	2	200/208	1	STEALTH-R-101-20	12	\$1,232
113485	2	200/208	3	STEALTH-R-101-26	18	\$1,613
110371	2	240	3	STEALTH-R-101-23	18	\$1,456
110377	2	480	3	STEALTH-R-101-24	18	\$1,470
110111	3	240	1	STEALTH-R-101-32	13	\$1,290
110854	3	200/208	1	STEALTH-R-101-30	13	\$1,306
113488	3	200/208	3	STEALTH-R-101-36	18	\$1,566
110117	3	240	3	STEALTH-R-101-33	18	\$1,502
110123	3	480	3	STEALTH-R-101-34	18	\$1,427
113457	5	240	1	STEALTH-R-101-52	16	\$1,735
110860	5	200/208	1	STEALTH-R-101-50	16	\$1,742
113491	5	200/208	3	STEALTH-R-101-56	19	\$1,602
110135	5	240	3	STEALTH-R-101-53	19	\$1,522
110141	5	480	3	STEALTH-R-101-54	19	\$1,581
110153	7 1/2	240	3	STEALTH-R-101-79	19	\$1,522
110159	7 1/2	480	3	STEALTH-R-101-74	19	\$1,535
113422	2	240	1	STEALTH-R-102-22	13	\$1,269
110148	2	200/208	1	STEALTH-R-102-20	13	\$1,470
113486	2	200/208	3	STEALTH-R-102-26	19	\$1,826
113458	2	240	3	STEALTH-R-102-23	19	\$1,666
110378	2	480	3	STEALTH-R-102-24	19	\$1,696
110112	3	240	1	STEALTH-R-102-32	13	\$1,863
110855	3	200/208	1	STEALTH-R-102-30	14	\$1,927
113489	3	200/208	3	STEALTH-R-102-36	19	\$2,093
110118	3	240	3	STEALTH-R-102-33	19	\$2,155
110124	3	480	3	STEALTH-R-102-34	19	\$2,040
110130	5	240	1	STEALTH-R-102-52	16	\$2,023
110861	5	200/208	1	STEALTH-R-102-50	16	\$2,480
113492	5	200/208	3	STEALTH-R-102-56	19	\$2,131
110136	5	240	3	STEALTH-R-102-53	19	\$2,097
110142	5	480	3	STEALTH-R-102-54	19	\$2,188
110149	2	200/208	1	STEALTH-R-104-20	13	\$2,076
113487	2	200/208	3	STEALTH-R-104-26	19	\$1,988
110373	2	240	3	STEALTH-R-102-23	19	\$1,879
110379	2	480	3	STEALTH-R-104-24	19	\$1,666

All components are "UL" listed or recognized. "UL" label is available on most units, but must be requested when placing order.
Specify pump model and full load amps when ordering. Optional equipment available.

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

STEALTH-R - Simplex NEMA 4X, Wall Mounted for SGV Grinders

Part No.	Motor (hp)	Volt	Phase	Model	Weight (lb)	List Price
110113	3	240	1	STEALTH-R-104-32	14	\$1,835
110856	3	200/208	1	STEALTH-R-104-30	14	\$2,366
113490	3	200/208	3	STEALTH-R-104-36	20	\$2,273
110119	3	240	3	STEALTH-R-104-33	20	\$1,916
110125	3	480	3	STEALTH-R-104-34	20	\$1,826
110131	5	240	1	STEALTH-R-104-52	15	\$2,203
110862	5	200/208	1	STEALTH-R-104-50	15	\$2,314
113493	5	200/208	3	STEALTH-R-104-56	21	\$2,330
110137	5	240	3	STEALTH-R-104-53	21	\$2,440
110143	5	480	3	STEALTH-R-104-54	21	\$1,923
110155	7 1/2	240	3	STEALTH-R-104-73	25	\$2,440
110161	7 1/2	480	3	STEALTH-R-104-74	25	\$2,367
113425	2	240	1	STEALTH-R-105-22	18	\$1,592
113426	2	240	1	STEALTH-R-106-22	18	\$1,847
113427	2	240	1	STEALTH-R-107-22	18	\$1,701
113428	2	240	1	STEALTH-R-108-22	18	\$1,906
113429	2	240	1	STEALTH-R-109-22	14	\$1,181
113430	2	240	1	STEALTH-R-110-22	14	\$1,388
113431	2	240	1	STEALTH-R-111-22	14	\$1,245
113432	2	240	1	STEALTH-R-112-22	14	\$1,548
113433	2	240	1	STEALTH-R-113-22	18	\$1,710
113434	2	240	1	STEALTH-R-114-22	18	\$1,966
113435	2	240	1	STEALTH-R-115-22	18	\$1,875
113436	2	240	1	STEALTH-R-116-22	18	\$1,973

All components are "UL" listed or recognized. "UL" label is available on most units, but must be requested when placing order.
Specify pump model and full load amps when ordering. Optional equipment available.

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

Stealth-R - Duplex NEMA 4X, Wall Mounted for SGV Grinders

Part No.	Motor (hp)	Volt	Phase	Model	Weight (lb)	List Price
122291	2	240	1	STEALTH-R-201-22E	25	\$2,547
122307	2	200/208	1	STEALTH-R-201-20E	25	\$2,732
122308	2	200/208	3	STEALTH-R-201-26E	28	\$2,817
122309	2	240	3	STEALTH-R-201-23E	28	\$2,815
122310	2	480	3	STEALTH-R-201-24E	28	\$2,705
122320	3	240	1	STEALTH-R-201-32E	26	\$2,895
122319	3	200/208	1	STEALTH-R-201-30E	26	\$2,913
122321	3	200/208	3	STEALTH-R-201-36E	29	\$2,858
122322	3	240	3	STEALTH-R-201-33E	29	\$2,718
122323	3	480	3	STEALTH-R-201-34E	29	\$2,716
122335	5	240	1	STEALTH-R-201-52E	33	\$3,936
122334	5	200/208	1	STEALTH-R-201-50E	33	\$3,914
122336	5	200/208	3	STEALTH-R-201-56E	35	\$3,102
122337	5	240	3	STEALTH-R-201-53E	35	\$2,689
122338	5	480	3	STEALTH-R-201-54E	35	\$2,812
122349	7 1/2	240	3	STEALTH-R-201-73E	37	\$2,789
122350	7 1/2	480	3	STEALTH-R-201-74E	37	\$2,730
122292	2	240	1	STEALTH-R-202-22E	26	\$2,737
122311	2	200/208	1	STEALTH-R-202-20E	26	\$3,139
122312	2	200/208	3	STEALTH-R-202-26E	29	\$2,809
122313	2	240	3	STEALTH-R-202-23E	29	\$3,035
122314	2	480	3	STEALTH-R-202-24E	29	\$3,033
122325	3	240	1	STEALTH-R-202-32E	27	\$3,081
122324	3	200/208	1	STEALTH-R-202-30E	27	\$3,115
122326	3	200/208	3	STEALTH-R-202-36E	29	\$2,848
122327	3	240	3	STEALTH-R-202-33E	29	\$3,033
122328	3	480	3	STEALTH-R-202-34E	29	\$2,926
122340	5	240	1	STEALTH-R-202-52E	32	\$4,147
122339	5	200/208	1	STEALTH-R-202-50E	32	\$3,911
122341	5	200/208	3	STEALTH-R-202-56E	30	\$3,226
122342	5	240	3	STEALTH-R-202-53E	32	\$3,092
122343	5	480	3	STEALTH-R-202-54E	32	\$3,092
122351	7 1/2	240	3	STEALTH-R-202-73E	37	\$3,002
122352	7 1/2	480	3	STEALTH-R-202-74E	37	\$2,946
122293	2	240	1	STEALTH-R-203-22E	26	\$2,680
122315	2	200/208	1	STEALTH-R-204-20E	26	\$3,182
122316	2	200/208	3	STEALTH-R-204-26E	29	\$3,323
122317	2	240	3	STEALTH-R-202-23E	29	\$3,111
122318	2	480	3	STEALTH-R-204-24E	29	\$3,225

All components are "UL" listed or recognized. "UL" label is available on most units, but must be requested when placing order.

Specify pump model and full load amps when ordering. Optional equipment available.

STEALTH-R-Duplex Nema 4X, Wall Mounted for SGV Grinders

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

STEALTH-R - Duplex NEMA 4X, Wall Mounted for SGV Grinders

Part No.	Motor (hp)	Volt	Phase	Model	Weight (lb)	List Price
122330	3	240	1	STEALTH-R-204-32E	27	\$3,371
122329	3	200/208	1	STEALTH-R-204-30E	27	\$3,411
122331	3	200/208	3	STEALTH-R-204-36E	29	\$3,250
122332	3	240	3	STEALTH-R-204-33E	29	\$3,111
122333	3	480	3	STEALTH-R-204-34E	29	\$3,111
122345	5	240	1	STEALTH-R-204-52E	35	\$4,382
122344	5	200/208	1	STEALTH-R-204-50E	29	\$4,521
122346	5	200/208	3	STEALTH-R-204-56E	32	\$3,412
122347	5	240	3	STEALTH-R-204-53E	32	\$3,164
122348	5	480	3	STEALTH-R-204-54E	32	\$3,064
122353	7 1/2	240	3	STEALTH-R-204-73E	29	\$3,393
122354	7 1/2	480	3	STEALTH-R-204-74E	29	\$3,277
122296	2	240	1	STEALTH-R-206-22E	33	\$3,813
122299	2	240	1	STEALTH-R-209-22E	27	\$2,783
122300	2	240	1	STEALTH-R-210-22E	27	\$2,969
122301	2	240	1	STEALTH-R-211-22E	27	\$2,891
122302	2	240	1	STEALTH-R-212-22E	27	\$3,033
122304	2	240	1	STEALTH-R-214-22E	34	\$4,052
122305	2	240	1	STEALTH-R-215-22E	34	\$4,154
122306	2	240	1	STEALTH-R-216-22E	34	\$4,472

All components are "UL" listed or recognized. "UL" label is available on most units, but must be requested when placing order.
Specify pump model and full load amps when ordering. Optional equipment available.

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.

Prices subject to change without notice.

Stealth - XR - Simplex NEMA 4X, Wall Mounted for Explosion Proof Grinder Pumps

Part No.	Motor (hp)	Volt	Phase	Model	Weight (lb)	List Price
111021	2	240	1	STEALTH-XR-104-22	25	\$4,889
113465	2	200/208	3	STEALTH-XR-104-26	28	\$4,909
111022	2	240	3	STEALTH-XR-104-23	28	\$4,631
111023	2	480	3	STEALTH-XR-104-24	28	\$4,770
111025	3	240	1	STEALTH-XR-104-32	26	\$4,973
111024	3	200/208	1	STEALTH-XR-104-37	26	\$4,872
113466	3	200/208	3	STEALTH-XR-104-36	29	\$4,857
111026	3	240	3	STEALTH-XR-104-33	29	\$4,730
111027	3	480	3	STEALTH-XR-104-34	29	\$4,730
111029	5	240	1	STEALTH-XR-104-52	29	\$5,174
111028	5	200/208	1	STEALTH-XR-104-57	29	\$5,222
113467	5	200/208	3	STEALTH-XR-104-56	32	\$4,896
111030	5	240	3	STEALTH-XR-104-53	32	\$4,746
111031	5	480	3	STEALTH-XR-104-54	32	\$4,746
111032	7 1/2	240	3	STEALTH-XR-104-73	34	\$4,746
111033	7 1/2	480	3	STEALTH-XR-104-74	34	\$4,746

Stealth-XR - Duplex NEMA 4X, Wall Mounted for XSGV Explosion Proof Grinder Pumps

Part No.	Motor (hp)	Volt	Phase	Model	Weight (lb)	List Price
113475	2	240	1	STEALTH-XR-204-22	56	\$7,387
113468	2	200/208	3	STEALTH-XR-204-26	52	\$7,396
111035	2	240	3	STEALTH-XR-204-23	58	\$7,269
111036	2	480	3	STEALTH-XR-204-24	56	\$7,269
111038	3	240	1	STEALTH-XR-204-32	56	\$7,488
111037	3	200/208	1	STEALTH-XR-204-30	56	\$7,270
113469	3	200/208	3	STEALTH-XR-204-36	59	\$7,569
111039	3	240	3	STEALTH-XR-204-33	59	\$7,057
111040	3	480	3	STEALTH-XR-204-34	59	\$7,269
111042	5	240	1	STEALTH-XR-204-52	58	\$8,200
111041	5	200/208	1	STEALTH-XR-204-50	58	\$7,961
111043	5	240	3	STEALTH-XR-204-53	60	\$7,314
111044	5	480	3	STEALTH-XR-204-54	60	\$7,257
111045	7 1/2	240	3	STEALTH-XR-204-73	63	\$7,314
111046	7 1/2	480	3	STEALTH-XR-204-74	63	\$7,475

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

STEALTH-O-Simplex NEMA 4X, Wall Mounted for OGP, OGV & SGPC Grinders - Manual

Part No.	Motor (hp)	Volt	Phase	Model	Weight (lb)	List Price
113441	2	240	1	PANEL, STEALTH-O-101-22	10	\$838
113442	2	240	1	PANEL, STEALTH-O-102-22	10	\$1,041
113443	2	240	1	PANEL, STEALTH-O-105-22	18	\$1,534
113444	2	240	1	PANEL, STEALTH-O-106-22	18	\$1,622
113445	2	240	1	PANEL, STEALTH-O-109-22	11	\$927
113446	2	240	1	PANEL, STEALTH-O-110-22	11	\$1,168
113447	2	240	1	PANEL, STEALTH-O-113-22	18	\$1,484
113448	2	240	1	PANEL, STEALTH-O-114-22	18	\$1,745

STEALTH-O-Duplex NEMA 4X, Wall Mounted for OGP, OGV & SGPC Grinders - Manual

Part No.	Motor (hp)	Volt	Phase	Model	Weight (lb)	List Price
122283	2	240	1	STEALTH-O-201-22E	19	\$2,182
122284	2	240	1	STEALTH-O-202-22E	19	\$2,347
122285	2	240	1	STEALTH-O-205-22E	26	\$2,886
122286	2	240	1	STEALTH-O-206-22E	26	\$2,239
122287	2	240	1	STEALTH-O-209-22E	19	\$2,396
122288	2	240	1	STEALTH-O-210-22E	20	\$2,512
122289	2	240	1	STEALTH-O-213-22E	26	\$3,182
122290	2	240	1	STEALTH-O-214-22E	26	\$3,283

STEALTH-O - Simplex NEMA 4X for OGP, OGVF, OGVH Grinders

Part No.	Motor (hp)	Volt	Phase	Model	List Price
113449	2	240	1	STEALTH-O-101/2-22-P	\$544
113450	2	240	1	STEALTH-O-109/10-22-P	\$633

STEALTH-R - Simplex NEMA 4X for SGVF, SGVH Grinders

Part No.	Motor (hp)	Volt	Phase	Model	List Price
113437	2	240	1	STEALTH-R-101/2-22-P	\$950
113438	2	240	1	STEALTH-R-103/4-22-P	\$1,112
113439	2	240	1	STEALTH-R-109/10-22-P	\$935
113440	2	240	1	STEALTH-R-111/12-22-P	\$1,034

Indoor Alarm Wall Plates - 120V

Part No.	Description	List Price
130849B	Light Almond	\$30
130849W	White	\$30
130849S	Stainless Steel	\$41

List Price found on CP&S Connect or Parts Price Book

UltraCAP₂ Poly Cover & Insert

113724	Assy, UCAP2, Stealth "R" & "G"	Prices in parts book at list x.60 mult
113787	Assy, UCAP2, Stealth "O" & "C"	
109966CVP	Assy, UCAP2, Stealth "C" & CVP	

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.

Prices subject to change without notice.

Capacitor / Relay Power Packs - Plate Mounted

Part No.	For Model	Motor (hp)	Volt	Phase	Weight (lb)	List Price
073302	SGV3002L	3	200	1	1	\$568
073303	SGV3022L	3	240	1	1	\$568
073304	SGV5002L	5	200	1	1	\$578
073305*	SGV5022L	5	240	1	1	\$662
073305A*	SGV5022L	5	240	1	1	\$618
073306	SGV2022L	2	240	1	1	\$484
073306A	SGV2002L	2	200	1	1	\$484

*Use P/N 073305A if pump built after 5/1/2003.

One capacitor/relay pack required for each pump.

Plate mounted start components include start capacitor, run capacitor, relay, terminal block and associated wiring.

If other than Barnes Pumps panels are used with the above listed single phase pump models, the corresponding capacitor/relay pack must be used for warranty compliance.

Pump Stands For Grinder Pumps

Model	Description	Part No.	List Price
SGVF, SGVH, OGV, OGP	Cast Iron Base with S.S. Hdwr	131834	\$215
SGV - old style	for SGV 2hp motor	082305	\$451
3 - 7 1/2 SGV	S.S. Base	082306	\$553

Pump stand is required to set the pump's minimum required inlet clearance from the bottom of the wet well.

1.25" & 2" Movable Fittings for C-Channel Rail Systems

Model	NPT Size (in)	Part No.	List Price
SGVF / SGVH	1.25	116593B	\$657
SGV 3 - 7 1/2 HP	2.00	116728B	\$497
OGP	1.25	116596B	\$516
OGP-AUE & AUF	1.25	116597B	\$516
OGV	1.25	116594B	\$516
OGV - AUE & AUF	1.25	116595B	\$516
XSGV	1.25	083526	\$1,008
XSGV	2.00	083527	\$1,258

Pump not included. Movable fitting can be factory assembled to pump when ordered with pump or basin packages.

AUF Series Pumps Float Kit - ON/OFF and ALARM Floats

Part No.	Description	Voltage	Phase	List Price
112338C	AUF Series Float Kit	240	1	\$375

Kit includes ON/OFF and ALARM floats, float mounting, and cord mounting hardware for AUF Series grinder pumps.

1.25" Hydromatic Adapter - Barnes 2hp SGV Grinder Pump to Hydromatic Break Away

Part No.	Discharge Size (in)	Description	List Price
084913	1.25	1.25" Hydromatic Adapter - Barnes 2hp SGV Grinder to Hydromatic Break Away	\$545

2" Hydromatic Adapter - Barnes 3, 5, & 7 1/2hp SGV Grinder Pump to Hydromatic Break Away

Part No.	Discharge Size (in)	Description (Assm'y)	List Price
085059	2	2" Hydromatic Adapter - Barnes 3, 5, & 7 1/2hp SGV Grinder Pump to Hydromatic SPGH 2" Break Away	\$371
085480	2	2" Hydromatic Adapter - Barnes 3, 5, & 7 1/2hp SGV Grinder Pump to Hydromatic SPGF 2" Break Away	\$453

CONFIDENTIAL

All prices in U.S. dollars, F.O.B. Piqua, Ohio.
Prices subject to change without notice.

NEMA 6 Duplex Junction Boxes for SGV and OGV Grinder Pumps

Part No.	Description	List Price
109301	SGV2022L & OGV2022L with FloatTree	\$776
109302	SGV2022L & OGV2022L with Individual Floats	\$891
109305	SGV with Sensor Cord & FloatTree (no 5hp/1ph)	\$987
109306	SGV with Sensor Cord & Individual Floats (no 5hp/1ph)	\$1,080
095692	5hp/1ph SGV with Floats	\$1,449
105383	5hp/1ph with FloatTree	\$1,315

Automatic (AUE & AUF) Grinder Pump Conversion Plug - Auto to Manual

Pump Model Series	Part Number	List Price
AUF & AUF Series Grinder Pumps	124363	\$59