



REDSTAG RANCH MANAGEMENT PLAN

GROUP	TIMING	ACTION	VACCINATION/ MEDICATION	DOSAGE
LAMBS	Day 1	Check ewes teats for milk		
		Check that lamb(s) drinks colostrum		
		Spray umbilical cord (Naval)	Oberdine	
		Inject Lambs with Oxytetracycline	Terramycin 100	0,5ml subcutaneously
		Inject Mother with Oxytetracycline	Terramycin 100	10% body-weight
		Weigh lamb(s)		
	Week 2	Tag lamb(s)		
		Multiclostridial Vaccination (1st Shot)	Covexin 10	1 ml subcutaneously
	Week 6	Deworm	Lintex	1ml / 4 kg orally
		Multiclostridial and Pasteurella Vaccination (1st Shot)	Multivax P	2 ml subcutaneously
	Week 8	Multiclostridial Vaccination (Booster Shot)	Covexin 10	1 ml subcutaneously
		Deworm	Virbamax First Drench	2.5ml / 10 kg
	Week 10	Multiclostridial and Pasteurella - (Booster shot)	Multivax P	2 ml subcutaneously
		90 Days	Weigh Lamb(s)	
			Vitamins & Minerals	Complex A&E
		Deworm	Virbamax First Drench	2.5ml / 10 kg
		Tattoo Lamb(s)		
		Microchip (Ewe Lambs)		
		Wean Lamb(s)		
YOUNG EWES	4 weeks to mating	Vaccinate against Chlamydophila abortus infection	Ovilis Ensovax	2ml subcutaneously
		Vitamins & Minerals	Complex A&E	3 ml subcutaneously
	42 days after mating season	Scan for pregnancy		
	6 weeks before lambing	Multiclostridial and Pasteurella - Vaccination	Multivax P	2 ml subcutaneously
Deworm if necessary using 5 Point Check				
YOUNG RAMS	4 months	Vaccinate against Brucella ovis	REV1 (Only for breeding rams)	2 ml subcutaneously
	4 weeks to mating	Vitamins & Minerals	Complex A&E	3 ml subcutaneously
		Multiclostridial and Pasteurella - (Annual Booster)	Multivax P	2 ml subcutaneously
		Deworm if necessary using 5 Point Check		
MATURE EWES	4 weeks to mating	Vitamins & Minerals	Complex A&E	3 ml subcutaneously
	42 days after mating season	Scan for pregnancy		
	6 weeks before lambing	Multiclostridial and Pasteurella - (Booster)	Multivax P	2 ml subcutaneously
		Vitamins & Minerals	Complex A&E	3 ml subcutaneously
		Deworm if necessary using 5 Point Check		
MATURE RAMS	Once a year	Multiclostridial and Pasteurella - (Annual Booster)	Multivax P	2ml subcutaneously
	4 Weeks to mating	Vitamins & Minerals	Complex A&E	3 ml subcutaneously
		Deworm if necessary using 5 Point Check		