

Gate i45 Grey - Gate i45 Black

9563881 | 9564837



The modern open design of the i45 EAS gate strengthens your store's look and feel. Its look can be completely adapted to the design of your brand or your store which enables a seamless integration into any store concept.

All Nedap i-Line EAS gates are equipped with state-of-the-art smart electronics that gather valuable information and offer integration possibilities with other security devices.

The i45 gate is ready for an upgrade to RFID, offering the possibility to upgrade the i45 to a hybrid RF/ RFID system or RFID-only EAS system whenever you are ready.

Specifications


- State-of-the-art antenna design, ensuring optimal performance, even in challenging environments
- Equipped with Nedap's patented OID (Orientation Independent Detection) technology; tags are detected regardless of their position (front/flat/ side/angled)
- Integrated 8.2 MHz RF detection technology
- Simple to install and easy to configure; Device Management allows remote monitoring, remote log-in and online firmware update
- Standard light and audio signalisation present
- RFID ready; clip-in RFID upgrade kit available
- API with SDK available that can be used for system integration, providing autonomous operation and buffered reads
- Available in Grey and Black

Options

- Infrared beam sensors for customer counting and/or direction detection
- Integrated Metal Detection
- Clip-in RFID upgrade kit available
- Device Management: remote monitoring, remote log-in and online firmware updates
- Integrated advertising panels to place advertising posters in on both sides of the gate
- Antenna protection kit for use in challenging environments

Technical specifications - General

EAS Frequency	8.2MHz
Connectivity	Ethernet, usb (service port only)
Management interfaces	<ul style="list-style-type: none">• Local configuration interface• Nedap Device Management with:• Remote monitoring• Remote log-in• Online firmware updates• SNMP version 2C
Dimensions	1668mm x 462mm x 100mm 5.5ft x 1.5ft x 3.9"
Weight	11kg 24.25 lbs
Mains	100 - 240V
Operating temp.	32 .. 113°F 0 .. 45°C
Mounting	Floor mounted
Power consumption	Average of 12W per antenna



Ordering Information

Description	Article number
ASSY FL45R RF GREY	9563881
ASSY FL45R RF BLACK	9564837

Package includes

- Gate i45 Grey, with integrated antenna and 8.2 MHz RF electronics
- Installation set