www.TAILGATETALKS.com

AN OCCUPATIONAL SAFETY & HEALTH TRAINING SERIES FOR HIGH HAZARD INDUSTRIES

©2019 Courage Safety Systems, LLC | San Clemente, CA 92673 | Tel: (800) 673-7569 | www.TailgateTalks.com

Company Name:

Dept:_____ Location:_____

Date:

• Use on fires involving or surrounding electrical

NEVER USE WATER ON THESE FIRES!!

• Use on combustible metal fires.

Classes ABS and BC

Use on combination fires.

PORTABLE FIRE EXTINGUISHERS

Class C

Class D

equipment.

Class A

- Use on fires involving paper, cloth, trash, wood, and other ordinary combustibles.
- Note the numbers: the higher the number, the larger the fire area it can handle.
- Be careful not to blow burnables and create a larger fire.

Class B

- Use on fires involving such gases and flammable liquids as grease, oil, paint, or solvents.
- Note the numbers: they tell the square foot area of fire the extinguisher can handle.

On Construction Jobsites

• Fire extinguishers must be kept fully charged, inspected monthly and serviced annually §1922(a)

- At least 1 fire extinguisher, rated not less than 2A, must be provided at each floor
- In multi-story buildings, at least 1 fire extinguisher must be located adjacent to the stairway at each level
- Fire extinguishers rated not less than 2A must be provided for each 3,000 ft of floor area / fraction thereof
- Fire extinguishers must be kept within 75 ft. of the protected area §1922(a)

KNOW HOW TO USE A FIRE EXTINGUISHER PROPERLY!

PULL THE PIN » STAND ABOUT 8 FEET FROM THE FIRE » AIM CAREFULLY AT THE BASE

OF THE FIRE » SQUEEZE THE TRIGGER » IF THE FIRE LOOKS TOO BIG, SOUND THE

ALARM AND LET TRAINED FIREFIGHTERS HANDLE IT

	Print Name	Signature	
Meeting Attended By:			
-			Document Filing
-			
-			
			Reference
_			
Notes & Suggestions		uld be filed in employer's safety training records & cros	-

