

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
ALASKA					
01AA	AK	11/29	4913	75	GRVL-G
03AK	AK	N/S	6000	500	WATER
05AA	AK	NW/SE	10000	1000	WATER
0AA1	AK	08/26	4350	75	TURF-F
0AA4	AK	08/26	4600	30	GRVL-DIRT-P
0AK	AK	04/22	4000	75	GRVL-DIRT-P
13S	AK	ALL/WAY	5000	4000	WATER
13Z	AK	E/W	10000	2000	WATER
16K	AK	NW/SE	10000	1000	WATER
16Z	AK	N/S	4000	350	WATER-E
19P	AK	NW/SE	4000	1000	WATER
1KC	AK	09/27	4000	140	GRVL
1Z9	AK	NW/SE	8000	4000	WATER
29A	AK	18W/36W	4000	200	WATER-E
2A9	AK	02/20	4400	100	GRAVEL-F
2AK6	AK	12/30	5500	125	TURF-GRVL
2C7	AK	15/33	4001	75	GRVL-F
2R3	AK	06W/24W	5000	500	WATER
2VI2	AK	07W/25W	4500	150	WATER-E
2Y3	AK	NW/SE	7500	2000	WATER
2Y3	AK	NE/SW	7500	2000	WATER
2Z5	AK	N/S	5000	300	WATER
2Z6	AK	E/W	4000	500	WATER
36H	AK	ALL/WAY	5000	5000	WATER
37AA	AK	05/23	5000	150	GRVL
37AK	AK	07/25	4200	145	GRAVEL
3A3	AK	N/S	6000	400	WATER
3AK5	AK	05/23	4100	150	GRAVEL
3H3	AK	06W/24W	4000	800	WATER
3K9	AK	NE/SW	5500	800	WATER
3Z8	AK	NW/SE	5000	1500	WATER
42AK	AK	05/23	5000	150	GRVL
4A3	AK	09W/27W	5000	2500	WATER

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
4AK1	AK	02/20	5000	150	GRVL
4Z7	AK	N/S	10000	1000	WATER
52Z	AK	N/S	5000	1000	WATER
54AK	AK	03W/21W	4500	500	WATER
57A	AK	NE/SW	6000	400	WATER
58A	AK	NW/SE	4000	1500	WATER
5AK0	AK	17/35	4500	100	GRVL-DIRT
5AK4	AK	18W/36W	5000	1500	WATER
5C5	AK	15W/33W	7205	150	WATER
5L6	AK	NE/SW	4000	1000	WATER
5Z9	AK	ALL/WAY	5000	4000	WATER-E
63A	AK	NE/SW	9000	1100	WATER-E
68A	AK	NW/SE	9000	360	WATER
6A8	AK	05/23	4000	100	GRAVEL-G
78K	AK	E/W	5000	2000	WATER
78Z	AK	N/S	6000	600	WATER
7AK	AK	09/27	4500	75	ASPH
7KA	AK	13W/31W	8000	4000	WATER
80AK	AK	N/S	4000	1500	WATER
84K	AK	NW/SE	7000	200	WATER
8K9	AK	NE/SW	10000	2000	WATER
91AK	AK	03W/21W	5000	200	WATER
95Z	AK	15/33	4100	60	GRVL-DIRT-F
96Z	AK	NW/SE	10000	1000	WATER
99Z	AK	ALL/WAY	5500	500	WATER
9AK3	AK	06/24	4100	75	GRAVEL
9C0	AK	NE/SW	9000	2000	WATER
A11	AK	06W/24W	4000	200	WATER
A23	AK	NW/SE	10000	1000	WATER
A29	AK	NW/SE	4000	200	WATER
AA02	AK	01W/19W	5500	200	WATER
AA06	AK	07W/25W	4000	50	WATER
ADK	AK	05/23	7790	200	ASPH-G
ADQ	AK	01/19	5010	150	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
ADQ	AK	11/29	5400	150	ASPH-G
ADQ	AK	08/26	7534	150	ASPH-G
AFE	AK	11/29	4000	100	ASPH-P
AFM	AK	01/19	4000	75	GRVL-DIRT-G
AGN	AK	NW/SE	10000	900	WATER
AK06	AK	12/30	4000	50	GRAVEL
AK15	AK	03/21	5005	100	GRVL
AK22	AK	06/24	4000	50	GRVL
AK28	AK	18W/36W	4000	200	WATER
AK28	AK	18/36	4700	60	GRVL-G
AK34	AK	NW/SE	4000	500	WATER
AK40	AK	16/34	4200	100	GRVL-G
AK48	AK	09W/27W	4000	200	WATER
AK51	AK	12W/30W	4000	200	WATER
AK51	AK	01W/19W	4000	200	WATER
AK57	AK	15W/33W	5000	600	WATER
AK60	AK	06/24	4700	125	GRAVEL
AK62	AK	N/S	10000	1000	WATER
AK62	AK	NE/SW	10000	300	WATER
AK71	AK	07/25	5000	100	GRAVEL
AK73	AK	07/25	4000	150	ASPH-GRVL
AK77	AK	09/27	5500	75	TURF-GRVL
AK78	AK	04/22	5100	75	GRVL
AK8	AK	14W/32W	4000	1600	WATER
AK81	AK	N/S	8000	700	WATER
AK96	AK	06/24	5000	100	GRVL-G
AKA	AK	16/34	4500	100	ASPH-G
AKN	AK	NW/SE	4000	500	WATER
AKN	AK	18/36	4017	100	ASPH-F
AKN	AK	12/30	8901	150	ASPH-G
AKP	AK	02/20	4800	100	GRAVEL-G
AKW	AK	02/20	5000	100	ASPH-G
ALZ	AK	NE/SW	10000	1000	WATER
ANC	AK	07L/25R	10600	150	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
ANC	AK	15/33	10865	200	ASPH-G
ANC	AK	07R/25L	12400	200	ASPH-CONC-G
ANI	AK	11/29	6200	100	ASPH-G
ANN	AK	02/20	5709	150	GRAVEL
ANN	AK	12/30	7493	150	ASPH
ANV	AK	17/35	4000	75	GRAVEL-G
AQH	AK	12/30	4000	75	GRVL-F
AQT	AK	05/23	4589	100	GRAVEL-G
ARC	AK	02/20	4500	75	GRAVEL-P
ATK	AK	07/25	4370	90	GRAVEL-G
ATU	AK	02/20	5998	150	ASPH-F
AUK	AK	16/34	4000	75	GRVL-DIRT-G
AWI	AK	06/24	4494	110	GRAVEL-F
BCV	AK	02L/20R	4012	100	ASPH-F
BET	AK	01R/19L	4000	75	ASPH-G
BET	AK	01L/19R	6400	150	ASPH-F
BIG	AK	07/25	4057	88	ASPH-G
BIG	AK	10/28	6115	150	ASPH-G
BIG	AK	01/19	9000	150	ASPH-G
BLG	AK	01/19	5002	100	GRVL-G
BNF	AK	E/W	10000	1000	WATER-E
BQV	AK	NW/SE	10000	4000	WATER-E
BRW	AK	08/26	7100	150	ASPH-F
BTI	AK	07/25	4500	100	GRAVEL-G
BTT	AK	02/20	5190	150	GRVL-G
CDB	AK	08/26	4900	150	ASPH-G
CDB	AK	15/33	10179	150	ASPH-G
CDV	AK	09/27	7500	150	ASPH-G
CGA	AK	N/S	10000	2000	WATER
CIK	AK	04/22	4000	75	GRVL-DIRT-F
CKU	AK	09W/27W	8000	3000	WATER
CSR	AK	02/20	5000	150	GRAVEL
CXF	AK	02/20	4011	75	GRAVEL-G
D71	AK	01W/19W	5000	400	WATER

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
D76	AK	06/24	4000	100	GRVL-DIRT-G
DCK	AK	08/26	4780	75	GRAVEL-G
DGG	AK	03/21	6312	100	ASPH-G
DLG	AK	01/19	6400	150	ASPH-G
DUT	AK	13/31	4500	100	ASPH-F
EDF	AK	16/34	7493	150	ASPH
EDF	AK	06/24	10000	200	ASPH
EII	AK	12/30	5600	100	GRVL-G
EIL	AK	14/32	14530	150	CONC
ELV	AK	NW/SE	10000	1500	WATER-E
ENA	AK	02W/20W	4600	252	WATER-E
ENA	AK	02L/20R	7855	150	ASPH-G
ENM	AK	16/34	4601	100	GRAVEL-G
ENN	AK	04L/22R	4600	100	ASPH-G
FAI	AK	02R/20L	4510	75	ASPH-G
FAI	AK	02W/20W	5400	100	WATER
FAI	AK	02L/20R	11800	150	ASPH-G
FBK	AK	07/25	8575	150	ASPH-CONC
FKK	AK	NW/SE	5000	500	WATER
FLT	AK	08/26	4045	90	TURF-GRVL-P
FNR	AK	NE/SW	10500	500	WATER-E
FRN	AK	17/35	4088	100	ASPH
FSP	AK	05/23	4001	75	GRAVEL-G
FYU	AK	04/22	5000	100	GRVL-DIRT-G
GAL	AK	08/26	6000	100	ASPH-F
GAM	AK	16/34	4500	100	ASPH-CONC-F
GBH	AK	14/32	5182	150	GRAVEL-G
GKN	AK	15L/33R	5001	100	ASPH-G
GLV	AK	03/21	4000	75	GRAVEL-F
GST	AK	11/29	6720	150	ASPH-G
HCA	AK	01/19	4000	100	GRAVEL-G
HLA	AK	03/21	4000	75	GRAVEL-G
HNS	AK	08/26	4000	100	ASPH-G
HOM	AK	04/22	6701	150	ASPH-P

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
HWI	AK	N/S	10000	3000	WATER
HYG	AK	E/W	5000	2000	WATER
HYL	AK	E/W	10000	500	WATER
IAN	AK	07/25	4000	75	GRAVEL-G
ILI	AK	18/36	4800	100	ASPH-G
ILI	AK	08/26	5086	100	ASPH-G
JNU	AK	08W/26W	4800	150	WATER
JNU	AK	08/26	8857	150	ASPH-G
KAE	AK	NW/SE	10000	4000	WATER
KBE	AK	NE/SW	10600	2600	WATER
KCC	AK	N/S	5000	2000	WATER
KGX	AK	17/35	4000	75	GRAVEL-G
KKB	AK	E/W	4000	1000	WATER
KKI	AK	NW/SE	5000	500	WATER
KKI	AK	E/W	5000	300	WATER
KKL	AK	NW/SE	10000	1000	WATER
KMY	AK	N/S	10000	1000	WATER-E
KOY	AK	ALL/WAY	10000	1000	WATER
KPB	AK	N/S	4000	250	WATER
KPC	AK	16/34	4497	120	ASPH
KPR	AK	E/W	10000	4000	WATER
KPY	AK	E/W	10000	2000	WATER
KQA	AK	E/W	10000	1000	WATER-E
KSM	AK	17/35	6008	150	GRAVEL-G
KTB	AK	NW/SE	5000	2000	WATER
KTN	AK	11/29	7500	150	ASPH-G
KTN	AK	WNW/ESE	9500	1500	WATER
KWF	AK	NW/SE	10000	1000	WATER
KWP	AK	E/W	10000	500	WATER
KYU	AK	07/25	4000	75	GRAVEL-G
L93	AK	E/W	4000	200	WATER-G
LHD	AK	E/W	4541	188	WATER
LKK	AK	07/25	4400	110	GRVL-DIRT-F
LKK	AK	18W/36W	5000	5000	WATER

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
LUR	AK	09/27	4800	135	GRAVEL
MCG	AK	16/34	5936	100	ASPH-G
MHM	AK	03/21	4184	100	GRAVEL-G
MRI	AK	07/25	4000	100	ASPH-G
MTF	AK	06/24	4600	80	ASPH-GRVL
MTM	AK	E/W	5000	5000	WATER
MTM	AK	N/S	5000	5000	WATER
NUL	AK	03/21	4011	100	GRAVEL-G
OBU	AK	09/27	4020	75	GRAVEL-G
OME	AK	10/28	6009	150	ASPH-G
OME	AK	03/21	6176	150	ASPH-G
OOH	AK	E/W	9000	5000	WATER
ORT	AK	05/23	5100	100	ASPH-G
OTZ	AK	09/27	6300	150	ASPH-G
OUL	AK	08/26	4003	75	GRVL-DIRT-G
PAQ	AK	16/34	6006	100	ASPH-G
PBV	AK	11/29	4982	150	ASPH-G
PEC	AK	NW/SE	10000	2000	WATER-E
PIZ	AK	05/23	4500	100	GRAVEL-G
PPC	AK	01/19	4968	150	GRVL-G
PSG	AK	05/23	6400	150	ASPH-G
PTH	AK	14/32	4000	100	GRAVEL-F
PTH	AK	06/24	5000	100	GRAVEL-F
PTU	AK	14/32	5000	75	GRVL-DIRT-G
PYL	AK	N/S	10000	2000	WATER
RBY	AK	03/21	4000	100	GRAVEL-G
RDV	AK	10/28	4820	75	GRVL-F
RK1	AK	08/26	5500	150	GRVL-DIRT-P
SCC	AK	06/24	6500	150	ASPH-G
SDP	AK	14/32	5213	150	ASPH-G
SHG	AK	10/28	4001	60	GRAVEL-F
SHH	AK	05/23	4997	73	ASPH-P
SHX	AK	18W/36W	5000	1000	WATER
SIT	AK	11/29	7200	150	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
SMK	AK	02/20	4001	75	GRAVEL-G
SNP	AK	18/36	6500	150	ASPH-G
SVA	AK	05/23	4400	100	GRAVEL-G
SVS	AK	05/23	4000	75	GRVL-DIRT-G
SVW	AK	16/34	4200	150	GRAVEL-G
SWD	AK	13/31	4249	100	ASPH-G
SXP	AK	09W/27W	15000	2000	WATER
SXP	AK	18W/36W	15000	2000	WATER
SXQ	AK	07/25	5001	130	ASPH-F
SYA	AK	10/28	10005	150	ASPH
T44	AK	02W/20W	4400	200	WATER
T66	AK	N/S	4000	200	WATER
TAL	AK	07/25	4400	100	GRAVEL-G
TKE	AK	E/W	10000	7000	WATER-F
TKL	AK	NE/SW	5000	500	WATER
TNC	AK	16/34	4702	100	GRVL
TOG	AK	03/21	4400	100	GRVL-DIRT-G
TSG	AK	12/30	4871	150	ASPH-P
TSG	AK	06/24	4963	150	ASPH-P
UBW	AK	06/24	6551	150	ASPH-G
UGB	AK	12/30	5280	125	GRVL-DIRT-P
UMT	AK	06/24	5583	100	GRVL-DIRT-P
UNK	AK	15/33	5900	150	ASPH-G
UTO	AK	06/24	4100	150	GRAVEL-G
UUO	AK	13/31	4400	75	GRAVEL-G
VDZ	AK	06/24	6500	150	ASPH-G
VEE	AK	04/22	4000	75	GRAVEL-G
WRG	AK	10/28	6000	150	ASPH-G
WSB	AK	N/S	6000	2000	WATER
WSJ	AK	N/S	10000	2000	WATER
WWT	AK	E/W	5000	400	WATER
YAK	AK	02/20	6475	150	CONC-G
YAK	AK	11/29	7732	150	ASPH-G
Z33	AK	E/W	10000	1000	WATER

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
Z43	AK	NW/SE	10560	1500	WATER
Z71	AK	NW/SE	10000	500	WATER
Z78	AK	E/W	6000	4000	WATER
Z78	AK	NE/SW	10000	4000	WATER
Z91	AK	16/34	4000	75	GRAVEL-G
ZNC	AK	05/23	4512	80	GRAVEL
ALABAMA					
02A	AL	08/26	4007	100	ASPH-G
04A	AL	04/22	4649	80	ASPH-P
06A	AL	13/31	5005	100	ASPH-F
07A	AL	14/32	5002	80	ASPH-E
07AL	AL	H1	6000	1200	TURF
08AL	AL	09W/27W	4000	200	WATER
09A	AL	12/30	4082	80	ASPH-P
0A8	AL	10/28	4206	80	ASPH-E
0R1	AL	18/36	5001	80	ASPH-G
11A	AL	09/27	5010	80	ASPH-E
12J	AL	12/30	5001	150	ASPH-P
12J	AL	06/24	5136	150	ASPH-F
1A9	AL	09/27	5400	100	ASPH-E
1M4	AL	18/36	5008	100	ASPH-F
1R8	AL	08/26	5500	79	ASPH-G
20A	AL	06/24	4203	80	ASPH-E
26A	AL	09/27	4023	80	ASPH-E
3M8	AL	01/19	5144	80	ASPH-F
46AL	AL	12W/30W	5500	200	WATER
4A6	AL	04/22	5240	80	ASPH-G
4A9	AL	04/22	5001	100	ASPH-G
4R3	AL	01/19	5003	80	ASPH-E
5R1	AL	12/30	4002	80	ASPH-F
61A	AL	18/36	4303	80	ASPH-F
71J	AL	13/31	5152	80	ASPH-F
79J	AL	11/29	6000	100	ASPH-G
7A3	AL	06/24	5400	75	CONC-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
7A6	AL	05/23	4103	80	ASPH-F
8A0	AL	05/23	6114	100	ASPH-F
8A1	AL	07/25	5005	75	ASPH-G
8A1	AL	06W/24W	5500	200	WATER
9A4	AL	13/31	4994	100	CONC-P
A08	AL	16/34	6400	80	ASPH-F
AIV	AL	06/24	5001	80	ASPH-G
AL05	AL	04/22	5000	75	ASPH-G
AL12	AL	09/27	4600	50	ASPH
AL46	AL	02W/20W	6200	1200	WATER
AL46	AL	08W/26W	6500	1000	WATER
AL46	AL	17W/35W	11000	1100	WATER
AL69	AL	18/36	4000	70	TURF
AL71	AL	09/27	4500	60	ASPH-F
AL75	AL	06W/24W	4330	300	WATER
ALX	AL	18/36	5422	96	ASPH-F
ANB	AL	05/23	7000	150	ASPH-E
ASN	AL	04/22	6032	100	ASPH-F
AUO	AL	11/29	4000	75	ASPH-E
AUO	AL	18/36	5264	100	ASPH-F
BFM	AL	18/36	7800	150	ASPH-CONC-F
BFM	AL	14/32	9618	150	ASPH-CONC-G
BHM	AL	18/36	7099	150	ASPH-G
BHM	AL	06/24	12007	150	ASPH-G
CMD	AL	02/20	5500	100	ASPH-F
CQF	AL	01/19	6604	100	ASPH-F
DCU	AL	18/36	6107	100	ASPH-F
DHN	AL	18/36	5498	100	ASPH-F
DHN	AL	14/32	8499	150	ASPH-E
DYA	AL	04/22	5002	100	ASPH-G
EDN	AL	05/23	5080	100	ASPH-G
EET	AL	16/34	5000	75	ASPH-F
EKY	AL	05/23	6007	100	ASPH-G
EUF	AL	18/36	5000	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
GAD	AL	18/36	4806	100	ASPH-F
GAD	AL	06/24	6802	150	ASPH-F
GZH	AL	10/28	5004	150	ASPH-G
GZH	AL	01/19	5005	150	ASPH-F
HAB	AL	18/36	5495	100	ASPH-G
HDL	AL	09/27	5002	80	ASPH-F
HL2	AL	16W/34W	6000	300	WATER
HSV	AL	18L/36R	10001	150	ASPH-G
HSV	AL	18R/36L	12600	150	ASPH-CONC-G
HUA	AL	17/35	7300	150	ASPH-G
JFX	AL	09/27	5004	100	ASPH-F
JKA	AL	09/27	6962	100	ASPH-G
M22	AL	02/20	5500	75	ASPH-F
M95	AL	01/19	5009	80	ASPH-G
MDQ	AL	18/36	6500	100	ASPH-F
MGM	AL	03/21	4011	150	ASPH-F
MGM	AL	10/28	9020	150	ASPH-G
MOB	AL	18/36	4376	150	ASPH-G
MOB	AL	15/33	8502	150	ASPH-G
MSL	AL	18/36	4000	100	ASPH-E
MSL	AL	12/30	6694	150	ASPH-F
MVC	AL	03/21	6028	100	ASPH-F
MXF	AL	15/33	8008	150	ASPH
NBJ	AL	15/33	5000	150	ASPH
NBJ	AL	09/27	5000	150	ASPH
NFD	AL	11/29	4000	150	ASPH
OZR	AL	06/24	4546	150	ASPH
OZR	AL	18/36	5025	150	ASPH
PLR	AL	03/21	5001	80	ASPH-F
PRN	AL	14/32	5501	80	ASPH-G
PYP	AL	07/25	5500	100	ASPH-G
SCD	AL	09/27	5390	100	ASPH-G
SEM	AL	15/33	8014	150	ASPH-CONC-F
TCL	AL	12/30	4001	100	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
TCL	AL	04/22	6499	150	ASPH-E
TOI	AL	14/32	5024	100	ASPH-P
TOI	AL	07/25	6197	100	ASPH-F
ARKANSAS					
0M0	AR	18/36	5003	75	ASPH-G
0R6	AR	02/20	4326	50	ASPH-P
1AR0	AR	03/21	4090	35	TURF-P
2A2	AR	05/23	4795	50	ASPH-G
2A6	AR	15/33	4469	50	ASPH-F
32A	AR	11/29	5324	75	ASPH-G
42A	AR	03/21	4003	75	ASPH-G
49AR	AR	01/19	4400	50	TURF
4A5	AR	05/23	4003	75	ASPH-G
4M3	AR	18/36	4494	75	ASPH-G
4M3	AR	09/27	4501	75	ASPH-F
4M9	AR	18/36	4299	60	ASPH-G
5M8	AR	08/26	4403	60	ASPH-F
6M0	AR	18/36	4048	150	ASPH-F
6M2	AR	13/31	4502	60	ASPH-G
6M7	AR	18/36	4021	75	ASPH-F
73AR	AR	18/36	4000	50	TURF
7M1	AR	18/36	4007	75	ASPH-F
7M2	AR	09/27	4502	70	ASPH-F
7M3	AR	08/26	4000	75	ASPH-G
ADF	AR	04/22	5002	75	ASPH-G
AGO	AR	18/36	5007	100	ASPH-F
ARG	AR	18/36	5001	150	CONC-F
ARG	AR	13/31	5003	150	CONC-F
ARG	AR	04/22	6001	150	ASPH-G
ASG	AR	18/36	5302	76	ASPH-E
AWM	AR	17/35	6003	100	CONC-G
AZU	AR	07/25	4500	60	TURF-DIRT
BPK	AR	05/23	5000	75	ASPH-G
BVX	AR	08/26	6002	150	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
BYH	AR	18/36	11602	150	CONC-G
CCA	AR	13/31	4007	60	ASPH-F
CDH	AR	01/19	6502	100	ASPH-G
CRT	AR	05/23	5010	75	ASPH-G
CVK	AR	04/22	5158	75	ASPH-G
CXW	AR	04/22	5500	100	CONC-E
DEQ	AR	08/26	5001	75	ASPH-F
DRP	AR	18/36	5003	75	ASPH-G
ELD	AR	13/31	5100	100	ASPH-G
ELD	AR	04/22	6601	150	ASPH-F
FLP	AR	04/22	5001	75	ASPH-G
FSM	AR	02/20	5001	150	ASPH-G
FSM	AR	08/26	8017	150	ASPH-G
FYV	AR	16/34	6005	100	ASPH-G
H35	AR	09/27	4504	75	ASPH-F
HBZ	AR	06/24	4002	75	ASPH-G
HEE	AR	17/35	5001	100	ASPH-E
HKA	AR	18/36	4999	75	ASPH-F
HOT	AR	13/31	4098	100	ASPH-G
HOT	AR	05/23	6595	150	ASPH-G
HRO	AR	18/36	6161	150	ASPH-G
JBR	AR	13/31	4099	150	ASPH-G
JBR	AR	05/23	6200	150	ASPH-G
LIT	AR	18/36	6224	150	CONC-G
LIT	AR	04R/22L	8251	150	CONC-G
LIT	AR	04L/22R	8273	150	CONC-G
LLQ	AR	03/21	5020	75	ASPH-G
LRF	AR	07/25	12000	200	CONC
M18	AR	04/22	5301	100	CONC-F
M18	AR	16/34	5501	100	CONC-G
M19	AR	04/22	5002	150	CONC-G
M19	AR	18/36	5002	150	CONC-G
M32	AR	01/19	4400	75	ASPH-F
M36	AR	02/20	4002	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
M70	AR	18/36	4000	75	ASPH-F
MEZ	AR	17/35	5001	75	ASPH-E
MEZ	AR	09/27	5485	100	ASPH-F
MPJ	AR	03/21	5852	75	ASPH-F
MXA	AR	18/36	4201	75	ASPH-F
ORK	AR	05/23	5002	75	CONC-G
PBF	AR	18/36	5998	150	ASPH-F
PGR	AR	04/22	4500	75	ASPH-G
RBM	AR	04/22	5702	75	ASPH
ROG	AR	02/20	6011	100	ASPH-E
RUE	AR	07/25	5505	75	ASPH-G
SGT	AR	09/27	5002	150	CONC-G
SGT	AR	18/36	6015	100	ASPH-G
SLG	AR	18/36	4997	75	ASPH-G
SRC	AR	01/19	6008	100	ASPH-G
SUZ	AR	02/20	5002	100	ASPH-G
TXK	AR	13/31	5200	100	ASPH-G
TXK	AR	04/22	6601	150	ASPH-G
VBT	AR	18/36	4426	65	ASPH-F
XNA	AR	17/35	8800	150	CONC-G
XNA	AR	16/34	8801	150	CONC-G
ARIZONA					
0V7	AZ	05/23	7101	75	ASPH-G
14AZ	AZ	06/24	4300	50	ASPH-G
18AZ	AZ	06/24	4029	50	ASPH
1AZ0	AZ	09/27	4500	75	ASPH
1G4	AZ	17/35	5000	75	ASPH-G
1Z1	AZ	16/34	4600	40	ASPH-DIRT-G
21AZ	AZ	12/30	4000	50	ASPH
23AZ	AZ	13/31	4500	75	DIRT
29AZ	AZ	03/21	5000	60	ASPH
2AZ9	AZ	04/22	4300	100	GRVL
31AZ	AZ	08/26	4800	140	DIRT-F
33AZ	AZ	14/32	4000	50	GRAVEL

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
3AZ5	AZ	07/25	4790	30	ASPH
40G	AZ	01/19	4199	45	ASPH-G
52AZ	AZ	NW/SE	4800	45	DIRT
57AZ	AZ	01/19	4670	44	ASPH-G
5AZ3	AZ	08/26	5124	80	ASPH
6AZ2	AZ	18/36	5000	80	DIRT
73AZ	AZ	06/24	4800	60	ASPH
74AZ	AZ	18/36	4800	50	DIRT
9AZ2	AZ	18/36	4053	50	DIRT-G
A09	AZ	17/35	4800	50	ASPH-F
A39	AZ	04/22	4751	50	ASPH-G
AVQ	AZ	12/30	6901	100	ASPH-G
AZ04	AZ	08/26	4000	50	ASPH
AZ21	AZ	17/35	4000	175	TURF-DIRT
AZ27	AZ	06/24	4200	75	DIRT
AZ32	AZ	18/36	4700	60	GRVL
AZ45	AZ	01/19	4500	150	TURF
AZ57	AZ	09/27	5250	75	GRVL
AZ67	AZ	08L/26R	5000	100	ASPH-DIRT
AZ67	AZ	17L/35R	5000	100	DIRT-TRTD
AZ67	AZ	17R/35L	5000	130	DIRT-TRTD
AZ67	AZ	08R/26L	5000	100	DIRT-TRTD
AZ67	AZ	08/26	5120	100	DIRT
AZ97	AZ	N/S	4250	40	DIRT
AZC	AZ	02/20	5099	60	ASPH-E
AZC	AZ	11/29	6300	75	ASPH-G
BXK	AZ	17/35	5500	75	ASPH-G
CFT	AZ	07/25	4978	75	ASPH-G
CGZ	AZ	05/23	5200	100	ASPH-G
CHD	AZ	04L/22R	4401	75	ASPH-G
CHD	AZ	04R/22L	4870	75	ASPH-G
CMR	AZ	18/36	6003	100	ASPH-G
DGL	AZ	18/36	4095	100	DIRT-P
DGL	AZ	03/21	5760	75	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
DMA	AZ	12/30	13643	200	PEM
DUG	AZ	08/26	4966	60	ASPH-F
DUG	AZ	17/35	6430	100	ASPH-G
DVT	AZ	07L/25R	4500	75	ASPH-G
DVT	AZ	07R/25L	8196	100	ASPH-G
E24	AZ	01/19	6350	75	ASPH-G
E25	AZ	05/23	6101	75	ASPH-G
E51	AZ	05/23	4552	60	ASPH-G
E63	AZ	04/22	5200	75	ASPH-G
E77	AZ	11/29	4207	75	ASPH-G
E78	AZ	04/22	5830	60	ASPH-P
E91	AZ	18/36	6902	60	ASPH-F
E95	AZ	10/28	4002	75	ASPH-G
FFZ	AZ	04R/22L	5100	100	ASPH-G
FHU	AZ	03/21	4285	75	ASPH-CONC-G
FHU	AZ	12/30	5366	100	ASPH-CONC-G
FHU	AZ	08/26	12001	150	CONC-E
FLG	AZ	03/21	8800	150	ASPH-E
GCN	AZ	03/21	8999	150	ASPH-G
GEU	AZ	01/19	7150	100	ASPH-G
GXF	AZ	17/35	8502	150	ASPH
GYR	AZ	03/21	8500	150	ASPH-G
HII	AZ	14/32	8000	100	ASPH-F
IFP	AZ	16/34	8501	150	ASPH-G
IGM	AZ	17/35	6725	75	ASPH-G
IGM	AZ	03/21	6827	150	ASPH-G
INW	AZ	11/29	7100	150	ASPH-F
INW	AZ	04/22	7499	150	ASPH-G
IWA	AZ	12L/30R	9300	150	CONC-G
IWA	AZ	12C/30C	10201	150	ASPH-CONC-G
IWA	AZ	12R/30L	10401	150	CONC-G
JTC	AZ	11/29	4603	60	ASPH-G
JTC	AZ	03/21	8422	75	ASPH-G
L37	AZ	05/23	5100	45	GRAVEL-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
LGF	AZ	06/24	6043	100	ASPH
LGF	AZ	18/36	6142	151	ASPH
LUF	AZ	03R/21L	9904	150	CONC
LUF	AZ	03L/21R	10012	150	CONC
MZJ	AZ	12/30	6849	150	ASPH-P
NYL	AZ	17/35	5710	150	ASPH-CONC-G
NYL	AZ	08/26	6146	150	ASPH-G
NYL	AZ	03R/21L	9240	150	ASPH-CONC-G
NYL	AZ	03L/21R	13300	200	CONC-G
OLS	AZ	03/21	7200	100	ASPH-G
P03	AZ	05/23	5551	60	ASPH-F
P04	AZ	17/35	5929	60	ASPH-G
P08	AZ	05/23	5564	150	ASPH-G
P10	AZ	04/22	4200	50	ASPH-P
P13	AZ	09/27	6500	100	ASPH-F
P14	AZ	03/21	6698	75	ASPH-G
P19	AZ	17/35	4417	80	ASPH-G
P20	AZ	01/19	6250	100	ASPH-G
P23	AZ	04/22	4800	75	ASPH-G
P29	AZ	06/24	4430	60	ASPH-G
P33	AZ	03/21	6095	75	ASPH-G
P52	AZ	14/32	4250	75	ASPH-G
PAN	AZ	06/24	5504	75	ASPH-G
PGA	AZ	15/33	5950	150	ASPH-G
PHX	AZ	07R/25L	7800	150	CONC-G
PHX	AZ	07L/25R	10300	150	CONC-G
PHX	AZ	08/26	11489	150	CONC-G
PRC	AZ	12/30	4408	75	ASPH-G
PRC	AZ	03L/21R	4846	60	ASPH-G
PRC	AZ	03R/21L	7619	150	ASPH-G
RQE	AZ	03/21	7000	75	ASPH-P
RYN	AZ	15/33	4010	75	ASPH-F
RYN	AZ	06L/24R	4900	75	ASPH-G
RYN	AZ	06R/24L	5500	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
SAD	AZ	08/26	4802	75	ASPH-G
SAD	AZ	12/30	6007	100	ASPH-G
SDL	AZ	03/21	8249	100	ASPH-G
SEZ	AZ	03/21	5132	100	ASPH-G
SJN	AZ	14/32	5322	75	ASPH-G
SOW	AZ	07/25	7202	100	ASPH-E
T03	AZ	15/33	6230	75	ASPH-G
TUS	AZ	03/21	7000	150	ASPH-G
TUS	AZ	11R/29L	8408	75	ASPH-G
TUS	AZ	11L/29R	10996	150	ASPH-G
TYL	AZ	03/21	7001	75	ASPH-G
Z95	AZ	07/25	4200	100	GRVL-DIRT-P
CALIFORNIA					
00CA	CA	04/22	6000	80	ASPH
04CA	CA	08/26	8000	150	ASPH
11CL	CA	07/25	5875	80	DIRT
1Q2	CA	16/34	4600	50	ASPH-G
1Q5	CA	01/19	4050	200	GRAVEL-G
22CA	CA	11W/29W	10000	2400	WATER
24CL	CA	14/32	6815	75	ASPH
2CL3	CA	15/33	5000	60	TURF
2CL9	CA	07/25	4000	40	ASPH
2CN4	CA	13/31	5002	60	ASPH
2O1	CA	07/25	4105	60	ASPH-G
34CN	CA	07/25	4100	100	TRTD
46CN	CA	07/25	4500	250	ASPH-DIRT-G
49X	CA	16/34	5000	75	ASPH-G
52CL	CA	E/W	5100	100	DIRT
6CA6	CA	08/26	4000	33	ASPH-GRVL
7CA1	CA	09/27	4000	75	DIRT
9CA6	CA	16/34	5300	100	DIRT
9L2	CA	06/24	5998	150	ASPH
A24	CA	05/23	4159	60	ASPH-G
A32	CA	16/34	4300	60	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
AAT	CA	13/31	4228	50	ASPH-G
ACV	CA	01/19	4501	150	ASPH-G
ACV	CA	14/32	6046	150	ASPH-G
AHC	CA	09/27	10000	150	PEM
APC	CA	06/24	5008	150	CONC-F
APC	CA	01L/19R	5930	150	ASPH-G
APV	CA	08/26	4099	60	ASPH-P
APV	CA	18/36	6498	150	ASPH-F
BAB	CA	15/33	12001	300	CONC
BFL	CA	12R/30L	7700	100	ASPH-E
BFL	CA	12L/30R	10849	150	ASPH-G
BIH	CA	08/26	5567	100	ASPH-F
BIH	CA	17/35	5600	100	ASPH-G
BIH	CA	12/30	7498	100	ASPH-E
BLH	CA	17/35	5800	100	ASPH-F
BLH	CA	08/26	6543	150	ASPH-F
BNG	CA	08/26	4955	100	ASPH-F
BUR	CA	08/26	5802	150	ASPH-CONC-E
BUR	CA	15/33	6886	150	ASPH-CONC-E
BWC	CA	08/26	4166	60	ASPH-E
BYS	CA	13/31	6124	175	GRAVEL
BYS	CA	04/22	9631	175	GRAVEL
C80	CA	12/30	5000	100	ASPH-F
C83	CA	12/30	4500	100	ASPH-G
CA20	CA	01/19	4000	100	ASPH
CA70	CA	07/25	5300	90	DIRT-F
CA90	CA	08/26	5280	49	ASPH
CCR	CA	14L/32R	4602	150	ASPH-CONC-E
CCR	CA	01L/19R	5001	150	ASPH-CONC-G
CEC	CA	18/36	5000	150	ASPH-F
CEC	CA	12/30	5002	150	ASPH-F
CIC	CA	13L/31R	6724	150	ASPH-G
CMA	CA	08/26	6013	150	ASPH-CONC-G
CN64	CA	05/23	4200	50	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
CN66	CA	15/33	4302	60	ASPH-CONC
CNO	CA	08L/26R	4858	150	ASPH-G
CNO	CA	03/21	4919	150	ASPH-G
CNO	CA	08R/26L	7000	150	ASPH-G
CRQ	CA	06/24	4897	150	ASPH-G
CVH	CA	13/31	6350	100	ASPH-E
CXL	CA	08/26	4683	75	ASPH-E
DAG	CA	04/22	5123	100	ASPH-F
DAG	CA	08/26	6402	150	ASPH-F
DLO	CA	14/32	5659	75	ASPH-G
DWA	CA	16/34	6000	100	ASPH-G
EDW	CA	07/25	8000	50	CONC
EDW	CA	05L/23R	12000	200	ASPH
EDW	CA	05R/23L	15024	300	CONC
EED	CA	02/20	4235	100	ASPH-F
EED	CA	11/29	5005	100	ASPH-P
F62	CA	07/25	4100	60	ASPH-F
F70	CA	18/36	6000	75	ASPH-G
FAT	CA	11R/29L	8008	150	ASPH-G
FAT	CA	11L/29R	9539	150	ASPH-G
FOT	CA	11/29	4005	100	ASPH-G
GOO	CA	07/25	4657	75	ASPH-G
HAF	CA	12/30	5000	150	ASPH-CONC-F
HHR	CA	07/25	4884	100	ASPH-G
HJO	CA	14/32	5179	75	ASPH-G
HMT	CA	05/23	4315	100	ASPH-G
HWD	CA	10R/28L	5694	150	ASPH-E
IPL	CA	08/26	4501	75	ASPH-G
IPL	CA	14/32	5308	100	ASPH-G
IYK	CA	10/28	4150	75	ASPH-P
IYK	CA	02/20	6275	75	ASPH-G
IYK	CA	15/33	7100	75	ASPH-G
KIC	CA	11/29	4479	100	ASPH-F
L04	CA	08/26	6000	150	CONC-L

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
L08	CA	08/26	5011	75	ASPH-G
L11	CA	ALL/WAY	15000	4000	WATER
L22	CA	06/24	4363	60	ASPH-F
L35	CA	08/26	5850	75	ASPH-G
L45	CA	16/34	4000	75	ASPH-G
L65	CA	15/33	5100	50	ASPH-G
L70	CA	04/22	4205	50	ASPH-G
L71	CA	06/24	6027	60	ASPH-G
L72	CA	17/35	5910	60	ASPH-F
L77	CA	06/24	4000	50	ASPH-E
L90	CA	13/31	4210	150	DIRT-G
L94	CA	09L/27R	4890	36	ASPH-DIRT-F
L94	CA	09R/27L	4890	36	ASPH-DIRT-F
LAX	CA	06L/24R	8926	150	ASPH-CONC-G
LAX	CA	06R/24L	10885	150	CONC-G
LAX	CA	07R/25L	11095	200	ASPH-CONC-G
LAX	CA	07L/25R	12923	150	CONC-G
LGB	CA	08L/26R	6192	150	ASPH-E
LGB	CA	12/30	10000	200	ASPH-G
LHM	CA	15/33	6001	100	ASPH-G
LLR	CA	11/29	5249	100	ASPH-G
LPC	CA	07/25	4600	100	ASPH-G
LVK	CA	07L/25R	5253	100	ASPH-E
M45	CA	17/35	4443	50	ASPH-F
MAE	CA	12/30	5545	150	ASPH-G
MCC	CA	16/34	10599	150	CONC-G
MCE	CA	12/30	5914	150	ASPH-G
MER	CA	13/31	11802	150	ASPH-CONC-G
MHR	CA	04L/22R	6081	150	ASPH-G
MHR	CA	04R/22L	11301	150	ASPH-CONC-G
MHV	CA	04/22	4747	60	ASPH-E
MHV	CA	08/26	7049	100	ASPH-G
MHV	CA	12/30	12503	200	ASPH-E
MIT	CA	12/30	4501	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
MMH	CA	09/27	7000	100	ASPH-E
MOD	CA	10L/28R	5904	150	ASPH-G
MRY	CA	10R/28L	7175	150	ASPH-G
MYF	CA	10L/28R	4598	150	ASPH-G
MYV	CA	14/32	6007	150	ASPH-G
NFG	CA	03/21	6005	221	ASPH
NID	CA	08/26	7111	75	CONC
NID	CA	14/32	9014	200	ASPH
NID	CA	03/21	10001	200	CONC
NJK	CA	12/30	6825	200	PEM
NJK	CA	08/26	9503	200	PEM
NKX	CA	06R/24L	8001	200	PEM
NKX	CA	06L/24R	12000	200	CONC
NLC	CA	14R/32L	13501	200	CONC
NLC	CA	14L/32R	13502	200	CONC
NRS	CA	09/27	4997	336	PEM
NSI	CA	12/30	10002	200	PEM
NTD	CA	09/27	5502	200	ASPH
NTD	CA	03/21	11102	200	ASPH
NUC	CA	06/24	9301	200	CONC
NUQ	CA	14R/32L	8122	200	ASPH
NUQ	CA	14L/32R	9197	200	CONC
NXP	CA	10/28	8015	150	PSP
NZY	CA	11/29	7500	200	PEM
NZY	CA	18/36	8000	200	PEM
O02	CA	08/26	4651	75	ASPH-G
O05	CA	16/34	5020	100	ASPH-G
O06	CA	ALL/WAY	9000	9000	WATER
O22	CA	17/35	4673	75	ASPH-G
O37	CA	15/33	4500	60	ASPH-G
O46	CA	14/32	5000	60	ASPH-G
O59	CA	02/20	4415	50	ASPH-G
O61	CA	13/31	4051	50	ASPH-G
O88	CA	07/25	4199	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
O89	CA	02/20	5000	75	ASPH-G
OAK	CA	10L/28R	5458	150	ASPH-G
OAK	CA	10R/28L	6213	150	ASPH-G
OAK	CA	12/30	10520	150	ASPH-G
ONT	CA	08R/26L	10200	150	CONC-G
ONT	CA	08L/26R	12197	150	CONC-G
OVE	CA	02/20	6020	100	ASPH-G
OXR	CA	07/25	5953	100	ASPH-F
PMD	CA	072/252	6000	75	CONC-E
PMD	CA	04/22	12001	150	CONC-G
PMD	CA	07/25	12002	200	CONC-G
POC	CA	08R/26L	4840	75	ASPH-G
PRB	CA	13/31	4701	100	ASPH-G
PRB	CA	01/19	6008	150	ASPH-G
PSP	CA	13L/31R	4952	75	ASPH-G
PSP	CA	13R/31L	10000	150	ASPH-G
PTV	CA	12/30	5960	150	ASPH-G
RAL	CA	09/27	5401	100	ASPH-G
RBL	CA	15/33	5431	100	ASPH-E
RDD	CA	12/30	5067	150	ASPH-G
RDD	CA	16/34	7003	150	ASPH-G
REI	CA	08/26	4504	75	ASPH-G
RIV	CA	14/32	13302	200	CONC-G
RNM	CA	09/27	5001	150	ASPH-G
S74	CA	NW/SE	4000	300	WATER-G
SAC	CA	02/20	5503	150	ASPH-G
SAN	CA	09/27	9400	200	ASPH-CONC-E
SAS	CA	07/25	5000	75	GRAVEL-G
SBA	CA	15L/33R	4180	75	ASPH-G
SBA	CA	15R/33L	4184	100	ASPH-G
SBA	CA	07/25	6052	150	ASPH-G
SBD	CA	06/24	10000	200	CONC-E
SBP	CA	11/29	6101	150	ASPH-G
SCK	CA	11R/29L	4448	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
SCK	CA	11L/29R	10249	150	ASPH-G
SDM	CA	08L/26R	7972	150	ASPH-CONC-G
SEE	CA	17/35	4145	100	ASPH-G
SEE	CA	09L/27R	5342	100	ASPH-G
SFO	CA	01L/19R	7650	200	ASPH-G
SFO	CA	01R/19L	8650	200	ASPH-G
SFO	CA	10R/28L	11381	200	ASPH-G
SFO	CA	10L/28R	11870	200	ASPH-G
SIY	CA	17/35	7490	150	ASPH-G
SJC	CA	12L/30R	11000	150	CONC-G
SJC	CA	12R/30L	11000	150	CONC-G
SLI	CA	04L/22R	5901	150	PEM
SLI	CA	04R/22L	7999	200	ASPH-CONC
SMF	CA	17R/35L	8598	150	CONC-G
SMF	CA	17L/35R	8605	150	CONC-G
SMX	CA	02/20	5199	75	ASPH-G
SMX	CA	12/30	8004	150	ASPH-G
SNA	CA	02L/20R	5700	150	ASPH-G
SNS	CA	13/31	4825	150	ASPH-G
SNS	CA	08/26	6004	150	ASPH-G
STS	CA	02/20	5202	100	ASPH-G
STS	CA	14/32	6000	150	ASPH-G
SUU	CA	03R/21L	10995	150	CONC
SUU	CA	03L/21R	11001	300	PEM
SVE	CA	11/29	4051	75	ASPH-G
TCY	CA	12/30	4001	75	ASPH-E
TNP	CA	08/26	5531	75	ASPH-F
TOA	CA	11L/29R	5001	150	ASPH-CONC-F
TRK	CA	02/20	4654	75	ASPH-G
TRK	CA	11/29	7001	100	ASPH-G
TRM	CA	12/30	4995	100	ASPH-G
TRM	CA	17/35	8500	150	ASPH-G
TSP	CA	11/29	4040	75	ASPH-G
TVL	CA	18/36	8541	100	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
UDD	CA	10/28	5002	70	ASPH-G
UKI	CA	15/33	4423	150	ASPH-G
VBG	CA	12/30	15000	200	CONC-G
VCB	CA	02/20	4700	75	ASPH-G
VCV	CA	03/21	9138	150	ASPH-CONC-G
VCV	CA	17/35	15050	150	ASPH-CONC-G
VIS	CA	12/30	6562	150	ASPH-G
VNY	CA	16L/34R	4013	75	ASPH-G
VNY	CA	16R/34L	8001	150	ASPH-G
WHP	CA	12/30	4120	75	ASPH-G
WJF	CA	06/24	7201	150	ASPH-G
WLW	CA	16/34	4125	100	ASPH-G
WVI	CA	02/20	4501	149	ASPH-E
COLORADO					
OCO2	CO	11/29	4000	40	ASPH
00C	CO	01/19	5010	50	ASPH-G
03CO	CO	13/31	4000	30	ASPH-G
04V	CO	11/29	7957	55	GRVL-DIRT-F
05V	CO	03/21	6160	52	DIRT-G
06CO	CO	17/35	4500	75	TURF
07V	CO	06/24	5798	60	ASPH-P
0CD2	CO	17/35	5000	100	TURF-F
0CD5	CO	04/22	4500	70	GRVL
0CO6	CO	10/28	4000	150	TURF
0CO6	CO	02/20	4500	150	TURF
11V	CO	08/26	4000	25	TURF-DIRT-G
13R	CO	01W/19W	6800	300	WATER
18V	CO	15/33	4100	40	ASPH-E
1CD4	CO	02/20	5400	150	TURF
1CO3	CO	18/36	5000	50	GRAVEL
1V6	CO	11/29	5399	75	ASPH-G
1V8	CO	12/30	7000	50	ASPH-F
20V	CO	09/27	5540	75	ASPH-F
23CO	CO	15/33	4000	40	GRVL

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
25CD	CO	12/30	4700	100	DIRT
25CO	CO	07/25	4225	40	DIRT
2V5	CO	17/35	5399	75	ASPH-G
2V6	CO	16/34	4201	75	ASPH-E
31CD	CO	04/22	5000	75	DIRT
33CO	CO	03/21	7400	40	TURF
33V	CO	17/35	4020	100	TURF-F
33V	CO	04/22	5900	75	ASPH-F
35CO	CO	08/26	4900	40	GRVL
35CO	CO	14/32	5250	55	TURF
3CO2	CO	18/36	4000	100	GRVL-DIRT
4V0	CO	07/25	6409	75	ASPH-F
4V1	CO	09/27	4712	75	ASPH-G
5V4	CO	17/35	4565	50	TURF-GRVL-G
6CO0	CO	08/26	6750	110	DIRT-TURF-F
6CO1	CO	08/26	4000	100	TURF
7CO0	CO	08/26	4200	50	ASPH-G
7CO4	CO	09/27	5000	60	DIRT
7V2	CO	05/23	4500	60	ASPH-G
7V5	CO	07/25	4300	60	ASPH-F
7V8	CO	13/31	4100	60	ASPH-G
8CO9	CO	16/34	4400	50	DIRT
8V6	CO	01/19	4200	50	DIRT-F
8V7	CO	17/35	5000	60	CONC-G
92CO	CO	03/21	4000	200	TURF
99V	CO	07/25	4900	20	ASPH-F
9CO5	CO	17/35	5280	50	GRAVEL
AEJ	CO	15/33	8303	75	ASPH-G
AFF	CO	16C/34C	4480	75	ASPH
AFF	CO	16R/34L	4500	40	ASPH
AIB	CO	11/29	4000	80	TURF-DIRT-F
AIB	CO	05/23	5212	75	ASPH-E
AJZ	CO	03/21	5598	75	ASPH-G
AKO	CO	11/29	7001	100	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
ALS	CO	02/20	8521	100	ASPH-G
ANK	CO	06/24	7351	75	ASPH-G
APA	CO	10/28	4800	75	ASPH-G
APA	CO	17R/35L	7001	75	ASPH-G
APA	CO	17L/35R	10001	100	ASPH-G
ASE	CO	15/33	8006	100	ASPH-G
BDU	CO	08/26	4100	75	ASPH-G
BDU	CO	08G/26G	4100	20	ASPH-TURF-F
BJC	CO	12R/30L	7002	75	ASPH-G
BJC	CO	12L/30R	9000	100	ASPH-G
BKF	CO	14/32	11006	150	PEM
C08	CO	13/31	6954	55	ASPH-G
C24	CO	07/25	6880	60	ASPH-F
CAG	CO	07/25	5606	100	ASPH-F
CD03	CO	08/26	4500	30	DIRT
CD15	CO	16/34	4100	60	TURF
CD69	CO	16/34	4400	80	TURF
CEZ	CO	03/21	7205	100	ASPH-G
CFO	CO	17/35	8000	100	ASPH-G
CFO	CO	08/26	8002	100	ASPH-G
CO06	CO	14/32	4420	40	TURF
CO1	CO	04W/22W	10000	300	WATER
CO18	CO	17/35	4000	60	TURF
CO22	CO	01/19	4000	75	GRVL
CO4	CO	17R/35L	4500	42	ASPH-F
CO4	CO	17L/35R	4500	40	GRVL-DIRT-F
CO54	CO	14/32	4000	60	DIRT
CO55	CO	16/34	4000	60	ASPH
CO56	CO	17/35	4280	40	DIRT
CO65	CO	07/25	4200	30	GRVL
CO84	CO	17/35	4250	65	DIRT
CO92	CO	03/21	5000	75	ASPH
CO93	CO	16/34	5700	40	CONC-GRVL-F
CO95	CO	18/36	4000	60	TURF

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
COS	CO	13/31	8269	150	ASPH-G
COS	CO	17R/35L	11022	150	ASPH-G
COS	CO	17L/35R	13501	150	CONC-G
D17	CO	04/22	4100	40	ASPH-F
DEN	CO	07/25	12000	150	CONC-G
DEN	CO	08/26	12000	150	CONC-G
DEN	CO	16L/34R	12000	150	CONC-G
DEN	CO	17L/35R	12000	150	CONC-G
DEN	CO	17R/35L	12000	150	CONC-G
DEN	CO	16R/34L	16000	200	CONC-G
DRO	CO	03/21	9201	150	ASPH-G
EEO	CO	03/21	6503	100	ASPH-G
EGE	CO	07/25	9000	150	ASPH-E
EIK	CO	15/33	4700	60	CONC-G
FCS	CO	13/31	4500	75	ASPH-F
FLY	CO	15G/33G	5001	200	TURF-F
FLY	CO	15/33	6001	60	ASPH-E
FMM	CO	17/35	5216	80	TURF-DIRT-F
FMM	CO	14/32	5731	75	ASPH-G
FNL	CO	15/33	8500	100	ASPH-G
GJT	CO	04/22	5501	75	ASPH-G
GJT	CO	11/29	10503	150	ASPH-E
GNB	CO	09/27	5001	75	ASPH-G
GUC	CO	06/24	9400	150	ASPH-E
GXY	CO	10/28	5801	100	ASPH-G
GXY	CO	17/35	10000	100	ASPH-G
HDN	CO	10/28	10000	150	ASPH-G
HEQ	CO	14/32	5000	75	ASPH-G
ITR	CO	15/33	5199	75	ASPH-G
K08	CO	17/35	4140	40	GRVL-DIRT-G
LAA	CO	08/26	5001	60	ASPH-F
LAA	CO	18/36	6304	100	CONC-G
LHX	CO	12/30	5803	60	ASPH-CONC-P
LHX	CO	08/26	6849	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
LIC	CO	16/34	4700	60	CONC-F
LMO	CO	11/29	4799	75	CONC-G
LXV	CO	16/34	6400	75	ASPH-G
MTJ	CO	13/31	7510	100	ASPH-G
MTJ	CO	17/35	10000	150	ASPH-G
MVI	CO	02/20	5902	60	ASPH-F
PSO	CO	01/19	8100	100	ASPH-F
PUB	CO	08L/26R	4690	75	ASPH-G
PUB	CO	17/35	8310	150	ASPH-G
PUB	CO	08R/26L	10498	150	ASPH-G
RCV	CO	03/21	4812	60	TURF-P
RCV	CO	06/24	6051	75	ASPH-G
RIL	CO	08/26	7000	100	ASPH-G
SBS	CO	14/32	4452	100	ASPH-G
STK	CO	15/33	5201	75	ASPH-G
TAD	CO	03/21	5500	100	ASPH-E
TAD	CO	09/27	5500	100	TURF-GRVL-F
TEX	CO	09/27	7111	100	ASPH-E
CONNECTICUT					
08CT	CT	01W/19W	4700	1400	WATER
42B	CT	16W/34W	4500	1000	WATER
BDL	CT	15/33	6847	150	ASPH-E
BDL	CT	06/24	9510	200	ASPH-E
BDR	CT	06/24	4677	100	ASPH-E
BDR	CT	11/29	4759	150	ASPH-F
CT16	CT	18W/36W	5000	200	WATER
CT87	CT	02W/20W	5000	500	WATER
DXR	CT	08/26	4421	150	ASPH-G
GON	CT	15/33	4000	96	ASPH-G
GON	CT	05/23	5000	150	ASPH-G
HFD	CT	02/20	4417	150	ASPH-F
HVN	CT	02/20	5600	150	ASPH-E
IJD	CT	09/27	4271	100	ASPH-G
OXC	CT	18/36	5801	100	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
DISTRICT of COLUMBIA					
DCA	DC	04/22	5000	150	ASPH-G
DCA	DC	15/33	5204	150	ASPH-E
DCA	DC	01/19	7169	150	ASPH-G
HEF	DC	16L/34R	6200	100	ASPH-G
IAD	DC	01L/19R	9400	150	CONC-E
IAD	DC	12/30	10501	150	CONC-G
IAD	DC	01C/19C	11500	150	CONC-E
IAD	DC	01R/19L	11500	150	CONC-G
DELAWARE					
33N	DE	09/27	4201	75	ASPH-E
DOV	DE	01/19	9602	150	CONC
DOV	DE	14/32	12903	150	ASPH-CONC
EVY	DE	17/35	4488	65	ASPH-F
GED	DE	04/22	5500	150	ASPH-G
ILG	DE	14/32	4602	150	ASPH-F
ILG	DE	01/19	7012	150	ASPH-F
ILG	DE	09/27	7275	150	ASPH-G
FLORIDA					
00FL	FL	12/30	4700	60	TURF
06FA	FL	09/27	7003	150	ASPH
07FA	FL	05/23	4451	70	ASPH-G
08FD	FL	18/36	4138	104	TURF
09FA	FL	18/36	4800	50	ASPH-E
0FA5	FL	07W/25W	5000	100	WATER
0FD0	FL	09/27	4000	75	TURF
0FD3	FL	13/31	4000	40	TURF
13FD	FL	NW/SE	17302	300	WATER
17FA	FL	03W/21W	5000	400	WATER
17FA	FL	09W/27W	6000	400	WATER
17FD	FL	07W/25W	4008	200	WATER
17FL	FL	18/36	7380	190	ASPH-F
1FD4	FL	03/21	4000	100	TURF

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
1FLO	FL	11W/29W	5250	100	WATER
1FLO	FL	04W/22W	5250	100	WATER
22FL	FL	12W/30W	4000	1000	WATER
24J	FL	07/25	4005	75	ASPH-F
28J	FL	09/27	6000	100	ASPH-G
29FA	FL	05W/23W	4000	200	WATER
2FA2	FL	09/27	4000	65	TURF
2FA4	FL	12/30	4000	50	TURF
2FA6	FL	02/20	4100	100	TURF
2IS	FL	13/31	5902	75	ASPH-G
2RR	FL	16/34	4950	75	ASPH-P
31FA	FL	09/27	4060	80	TURF
32FA	FL	08/26	5000	100	TURF
33FA	FL	15/33	4000	230	TURF
34FA	FL	16W/34W	5350	300	WATER
35FA	FL	10/28	4600	200	TURF
42FL	FL	09W/27W	6600	3300	WATER
42J	FL	11/29	4899	75	ASPH-F
42J	FL	05/23	5046	100	ASPH-F
43FD	FL	ALL/WAY	4500	4500	WATER
4FA7	FL	14W/32W	4031	100	WATER
4FD4	FL	07W/25W	4000	100	WATER
4FL3	FL	09/27	4800	200	TURF
4FL8	FL	N/S	4000	90	TURF
54J	FL	09/27	4146	60	ASPH-F
56FD	FL	18/36	4400	150	ASPH-G
57FA	FL	17/35	5100	60	ASPH
57FA	FL	09W/27W	5280	5280	WATER
57FA	FL	18W/36W	13300	5280	WATER
59FD	FL	10/28	5596	50	ASPH
64FA	FL	18/36	4000	45	ASPH-G
68FD	FL	09/27	5280	50	TURF
6FL3	FL	01/19	4000	50	ASPH
6J8	FL	09/27	4630	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
74FL	FL	18/36	6395	100	TURF-G
7FA3	FL	10/28	4803	85	TURF
7FD1	FL	07/25	4200	50	TURF
7FL3	FL	12W/30W	5264	250	WATER
7FL6	FL	06/24	4002	176	ASPH-E
80FA	FL	11W/29W	6000	300	WATER
80FD	FL	14/32	4600	55	ASPH
81FL	FL	09/27	4145	75	TURF
89FL	FL	17W/35W	5000	1000	WATER
8FA0	FL	ALL/WAY	7000	7000	WATER
8FD3	FL	18/36	4000	100	TURF
90FL	FL	18/36	4700	100	TURF
94FA	FL	09/27	5195	150	TURF
9FL3	FL	12W/30W	4600	500	WATER
A51	FL	18/36	4230	65	TURF-F
AAF	FL	18/36	5251	150	CONC-F
AAF	FL	06/24	5271	150	CONC-F
AAF	FL	14/32	5425	150	CONC-F
AGR	FL	05/23	8000	150	ASPH
APF	FL	14/32	5001	100	ASPH-G
APF	FL	05/23	6600	150	ASPH-F
AVO	FL	05/23	5374	100	ASPH-E
BCR	FL	01/19	5398	75	ASPH-F
BCT	FL	05/23	6276	150	ASPH-G
BKV	FL	03/21	5014	150	CONC-G
BKV	FL	09/27	7001	150	CONC-G
BOW	FL	09R/27L	4400	150	ASPH-CONC-P
BOW	FL	09L/27R	5000	150	ASPH-G
BOW	FL	05/23	5000	100	ASPH-P
CEW	FL	17/35	8006	150	ASPH-F
CGC	FL	09/27	4557	75	ASPH-F
CHN	FL	18/36	4005	75	ASPH-E
CLW	FL	16/34	4108	75	ASPH-F
COF	FL	03/21	9003	200	ASPH-CONC

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
CRG	FL	05/23	4004	100	ASPH-F
CRG	FL	14/32	4008	100	ASPH-E
CTY	FL	13/31	5001	100	ASPH-CONC-G
CTY	FL	04/22	5005	75	ASPH-F
DAB	FL	16/34	6001	150	ASPH-F
DAB	FL	07L/25R	10500	150	ASPH-CONC-G
DED	FL	05/23	4301	75	ASPH-F
DED	FL	12/30	6001	100	ASPH-G
DTS	FL	14/32	5001	100	ASPH-G
ECP	FL	16/34	10000	150	CONC-E
EGI	FL	18/36	8025	150	ASPH-CONC
EVB	FL	02/20	4000	100	ASPH-P
EVB	FL	11/29	4319	75	ASPH-G
EVB	FL	07/25	5000	75	ASPH-G
EYW	FL	09/27	5076	100	ASPH-E
F45	FL	14/32	4300	75	ASPH-G
F45	FL	09R/27L	4300	100	ASPH-G
FA08	FL	04/22	5090	125	TURF
FA18	FL	09/27	4000	80	TURF
FA35	FL	09/27	4000	70	TURF
FA37	FL	18/36	4400	100	ASPH
FA40	FL	05/23	4425	50	ASPH-G
FA49	FL	09/27	5280	150	TURF
FA51	FL	09/27	4000	150	TURF
FA54	FL	05/23	6000	100	ASPH-E
FA73	FL	E/W	7000	2000	WATER
FA73	FL	NW/SE	7000	2000	WATER
FA83	FL	09/27	4000	50	ASPH-TURF
FA94	FL	13W/31W	5444	500	WATER
FD04	FL	18/36	6247	150	TURF-G
FD08	FL	09/27	5180	85	TURF
FD21	FL	09W/27W	4073	500	WATER
FD21	FL	18W/36W	5313	500	WATER
FD22	FL	05/23	4600	50	ASPH-TURF-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
FD35	FL	18/36	4200	175	TURF
FD38	FL	16/34	4055	75	ASPH-E
FD46	FL	13W/31W	17000	5000	WATER
FD48	FL	18/36	6425	60	ASPH
FD49	FL	E/W	4000	100	GRAVEL
FD68	FL	12W/30W	4000	200	WATER
FD79	FL	09W/27W	4000	100	WATER
FD98	FL	09W/27W	5000	2000	WATER
FHB	FL	09/27	5000	100	CONC-G
FHB	FL	13/31	5152	100	ASPH-F
FHB	FL	04/22	5301	100	ASPH-E
FIN	FL	06/24	5001	100	ASPH-E
FIN	FL	11/29	5500	100	ASPH-E
FL04	FL	08W/26W	5000	4000	WATER
FL12	FL	12/30	5400	100	TURF
FL15	FL	13W/31W	5000	500	WATER
FL28	FL	15/33	4856	100	TURF
FL29	FL	09/27	4000	40	TURF
FL34	FL	18/36	5022	90	ASPH
FL37	FL	09/27	4000	100	TURF
FL42	FL	ALL/WAY	4500	4500	WATER
FL54	FL	18/36	4000	175	TURF
FL54	FL	09/27	5000	60	CONC
FL55	FL	09W/27W	4000	1000	WATER
FL59	FL	14/32	4046	400	CONC
FL60	FL	05/23	5000	240	ASPH-P
FL72	FL	05W/23W	4000	600	WATER
FLL	FL	10R/28L	8000	150	CONC-E
FLL	FL	10L/28R	9000	150	ASPH-CONC-E
FMY	FL	13/31	4910	150	ASPH-E
FMY	FL	05/23	6406	150	ASPH-E
FPR	FL	10L/28R	4000	75	ASPH-G
FPR	FL	14/32	4755	100	ASPH-E
FPR	FL	10R/28L	6492	150	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
FPY	FL	12/30	4754	100	ASPH-F
FPY	FL	18/36	5013	100	ASPH-F
FXE	FL	13/31	4000	100	ASPH-G
FXE	FL	09/27	6002	100	ASPH-G
GIF	FL	11/29	4001	60	ASPH-E
GIF	FL	05/23	5005	100	ASPH-G
GNV	FL	07/25	4158	100	ASPH-F
GNV	FL	11/29	7504	150	ASPH-G
HRT	FL	18/36	9600	150	CONC
HST	FL	06/24	11202	300	CONC
IMM	FL	18/36	4550	150	ASPH-P
IMM	FL	09/27	5000	100	ASPH-G
INF	FL	01/19	5000	75	ASPH-G
ISM	FL	06/24	5001	100	ASPH-G
ISM	FL	15/33	6001	100	ASPH-G
JAX	FL	14/32	7701	150	CONC-G
JAX	FL	08/26	10000	150	CONC-G
LAL	FL	05/23	5000	150	ASPH-F
LAL	FL	10/28	8500	150	ASPH-E
LCQ	FL	05/23	4000	75	ASPH-P
LCQ	FL	10/28	8003	150	ASPH-E
LEE	FL	04/22	4957	100	ASPH-G
LEE	FL	13/31	6300	100	ASPH-E
LEE	FL	03W/21W	15000	2000	WATER
MAI	FL	08/26	4763	100	ASPH-P
MAI	FL	18/36	6001	100	ASPH-G
MCF	FL	05/23	11421	151	ASPH-G
MCO	FL	17L/35R	9001	150	CONC-G
MCO	FL	17R/35L	10000	150	CONC-G
MCO	FL	18R/36L	12004	200	ASPH-CONC-G
MCO	FL	18L/36R	12005	200	ASPH-CONC-G
MIA	FL	08L/26R	8600	150	ASPH-G
MIA	FL	12/30	9360	150	ASPH-G
MIA	FL	08R/26L	10506	200	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
MIA	FL	09/27	13016	150	ASPH-G
MKY	FL	17/35	5000	100	ASPH-G
MLB	FL	09L/27R	6000	150	ASPH-E
MLB	FL	09R/27L	10181	150	ASPH-E
MTH	FL	07/25	5008	100	ASPH-F
NDZ	FL	05/23	5996	200	ASPH-F
NDZ	FL	14/32	6002	200	ASPH-F
NEN	FL	12/30	8001	150	ASPH
NFJ	FL	18/36	8000	150	ASPH
NGS	FL	18/36	4500	150	ASPH
NGS	FL	09/27	4500	150	ASPH
NGS	FL	14/32	4500	150	ASPH
NGS	FL	05/23	4500	150	ASPH
NIP	FL	14/32	5978	200	ASPH-F
NIP	FL	10/28	9003	200	ASPH-F
NPA	FL	01/19	7136	200	ASPH
NPA	FL	07R/25L	8000	200	ASPH
NPA	FL	07L/25R	8001	200	ASPH
NQX	FL	14/32	7001	150	PEM-F
NQX	FL	04/22	7002	150	PEM-F
NQX	FL	08/26	10001	200	PEM-F
NRB	FL	05/23	8001	200	ASPH-G
NSE	FL	14/32	6001	200	ASPH-F
NSE	FL	05/23	6003	200	ASPH-F
NZX	FL	09/27	4599	1300	TURF
NZX	FL	18/36	4626	1372	TURF
OBE	FL	14/32	4001	75	ASPH-F
OBE	FL	05/23	5000	100	ASPH-F
OCF	FL	18/36	7467	150	ASPH-G
OMN	FL	09/27	4005	75	ASPH-E
OPF	FL	09R/27L	4309	100	ASPH-F
OPF	FL	12/30	6800	150	ASPH-F
OPF	FL	09L/27R	8002	150	ASPH-F
ORL	FL	13/31	4625	100	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
ORL	FL	07/25	6004	150	ASPH-F
PAM	FL	14L/32R	10008	200	CONC
PAM	FL	14R/32L	10114	150	ASPH-CONC
PBI	FL	14/32	6931	150	ASPH-F
PBI	FL	10L/28R	10001	150	ASPH-G
PGD	FL	15/33	6286	150	ASPH-E
PGD	FL	04/22	7193	150	ASPH-F
PHK	FL	18/36	4116	75	ASPH-G
PIE	FL	04/22	6000	150	ASPH-F
PIE	FL	18/36	9730	150	ASPH-E
PMP	FL	06/24	4001	150	ASPH-G
PMP	FL	15/33	4918	150	ASPH-G
PNS	FL	08/26	7000	150	ASPH-F
PNS	FL	17/35	7004	150	CONC-G
RSW	FL	06/24	12000	150	ASPH-F
SEF	FL	14/32	4990	100	ASPH-F
SEF	FL	01/19	5234	100	ASPH-G
SFB	FL	09R/27L	5839	75	ASPH-F
SFB	FL	18/36	6002	150	ASPH-CONC-F
SFB	FL	09L/27R	11002	150	ASPH-G
SGJ	FL	12W/30W	5000	1000	WATER
SGJ	FL	13/31	8001	150	ASPH-G
SGJ	FL	17W/35W	12000	1000	WATER
SGJ	FL	18W/36W	12000	500	WATER
SRQ	FL	04/22	5006	150	ASPH-G
SRQ	FL	14/32	9500	150	ASPH-F
SUA	FL	07/25	4653	100	ASPH-F
SUA	FL	16/34	5000	100	ASPH-E
SUA	FL	12/30	5828	100	ASPH-G
TIX	FL	09/27	5000	100	ASPH-P
TIX	FL	18/36	7319	150	ASPH-F
TLH	FL	18/36	7000	150	ASPH-P
TLH	FL	09/27	8000	150	ASPH-G
TMB	FL	13/31	4001	150	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
TMB	FL	09L/27R	5003	150	ASPH-F
TMB	FL	09R/27L	6000	150	ASPH-F
TNT	FL	09/27	10499	150	ASPH-G
TPA	FL	10/28	6999	150	ASPH-CONC-F
TPA	FL	01R/19L	8300	150	ASPH-CONC-G
TPA	FL	01L/19R	11002	150	CONC-G
TTS	FL	15/33	15001	300	CONC-G
VDF	FL	05/23	5000	100	ASPH-CONC-E
VNC	FL	05/23	5000	150	ASPH-G
VNC	FL	13/31	5640	150	ASPH-G
VPS	FL	01/19	10001	300	ASPH-F
VPS	FL	12/30	11987	300	ASPH-CONC-E
VQQ	FL	09L/27R	4439	200	ASPH-CONC-G
VQQ	FL	18R/36L	8002	200	ASPH-CONC-P
VQQ	FL	09R/27L	8003	200	ASPH-CONC-G
VQQ	FL	18L/36R	12503	200	ASPH-CONC-G
VRB	FL	04/22	4974	100	ASPH-G
VRB	FL	12R/30L	7314	106	ASPH-E
X07	FL	06/24	5400	100	ASPH-E
X13	FL	05/23	4000	75	ASPH-F
X14	FL	14/32	5254	75	ASPH-G
X26	FL	05/23	4023	75	ASPH-F
X35	FL	10/28	4701	60	ASPH-F
X35	FL	05/23	5000	100	ASPH-G
X44	FL	12W/30W	14000	200	WATER
X50	FL	18/36	4360	60	ASPH-F
X51	FL	18/36	4001	100	ASPH-G
X58	FL	13/31	6300	75	TURF-G
X59	FL	14/32	4000	75	ASPH-E
X59	FL	10/28	4000	75	ASPH-F
X60	FL	14/32	4979	60	ASPH-G
X60	FL	05/23	6669	100	CONC-G
XMR	FL	13/31	9999	200	ASPH
ZPH	FL	01/19	4694	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
ZPH	FL	05/23	5000	100	ASPH-E
GEORGIA					
08GA	GA	03/21	5000	150	TURF
09GE	GA	14/32	5619	40	ASPH-P
15J	GA	05/23	5501	100	ASPH-G
16J	GA	14/32	4507	75	ASPH-F
17J	GA	01/19	5512	100	ASPH-G
18A	GA	08/26	5000	75	ASPH-G
20GA	GA	10/28	4500	50	ASPH
2J3	GA	13/31	5002	100	ASPH-G
2J5	GA	17/35	5001	75	ASPH-G
3J7	GA	07/25	5500	100	ASPH-G
48A	GA	11/29	4401	75	ASPH-G
4A4	GA	10/28	5060	80	ASPH-F
4GE3	GA	07/25	4017	70	TURF
4J1	GA	01/19	4000	75	ASPH-G
4J2	GA	10/28	5002	75	ASPH-G
4J5	GA	10/28	5000	76	ASPH-G
53A	GA	18/36	5003	75	ASPH-G
5A9	GA	18/36	5004	75	ASPH-G
5GA1	GA	13/31	4500	100	TURF
6A1	GA	01/19	5002	75	ASPH-F
70J	GA	13/31	4000	75	ASPH-G
75GA	GA	10W/28W	6000	500	WATER
75J	GA	17/35	5005	75	ASPH-G
9A5	GA	02/20	5415	75	ASPH-F
ABY	GA	17/35	5219	148	ASPH-F
ABY	GA	05/23	6601	148	ASPH-G
ACJ	GA	05/23	6011	100	ASPH-G
AGS	GA	08/26	6002	75	ASPH-E
AGS	GA	17/35	8001	150	CONC-G
AHN	GA	09/27	6122	100	ASPH-E
AJR	GA	06/24	5503	100	ASPH-G
AMG	GA	16/34	5000	100	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
ATL	GA	09R/27L	9000	150	CONC-G
ATL	GA	10/28	9000	150	CONC-G
ATL	GA	08L/26R	9000	150	CONC-G
ATL	GA	08R/26L	9999	150	CONC-G
ATL	GA	09L/27R	12390	150	CONC-G
AYS	GA	05/23	5044	100	ASPH-G
AYS	GA	01/19	5992	100	ASPH-G
AZE	GA	14/32	5012	75	ASPH-G
BGE	GA	14/32	5003	100	ASPH-F
BGE	GA	09/27	5502	149	ASPH-G
BHC	GA	08/26	5003	75	ASPH-E
BIJ	GA	05/23	5494	98	ASPH-F
BQK	GA	07/25	8001	150	ASPH-E
BXG	GA	08/26	5003	75	ASPH-E
CCO	GA	15/33	5500	100	ASPH-F
CKF	GA	10/28	5001	150	ASPH-G
CKF	GA	06/24	5006	100	ASPH-G
CNI	GA	05/23	5003	75	ASPH-G
CSG	GA	06/24	6997	150	ASPH-F
CTJ	GA	17/35	5503	100	ASPH-G
CVC	GA	10/28	6000	100	ASPH-G
CWV	GA	10/28	5151	75	ASPH-G
CXU	GA	08/26	5004	100	ASPH-G
CZL	GA	17/35	6034	100	ASPH-G
D73	GA	03/21	5000	75	ASPH-E
DBN	GA	14/32	5171	100	ASPH-F
DBN	GA	02/20	6501	150	ASPH-G
DNL	GA	05/23	4002	100	ASPH-G
DNN	GA	14/32	5496	100	ASPH-G
DQH	GA	04/22	6000	100	ASPH-G
DZJ	GA	08/26	5004	100	ASPH-G
EBA	GA	11/29	5004	75	ASPH-F
EZM	GA	02/20	6506	100	ASPH-G
FFC	GA	13/31	5768	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
FTY	GA	14/32	4158	100	ASPH-F
FTY	GA	08/26	5797	100	ASPH-G
FZG	GA	02/20	5000	101	ASPH-G
GA04	GA	07/25	4500	100	TURF
GA14	GA	09/27	5600	75	ASPH
GE00	GA	09W/27W	5000	1000	WATER
GE12	GA	10/28	4693	100	TURF
GE99	GA	05/23	5062	50	CONC
GVL	GA	11/29	4003	100	ASPH-F
GVL	GA	05/23	5496	100	ASPH-F
HMP	GA	06/24	5509	100	ASPH-G
HOE	GA	14/32	4999	75	ASPH-G
HQU	GA	10/28	5514	100	ASPH-G
IYY	GA	13/31	5020	75	ASPH-G
JCA	GA	17/35	5010	75	ASPH-G
JES	GA	11/29	5500	100	ASPH-G
JYL	GA	05/23	5501	100	ASPH-G
JZP	GA	16/34	5000	100	ASPH-F
LGC	GA	03/21	5000	100	ASPH-F
LGC	GA	13/31	6499	100	ASPH-G
LHW	GA	15L/33R	5001	100	ASPH-E
LHW	GA	06L/24R	6500	100	ASPH-G
LSF	GA	15/33	10002	150	ASPH
LZU	GA	07/25	6001	100	ASPH-G
MAC	GA	10/28	4694	100	ASPH-G
MCN	GA	14/32	5000	150	ASPH-E
MCN	GA	05/23	6500	150	ASPH-G
MGE	GA	11/29	10002	300	CONC
MGR	GA	04/22	6000	100	ASPH-G
MHP	GA	10/28	5001	75	ASPH-G
MLJ	GA	10/28	5509	100	ASPH-G
MQW	GA	03/21	5001	75	ASPH-F
MUL	GA	14/32	4500	75	CONC-P
OKZ	GA	13/31	5501	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
OPN	GA	12/30	6350	100	ASPH-G
PDK	GA	03R/21L	6001	100	CONC-G
PIM	GA	09/27	5002	100	ASPH-G
PUJ	GA	13/31	5505	100	CONC-G
PXE	GA	18/36	4999	100	ASPH-G
RMG	GA	07/25	4495	100	ASPH-E
RMG	GA	01/19	6006	150	ASPH-G
RVJ	GA	11/29	5003	75	ASPH-G
RYY	GA	09/27	6295	100	CONC-G
SAV	GA	01/19	7002	150	CONC-G
SAV	GA	10/28	9351	150	CONC-G
SBO	GA	14/32	6021	100	ASPH-G
SSI	GA	04/22	5584	100	ASPH-G
SVN	GA	10/28	11375	197	ASPH
SYV	GA	01/19	4525	75	ASPH-G
TBR	GA	06/24	4382	100	ASPH-G
TBR	GA	14/32	6000	100	ASPH-E
TMA	GA	16/34	6506	100	ASPH-G
TOC	GA	03/21	5008	100	ASPH-G
TVI	GA	14/32	4999	100	ASPH-G
TVI	GA	04/22	6004	101	ASPH-G
VAD	GA	18R/36L	8002	150	PEM
VAD	GA	18L/36R	9300	150	CONC
VDI	GA	14/32	5002	75	CONC-G
VDI	GA	07/25	6002	100	CONC-F
VLD	GA	04/22	5598	100	ASPH-F
VLD	GA	17/35	8002	150	ASPH-G
VPC	GA	01/19	5760	100	ASPH-G
WDR	GA	13/31	5202	100	ASPH-G
WRB	GA	15/33	12001	300	PEM
HAWAII					
BKH	HI	16/34	6002	150	ASPH
HDH	HI	08/26	9007	75	ASPH-G
HHI	HI	06/24	5608	291	ASPH

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
HNL	HI	08W/26W	5090	300	WATER
HNL	HI	04L/22R	6955	150	ASPH-F
HNL	HI	04R/22L	9002	150	ASPH-E
HNL	HI	08R/26L	12000	200	ASPH-E
HNL	HI	08L/26R	12312	150	ASPH-F
ITO	HI	03/21	5600	150	ASPH-F
ITO	HI	08/26	9800	150	ASPH-G
JRF	HI	04L/22R	4500	200	ASPH-F
JRF	HI	11/29	6000	200	ASPH-F
JRF	HI	04R/22L	8000	200	ASPH-F
KOA	HI	17/35	11000	150	ASPH-G
LIH	HI	03/21	6500	150	ASPH-G
LIH	HI	17/35	6500	150	ASPH-G
LNJ	HI	03/21	5001	150	ASPH-G
MKK	HI	05/23	4494	100	ASPH-G
MUE	HI	04/22	5197	100	ASPH-E
NGF	HI	04/22	7771	200	ASPH-G
OGG	HI	05/23	4980	150	ASPH-G
OGG	HI	02/20	6998	150	ASPH-G
IOWA					
3Y2	IA	17/35	4149	60	CONC-F
AIO	IA	02/20	5000	75	CONC-G
ALO	IA	18/36	6003	150	ASPH-CONC-G
ALO	IA	12/30	8399	150	ASPH-G
AMW	IA	01/19	5701	100	ASPH-F
AWG	IA	18/36	4000	75	CONC-G
BNW	IA	15/33	4808	75	CONC-G
BRL	IA	12/30	5351	100	CONC-F
BRL	IA	18/36	6102	100	CONC-E
CBF	IA	18/36	5500	100	CONC-G
CCY	IA	12/30	4000	75	CONC-G
CID	IA	13/31	6200	150	CONC-G
CID	IA	09/27	8600	150	CONC-E
CIN	IA	13/31	5506	100	CONC-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
CKP	IA	18/36	4001	75	CONC-G
CNC	IA	10/28	4000	75	CONC-G
CSQ	IA	16/34	4901	75	ASPH-F
CWI	IA	14/32	4201	75	CONC-G
CWI	IA	03/21	5204	100	CONC-G
DBQ	IA	18/36	6327	150	CONC-G
DBQ	IA	13/31	6502	100	CONC-G
DEH	IA	11/29	4001	75	CONC-G
DNS	IA	12/30	5000	75	CONC-G
DSM	IA	13/31	9002	150	ASPH-CONC-G
DSM	IA	05/23	9004	150	ASPH-CONC-E
DVN	IA	03/21	4001	100	CONC-E
DVN	IA	15/33	5511	100	CONC-E
EFW	IA	14/32	4100	75	CONC-G
EOK	IA	08/26	5500	100	CONC-G
EST	IA	16/34	4797	75	CONC-G
FFL	IA	18/36	5503	100	CONC-G
FOD	IA	12/30	5301	100	ASPH-E
FOD	IA	06/24	6547	150	ASPH-E
FSW	IA	17/35	4000	75	CONC-G
FXY	IA	15/33	5796	100	ASPH-G
GGI	IA	13/31	5200	75	CONC-E
HNR	IA	15/33	4100	75	CONC-G
HPT	IA	17/35	4020	75	CONC-G
I75	IA	18/36	4001	75	CONC-G
IA24	IA	15/33	4000	60	ASPH-TURF
ICL	IA	02/20	5000	75	CONC-G
IFA	IA	13/31	4600	75	ASPH-F
IIB	IA	18/36	5500	100	CONC-G
IKV	IA	04/22	4200	75	CONC-G
IKV	IA	18/36	5500	100	CONC-G
IOW	IA	07/25	5002	100	CONC-G
LRJ	IA	18/36	5056	75	CONC-F
MCW	IA	12/30	5502	150	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
MCW	IA	18/36	6501	150	ASPH-G
MIW	IA	13/31	5007	100	ASPH-F
MPZ	IA	15/33	4001	75	CONC-E
MUT	IA	12/30	4000	75	CONC-G
MUT	IA	06/24	5500	100	CONC-G
MXO	IA	15/33	4400	75	CONC-G
OLZ	IA	13/31	4000	75	CONC-G
OOA	IA	13/31	4012	75	CONC-G
OTM	IA	04/22	4600	100	ASPH-CONC-G
OTM	IA	13/31	5885	150	CONC-E
OXV	IA	15/33	4000	75	CONC-E
PEA	IA	16/34	5403	75	CONC-F
POH	IA	12/30	4100	60	ASPH-G
PRO	IA	14/32	4001	75	CONC-F
RDK	IA	05/23	5100	75	CONC-G
SDA	IA	04/22	5000	75	CONC-G
SHL	IA	15/33	4199	75	CONC-F
SKI	IA	18/36	4100	75	CONC-F
SLB	IA	17/35	5002	75	CONC-G
SPW	IA	18/36	5100	75	CONC-G
SPW	IA	12/30	6001	100	CONC-F
SUX	IA	18/36	6401	100	ASPH-F
SUX	IA	13/31	9002	150	CONC-G
SXK	IA	17/35	5500	100	CONC-E
TNU	IA	14/32	5600	100	ASPH-G
TVK	IA	16/34	4099	75	CONC-F
TZT	IA	18/36	4001	75	CONC-G
VTI	IA	09/27	4000	60	CONC-F
IDAHO					
OID2	ID	11/29	7507	75	ASPH-G
OU0	ID	16/34	4000	100	TURF-DIRT-F
OU2	ID	13/31	4700	100	TURF-F
OU8	ID	09/27	4950	200	TURF-G
1U1	ID	01/19	4100	250	TURF-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
1U7	ID	16/34	4590	60	ASPH-G
1U7	ID	10/28	5728	75	ASPH-E
2U0	ID	06/24	5400	150	TURF-DIRT-G
2U7	ID	17/35	4300	150	ASPH-DIRT-G
3U0	ID	01/19	5250	120	TURF-F
65S	ID	02/20	4002	75	ASPH-G
67S	ID	14/32	4400	175	TURF-GRVL-F
A05	ID	18/36	4500	100	TURF-F
AOC	ID	06/24	6610	75	ASPH-F
BOI	ID	10R/28L	9763	150	ASPH-G
BOI	ID	10L/28R	10000	150	ASPH-G
BYI	ID	06/24	4072	75	ASPH-F
BYI	ID	02/20	4092	80	ASPH-F
COE	ID	02/20	5400	75	ASPH-G
COE	ID	06/24	7400	100	ASPH-G
D28	ID	15W/33W	10000	2000	WATER
DIJ	ID	04/22	7300	100	ASPH-E
EUL	ID	12/30	5500	100	ASPH-E
GIC	ID	08/26	5101	75	ASPH-E
GNG	ID	07/25	5371	75	ASPH-G
ID16	ID	16/34	4000	30	GRVL-F
ID32	ID	13W/31W	8000	100	WATER
ID44	ID	07/25	4300	200	TURF
ID54	ID	13W/31W	15000	500	WATER
ID56	ID	03/21	5000	50	TURF
ID92	ID	06/24	4200	60	ASPH
IDA	ID	03/21	9002	150	ASPH-G
JER	ID	09/27	5001	75	ASPH-E
LLJ	ID	17/35	4601	60	ASPH-E
LWS	ID	12/30	5003	75	ASPH-E
LWS	ID	08/26	6511	150	ASPH-E
MAN	ID	11/29	5000	75	ASPH-G
MLD	ID	16/34	4946	60	ASPH-P
MUO	ID	12/30	13510	200	PEM

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
MYL	ID	16/34	6101	75	ASPH-G
PIH	ID	17/35	7150	100	ASPH-G
PIH	ID	03/21	9059	150	ASPH-G
RXE	ID	17/35	4204	75	ASPH-G
S76	ID	15W/33W	15000	2000	WATER
S76	ID	11W/29W	15000	2000	WATER-E
S81	ID	04/22	4650	40	DIRT-G
S83	ID	07/25	5316	75	ASPH-E
S87	ID	12/30	4000	60	ASPH-G
SMN	ID	17/35	5510	75	ASPH-G
SUN	ID	13/31	7550	100	ASPH-G
SZT	ID	02/20	5501	75	ASPH-F
TWF	ID	08/26	8704	150	ASPH-G
U01	ID	03/21	4900	50	ASPH-G
U02	ID	01/19	4314	75	ASPH-G
U12	ID	04/22	4500	50	ASPH-F
U41	ID	16/34	4600	100	GRVL-DIRT-G
U53	ID	06/24	4600	170	TURF-G
U61	ID	18/36	4450	100	TURF-DIRT-F
U62	ID	12/30	4389	60	ASPH-F
U63	ID	05/23	5000	110	TURF-DIRT-F
U70	ID	12/30	4300	60	ASPH-G
U76	ID	10/28	5000	75	ASPH-E
U79	ID	07/25	4100	200	TURF-DIRT-F
U81	ID	16/34	4550	90	TURF-DIRT-F
U87	ID	14/32	4900	150	TURF-E
U93	ID	04/22	4000	100	TURF-GRVL-F
ILLINOIS					
1H2	IL	11/29	5103	100	CONC-G
1H8	IL	04/22	4001	75	ASPH-G
2H0	IL	18/36	4098	75	ASPH-G
3LF	IL	18/36	4002	75	ASPH-G
3MY	IL	18/36	4001	60	ASPH-G
60IS	IL	16/34	4000	100	TURF

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
8IL7	IL	05W/23W	4000	400	WATER
8IL9	IL	N/S	5280	0	WATER
8N2	IL	03/21	4522	50	ASPH-G
AAA	IL	03/21	4000	75	ASPH-E
AJG	IL	04/22	4000	100	ASPH-F
AJG	IL	13/31	4500	75	ASPH-G
ALN	IL	17/35	6500	100	ASPH-G
ALN	IL	11/29	8099	150	ASPH-G
ARR	IL	15/33	5503	100	CONC-G
ARR	IL	09/27	6501	100	CONC-G
BLV	IL	14R/32L	8006	150	ASPH-CONC
BLV	IL	14L/32R	10000	150	CONC-G
BMI	IL	11/29	6525	150	ASPH-CONC-G
BMI	IL	02/20	8000	150	CONC-G
C09	IL	18/36	5501	75	ASPH-G
C15	IL	09/27	5000	75	ASPH-G
C16	IL	09/27	4001	55	CONC-F
C56	IL	09/27	5001	75	CONC-E
C75	IL	13/31	4003	75	ASPH-G
CIR	IL	14/32	4001	100	ASPH-F
CMI	IL	04/22	6502	150	ASPH-E
CMI	IL	14L/32R	8101	150	ASPH-CONC-F
CPS	IL	12L/30R	5301	75	CONC-F
CPS	IL	12R/30L	7002	150	ASPH-E
CUL	IL	18/36	4000	75	ASPH-G
DEC	IL	18/36	5298	150	ASPH-G
DEC	IL	12/30	6799	150	ASPH-CONC-G
DEC	IL	06/24	8496	150	ASPH-CONC-G
DKB	IL	09/27	4201	75	ASPH-F
DKB	IL	02/20	7026	100	ASPH-F
DNV	IL	03/21	6006	100	ASPH-G
DPA	IL	10/28	4750	75	ASPH-G
DPA	IL	02R/20L	6451	100	CONC-G
DPA	IL	02L/20R	7571	150	CONC-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
ENL	IL	18/36	5001	75	ASPH-G
EZI	IL	09/27	4500	75	ASPH-G
FEP	IL	06/24	5504	100	ASPH-G
FOA	IL	03/21	5003	75	ASPH-F
FWC	IL	09/27	4000	75	ASPH-G
GBG	IL	03/21	5792	150	ASPH-G
GRE	IL	18/36	4002	75	ASPH-G
H96	IL	18/36	4002	75	ASPH-G
HSB	IL	06/24	5013	75	ASPH-F
I04	IL	E/W	10000	300	WATER
I24	IL	04W/22W	10035	400	WATER
I63	IL	18/36	5905	75	ASPH-G
IGQ	IL	18/36	4002	75	ASPH-TRTD-G
IJX	IL	04/22	4001	75	ASPH-G
IJX	IL	13/31	5000	75	ASPH-G
IKK	IL	16/34	4398	75	ASPH-F
IKK	IL	04/22	5981	100	ASPH-G
IS79	IL	09W/27W	7250	2500	WATER
K06	IL	18/36	4000	60	ASPH-F
LOT	IL	09/27	5500	75	ASPH-G
LOT	IL	02/20	6500	100	CONC-G
LWV	IL	09/27	5198	100	ASPH-G
LWV	IL	18/36	5199	100	ASPH-G
M30	IL	18/36	4002	75	ASPH-G
MDH	IL	06/24	4163	100	ASPH-F
MDH	IL	18L/36R	6506	100	ASPH-E
MDW	IL	13L/31R	5141	150	ASPH-CONC-G
MDW	IL	04L/22R	5507	150	ASPH-G
MDW	IL	04R/22L	6445	150	ASPH-CONC-E
MDW	IL	13C/31C	6522	150	ASPH-CONC-E
MLI	IL	05/23	5016	150	CONC-G
MLI	IL	13/31	7301	150	ASPH-CONC-G
MLI	IL	09/27	10002	150	CONC-G
MQB	IL	09/27	5100	100	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
MTO	IL	06/24	5799	100	ASPH-G
MTO	IL	11/29	6501	150	ASPH-G
MVN	IL	05/23	6496	150	ASPH-G
MWA	IL	11/29	4997	100	ASPH-CONC-F
MWA	IL	02/20	8012	150	ASPH-F
OLY	IL	11/29	4099	75	ASPH-G
ORD	IL	04L/22R	7500	150	ASPH-G
ORD	IL	10R/28L	7500	150	CONC-E
ORD	IL	09L/27R	7500	150	CONC-G
ORD	IL	04R/22L	8075	150	ASPH-G
ORD	IL	10C/28C	10800	200	CONC-E
ORD	IL	09C/27C	11245	200	CONC-E
ORD	IL	09R/27L	11260	150	ASPH-CONC-E
ORD	IL	10L/28R	13000	150	ASPH-CONC-G
PIA	IL	04/22	8004	150	ASPH-F
PIA	IL	13/31	10104	150	CONC-G
PNT	IL	06/24	5000	75	ASPH-G
PPQ	IL	13/31	4000	60	ASPH-F
PRG	IL	09/27	4501	75	ASPH-F
PWK	IL	12/30	4415	75	ASPH-G
PWK	IL	16/34	5001	150	ASPH-G
RFD	IL	01/19	8200	150	ASPH-CONC-G
RFD	IL	07/25	10002	150	ASPH-CONC-G
RPJ	IL	07/25	5001	75	ASPH-G
RSV	IL	09/27	5108	100	ASPH-G
SAR	IL	18/36	4002	75	ASPH-G
SFY	IL	13/31	4001	75	ASPH-G
SLO	IL	18/36	4098	75	ASPH-G
SPI	IL	18/36	5300	150	ASPH-CONC-F
SPI	IL	13/31	7400	150	ASPH-F
SPI	IL	04/22	8001	150	CONC-F
SQI	IL	07/25	6499	150	ASPH-G
TAZ	IL	18/36	4001	75	ASPH-F
TIP	IL	18/36	4894	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
TIP	IL	09/27	5001	75	ASPH-G
UGN	IL	05/23	6001	150	ASPH-G
UIN	IL	13/31	5397	150	ASPH-F
UIN	IL	18/36	5400	150	ASPH-CONC-G
UIN	IL	04/22	7098	150	ASPH-CONC-F
VYS	IL	18/36	5999	100	ASPH-G
INDIANA					
RZL	IN	18/36	4000	60	CONC-G
28II	IN	13/31	4000	40	TURF
39IN	IN	12/30	4000	100	TURF
161	IN	02/20	4000	200	TURF-G
01B	IN	13W/31W	4000	900	WATER
04IN	IN	13W/31W	4000	1000	WATER
57P	IN	13W/31W	4000	1000	WATER
FWA	IN	09/27	4001	75	ASPH-CONC-F
VPZ	IN	18/36	4001	75	ASPH-F
119	IN	18/36	4001	60	CONC-G
OKK	IN	14/32	4002	150	ASPH-G
PLD	IN	09/27	4002	75	ASPH-G
50I	IN	09/27	4004	60	ASPH-G
UMP	IN	15/33	4004	100	ASPH-G
ASW	IN	18/36	4021	75	ASPH-F
4IN7	IN	07/25	4030	50	GRVL-P
HBE	IN	18/36	4039	72	ASPH
64I	IN	18/36	4080	100	TURF-G
MGC	IN	02/20	4099	75	ASPH-G
IN4	IN	03W/21W	4141	480	WATER
EYE	IN	03/21	4200	75	ASPH-G
RWN	IN	09/27	4201	75	ASPH-G
UWL	IN	10/28	4201	75	ASPH-G
LAF	IN	05/23	4225	100	ASPH-G
I22	IN	08/26	4300	75	ASPH-E
SBN	IN	09L/27R	4300	75	ASPH-G
SIV	IN	18/36	4359	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
C62	IN	10/28	4399	75	ASPH-G
2R2	IN	18/36	4400	100	ASPH-G
C65	IN	10/28	4400	75	ASPH-G
I76	IN	01/19	4400	75	ASPH-G
TEL	IN	13/31	4400	75	ASPH-G
IWH	IN	09/27	4401	75	ASPH-F
BFR	IN	13/31	4501	100	ASPH-G
ANQ	IN	05/23	4540	75	ASPH-E
DCY	IN	18/36	4615	75	ASPH-G
05C	IN	08/26	4899	75	ASPH-G
RID	IN	15/33	4999	100	ASPH-F
FKR	IN	09/27	5000	75	ASPH-G
GEZ	IN	01/19	5000	100	ASPH-G
GWB	IN	09/27	5000	100	ASPH-G
IMS	IN	03/21	5000	75	ASPH-G
PPO	IN	02/20	5000	75	ASPH-G
BAK	IN	14/32	5000	100	CONC-E
02D	IN	13W/31W	5000	1500	WATER
IN59	IN	09W/27W	5000	1000	WATER
MCX	IN	18/36	5001	75	ASPH-E
GGP	IN	09/27	5001	75	ASPH-G
OXI	IN	18/36	5001	75	ASPH-G
RCR	IN	11/29	5001	75	ASPH-G
GPC	IN	18/36	5002	100	ASPH-E
OVO	IN	05/23	5002	75	ASPH-E
HHG	IN	10/28	5003	75	ASPH-G
HFY	IN	01/19	5102	75	ASPH-E
MIE	IN	03/21	5198	100	ASPH-F
AID	IN	12/30	5400	100	ASPH-E
FRH	IN	08/26	5500	100	ASPH-G
TYQ	IN	18/36	5500	100	CONC-E
HNB	IN	09/27	5501	100	ASPH-G
RID	IN	06/24	5502	150	ASPH-E
SER	IN	14/32	5502	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
CFJ	IN	04/22	5505	75	ASPH-G
I20	IN	18/36	5835	100	ASPH-F
HLB	IN	18/36	5933	100	ASPH
01F	IN	18W/36W	6000	1000	WATER
ASW	IN	09/27	6001	100	ASPH-G
OKK	IN	05/23	6001	150	ASPH-G
SER	IN	05/23	6001	100	ASPH-G
MQJ	IN	07/25	6005	100	ASPH-E
MZZ	IN	04/22	6011	100	ASPH-G
GSH	IN	09/27	6050	100	ASPH-G
EVV	IN	18/36	6286	150	ASPH-G
BAK	IN	05/23	6401	150	CONC-E
BMG	IN	17/35	6500	150	ASPH-G
MIE	IN	14/32	6500	150	ASPH-G
EKM	IN	09/27	6500	120	CONC-E
CEV	IN	18/36	6503	100	ASPH-G
LAF	IN	10/28	6600	150	ASPH-G
JVY	IN	18/36	7000	100	ASPH-G
01H	IN	12W/30W	7000	2000	WATER
VPZ	IN	09/27	7001	150	ASPH-G
SBN	IN	18/36	7101	150	ASPH-G
HUF	IN	14/32	7200	150	ASPH-CONC-F
IND	IN	14/32	7278	150	ASPH-G
01D	IN	13W/31W	8000	2500	WATER
FWA	IN	14/32	8002	150	ASPH-CONC-G
EVV	IN	04/22	8021	150	ASPH-G
SBN	IN	09R/27L	8412	150	ASPH-G
GYG	IN	12/30	8859	150	CONC-G
HUF	IN	05/23	9021	150	ASPH-F
IND	IN	05R/23L	10000	150	CONC-G
67IN	IN	05W/23W	10000	2000	WATER
IND	IN	05L/23R	11200	150	CONC-G
FWA	IN	05/23	11981	150	ASPH-CONC-G
GUS	IN	05/23	12501	200	ASPH

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
01L	IN	04W/22W	13309	1890	WATER
43I	IN	NW/SE	14500	1000	WATER-G
07I	IN	SW/NE	15000	4000	WATER
64I	IN	18W/36W	15000	150	WATER
06I	IN	E/W	16000	3500	WATER
12I	IN	18W/36W	16000	2000	WATER
12I	IN	N/S	25000	2000	WATER
KANSAS					
0H1	KS	17/35	4008	50	CONC-E
19S	KS	17/35	4498	60	ASPH-G
1F5	KS	17/35	4400	50	ASPH-G
1K1	KS	17/35	5106	75	ASPH-G
1K7	KS	17/35	4557	60	CONC-F
1QK	KS	17/35	4000	60	CONC-E
29KS	KS	18L/36R	4600	100	TURF-G
3AU	KS	18/36	4201	60	ASPH-G
3K3	KS	18/36	4600	75	CONC-G
3K7	KS	17/35	5100	75	CONC-E
3K8	KS	17/35	4500	60	CONC-E
48K	KS	17/35	4000	60	CONC-E
4KS9	KS	18/36	4250	80	TURF
5K2	KS	17/35	5007	60	CONC-E
86KS	KS	18/36	4492	100	TURF
9K7	KS	17/35	4327	50	ASPH-G
9K8	KS	18/36	4300	75	CONC-F
AAO	KS	18/36	6101	100	CONC-G
ADT	KS	17/35	5000	75	ASPH-G
ANY	KS	18/36	5002	75	CONC-E
BEC	KS	01/19	8001	100	CONC-G
CBK	KS	17/35	5110	75	CONC-F
CFV	KS	04/22	4005	75	ASPH-F
CFV	KS	17/35	5868	100	ASPH-F
CNK	KS	18/36	4000	75	ASPH-G
CNU	KS	18/36	4255	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
CYW	KS	17/35	4197	75	ASPH-G
DDC	KS	02/20	4649	100	ASPH-F
DDC	KS	14/32	6899	100	ASPH-F
EGT	KS	18/36	5201	100	CONC-G
EHA	KS	04/22	4900	60	ASPH-F
EHA	KS	17/35	4907	75	CONC-E
EMP	KS	01/19	4999	100	ASPH-CONC-G
EQA	KS	15/33	4200	75	CONC-G
EQA	KS	04/22	4204	75	ASPH-G
EWK	KS	17/35	7003	100	CONC-G
FLV	KS	16/34	5318	102	ASPH-CONC-G
FOE	KS	03/21	7002	150	ASPH-E
FOE	KS	13/31	12803	150	CONC-E
FRI	KS	04/22	4503	100	CONC
FSK	KS	18/36	4403	75	ASPH-G
GBD	KS	11/29	4706	75	ASPH-F
GBD	KS	17/35	7852	100	CONC-F
GCK	KS	12/30	5700	100	CONC-G
GCK	KS	17/35	7299	100	CONC-G
GLD	KS	12/30	5499	100	CONC-G
HLC	KS	18/36	5000	75	CONC-E
HQG	KS	02/20	5000	75	CONC-F
HRU	KS	17/35	4184	75	CONC-E
HUT	KS	17/35	4012	75	CONC-E
HUT	KS	04/22	4405	100	ASPH-F
HUT	KS	13/31	7003	100	ASPH-E
HYS	KS	04/22	4501	75	CONC-G
HYS	KS	16/34	6501	100	CONC-E
IAB	KS	01L/19R	12000	150	ASPH-CONC
IAB	KS	01R/19L	12007	150	ASPH-F
ICT	KS	14/32	6301	150	CONC-G
ICT	KS	01R/19L	7302	150	CONC-G
ICT	KS	01L/19R	10302	150	CONC-G
IDP	KS	17/35	5501	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
IXD	KS	04/22	5132	100	ASPH-F
IXD	KS	18/36	7339	150	ASPH-G
JHN	KS	17/35	5200	75	CONC-E
K17	KS	17/35	4000	60	ASPH-E
K61	KS	17/35	4200	75	CONC-G
K75	KS	02/20	4206	60	ASPH-G
K78	KS	17/35	4100	75	CONC-G
K79	KS	17/35	4205	75	ASPH-CONC-G
K82	KS	14/32	4400	75	CONC-G
K88	KS	01/19	5501	100	CONC-G
LBL	KS	04/22	5000	75	CONC-E
LBL	KS	17/35	7105	100	CONC-E
LQR	KS	17/35	4201	75	CONC-G
LWC	KS	15/33	5700	100	ASPH-E
LYO	KS	17/35	4401	75	CONC-E
MEJ	KS	17/35	4800	75	CONC-F
MHK	KS	13/31	5001	75	ASPH-CONC-E
MHK	KS	03/21	7000	150	CONC-G
MPR	KS	18/36	5503	100	CONC-G
MYZ	KS	16/34	4200	60	ASPH-G
NRN	KS	16/34	4701	60	CONC-E
OEL	KS	16/34	5000	75	CONC-E
OIN	KS	17/35	4301	60	ASPH-G
OJC	KS	18/36	4097	75	CONC-E
OWI	KS	17/35	4500	75	CONC-E
PHG	KS	13/31	4504	60	CONC-E
PPF	KS	17/35	5001	75	CONC-E
PTS	KS	04/22	4000	75	ASPH-G
PTS	KS	17/35	6100	100	ASPH-G
PTT	KS	17/35	5500	100	CONC-G
RCP	KS	18/36	5000	75	CONC-G
RSL	KS	17/35	5000	75	CONC-E
SLN	KS	18/36	4301	75	ASPH-E
SLN	KS	12/30	6510	100	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
SLN	KS	17/35	12301	150	ASPH-CONC-G
SN61	KS	18/36	4200	100	TURF
SN76	KS	17/35	7000	200	ASPH
SYF	KS	14/32	5200	75	CONC-E
TOP	KS	18/36	4331	75	ASPH-G
TOP	KS	13/31	5099	100	ASPH-G
TQK	KS	17/35	5002	75	CONC-E
UKL	KS	18/36	5500	75	CONC-E
ULS	KS	12/30	4600	60	CONC-G
ULS	KS	17/35	6000	100	CONC-G
WLD	KS	17/35	5506	100	ASPH-G
KANSAS					
1M7	KY	09/27	4001	75	ASPH-G
1M9	KY	02/20	4800	75	ASPH-G
27K	KY	03/21	5498	100	ASPH-G
2I0	KY	05/23	6051	100	ASPH-F
2M0	KY	05/23	4099	76	ASPH-F
4M7	KY	07/25	4500	75	ASPH-G
6I2	KY	11/29	5001	75	ASPH-G
79KY	KY	09/27	5488	100	CONC
AAS	KY	05/23	5003	75	ASPH-G
BRY	KY	03/21	5003	75	ASPH-G
BWG	KY	03/21	6501	150	ASPH-G
BYL	KY	02/20	5499	100	ASPH-G
CEY	KY	05/23	6202	100	ASPH-F
CPF	KY	14/32	5499	100	ASPH-G
CVG	KY	18R/36L	8000	150	CONC-G
CVG	KY	18L/36R	10000	150	CONC-G
CVG	KY	18C/36C	11000	150	ASPH-CONC-G
CVG	KY	09/27	12001	150	ASPH-CONC-F
DVK	KY	13/31	5000	75	ASPH-F
DWU	KY	10/28	5402	100	ASPH-G
EHR	KY	09/27	5503	100	ASPH-G
EKQ	KY	03/21	4000	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
EKX	KY	05/23	6001	100	ASPH-G
FFT	KY	07/25	5506	100	ASPH-F
FGX	KY	07/25	5002	100	ASPH-G
FTK	KY	15/33	4853	75	ASPH
FTK	KY	18/36	5184	150	ASPH
GDA	KY	07/25	5001	75	ASPH-G
GLW	KY	08/26	5302	100	ASPH-G
HOP	KY	18/36	4500	100	ASPH
HOP	KY	05/23	10926	150	ASPH
HVC	KY	08/26	5505	100	ASPH-G
I93	KY	10/28	4000	75	CONC-G
IOB	KY	03/21	5000	75	ASPH-G
JKL	KY	01/19	4400	75	ASPH-F
JQD	KY	03/21	5003	75	ASPH-F
K24	KY	17/35	5010	78	ASPH-G
KY8	KY	05/23	4000	75	ASPH-G
LEX	KY	09/27	4000	75	CONC-G
LEX	KY	04/22	7004	150	ASPH-G
LOU	KY	06/24	4358	75	ASPH-F
LOZ	KY	06/24	5751	150	ASPH-E
M20	KY	02/20	4000	60	ASPH-F
M21	KY	06/24	4999	75	ASPH-G
M25	KY	01/19	5002	100	ASPH-F
OWB	KY	06/24	5000	100	ASPH-CONC-F
OWB	KY	18/36	8000	150	CONC-G
PAH	KY	14/32	5499	150	ASPH-G
PAH	KY	05/23	6500	150	ASPH-G
PBX	KY	09/27	5356	100	ASPH-G
RGA	KY	18/36	5001	100	ASPH-F
SDF	KY	11/29	7250	150	CONC-G
SDF	KY	17L/35R	8579	150	CONC-G
SDF	KY	17R/35L	11887	150	CONC-G
SJS	KY	03/21	5000	100	ASPH-G
SME	KY	05/23	5801	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
SYM	KY	02/20	5500	100	ASPH-G
TWT	KY	01/19	5000	75	ASPH-G
TZV	KY	04/22	4000	75	ASPH-G
LOUISIANA					
0R7	LA	18/36	5002	74	ASPH-G
1LA1	LA	02/20	4000	100	TURF
1LA3	LA	N/S	4000	150	TURF
1R1	LA	18/36	4901	75	ASPH-G
21LS	LA	13/31	4000	200	TURF
29LS	LA	07W/25W	4000	250	WATER
29LS	LA	16W/34W	4000	250	WATER
2LA4	LA	17/35	5000	100	TURF
30LA	LA	16W/34W	5000	800	WATER
3F3	LA	18/36	5005	100	ASPH-G
3LA4	LA	12/30	4002	60	ASPH-G
3R2	LA	13/31	4003	150	CONC-F
3R2	LA	04/22	4304	150	CONC-F
3R4	LA	12/30	4402	75	ASPH-F
3R7	LA	08/26	5002	75	ASPH-E
40LA	LA	18/36	4800	130	TURF
4R7	LA	16/34	5001	75	ASPH-G
55LA	LA	09/27	4200	125	TURF
5R8	LA	16/34	4997	75	ASPH-G
65LA	LA	02W/20W	5000	100	WATER
7LA7	LA	03W/21W	5000	75	WATER
ACP	LA	18/36	5000	75	ASPH-G
AEX	LA	18/36	7001	150	ASPH-CONC-G
AEX	LA	14/32	9352	150	CONC-G
APS	LA	17/35	5151	75	ASPH-E
ARA	LA	17W/35W	5000	150	WATER
ARA	LA	17/35	8002	200	CONC-G
ASD	LA	18/36	5002	100	ASPH-G
BAD	LA	15/33	11758	299	PEM
BQP	LA	16/34	4002	100	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
BTR	LA	13/31	7005	150	ASPH-G
BTR	LA	04L/22R	7500	150	CONC-E
BXA	LA	18/36	5002	100	ASPH-F
CWF	LA	15/33	10702	200	CONC-F
DRI	LA	14/32	4220	60	ASPH-G
DRI	LA	18/36	5495	100	ASPH-CONC-E
DTN	LA	05/23	4198	75	ASPH-F
DTN	LA	14/32	5016	150	ASPH-G
ESF	LA	14/32	5601	150	ASPH-F
ESF	LA	09/27	5999	150	ASPH-G
GAO	LA	18/36	6500	100	ASPH-G
GNI	LA	ALL/WAY	15000	200	WATER
HDC	LA	18/36	5001	150	CONC-G
HDC	LA	13/31	6502	100	ASPH-CONC-G
HUM	LA	12/30	4999	185	CONC-G
HUM	LA	18/36	6508	150	CONC-G
HZR	LA	18/36	5003	75	ASPH-G
IER	LA	07/25	4000	100	ASPH-G
IER	LA	17/35	5003	150	ASPH-G
IYA	LA	16/34	5000	75	ASPH-E
L66	LA	18/36	4499	75	ASPH-L
LA21	LA	15/33	4000	70	TURF-F
LA60	LA	09/27	5000	250	TURF
LA64	LA	18W/36W	10000	500	WATER
LA76	LA	05/23	4700	100	TURF
LA98	LA	07W/25W	5000	75	WATER
LCH	LA	05/23	5200	100	ASPH-G
LCH	LA	15/33	6500	150	CONC-G
LFT	LA	04L/22R	4099	75	ASPH-F
LFT	LA	11/29	5400	148	ASPH-G
LFT	LA	04R/22L	8000	150	ASPH-G
MLU	LA	14/32	6301	150	ASPH-G
MLU	LA	04/22	7504	150	ASPH-G
MNE	LA	01/19	5004	75	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
MSY	LA	02/20	7001	150	CONC-G
MSY	LA	11/29	10104	150	CONC-G
NBG	LA	14/32	6000	200	PEM-G
NBG	LA	04/22	10000	200	PEM-G
NEW	LA	18R/36L	6879	150	ASPH-G
OPL	LA	06/24	4051	100	CONC-F
OPL	LA	18/36	5999	100	CONC-G
POE	LA	16/34	4107	100	ASPH
PTN	LA	04W/22W	4500	100	WATER
PTN	LA	06/24	5399	150	ASPH-F
REG	LA	17/35	5003	100	ASPH-E
RSN	LA	18/36	6002	100	ASPH-E
SHV	LA	06/24	7003	150	ASPH-E
SHV	LA	14/32	8348	200	ASPH-E
SPH	LA	18/36	4202	75	ASPH-G
TVR	LA	18/36	5002	100	ASPH-G
UXL	LA	15/33	5001	75	ASPH-G
MASSACHUSETTS					
10MA	MA	01W/19W	4000	800	WATER
5MA8	MA	03W/21W	4000	600	WATER
7MA2	MA	03W/21W	4000	150	WATER
ACK	MA	15/33	4500	100	ASPH-G
ACK	MA	06/24	6303	150	ASPH-G
AQW	MA	11/29	4300	100	ASPH-E
BAF	MA	15/33	5000	75	ASPH-E
BAF	MA	02/20	9000	150	ASPH-E
BED	MA	05/23	5107	150	ASPH-G
BED	MA	11/29	7011	150	ASPH-G
BOS	MA	14/32	5000	100	ASPH-F
BOS	MA	09/27	7001	150	ASPH-E
BOS	MA	04L/22R	7864	150	ASPH-E
BOS	MA	04R/22L	10006	150	ASPH-G
BOS	MA	15R/33L	10083	150	ASPH-E
BVY	MA	09/27	4755	100	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
BVY	MA	16/34	5001	100	ASPH-E
CEF	MA	15/33	7085	147	ASPH-G
CEF	MA	05/23	11597	300	ASPH-G
EWB	MA	14/32	5002	75	ASPH-F
EWB	MA	05/23	5400	150	ASPH-G
FIT	MA	14/32	5001	100	ASPH-E
FMH	MA	05/23	8000	150	ASPH-CONC
FMH	MA	14/32	9501	150	ASPH-CONC
HYA	MA	15/33	5255	150	ASPH-G
HYA	MA	06/24	5425	150	ASPH-G
LWM	MA	05/23	5001	100	ASPH-G
MA25	MA	04W/22W	5000	1000	WATER
MA25	MA	09W/27W	6000	1000	WATER
MA25	MA	12W/30W	6000	1000	WATER
MA40	MA	15W/33W	4000	150	WATER
MA40	MA	11W/29W	4000	150	WATER
MA6	MA	17W/35W	4600	500	WATER-E
MA65	MA	E/W	4000	500	WATER
MA65	MA	N/S	5000	500	WATER
MVY	MA	06/24	5504	100	ASPH-F
ORE	MA	14/32	4800	75	ASPH-G
ORE	MA	01/19	5001	75	ASPH-E
ORH	MA	15/33	5000	100	ASPH-G
ORH	MA	11/29	7001	150	ASPH-E
OWD	MA	17/35	4007	100	ASPH-G
PSF	MA	08/26	5791	100	ASPH-G
PYM	MA	15/33	4350	75	ASPH-G
PYM	MA	06/24	4350	75	ASPH-G
MARYLAND					
1MD6	MD	H1	4000	500	TURF
2G4	MD	09/27	5000	75	ASPH-G
2W6	MD	11/29	4150	75	ASPH-G
ADW	MD	01L/19R	9318	200	CONC
ADW	MD	01R/19L	9756	150	ASPH-CONC

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
APG	MD	04/22	7998	200	ASPH
BWI	MD	15L/33R	5000	100	ASPH-F
BWI	MD	15R/33L	9501	150	ASPH-G
BWI	MD	10/28	10503	150	ASPH-G
CBE	MD	05/23	5047	150	ASPH-F
CGE	MD	16/34	4477	75	ASPH-G
DMW	MD	16/34	5100	100	ASPH-F
ESN	MD	15/33	4003	100	ASPH-G
ESN	MD	04/22	5500	100	ASPH-G
FDK	MD	05/23	5219	100	ASPH-G
GAI	MD	14/32	4202	75	ASPH-G
HGR	MD	09/27	7000	150	ASPH-G
M06	MD	E/W	8000	200	WATER
M06	MD	N/S	8000	200	WATER
MD01	MD	01W/19W	4200	500	WATER
MD81	MD	16W/34W	5000	150	WATER
MTN	MD	15/33	6997	180	ASPH-G
NHK	MD	02/20	5021	75	ASPH-G
NHK	MD	14/32	9732	200	ASPH-G
NHK	MD	06/24	11799	200	ASPH-G
NUI	MD	08/26	5000	150	ASPH
NUI	MD	15/33	5000	150	ASPH
OXB	MD	14/32	4074	75	ASPH-G
SBY	MD	05/23	5000	100	ASPH-E
SBY	MD	14/32	6400	100	ASPH-CONC-E
MAINE					
01ME	ME	02W/20W	5000	500	WATER
01ME	ME	15W/33W	5000	500	WATER
05B	ME	NW/SE	4000	200	WATER
06B	ME	02W/20W	15000	4000	WATER-E
0ME7	ME	17W/35W	4000	400	WATER
1ME	ME	ALL/WAY	15000	1100	WATER-E
21M	ME	18W/36W	10000	3000	WATER-E
29ME	ME	03W/21W	5000	200	WATER

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
2B7	ME	18/36	4003	100	ASPH-G
39B	ME	13W/31W	15000	1100	WATER
3B1	ME	14/32	4000	75	ASPH-G
3B5	ME	15W/33W	5000	1000	WATER
3B5	ME	04W/22W	10000	1000	WATER
3ME7	ME	04W/22W	4000	300	WATER
3ME8	ME	15W/33W	5000	500	WATER
43B	ME	15/33	4500	75	ASPH-G
4ME4	ME	18W/36W	10000	500	WATER
52B	ME	18W/36W	5000	1000	WATER
52B	ME	14W/32W	6000	1200	WATER
5ME	ME	17W/35W	7200	600	WATER
5ME2	ME	14W/32W	4000	100	WATER
5ME2	ME	04W/22W	4003	100	WATER
60B	ME	01W/19W	4000	4000	WATER-E
60B	ME	09W/27W	5500	200	WATER-E
68JY	ME	ALL/WAY	10000	1000	WATER
70B	ME	ALL/WAY	4000	500	WATER-E
70ME	ME	05W/23W	4000	500	WATER
76B	ME	16W/34W	15000	3960	WATER
77ME	ME	18W/36W	4000	300	WATER
78B	ME	NW/SE	4000	500	WATER
80ME	ME	11/29	4000	200	TURF
83B	ME	01W/19W	6000	300	WATER
85B	ME	02W/20W	6000	200	WATER
87B	ME	02W/20W	5000	500	WATER
87B	ME	15W/33W	5000	500	WATER
89ME	ME	04W/22W	10000	2000	WATER
8B0	ME	14/32	4299	75	ASPH-E
90ME	ME	11W/29W	5000	600	WATER
92B	ME	07W/25W	15800	2640	WATER-E
92B	ME	15W/33W	25000	4000	WATER
AUG	ME	17/35	5001	100	ASPH-G
BGR	ME	15/33	11440	200	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
BHB	ME	04/22	5200	100	ASPH-G
BST	ME	15/33	4000	100	ASPH-G
BXM	ME	01L/19R	8000	200	ASPH-CONC
BXM	ME	01R/19L	8000	200	ASPH-CONC
CAR	ME	01/19	4003	100	ASPH-G
EPM	ME	15/33	4002	75	ASPH-G
FVE	ME	14/32	4600	75	ASPH-E
HUL	ME	05/23	5015	100	ASPH-G
IZG	ME	14/32	4200	75	ASPH-G
LEW	ME	04/22	5001	100	ASPH-E
M57	ME	06W/24W	7000	1000	WATER
ME01	ME	01W/19W	10000	1000	WATER
ME07	ME	16W/34W	10000	2000	WATER
ME09	ME	13W/31W	7000	3000	WATER
ME09	ME	01W/19W	8200	1000	WATER
ME11	ME	16W/34W	4000	500	WATER
ME16	ME	01/19	12101	300	ASPH-CONC-F
ME27	ME	09W/27W	5000	200	WATER
ME27	ME	17W/35W	10000	200	WATER
ME28	ME	04W/22W	5400	600	WATER
ME3	ME	16W/34W	15000	1500	WATER-E
ME30	ME	N/S	5000	1000	WATER
ME30	ME	NW/SE	6000	1200	WATER
ME51	ME	14W/32W	7000	500	WATER
ME57	ME	03W/21W	5000	300	WATER
ME64	ME	17/35	4000	28	ASPH
ME71	ME	16W/34W	5000	500	WATER
ME79	ME	13W/31W	5000	500	WATER
ME84	ME	18W/36W	5023	100	WATER
ME86	ME	09W/27W	26000	3000	WATER
ME90	ME	14W/32W	8000	400	WATER
MLT	ME	16/34	4000	100	ASPH-F
MLT	ME	11/29	4713	99	ASPH-F
OLD	ME	12/30	4001	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
OLD	ME	17W/35W	8400	100	WATER
OWK	ME	15/33	4000	100	ASPH-G
PNN	ME	15/33	4007	75	ASPH-E
PQI	ME	10/28	6000	100	ASPH-E
PQI	ME	01/19	7441	150	ASPH-G
PWM	ME	18/36	6100	150	ASPH-E
PWM	ME	11/29	7200	150	ASPH-E
RKD	ME	03/21	4000	100	ASPH-G
RKD	ME	13/31	5412	100	ASPH-E
SFM	ME	14/32	4999	100	ASPH-G
SFM	ME	07/25	6389	100	ASPH-G
WVL	ME	05/23	5500	100	ASPH-E
MICHIGAN					
11C	MI	05W/23W	6440	200	WATER
11C	MI	18W/36W	7920	200	WATER
1MI0	MI	10W/28W	7500	500	WATER
22T	MI	07/25	4258	75	ASPH-F
22T	MI	13/31	4278	75	ASPH-F
35D	MI	11/29	4300	75	ASPH-G
3MI2	MI	18/36	5500	90	ASPH
3MI9	MI	11W/29W	5000	150	WATER
3MI9	MI	14W/32W	5000	200	WATER
3TR	MI	15/33	4100	75	ASPH-P
41D	MI	14W/32W	4530	200	WATER
4Y4	MI	06/24	4212	40	ASPH-G
50MI	MI	09W/27W	4000	300	WATER
5Y7	MI	18/36	4000	120	TURF-G
6D6	MI	10/28	4199	75	ASPH-G
6D9	MI	08/26	4802	75	ASPH-G
72MI	MI	09/27	5000	75	ASPH-G
8D4	MI	07/25	4032	75	ASPH-G
8M8	MI	18/36	5047	75	ASPH-P
95MI	MI	12/30	4000	80	TURF
9D9	MI	12/30	5003	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
ACB	MI	02/20	5003	100	ASPH-F
ADG	MI	05/23	5001	100	ASPH-F
AMN	MI	09/27	5004	75	ASPH-G
ANJ	MI	14/32	5234	100	ASPH-G
APN	MI	07/25	5028	100	CONC-F
APN	MI	01/19	9001	150	CONC-G
AZO	MI	17/35	6502	150	ASPH-G
BAX	MI	17/35	5009	75	ASPH-F
BEH	MI	10/28	6006	100	ASPH-G
BFA	MI	17/35	5187	60	ASPH-P
BIV	MI	08/26	6002	100	ASPH-G
BTL	MI	05R/23L	4100	75	ASPH
BTL	MI	13/31	4835	100	ASPH-G
BTL	MI	05L/23R	10004	150	ASPH-G
C20	MI	13/31	4148	70	ASPH-F
C91	MI	09/27	4700	100	ASPH-F
CAD	MI	07/25	5000	100	ASPH-G
CFS	MI	06/24	4302	75	ASPH-F
CIU	MI	10/28	5001	75	ASPH-G
CIU	MI	16/34	7203	150	ASPH-CONC-F
CMX	MI	07/25	5201	100	ASPH-G
CMX	MI	13/31	6500	150	ASPH-G
CVX	MI	09/27	4549	75	ASPH-G
D22	MI	NW/SE	5000	200	WATER
D22	MI	NE/SW	6000	200	WATER
D22	MI	N/S	7000	200	WATER
D98	MI	18/36	4000	75	ASPH-F
DET	MI	15/33	5092	100	ASPH-F
DRM	MI	08/26	4000	75	ASPH-G
DTW	MI	09R/27L	8500	150	CONC-F
DTW	MI	03L/21R	8501	150	CONC-E
DTW	MI	09L/27R	8708	150	CONC-E
DTW	MI	04L/22R	10000	150	CONC-E
DTW	MI	03R/21L	10001	150	CONC-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
DTW	MI	04R/22L	12003	200	CONC-E
DUH	MI	09/27	4807	50	ASPH-G
ERY	MI	11/29	4304	75	ASPH-G
ESC	MI	01/19	5016	100	ASPH-G
ESC	MI	09/27	6498	150	ASPH-G
FFX	MI	01/19	6501	100	ASPH-G
FKS	MI	15/33	4050	75	ASPH-G
FNT	MI	09/27	7201	150	ASPH-F
FNT	MI	18/36	7849	150	ASPH-F
GDW	MI	09/27	4699	75	ASPH-G
GLR	MI	18/36	4200	75	ASPH-G
GLR	MI	09/27	6579	150	ASPH-G
GOV	MI	05/23	5000	150	CONC-F
GOV	MI	14/32	5005	150	ASPH-G
GRR	MI	08L/26R	5001	100	ASPH-G
GRR	MI	17/35	8501	150	CONC-G
GRR	MI	08R/26L	10001	150	CONC-G
HTL	MI	09/27	4000	75	ASPH-F
HYX	MI	10/28	5002	100	ASPH-F
IMT	MI	01/19	6501	150	ASPH-G
IRS	MI	18/36	5201	100	ASPH-G
ISQ	MI	10/28	5001	100	ASPH-G
IWD	MI	09/27	6502	100	ASPH-F
JXN	MI	14/32	4000	100	ASPH-G
JXN	MI	07/25	5351	100	ASPH-E
JYM	MI	10/28	5000	100	ASPH-G
LAN	MI	06/24	5003	120	ASPH-F
LAN	MI	10R/28L	8506	150	ASPH-G
LDM	MI	08/26	5003	75	ASPH-G
LWA	MI	05/23	4800	75	ASPH-G
M47	MI	05W/23W	5000	300	WATER
M47	MI	14L/32R	6700	300	WATER
M47	MI	14R/32L	6700	300	WATER
MBL	MI	10/28	5501	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
MBS	MI	14/32	6399	150	ASPH-F
MBS	MI	05/23	8002	150	ASPH-F
MGN	MI	10/28	4149	75	ASPH-F
MI03	MI	ALL/WAY	10000	4000	WATER
MI30	MI	09/27	4950	100	TURF
MI4	MI	14W/32W	4500	100	WATER
MI4	MI	10W/28W	7000	100	WATER
MI8	MI	15W/33W	7000	300	WATER
MI8	MI	11W/29W	7000	300	WATER
MKG	MI	14/32	6100	150	ASPH-G
MKG	MI	06/24	6501	150	ASPH-F
MNM	MI	14/32	5101	100	ASPH-G
MNM	MI	03/21	5999	100	ASPH-G
MOP	MI	09/27	5000	100	ASPH-F
MTC	MI	01/19	9000	150	PEM
N98	MI	09/27	4001	75	ASPH-G
OEB	MI	07/25	5350	75	ASPH-F
ONZ	MI	17/35	4424	75	CONC-P
ONZ	MI	04/22	4846	100	ASPH-G
OSC	MI	07/25	11800	200	ASPH-F
OZW	MI	13/31	5002	100	CONC-G
PHN	MI	10/28	4000	75	ASPH-F
PHN	MI	04/22	5104	100	ASPH-F
PLN	MI	05/23	5401	150	ASPH-G
PLN	MI	14/32	6513	150	ASPH-G
PTK	MI	09L/27R	5676	100	ASPH-F
PTK	MI	09R/27L	6521	150	ASPH-E
PZQ	MI	09/27	4106	75	ASPH-G
RCT	MI	17/35	4506	100	ASPH-P
RNP	MI	11/29	4300	75	ASPH-F
RQB	MI	09/27	4300	75	ASPH-G
SAW	MI	01/19	9072	150	ASPH-G
SJX	MI	09/27	4299	75	ASPH-G
SLH	MI	10/28	4004	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
TEW	MI	10/28	4002	75	ASPH-F
TTF	MI	03/21	4997	100	ASPH-G
TVC	MI	18/36	5378	150	ASPH-F
TVC	MI	10/28	7016	150	ASPH-F
Y31	MI	09/27	5000	100	ASPH-F
Y70	MI	18/36	4261	340	TURF-F
Y70	MI	10/28	4298	75	ASPH-F
YIP	MI	05L/23R	5996	160	ASPH-P
YIP	MI	09/27	7292	160	ASPH-P
YIP	MI	05R/23L	7543	150	CONC-G
MAINE					
01MN	MN	E/W	10000	600	WATER
01MN	MN	NW/SE	10000	600	WATER
06MN	MN	04W/22W	4703	200	WATER
06MN	MN	18W/36W	4760	200	WATER
08MN	MN	18W/36W	11088	6000	WATER
09I	MN	08W/26W	5000	1000	WATER
09I	MN	05W/23W	5000	1000	WATER
09MN	MN	12W/30W	5047	250	WATER
09MN	MN	03W/21W	5064	250	WATER
09Y	MN	17W/35W	8000	500	WATER
0G5	MN	09W/27W	15000	1500	WATER
0MN0	MN	09W/27W	5500	700	WATER
0MN2	MN	01W/19W	11000	3000	WATER
0MN3	MN	06W/24W	5000	100	WATER
0MN3	MN	15W/33W	5000	100	WATER
0MN4	MN	12W/30W	5000	300	WATER
10MN	MN	11W/29W	4000	1000	WATER
10MN	MN	01W/19W	4000	500	WATER
11MN	MN	14W/32W	5000	500	WATER
12D	MN	14W/32W	5000	200	WATER
16D	MN	13/31	4102	75	ASPH-G
1MN4	MN	W/E	4600	200	WATER
1MY1	MN	09/27	4500	60	ASPH-TURF

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
21MN	MN	15W/33W	4970	300	WATER
22MN	MN	N/S	10000	5000	WATER
25MN	MN	05W/23W	6200	570	WATER
2MN5	MN	08W/26W	5309	100	WATER
3MN0	MN	13W/31W	8000	2000	WATER
3MN5	MN	15W/33W	5300	400	WATER
57MN	MN	NE/SW	5200	100	WATER
57MN	MN	E/W	14000	100	WATER
57MN	MN	NW/SE	14000	100	WATER
5MN6	MN	13W/31W	5000	500	WATER
6MN3	MN	14W/32W	5500	400	WATER
6MN4	MN	02W/20W	4000	300	WATER
6MN4	MN	14W/32W	6000	300	WATER
6MN5	MN	16W/34W	4000	2000	WATER
6MN6	MN	01W/19W	5000	200	WATER
6MN6	MN	12W/30W	5000	200	WATER
71MN	MN	12W/30W	6000	2000	WATER
74MN	MN	NW/SE	4000	500	WATER
7MN2	MN	17W/35W	5000	600	WATER
83MN	MN	09W/27W	5000	200	WATER
8Y4	MN	05W/23W	5503	500	WATER
96M	MN	09W/27W	5100	500	WATER
9MN2	MN	10W/28W	6000	500	WATER
9MN2	MN	16W/34W	12000	500	WATER
9Y5	MN	01W/19W	5000	1000	WATER
9Y5	MN	07W/25W	5500	1000	WATER
ADC	MN	16/34	4007	75	ASPH-G
AEL	MN	17/35	5000	100	ASPH-G
AIT	MN	16/34	4000	75	ASPH-F
ANE	MN	18/36	4855	100	ASPH-G
ANE	MN	09/27	5000	100	ASPH-G
AUM	MN	17/35	5800	100	CONC-G
AXN	MN	04/22	4098	75	ASPH-F
AXN	MN	13/31	5099	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
BBB	MN	14/32	4000	75	ASPH-F
BDE	MN	12/30	5498	100	ASPH-G
BDE	MN	13W/31W	6000	120	WATER
BDH	MN	13/31	5500	100	ASPH-G
BJI	MN	07/25	5700	150	ASPH-E
BJI	MN	13/31	7004	150	ASPH-E
BRD	MN	05/23	6512	150	CONC-G
BRD	MN	16/34	7100	150	CONC-E
CBG	MN	16/34	4001	75	ASPH-G
CDD	MN	16W/34W	7000	1000	WATER
CDD	MN	07W/25W	8000	1000	WATER
CKC	MN	10/28	5002	100	ASPH-G
CKN	MN	13/31	4300	75	ASPH-G
CNB	MN	12/30	4648	75	ASPH-F
COQ	MN	18/36	4002	75	ASPH-F
CQM	MN	13/31	4000	75	ASPH-G
DLH	MN	03/21	5719	150	ASPH-G
DLH	MN	09/27	10591	150	CONC-F
DTL	MN	14/32	5201	100	ASPH-G
DYT	MN	09W/27W	5000	1500	WATER
DYT	MN	13W/31W	10000	2000	WATER
ELO	MN	12/30	5596	100	ASPH-G
EVM	MN	09/27	4000	75	ASPH-G
FBL	MN	12/30	4257	75	ASPH-G
FCM	MN	10R/28L	5000	100	ASPH-G
FFM	MN	13/31	5639	100	ASPH-G
FKA	MN	11/29	4001	75	ASPH-G
FRM	MN	13/31	5503	100	ASPH-G
GDB	MN	15/33	4357	75	ASPH-F
GHW	MN	15/33	4500	75	ASPH-G
GPZ	MN	16/34	5756	100	ASPH-F
HCD	MN	15/33	4000	75	ASPH-F
HCO	MN	13/31	4007	75	ASPH-G
HIB	MN	13/31	6758	150	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
INL	MN	13/31	7400	150	ASPH-G
JKJ	MN	12/30	4300	75	ASPH-G
JMR	MN	17/35	4794	75	ASPH-G
LJF	MN	13/31	4002	100	ASPH-G
LVN	MN	12/30	4099	75	ASPH-F
LXL	MN	13/31	4010	75	ASPH-G
LYV	MN	18/36	4200	75	ASPH-F
M16	MN	18W/36W	7657	725	WATER
M49	MN	08W/26W	5000	500	WATER
M69	MN	13W/31W	6000	2000	WATER
MKT	MN	04/22	4000	75	ASPH-G
MKT	MN	15/33	6600	100	CONC-G
MML	MN	12/30	7221	100	ASPH-F
MN00	MN	14W/32W	5000	200	WATER
MN02	MN	09W/27W	4000	2000	WATER
MN02	MN	16W/34W	5000	2000	WATER
MN05	MN	15W/33W	6000	1000	WATER
MN21	MN	07W/25W	5000	3000	WATER
MN21	MN	13W/31W	5300	4000	WATER
MN30	MN	E/W	4000	2000	WATER
MN35	MN	ALL/WAY	6000	6000	WATER
MN37	MN	13W/31W	6000	200	WATER
MN73	MN	16W/34W	5000	1000	WATER
MN75	MN	14W/32W	10000	500	WATER
MN75	MN	05W/23W	10000	500	WATER
MN76	MN	08W/26W	8100	300	WATER-G
MN80	MN	06W/24W	5500	750	WATER
MN80	MN	16W/34W	7000	750	WATER
MOX	MN	14/32	4002	75	ASPH-F
MSP	MN	17/35	8000	150	CONC-G
MSP	MN	12L/30R	8200	150	CONC-F
MSP	MN	12R/30L	10000	200	CONC-G
MSP	MN	04/22	11006	150	CONC-G
MY21	MN	NNE/SSW	6500	0	WATER

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
MY21	MN	NE/SW	7000	0	WATER
MY38	MN	N/S	4000	1000	WATER
MY38	MN	NW/SE	4700	1000	WATER
MY54	MN	09/27	4200	100	TURF
MY76	MN	04W/22W	5600	1000	WATER
MY76	MN	09W/27W	9000	1000	WATER
MY83	MN	17W/35W	7000	900	WATER
MY86	MN	18W/36W	4000	1600	WATER
MY93	MN	09W/27W	5000	300	WATER
MY96	MN	N/S	4000	3000	WATER
ONA	MN	12/30	5679	100	ASPH-G
ORB	MN	13/31	4000	75	ASPH-G
OTG	MN	18/36	4200	75	ASPH-G
OTG	MN	11/29	5500	100	ASPH-G
OWA	MN	12/30	5500	100	CONC-G
PKD	MN	13/31	5497	100	ASPH-G
PQN	MN	18/36	4306	75	ASPH-E
RGK	MN	09/27	5010	100	ASPH-F
ROS	MN	16/34	4401	75	ASPH-G
ROX	MN	16/34	4400	75	ASPH-F
RRT	MN	13/31	5400	100	ASPH-G
RST	MN	02/20	7301	150	CONC-G
RST	MN	13/31	9034	150	CONC-G
RWF	MN	12/30	4001	100	ASPH-F
RYM	MN	13/31	6100	100	ASPH
SGS	MN	16/34	4002	100	ASPH-G
STC	MN	13/31	7500	150	CONC-G
STP	MN	13/31	4004	150	ASPH-G
STP	MN	14/32	6491	150	ASPH-G
TOB	MN	16/34	4500	75	CONC-G
TVF	MN	04/22	4997	75	ASPH-G
TVF	MN	13/31	6504	150	ASPH-G
TWM	MN	06/24	4400	75	ASPH-G
ULM	MN	15/33	5401	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
Y63	MN	11W/29W	4127	130	WATER
MISSOURI					
19T	MO	NW/SE	13000	1200	WATER-E
1H0	MO	16/34	4500	75	CONC-G
1MO6	MO	17/35	5000	150	TURF
2M1	MO	03/21	4400	70	GRAVEL-F
2M5	MO	ALL/WAY	15000	2000	WATER
3DW	MO	11/29	4037	50	ASPH-G
3GV	MO	09/27	4507	44	ASPH-E
75U	MO	ALL/WAY	15000	4000	WATER
8WC	MO	02/20	4000	60	ASPH-G
93MO	MO	12/30	4500	75	TURF
AIZ	MO	04/22	6497	100	ASPH-G
BBG	MO	14/32	7140	150	CONC-G
CGI	MO	10/28	6500	150	CONC-G
COU	MO	13/31	5500	100	CONC-E
COU	MO	02/20	7402	150	CONC-G
DMO	MO	18/36	5500	100	CONC-E
DXE	MO	18/36	5000	100	ASPH-G
EOS	MO	01/19	5001	100	ASPH-G
EVU	MO	14/32	4600	75	CONC-E
EZZ	MO	17/35	4000	75	CONC-G
FAM	MO	02/20	4222	75	CONC-G
FTT	MO	18/36	4001	75	CONC-E
FWB	MO	03/21	5002	75	CONC-E
FYG	MO	15/33	5002	75	CONC-G
GLY	MO	04/22	4001	60	ASPH-F
GLY	MO	18/36	5000	75	CONC-E
GPH	MO	18/36	5502	100	ASPH-G
H79	MO	18/36	4000	75	CONC-G
H88	MO	01/19	4000	75	ASPH-G
HAE	MO	17/35	4400	100	CONC-G
HFJ	MO	18/36	5000	75	CONC-G
HIG	MO	16/34	4400	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
IRK	MO	18/36	6005	100	CONC-F
JEF	MO	12/30	6000	100	CONC-E
JLN	MO	13/31	6501	150	ASPH-G
JLN	MO	18/36	6501	100	ASPH-G
K89	MO	02/20	4150	75	CONC-E
LBO	MO	18/36	5000	75	ASPH-E
LLU	MO	17/35	4000	75	CONC-E
LRY	MO	17/35	4000	75	ASPH-F
LXT	MO	11/29	4000	75	CONC-G
LXT	MO	18/36	5501	100	CONC-E
M05	MO	18/36	4005	75	ASPH-G
M17	MO	18/36	4000	75	ASPH-E
M85	MO	15/33	4504	58	ASPH-G
MAW	MO	14/32	5001	80	ASPH-F
MAW	MO	18/36	5010	100	ASPH-G
MBY	MO	13/31	5001	75	ASPH-F
MCI	MO	01R/19L	9500	150	CONC-E
MCI	MO	09/27	9501	150	ASPH-G
MCI	MO	01L/19R	10801	150	ASPH-F
MHL	MO	18/36	5005	75	CONC-E
MKC	MO	03/21	5050	100	ASPH-E
MKC	MO	01/19	6827	150	CONC-E
MNF	MO	10/28	5005	75	ASPH-G
MO09	MO	13/31	4360	65	CONC
MO8	MO	18/36	5002	75	CONC-E
MU04	MO	18/36	4000	100	TURF
MYJ	MO	06/24	5501	100	CONC-G
NVD	MO	02/20	5000	75	CONC-G
OZS	MO	15/33	5002	75	ASPH-F
PCD	MO	02/20	7003	100	CONC-G
POF	MO	18/36	5008	100	CONC-G
RAW	MO	18/36	4000	75	CONC-E
RCM	MO	01/19	4206	75	CONC-G
SGF	MO	02/20	7003	150	CONC-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
SGF	MO	14/32	8000	150	CONC-E
SIK	MO	03/21	5502	100	ASPH-G
STJ	MO	13/31	4797	75	CONC-E
STJ	MO	17/35	8061	150	CONC-F
STL	MO	06/24	7603	150	CONC-F
STL	MO	11/29	9000	150	CONC-E
STL	MO	12L/30R	9013	150	CONC-G
STL	MO	12R/30L	11020	200	CONC-G
SUS	MO	08L/26R	5000	75	ASPH-G
SUS	MO	08R/26L	7485	150	CONC-G
SZL	MO	01/19	12400	200	CONC
TBN	MO	15/33	6037	150	ASPH-G
TKX	MO	02/20	5000	75	CONC-G
TRX	MO	18/36	4307	75	ASPH-G
UNO	MO	18/36	5101	75	ASPH-G
UUV	MO	06/24	4500	75	CONC-G
VER	MO	18/36	4000	75	CONC-E
VIH	MO	04/22	5500	100	ASPH-E
VIH	MO	13/31	5501	100	ASPH-F
MISSISSIPPI					
01M	MS	17/35	4026	59	ASPH-F
0MS8	MS	18/36	4000	75	TURF
OR0	MS	05/23	5500	100	ASPH-G
15M	MS	01/19	4001	75	ASPH-G
1MS8	MS	13/31	6300	150	ASPH-CONC
1R7	MS	04/22	5000	75	ASPH-F
25M	MS	03/21	4400	75	ASPH-G
2R0	MS	02/20	5000	75	ASPH-G
3MS1	MS	15/33	4188	50	ASPH
4MS9	MS	18/36	4000	75	ASPH-TURF-F
5A6	MS	03/21	4000	60	ASPH-G
5MS5	MS	03/21	5800	125	TURF-G
6MS1	MS	09/27	4000	65	TURF
87I	MS	17/35	5001	100	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
8M1	MS	15/33	5003	75	ASPH-G
BIX	MS	04/22	7630	150	PEM
CBM	MS	13R/31L	6320	175	CONC
CBM	MS	13L/31R	8001	150	ASPH-CONC
CBM	MS	13C/31C	12004	300	ASPH-CONC
CKM	MS	18/36	5404	100	ASPH-E
CRX	MS	18/36	6500	100	ASPH-G
GLH	MS	18R/36L	7019	150	ASPH-CONC-P
GLH	MS	18L/36R	8001	150	ASPH-F
GNF	MS	04/22	4998	99	ASPH-P
GNF	MS	13/31	7000	150	ASPH-G
GPT	MS	18/36	4935	150	ASPH-E
GPT	MS	14/32	9002	150	ASPH-CONC-G
GTR	MS	18/36	8003	150	ASPH-G
GWO	MS	05/23	5011	150	ASPH-G
GWO	MS	18/36	6501	150	ASPH-G
HBG	MS	13/31	6094	150	ASPH-G
HEZ	MS	18/36	5000	150	ASPH-P
HEZ	MS	13/31	6500	150	ASPH-P
HKS	MS	16/34	5387	150	ASPH-G
HSA	MS	18/36	8498	150	ASPH-G
IDL	MS	18/36	7004	150	CONC-G
JAN	MS	16R/34L	8500	150	ASPH-E
JAN	MS	16L/34R	8500	150	ASPH-G
JVW	MS	12/30	5499	100	ASPH-G
LMS	MS	17/35	4519	75	ASPH-E
LUL	MS	13/31	5513	150	ASPH-G
M11	MS	18/36	4007	75	ASPH-G
M13	MS	16/34	4000	100	ASPH-G
M40	MS	18/36	4999	75	ASPH-G
M44	MS	03/21	4400	75	ASPH-F
MBO	MS	17/35	4444	75	ASPH-F
MCB	MS	16/34	5000	100	ASPH-G
MEI	MS	04/22	4599	150	ASPH-P

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
MEI	MS	01/19	10003	150	ASPH-CONC-G
MJD	MS	18/36	5000	75	ASPH-G
MPE	MS	18/36	5001	75	ASPH-G
MS26	MS	18/36	4080	60	TURF
MS37	MS	N/S	5100	90	TURF
MS93	MS	09/27	4100	50	TURF
MS96	MS	06/24	4000	70	TURF
NJW	MS	14/32	8000	150	ASPH-CONC
NMM	MS	10/28	6402	200	CONC
NMM	MS	01R/19L	8001	200	CONC
NMM	MS	01L/19R	8003	200	CONC
OLV	MS	18/36	6000	100	ASPH-G
OSX	MS	14/32	5009	75	ASPH-G
PIB	MS	18/36	6502	150	ASPH-G
PMU	MS	01/19	5001	75	ASPH-G
PQL	MS	17/35	6500	100	ASPH-F
RNV	MS	18/36	5005	75	ASPH-G
SLJ	MS	14/32	5000	60	ASPH
STF	MS	18/36	5550	150	ASPH-CONC-G
TUP	MS	18/36	7150	150	ASPH-E
UBS	MS	18/36	4503	100	ASPH-F
UOX	MS	09/27	5600	100	ASPH-F
UTA	MS	17/35	8500	150	ASPH-G
VKS	MS	01/19	5001	100	ASPH-F
MONTANA					
00F	MT	10/28	4400	75	ASPH-E
00U	MT	08/26	4491	75	ASPH-G
01MT	MT	13/31	5000	70	ASPH-G
02T	MT	02/20	4050	60	TURF-DIRT-P
07MT	MT	11/29	13500	300	CONC-G
19MT	MT	06/24	6000	100	ASPH-E
1MT0	MT	10/28	4000	100	TURF
1S3	MT	09/27	4799	75	ASPH-G
23S	MT	16/34	4575	75	TURF-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
37S	MT	12/30	4100	125	TURF-F
38S	MT	13/31	5800	75	ASPH-E
3U3	MT	04/22	4074	60	ASPH-E
3U3	MT	17/35	6010	75	ASPH-E
3U7	MT	12/30	6000	100	ASPH-F
48S	MT	11/29	4100	75	ASPH-G
49MT	MT	10/28	6000	100	GRVL
4U6	MT	12/30	4100	75	ASPH-E
4U9	MT	14/32	7000	70	ASPH-P
50MT	MT	03/21	4100	60	TURF
63MT	MT	08/26	4696	75	ASPH
6MT4	MT	11W/29W	12000	500	WATER
6S0	MT	06/24	5285	75	ASPH-G
6S8	MT	04/22	5199	75	ASPH-F
79S	MT	05/23	4300	75	ASPH-E
7S0	MT	16/34	4798	75	ASPH-E
7S6	MT	01/19	6304	75	ASPH-G
88M	MT	01/19	4200	75	ASPH-G
8M3	MT	13W/31W	12007	3000	WATER
8S0	MT	06/24	4051	74	ASPH-G
8S1	MT	03W/21W	4000	500	WATER
8S1	MT	18/36	4194	75	ASPH-G
8U6	MT	08/26	4300	75	ASPH-F
8U8	MT	17/35	4000	60	ASPH-G
9S2	MT	12/30	4020	75	ASPH-G
9S5	MT	03/21	5099	60	ASPH-G
9S7	MT	08/26	4400	150	TURF-G
BHK	MT	13/31	5904	75	ASPH-E
BIL	MT	07/25	5501	75	ASPH-G
BIL	MT	10L/28R	10518	150	ASPH-G
BTM	MT	12/30	5100	75	ASPH-G
BTM	MT	15/33	9000	150	ASPH-G
BZN	MT	11/29	5050	75	ASPH-G
BZN	MT	12/30	8994	150	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
CII	MT	15/33	5000	75	ASPH-G
CTB	MT	05/23	5300	75	ASPH-E
CTB	MT	14/32	5300	75	ASPH-E
DLN	MT	17/35	6501	75	ASPH-E
EKS	MT	16/34	7600	100	ASPH-E
GDV	MT	12/30	5704	100	ASPH-F
GGW	MT	08/26	5000	75	ASPH-E
GGW	MT	12/30	5002	100	ASPH-G
GPI	MT	02/20	9007	150	ASPH-G
GTF	MT	17/35	6030	150	ASPH-G
GTF	MT	03/21	10502	150	ASPH-G
H28	MT	07/25	4440	65	TURF-G
HLN	MT	05/23	4644	75	ASPH-F
HLN	MT	09/27	9000	150	ASPH-G
HRF	MT	17/35	5200	75	ASPH-E
HVR	MT	08/26	5205	100	ASPH-E
HWQ	MT	09/27	4200	60	ASPH-E
JDN	MT	11/29	4300	75	ASPH-F
LTY	MT	07/25	4607	75	ASPH-E
LVM	MT	04/22	5701	75	ASPH-E
LWT	MT	13/31	4102	62	ASPH-G
LWT	MT	03/21	5600	101	ASPH-P
LWT	MT	08/26	6100	100	ASPH-G
M35	MT	12/30	14000	1000	WATER
M46	MT	06/24	5100	75	ASPH-G
M75	MT	08/26	4500	75	ASPH-G
MLS	MT	13/31	5624	100	ASPH-G
MLS	MT	04/22	5764	75	ASPH-E
MSO	MT	08/26	4612	75	ASPH-F
MSO	MT	12/30	9501	150	ASPH-G
MT47	MT	N/S	4500	50	TURF
MT48	MT	03/21	5614	50	TURF
MT49	MT	05/23	4809	87	TURF-GRVL
MT74	MT	11/29	4000	30	TURF

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
MT95	MT	16/34	5000	120	TURF
OLF	MT	11/29	5091	100	ASPH-G
PO1	MT	09/27	4403	75	ASPH-G
RC0	MT	07/25	4100	75	TURF-P
RED	MT	16/34	4000	75	ASPH-G
RPX	MT	07/25	5099	75	ASPH-E
RVF	MT	17/35	6000	60	ASPH-G
S01	MT	06/24	4602	75	ASPH-E
S34	MT	13/31	4651	75	ASPH-G
S59	MT	15/33	5003	75	ASPH-F
S64	MT	12/30	4200	75	ASPH-E
S69	MT	04/22	4240	75	ASPH-E
S71	MT	08/26	4000	75	ASPH-E
SBX	MT	05/23	5005	75	ASPH-E
SDY	MT	11/29	4024	100	ASPH-G
SDY	MT	01/19	5705	100	ASPH-G
THM	MT	08/26	4200	75	ASPH-G
WYS	MT	01/19	8400	150	ASPH-G
NORTH CAROLINA					
13NC	NC	01/19	4000	150	ASPH
13NC	NC	09/27	4100	150	ASPH
13NC	NC	05/23	4200	150	ASPH
14NC	NC	05/23	5000	150	CONC
14NC	NC	18/36	5000	150	CONC
1A5	NC	07/25	5000	100	ASPH-E
1NR7	NC	01/19	4400	70	TURF
3NC4	NC	03/21	4000	100	TURF
43A	NC	03/21	4002	75	ASPH-E
60J	NC	06/24	4198	75	ASPH-G
61NC	NC	01/19	4000	200	TURF
7NC	NC	04/22	4195	100	TURF-G
7NC1	NC	11/29	4000	125	TURF
7W6	NC	11/29	4700	100	ASPH-G
ACZ	NC	09/27	4153	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
AFP	NC	16/34	5498	100	ASPH-E
ASJ	NC	01/19	4501	75	ASPH-G
AVL	NC	17/35	8001	150	ASPH-E
BUY	NC	06/24	6406	100	ASPH-G
CLT	NC	05/23	7502	150	ASPH-CONC-F
CLT	NC	18L/36R	8677	150	ASPH-CONC-G
CLT	NC	18R/36L	9000	150	CONC-E
CLT	NC	18C/36C	10000	150	CONC-G
CPC	NC	06/24	5500	75	ASPH-E
CTZ	NC	06/24	5008	75	ASPH-G
DPL	NC	05/23	6003	100	ASPH-E
ECG	NC	01/19	4518	150	ASPH-CONC-P
ECG	NC	10/28	7219	150	CONC-G
EDE	NC	01/19	6001	100	ASPH-E
EHO	NC	05/23	5001	100	ASPH-E
EQY	NC	05/23	7001	100	ASPH-E
EWN	NC	14/32	4001	150	ASPH-G
EWN	NC	04/22	6452	150	ASPH-G
EXX	NC	06/24	5004	99	ASPH-G
EYF	NC	15/33	5006	75	ASPH-G
FAY	NC	10/28	4801	150	ASPH-E
FAY	NC	04/22	7709	150	ASPH-G
FBG	NC	09/27	5011	110	ASPH-G
FQD	NC	01/19	5000	100	ASPH-E
GEV	NC	10/28	5002	75	ASPH-E
GSB	NC	08/26	11760	300	CONC
GSO	NC	14/32	6380	150	ASPH-F
GSO	NC	05L/23R	9000	150	ASPH-F
GSO	NC	05R/23L	10001	150	ASPH-G
GWV	NC	05/23	5500	100	ASPH-E
HBI	NC	03/21	5501	100	ASPH-G
HFF	NC	12/30	4794	150	ASPH
HFF	NC	04/22	4996	150	ASPH
HFF	NC	16/34	5529	150	CONC

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
HKY	NC	01/19	4400	150	ASPH-F
HKY	NC	06/24	6401	150	ASPH-G
HNZ	NC	06/24	5501	100	ASPH-G
HRJ	NC	05/23	5005	75	ASPH-E
ILM	NC	17/35	7754	150	ASPH-G
ILM	NC	06/24	8016	150	ASPH-G
INT	NC	15/33	6655	150	ASPH-F
IPJ	NC	05/23	5700	100	ASPH-G
ISO	NC	05/23	11498	150	ASPH-G
IXA	NC	02/20	5500	100	ASPH-E
JNX	NC	03/21	5500	100	ASPH-G
JQF	NC	02/20	7402	100	ASPH-G
LBT	NC	13/31	5003	75	ASPH-E
LBT	NC	05/23	5502	150	ASPH-E
LHZ	NC	05/23	5498	100	ASPH-G
MCZ	NC	03/21	5000	75	ASPH-G
MEB	NC	05/23	6503	100	ASPH-E
MQI	NC	05/23	4305	100	ASPH-E
MRH	NC	14/32	4001	100	ASPH-G
MRH	NC	03/21	4192	150	ASPH-F
MRH	NC	08/26	5004	100	ASPH-G
MRN	NC	03/21	5500	75	ASPH-E
MWK	NC	18/36	5500	75	ASPH-E
NC01	NC	03/21	5291	100	ASPH-G
NC06	NC	12/30	4600	75	ASPH
NC12	NC	08/26	5070	75	ASPH
NC18	NC	12W/30W	7300	500	WATER
NC43	NC	18/36	6000	200	TURF
NC43	NC	06/24	6000	150	TURF
NCA	NC	01/19	4789	150	ASPH
NCA	NC	05/23	5126	150	ASPH
NJM	NC	05/23	4000	96	PSP
NKT	NC	05R/23L	8188	200	ASPH
NKT	NC	14R/32L	8398	200	ASPH

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
NKT	NC	05L/23R	8491	196	ASPH
NKT	NC	14L/32R	8979	200	ASPH
NR20	NC	02/20	4200	50	TURF
OAJ	NC	05/23	7100	150	ASPH-G
OCW	NC	17/35	5000	75	ASPH-CONC-G
OCW	NC	05/23	5000	100	ASPH-E
ONX	NC	05/23	5502	150	ASPH-CONC-G
PGV	NC	08/26	4997	150	ASPH-P
PGV	NC	02/20	7175	150	ASPH-G
PMZ	NC	03/21	5500	75	ASPH-G
POB	NC	05/23	7501	150	PEM-G
RCZ	NC	14/32	5001	100	ASPH-G
RDU	NC	05R/23L	7500	150	ASPH-G
RDU	NC	05L/23R	10000	150	CONC-G
RHP	NC	08/26	5500	100	ASPH-E
RUQ	NC	02/20	5501	100	ASPH-G
RWI	NC	04/22	7099	150	ASPH-E
SCR	NC	04/22	5000	75	ASPH-E
SIF	NC	13/31	5200	100	ASPH-G
SOP	NC	05/23	6503	150	ASPH-G
SUT	NC	05/23	5505	100	ASPH-E
SVH	NC	10/28	7003	100	ASPH-E
TDF	NC	06/24	6005	100	ASPH-E
TTA	NC	03/21	6501	100	ASPH-E
UKF	NC	01/19	6200	100	ASPH-E
VUJ	NC	04R/22L	5499	100	ASPH-E
W03	NC	09/27	4498	150	ASPH-P
W03	NC	15/33	4499	150	ASPH-P
W03	NC	03/21	4500	150	ASPH-F
W40	NC	05/23	5254	75	ASPH-E
ZEF	NC	07/25	4001	75	ASPH-G
NORTH DAKOTA					
06D	ND	14/32	4300	75	ASPH-G
20U	ND	12/30	4200	60	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
2ND7	ND	N/S	4000	60	TURF
2ND9	ND	E/W	5280	75	TURF-F
3P3	ND	10/28	4001	60	ASPH-TRTD-G
46D	ND	13/31	4198	75	ASPH-F
5ND9	ND	16/34	4400	60	TURF
95D	ND	10/28	4030	60	ASPH-G
9Y1	ND	13/31	4200	60	ASPH-G
ASY	ND	14/32	4363	60	ASPH-G
BAC	ND	13/31	4202	75	CONC-G
BIS	ND	03/21	6600	100	ASPH-G
BIS	ND	13/31	8794	150	ASPH-CONC-G
BWP	ND	15/33	5100	75	CONC-G
BWW	ND	13/31	5701	75	CONC-E
D60	ND	12/30	5102	75	ASPH-G
DIK	ND	07/25	4700	75	ASPH-G
DIK	ND	15/33	7301	100	CONC-G
DVL	ND	03/21	4314	75	ASPH-G
DVL	ND	13/31	6401	100	ASPH-G
FAR	ND	09/27	6302	100	CONC-G
FAR	ND	18/36	9001	150	CONC-G
GAF	ND	08/26	4074	115	TURF-F
GFK	ND	09L/27R	4206	100	CONC-G
GFK	ND	17R/35L	7351	150	ASPH-F
GWR	ND	16/34	5000	75	CONC-G
HEI	ND	12/30	4652	75	ASPH-G
HZE	ND	14/32	4999	75	ASPH-E
JMS	ND	04/22	5750	75	ASPH-F
JMS	ND	13/31	6502	100	ASPH-G
MIB	ND	12/30	13198	300	ASPH-CONC
MOT	ND	08/26	6348	100	ASPH-F
MOT	ND	13/31	7700	150	CONC-G
NA13	ND	08/26	5000	75	TURF
NA86	ND	17/35	4100	50	TURF
ND08	ND	01W/19W	4165	850	WATER

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
ND19	ND	18/36	4053	60	TURF
ND43	ND	17/35	4000	300	TURF-F
RDR	ND	17/35	12351	150	ASPH-G
S25	ND	12/30	6550	75	CONC-E
XWA	ND	04/22	4502	75	CONC-E
XWA	ND	14/32	7503	150	CONC-E
Y19	ND	13/31	4399	75	CONC-G
NEBRASKA					
12K	NE	14/32	4301	75	CONC-E
16NE	NE	18/36	4990	70	TURF
19NE	NE	N/S	4000	500	TURF
4NE1	NE	08/26	4000	60	TURF
6NE3	NE	18/36	4000	40	ASPH
7NE5	NE	18/36	4000	40	TURF
82NE	NE	12/30	4548	75	TURF
AFK	NE	15/33	4501	76	CONC-G
AHQ	NE	02/20	4100	75	CONC-G
AIA	NE	08/26	6190	75	ASPH-G
AIA	NE	17/35	6311	75	ASPH-P
AIA	NE	12/30	9203	150	ASPH-E
ANW	NE	13/31	5501	75	ASPH-G
ANW	NE	17/35	6824	110	ASPH-G
AUH	NE	16/34	4301	75	CONC-E
BBW	NE	14/32	4203	75	CONC-G
BFF	NE	05/23	8002	150	ASPH-G
BFF	NE	12/30	8279	150	ASPH-G
BIE	NE	14/32	4401	75	CONC-G
BIE	NE	18/36	5602	100	CONC-G
BTA	NE	13/31	4201	100	CONC-G
CDR	NE	12/30	4400	75	CONC-E
CDR	NE	03/21	5998	100	CONC-E
CEK	NE	17/35	4201	75	CONC-F
CNP	NE	12/30	4000	55	ASPH-P
CSB	NE	15/33	4098	60	CONC-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
CZD	NE	13/31	5000	75	CONC-G
EAR	NE	13/31	4498	75	CONC-E
EAR	NE	18/36	7094	100	CONC-E
FET	NE	14/32	6353	100	CONC-G
FMZ	NE	17/35	4317	75	CONC-G
GGF	NE	15/33	4797	60	CONC-G
GRI	NE	13/31	6608	100	CONC-E
GRI	NE	17/35	7002	150	CONC-E
GRN	NE	04/22	5196	75	ASPH-G
H63	NE	E/W	6000	200	WATER
HDE	NE	18/36	4701	75	ASPH-CONC-G
HSI	NE	04/22	4501	75	CONC-G
HSI	NE	14/32	6451	100	CONC-G
IBM	NE	10/28	6199	75	CONC-G
IML	NE	13/31	5022	100	CONC-G
JYR	NE	05/23	4500	150	TURF-G
JYR	NE	17/35	5898	100	CONC-G
LBF	NE	17/35	4436	100	CONC-E
LBF	NE	12/30	8001	150	CONC-E
LCG	NE	18/36	4201	75	CONC-E
LNK	NE	17/35	5800	100	ASPH-G
LNK	NE	14/32	8649	150	ASPH-F
LNK	NE	18/36	12901	200	ASPH-CONC-F
LXN	NE	14/32	5489	100	CONC-G
MCK	NE	04/22	4000	75	CONC-G
MCK	NE	12/30	6450	100	CONC-G
NE21	NE	18/36	4000	120	TURF-G
NE29	NE	08/26	4000	100	TURF
NE87	NE	17/35	5280	110	TURF
ODX	NE	13/31	4721	75	CONC-G
OFF	NE	12/30	11703	150	CONC-G
OFK	NE	02/20	5801	100	ASPH-G
OFK	NE	14/32	5806	100	ASPH-G
OGA	NE	08/26	5102	75	CONC-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
OKS	NE	12/30	4699	60	CONC-G
OLU	NE	02/20	4135	150	TURF-F
OLU	NE	14/32	6801	100	CONC-G
OMA	NE	18/36	8154	150	CONC-E
OMA	NE	14L/32R	8500	150	CONC-E
OMA	NE	14R/32L	9502	150	CONC-E
ONL	NE	13/31	4408	75	CONC-E
PMV	NE	16/34	5500	100	CONC-G
RBE	NE	13/31	4698	75	CONC-G
SCB	NE	17/35	4200	75	CONC-E
SNY	NE	03/21	4705	75	TURF-G
SNY	NE	13/31	6600	100	CONC-G
SWT	NE	16/34	4200	75	CONC-G
TIF	NE	11/29	4400	60	CONC-G
TQE	NE	15/33	4000	75	CONC-G
VTN	NE	14/32	4704	75	CONC-E
NEW HAMPSHIRE					
3NH2	NH	04W/22W	12000	100	WATER
48NH	NH	15W/33W	5000	500	WATER
48NH	NH	03W/21W	5000	500	WATER
48NH	NH	12W/30W	5000	500	WATER
ASH	NH	14/32	6000	100	ASPH-E
BML	NH	18/36	5200	100	ASPH-G
CON	NH	17/35	6005	100	ASPH-F
DAW	NH	15/33	4201	75	ASPH-G
EEN	NH	14/32	4001	75	ASPH-E
EEN	NH	02/20	6201	100	ASPH-E
HIE	NH	10/28	4001	75	ASPH-F
LCI	NH	08/26	5890	100	ASPH-G
LEB	NH	18/36	5200	100	ASPH-G
LEB	NH	07/25	5496	100	ASPH-G
MHT	NH	06/24	7651	150	ASPH-F
MHT	NH	17/35	9250	150	ASPH-F
NH01	NH	18W/36W	5280	500	WATER

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
NH12	NH	09W/27W	4000	300	WATER
NH64	NH	12W/30W	4061	150	WATER
NH68	NH	13W/31W	4000	250	WATER
NH69	NH	15/33	4000	225	TURF
PSM	NH	16/34	11322	150	ASPH-CONC-G
NEW JERSEY					
16NJ	NJ	ALL/WAY	15000	4000	WATER
21JY	NJ	16W/34W	4000	250	WATER
2N7	NJ	01W/19W	5500	150	WATER
3NJ6	NJ	02/20	4002	60	ASPH
58NJ	NJ	12W/30W	5000	200	WATER
6NJ7	NJ	03W/21W	5000	500	WATER
ACY	NJ	04/22	6144	150	ASPH-CONC-G
ACY	NJ	13/31	10000	150	ASPH-G
BLM	NJ	14/32	7345	85	ASPH-G
CDW	NJ	04/22	4552	80	ASPH-G
EWR	NJ	11/29	6726	150	ASPH-E
EWR	NJ	04R/22L	10000	150	ASPH-E
EWR	NJ	04L/22R	11000	150	ASPH-CONC-E
LDJ	NJ	09/27	4140	100	ASPH-G
MIV	NJ	14/32	5058	150	CONC-G
MIV	NJ	10/28	6003	150	ASPH-G
MJX	NJ	06/24	5950	100	ASPH-G
MMU	NJ	05/23	5998	150	ASPH-G
N51	NJ	04/22	5598	50	ASPH-TURF-F
N87	NJ	11/29	4275	75	ASPH-P
NEL	NJ	06/24	5002	150	ASPH
NEL	NJ	15/33	5002	150	ASPH
NJ00	NJ	01W/19W	5500	150	WATER
TEB	NJ	06/24	6013	150	ASPH-G
TEB	NJ	01/19	7000	150	ASPH-G
TTN	NJ	16/34	4800	150	ASPH-G
TTN	NJ	06/24	6006	150	ASPH-G
WRI	NJ	18/36	7126	150	CONC

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
WRI	NJ	06/24	10014	150	ASPH-CONC
WWD	NJ	10/28	4998	150	ASPH-G
WWD	NJ	01/19	5252	150	ASPH-G
NEW MEXICO					
OE8	NM	18/36	5820	60	ASPH-F
OE0	NM	18/36	6201	75	ASPH-E
OE0	NM	08/26	7702	75	ASPH-E
ONM0	NM	08/26	4210	250	GRAVEL
ONM7	NM	03/21	4000	60	TURF-GRVL-F
ONM7	NM	17/35	7500	60	TURF-GRVL-F
13Q	NM	06/24	5200	45	DIRT-F
1N1	NM	09/27	4830	30	ASPH-F
1V0	NM	06/24	5022	60	ASPH-E
24N	NM	17/35	7500	75	ASPH-F
25NM	NM	05/23	4000	80	DIRT
2NM9	NM	09/27	5280	95	GRVL
55NM	NM	01/19	5000	50	DIRT
55NM	NM	08/26	5000	40	DIRT
5V5	NM	02/20	5214	75	ASPH-E
72NM	NM	04/22	4752	80	DIRT
94E	NM	17/35	5400	50	ASPH-G
95E	NM	14/32	4000	100	ASPH
9NM9	NM	16/34	12000	200	CONC-G
ABQ	NM	12/30	6000	150	CONC-G
ABQ	NM	03/21	10000	150	CONC-G
ABQ	NM	08/26	13793	150	CONC-G
AEG	NM	17/35	5983	100	ASPH-G
AEG	NM	04/22	7398	100	ASPH-G
ALM	NM	04/22	9207	150	ASPH-G
ATS	NM	13/31	6132	100	ASPH-G
ATS	NM	04/22	6800	150	ASPH-F
AXX	NM	17/35	8900	100	ASPH-G
BRG	NM	13/31	5280	75	ASPH-G
BRG	NM	03/21	6601	60	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
CAO	NM	12/30	4106	60	ASPH-G
CAO	NM	02/20	6307	75	ASPH-F
CNM	NM	14L/32R	4616	150	ASPH-F
CNM	NM	08/26	5334	75	ASPH-G
CNM	NM	14R/32L	5837	100	ASPH-G
CNM	NM	03/21	7854	150	ASPH-G
CVN	NM	12/30	5697	100	ASPH-G
CVN	NM	04/22	7200	150	ASPH-G
CVS	NM	13/31	8196	150	PEM
CVS	NM	04/22	10003	150	CONC
DMN	NM	04/22	5675	60	ASPH-G
DMN	NM	08/26	8018	75	ASPH-G
DNA	NM	10/28	9550	100	ASPH-E
E02	NM	13/31	4860	50	ASPH
E05	NM	11/29	4110	60	ASPH-G
E06	NM	12/30	4409	60	ASPH-G
E06	NM	03/21	6001	75	ASPH-G
E14	NM	16/34	5007	75	ASPH-F
E26	NM	01/19	4704	60	ASPH-F
E61	NM	ALL/WAY	21120	1320	WATER
E89	NM	09/27	4800	60	ASPH-G
E92	NM	08/26	4000	50	GRAVEL-F
E98	NM	18/36	4332	37	ASPH-G
F37	NM	06/24	4944	75	ASPH-G
FMN	NM	05/23	6501	150	ASPH-E
FMN	NM	07/25	6704	100	ASPH-G
FSU	NM	08/26	5250	60	ASPH-G
FSU	NM	03/21	5800	75	ASPH-F
GNT	NM	13/31	7172	75	ASPH-G
GUP	NM	06/24	7315	100	ASPH-G
HMN	NM	04/22	10578	300	PEM
HMN	NM	16/34	12134	150	PEM
HMN	NM	07/25	12922	150	PEM
HOB	NM	17/35	4998	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
HOB	NM	12/30	6002	150	ASPH-G
HOB	NM	03/21	7398	150	ASPH-G
LAM	NM	09/27	6000	120	ASPH-G
LRU	NM	08/26	6069	100	ASPH-G
LRU	NM	04/22	7501	105	ASPH-P
LRU	NM	12/30	7506	100	CONC-G
LSB	NM	12/30	5011	75	ASPH-G
LVS	NM	02/20	5006	75	ASPH-G
LVS	NM	14/32	8199	75	ASPH-G
N17	NM	09/27	5150	60	ASPH-G
N19	NM	08/26	4314	60	ASPH-G
N24	NM	17/35	6861	75	ASPH-G
N29	NM	02/20	5762	50	GRVL-DIRT-E
NM03	NM	18/36	4500	50	GRVL
NM05	NM	NE/SW	4000	50	ASPH
NM08	NM	09/27	5000	70	DIRT
NM09	NM	E/W	4000	100	GRAVEL
NM14	NM	09/27	4300	75	DIRT
NM2	NM	06/24	4137	40	DIRT
NM25	NM	07/25	4900	75	DIRT
NM32	NM	01/19	5700	75	ASPH
NM38	NM	14/32	4300	50	DIRT
NM43	NM	05/23	5000	50	DIRT
NM48	NM	07/25	5000	200	TURF
NM49	NM	17/35	5000	50	DIRT
NM53	NM	04/22	5600	100	ASPH
NM54	NM	12/30	5397	40	TURF-DIRT
NM70	NM	17/35	6000	50	TURF
NM78	NM	E/W	4800	30	ASPH
NM80	NM	06/24	5000	40	DIRT-P
NM83	NM	03/21	7000	150	ASPH-F
NM83	NM	12/30	8810	150	ASPH-F
NM86	NM	06/24	4865	50	ASPH-P
NM89	NM	14/32	5280	50	TURF

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
NM89	NM	05/23	7300	50	GRVL
NM90	NM	17/35	6000	40	DIRT
NM91	NM	09/27	4000	25	GRVL-DIRT
NM99	NM	06/24	4000	45	TURF-P
ONM	NM	06/24	4590	60	ASPH-G
ONM	NM	15/33	5841	75	ASPH-G
PRZ	NM	08/26	4560	60	ASPH-G
PRZ	NM	01/19	5700	60	ASPH-F
ROW	NM	17/35	9999	100	ASPH-G
ROW	NM	03/21	13001	150	CONC-E
RTN	NM	07/25	4425	75	ASPH-G
RTN	NM	02/20	7615	75	ASPH-E
S42	NM	01/19	5003	60	ASPH-G
SAF	NM	10/28	6301	75	ASPH-G
SAF	NM	15/33	6316	100	ASPH-E
SAF	NM	02/20	8366	150	ASPH-G
SKX	NM	04/22	5504	75	ASPH-G
SKX	NM	13/31	8600	100	CONC-G
SRR	NM	12/30	6309	75	ASPH-G
SRR	NM	06/24	8120	100	ASPH-F
SVC	NM	03/21	4537	80	DIRT-F
SVC	NM	12/30	4675	75	DIRT-G
SVC	NM	17/35	5473	75	DIRT-G
SVC	NM	08/26	6802	100	ASPH-G
SXU	NM	08/26	4294	60	ASPH-F
SXU	NM	01/19	5013	75	ASPH-G
T16	NM	07/25	4800	50	ASPH-G
TCC	NM	08/26	4600	60	ASPH-G
TCC	NM	03/21	7104	100	ASPH-G
TCS	NM	11/29	6981	190	GRVL-G
TCS	NM	13/31	7202	75	ASPH-G
XNI	NM	06/24	6000	75	ASPH-E
NEVADA					
05NV	NV	14/32	4200	50	DIRT-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
05NV	NV	03/21	4750	75	DIRT-F
05U	NV	18/36	7300	60	ASPH-E
06NV	NV	14/32	4000	50	DIRT-F
06U	NV	15/33	6183	60	ASPH-F
07NV	NV	17/35	4750	50	DIRT-F
0L4	NV	18/36	6100	80	DIRT-F
0L7	NV	02L/20R	4600	75	ASPH-G
10U	NV	05/23	4700	60	ASPH-E
1L1	NV	17/35	4606	60	ASPH-F
1L3	NV	16/34	5040	70	ASPH-F
1L4	NV	15/33	4140	65	SAND-F
2NV2	NV	16/34	4000	40	DIRT
3Q0	NV	13/31	4600	165	DIRT-G
43NV	NV	18/36	4325	50	GRVL-G
67L	NV	02/20	5121	75	ASPH-F
74P	NV	15/33	4081	48	ASPH-GRVL-G
77NV	NV	07/25	4049	20	ASPH
77NV	NV	16/34	4564	30	ASPH
7NV8	NV	17/35	4450	60	DIRT-F
88NV	NV	05R/23L	6015	75	DIRT
88NV	NV	05L/23R	6022	75	DIRT
9U7	NV	03/21	5100	80	TURF-DIRT-F
A34	NV	05/23	5343	75	ASPH-G
BAM	NV	13/31	7299	100	ASPH-F
BAM	NV	04/22	7300	150	ASPH-G
BTY	NV	16/34	5615	60	ASPH-E
BVU	NV	09/27	5103	75	ASPH-G
CXP	NV	09/27	6101	75	ASPH-E
EKO	NV	06/24	7454	150	ASPH-G
ELY	NV	12/30	4825	60	ASPH-P
ELY	NV	18/36	6017	150	ASPH-E
FLX	NV	03/21	5705	75	ASPH-E
GAB	NV	09/27	5950	65	DIRT-E
HND	NV	17L/35R	5001	75	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
HND	NV	17R/35L	6501	100	ASPH-E
HTH	NV	10/28	6000	100	ASPH-G
INS	NV	13/31	5476	100	ASPH
INS	NV	08/26	9002	150	ASPH
L23	NV	18/36	5800	100	ASPH
L92	NV	14/32	4362	60	ASPH-G
LAS	NV	01L/19R	8988	150	CONC-G
LAS	NV	01R/19L	9771	150	CONC-G
LAS	NV	08R/26L	10526	150	CONC-E
LAS	NV	08L/26R	14515	150	CONC-G
LOL	NV	08/26	4931	75	ASPH-G
LOL	NV	02/20	5529	75	ASPH-G
LSV	NV	03R/21L	10051	150	CONC
LSV	NV	03L/21R	10120	200	CONC
LWL	NV	08/26	5508	75	ASPH-G
MEV	NV	12/30	5299	75	ASPH-G
MEV	NV	16/34	7399	100	ASPH-E
N59	NV	07/25	4800	32	ASPH-L
NFL	NV	07/25	7003	152	ASPH
NFL	NV	13L/31R	11076	200	CONC
NFL	NV	13R/31L	14001	201	ASPH
NV02	NV	07/25	4000	40	DIRT
NV05	NV	18/36	4000	40	DIRT
NV06	NV	18/36	4000	40	DIRT
NV08	NV	E/W	7500	75	GRAVEL
NV12	NV	03/21	5200	200	DIRT
NV23	NV	17/35	7000	100	DIRT-TRTD
NV27	NV	13/31	4400	60	ASPH-F
NV27	NV	03/21	4400	60	ASPH-F
NV30	NV	16/34	6000	60	ASPH-GRVL
NV35	NV	17/35	5050	100	DIRT-P
NV65	NV	02/20	7515	100	CONC-G
NV83	NV	17/35	6776	60	ASPH-G
NV89	NV	14/32	6750	50	GRVL-DIRT

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
O43	NV	02/20	5814	75	ASPH-E
RNO	NV	07/25	6102	150	CONC-G
RNO	NV	16L/34R	9000	150	CONC-G
RNO	NV	16R/34L	11001	150	CONC-G
RTS	NV	08/26	7608	150	ASPH-E
RTS	NV	14/32	9000	150	ASPH-G
SPZ	NV	06/24	6001	75	ASPH-F
TMT	NV	01/19	5999	75	ASPH-G
TNX	NV	14/32	12001	150	CONC
TPH	NV	11/29	5660	50	ASPH-L
TPH	NV	15/33	7160	75	ASPH-E
U08	NV	13/31	4811	75	ASPH-F
U74	NV	14/32	4650	75	DIRT-P
U74	NV	05/23	5424	60	DIRT-P
VGT	NV	12L/30R	4199	75	ASPH-G
VGT	NV	12R/30L	5000	75	ASPH-G
VGT	NV	07/25	5005	75	ASPH-G
WMC	NV	02/20	4800	75	ASPH-G
WMC	NV	14/32	7000	100	ASPH-G
NEW YORK					
00NK	NY	16W/34W	5000	200	WATER
04NY	NY	02/20	5200	50	TURF
0G7	NY	01/19	4592	75	ASPH-G
11NY	NY	18/36	4021	65	TURF-G
1B1	NY	03/21	5350	100	ASPH-E
2NY9	NY	04W/22W	5000	150	WATER
3C8	NY	14/32	10001	200	ASPH-CONC
4B6	NY	02/20	4041	60	ASPH-E
4NY2	NY	N/S	5000	500	WATER
4NY2	NY	NE/SW	10000	500	WATER
4NY2	NY	NW/SE	10000	500	WATER
5B2	NY	14/32	4000	100	ASPH-CONC-G
5B2	NY	05/23	4699	100	ASPH-CONC-G
5R5	NY	10/28	4000	140	TURF-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
6N6	NY	ALL/WAY	5000	400	WATER
6N7	NY	N/S	10000	1000	WATER
6NY6	NY	16W/34W	4500	500	WATER
77NY	NY	04W/22W	4525	100	WATER
7G0	NY	10/28	4206	75	ASPH-G
7N3	NY	12W/30W	6000	300	WATER
7N3	NY	01W/19W	6000	300	WATER
89NY	NY	06/24	4280	60	ASPH-F
ALB	NY	10/28	7200	150	ASPH-G
ALB	NY	01/19	8500	150	ASPH-G
ART	NY	07/25	4999	150	ASPH-G
ART	NY	10/28	7001	150	ASPH-G
B04	NY	02W/20W	9999	750	WATER
BGM	NY	10/28	5001	150	ASPH-E
BGM	NY	16/34	7305	150	ASPH-G
BUF	NY	14/32	7161	150	ASPH-G
BUF	NY	05/23	8829	150	ASPH-G
D52	NY	05/23	4695	90	TURF-G
DKK	NY	15/33	4000	100	ASPH-F
DKK	NY	06/24	6000	100	ASPH-E
ELM	NY	10/28	5404	150	ASPH-G
ELM	NY	06/24	8001	150	ASPH-G
ELZ	NY	10/28	5301	100	ASPH-G
FOK	NY	15/33	5002	150	ASPH-G
FOK	NY	01/19	5100	150	ASPH-CONC-G
FOK	NY	06/24	9002	150	ASPH-CONC-G
FRG	NY	01/19	5516	150	ASPH-G
FRG	NY	14/32	6833	150	ASPH-G
FZY	NY	15/33	5196	100	ASPH-G
GFL	NY	01/19	5000	150	ASPH-E
GTB	NY	08/26	4501	150	ASPH-CONC
GTB	NY	15/33	5002	144	CONC
GTB	NY	03/21	10000	150	CONC-G
GVQ	NY	10/28	5499	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
HPN	NY	11/29	4451	150	ASPH-F
HPN	NY	16/34	6549	150	ASPH-G
HTF	NY	18/36	5000	75	ASPH-G
HWV	NY	06/24	4201	100	ASPH-G
HWV	NY	15/33	4222	150	ASPH-CONC-G
IAG	NY	06/24	5188	150	ASPH-G
IAG	NY	10L/28R	9826	150	ASPH-CONC-G
ISP	NY	15R/33L	5186	150	ASPH-F
ISP	NY	06/24	7006	150	ASPH-E
ITH	NY	14/32	6977	150	ASPH-G
IUA	NY	13/31	5500	100	ASPH-G
JFK	NY	04R/22L	8400	200	ASPH-E
JFK	NY	13L/31R	10000	200	CONC-E
JFK	NY	04L/22R	12079	200	CONC-E
JFK	NY	13R/31L	14511	200	CONC-E
JHW	NY	13/31	4499	100	ASPH-F
JHW	NY	07/25	5299	100	ASPH-F
JPX	NY	10/28	4255	100	ASPH-G
K03	NY	ALL/WAY	15000	2000	WATER
K21	NY	ALL/WAY	7900	500	WATER
LGA	NY	04/22	7001	150	ASPH-CONC-E
LGA	NY	13/31	7003	150	ASPH-CONC-E
LKP	NY	14/32	4196	60	ASPH-G
MGJ	NY	04/22	5006	100	ASPH-E
MSS	NY	09/27	4000	100	ASPH-G
MSS	NY	05/23	5601	100	ASPH-G
MSV	NY	15/33	6298	150	ASPH-E
N23	NY	07/25	4201	75	ASPH-G
N66	NY	06/24	4199	75	ASPH-E
NK15	NY	04W/22W	7000	500	WATER
NK30	NY	08W/26W	5000	500	WATER
NK30	NY	17W/35W	5000	500	WATER
NY0	NY	10/28	4000	75	ASPH-G
NY06	NY	09/27	4000	90	TURF-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
NY1	NY	01/19	4000	75	TURF-G
NY61	NY	E/W	10000	700	WATER
NY83	NY	ALL/WAY	15000	4000	WATER
NY9	NY	NE/SW	15000	1500	WATER
OGS	NY	09/27	6400	150	ASPH-E
OIC	NY	01/19	4727	75	ASPH-G
OLE	NY	04/22	4800	100	ASPH-F
PBG	NY	17/35	11759	200	ASPH-G
PEO	NY	01/19	5499	100	ASPH-G
POU	NY	06/24	5001	100	ASPH-E
RME	NY	15/33	11820	200	ASPH-G
ROC	NY	07/25	4000	100	ASPH-E
ROC	NY	10/28	6402	150	ASPH-G
ROC	NY	04/22	8001	150	ASPH-G
SCH	NY	10/28	4850	150	ASPH-G
SCH	NY	04/22	7001	150	ASPH-E
SLK	NY	05/23	6573	150	ASPH-G
SWF	NY	16/34	6004	150	ASPH-G
SWF	NY	09/27	11817	150	ASPH-G
SYR	NY	15/33	7500	150	ASPH-G
SYR	NY	10/28	9003	150	ASPH-E
VGC	NY	17/35	5314	75	ASPH-G
W57	NY	14W/32W	4000	600	WATER
OHIO					
0G6	OH	07/25	4782	75	ASPH-G
00I6	OH	01/19	4700	80	TURF
10G	OH	09/27	4400	75	ASPH-G
14G	OH	09/27	4137	60	ASPH-F
16G	OH	06/24	4000	75	ASPH-G
1G0	OH	10/28	4199	75	ASPH-G
1G3	OH	01/19	4000	60	ASPH-F
2C9	OH	08W/26W	5000	500	WATER
2C9	OH	04W/22W	8000	500	WATER
2G2	OH	14/32	5001	75	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
4G4	OH	10/28	4012	50	ASPH-F
4I3	OH	10/28	5504	100	ASPH-E
5A1	OH	10/28	4208	75	ASPH-F
5G7	OH	05/23	4126	75	ASPH-G
6G5	OH	09/27	4003	65	ASPH-P
73OH	OH	09/27	4000	60	ASPH
75OA	OH	09/27	5892	75	ASPH-F
7W5	OH	10/28	4001	60	ASPH-E
8G1	OH	10/28	4028	65	ASPH-F
8G6	OH	13/31	4154	60	ASPH-E
AKR	OH	07/25	6336	150	ASPH-F
AOH	OH	10/28	6000	150	ASPH-G
AXV	OH	08/26	5500	100	ASPH-G
BJJ	OH	10/28	5189	100	ASPH-G
BKL	OH	06R/24L	5197	100	ASPH-F
BKL	OH	06L/24R	6604	150	ASPH-F
CAK	OH	01/19	7601	150	ASPH-G
CAK	OH	05/23	8204	150	ASPH-G
CDI	OH	04/22	4298	75	ASPH-E
CGF	OH	06/24	5502	100	ASPH-G
CLE	OH	10/28	6018	150	ASPH-CONC-F
CLE	OH	06L/24R	9000	150	CONC-G
CLE	OH	06R/24L	9953	150	CONC-F
CMH	OH	10L/28R	8000	150	ASPH-E
CMH	OH	10R/28L	10114	150	ASPH-E
CQA	OH	08/26	4400	75	ASPH-G
CYO	OH	01/19	4346	75	ASPH-G
DAY	OH	06R/24L	7285	150	CONC-G
DAY	OH	18/36	8502	150	ASPH-G
DAY	OH	06L/24R	10901	150	ASPH-CONC-G
DFI	OH	12/30	4199	72	ASPH-F
DLZ	OH	10/28	5800	100	ASPH-E
EDJ	OH	07/25	5000	100	ASPH-F
EOP	OH	07/25	4899	75	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
FDY	OH	07/25	5883	100	ASPH-G
FDY	OH	18/36	6499	100	ASPH-G
FFO	OH	05R/23L	7000	150	ASPH
FFO	OH	05L/23R	12600	300	PEM
FZI	OH	09/27	5005	100	ASPH-F
HAO	OH	11/29	5500	100	ASPH-G
HZY	OH	09/27	5900	100	ASPH-G
I19	OH	07/25	5004	75	ASPH-G
I23	OH	05/23	5097	75	ASPH-E
I40	OH	04/22	5001	75	ASPH-F
I43	OH	01/19	5201	75	ASPH-E
I68	OH	01/19	4502	75	ASPH-E
I74	OH	02/20	4400	100	ASPH-G
I95	OH	04/22	4797	75	ASPH-G
ILN	OH	04R/22L	9000	150	CONC-F
ILN	OH	04L/22R	10701	150	CONC-F
LCK	OH	05L/23R	11902	150	ASPH-F
LCK	OH	05R/23L	12102	200	ASPH-CONC-G
LHQ	OH	10/28	5004	75	ASPH-G
LNN	OH	10/28	4272	100	ASPH-F
LNN	OH	05/23	5028	100	ASPH-F
LPR	OH	07/25	5002	100	ASPH-G
LUK	OH	07/25	5127	100	ASPH-F
LUK	OH	03R/21L	6101	150	ASPH-E
MFD	OH	05/23	6819	150	ASPH-G
MFD	OH	14/32	9001	150	ASPH-F
MGY	OH	02/20	5000	100	ASPH-G
MNN	OH	07/25	5000	100	ASPH-F
MRT	OH	09/27	4218	75	ASPH-G
MWO	OH	05/23	6100	100	ASPH-G
O12	OH	09W/27W	7000	4000	WATER
OSU	OH	09R/27L	5004	100	ASPH-G
OWX	OH	09/27	4502	75	ASPH-G
OXD	OH	05/23	4011	70	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
PCW	OH	18/36	4002	75	ASPH-G
PCW	OH	09/27	5646	100	ASPH-G
PMH	OH	18/36	5001	100	ASPH-F
R47	OH	09/27	4455	65	ASPH-F
RZT	OH	05/23	5405	100	ASPH-G
S24	OH	06/24	5500	100	ASPH-G
SCA	OH	10/28	5013	75	ASPH-F
SGH	OH	15/33	5498	100	ASPH-F
SGH	OH	06/24	9010	150	ASPH-CONC-F
TDZ	OH	14/32	5829	100	ASPH-F
TOL	OH	16/34	5599	150	ASPH-G
TOL	OH	07/25	10600	150	ASPH-G
TSO	OH	07/25	4300	75	ASPH-F
TZR	OH	04/22	5500	100	ASPH-F
UNI	OH	07/25	5600	100	ASPH-G
UYF	OH	09/27	4001	75	ASPH-F
VES	OH	09/27	4802	75	ASPH-G
VNW	OH	09/27	4000	75	ASPH-G
VTA	OH	09/27	4649	75	ASPH-G
YNG	OH	05/23	5002	150	ASPH-G
YNG	OH	14/32	9003	150	ASPH-G
ZZV	OH	16/34	4998	75	ASPH-G
ZZV	OH	04/22	4999	150	ASPH-G
OKLAHOMA					
00K3	OK	16/34	5000	30	ASPH
17K	OK	04/22	4211	60	ASPH-F
1F0	OK	17/35	5014	75	ASPH-G
1K8	OK	18/36	4730	75	ASPH-G
1PP	OK	17/35	4208	60	ASPH-P
2K4	OK	17/35	4199	75	ASPH-G
208	OK	18/36	4001	60	ASPH-G
37K	OK	18/36	4400	75	ASPH-L
39OK	OK	17/35	4000	150	TURF
3F7	OK	18/36	4001	75	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
304	OK	17/35	4276	130	CONC-G
43OK	OK	N/S	4200	60	TURF
404	OK	02/20	5002	75	ASPH-G
406	OK	NE/SW	4000	200	WATER
406	OK	ALL/WAY	10000	800	WATER
50K3	OK	09/27	4000	100	TURF
6K4	OK	17/35	4400	75	ASPH-CONC-G
76OK	OK	16/34	4500	150	TURF-G
80F	OK	17/35	4001	60	ASPH-G
93F	OK	18/36	4022	60	ASPH-G
95F	OK	18/36	4000	60	ASPH-G
96OK	OK	17/35	4000	35	TURF
ADH	OK	18/36	6203	100	ASPH-G
ADM	OK	17/35	5404	100	ASPH-G
ADM	OK	13/31	9002	150	CONC-G
AVK	OK	18/36	5001	75	CONC-G
AXS	OK	17/35	5501	75	CONC-G
BFK	OK	17/35	4000	60	ASPH-E
BVO	OK	17/35	6850	100	CONC-G
CHK	OK	18/36	5101	100	CONC-G
CKA	OK	17/35	7800	150	ASPH
CLK	OK	17/35	4305	72	ASPH-G
CQB	OK	17/35	4000	60	ASPH-G
CSM	OK	17L/35R	5193	75	CONC-G
CSM	OK	17R/35L	13503	200	CONC-G
CUH	OK	18/36	5201	100	CONC-TRTD-G
DUA	OK	17/35	6800	100	ASPH-G
DUC	OK	17/35	6650	100	CONC-G
ELK	OK	17/35	5399	75	CONC-G
END	OK	17L/35R	5024	150	CONC-G
END	OK	17R/35L	9217	150	PEM-G
END	OK	17C/35C	9217	150	PEM-G
F22	OK	17/35	5103	75	ASPH-F
FDR	OK	12/30	4578	75	CONC-P

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
FDR	OK	03/21	4812	60	CONC-P
FDR	OK	17/35	6099	150	ASPH-E
FSI	OK	18/36	5002	150	CONC-G
GAG	OK	17/35	5033	75	ASPH-G
GCM	OK	18/36	5200	75	ASPH-G
GMJ	OK	18/36	5200	75	ASPH-G
GOK	OK	16/34	5001	75	CONC-G
GUY	OK	18/36	5904	100	ASPH-G
GZL	OK	17/35	4296	60	ASPH-G
H04	OK	17/35	4209	60	ASPH-CONC-F
H71	OK	18/36	4992	72	ASPH-G
HBR	OK	17/35	5507	100	ASPH-G
HHW	OK	17/35	4007	75	ASPH-G
HSD	OK	18/36	5001	100	CONC-G
JSV	OK	17/35	4006	75	ASPH-G
JWG	OK	17/35	4001	60	ASPH-G
K44	OK	17/35	4050	60	ASPH-G
LAW	OK	17/35	8599	150	CONC-G
LTS	OK	18L/36R	9001	150	CONC-G
LTS	OK	18R/36L	13440	150	CONC-G
MIO	OK	17/35	5020	100	ASPH-E
MKO	OK	04/22	4498	75	ASPH-G
MKO	OK	13/31	7202	150	ASPH-G
MLC	OK	02/20	5602	100	CONC-F
OJA	OK	17/35	5100	75	CONC-G
OK01	OK	17/35	4400	75	TURF
OK08	OK	01/19	4000	200	TURF-G
OKC	OK	13/31	7800	150	ASPH-CONC-F
OKC	OK	17R/35L	9801	150	CONC-G
OKC	OK	17L/35R	9803	150	CONC-G
OKM	OK	18/36	5150	101	CONC-F
OL26	OK	18/36	4000	75	TURF-F
OUN	OK	03/21	4748	100	ASPH-E
OUN	OK	18/36	5199	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
OWP	OK	17/35	5799	100	ASPH-G
PNC	OK	17/35	7201	100	CONC-G
PVJ	OK	17/35	5001	100	CONC-G
PWA	OK	13/31	4214	100	CONC-G
PWA	OK	17R/35L	5002	75	ASPH-CONC-G
PWA	OK	17L/35R	7199	150	CONC-G
RCE	OK	17R/35L	6014	100	CONC-G
RKR	OK	18/36	4007	75	ASPH-G
RQO	OK	18/36	4017	190	TURF-F
RQO	OK	17/35	5600	75	CONC-TRTD-G
RVS	OK	01R/19L	4208	100	ASPH-F
RVS	OK	01L/19R	5102	100	ASPH-E
SNL	OK	17/35	5997	100	ASPH-G
SRE	OK	16/34	5004	75	ASPH-G
SWO	OK	04/22	5004	75	ASPH-G
SWO	OK	17/35	7401	100	CONC-G
TIK	OK	13/31	10000	200	PEM
TIK	OK	18/36	11100	200	PEM
TQH	OK	17/35	5001	75	ASPH-G
TUL	OK	18R/36L	6101	150	ASPH-G
TUL	OK	08/26	7376	150	CONC-G
TUL	OK	18L/36R	10000	150	CONC-E
WDG	OK	17/35	8613	100	CONC-G
WWR	OK	17/35	5502	100	CONC-G
OREGON					
100	OR	N/S	9000	1000	WATER
1S8	OR	06/24	5000	50	TURF-G
22S	OR	13/31	4300	60	ASPH-G
26U	OR	16/34	5900	60	ASPH-E
2OR1	OR	04/22	4185	70	ASPH-G
2OR4	OR	11/29	5100	80	GRVL
2S2	OR	18/36	4500	60	DIRT-P
37OR	OR	NE/SW	4500	40	GRAVEL
3S4	OR	18/36	4807	60	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
3S6	OR	11/29	5350	60	TURF-G
3S8	OR	13/31	4001	75	ASPH-E
50OR	OR	17/35	5500	60	GRAVEL-G
5S6	OR	14/32	5100	150	ASPH-F
62S	OR	07/25	5200	60	ASPH-G
64OG	OR	07/25	5069	65	ASPH-F
64S	OR	02/20	4000	50	ASPH-P
96OR	OR	12/30	4800	90	ASPH
9S9	OR	08/26	4156	75	ASPH-G
AST	OR	14/32	4467	100	ASPH-E
AST	OR	08/26	5794	100	ASPH
BDN	OR	16/34	5201	75	ASPH-G
BKE	OR	17/35	4359	75	ASPH-G
BKE	OR	13/31	5085	100	ASPH-G
BNO	OR	03/21	4600	60	CONC-G
BNO	OR	12/30	5100	75	CONC-G
CVO	OR	17/35	5900	150	ASPH-G
DLS	OR	07/25	4647	100	ASPH-G
DLS	OR	13/31	5097	100	ASPH-G
EUG	OR	16L/34R	6000	150	ASPH-G
EUG	OR	16R/34L	8009	150	ASPH-G
GCD	OR	09/27	4100	60	ASPH-G
GCD	OR	17/35	5224	60	ASPH-G
HIO	OR	13R/31L	6600	150	ASPH-G
HRI	OR	05/23	4501	75	ASPH-G
JSY	OR	15/33	5202	60	ASPH-E
LGD	OR	12/30	6261	100	ASPH-G
LKV	OR	17/35	5318	100	ASPH-G
LMT	OR	07/25	5258	100	ASPH-G
LMT	OR	14/32	10302	150	ASPH-CONC-G
M50	OR	04/22	4200	100	ASPH-G
MFR	OR	14/32	8800	150	ASPH-G
MMV	OR	17/35	4340	75	ASPH-E
MMV	OR	04/22	5420	100	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
OG00	OR	05/23	5000	50	DIRT
OG14	OR	15/33	5000	50	ASPH-G
OG39	OR	15/33	5335	75	ASPH
ONO	OR	15/33	5006	100	ASPH-F
ONP	OR	16/34	5398	100	ASPH-G
OR07	OR	13/31	4400	60	ASPH-GRVL
OR10	OR	18/36	6000	75	ASPH-G
OR42	OR	09/27	4983	70	DIRT
OTH	OR	13/31	4470	150	ASPH-G
OTH	OR	05/23	5980	150	ASPH-G
PDT	OR	11/29	5582	100	ASPH-G
PDT	OR	08/26	6301	150	ASPH-F
PDX	OR	03/21	6000	150	ASPH-E
PDX	OR	10L/28R	9825	150	ASPH-E
PDX	OR	10R/28L	11000	150	CONC-G
R03	OR	18/36	6100	150	GRAVEL-G
RBG	OR	16/34	5003	100	ASPH-G
RDM	OR	11/29	7006	100	ASPH-G
RDM	OR	05/23	7038	150	ASPH-G
REO	OR	03/21	6000	150	GRAVEL-F
S21	OR	18/36	5460	75	ASPH-F
S33	OR	16/34	5091	75	ASPH-G
S39	OR	15/33	4053	40	ASPH-P
S39	OR	11/29	5405	75	ASPH-G
SLE	OR	16/34	5146	100	ASPH-G
SLE	OR	13/31	5811	150	ASPH-G
SPB	OR	15/33	5100	100	ASPH-F
TMK	OR	13/31	5001	75	ASPH-G
TTD	OR	07/25	5399	150	ASPH-G
UAO	OR	17/35	5003	100	ASPH-G
PENNSYLVANIA					
OPN1	PA	06W/24W	7500	800	WATER
29D	PA	10/28	4500	75	ASPH-G
2G9	PA	07/25	5002	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
6G1	PA	01/19	4902	75	ASPH-G
75PN	PA	07W/25W	5000	500	WATER
7PA3	PA	18/36	4000	50	ASPH
8G2	PA	14/32	4101	75	ASPH-G
9N2	PA	11W/29W	9100	250	WATER
ABE	PA	13/31	5800	150	ASPH-G
ABE	PA	06/24	7599	150	ASPH-G
AFJ	PA	09/27	5004	100	ASPH-G
AGC	PA	10/28	6501	150	CONC-G
AOO	PA	03/21	5465	100	ASPH-G
AVP	PA	10/28	4300	150	ASPH-G
AVP	PA	04/22	7502	150	ASPH-G
AXQ	PA	06/24	5003	75	ASPH-G
BFD	PA	05/23	4499	100	ASPH-G
BFD	PA	14/32	6307	150	ASPH-G
BTP	PA	08/26	4801	100	ASPH-G
BVI	PA	10/28	4501	100	ASPH-G
CKZ	PA	08/26	4211	100	ASPH-G
CXY	PA	08/26	5000	150	ASPH-G
DUJ	PA	07/25	5503	100	ASPH-G
ERI	PA	06/24	8420	150	ASPH-G
FIG	PA	12/30	4499	75	ASPH-G
FKL	PA	03/21	5200	150	ASPH-G
FWQ	PA	08/26	4002	75	ASPH-G
GKJ	PA	07/25	5001	75	ASPH-G
H11	PA	07W/25W	5000	250	WATER
HMZ	PA	14/32	5006	75	ASPH-G
HZL	PA	10/28	5001	100	ASPH-G
IDI	PA	11/29	5502	100	ASPH-G
IPT	PA	12/30	4273	150	ASPH-G
IPT	PA	09/27	6825	150	ASPH-G
JST	PA	05/23	4387	100	ASPH-G
JST	PA	15/33	7004	150	CONC-G
LBE	PA	06/24	8222	150	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
LNS	PA	13/31	4102	100	ASPH-G
LNS	PA	08/26	6933	150	ASPH-G
MDT	PA	13/31	10001	200	ASPH-G
MPO	PA	13/31	5001	75	ASPH-E
MQS	PA	11/29	5400	100	ASPH-G
N27	PA	05/23	4301	75	ASPH-F
N94	PA	10/28	4008	60	ASPH-G
OYM	PA	10/28	4300	75	ASPH-G
PHL	PA	08/26	5001	150	ASPH-G
PHL	PA	17/35	6500	150	ASPH-G
PHL	PA	09L/27R	9500	150	ASPH-G
PHL	PA	09R/27L	12000	200	ASPH-G
PIT	PA	14/32	8101	150	CONC-G
PIT	PA	10L/28R	10502	150	ASPH-CONC-G
PIT	PA	10C/28C	10775	150	ASPH-CONC-G
PIT	PA	10R/28L	11500	200	CONC-G
PJC	PA	17/35	4933	75	ASPH-G
PN19	PA	16W/34W	6500	500	WATER
PN19	PA	02W/20W	7500	500	WATER
PN24	PA	04W/22W	7900	300	WATER
PN24	PA	12W/30W	9000	300	WATER
PNE	PA	15/33	5000	150	ASPH-G
PNE	PA	06/24	7000	100	ASPH-G
PSB	PA	06/24	5006	100	ASPH-F
PSB	PA	16/34	5711	100	ASPH-F
RDG	PA	18/36	5151	150	ASPH-G
RDG	PA	13/31	6350	150	ASPH-G
RVL	PA	06/24	5001	75	ASPH-F
SEG	PA	17/35	4760	75	ASPH-E
THV	PA	17/35	5188	100	ASPH-G
UNV	PA	06/24	6701	150	ASPH-G
ZER	PA	11/29	5101	75	ASPH-G
RHODE ISLAND					
OQU	RI	05/23	4000	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
OQU	RI	16/34	7504	150	ASPH-F
PVD	RI	16/34	6081	150	ASPH-G
PVD	RI	05/23	8700	150	ASPH-G
RI28	RI	13W/31W	5000	100	WATER
SFZ	RI	05/23	5000	100	ASPH-E
WST	RI	07/25	4010	100	ASPH-F
SOUTH CAROLINA					
2SC3	SC	06W/24W	5000	200	WATER
2SC4	SC	06W/24W	5000	200	WATER
3J1	SC	18/36	4200	75	ASPH-E
3SC2	SC	01/19	4400	80	TURF
4SC7	SC	04/22	4200	200	TURF
6J0	SC	18/36	4335	75	CONC-E
AIK	SC	07/25	5500	100	ASPH-G
AND	SC	17/35	4996	149	ASPH-P
AND	SC	05/23	6002	149	ASPH-G
AQX	SC	17/35	4990	75	ASPH-E
BBP	SC	07/25	5003	74	ASPH-G
BNL	SC	05/23	4526	70	ASPH-P
BNL	SC	17/35	5119	100	ASPH-G
CAE	SC	05/23	8001	150	ASPH-CONC-E
CAE	SC	11/29	8601	150	CONC-E
CDN	SC	06/24	5000	100	ASPH-G
CEU	SC	07/25	5000	100	ASPH-G
CHS	SC	03/21	7000	150	CONC-G
CHS	SC	15/33	9001	150	CONC-G
CKI	SC	14/32	5000	75	ASPH-G
CQW	SC	08/26	5000	75	ASPH-P
CRE	SC	05/23	5997	100	ASPH-G
CUB	SC	13/31	5011	75	ASPH-F
DCM	SC	05/23	4998	100	ASPH-P
DCM	SC	17/35	5000	100	ASPH-F
DYB	SC	06/24	5000	75	ASPH-G
EOE	SC	04/22	4001	75	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
FDW	SC	04/22	5243	100	ASPH-E
FLO	SC	01/19	6000	150	ASPH-F
FLO	SC	09/27	6502	150	ASPH-G
GGE	SC	11/29	4539	150	ASPH-F
GGE	SC	05/23	6005	100	ASPH-G
GMU	SC	10/28	4000	80	ASPH-G
GMU	SC	01/19	5393	100	ASPH-E
GRD	SC	09/27	5001	100	CONC-E
GSP	SC	04/22	11001	150	ASPH-CONC-G
GYH	SC	05/23	8000	150	CONC-G
HVS	SC	03/21	5000	75	ASPH-F
HXD	SC	03/21	5000	100	ASPH-G
HYW	SC	04/22	4401	75	ASPH-G
JZI	SC	04/22	4313	150	CONC-G
JZI	SC	09/27	5350	100	CONC-E
LKR	SC	06/24	6004	101	CONC-E
LQK	SC	05/23	5002	100	ASPH-G
LUX	SC	08/26	4051	75	CONC-E
MAO	SC	04/22	4504	100	ASPH-F
MKS	SC	05/23	5001	75	CONC-E
MMT	SC	18/36	4500	150	CONC
MMT	SC	14/32	9010	150	PEM
MYR	SC	18/36	9503	150	ASPH-G
NBC	SC	14/32	8001	200	PEM
NBC	SC	05/23	12202	200	PEM
OGB	SC	05/23	4508	100	ASPH-G
OGB	SC	17/35	5399	100	ASPH-G
RBW	SC	09/27	5408	100	ASPH-CONC-L
RBW	SC	17/35	5705	100	ASPH-CONC-E
RBW	SC	05/23	6002	100	ASPH-CONC-G
S17	SC	06/24	4000	60	ASPH-F
SC00	SC	03/21	7000	400	TURF
SC79	SC	03/21	4000	200	TURF
SC95	SC	07/25	5000	100	TURF

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
SMS	SC	05/23	5501	100	ASPH-G
SPA	SC	05/23	5852	100	ASPH-E
SSC	SC	04R/22L	8014	150	CONC
SSC	SC	04L/22R	10014	150	CONC
T73	SC	05W/23W	4400	300	WATER
UDG	SC	05/23	5500	100	CONC-G
UZA	SC	02/20	5500	100	ASPH-G
XNO	SC	06/24	10003	150	ASPH
SOUTH DAKOTA					
0D8	SD	13/31	4400	75	ASPH-F
1D1	SD	13/31	4000	60	CONC-E
1SD3	SD	08/26	5300	150	TURF
1SD5	SD	N/S	4300	90	TURF
3V0	SD	15/33	4000	50	ASPH-F
49B	SD	11/29	5100	75	CONC-E
7K7	SD	15/33	5300	100	CONC-TURF-F
84D	SD	13/31	4200	60	ASPH-P
8F6	SD	14/32	4000	60	ASPH-F
8OA5	SD	E/W	4000	36	DIRT
9V9	SD	13/31	4299	75	ASPH-F
ABR	SD	17/35	5500	100	ASPH-E
ABR	SD	13/31	6901	100	CONC-G
ATY	SD	17/35	6893	100	CONC-G
ATY	SD	12/30	6898	100	CONC-E
BKX	SD	12/30	6000	100	ASPH-E
BTN	SD	13/31	4210	75	ASPH-G
CUT	SD	08/26	5500	60	ASPH-G
D07	SD	13/31	4200	60	ASPH-G
EFC	SD	14/32	4501	60	ASPH-G
FSD	SD	15/33	8000	150	CONC-G
FSD	SD	03/21	8999	150	CONC-G
HON	SD	18/36	5000	75	CONC-G
HON	SD	12/30	7201	100	CONC-G
HSR	SD	01/19	4506	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
ICR	SD	13/31	5500	75	CONC-E
IEN	SD	12/30	5000	75	ASPH-G
LEM	SD	12/30	4499	75	ASPH-E
MBG	SD	12/30	4410	75	ASPH-E
MDS	SD	15/33	5000	75	ASPH-CONC-E
MHE	SD	18/36	5513	100	ASPH-F
MHE	SD	13/31	6701	100	ASPH-G
PIR	SD	07/25	6880	150	ASPH-G
PIR	SD	13/31	6900	100	ASPH-G
RAP	SD	14/32	8701	150	CONC-G
RCA	SD	13/31	13497	300	CONC
SD33	SD	11/29	4800	30	ASPH
SD66	SD	NW/SE	4500	300	TURF-P
SD66	SD	E/W	4500	200	TURF-P
SD77	SD	18/36	4875	160	TURF-G
SD93	SD	13/31	4000	48	GRVL
SPF	SD	08/26	4003	100	TURF-G
SPF	SD	13/31	6401	75	ASPH-G
SUO	SD	16/34	4801	75	CONC-E
VMR	SD	12/30	4105	75	CONC-E
YKN	SD	13/31	6094	100	CONC-E
OA3	TN	06/24	4257	75	ASPH-G
OA9	TN	06/24	5001	70	ASPH-E
OM3	TN	02/20	4001	75	ASPH-G
OM4	TN	04/22	5001	75	ASPH-E
OM5	TN	03/21	4000	75	ASPH-G
OTN1	TN	09W/27W	5000	500	WATER
OTN1	TN	13W/31W	7000	700	WATER
OTN1	TN	03W/21W	8000	800	WATER
1M5	TN	01/19	5000	100	ASPH-F
2A0	TN	03/21	5001	100	ASPH-G
2M2	TN	17/35	5003	100	ASPH-G
3A2	TN	07/25	5208	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
3M7	TN	01/19	5200	75	ASPH-E
4TN3	TN	18/36	4000	60	TURF
6A4	TN	06/24	4498	75	ASPH-G
8A3	TN	03/21	5153	75	ASPH-G
AYX	TN	03/21	6000	150	ASPH-E
BGF	TN	18/36	5003	75	ASPH-G
BNA	TN	02L/20R	7704	150	CONC-G
BNA	TN	02R/20L	8001	150	CONC-F
BNA	TN	02C/20C	8001	150	CONC-G
BNA	TN	13/31	11030	150	CONC-G
CHA	TN	15/33	5575	150	ASPH-F
CHA	TN	02/20	7400	150	ASPH-G
CKV	TN	05/23	4004	100	ASPH-F
CKV	TN	17/35	5999	100	ASPH-E
CSV	TN	08/26	5418	100	ASPH-G
DYR	TN	16/34	4001	74	ASPH-P
DYR	TN	04/22	5698	98	ASPH-G
EOD	TN	05/23	5000	100	CONC
FGU	TN	03/21	4986	75	ASPH-G
FYE	TN	01/19	5000	75	ASPH-G
FYM	TN	02/20	5900	100	ASPH-G
GCY	TN	05/23	6300	100	ASPH-E
GHM	TN	02/20	4002	75	ASPH-G
GKT	TN	10/28	5506	75	ASPH-G
GZS	TN	16/34	5310	75	ASPH-G
HZD	TN	01/19	5507	100	ASPH-G
JAU	TN	05/23	4000	75	ASPH-G
JWN	TN	02/20	6001	100	ASPH-G
LUG	TN	02/20	5001	100	ASPH-G
M02	TN	17/35	5001	75	ASPH-G
M04	TN	01/19	5004	100	ASPH-G
M08	TN	01/19	5007	75	ASPH-F
M29	TN	03/21	4200	75	ASPH-G
M31	TN	18/36	4700	75	ASPH-CONC-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
M53	TN	04/22	4003	75	ASPH-F
M54	TN	01/19	5000	100	ASPH-G
M91	TN	04/22	5505	100	ASPH-G
MBT	TN	18/36	4753	100	ASPH-G
MEM	TN	09/27	8946	150	CONC-G
MEM	TN	18L/36R	9000	150	CONC-G
MEM	TN	18R/36L	9320	150	CONC-G
MEM	TN	18C/36C	11120	150	CONC-G
MKL	TN	02/20	6005	150	ASPH-F
MMI	TN	02/20	6450	100	ASPH-G
MOR	TN	05/23	5717	100	ASPH-G
MQY	TN	01/19	5546	100	ASPH-G
MQY	TN	14/32	8038	150	ASPH-G
MRC	TN	06/24	6000	100	ASPH-G
NQA	TN	04/22	8000	200	ASPH-CONC-G
PHT	TN	02/20	5001	100	ASPH-G
PVE	TN	01/19	6000	100	CONC-G
RKW	TN	04/22	5000	100	ASPH-G
RNC	TN	05/23	5000	100	ASPH-G
RZR	TN	03/21	6200	100	CONC-G
SCX	TN	05/23	5505	75	ASPH-F
SNH	TN	01/19	5000	100	CONC-G
SRB	TN	04/22	6704	100	ASPH-G
SYI	TN	18/36	5503	100	ASPH-F
SZY	TN	17/35	5002	75	ASPH-E
TGC	TN	01/19	4802	75	ASPH-G
THA	TN	18/36	4205	100	ASPH-CONC-F
THA	TN	06/24	5501	100	ASPH-CONC-G
TRI	TN	09/27	4442	150	ASPH-F
TRI	TN	05/23	8000	150	ASPH-G
TYS	TN	05R/23L	9000	150	ASPH-G
TYS	TN	05L/23R	10000	150	CONC-G
UCY	TN	01/19	6503	100	ASPH-G
XNX	TN	17/35	6300	100	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
TEXAS					
1E2	TX	02/20	4700	80	GRVL-DIRT-P
2E5	TX	08/26	4685	55	ASPH-F
1E7	TX	02/20	6200	150	TURF-P
00XA	TX	15/33	4200	60	TURF
02TS	TX	02/20	4000	40	ASPH-E
04TT	TX	18/36	4645	55	ASPH
07TE	TX	13/31	5000	100	ASPH
09R	TX	16/34	4000	60	ASPH-F
09TS	TX	09/27	4083	42	ASPH
09TX	TX	E/W	5200	120	TURF
0TA2	TX	N/S	4000	60	DIRT
0TE5	TX	17/35	5992	77	ASPH
0TE7	TX	17/35	6291	60	ASPH
0XA4	TX	15/33	5005	75	ASPH-G
0XS7	TX	13/31	6000	60	ASPH
10X	TX	17/35	5744	70	CONC-F
11R	TX	16/34	6003	75	ASPH-G
14TS	TX	16/34	6010	70	ASPH
16TA	TX	18/36	6213	75	ASPH
17XS	TX	01/19	6295	80	CONC-G
18TA	TX	16/34	4500	48	ASPH
18TE	TX	08/26	5093	45	ASPH-G
1TE0	TX	08/26	4000	20	ASPH
1TE1	TX	13/31	4000	50	ASPH
1TS6	TX	13/31	4000	50	GRVL-TRTD
1TX3	TX	04/22	4000	50	TURF
1TX4	TX	15/33	4300	75	ASPH-P
1XS8	TX	16/34	4500	50	ASPH
21TE	TX	14/32	6000	65	ASPH
24TX	TX	N/S	4200	100	GRAVEL
25TS	TX	17/35	6500	75	CONC-P
25XA	TX	15/33	4400	70	ASPH
27R	TX	17/35	4300	60	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
27XS	TX	17/35	4091	120	TURF
28TA	TX	14/32	10280	34	ASPH
2F0	TX	14/32	4085	60	ASPH-F
2H5	TX	17/35	4400	100	TURF-F
2T1	TX	07/25	5100	60	ASPH-G
2TA3	TX	12/30	4000	50	TURF
2TA6	TX	01/19	4700	72	CONC-G
2TA8	TX	13/31	5499	75	ASPH
2TA9	TX	06/24	4205	40	ASPH
2TS8	TX	15/33	4200	25	ASPH
2TX3	TX	18/36	5280	50	ASPH
2TX4	TX	17/35	4800	60	ASPH
2XA1	TX	13/31	5500	75	ASPH
2XS1	TX	18/36	4600	75	ASPH
2XS2	TX	15/33	5165	80	ASPH-G
2XS3	TX	16/34	4250	75	ASPH-P
2XS7	TX	08/26	4000	50	TURF
30TA	TX	13/31	4800	50	GRVL
30TE	TX	17/35	4270	60	TURF-F
37XA	TX	17/35	4190	50	ASPH-TRTD-P
38XS	TX	14/32	6000	75	ASPH
39TE	TX	17/35	4000	50	ASPH-P
3E0	TX	02/20	4060	50	ASPH-G
3T5	TX	16/34	5000	75	ASPH-G
3T9	TX	08/26	5500	80	ASPH-G
3TA0	TX	18/36	4093	30	ASPH
3TA6	TX	15/33	4280	36	ASPH
3TE0	TX	06/24	5000	40	DIRT
41F	TX	17/35	4600	60	ASPH-E
42XS	TX	13/31	5000	75	ASPH
45R	TX	13/31	4303	76	ASPH-G
45XA	TX	18/36	4000	100	TURF
45XS	TX	10/28	4045	40	ASPH-F
46TA	TX	01/19	4000	60	TURF

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
46XS	TX	03/21	4524	52	ASPH-G
47TX	TX	11/29	4000	30	ASPH
48TE	TX	18/36	5000	75	ASPH
48TX	TX	17/35	4500	150	CONC-TURF
48XS	TX	13/31	5000	40	ASPH
4F2	TX	17/35	4000	75	ASPH-G
4T2	TX	17/35	5943	127	ASPH-CONC-P
4TE4	TX	17R/35L	4900	75	DIRT
4TE8	TX	15/33	6000	75	ASPH
4TE9	TX	08/26	4400	150	ASPH
4TS7	TX	16/34	4500	100	TURF
4XS0	TX	08/26	5200	200	TURF
4XS5	TX	01/19	4000	60	TRTD
50F	TX	17/35	4049	60	ASPH-G
50R	TX	18/36	4001	75	ASPH-F
50XS	TX	13/31	4608	75	ASPH
54T	TX	08/26	5035	40	ASPH-F
55T	TX	17/35	5000	80	TURF
55XS	TX	01/19	4316	60	ASPH
5C1	TX	17/35	5006	60	ASPH-E
5F1	TX	17/35	4200	60	ASPH-F
5T9	TX	13/31	5506	100	ASPH-P
5TE0	TX	15/33	5500	80	ASPH
5TE4	TX	01/19	4300	35	ASPH-F
5TE5	TX	16/34	4000	30	ASPH
5TE8	TX	N/S	4500	150	TURF
5TS1	TX	12/30	4500	50	ASPH
60F	TX	17/35	4300	50	ASPH-E
60R	TX	17/35	5003	75	ASPH-E
61R	TX	14/32	4000	60	ASPH-P
61TA	TX	07/25	4000	100	TURF
62TX	TX	18/36	5000	80	ASPH
63F	TX	16/34	4240	60	ASPH-P
63XS	TX	01/19	4016	40	ASPH

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
65TX	TX	18/36	5000	100	TURF
67R	TX	16/34	4000	75	ASPH-G
68TS	TX	02/20	4600	31	ASPH
6R3	TX	16/34	5001	75	ASPH-G
6R6	TX	04/22	4525	75	ASPH-P
6R6	TX	13/31	4526	75	ASPH-P
6TA0	TX	01/19	4200	105	DIRT
6TE1	TX	09/27	4000	300	TURF-DIRT
6TE5	TX	14/32	5440	65	TURF-F
6TE6	TX	01/19	6005	75	ASPH-G
6TE7	TX	17/35	4000	34	GRVL
6TX2	TX	16/34	5998	100	ASPH-E
6TX9	TX	01/19	5000	60	DIRT-TRTD
6XS4	TX	17/35	4950	65	TURF
71TA	TX	16/34	4400	80	GRVL
72TE	TX	15/33	5200	75	ASPH-G
74TE	TX	18/36	4191	50	ASPH
74TX	TX	15/33	4170	200	TURF
74TX	TX	17/35	5500	200	TURF
75TA	TX	16/34	4725	50	ASPH
75TX	TX	14/32	4250	50	ASPH
76TE	TX	12/30	4800	60	DIRT
79TA	TX	12/30	4000	100	TURF
7F3	TX	18/36	4000	75	CONC-G
7F3	TX	13/31	4000	150	CONC-G
7T7	TX	16/34	5000	42	ASPH-F
7TE2	TX	12/30	4100	35	ASPH
7TE7	TX	09/27	5000	300	CONC
7TE7	TX	18/36	5000	300	CONC
7TE7	TX	13/31	5150	300	CONC
7TX5	TX	06/24	4055	30	ASPH
7TX5	TX	17/35	6080	50	ASPH
81R	TX	13/31	4206	60	ASPH-G
82TE	TX	18/36	5000	55	ASPH-E

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
83TE	TX	15/33	4100	150	DIRT
83TX	TX	17R/35L	7000	150	CONC
84R	TX	17/35	4000	75	ASPH-G
84TE	TX	17/35	4500	50	ASPH
88R	TX	17/35	4185	38	ASPH-F
88TA	TX	01/19	4000	75	TURF
88XS	TX	17/35	5066	60	ASPH-G
89TS	TX	18/36	5200	75	ASPH-CONC
8TA0	TX	11/29	4050	60	ASPH
8TA3	TX	03/21	4500	75	TURF
8TS8	TX	17/35	4400	100	GRAVEL
8TS9	TX	13/31	5000	150	ASPH
8TX6	TX	18/36	4285	40	ASPH
8XS8	TX	17L/35R	6500	150	ASPH-CONC-F
8XS8	TX	17R/35L	10500	150	ASPH-CONC-G
90TX	TX	15/33	4640	150	TURF
91TX	TX	15/33	4900	50	ASPH
93TE	TX	01/19	4050	75	DIRT
93TE	TX	18/36	5200	75	DIRT
95TX	TX	N/S	4000	75	ASPH
95XA	TX	11/29	4360	75	ASPH
95XS	TX	03W/21W	4495	653	WATER
96XA	TX	13/31	6800	50	DIRT
9TE2	TX	14/32	5301	80	ASPH-G
9TE4	TX	08W/26W	10000	1000	WATER
9TS3	TX	15/33	4500	75	ASPH
9TX6	TX	18/36	5000	50	TURF
ABI	TX	17L/35R	7198	150	ASPH-G
ABI	TX	17R/35L	7208	150	ASPH-G
ACT	TX	14/32	5103	150	ASPH-G
ACT	TX	01/19	7107	150	ASPH-G
ADS	TX	16/34	7203	100	ASPH-G
AFW	TX	16L/34R	11000	150	CONC-G
AFW	TX	16R/34L	11010	150	CONC-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
ALI	TX	17/35	4490	100	ASPH-G
ALI	TX	13/31	5997	100	ASPH-G
AMA	TX	13/31	7901	150	CONC-G
AMA	TX	04/22	13502	200	CONC-G
APY	TX	12/30	5000	60	ASPH-G
AQO	TX	17/35	4202	75	ASPH-G
ARM	TX	14/32	5004	75	ASPH-G
ASL	TX	15/33	5002	100	ASPH-E
AUS	TX	18L/36R	9000	150	CONC-G
AUS	TX	18R/36L	12250	150	CONC-G
AXH	TX	09/27	5002	100	ASPH-E
BAZ	TX	17/35	5364	100	ASPH-F
BAZ	TX	13/31	6503	100	ASPH-G
BBD	TX	17/35	4605	75	ASPH-G
BEA	TX	12/30	4553	75	ASPH-G
BFE	TX	02/20	5218	75	ASPH-G
BGD	TX	17/35	6299	100	ASPH-E
BIF	TX	04/22	13554	150	CONC-G
BKD	TX	17/35	5002	100	ASPH-G
BKS	TX	17/35	6006	75	ASPH-G
BMQ	TX	01/19	5001	75	ASPH-G
BMT	TX	13/31	4001	75	ASPH-E
BPG	TX	06/24	4601	75	ASPH-G
BPG	TX	17/35	8802	100	CONC-G
BPT	TX	16/34	5070	150	ASPH-CONC-F
BPT	TX	12/30	6750	150	CONC-G
BRO	TX	18/36	6000	150	ASPH-F
BRO	TX	13/31	7399	150	ASPH-G
BWD	TX	13/31	4608	101	ASPH-G
BWD	TX	17/35	5599	100	ASPH-G
BYY	TX	13/31	5107	75	ASPH-G
CDS	TX	04/22	4425	60	ASPH-P
CDS	TX	18/36	5949	75	ASPH-G
CFD	TX	15/33	4000	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
CLL	TX	11/29	5158	150	ASPH-E
CLL	TX	17/35	7000	146	ASPH-CONC-E
CNW	TX	17R/35L	6291	75	CONC-G
CNW	TX	17L/35R	8600	150	ASPH-E
COM	TX	15/33	4506	75	ASPH-F
COT	TX	13/31	6005	75	ASPH-G
CPT	TX	15/33	5697	100	ASPH-E
CRP	TX	18/36	6080	150	ASPH-G
CRP	TX	13/31	7510	150	ASPH-G
CRS	TX	14/32	5004	75	ASPH-G
CVB	TX	16/34	5001	75	ASPH-E
CWC	TX	17/35	4450	75	CONC-G
CXO	TX	01/19	5000	100	CONC-G
CXO	TX	14/32	7501	150	CONC-G
CZT	TX	13/31	5003	75	ASPH-E
DAL	TX	13L/31R	7752	150	CONC-G
DAL	TX	13R/31L	8800	150	CONC-G
DFW	TX	17L/35R	8500	150	CONC-G
DFW	TX	13L/31R	9000	200	CONC-G
DFW	TX	13R/31L	9300	150	CONC-G
DFW	TX	17C/35C	13400	150	ASPH-E
DFW	TX	18R/36L	13400	150	ASPH-G
DFW	TX	17R/35L	13400	200	CONC-G
DFW	TX	18L/36R	13401	200	CONC-G
DHT	TX	03/21	5440	75	ASPH-F
DHT	TX	17/35	6400	75	ASPH-F
DKR	TX	02/20	4000	75	ASPH-G
DLF	TX	13R/31L	6571	150	ASPH
DLF	TX	13L/31R	8315	150	PEM
DLF	TX	13C/31C	8852	150	PEM
DRT	TX	13/31	6300	100	ASPH-G
DTO	TX	18R/36L	5003	75	ASPH-E
DTO	TX	18L/36R	7002	150	ASPH-F
DUX	TX	01/19	6001	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
DWH	TX	17R/35L	7009	100	ASPH-G
DYS	TX	16/34	13500	300	PEM
DZB	TX	17/35	5977	100	ASPH-G
E01	TX	12/30	4268	75	ASPH-G
E11	TX	16/34	5816	75	ASPH-E
E13	TX	12/30	4258	70	ASPH-F
E19	TX	02/20	4698	60	ASPH-P
E34	TX	01/19	4496	60	ASPH-F
E35	TX	08/26	4197	60	ASPH-F
E38	TX	05/23	5018	60	ASPH-G
E38	TX	01/19	6002	75	ASPH-F
E41	TX	09/27	4000	60	ASPH-G
E41	TX	16/34	4032	50	ASPH-G
E42	TX	02/20	5022	75	ASPH-F
E48	TX	10/28	4100	75	ASPH-E
E52	TX	17/35	4200	60	ASPH-P
E57	TX	04/22	5780	50	ASPH-E
EBG	TX	14/32	5000	75	ASPH-G
ECU	TX	14/32	4050	50	ASPH-F
EDC	TX	13/31	6025	100	ASPH-G
EFD	TX	17L/35R	4609	75	CONC-F
EFD	TX	04/22	8001	150	CONC-G
EFD	TX	17R/35L	9001	150	CONC-G
ELA	TX	17/35	4280	60	ASPH-G
ELP	TX	08L/26R	5499	75	CONC-G
ELP	TX	08R/26L	9025	150	ASPH-CONC-F
ELP	TX	04/22	12020	150	ASPH-CONC-F
ERV	TX	12/30	6004	100	ASPH-G
ETN	TX	17/35	5000	60	ASPH-G
F00	TX	17/35	4000	75	ASPH-F
F01	TX	18/36	4452	60	ASPH-G
F05	TX	16/34	4304	80	ASPH-F
F05	TX	02/20	5099	100	ASPH-E
F06	TX	12/30	4035	60	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
F17	TX	17/35	5501	75	ASPH-G
F21	TX	17/35	4670	75	ASPH-F
F49	TX	18/36	4244	75	ASPH-G
F83	TX	17/35	4000	75	ASPH-L
F97	TX	04/22	4010	70	ASPH-F
F98	TX	03/21	5001	75	ASPH-G
FST	TX	03/21	4400	60	ASPH-F
FST	TX	07/25	4961	150	TURF-P
FST	TX	12/30	7508	100	ASPH-G
FTW	TX	17/35	4005	75	ASPH-E
FTW	TX	16/34	7502	150	CONC-G
FWS	TX	18R/36L	6002	100	ASPH-G
GGG	TX	18/36	6110	150	ASPH-G
GGG	TX	13/31	10000	150	ASPH-G
GKY	TX	16/34	6080	100	CONC-G
GLE	TX	13/31	4307	75	ASPH-G
GLE	TX	18/36	6000	100	ASPH-F
GLS	TX	14/32	6000	150	ASPH-CONC-G
GLS	TX	18/36	6001	150	CONC-G
GNC	TX	17/35	5002	75	ASPH-G
GNC	TX	08/26	5381	75	ASPH-F
GPM	TX	18/36	4001	75	CONC-G
GRK	TX	15/33	9997	200	ASPH-CONC-E
GTU	TX	11/29	4099	75	ASPH-F
GTU	TX	18/36	5004	100	ASPH-G
GVT	TX	17/35	8030	150	ASPH-G
GYB	TX	17/35	4000	75	ASPH-F
GYI	TX	17R/35L	4008	100	ASPH-CONC-F
GYI	TX	17L/35R	9000	150	ASPH-CONC-G
GZN	TX	18/36	6536	100	CONC-G
H81	TX	17/35	6015	60	ASPH-G
HBV	TX	13/31	5003	75	ASPH-G
HDO	TX	13/31	5545	150	CONC-E
HDO	TX	17L/35R	6002	100	CONC-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
HHF	TX	04/22	5004	75	ASPH-E
HOU	TX	13L/31R	5148	100	CONC-F
HOU	TX	13R/31L	7602	150	ASPH-E
HOU	TX	04/22	7602	150	CONC-G
HPY	TX	14/32	4334	60	ASPH-G
HQZ	TX	18/36	6000	100	CONC-G
HRL	TX	17L/35R	5949	150	ASPH-G
HRL	TX	13/31	7257	150	ASPH-G
HRL	TX	17R/35L	8301	150	ASPH-G
HRX	TX	02/20	6100	100	CONC-E
HYI	TX	17/35	5214	100	ASPH-G
HYI	TX	13/31	5601	100	ASPH-G
HYI	TX	08/26	6330	100	ASPH-G
I06	TX	18/36	4876	60	ASPH-E
IAH	TX	08L/26R	9000	150	CONC-E
IAH	TX	08R/26L	9402	150	CONC-G
IAH	TX	09/27	10000	150	CONC-G
IAH	TX	15R/33L	10000	150	CONC-G
IAH	TX	15L/33R	12001	150	CONC-G
IKG	TX	13/31	6000	75	ASPH-F
ILE	TX	01/19	5495	100	ASPH-G
INK	TX	13/31	5003	100	ASPH-G
JAS	TX	18/36	5500	70	ASPH-G
JCT	TX	17/35	5004	75	ASPH-G
JDD	TX	18/36	4002	60	ASPH-F
JSO	TX	14/32	5006	75	ASPH-G
JWY	TX	18/36	6500	100	ASPH-G
LBB	TX	08/26	8003	150	CONC-G
LBB	TX	17R/35L	11500	150	CONC-G
LBX	TX	17/35	7000	100	CONC-E
LFK	TX	16/34	4311	100	ASPH-G
LFK	TX	07/25	5400	100	ASPH-G
LHB	TX	18/36	4001	75	ASPH-G
LIU	TX	01/19	4021	60	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
LLN	TX	17/35	6110	75	ASPH-G
LNC	TX	13/31	6500	100	ASPH-G
LRD	TX	14/32	5927	150	CONC-G
LRD	TX	18L/36R	8236	150	CONC-G
LRD	TX	18R/36L	8743	150	CONC-G
LUD	TX	17/35	4200	60	ASPH-G
LUV	TX	07/25	4006	60	ASPH-E
LUV	TX	16/34	5002	75	ASPH-G
LVJ	TX	14/32	4313	75	CONC-G
LXY	TX	18/36	5000	75	ASPH-G
LZZ	TX	16/34	4202	75	ASPH-G
MAF	TX	16L/34R	4247	100	ASPH-G
MAF	TX	04/22	4605	75	ASPH-G
MAF	TX	10/28	8302	150	ASPH-G
MAF	TX	16R/34L	9501	150	ASPH-G
MDD	TX	07/25	5571	75	ASPH-G
MFE	TX	14/32	7120	150	ASPH-G
MKN	TX	17/35	4497	75	ASPH-G
MNZ	TX	18/36	5012	75	ASPH-G
MRF	TX	04/22	5309	75	ASPH-G
MRF	TX	13/31	6203	75	ASPH-G
MWL	TX	17/35	4188	100	ASPH-G
MWL	TX	13/31	5996	100	ASPH-G
NFW	TX	18/36	11999	200	CONC
NGP	TX	13L/31R	5000	220	ASPH
NGP	TX	04/22	5001	200	ASPH
NGP	TX	18/36	5002	196	ASPH
NGP	TX	13R/31L	8002	200	PEM
NGT	TX	11/29	8000	150	PEM-E
NGT	TX	17/35	8001	150	PEM-E
NGW	TX	18/36	4496	150	ASPH-CONC-G
NGW	TX	13/31	4994	150	ASPH
NOG	TX	01/19	8000	198	PEM-F
NOG	TX	13/31	8001	198	PEM-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
NQI	TX	17R/35L	8000	198	PEM-F
NQI	TX	13R/31L	8000	198	PEM-F
NQI	TX	13L/31R	8000	198	PEM-F
NQI	TX	17L/35R	8001	197	PEM-G
NWL	TX	18/36	5000	150	ASPH
NWL	TX	13/31	5000	150	ASPH
OCH	TX	18/36	5000	75	ASPH-E
ODO	TX	16/34	5003	75	ASPH-E
ODO	TX	02/20	5703	75	ASPH-G
ODO	TX	11/29	6200	100	ASPH-G
ONY	TX	13/31	5099	75	ASPH-L
ONY	TX	04/22	5100	75	ASPH-G
ONY	TX	17/35	5101	75	ASPH-F
ORG	TX	04/22	5500	75	ASPH-G
OSA	TX	17/35	6004	100	ASPH-G
OZA	TX	16/34	6003	75	ASPH-G
PEQ	TX	09/27	5953	80	ASPH-G
PEQ	TX	14/32	6236	80	ASPH-G
PEZ	TX	16/34	4000	75	ASPH-F
PIL	TX	17/35	4200	75	ASPH-CONC-G
PIL	TX	03/21	5000	150	ASPH-CONC-P
PIL	TX	08/26	5317	150	CONC-P
PIL	TX	13/31	8001	200	ASPH-CONC-G
PKV	TX	14/32	5004	75	ASPH-E
PPA	TX	05/23	4500	75	ASPH-G
PPA	TX	17/35	5862	100	ASPH-G
PRS	TX	17/35	5200	75	ASPH-E
PRX	TX	14/32	4624	150	CONC-F
PRX	TX	03/21	4624	150	CONC-P
PRX	TX	17/35	6002	100	ASPH-G
PSN	TX	09/27	4002	75	ASPH-G
PSN	TX	18/36	5005	100	ASPH-E
PSX	TX	13/31	5001	150	CONC-G
PSX	TX	08/26	5001	150	CONC-P

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
PSX	TX	18/36	5001	75	CONC-P
PVW	TX	13/31	4000	100	ASPH-E
PVW	TX	04/22	5997	100	ASPH-E
PWG	TX	17/35	5501	75	ASPH-G
PYX	TX	17/35	5701	75	ASPH-E
RBD	TX	13/31	7136	100	CONC-G
RFG	TX	14L/32R	4361	60	ASPH-G
RFI	TX	17/35	4006	75	ASPH-G
RKP	TX	18/36	4498	100	ASPH-E
RKP	TX	14/32	5608	100	ASPH-G
RND	TX	15L/33R	8352	200	CONC
RND	TX	15R/33L	8352	200	PEM
RPH	TX	03/21	5000	75	ASPH-F
SAT	TX	13L/31R	5519	100	ASPH-F
SAT	TX	13R/31L	8502	150	CONC-G
SAT	TX	04/22	8505	150	CONC-G
SEP	TX	14/32	4209	75	ASPH-G
SEQ	TX	13/31	8350	150	ASPH
SGR	TX	17/35	8000	100	CONC-E
SJT	TX	09/27	4406	75	ASPH-F
SJT	TX	03/21	5940	150	ASPH-G
SJT	TX	18/36	8054	150	ASPH-G
SKF	TX	16/34	11550	150	CONC-G
SLR	TX	01/19	5001	75	CONC-G
SNK	TX	08/26	4200	75	ASPH-G
SNK	TX	17/35	5599	100	ASPH-G
SOA	TX	18/36	4037	60	ASPH-F
SPS	TX	15L/33R	6000	150	ASPH-CONC
SPS	TX	18/36	7021	150	ASPH
SPS	TX	15C/33C	10003	150	ASPH-CONC
SPS	TX	15R/33L	13101	300	CONC
SSF	TX	14/32	4128	100	ASPH-G
SSF	TX	09/27	5000	100	ASPH-G
SWI	TX	16/34	4000	75	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
SWW	TX	04/22	5658	75	ASPH-G
SWW	TX	17/35	5840	100	ASPH-G
T23	TX	17/35	5000	75	ASPH-E
T30	TX	13/31	5027	60	ASPH-G
T31	TX	17/35	4352	60	ASPH-TURF-G
T41	TX	12/30	4165	75	ASPH-F
T45	TX	17/35	4404	60	ASPH-G
T50	TX	15/33	4100	60	ASPH-F
T55	TX	01/19	5500	60	ASPH-P
T60	TX	17/35	4000	60	ASPH-G
T69	TX	14/32	4323	55	ASPH-F
T70	TX	13/31	6001	150	ASPH
T74	TX	17/35	4000	75	ASPH-G
T82	TX	14/32	5001	75	ASPH-G
T88	TX	17/35	5479	60	ASPH-F
T89	TX	07/25	6501	100	CONC-G
T93	TX	17/35	4073	60	ASPH-P
TA11	TX	18/36	4300	400	TURF
TA23	TX	15/33	4000	100	TURF
TA24	TX	16/34	4075	50	ASPH-G
TA25	TX	17/35	5500	75	CONC-G
TA33	TX	18/36	4200	80	TURF
TA34	TX	13/31	5200	60	ASPH
TA44	TX	13/31	4000	50	DIRT
TA64	TX	09/27	4200	100	DIRT
TA65	TX	NW/SE	4200	65	ASPH
TA81	TX	13/31	4200	60	ASPH
TA89	TX	01/19	5000	60	ASPH
TA90	TX	17/35	4000	100	TURF-G
TDW	TX	17/35	5098	60	ASPH-G
TE26	TX	12/30	5500	50	ASPH
TE27	TX	16/34	5000	60	ASPH
TE29	TX	13/31	5220	60	ASPH-F
TE37	TX	15/33	6200	60	ASPH

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
TE45	TX	17/35	5400	100	TURF
TE63	TX	17/35	4200	75	TURF-DIRT
TE71	TX	18/36	4000	125	TURF
TE73	TX	01/19	4300	100	TURF
TE78	TX	04/22	5395	75	ASPH-F
TE83	TX	16/34	5117	50	ASPH
TFP	TX	13/31	4999	75	ASPH-G
TKI	TX	18/36	7002	150	CONC-G
TME	TX	18/36	6610	100	ASPH-G
TPL	TX	02/20	4740	100	ASPH-G
TPL	TX	15/33	7000	150	ASPH-G
TRL	TX	18/36	5006	75	ASPH-G
TS04	TX	15/33	4800	50	ASPH
TS08	TX	17R/35L	5000	75	TURF
TS15	TX	09/27	5300	60	ASPH
TS57	TX	01/19	4750	40	TURF
TS69	TX	12/30	4000	70	GRVL
TS70	TX	10W/28W	4175	200	WATER
TS78	TX	17/35	4200	75	TURF
TS80	TX	13/31	4802	75	ASPH-F
TT45	TX	15/33	4387	45	TURF
TX0	TX	09/27	5000	75	ASPH-E
TX07	TX	16/34	6000	75	ASPH
TX1	TX	17W/35W	5268	300	WATER
TX13	TX	01/19	6000	100	CONC-G
TX2	TX	13/31	8000	200	ASPH-G
TX23	TX	16/34	4500	300	TURF
TX25	TX	17/35	4850	60	ASPH
TX28	TX	07/25	6300	100	CONC
TX31	TX	02/20	5200	100	ASPH
TX64	TX	17/35	4000	50	TURF
TX79	TX	14/32	5020	60	DIRT
TXW	TX	14/32	6002	75	ASPH-E
TYR	TX	18/36	4832	150	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
TYR	TX	13/31	5198	150	ASPH-F
TYR	TX	04/22	8334	150	CONC-E
UTS	TX	18/36	5005	100	ASPH-G
UVA	TX	15/33	5256	100	ASPH-G
VCT	TX	18/36	4908	75	ASPH-G
VCT	TX	13/31	9111	150	ASPH-G
VHN	TX	07/25	5353	75	ASPH-G
VHN	TX	03/21	6005	76	ASPH-G
XA08	TX	18/36	4740	60	ASPH-F
XA66	TX	12/30	6302	80	ASPH-G
XA77	TX	15/33	4150	40	DIRT
XA89	TX	14/32	5305	75	ASPH-G
XA93	TX	17/35	4700	60	ASPH
XBP	TX	18/36	5005	75	ASPH-G
XS14	TX	18/36	5300	100	TURF
XS18	TX	17/35	4000	150	TURF
XS44	TX	08/26	6280	75	ASPH-F
XS59	TX	15/33	4650	60	ASPH
XS61	TX	02/20	4200	60	TURF
XS67	TX	14/32	4901	88	ASPH-G
XS75	TX	12/30	5561	75	ASPH-G
XS93	TX	12/30	4259	100	ASPH
XS94	TX	17/35	5418	58	ASPH-E
UTAH					
02UT	UT	07/25	4000	50	DIRT
02UT	UT	16/34	4000	50	DIRT-P
03UT	UT	NE/SW	5000	35	GRAVEL
07UT	UT	16/34	4500	75	ASPH
1L7	UT	13/31	5032	60	ASPH-E
1L9	UT	04/22	5000	75	ASPH-F
33U	UT	07/25	4450	100	TURF-DIRT-F
33U	UT	11/29	6000	60	ASPH-G
38U	UT	13/31	5693	75	ASPH-F
40U	UT	07/25	5305	60	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
41U	UT	03/21	5021	75	ASPH-E
69V	UT	08/26	4048	75	ASPH-G
74V	UT	07/25	6501	75	ASPH-E
BCE	UT	03/21	7394	75	ASPH-G
BDG	UT	17/35	5781	75	ASPH-E
BMC	UT	17/35	8900	100	ASPH-E
BTF	UT	17/35	4634	70	ASPH-E
CDC	UT	08/26	4822	60	ASPH-F
CDC	UT	02/20	8653	150	ASPH-G
CNY	UT	03/21	7361	100	ASPH-G
DPG	UT	12/30	10999	150	ASPH
DTA	UT	17/35	6065	75	ASPH-E
ENV	UT	12/30	8002	100	ASPH-F
ENV	UT	08/26	10002	150	ASPH-G
FOM	UT	04/22	5040	75	ASPH-G
HCR	UT	04/22	6898	75	ASPH-E
HIF	UT	14/32	13500	200	PEM-G
HVE	UT	17/35	4841	120	DIRT-F
HVE	UT	09/27	5001	75	ASPH-E
KNB	UT	01/19	6200	75	ASPH-E
LGU	UT	10/28	4075	60	ASPH-E
LGU	UT	17/35	9020	100	ASPH-G
MLF	UT	16/34	5004	75	ASPH-G
OGD	UT	17/35	5195	100	ASPH-G
OGD	UT	03/21	8107	150	ASPH-E
PUC	UT	15/33	4513	75	ASPH-F
PUC	UT	01/19	8316	100	ASPH-G
PVU	UT	18/36	6628	150	ASPH-G
PVU	UT	13/31	8603	150	ASPH-G
RIF	UT	01/19	7100	100	ASPH-F
SGU	UT	01/19	9300	150	ASPH-G
SLC	UT	14/32	4893	150	ASPH-G
SLC	UT	17/35	9596	150	ASPH-G
SLC	UT	16R/34L	12000	150	CONC-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
SLC	UT	16L/34R	12002	150	ASPH-G
SPK	UT	12/30	6500	100	ASPH-G
TVY	UT	17/35	6100	100	ASPH-G
U13	UT	17/35	4505	60	ASPH-G
U14	UT	17/35	6300	100	ASPH-E
U34	UT	13/31	5600	75	ASPH-G
U42	UT	16/34	5862	100	ASPH-G
U52	UT	13/31	4984	75	ASPH-E
U55	UT	18/36	5700	75	ASPH-G
U64	UT	16/34	5998	75	ASPH-G
U69	UT	17/35	5800	60	ASPH-G
U96	UT	01/19	5700	60	ASPH-G
UT00	UT	01/19	5600	50	DIRT-G
UT10	UT	17/35	5100	100	GRAVEL
UT15	UT	E/W	5280	80	GRVL
UT17	UT	08/26	4200	50	DIRT
UT24	UT	03/21	4200	50	TURF
UT25	UT	16/34	4000	75	ASPH
UT28	UT	17/35	4000	50	DIRT
UT30	UT	17/35	8920	30	DIRT
UT47	UT	17/35	4400	50	ASPH-G
UT80	UT	18/36	4100	70	TURF-F
UT82	UT	18/36	4910	75	GRVL
UT83	UT	13/31	4000	48	ASPH
VEL	UT	17/35	7000	100	ASPH-E
VIRGINIA					
0VG	VA	07/25	5003	75	ASPH-G
1VA1	VA	08/26	5020	70	ASPH-P
2VG2	VA	13/31	5100	100	ASPH
31VA	VA	02/20	5921	60	ASPH
42VA	VA	11/29	4845	190	TURF-G
6VA2	VA	15/33	4000	100	TURF
8VA1	VA	13/31	4600	75	ASPH-E
9VA7	VA	15W/33W	4000	300	WATER

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
AKQ	VA	02/20	4337	75	ASPH-G
AVC	VA	01/19	5002	75	ASPH-E
BCB	VA	13/31	5501	100	ASPH-F
BKT	VA	04/22	5333	150	CONC-G
CHO	VA	03/21	6801	150	ASPH-G
CJR	VA	04/22	5000	100	ASPH-G
CPK	VA	05/23	5500	100	ASPH-G
DAA	VA	14/32	5421	75	ASPH
DAN	VA	02/20	5900	100	ASPH-G
EMV	VA	16/34	5010	100	ASPH-G
FCI	VA	15/33	5500	100	ASPH-G
FKN	VA	09/27	4977	100	ASPH-G
FVX	VA	03/21	4400	75	ASPH-E
FYJ	VA	10/28	5000	75	ASPH-G
HLX	VA	01/19	4204	75	ASPH-F
HSP	VA	07/25	5600	100	ASPH-F
HWY	VA	15/33	5000	100	ASPH-F
JFZ	VA	07/25	4299	75	ASPH-G
JYO	VA	17/35	5500	100	ASPH-G
LFI	VA	08/26	10002	150	CONC
LKU	VA	09/27	4300	100	ASPH-G
LNP	VA	06/24	5280	100	ASPH-G
LYH	VA	04/22	7100	150	ASPH-G
MFV	VA	03/21	5000	100	ASPH-E
MKJ	VA	08/26	5252	75	ASPH-E
MTV	VA	13/31	5002	100	ASPH-G
NDY	VA	16/34	4191	150	ASPH
NFE	VA	05/23	8004	175	ASPH
NGU	VA	10/28	8370	200	ASPH
NTU	VA	14R/32L	8000	200	PEM-G
NTU	VA	05L/23R	8000	150	PEM-G
NTU	VA	14L/32R	8001	150	PEM-G
NTU	VA	05R/23L	12001	200	PEM-G
NYG	VA	02/20	4250	200	PEM

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
OFF	VA	16/34	5402	100	ASPH-G
OKV	VA	14/32	5498	100	ASPH-E
ORF	VA	14/32	4876	150	ASPH-F
ORF	VA	05/23	9001	150	ASPH-CONC-F
PHF	VA	02/20	6526	150	CONC-G
PHF	VA	07/25	8003	150	ASPH-G
PSK	VA	06/24	6201	150	ASPH-G
PTB	VA	05/23	5002	100	ASPH-G
PVG	VA	10/28	5350	100	ASPH-G
RIC	VA	02/20	6607	150	ASPH-E
RIC	VA	16/34	9003	150	ASPH-G
RMN	VA	15/33	5000	100	ASPH-G
ROA	VA	16/34	5810	150	ASPH-G
ROA	VA	06/24	6800	150	ASPH-G
SFQ	VA	04/22	5007	100	ASPH-E
SHD	VA	05/23	6002	150	ASPH-G
VA42	VA	09/27	4100	50	ASPH-G
VA48	VA	ALL/WAY	5000	5000	WATER
VA57	VA	E/W	4888	50	ASPH
VG09	VA	09/27	5000	80	TURF-G
VJI	VA	06/24	4471	75	ASPH-G
W63	VA	04/22	4488	50	ASPH-E
W78	VA	01/19	4003	75	ASPH-G
W94	VA	05/23	5018	151	ASPH
WAL	VA	17/35	4808	150	ASPH-G
WAL	VA	10/28	8005	200	ASPH-CONC-G
WAL	VA	04/22	8748	150	ASPH-CONC-G
XSA	VA	10/28	4300	75	ASPH-G
VERMONT					
29VT	VT	02W/20W	10000	2000	WATER
29VT	VT	15W/33W	10000	2000	WATER
2VT2	VT	04W/22W	10000	100	WATER
48VT	VT	05W/23W	4000	300	WATER
BTV	VT	01/19	4112	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
BTV	VT	15/33	8319	150	ASPH-CONC-G
EFK	VT	18/36	5301	100	ASPH-E
MPV	VT	17/35	5000	100	ASPH-G
RUT	VT	01/19	5304	100	ASPH-G
VSF	VT	05/23	5501	100	ASPH-F
WASHINGTON					
04WN	WA	11/29	4100	60	ASPH
0S7	WA	15/33	4017	50	ASPH-G
0W0	WA	18W/36W	9500	300	WATER-E
0W7	WA	12W/30W	10000	4000	WATER
21H	WA	NW/SE	5000	2500	WATER
3W7	WA	04/22	4203	75	ASPH-G
69WT	WA	15W/33W	4226	200	WATER
69WT	WA	04W/22W	5637	200	WATER
6WA2	WA	16W/34W	5000	100	WATER
6WA4	WA	N/S	4500	40	ASPH
83Q	WA	13W/31W	12000	4000	WATER
9WA3	WA	04W/22W	5000	100	WATER
ALW	WA	02/20	6527	150	CONC-G
AWO	WA	16/34	5332	100	ASPH-G
BFI	WA	14R/32L	10007	200	ASPH-G
BLI	WA	16/34	6700	150	ASPH-G
BVS	WA	11/29	5480	100	ASPH-E
CLM	WA	08/26	6347	150	ASPH-G
CLS	WA	16/34	5000	140	CONC-G
DEW	WA	16/34	6101	75	ASPH-G
EAT	WA	12/30	7000	150	ASPH-G
ELN	WA	11/29	4300	150	CONC-G
EPH	WA	03/21	5500	75	ASPH-G
GEG	WA	08/26	8199	150	ASPH-G
GEG	WA	03/21	11002	150	ASPH-CONC-E
GRF	WA	15/33	6124	150	ASPH
HQM	WA	06/24	5000	150	ASPH-G
KLS	WA	12/30	4391	100	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
MWH	WA	04/22	10000	100	CONC-G
MWH	WA	14L/32R	13503	200	CONC-G
NOW	WA	08/26	4500	150	ASPH
NRA	WA	14/32	5400	200	CONC
NUW	WA	07/25	8000	200	CONC-G
NUW	WA	14/32	8001	200	CONC-G
OLM	WA	08/26	4157	150	ASPH-G
OLM	WA	17/35	5500	150	ASPH-G
OMK	WA	17/35	4667	75	ASPH-G
PAE	WA	16R/34L	9010	150	ASPH-CONC-G
PSC	WA	03R/21L	4423	75	ASPH-F
PSC	WA	12/30	7704	150	ASPH-G
PSC	WA	03L/21R	7707	150	ASPH-G
PUW	WA	05/23	7100	150	ASPH-G
PWT	WA	02/20	6000	150	ASPH-G
RLD	WA	08/26	4001	100	ASPH-G
RLD	WA	01/19	4009	75	ASPH-G
RNT	WA	16/34	5382	200	ASPH-CONC-G
S52	WA	13/31	5049	75	ASPH-E
S60	WA	16W/34W	10000	1000	WATER
S70	WA	07/25	4000	75	ASPH-E
S97	WA	07/25	4000	60	ASPH-G
SEA	WA	16R/34L	8500	150	CONC-E
SEA	WA	16C/34C	9426	150	CONC-E
SEA	WA	16L/34R	11901	150	CONC-E
SFF	WA	04L/22R	4499	140	CONC-G
SFF	WA	03W/21W	6000	100	WATER
SHN	WA	05/23	5005	100	ASPH-G
SKA	WA	05/23	13899	150	CONC
TCM	WA	16/34	10108	150	ASPH-CONC
TDO	WA	06/24	4479	150	ASPH-G
TIW	WA	17/35	5002	100	ASPH-G
UIL	WA	04/22	4210	100	CONC-G
W33	WA	12W/30W	6000	1000	WATER

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
W33	WA	03W/21W	10000	2000	WATER
W36	WA	12W/30W	5000	200	WATER
W37	WA	02W/20W	5500	500	WATER
W39	WA	NE/SW	5000	1000	WATER
W49	WA	16W/34W	10000	1000	WATER
W55	WA	16W/34W	5000	500	WATER
WA32	WA	07W/25W	10000	500	WATER
WA32	WA	13W/31W	10000	500	WATER
WA41	WA	15W/33W	6055	300	WATER-F
WA83	WA	10W/28W	4000	500	WATER
WA83	WA	18W/36W	5000	500	WATER
WT33	WA	06W/24W	10000	2000	WATER
YKM	WA	09/27	7604	150	ASPH-E
Z99	WA	12/30	4600	90	ASPH
WISCONSIN					
0W11	WI	03W/21W	10000	4000	WATER
1W12	WI	11W/29W	7431	1500	WATER
1W12	WI	04W/22W	8342	1500	WATER
1W15	WI	09W/27W	5000	1000	WATER
1W15	WI	18W/36W	5000	1000	WATER
1W15	WI	05W/23W	10000	1000	WATER
2WN2	WI	18W/36W	5000	200	WATER
30W	WI	ALL/WAY	10000	250	WATER
8W17	WI	04W/22W	4336	1000	WATER
8W17	WI	16W/34W	6157	1000	WATER
96WI	WI	N/S	10000	4000	WATER
AHH	WI	18/36	4000	75	ASPH-G
AIG	WI	17/35	4010	75	ASPH-F
ARV	WI	18/36	5150	100	ASPH-G
ASX	WI	02/20	5197	100	ASPH-G
ATW	WI	12/30	6502	150	CONC-G
ATW	WI	03/21	8003	150	CONC-G
AUW	WI	13/31	5200	100	ASPH-F
AUW	WI	12W/30W	8000	300	WATER

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
BCK	WI	08/26	4601	75	ASPH-G
BUU	WI	11/29	4300	75	ASPH-G
C02	WI	05/23	4100	75	ASPH-P
C29	WI	10/28	4001	100	ASPH-G
C35	WI	18/36	4840	75	ASPH-F
C59	WI	18/36	4423	80	ASPH-L
CLI	WI	14/32	4599	75	ASPH-F
CMY	WI	11/29	4697	100	ASPH-G
CWA	WI	17/35	6501	150	CONC-F
CWA	WI	08/26	7648	150	CONC-G
DLL	WI	01/19	5010	100	ASPH-E
EAU	WI	14/32	5000	100	ASPH-CONC-F
EAU	WI	04/22	8101	150	CONC-G
EFT	WI	12/30	5000	75	ASPH-E
EGV	WI	04/22	5000	76	ASPH-E
ENW	WI	15/33	4440	100	CONC-G
ENW	WI	07L/25R	6600	100	CONC-E
ETB	WI	13/31	4494	75	ASPH-G
EZS	WI	ALL/WAY	12000	1000	WATER
FLD	WI	18/36	5941	100	ASPH-F
GRB	WI	06/24	7700	150	CONC-G
GRB	WI	18/36	8700	150	CONC-G
HYR	WI	03/21	5002	100	ASPH-F
ISW	WI	02/20	5500	100	ASPH-E
JVL	WI	18/36	5004	75	ASPH-F
JVL	WI	04/22	6701	150	ASPH-F
JVL	WI	14/32	7302	150	CONC-F
LNL	WI	14/32	4001	75	ASPH-F
LNR	WI	09/27	5000	75	ASPH-G
LSE	WI	04/22	5199	150	ASPH-F
LSE	WI	13/31	6050	150	ASPH-G
LSE	WI	18/36	8742	150	CONC-G
LUM	WI	09/27	5074	75	ASPH-G
MDZ	WI	16/34	4435	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
MDZ	WI	09/27	6000	100	ASPH-G
MFI	WI	16/34	5002	100	ASPH-F
MKE	WI	01R/19L	4182	150	ASPH-CONC-F
MKE	WI	07L/25R	4797	100	ASPH-CONC-G
MKE	WI	13/31	5537	150	ASPH-CONC-G
MKE	WI	07R/25L	8300	150	ASPH-CONC-F
MKE	WI	01L/19R	9990	200	ASPH-CONC-F
MRJ	WI	11/29	5001	75	ASPH-F
MSN	WI	14/32	5846	150	CONC-G
MSN	WI	03/21	7200	150	CONC-G
MSN	WI	18/36	9006	150	CONC-G
MTW	WI	17/35	5001	100	ASPH-G
MWC	WI	15L/33R	4103	75	ASPH-E
OEO	WI	10/28	5006	75	ASPH-G
OSH	WI	09/27	6179	150	CONC-G
OSH	WI	18/36	8002	150	CONC-G
OVS	WI	07/25	5000	75	ASPH-G
PBH	WI	01/19	5220	75	ASPH-G
PCZ	WI	10/28	5200	100	ASPH-F
PDC	WI	14/32	5000	75	ASPH-G
RAC	WI	14/32	4422	100	ASPH-F
RAC	WI	04/22	6574	100	CONC-G
RCX	WI	14/32	4001	75	ASPH-F
RHI	WI	15/33	5201	100	ASPH-F
RHI	WI	09/27	6800	150	CONC-G
RNH	WI	14/32	5507	75	ASPH-G
RPD	WI	01/19	6700	100	ASPH-G
RRL	WI	07/25	5100	75	ASPH-G
RYV	WI	05/23	4429	75	ASPH-F
RZN	WI	14/32	5000	75	ASPH-G
SBM	WI	13/31	5002	75	ASPH-E
SBM	WI	04/22	6800	100	CONC-G
SS1	WI	04W/22W	6000	500	WATER
STE	WI	03/21	6028	120	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
SUE	WI	02/20	4599	75	ASPH-F
SUW	WI	14/32	4001	75	ASPH-G
SUW	WI	04/22	5100	75	ASPH-G
TKV	WI	09/27	4401	75	ASPH-F
UBE	WI	09/27	4043	75	ASPH-E
UES	WI	10/28	5849	100	CONC-E
UNU	WI	02/20	4028	75	ASPH-F
UNU	WI	08/26	5070	100	ASPH-E
VOK	WI	09/27	9000	150	CONC
W11	WI	06/24	4558	50	ASPH-G
WI31	WI	18/36	5300	75	ASPH-F
WI35	WI	ALL/WAY	12000	5500	WATER
WN66	WI	04W/22W	7250	2500	WATER
WN90	WI	06W/24W	4500	150	WATER
WS01	WI	12W/30W	7800	175	WATER
WS13	WI	05W/23W	10000	200	WATER
WS20	WI	11/29	5726	90	GRVL
WS24	WI	09W/27W	5000	500	WATER
WS24	WI	14W/32W	5000	500	WATER
WS64	WI	06W/24W	5600	500	WATER
WS82	WI	16W/34W	4200	400	WATER
Y51	WI	11/29	4000	60	ASPH-E
WEST VIRGINIA					
3G5	WV	05/23	4500	50	ASPH
3I2	WV	07/25	4000	75	ASPH-G
BKW	WV	10/28	5001	100	ASPH-G
BKW	WV	01/19	6750	150	ASPH-G
BLF	WV	05/23	4743	100	ASPH-G
CKB	WV	03/21	7800	150	ASPH-G
CRW	WV	05/23	6715	150	ASPH-G
EBD	WV	08/26	5001	75	ASPH-P
EKN	WV	05/23	4501	75	ASPH-F
EKN	WV	14/32	4544	140	ASPH-G
HLG	WV	16/34	4499	150	ASPH-F

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
HLG	WV	03/21	5002	150	ASPH-F
HTS	WV	12/30	7017	150	ASPH-G
I18	WV	04/22	4000	75	ASPH-E
LWB	WV	04/22	7003	150	ASPH-G
MGW	WV	18/36	5199	150	ASPH-G
MRB	WV	08/26	8815	150	ASPH-CONC-G
PKB	WV	10/28	4002	150	ASPH-G
PKB	WV	03/21	7240	150	ASPH-G
USW	WV	10/28	4549	75	ASPH-G
W22	WV	11/29	4201	75	ASPH-G
W35	WV	11/29	4979	70	ASPH-P
W99	WV	13/31	5000	75	ASPH-G
WV35	WV	09W/27W	5000	500	WATER
WV37	WV	01W/19W	5000	500	WATER
WV38	WV	11W/29W	5000	500	WATER
WV39	WV	13W/31W	5000	500	WATER
WV40	WV	04W/22W	5000	500	WATER
WV41	WV	07W/25W	5000	500	WATER
WV42	WV	06W/24W	5000	500	WATER
WV43	WV	02W/20W	5000	500	WATER
WV44	WV	17W/35W	5000	500	WATER
WV46	WV	18W/36W	5000	500	WATER
WYOMING					
01WY	WY	12/30	4360	75	DIRT-TURF-G
10WY	WY	05/23	4500	100	GRASS
46U	WY	13/31	5827	70	ASPH-G
48U	WY	04/22	5652	75	DIRT-G
49U	WY	08/26	4650	90	DIRT-F
76V	WY	16/34	4397	70	TURF-DIRT-F
82V	WY	08/26	5330	75	ASPH-G
8WY6	WY	17/35	5000	75	TURF
AFO	WY	16/34	7025	75	ASPH-G
BPI	WY	13/31	6803	75	ASPH-G
BYG	WY	13/31	6143	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
COD	WY	04/22	8268	100	ASPH-G
CPR	WY	08/26	8679	150	ASPH-F
CPR	WY	03/21	10165	150	ASPH-G
CYS	WY	13/31	6690	150	ASPH-G
CYS	WY	09/27	9270	150	CONC-F
DGW	WY	05/23	4760	75	GRVL-DIRT-G
DGW	WY	11/29	6534	100	ASPH-G
DUB	WY	10/28	6700	75	ASPH-G
DWX	WY	06/24	7000	75	ASPH-G
EAN	WY	08/26	5900	75	ASPH-E
ECS	WY	14/32	5310	75	ASPH-G
EMM	WY	16/34	8203	75	ASPH-G
EVW	WY	05/23	7300	100	ASPH-G
FBR	WY	04/22	6404	75	ASPH-F
GCC	WY	03/21	5804	75	CONC-G
GCC	WY	16/34	7501	150	CONC-G
GEY	WY	16/34	7003	150	ASPH-G
GUR	WY	14/32	5060	90	ASPH-F
HSG	WY	05/23	6370	75	ASPH-G
JAC	WY	01/19	6300	150	ASPH-G
LAR	WY	12/30	6300	100	ASPH-G
LAR	WY	03/21	8502	150	ASPH-G
LND	WY	04/22	5000	75	ASPH-E
LSK	WY	10/28	5058	75	ASPH-G
PNA	WY	11/29	8900	100	ASPH-G
POY	WY	13/31	6200	100	ASPH-G
RIW	WY	01/19	4800	75	ASPH-G
RIW	WY	10/28	8204	150	ASPH-G
RKS	WY	03/21	5228	75	ASPH-G
RKS	WY	09/27	10000	150	ASPH-G
RWL	WY	11/29	4322	60	ASPH-G
RWL	WY	04/22	7008	100	ASPH-G
SAA	WY	05/23	8801	100	ASPH-G
SHR	WY	06/24	5039	75	ASPH-G

United States Airports
Sorted by State and Airport Identifier
Minimum Runway Length 4,000 ft.

Airport ID	State	Runway Id	Length	Width	Surface Type Condition
SHR	WY	15/33	8301	100	ASPH-E
TOR	WY	10/28	5703	75	ASPH-G
U68	WY	09/27	5200	75	ASPH-G
W43	WY	13/31	5500	75	ASPH-G
WRL	WY	16/34	7000	100	ASPH-G
WY00	WY	10/28	5000	75	ASPH-F
WY07	WY	17/35	4000	60	TURF
WY11	WY	NW/SE	5704	50	ASPH-E
WY13	WY	NEL/SWR	4700	60	TURF
WY18	WY	NW/SE	5000	35	DIRT
WY29	WY	06/24	4000	60	GRVL
WY33	WY	07/25	7500	75	ASPH
WY39	WY	15/33	5400	60	GRAVEL
WY42	WY	02/20	5000	80	TURF-G
WY59	WY	17/35	4800	50	GRAVEL