

UTAH BIG GAME ANNUAL REPORT 2023



Publication No. 24-19



UTAH BIG GAME ANNUAL REPORT 2023

Prepared by:

Heather H. Bernales
Biometrician

Kent R. Hersey
Big Game Projects Coordinator

Rusty Robinson
Once-in-a-Lifetime Program Coordinator

Dax Mangus
Big Game Program Coordinator

Publication Number 24-19

Annual Performance Report for Federal Aid Project W-65-M, segments 71 and 72

State of Utah
Department of Natural Resources
DIVISION OF WILDLIFE RESOURCES

J. Shirley
Division Director

TABLE OF CONTENTS

INTRODUCTION	1
METHODS	1
MULE DEER	
Harvest	4
Population trend data	32
ELK	
Harvest	61
Population trend data	101
PRONGHORN	
Harvest	126
Population trend data	141
MOOSE	
Harvest	157
Population trend data	166
BISON	
Harvest	172
Population trend data	176
DESERT BIGHORN SHEEP	
Harvest	180
Population trend data	185
ROCKY MOUNTAIN BIGHORN SHEEP	
Harvest	191
Population trend data	195
MOUNTAIN GOAT	
Harvest	200
Population trend data	207

INTRODUCTION

This report is a summary of big game harvest information and monitoring efforts for eight species (mule deer, Rocky Mountain elk, pronghorn, Shiras moose, American bison, desert bighorn sheep, Rocky Mountain bighorn sheep, and mountain goat) in the state of Utah. Those species were managed based on species management plans developed through a public review process and approved by Utah's Wildlife Board. This report represents the big game portion of Federal Aid Project W-65-M, segments 71 and 72, grant agreement periods July 1, 2022 through June 30, 2023 and July 1, 2023 through June 30, 2024, respectively. This Federal Aid project covers the 2023–24 hunting seasons, big game surveys conducted in 2023 and 2024, and reports statewide trends for all big game species.

METHODS

Annual Harvest Surveys

Limited-entry harvest for all big game species were determined by mandatory online/telephone reporting. Antlerless deer, elk, pronghorn, and moose harvest were determined by voluntary web/telephone reporting. General-season deer and elk harvest were determined through mixed mode web/telephone surveys of randomized, statistically valid samples of approximately 25% of total license holders.

Based on results from the surveys and online reports, harvest data were projected by the total number of permits to obtain estimates of the number of animals harvested, number of hunters afield, and number of days hunted. To minimize error, harvest data for individual hunts, units, and statewide totals were projected separately. As such, the sum of hunt estimates and unit estimates may not always equal the statewide totals. Additionally, success rates were calculated from the raw data and may not always equal the projected harvest divided by the projected number of hunters afield.

Harvest Sex and Age Composition

For limited-entry units, the average age of harvested animals was obtained from counts of annual rings on teeth submitted by hunters. During general-season hunts, check stations were held to gather information on age and antler size. The sex composition of harvested animals was determined through questions on telephone and online surveys.

Population Sex and Age Composition

Population sex and age composition were determined through the use of ground and/or aerial classification counts. Ground classification was done using a random process during early morning and evening hours, whereas aerial trend counts occurred when counting conditions were favorable and covered all appropriate fall, winter and/or spring use areas. Data collected during classification and trend counts were used to determine annual production and survival of young (doe: fawn, cow: calf ratios), as well as the ratio of bucks or bulls to females in the herds. For deer, annual ground classification counts were conducted immediately after the general-season harvest. For the remaining species, a combination of ground classification counts and aerial trend counts were used to determine population sex and age composition.

Population Modeling

All of the data collected on harvest, survival, recruitment, and population structure were used in computer modeling applications for big game populations in Utah. Computer models were used to help determine the current status of the population (i.e., growing, declining, stable), the future structure of the population under various harvest scenarios, and the number of permits to be allocated.

Big Game Movements and Seasonal Distribution

Ground observations were used to determine movements and seasonal distribution of big game species. Trapping and marking projects were carried out periodically where needed to determine direction and extent of herd movements. That information was obtained through GPS collars to help track movements. Those data were used to design hunts to ensure proper harvest. Ground observations were also used to determine movements and seasonal distribution of big game species.


Management Unit Boundaries

Utah has thirty wildlife management units that serve as the basis for big game management recommendations. Boundaries vary slightly by species, so for exact boundary descriptions, refer to that species Unit Management Plan.

MULE DEER



Statewide trends of deer harvest statistics, Utah 1925–2023.



Statewide deer harvest statistics, Utah 1925–1975.

Year	Regular license harvest				Control permit harvest				Archery harvest				Total harvest			
	Buck	Doe	Total	Hunters afield	Buck	Doe	Total	Hunters afield	Buck	Doe	Total	Hunters afield	Buck	Doe	Total	Hunters afield
1925	1400	—	1400	5650	—	—	—	—	—	—	—	—	1400	—	1400	5650
1926	2000	—	2000	7000	—	—	—	—	—	—	—	—	2000	—	2000	7000
1927	3200	—	3200	9100	—	—	—	—	—	—	—	—	3200	—	3200	9100
1928	4400	—	4400	11300	—	—	—	—	—	—	—	—	4400	—	4400	11300
1929	5000	—	5000	12800	—	—	—	—	—	—	—	—	5000	—	5000	12800
1930	6400	—	6400	15600	—	—	—	—	—	—	—	—	6400	—	6400	15600
1931	7800	—	7800	19500	—	—	—	—	—	—	—	—	7800	—	7800	19500
1932	7113	—	7113	16600	—	—	—	—	—	—	—	—	7113	—	7113	16600
1933	8019	—	8019	17700	—	—	—	—	—	—	—	—	8019	—	8019	17700
1934	11271	—	11271	21485	—	825	825	928	—	—	—	—	11271	825	12096	22413
1935	9640	—	9640	23000	—	2008	2008	2598	—	—	—	—	9640	2008	11648	25598
1936	13800	—	13800	29500	—	—	—	—	—	—	—	—	13800	—	13800	29500
1937	21000	—	21000	38900	—	—	—	—	—	—	—	—	21000	—	21000	38900
1938	25572	—	25572	50000	—	2428	2428	4500	—	—	—	—	25572	2428	28000	54500
1939	28552	—	28552	60000	—	9448	9448	10612	—	—	—	—	28552	9448	38000	70612
1940	32300	—	32300	60000	—	11700	11700	14437	—	—	—	—	32300	11700	44000	74437
1941	34460	—	34460	60000	—	15540	15540	21461	—	—	—	—	34460	15540	50000	81461
1942	35723	—	35723	65000	1058	26799	27857	33823	3	26	29	61	36784	26825	63609	98884
1943	39690	—	39690	75000	450	15556	16006	21242	0	12	12	186	40140	15568	55708	96428
1944	40743	—	40743	64672	—	11027	11027	16320	0	7	7	75	40743	11034	51777	81067
1945	37235	—	37235	71734	1730	10924	12654	16160	1	0	1	110	38966	10924	49890	88004
1946	41580	—	41580	89753	1685	10044	11729	16355	12	50	62	248	43277	10094	53371	106356
1947	46940	—	46940	88401	2608	12274	14882	17224	9	41	50	296	49557	12315	61872	105921
1948	53526	—	53526	95073	2222	13052	15274	18961	18	77	95	382	55766	13129	68895	114416
1949	45414	—	45414	86124	2513	12579	15092	19862	5	23	28	244	47932	12602	60534	106230
1950	49879	—	49879	93232	4496	19021	23517	28624	9	12	21	231	54384	19033	73417	122087

Statewide deer harvest statistics, Utah 1925–1975 (continued).

Year	Regular license harvest				Control permit harvest				Archery harvest				Total harvest			
	Buck	Doe	Total	Hunters afield	Buck	Doe	Total	Hunters afield	Buck	Doe	Total	Hunters afield	Buck	Doe	Total	Hunters afield
1951	63030	31244	94274	112911	4265	3041	7306	8530	34	23	57	316	67329	34308	101637	121757
1952	52655	26296	78951	115887	3940	7228	11168	12358	12	30	42	429	56607	33554	90161	128674
1953	52082	23196	75278	119958	3106	7403	10509	12419	26	66	92	613	65214	30665	95879	132990
1954	65117	28327	93444	123231	2493	11959	14452	19176	69	108	177	745	67679	40394	108073	143152
1955	72267	21274	93541	129303	2923	15163	18086	23121	129	161	290	1733	75319	36598	111917	154157
1956	72947	21923	94870	133676	5191	21917	27108	29382	366	241	607	3159	78504	44081	122585	166217
1957	55121	19757	74878	132797	5993	24111	30104	36289	361	256	617	4570	61475	44124	105599	173656
1958	66933	23718	90651	141551	4477	21232	25709	27501	455	426	881	5605	71865	45376	117241	174657
1959	72850	25450	98300	149908	2948	23830	26778	31298	683	554	1237	7440	76481	49834	126315	188646
1960	74802	25959	100761	150401	3271	25087	28358	41034	919	907	1826	8831	78992	51953	130945	200266
1961	71979	24397	96376	155037	5809	27915	33724	37379	1219	959	2178	9889	79007	53271	132278	202305
1962	69778	27876	97654	163072	4454	16308	30762	36161	1232	908	2140	11546	75464	55092	130556	210779
1963	63043	27013	90056	165531	3290	14013	17303	20920	1059	981	2040	12768	67392	42007	109399	199219
1964	68612	29937	98549	169178	3658	11405	15063	18680	1088	900	1988	10910	73358	42242	115600	198768
1965	51181	24869	76050	171466	1496	8822	10318	14195	1009	666	1675	12635	53686	34357	88043	198296
1966	57915	30043	87958	161529	1043	1444	2487	3224	1271	1224	2495	12190	60229	32711	92940	176943
1967	53261	31610	84871	156404	1356	1759	3115	4072	1181	886	2067	12108	55798	34255	90053	172584
1968	60700	30846	91546	161209	519	498	1017	1272	1494	1104	2598	14164	62713	32448	95161	176645
1969	50297	27218	77515	162265	640	1354	1994	2804	1350	1062	2412	14902	52287	29634	81921	179971
1970	68243	30510	98753	178005	345	883	1228	1853	1819	1189	3008	16775	70407	32582	102989	196633
1971	62924	31351	94275	185105	557	607	1164	1876	1913	1913	3826	18276	65394	33381	98775	205257
1972	68712	34351	103063	197173	1085	1027	2112	3391	1834	1409	3243	20047	71631	36787	108418	220611
1973	51587	30732	82319	198726	435	315	750	1841	1961	1540	3501	25156	53983	32587	86570	225723
1974	45306	7537	52843	187711	169	254	423	1103	807	560	1367	16218	46282	8351	54633	205032
1975	41356	—	41356	177056	1064	1667	2731	5869	1314	—	1314	17625	43734	1667	45401	200550

Statewide deer harvest statistics, Utah 1976–2023.

Year	General-season harvest			Restricted* harvest			Total harvest		
	Bucks	Antlerless	Hunters Afield	Bucks	Antlerless	Hunters afield	Bucks	Antlerless	Hunters afield
1976	56640	—	185661	288	95	1789	56928	95	187450
1977	67164	—	205104	500	751	3657	67664	751	208761
1978	65142	—	212201	55	3085	4750	65197	3085	216951
1979	60755	—	213547	121	5387	8580	60876	5387	222127
1980	65444	—	208154	—	9796	14388	65444	9796	222542
1981	80627	—	211467	—	10182	13706	80627	10182	225173
1982	75065	—	222305	29	10890	15531	75094	10890	237836
1983	82552	—	228907	—	13164	16711	82552	13164	245618
1984	63044	—	193662	—	4233	5766	63044	4233	199428
1985	59045	—	210313	37	5171	6801	59082	5171	217114
1986	60610	—	193977	103	6371	8572	60713	6371	202549
1987	65969	953	200746	546	6807	9770	66515	7760	210516
1988	68125	1057	222372	378	21178	26313	68503	22235	248685
1989	57381	1169	208031	350	19473	27681	57731	20642	235712
1990	57220	1021	207241	1588	15954	24191	58808	16975	231432
1991	51415	1337	203625	1927	12197	19356	53342	13534	222981
1992	54804	1266	213937	1729	11866	14810	56533	13132	228747
1993	24763	2192	140701	1261	2104	5307	26024	4296	146008
1994	27699	—	86121	1528	699	3859	29227	699	89980
1995	24594	—	97823	1818	1418	5248	26412	1418	103071
1996	32939	28	103892	1/638	2554	5502	34577	2582	109394
1997	28144	—	105088	1656	3247	7303	29800	3246	112391
1998	30216	187	106201	1997	2688	6188	32213	2875	112389
1999	29583	139	93290	1880	2831	6561	31463	2970	99851
2000	30728	126	94304	2303	4394	9032	33031	4520	103336
2001	25355	112	88798	2157	4039	7726	27512	4151	96524
2002	21954	53	95264	2409	3092	7454	24363	3145	102718**
2003	20906	89	85553	1619	2435	5217	22525	2524	90770
2004	25954	85	81260	1975	2154	5245	27929	2239	86505
2005	19688	138	81204	1832	1813	4727	21520	1951	85931
2006	28396	122	83710	2152	1734	4742	30548	1856	88452
2007	28001	108	77525	2210	1989	5222	30211	2097	82747
2008	20755	84	86522	2102	2061	5228	22857	2145	91750
2009	22964	122	80470	2451	2474	6102	25415	2596	86572
2010	19365	165	81482	2429	2680	6243	21794	2845	87725
2011	18929	79	75201	2362	1754	5224	21291	1833	80425

*Restricted harvest includes limited-entry, premium limited-entry, once-in-a-lifetime, CWMU, antlerless, and depredation/mitigation.

**In 2002, total hunters afield were estimated.

Statewide deer harvest statistics, Utah 1976–2023 (continued).

Year	General-season harvest			Restricted* harvest			Total harvest		
	Bucks	Antlerless	Hunters afield	Bucks	Antlerless	Hunters afield	Bucks	Antlerless	Hunters afield
2012	25398	162	73959	2302	1549	5107	27700	1711	79066
2013	25184	118	78187	2354	1614	4993	27538	1732	83180
2014	26105	138	77512	2266	2280	5495	28371	2418	83007
2015	29530	184	80315	2439	2703	6090	31969	2887	86405
2016	31804	156	83947	2598	3246	6728	34402	3402	90675
2017	27333	138	81449	2593	3637	7629	29926	3775	84741
2018	29389	203	78658	2621	3847	8130	32010	4050	86788
2019	21906	211	76574	2408	3138	7813	24314	3349	84387
2020	20167	177	70004	2508	2576	6958	22675	2753	76962
2021	22208	100	62507	2420	1903	6117	24628	2003	68624
2022	23178	108	61872	2398	1852	5781	25576	1960	67653
2023	16902	129	54641	2149	1164	5076	19051	1293	59717

*Restricted harvest includes limited-entry, premium limited-entry, CWMU, conservation, antlerless, and depredation/mitigation.

Total buck deer harvest by management unit, Utah 2014–2023.

Unit	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
22 Beaver	1182	1342	1306	1511	1240	748	538	436	462	505
10 Book Cliffs	371	383	412	407	401	402	332	264	203	212
1 Box Elder	1072	1311	1497	1504	1452	1009	1002	1265	1292	1174
2 Cache	1646	1856	1934	1278	1619	1037	1003	1513	1583	741
2D Cache, Crawford Mtn	17	15	15	16	19	14	12	13	10	10
16B Central Mtns, Manti	2232	2215	2459	2141	2412	1685	1796	2220	2461	1975
16A Central Mtns, Nebo	1060	1238	1485	1209	1300	997	893	1213	1266	1028
6 Chalk Creek	957	1038	1175	1078	1178	917	764	1063	1119	418
5 East Canyon	784	1076	1081	972	997	691	556	795	535	319
21 Fillmore	518	690	739	704	775	631	446	547	612	533
21C Fillmore, Oak Creek LE	23	28	27	30	34	40	42	42	49	48
15 Henry Mtns	75	69	69	75	65	55	57	50	48	49
26 Kaiparowits	120	145	181	155	120	112	57	46	*	*
7 Kamas	657	704	766	618	628	356	357	482	491	158
13B La Sal, Dolores Triangle	17	15	18	14	18	16	14	19	19	20
13A La Sal, La Sal Mtns	545	540	610	607	547	483	446	531	463	591
23 Monroe	711	743	793	760	592	427	368	318	352	336
4 Morgan-South Rich	888	923	959	871	1085	602	602	828	870	217
24 Mt Dutton	283	304	367	363	299	155	119	94	80	84
11A Nine Mile, Anthro	154	215	251	262	289	158	227	252	249	123
11B Nine Mile, Range Creek	282	321	410	367	408	355	332	349	305	274
8A North Slope, Summit	310	322	221	218	274	144	130	128	221	122
8BC North Slope, Three Corners/West Daggett	406	492	631	429	619	317	253	315	346	262
3 Ogden	711	805	929	647	833	570	569	830	754	416
18 Oquirrh-Stansbury	974	1014	1320	1069	1060	1009	687	746	780	792
28 Panguitch Lake	1134	1237	1111	1249	1029	932	716	463	785	739
27 Paunsaugunt	160	153	174	172	188	205	216	180	193	186

*Included with Plateau, Boulder

Total buck deer harvest by management unit, Utah 2014–2023 (continued).

Unit	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
30 Pine Valley	1313	1587	1951	1816	1558	1513	1523	1140	603	702
25C Plateau, Boulder	824	850	928	721	737	457	375	315	574	564
25A Plateau, Fishlake	585	654	668	517	500	375	315	308	302	323
25B Plateau, Thousand Lakes	76	75	108	105	91	63	63	54	60	50
14A San Juan, Abajo Mtns	904	984	1129	1103	958	801	843	868	921	917
14B San Juan, Elk Ridge	44	47	74	49	42	48	50	58	57	60
12 San Rafael	305	421	341	434	430	381	394	275	442	363
9D South Slope, Bonanza	127	148	115	188	159	194	185	*	*	*
9C South Slope, Diamond Mtn	116	112	120	119	130	130	147	141	146	148
9B South Slope, Vernal	648	704	810	570	748	617	486	619	680	506
9A South Slope, Yellowstone	663	752	843	690	826	681	605	631	658	493
20 Southwest Desert	176	278	232	225	280	155	187	131	134	76
17C Wasatch Mtns, Avintaquin	402	461	402	328	335	241	298	309	383	280
17B Wasatch Mtns, Carrant Creek	950	1164	1145	834	1159	701	797	1021	1029	726
17A Wasatch Mtns, Salt Lake	151	158	151	164	188	91	92	**	**	**
17A Wasatch Mtns, West	1718	2272	2226	1578	2172	1577	1784	1976	2327	969
19C West Desert, Tintic	234	359	331	347	331	337	360	260	216	228
19B West Desert, Vernon	150	152	154	156	177	184	204	193	164	164
19A West Desert, West	101	87	122	125	105	96	87	93	81	102
29 Zion	1307	1501	1605	1622	1594	1587	1264	1230	1125	1047

*Included with South Slope, Vernal

**Included with Wasatch Mtns, West

Total antlerless* deer harvest by management unit, Utah 2014–2023.

Unit	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
22 Beaver	79	110	171	182	128	122	78	40	20	32
10 Book Cliffs	5	3	3	0	0	0	0	0	0	0
1 Box Elder	160	175	161	157	211	234	166	147	177	145
2 Cache	175	171	194	176	279	136	153	99	122	25
2C Cache, Crawford Mtn	0	0	0	0	0	0	0	0	0	0
16B Central Mtns, Manti	179	201	202	228	208	198	159	159	147	80
16A Central Mtns, Nebo	56	53	102	127	125	78	78	53	57	47
6 Chalk Creek	80	110	136	161	262	288	177	79	104	20
5 East Canyon	89	109	169	129	337	314	239	246	187	77
21 Fillmore	33	31	77	31	16	32	34	21	15	38
21C Fillmore, Oak Creek LE	0	0	0	0	0	0	0	0	0	0
15 Henry Mtns	0	0	0	0	0	0	0	0	0	0
26 Kaiparowits	5	11	17	0	13	17	11	1	0	0
7 Kamas	41	25	24	38	47	19	17	24	9	10
13B La Sal, Dolores Triangle	0	0	0	0	0	0	0	0	0	0
13A La Sal, La Sal Mtns	0	8	0	0	52	6	7	0	0	2
23 Monroe	219	247	282	343	134	115	100	47	38	30
4 Morgan-South Rich	18	23	38	24	15	16	10	11	16	11
24 Mt Dutton	73	116	107	131	117	76	32	13	8	28
11A Nine Mile, Anthro	8	18	26	17	32	17	44	15	24	10
11B Nine Mile, Range Creek	9	5	0	25	50	43	60	77	48	40
8A North Slope, Summit	0	0	0	0	0	0	0	0	0	2
8BC North Slope, Three Corners/West Daggett	47	32	63	46	63	36	51	18	22	11
3 Ogden	28	52	37	55	40	66	55	31	28	8
18 Oquirrh-Stansbury	34	56	38	32	55	39	83	45	32	29
28 Panguitch Lake	142	194	167	171	148	113	20	16	15	0
27 Paunsaugunt	0	0	6	4	9	9	0	10	3	4

*Data includes mitigation harvest.

Total antlerless* deer harvest by management unit, Utah 2014–2023 (continued).

Unit	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
30 Pine Valley	127	178	226	374	407	385	254	160	121	98
25C Plateau, Boulder	113	183	221	394	377	164	73	66	99	88
25A Plateau, Fishlake	8	6	17	37	16	18	15	1	6	2
25B Plateau, Thousand Lakes	8	25	29	14	10	16	7	5	8	30
14A San Juan, Abajo Mtns	48	60	61	58	22	29	29	16	33	30
14B San Juan, Elk Ridge	0	0	0	0	0	0	0	0	0	0
12 San Rafael	73	54	55	67	65	44	72	61	62	45
9D South Slope, Bonanza	8	5	0	3	8	11	0	**	**	**
9C South Slope, Diamond Mtn	0	0	0	3	0	0	0	0	0	0
9B South Slope, Vernal	129	147	174	120	136	112	173	106	181	94
9A South Slope, Yellowstone	108	107	171	188	198	182	266	204	183	100
20 Southwest Desert	10	19	38	64	71	43	38	36	27	6
17C Wasatch Mtns, Avintaquin	1	2	2	21	16	30	0	1	0	0
17B Wasatch Mtns, Currant Creek	34	109	72	10	17	33	35	36	24	8
17A Wasatch Mtns, Salt Lake	46	26	35	25	26	26	39	***	***	***
17A Wasatch Mtns, West	109	81	111	106	147	118	88	66	65	83
19C West Desert, Tintic	37	52	31	54	38	57	28	29	34	27
19B West Desert, Vernon	45	24	24	0	4	0	0	0	0	0
19A West Desert, West	5	0	12	21	3	10	30	27	28	21
29 Zion	20	42	103	140	149	92	32	27	8	7

*Data includes mitigation harvest. **Included with South Slope, Vernal

***Included with Wasatch Mtns, West

Total deer harvest by management unit, Utah 2023.

	Unit	Buck harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
22	Beaver	505	32	537	1335	5.3	40.2
10	Book Cliffs	212	0	212	241	5.7	88.0
1	Box Elder	1174	145	1319	3996	4.0	33.0
2	Cache	741	25	766	4049	5.4	18.9
2C	Cache, Crawford Mtn	10	0	10	12	4.5	83.3
16B/12	Central Mtns, Manti/San Rafael	2338	125	2463	9124	4.6	27.0
16A	Central Mtns, Nebo	1028	47	1075	4437	5.9	24.2
6	Chalk Creek	418	20	438	2025	4.2	21.6
5	East Canyon	319	77	396	2534	4.0	15.6
21	Fillmore	533	38	571	1674	4.3	34.1
21C	Fillmore, Oak Creek LE	48	0	48	59	5.2	81.4
15	Henry Mtns	49	0	49	51	4.6	96.1
7	Kamas	158	10	168	1469	4.3	11.4
13B	La Sal, Dolores Triangle	20	0	20	22	4.9	90.9
13A	La Sal, La Sal Mtns	591	2	593	1187	4.8	50.0
23	Monroe	336	30	366	734	5.1	49.9
4	Morgan-South Rich	217	11	228	1349	3.9	16.9
24	Mt Dutton	84	28	112	311	5.3	36.0
11	Nine Mile	397	50	447	1783	4.7	25.1
8	North Slope	384	13	397	2306	4.7	17.2
3	Ogden	416	8	424	2172	5.1	19.5
18	Oquirrh-Stansbury	792	29	821	2284	4.4	35.9
28	Panguitch Lake	739	0	739	1930	4.7	38.3
27	Paunsaugunt	186	4	190	238	6.3	79.8
30	Pine Valley	702	98	800	2551	4.2	31.4
25C/26	Plateau, Boulder/Kaiparowits	564	88	652	1337	5.6	48.8
25A	Plateau, Fishlake	323	2	325	840	4.7	38.7
25B	Plateau, Thousand Lakes	50	30	80	246	4.7	32.5
14A	San Juan, Abajo Mtns	917	30	947	2216	4.1	42.7
14B	San Juan, Elk Ridge	60	0	60	73	12.5	82.2
9BD	South Slope, Bonanza/Vernal	506	94	600	1345	5.9	44.6
9C	South Slope, Diamond Mtn	148	0	148	163	5.9	90.8
9A	South Slope, Yellowstone	493	100	593	1410	5.8	42.1
20	Southwest Desert	76	6	82	347	5.9	23.6
17BC	Wasatch Mtns, East	1131	8	1139	4661	4.9	24.4
17A	Wasatch Mtns, West	844	83	927	7804	4.6	11.9
19C	West Desert, Tintic	228	27	255	1122	5.2	22.7
19B	West Desert, Vernon	164	0	164	243	7.5	67.5
19A	West Desert, West	102	21	123	486	5.9	25.3
29	Zion	1047	7	1054	2585	4.7	40.8

General-season archery* deer harvest, Utah 2023.

Unit	Hunt number	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22	DB1500	Beaver	29	246	225	8.6	13.1
1	DB1501	Box Elder	26	792	351	5.5	7.4
2	DB1502	Cache	22	734	531	7.3	4.2
16B/12	DB1503	Central Mtns, Manti/San Rafael	291	1445	1346	6.9	21.6
16A	DB1504	Central Mtns, Nebo	88	727	576	6.7	15.3
6	DB1600	Chalk Creek	31	377	271	6.6	11.3
5	DB1604	East Canyon	22	324	172	6.5	12.9
21	DB1506	Fillmore	61	279	255	7.4	24.0
7	DB1508	Kamas	24	317	200	6.8	12.2
13A	DB1509	La Sal, La Sal Mtns	95	225	197	6.3	48.1
23	DB1510	Monroe	39	143	129	7.6	30.1
4	DB1608	Morgan-South Rich	8	272	176	6.1	4.5
24	DB1511	Mt Dutton	4	55	49	6.9	7.7
11	DB1512	Nine Mile	24	240	194	8.6	12.5
8	DB1513	North Slope	33	431	343	7.9	9.6
3	DB1514	Ogden	11	367	230	6.5	4.8
18	DB1515	Oquirrh-Stansbury	35	377	282	7.5	12.5
28	DB1516	Panguitch Lake	107	336	299	7.2	35.7
30	DB1517	Pine Valley	83	449	406	8.1	20.4
25C/26	DB1518	Plateau, Boulder/Kaiparowits	72	238	207	7.6	35.0
25A	DB1519	Plateau, Fishlake	36	165	132	8.4	27.5
25B	DB1520	Plateau, Thousand Lakes	6	64	47	8.3	12.0
14A	DB1521	San Juan, Abajo Mtns	123	416	360	6.0	34.3
9BD	DB1522	South Slope, Bonanza/Vernal	58	293	222	7.6	26.2
9A	DB1523	South Slope, Yellowstone	31	194	155	6.7	20.3
20	DB1524	Southwest Desert	7	60	44	9.8	16.0
17BC	DB1525	Wasatch Mtns, East	101	815	684	7.2	14.8
17A	DB1526	Wasatch Mtns, West	79	1316	950	6.7	8.3
19C	DB1527	West Desert, Tintic	16	144	111	7.0	14.3
19A	DB1528	West Desert, West	5	81	43	7.1	10.7
29	DB1529	Zion	127	437	361	7.8	35.4
Statewide totals			1694	12359	9548	7.3	17.7

*Does not include harvest from extended archery season.

Extended archery* deer harvest, Utah 2023.

Unit	Hunt name	Buck harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder	26	4	30	354	6.3	8.5
2	Cache	9	0	9	119	11.6	7.6
16A	Central Mtns, Nebo	9	4	13	68	14.5	19.1
5	East Canyon	60	34	94	929	6.2	10.1
11B	Nine Mile, Range Creek	0	0	0	26	10.3	0.0
3	Ogden	47	4	51	354	6.4	14.4
18	Oquirrh-Stansbury	47	8	55	264	5.5	20.8
9B	South Slope, Vernal	68	4	72	200	11.3	36.0
9A	South Slope, Yellowstone	47	0	47	111	10.4	42.3
17A	Wasatch Mtns, West	81	51	132	1130	5.9	11.7
19C	West Desert, Tintic	26	4	30	243	5.6	12.3
	Unknown	13	0	13	85	7.3	15.3
Statewide totals**		433	113	546	3091	8.5	17.7

*Does not include dedicated hunters or youth general-season any weapon deer hunters. Success rates were calculated from projected estimates and not raw data.

**Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General-season muzzleloader deer harvest, Utah 2023.

Unit	Hunt Number	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22	DB1560	Beaver	81	206	183	4.5	44.3
1	DB1561	Box Elder	127	788	632	4.1	20.1
2	DB1562	Cache	105	710	591	4.2	17.7
16B/12	DB1563	Central Mtns, Manti/San Rafael	379	1336	1164	4.1	32.6
16A	DB1564	Central Mtns, Nebo	161	705	623	4.2	25.9
6	DB1602	Chalk Creek	33	371	276	4.2	11.9
5	DB1606	East Canyon	29	314	233	3.7	12.4
21	DB1566	Fillmore	96	243	214	4.7	45.0
7	DB1568	Kamas	38	310	237	4.2	15.9
13A	DB1569	La Sal, La Sal Mtns	94	207	178	4.5	52.9
23	DB1570	Monroe	64	117	102	3.8	62.5
4	DB1610	Morgan-South Rich	13	261	175	4.1	7.7
24	DB1571	Mt Dutton	12	45	42	4.4	29.0
11	DB1572	Nine Mile	48	227	206	3.9	23.4
8	DB1573	North Slope	68	403	328	4.6	20.7
3	DB1574	Ogden	39	351	279	4.2	13.9
18	DB1575	Oquirrh-Stansbury	86	341	280	4.3	30.7
28	DB1576	Panguitch Lake	147	304	283	3.8	51.9
30	DB1577	Pine Valley	135	413	342	4.3	39.6
25C/26	DB1578	Plateau, Boulder/Kaiparowits	95	214	188	4.3	50.7
25A	DB1579	Plateau, Fishlake	61	132	125	3.9	48.6
25B	DB1580	Plateau, Thousand Lakes	15	63	53	5.3	28.1
14A	DB1581	San Juan, Abajo Mtns	191	414	349	4.0	54.6
9BD	DB1582	South Slope, Bonanza/Vernal	64	150	138	4.1	46.2
9A	DB1583	South Slope, Yellowstone	60	190	157	3.9	37.9
20	DB1584	Southwest Desert	12	56	48	5.0	25.0
17BC	DB1585	Wasatch Mtns, East	181	730	623	4.5	29.0
17A	DB1586	Wasatch Mtns, West	107	1283	1073	4.4	10.0
19C	DB1587	West Desert, Tintic	33	140	125	4.7	26.1
19A	DB1588	West Desert, West	15	82	66	4.4	22.2
29	DB1589	Zion	201	416	380	4.0	52.8
Statewide totals			2790	11522	9693	4.3	28.8

General-season early any legal weapon* deer harvest, Utah 2023.

Unit	Hunt number	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
6	DB1601	Chalk Creek	26	290	222	3.1	11.8
5	DB1605	East Canyon	29	239	166	2.9	17.2
21	DB1591	Fillmore	72	202	161	3.1	44.4
7	DB1592	Kamas	19	243	187	3.3	10.0
4	DB1609	Morgan-South Rich	5	209	159	3.0	3.3
11	DB1593	Nine Mile	34	185	145	3.7	23.7
8	DB1598	North Slope	58	322	278	3.8	20.8
28	DB1594	Panguitch Lake	125	244	218	3.2	57.1
30	DB1595	Pine Valley	113	340	275	3.3	41.2
25A	DB1596	Plateau, Fishlake	32	110	81	3.6	40.0
29	DB1597	Zion	159	339	309	3.4	51.3
Statewide totals			672	2723	2201	3.3	30.5

*This table does not include data from youth hunters because youth hunters could hunt all general seasons. See youth hunter harvest statistics below.

Youth general-season early any legal weapon* deer harvest, Utah 2023.

Unit	Hunt number	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
6	DB1601	Chalk Creek	13	88	62	4.3	20.5
5	DB1605	East Canyon	10	76	62	4.3	15.9
21	DB1591	Fillmore	24	50	47	3.8	51.9
7	DB1592	Kamas	6	65	45	4.3	12.5
4	DB1609	Morgan-South Rich	6	57	42	6.5	14.8
11	DB1593	Nine Mile	15	44	37	5.9	39.1
8	DB1598	North Slope	32	81	62	4.1	51.4
28	DB1594	Panguitch Lake	26	58	51	5.7	51.7
30	DB1595	Pine Valley	36	65	62	5.6	57.9
25A	DB1596	Plateau, Fishlake	17	26	24	5.5	71.4
29	DB1597	Zion	55	79	76	5.2	73.3
Statewide totals			240	689	570	5.0	42.1

*Youth hunters who obtained an early general-season any legal weapon deer permit could hunt all general seasons. This table summarizes data from all 4 seasons (not including extended archery season).

General-season any legal weapon* deer harvest, Utah 2023.

Unit	Hunt number	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22	DB1530	Beaver	263	529	489	4.5	53.7
1	DB1531	Box Elder	459	1858	1508	4.2	30.4
2	DB1532	Cache	379	1722	1425	4.0	26.6
16B/12	DB1533	Central Mtns, Manti/San Rafael	975	3207	2840	4.4	34.3
16A	DB1534	Central Mtns, Nebo	426	1634	1460	4.4	29.2
6	DB1599	Chalk Creek	48	586	439	4.1	10.9
5	DB1603	East Canyon	54	443	325	3.7	16.5
21	DB1536	Fillmore	151	423	373	5.0	40.4
7	DB1538	Kamas	29	483	383	4.1	7.7
13A	DB1539	La Sal, La Sal Mtns	230	482	410	3.9	56.1
23	DB1540	Monroe	167	301	263	4.7	63.5
4	DB1607	Morgan-South Rich	40	396	304	3.7	13.3
24	DB1541	Mt Dutton	44	114	97	4.1	46.0
11	DB1542	Nine Mile	117	364	315	4.7	37.1
8	DB1543	North Slope	130	630	523	4.8	24.8
3	DB1544	Ogden	158	787	670	4.1	23.6
18	DB1545	Oquirrh-Stansbury	341	832	731	4.5	46.7
28	DB1546	Panguitch Lake	199	493	453	4.7	43.9
30	DB1547	Pine Valley	215	739	622	4.9	34.5
25C/26	DB1548	Plateau, Boulder/Kaiparowits	260	549	476	4.6	54.6
25A	DB1549	Plateau, Fishlake	116	237	186	4.9	62.3
25B	DB1550	Plateau, Thousand Lakes	16	74	61	4.4	27.0
14A	DB1551	San Juan, Abajo Mtns	354	963	813	4.1	43.5
9BD	DB1552	South Slope, Bonanza/Vernal	217	332	291	3.5	74.5
9A	DB1553	South Slope, Yellowstone	215	477	408	3.6	52.7
20	DB1554	Southwest Desert	38	151	126	5.6	30.3
17BC	DB1555	Wasatch Mtns, East	521	1766	1512	4.3	34.4
17A	DB1556	Wasatch Mtns, West	322	3003	2481	4.2	13.0
19C	DB1557	West Desert, Tintic	98	342	293	4.6	33.3
19A	DB1558	West Desert, West	47	197	166	4.6	28.3
29	DB1559	Zion	320	695	606	5.1	52.8
Statewide totals			6949	24809	21049	4.4	33.0

*This table does not include data from youth hunters because youth hunters could hunt all general seasons. See youth hunter harvest statistics on the following page.

Youth general-season any legal weapon* deer harvest, Utah 2023.

Unit	Hunt number	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22	DB1530	Beaver	64	118	112	4.5	56.7
1	DB1531	Box Elder	244	511	432	4.3	56.5
2	DB1532	Cache	120	420	383	4.9	31.4
16B/12	DB1533	Central Mtns, Manti/San Rafael	357	840	760	5.0	47.0
16A	DB1534	Central Mtns, Nebo	187	495	442	5.5	42.2
6	DB1599	Chalk Creek	45	167	139	4.2	32.0
5	DB1603	East Canyon	39	186	130	4.1	29.9
21	DB1536	Fillmore	42	86	81	5.4	52.2
7	DB1538	Kamas	21	130	96	6.0	21.6
13A	DB1539	La Sal, La Sal Mtns	73	127	111	4.9	65.6
23	DB1540	Monroe	34	56	48	4.5	70.0
4	DB1607	Morgan-South Rich	23	132	98	3.8	23.9
24	DB1541	Mt Dutton	11	20	20	6.7	53.8
11	DB1542	Nine Mile	33	87	78	4.8	42.9
8	DB1543	North Slope	32	170	151	6.0	21.5
3	DB1544	Ogden	68	261	220	5.4	30.9
18	DB1545	Oquirrh-Stansbury	123	203	189	4.6	65.2
28	DB1546	Panguitch Lake	68	110	104	6.0	65.5
30	DB1547	Pine Valley	41	105	101	4.8	40.0
25C/26	DB1548	Plateau, Boulder/Kaiparowits	71	101	101	4.4	70.4
25A	DB1549	Plateau, Fishlake	24	39	37	5.4	65.2
25B	DB1550	Plateau, Thousand Lakes	7	10	10	3.3	66.7
14A	DB1551	San Juan, Abajo Mtns	138	284	255	5.0	53.9
9BD	DB1552	South Slope, Bonanza/Vernal	47	69	61	6.0	76.3
9A	DB1553	South Slope, Yellowstone	58	110	103	4.6	56.4
20	DB1554	Southwest Desert	14	24	22	5.5	63.6
17BC	DB1555	Wasatch Mtns, East	156	442	397	4.2	39.3
17A	DB1556	Wasatch Mtns, West	128	857	736	5.5	17.4
19C	DB1557	West Desert, Tintic	28	82	67	7.3	41.5
19A	DB1558	West Desert, West	17	44	39	5.5	43.5
29	DB1559	Zion	85	136	125	5.7	68.2
Statewide totals			2398	6422	5648	5.1	42.5

*Youth hunters who obtained a general-season any legal weapon deer permit could hunt all general seasons. This table summarizes data from all 4 seasons (not including extended archery season).

Dedicated hunter* deer harvest, Utah 2023.

Unit	Hunt number	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22	DB1769	Beaver	65	141	131	9.2	49.3
1	DB1770	Box Elder	14	63	51	8.0	27.5
2	DB1771	Cache	90	466	406	10.2	22.2
16B/12	DB1772	Central Mtns, Manti/San Rafael	260	982	921	11.3	28.2
16A	DB1773	Central Mtns, Nebo	130	490	463	11.8	28.1
4/5/6	DB1774	Chalk Creek/East Canyon/Morgan-South Rich	32	197	157	8.6	20.5
6	DB1799	Chalk Creek	7	24	22	9.3	30.8
5	DB1800	East Canyon	5	39	30	8.8	18.2
21	DB1775	Fillmore	73	177	167	10.4	43.7
7	DB1777	Kamas	19	135	116	6.9	16.4
13A	DB1778	La Sal, La Sal Mtns	74	147	134	8.9	55.0
23	DB1779	Monroe	30	76	61	7.6	48.9
4	DB1801	Morgan-South Rich	1	9	8	8.1	12.5
24	DB1780	Mt Dutton	12	29	28	10.6	45.0
11	DB1781	Nine Mile	49	159	142	13.1	34.7
8	DB1782	North Slope	28	160	139	10.1	20.3
3	DB1783	Ogden	30	128	119	9.5	25.4
18	DB1784	Oquirrh-Stansbury	122	253	244	8.7	50.0
28	DB1785	Panguitch Lake	66	197	178	13.1	37.0
30	DB1786	Pine Valley	69	268	251	10.1	27.6
25C/26	DB1787	Plateau, Boulder/Kaiparowits	55	145	130	7.8	42.0
25A	DB1788	Plateau, Fishlake	27	79	71	11.4	38.1
25B	DB1789	Plateau, Thousand Lakes	5	25	20	7.7	27.3
14A	DB1790	San Juan, Abajo Mtns	45	157	146	9.3	31.2
9BD	DB1791	South Slope, Bonanza/Vernal	47	115	111	8.3	42.6
9A	DB1792	South Slope, Yellowstone	57	134	130	8.7	43.5
20	DB1793	Southwest Desert	3	34	34	13.5	9.1
17BC	DB1794	Wasatch Mtns, East	123	542	512	10.2	24.1
17A	DB1795	Wasatch Mtns, West	82	654	590	9.4	13.9
19C	DB1796	West Desert, Tintic	24	98	95	13.0	25.4
19A	DB1797	West Desert, West	18	63	59	9.9	31.0
29	DB1798	Zion	80	292	266	10.1	30.1
Statewide totals			1742	6478	5932	9.8	29.4

*Dedicated hunters could hunt all 3 general deer seasons. This table summarizes data from all 3 seasons (not including extended archery season).

Premium limited-entry buck deer harvest, Utah 2023.

Hunt type	Unit	Hunt number	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Archery	15	DB1000	Henry Mtns	9	10	10	7.2	90.0
	27	DB1001	Paunsaugunt	27	39	39	9.7	69.4
Any weapon	15	DB1003	Henry Mtns	28	28	28	3.7	100.0
	27	DB1004	Paunsaugunt	72	87	86	6.0	83.3
Muzzleloader	15	DB1005	Henry Mtns	11	12	12	3.4	91.7
	27	DB1006	Paunsaugunt	29	30	30	5.6	96.4
Multi-season	15	DB1007	Henry Mtns	1	1	1	4.0	100.0
	27	DB1008	Paunsaugunt	4	4	4	18.5	100.0
			Statewide Sportsman/Conservation	2	2	2	2.0	100.0
Cactus buck	27	DB1058	Paunsaugunt	12	27	26	5.8	45.8
Management	27	DB1010	Paunsaugunt (any legal weapon)	12	13	13	2.2	92.3
	27	DB1073	Paunsaugunt (archery)	1	4	4	7.3	25.0
	27	DB1074	Paunsaugunt (muzzleloader)	2	4	4	4.5	50.0

Limited-entry buck deer harvest, Utah 2023.

Hunt type	Unit	Hunt number	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
Archery	10	DB1011	Book Cliffs	32	41	40	4.6	78.9
	21C	DB1012	Fillmore, Oak Creek LE	11	15	15	8.4	75.0
	13B	DB1013	La Sal, Dolores Triangle	3	4	4	8.3	75.0
	14B	DB1014	San Juan, Elk Ridge	14	15	15	7.1	93.3
	9C	DB1015	South Slope, Diamond Mtn	25	32	31	6.2	80.0
	19B	DB1016	West Desert, Vernon	21	48	44	9.4	47.2
	10	DB1075	Book Cliffs (conservation)	0	2	2	6.5	0.0
Any weapon	10A	DB1017	Book Cliffs, North	85	97	96	4.2	89.0
	10B	DB1018	Book Cliffs, South	26	26	26	3.9	100.0
	21C	DB1019	Fillmore, Oak Creek LE	29	31	31	4.9	93.5
	13B	DB1020	La Sal, Dolores Triangle	13	14	14	2.5	92.3
	14B	DB1022	San Juan, Elk Ridge	33	39	39	5.1	84.2
	9C	DB1023	South Slope, Diamond Mtn	94	102	101	3.2	93.5
	19B	DB1024	West Desert, Vernon	100	141	137	5.0	73.3
	10	DB1056	Book Cliffs (conservation)	4	4	4	4.5	100.0
Muzzleloader	10	DB1025	Book Cliffs	38	42	42	3.4	90.0
	2C	DB1026	Cache, Crawford Mtn	10	12	12	4.5	81.8
	21C	DB1029	Fillmore, Oak Creek LE	7	12	12	4.5	54.5
	13B	DB1031	La Sal, Dolores Triangle	4	4	4	3.8	100.0
	14B	DB1037	San Juan, Elk Ridge	11	18	17	4.4	62.5
	9C	DB1038	South Slope, Diamond Mtn	25	27	27	4.5	92.0
	19B	DB1042	West Desert, Vernon	40	56	56	4.9	71.7
	10	DB1076	Book Cliffs (conservation)	0	2	2	5.0	0.0
Multi-season	10	DB1044	Book Cliffs	6	6	6	17.0	100.0
	21C	DB1045	Fillmore, Oak Creek LE	1	1	1	3.0	100.0
	14B	DB1046	San Juan, Elk Ridge	2	2	2	33.5	100.0
	9C	DB1047	South Slope, Diamond Mtn	4	4	4	9.7	100.0
	19B	DB1048	West Desert, Vernon	3	6	6	10.8	50.0
HAMSS	10	DB1090	Book Cliffs, Floy Canyon	3	5	5	5.2	60.0
	5	DB1105	East Canyon	2	3	3	4.3	66.7
	26	DB1091	Kaiparowits HAMSS	4	5	5	9.6	80.0

Limited-entry on general-season (muzzleloader) units buck deer harvest, Utah 2023.

Unit	Hunt number	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22	DB1059	Beaver	3	5	5	7.0	60.0
1	DB1077	Box Elder	13	19	18	4.5	71.4
2	DB1078	Cache	1	4	4	6.0	33.3
16B/12	DB1079	Central Mtns, Manti/San Rafael	22	42	40	6.0	55.6
16A	DB1080	Central Mtns, Nebo	16	23	23	6.6	68.2
6	DB1100	Chalk Creek	8	13	13	4.3	61.5
5	DB1101	East Canyon	2	10	10	4.4	22.2
21	DB1028	Fillmore	8	9	9	5.6	88.9
7	DB1030	Kamas	4	10	9	5.4	44.4
13A	DB1081	La Sal, La Sal Mtns	5	7	7	6.9	71.4
23	DB1032	Monroe	2	5	5	6.6	40.0
4	DB1103	Morgan-South Rich	0	9	8	5.5	0.0
24	DB1053	Mt Dutton	1	4	4	6.8	25.0
11	DB1033	Nine Mile	6	6	6	3.3	100.0
8	DB1065	North Slope	6	10	9	7.3	71.4
3	DB1054	Ogden	8	12	12	6.0	70.0
18	DB1082	Oquirrh-Stansbury	11	13	13	4.9	81.8
28	DB1083	Panguitch Lake	1	5	5	5.8	25.0
30	DB1034	Pine Valley	10	14	14	5.9	71.4
25C/26	DB1084	Plateau, Boulder/Kaiparowits	4	7	7	5.3	57.1
25A	DB1055	Plateau, Fishlake	3	5	5	5.0	60.0
25B	DB1036	Plateau, Thousand Lakes	1	4	4	5.5	25.0
14A	DB1085	San Juan, Abajo Mtns	5	10	10	5.4	50.0
9BD	DB1086	South Slope, Bonanza/Vernal	3	5	5	5.8	60.0
9A	DB1094	South Slope, Myton	12	28	25	4.5	47.8
9A	DB1039	South Slope, Yellowstone	5	6	6	6.7	83.3
20	DB1040	Southwest Desert	2	5	5	8.4	40.0
17BC	DB1041	Wasatch Mtns, East	13	21	21	5.3	60.0
17A	DB1087	Wasatch Mtns, West	13	37	34	6.2	39.4
19C	DB1088	West Desert, Tintic	1	5	5	6.6	20.0
19A	DB1089	West Desert, West	0	5	4	7.5	0.0
29	DB1043	Zion	8	15	14	6.0	58.3

CWMU buck deer harvest, Utah 2023.

Unit	Hunt number	CWMU	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
5	DB1333	5S Land and Livestock	10	15	15	6.8	64.3
27	DB1200	Alton	18	21	21	3.8	85.7
27	DB1201	Alton (management buck)	5	5	5	4.4	100.0
27	DB1334	Alton (cactus buck)	4	4	4	1.8	100.0
11	DB1202	Antelope Creek	2	3	3	3.0	50.0
17BC	DB1203	Avintaquin Canyon	3	11	11	4.4	30.0
4	DB1204	Bally Watts	8	14	13	4.2	63.6
25A	DB1205	Bar J Ranch	1	6	6	4.8	20.0
16B/12	DB1206	Bear Mountain	8	10	10	5.0	80.0
3	DB1207	Bear Springs	0	3	3	2.3	0.0
6	DB1335	Big Piney Ranch	3	5	4	1.8	75.0
11	DB1208	Black Hawk	3	5	5	6.5	50.0
1	DB1209	Blind Spring	7	8	8	3.6	85.7
1	DB1211	Blue Spring Hills	8	10	10	5.0	75.0
3	DB1212	Bluebell	7	10	10	4.1	66.7
25A	DB1213	Boobe Hole	4	20	20	3.4	20.0
17BC	DB1215	Buckhorn Ranch	4	5	4	3.5	100.0
16B/12	DB1216	Castle Valley Outdoors	6	7	7	2.7	83.3
4	DB1217	Causey Spring	7	9	9	4.3	75.0
4	DB1219	Chimney Rock	11	16	16	3.3	66.7
1	DB1328	Clear Creek	0	8	6	5.3	0.0
3	DB1222	Coldwater Ranch	10	13	12	4.6	83.3
11	DB1223	Conover-Jensen	13	26	21	3.3	61.1
1	DB1224	Cotton Thomas	9	9	9	3.0	100.0
17A	DB1320	Deer Creek	2	7	7	2.7	33.3
14A	DB1227	Deer Haven	15	15	15	4.5	100.0
4	DB1228	Deseret	49	87	86	4.0	57.3
1	DB1229	Dilly Ranch	8	10	10	3.6	80.0
1	DB1325	Double Cone	6	7	7	4.2	83.3
5	DB1339	Double J Valley	2	3	2	4.5	100.0
17A	DB1230	Double R Ranch	15	23	23	3.4	66.7
1	DB1231	Dove Creek	13	13	13	2.3	100.0
6	DB1341	Dry Creek	14	20	20	5.3	68.4
4	DB1232	Durst Mountain	2	8	8	3.5	25.0
6	DB1233	East Fork Chalk Creek	22	39	38	7.2	57.1
29	DB1234	East Zion	12	21	19	7.8	64.7
1	DB1236	Engineer Springs	4	5	5	2.0	80.0
6	DB1237	Ensign Ranches	35	38	38	3.0	91.2
1	DB1342	Faust Valley	3	3	3	3.5	100.0
11	DB1336	First Light	4	4	4	4.0	100.0

CWMU buck deer harvest, Utah 2023 (continued).

Unit	Hunt number	CWMU	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
4	DB1238	Folley Ridge	6	23	21	4.1	30.0
1	DB1239	Fort Ranch	1	1	1	4.0	100.0
1	DB1240	George Creek	6	6	6	2.5	100.0
1	DB1241	Golden Spike	5	6	5	2.2	100.0
6	DB1242	Grass Valley/Clark Canyon	80	129	128	4.1	62.9
25A	DB1243	Grazing Pasture	1	3	3	6.0	33.3
3	DB1244	Green Canyon	3	10	9	9.6	33.3
4	DB1245	Guildersleeve	13	17	15	3.0	85.7
5	DB1246	Hardscrabble	2	5	5	4.8	40.0
18	DB1248	Heaston East	20	20	20	2.5	100.0
16B/12	DB1249	Hiawatha	1	6	6	2.8	20.0
17BC	DB1329	Indian Canyon	5	7	7	3.3	66.7
1	DB1250	Indian Creek	5	16	16	3.9	31.3
17BC	DB1251	Indian Head	14	15	15	4.7	91.7
1	DB1252	Ingham Peak	26	37	35	3.3	75.9
30	DB1330	Iron Spring	0	1	0	0.0	0.0
13A	DB1253	J. B. Ranch	3	4	4	3.3	75.0
5	DB1317	Jacob's Creek	8	9	9	3.5	83.3
25A	DB1255	Johnson Mountain Ranch	1	2	2	4.5	50.0
1	DB1256	Junction Valley	40	50.0	49	3.9	81.0
17A	DB1337	Little Pole Canyon	1	4.0	4	4.3	33.3
17BC	DB1258	Little Red Creek	6	10.0	10	3.3	55.6
5	DB1259	Lone Tree Tunnel Hollow	4	5.0	5	2.8	80.0
4	DB1260	Middle Ridge	3	5.0	5	4.6	60.0
11	DB1261	Minnie Maud Ridge	28	48.0	48	5.0	57.8
17BC	DB1263	Moon Ranch	5	9.0	9	5.8	50.0
1	DB1264	Mountain Meadow	4	5.0	5	3.0	75.0
16A	DB1327	Mountain Sky Ranch	3.0	5.0	5	9.0	60.0
5	DB1265	Mountain Top	14.0	18.0	17	4.7	81.8
29	DB1266	Mt Carmel	8.0	20.0	20	4.8	41.2
1	DB1303	North Peaks	3.0	4.0	4	4.0	75.0
1	DB1269	North Promontory	7.0	8.0	8	3.0	85.7
1	DB1270	Nucor West	7	7	7	1.8	100.0
16B/12	DB1271	Oak Ranch	4	13	13	4.0	33.3
16B/12	DB1272	Old Woman Plateau	5	12	8	4.1	57.1
21	DB1322	Pahvant Ensign	8	10	10	3.6	77.8
1	DB1273	Park Valley Hereford	26	40	40	3.6	64.7
11	DB1274	Patmos Ridge	4	6	6	5.6	60.0
4	DB1275	Pine Canyon	13	29	29	4.2	43.5
3	DB1286	Pisgah Mountain	10	11	11	4.6	87.5

CWMU buck deer harvest, Utah 2023 (continued).

Unit	Hunt number	CWMU	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
1	DB1276	Plymouth Peak	0	2	2	1.0	0.0
1	DB1277	Pocatello Valley	5	6	6	4.2	83.3
3	DB1278	Powder Mountain	6	10	8	5.6	75.0
11	DB1279	Preston Nutter Ranch	2	2	2	3.0	100.0
1	DB1280	Promontory Point	9	10	10	2.2	88.9
1	DB1331	Raft River	7	9	9	4.7	77.8
1	DB1281	Rattlesnake Pass	15	17	17	4.2	88.2
16A	DB1343	Red Iron	8	9	9	3.0	87.5
13A	DB1282	Redd Ranches	17	19	19	4.6	89.5
11	DB1283	Roan Cliffs	9	10	10	3.8	88.9
1	DB1326	Rosette	2	3	3	1.3	66.7
8	DB1324	Royal Ivory Outfitters	2	2	2	3.0	100.0
1	DB1344	Salt Wells	1	3	3	7.3	33.3
17BC	DB1285	Sand Creek	1	6	5	3.5	25.0
16B/12	DB1287	Scofield Canyons	10	10	10	3.3	100.0
16B/12	DB1288	Scofield West	13	15	15	4.5	86.7
3	DB1289	Sharp Mountain	8	11	11	3.9	72.7
4	DB1290	Skull Crack	4	5	5	4.0	80.0
18	DB1291	Skull Valley South	3	4	4	4.5	75.0
16B/12	DB1292	Soldier Summit	11	13	12	4.0	90.0
3	DB1293	South Canyon	7	10	10	4.1	71.4
3	DB1294	Spring Creek Acres	3	4	4	5.3	75.0
14A	DB1295	Spring Creek/Dodge	46	53	50	3.3	93.2
6	DB1297	Stillman Creek Ranch	18	28	28	4.0	63.6
2	DB1298	Strawberry Ridge	0	1	1	5.0	0.0
14A	DB1299	Summit Point	15	23	23	5.1	64.7
25C/26	DB1338	Sweetwater	3	3	3	4.3	100.0
1	DB1300	Thatcher Mountain	1	2	2	17.5	50.0
17A	DB1301	Three C	16	20	20	4.7	80.0
5	DB1340	Tunnel Hollow	1	1	1	2.0	100.0
6	DB1304	Two Bear	6	10	10	4.8	55.6
17A	DB1305	Wallsburg	1	3	3	5.0	33.3
1	DB1306	Washakie	10	10	10	2.8	100.0
6	DB1307	Weber Florence Creek	21	41	40	4.2	51.6
1	DB1308	West Hills	15	16	16	2.7	93.3
11	DB1332	West Ridge	10	22	22	8.4	47.4
10AC	DB1309	West Willow Creek Ranch	18	18	18	3.1	100.0
1	DB1310	White's Valley	5	5	5	2.4	100.0
4	DB1312	Woodruff Creek South	1	2	2	3.0	50.0

Limited-entry antlerless deer harvest, Utah 2023.

Unit	Hunt number	Weapon	Hunt name	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
				Doe	Fawn	Total				
5	DA1027	Any Legal Weapon	East Canyon, Davis-North Salt Lake	19	0	19	40	34	3.1	55.6
9A	DA1044	Any Legal Weapon	Myton	17	0	17	98	44	7.3	37.5
11	DA1041	Any Legal Weapon	Nine Mile, Green River Valley	1	0	1	24	16	2.6	7.1
30	DA1009	Any Legal Weapon	Pine Valley, Enterprise	20	0	20	24	20	1.7	100.0
9B	DA1047	Any Legal Weapon	Vernal-Ouray Valley	5	0	5	48	29	3.1	18.2
9B	DA1049	Archery	Ashley Valley	15	1	16	75	48	10.8	33.3
21	DA1048	Archery	Fillmore City	5	1	6	15	10	3.4	66.7
21	DA1045	Archery	Fillmore, Oak City	6	0	6	15	10	3.6	66.7
11	DA1030	Archery	Nine Mile, Price River Valley	8	0	8	25	21	7.0	40.0
18	DA1031	Archery	Oquirrh-Stansbury, Settlement Cyn	9	0	9	25	21	3.9	41.2
14A	DA1033	Archery	San Juan, Monticello	3	0	3	5	3	3.0	100.0
14A	DA1042	Archery	San Juan, Monticello	3	0	3	5	4	3.0	75.0
1	DA1001	Archery, Muzzleloader, Shotgun	Box Elder, West Bear River	5	1	6	30	24	5.2	26.7
1	DA1002	Archery, Muzzleloader, Shotgun	Box Elder, West Bear River	4	4	8	30	16	6.0	46.2
23	DA1003	Archery, Muzzleloader, Shotgun	Monroe/Plateau, Sevier Valley	3	0	3	15	12	5.0	22.2
11	DA1046	Archery, Muzzleloader, Shotgun	Nine Mile, Price River Valley	5	2	7	25	16	3.5	40.0
30	DA1018	Archery, Muzzleloader, Shotgun	Pine Valley, New Harmony	6	0	6	18	8	2.9	62.5

CWMU antlerless deer harvest, Utah 2023.

Unit	Hunt number	CWMU	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
			Doe	Fawn	Total				
1	DA1011	George Creek	3	0	3	5	5	1.8	60.0
1	DA1012*	Junction Valley	28	3	31	20	19	2.1	94.7
29	DA1013	Mt Carmel	3	0	3	4	3	1.0	100.0

*Two-doe permit

Landowner (free permit) deer mitigation harvest by management unit, Utah 2023.

	Unit	Antlerless harvest			Permits	Hunters afield	Success rate* (%)
		Doc	Fawn	Total			
22	Beaver	18	2	20	69	34	31.6
10	Book Cliffs	0	0	0	4	0	0.0
1	Box Elder	57	5	62	175	102	40.6
2	Cache	16	5	21	75	47	26.9
16B	Central Mtns, Manti	59	0	59	192	110	29.0
16A	Central Mtns, Nebo	26	1	27	51	32	60.0
6	Chalk Creek	12	4	16	67	29	30.8
5	East Canyon	11	0	11	73	43	27.8
21	Fillmore	19	0	19	58	38	42.3
7	Kamas	10	0	10	20	8	50.0
13A	La Sal, La Sal Mtns	2	0	2	2	1	100.0
23	Monroe	16	0	16	80	47	25.0
4	Morgan-South Rich	7	1	8	12	9	83.3
24	Mt Dutton	26	2	28	72	34	42.1
11	Nine Mile	18	2	20	101	47	42.6
8	North Slope	2	3	5	33	15	33.3
3	Ogden	4	0	4	21	19	20.0
18	Oquirrh-Stansbury	9	0	9	18	14	55.6
28	Panguitch Lake	0	0	0	9	0	0.0
27	Paunsaugunt	4	0	4	10	2	100.0
30	Pine Valley	56	0	56	104	60	50.0
25C/26	Plateau, Boulder/Kaiparowits	63	5	68	253	104	37.5
25A	Plateau, Fishlake	2	0	2	28	17	16.7
25B	Plateau, Thousand Lakes	24	0	24	54	26	30.8
14A	San Juan, Abajo Mtns	19	0	19	27	14	62.5
12	San Rafael	26	0	26	115	63	23.3
9B	South Slope, Vernal	53	4	57	227	131	31.0
9A	South Slope, Yellowstone	83	0	83	311	160	34.9
20	Southwest Desert	6	0	6	43	21	28.6
17C	Wasatch Mtns, Avintaquin	0	0	0	4	0	0.0
17B	Wasatch Mtns, Currant Creek	8	0	8	29	18	45.5
17A	Wasatch Mtns, West	19	9	28	62	36	42.9
19C	West Desert, Tintic	15	0	15	45	26	37.5
19A	West Desert, West	13	0	13	44	26	33.3
29	Zion	2	2	4	18	12	25.0
Statewide totals		705	45	750	2506	1345	35.8

*Some hunters had multiple permits. Success rates are per hunter.

Hunter (fee permit) deer mitigation harvest by management unit, Utah 2023.

	Unit	Antlerless harvest			Permits	Hunters afield	Success rate* (%)
		Doc	Fawn	Total			
22	Beaver	12	0	12	21	20	62.5
1	Box Elder	29	2	31	47	43	72.4
2	Cache	4	0	4	4	4	100.0
16B	Central Mtns, Manti	18	3	21	44	36	59.1
16A	Central Mtns, Nebo	14	2	16	30	25	64.3
6	Chalk Creek	4	0	4	11	7	66.7
5	East Canyon	5	0	5	7	7	75.0
21	Fillmore	6	1	7	22	17	44.4
23	Monroe	11	0	11	16	16	66.7
4	Morgan-South Rich	3	0	3	3	3	100.0
24	Mt Dutton	0	0	0	7	7	0.0
11	Nine Mile	14	0	14	19	17	89.3
8	North Slope	8	0	8	9	9	83.3
3	Ogden	0	0	0	1	1	0.0
18	Oquirrh-Stansbury	3	0	3	3	3	100.0
30	Pine Valley	16	0	16	36	31	52.9
25C/26	Plateau, Boulder/Kaiparowits	20	0	20	32	30	66.7
25B	Plateau, Thousand Lakes	6	0	6	6	6	100.0
14A	San Juan, Abajo Mtns	5	0	5	5	5	100.0
12	San Rafael	19	0	19	29	29	64.7
9B	South Slope, Vernal	12	0	12	22	19	61.5
9A	South Slope, Yellowstone	0	0	0	1	0	0.0
20	Southwest Desert	0	0	0	6	2	0.0
17A	Wasatch Mtns, West	1	0	1	5	4	25.0
19C	West Desert, Tintic	4	4	8	12	12	66.7
19A	West Desert, West	8	0	8	12	12	62.5
29	Zion	0	0	0	1	0	0.0
Statewide totals		222	12	234	411	365	62.8


*Some hunters had multiple permits. Success rates are per hunter.

Average age of harvested buck deer on premium limited-entry units*, Utah 2005–2023.

Year	Henry Mtns		Paunsaugunt	
	Average age	Percent 5+ years old	Average age	Percent 5+ years old
2005	4.9	63%	4.5	41%
2006	5.2	55%	4.4	43%
2007	5.4	48%	4.6	38%
2008	4.5	38%	4.3	37%
2009	4.9	47%	5.0	50%
2010	4.9	64%	4.6	43%
2011	5.0	63%	5.2	68%
2012	4.9	64%	4.9	62%
2013	6.2	89%	5.3	63%
2014	6.6	75%	4.9	48%
2015	6.2	76%	4.7	46%
2016	5.5	70%	4.7	51%
2017	5.3	68%	5.0	57%
2018	5.0	46%	4.8	57%
2019	5.3	54%	5.2	73%
2020	5.2	65%	5.0	67%
2021	5.5	74%	5.0	65%
2022	5.7	93%	5.4	68%
2023	5.7	69%	5.4	65%
3-yr average (2021–2023)	5.6	79%	5.3	66%

*Includes CWMU data; does not include management hunts.

Historical statewide mule deer population estimates, Utah 1992–2023.



Deer population estimates and objectives by management unit, Utah 2019–2023.

Unit		Current objective	Winter population estimate				
			2019	2020	2021	2022	2023
22	Beaver	14000	12000	10300	9400	9200	9400
10	Book Cliffs	9000	4500	4550	4250	4400	5500
1	Box Elder	20000	10200	10100	11700	16700	17000
2	Cache	25000	14350	14100	17900	20300	12500
12/16B	Central Mtns, Manti/San Rafael	28000	25400	24400	26500	28400	26500
16A	Central Mtns, Nebo	14000	14200	12500	13500	15000	13100
6	Chalk Creek	12000	10000	9100	11250	11700	5900
5	East Canyon	13500	12000	12800	9800	12000	2400
21	Fillmore	9600	6700	6500	6700	7100	8000
15	Henry Mtns	2700	1000	900	900	950	955
7	Kamas	8000	7800	7400	7150	7700	1300
13B	La Sal, Dolores Triange	3000	1900	1900	1900	1900	1900
13A	La Sal, La Sal Mtns	8000	5500	6500	5900	5500	5500
23	Monroe	7000	5400	5200	5000	5000	5000
4	Morgan-South Rich	16000	11600	10000	10700	10800	1900
24	Mt Dutton	3200	2500	2200	2000	1960	1980
11	Nine Mile	8500	6900	6800	6500	6600	6300
8	North Slope	10000	6350	5800	5300	6200	5800
3	Ogden	11000	8800	8600	9900	9900	6500
18	Oquirrh-Stansbury	11600	9900	10000	9600	9900	9500
28	Panguitch Lake	11000	10500	10100	10000	8600	9000
27	Paunsaugunt	6500	5200	4500	5200	5100	5400
30	Pine Valley	19500	19700	19500	15500	18000	16000
25C/26	Plateau, Boulder/Kaiparowits	8500	7000	6750	6550	7050	7650
25A	Plateau, Fishlake	7000	5100	4900	4400	4500	4600
25B	Plateau, Thousand Lakes	1400	1000	850	750	760	600
14A	San Juan, Abajo Mtns	13500	9400	11000	12400	12400	11900
14B	San Juan, Elk Ridge	2000	600	750	950	950	950
9BCD	South Slope, Bonanza/Diamond Mtn/Vernal	13000	8850	9200	9800	11200	9500
9A	South Slope, Yellowstone	11000	7000	7700	7000	8400	7400
20	Southwest Desert	3500	3000	2900	2250	2400	2300
17C	Wasatch Mtns, Avintaquin	4000	3300	3800	3700	4000	3600
17B	Wasatch Mtns, Currant Creek	17000	11800	13700	13500	16900	15500
17A	Wasatch Mtns, West	22600	21900	22600	16000	18700	12700
19	West Desert	11200	9000	8000	7000	7800	7800
29	Zion	19500	19200	18000	15500	17000	16800
Statewide totals		404900	319550	313900	305700	334970	278635

Adult and fawn deer survival by management unit, Utah 2022–23.

Unit	n	Adult survival \pm SE	n	Fawn survival \pm SE
Beaver	39	0.89 \pm 0.05	—	—
Book Cliffs	34	0.94 \pm 0.04	—	—
Box Elder	58	0.79 \pm 0.05	—	—
Cache	73	0.53 \pm 0.08	38	0.05 \pm 0.11
Central Mtns, Manti/San Rafael	74	0.74 \pm 0.05	—	—
Central Mtns, Nebo	49	0.65 \pm 0.07	—	—
Chalk Creek	26	0.42 \pm 0.10	—	—
Fillmore	39	0.89 \pm 0.05	—	—
Kamas	26	0.42 \pm 0.10	—	—
La Sal	45	0.81 \pm 0.06	—	—
Monroe	38	0.81 \pm 0.06	20	0.74 \pm 0.10
Morgan-South Rich	49	0.14 \pm 0.05	—	—
Nine Mile	42	0.75 \pm 0.07	—	—
North Slope	17	0.72 \pm 0.12	—	—
Oquirrh-Stansbury	53	0.75 \pm 0.06	15	0.44 \pm 0.13
Panguitch Lake	16	0.79 \pm 0.11	—	—
Paunsaugunt	21	0.81 \pm 0.10	—	—
Pine Valley	56	0.77 \pm 0.06	20	0.72 \pm 0.11
Plateau, Boulder	30	0.77 \pm 0.08	—	—
San Juan	69	0.84 \pm 0.04	18	0.53 \pm 0.12
South Slope	59	0.73 \pm 0.06	22	0.19 \pm 0.07
Wasatch Mtns, East	61	0.73 \pm 0.06	—	—
Wasatch Mtns, West	42	0.33 \pm 0.07	—	—
Wasatch-Manti	—	—	30	0.18 \pm 0.08
Zion	37	0.78 \pm 0.07	—	—
Statewide	1022	0.72 \pm 0.01	142	0.40 \pm 0.04

*Adult and fawn survival were collected from female deer only.

Number of buck deer / 100 does for general-season public land management unit, Utah 2021–2023.

Unit		Current objective	Postseason estimate			3-year average
			2021	2022	2023	
22	Beaver	18–20	15	17	20	18
1	Box Elder	15–17	30	26	22	26
2	Cache	15–17	22	20	19	20
16B/12	Central Mtns, Manti/San Rafael	15–17	20	22	19	20
16A	Central Mtns, Nebo	15–17	21	21	17	20
21	Fillmore	18–20	19	18	24	20
7	Kamas	18–20	21	24	23	23
13A	La Sal, La Sal Mtns	15–17	16	26	17	20
23	Monroe	18–20	17	18	21	19
24	Mt Dutton	18–20	17	21	22	20
11	Nine Mile	18–20	17	16	23	18
8	North Slope, Three Corners/West Daggett	18–20	19	20	20	20
18	Oquirrh-Stansbury	15–17	16	24	26	22
28	Panguitch Lake	18–20	20	18	23	20
30	Pine Valley	18–20	16	19	23	19
25C/26	Plateau, Boulder/Kaiparowits	18–20	21	24	31	25
25A	Plateau, Fishlake	18–20	20	21	24	22
25B	Plateau, Thousand Lakes	18–20	21	25	19	22
14A	San Juan, Abajo Mtns	18–20	23	20	17	20
9BD	South Slope, Bonanza/Vernal	15–17	17	20	16	18
9A	South Slope, Yellowstone	18–20	18	21	19	19
20	Southwest Desert	18–20	16	21	22	20
17BC	Wasatch Mtns, East	18–20	21	26	25	24
17A	Wasatch Mtns, West	15–17	15	16	15	15
19C	West Desert, Tintic	15–17	13	*	*	13
19A	West Desert, West	15–17	13	*	*	13
29	Zion	18–20	18	21	24	21

*Insufficient data.

Number of buck deer / 100 does for general-season private land management unit, Utah 2021–2023.

Unit		Current objective	Postseason estimate			3-year average
			2021	2022	2023	
6	Chalk Creek	18–20	25	28	24	26
5	East Canyon	18–20	28	24	22	25
4	Morgan-South Rich	18–20	27	29	21	26
3	Ogden	18–20	23	23	20	22

Number of buck deer / 100 does for limited-entry management unit, Utah 2021–2023.

Unit		Current objective	Postseason estimate			3-year average
			2021	2022	2023	
10	Book Cliffs	25–35	27	33	37	32
2B	Cache, Crawford Mtn	25–35	18	22	22	20
21C	Fillmore, Oak Creek LE	25–35	37	43	32	38
13B	La Sal, Dolores Triangle	25–35	25	29	27	27
14B	San Juan, Elk Ridge	25–35	44	34	34	37
9C	South Slope, Diamond Mtn	25–35	33	31	33	32
19B	West Desert, Vernon	25–35	23	31	35	30

Number of buck deer / 100 does for premium limited-entry management unit, Utah 2021–2023.

Unit		Current objective	Postseason estimate			3-year average
			2021	2022	2023	
15	Henry Mtns	40–55	40	36	55	44
26	Paunsaugunt	40–55	44	42	46	44

Number of fawn deer / 100 does by management unit, Utah 2014–2023.

Unit	Postseason estimate										
	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	
22	Beaver	60	64	57	45	49	48	37	37	56	59
10	Book Cliffs	54	53	41	38	28	39	52	39	54	58
1	Box Elder	63	65	58	56	57	52	74	60	71	76
2	Cache	61	64	65	67	78	55	67	62	64	60
2B	Cache, Crawford Mtns	69	58	66	70	74	51	65	51	61	56
16B	Central Mtns, Manti	67	69	64	63	65	56	68	63	60	58
16A	Central Mtns, Nebo	57	52	66	64	58	54	53	53	66	60
6	Chalk Creek	68	65	60	70	57	55	57	72	59	52
5	East Canyon	64	68	61	79	71	52	57	65	72	51
21C	Fillmore, Oak Creek LE	62	62	56	45	63	41	44	41	66	69
21	Fillmore	65	59	48	49	49	42	44	40	61	64
15	Henry Mtns	81	76	65	53	38	57	53	40	59	87
7	Kamas	67	64	79	55	61	48	57	61	63	53
13B	La Sal, Dolores Triangle	47	64	40	56	28	41	48	46	52	48
13A	La Sal, La Sal Mtns	56	46	47	24	22	34	53	38	43	47
23	Monroe	66	64	50	52	51	43	52	42	62	63
4	Morgan-South Rich	67	62	61	72	64	44	64	62	73	32
24	Mt Dutton	56	56	51	64	45	48	40	43	59	74
11A	Nine Mile, Anthro	78	78	70	55	46	57	58	43	66	58
11B	Nine Mile, Range Creek	60	65	50	58	37	50	55	46	52	57
8	North Slope, Three Corners/West Daggett	65	73	57	55	46	58	54	58	60	55
3	Ogden	69	63	57	63	60	63	72	66	60	62
18	Oquirrh-Stansbury	68	66	57	56	57	39	49	40	52	41
28	Panguitch Lake	58	65	66	51	59	62	51	52	66	68
27	Paunsaugunt	64	65	60	63	48	55	60	52	71	67
30	Pine Valley	58	61	57	57	46	60	45	34	61	67

Number of fawn deer / 100 does by management unit, Utah 2014–2023 (continued).

Unit	Postseason estimate									
	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
25C Plateau, Boulder/Kaiparowits	57	65	56	69	47	52	55	50	64	72
25A Plateau, Fishlake	62	71	44	57	46	45	58	42	73	74
25B Plateau, Thousand Lakes	58	63	50	55	63	62	48	42	70	81
14A San Juan, Abajo Mtns	52	57	55	51	32	44	55	45	41	47
14B San Juan, Elk Ridge	38	43	48	28	27	35	50	40	47	45
9C South Slope, Diamond Mtn	74	82	68	58	51	56	57	60	67	52
9B South Slope, Vernal/Bonanza	78	76	65	64	58	50	57	67	83	58
9A South Slope, Yellowstone	64	69	64	64	62	47	54	44	70	51
20 Southwest Desert	46	48	48	49	32	50	36	25	49	54
17C Wasatch Mtns, Avintaquin	67	64	58	67	30	57	67	62	67	*
17B Wasatch Mtns, Currant Creek	81	61	64	72	59	65	78	63	69	68
17A Wasatch Mtns, West	70	73	75	68	66	58	54	63	56	47
19B West Desert, Vernon	85	67	69	67	63	56	42	32	74	47
19AC West Desert, Tintic/West	*	*	*	*	43	73	*	48	*	*
29 Zion	56	61	63	60	57	59	50	51	66	61
Statewide averages	64	63	59	59	52	53	56	51	62	60

*Insufficient data.

Deer classification data by management unit, Utah 2014–2023.

Beaver

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1047	60	50	19	34	—	—
2015–16	757	64	52	22	36	—	—
2016–17	833	57	45	25	49	—	—
2017–18	715	45	38	18	50	—	—
2018–19	978	49	43	15	59	—	—
2019–20	838	48	42	15	53	—	—
2020–21	1328	37	33	13	44	—	—
2021–22	798	37	32	15	44	—	—
2022–23	891	56	48	17	37	—	—
2023–24	650	59	49	20	42	—	—

Book Cliffs, North

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1270	57	41	39	45	862	32
2015–16	1011	59	44	34	48	600	36
2016–17	1367	46	34	34	44	977	27
2017–18	950	42	32	33	54	—	—
2018–19	1127	28	20	42	53	239	17
2019–20	735	36	27	34	78	—	—
2020–21	591	51	39	28	64	—	—
2021–22	724	37	29	26	52	—	—
2022–23	1478	56	42	33	53	—	—
2023–24	1049	64	45	42	54	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

Book Cliffs, South

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	601	49	35	40	50	220	26
2015–16	473	41	31	30	39	492	22
2016–17	440	27	21	28	44	192	16
2017–18	367	29	22	36	60	572	15
2018–19	522	27	20	35	63	—	—
2019–20	448	44	35	27	77	—	—
2020–21	502	54	42	29	62	—	—
2021–22	671	42	33	27	58	409	30
2022–23	840	51	38	33	58	—	—
2023–24	362	43	35	26	62	—	—

Box Elder

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	786	63	53	18	30	893	45
2015–16	936	65	54	21	40	918	33
2016–17	1059	58	49	19	40	92	19
2017–18	707	56	47	19	39	—	—
2018–19	733	57	49	16	29	215	47
2019–20	709	52	46	14	42	—	—
2020–21	774	74	63	17	41	—	—
2021–22	797	60	46	30	29	—	—
2022–23	851	71	56	26	39	798	33
2023–24	858	76	62	22	34	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

Cache

Year	Postseason					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	889	61	51	19	46	805	60
2015–16	764	64	53	20	30	595	41
2016–17	634	65	57	15	57	336	19
2017–18	901	67	58	15	51	369	45
2018–19	916	78	65	20	25	496	10
2019–20	1137	55	48	14	49	—	—
2020–21	716	67	58	15	47	—	—
2021–22	1119	62	51	22	29	—	—
2022–23	916	64	53	20	36	1074	18
2023–24	1116	60	51	19	44	—	—

Cache, Crawford Mtn

Year	Postseason					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	119	69	57	23	64	—	—
2015–16	153	58	42	40	42	—	—
2016–17	181	66	51	30	36	—	—
2017–18	126	70	59	18	58	—	—
2018–19	243	74	58	27	46	90	43
2019–20	289	51	43	20	61	—	—
2020–21	245	65	53	23	50	—	—
2021–22	365	51	44	18	26	—	—
2022–23	269	61	50	22	44	—	—
2023–24	155	56	46	22	42	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

Central Mtns, Manti

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	3398	67	54	23	35	856	43
2015–16	3734	64	52	23	34	1768	
2016–17	4215	64	55	16	39	1619	29
2017–18	2394	63	55	13	29	2580	40
2018–19	3951	65	56	17	31	2584	31
2019–20	3117	56	48	16	39	—	—
2020–21	3336	68	59	15	36	—	—
2021–22	2502	63	53	20	31	1723	47
2022–23	2696	60	49	22	36	—	—
2023–24	2960	58	49	19	38	—	—

Central Mtns, Nebo

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1286	57	49	18	29	—	—
2015–16	1237	52	45	16	30	—	—
2016–17	570	66	57	15	42	—	—
2017–18	365	64	55	17	47	—	—
2018–19	1185	58	50	16	29	—	—
2019–20	808	54	47	16	31	—	—
2020–21	844	53	48	12	32	—	—
2021–22	506	53	44	21	34	—	—
2022–23	535	66	55	21	38	—	—
2023–24	924	60	51	17	37	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

Chalk Creek

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1110	68	50	36	48	919	55
2015–16	1099	65	46	42	42	629	37
2016–17	821	60	46	31	64	527	31
2017–18	1060	70	55	27	55	725	49
2018–19	851	57	44	30	58	796	27
2019–20	841	55	44	25	52	—	—
2020–21	808	57	47	22	54	—	—
2021–22	1106	72	57	25	49	—	—
2022–23	819	59	46	28	39	557	8
2023–24	554	52	42	24	67	—	—

g

East Canyon

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	735	64	49	31	48	478	52
2015–16	914	68	53	29	42	—	—
2016–17	803	61	45	35	42	—	—
2017–18	1044	79	63	24	46	180	50
2018–19	1206	71	53	34	30	672	13
2019–20	798	52	42	24	29	—	—
2020–21	881	57	47	21	45	—	—
2021–22	811	65	51	28	31	—	—
2022–23	819	72	58	24	43	280	11
2023–24	428	51	42	22	52	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

Fillmore

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1006	65	55	20	38	—	—
2015–16	858	59	47	24	46	—	—
2016–17	721	48	38	27	37	—	—
2017–18	796	49	40	22	45	—	—
2018–19	874	49	42	18	37	—	—
2019–20	756	42	37	14	41	—	—
2020–21	786	44	37	19	48	—	—
2021–22	1022	40	34	19	43	—	—
2022–23	862	61	51	18	44	—	—
2023–24	747	64	52	24	35	—	—

Fillmore, Oak Creek LE

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	386	62	50	24	54	—	—
2015–16	323	62	48	28	63	—	—
2016–17	299	56	43	29	38	—	—
2017–18	265	45	35	29	39	—	—
2018–19	324	63	42	49	64	—	—
2019–20	406	41	33	27	71	—	—
2020–21	612	47	34	39	69	—	—
2021–22	713	41	30	37	74	—	—
2022–23	914	66	46	43	63	—	—
2023–24	568	69	52	32	54	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

Henry Mtns

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	661	81	55	48	68	382	43
2015–16	451	76	46	65	67	446	42
2016–17	513	65	45	47	53	220	26
2017–18	386	53	38	41	75	448	34
2018–19	454	38	26	44	64	339	20
2019–20	411	57	42	37	77	—	—
2020–21	416	53	40	31	70	—	—
2021–22	363	40	28	40	63	276	14
2022–23	328	59	43	36	73	—	—
2023–24	251	87	56	55	75	—	—

Kamas

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	787	67	55	22	42	756	53
2015–16	1430	64	50	28	48	681	40
2016–17	1002	79	60	31	51	676	33
2017–18	879	55	45	22	51	623	51
2018–19	912	61	49	24	45	680	26
2019–20	757	48	40	20	46	—	—
2020–21	806	57	48	19	44	—	—
2021–22	923	61	50	21	40	—	—
2022–23	807	63	51	24	38	508	9
2023–24	268	53	43	23	57	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

La Sal, Dolores Triangle

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	446	47	39	19	—	—	—
2015–16	393	64	44	45	—	369	53
2016–17	218	40	32	24	69	361	41
2017–18	71	56	39	42	40	337	40
2018–19	155	28	22	28	54	—	—
2019–20	318	41	31	33	68	—	—
2020–21	370	48	36	33	65	—	—
2021–22	288	46	37	25	57	201	32
2022–23	295	52	40	29	53	—	—
2023–24	180	48	37	27	57	—	—

La Sal, La Sal Mtns

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	536	56	49	14	62	501	44
2015–16	537	46	39	18	48	608	35
2016–17	480	47	40	17	59	578	29
2017–18	497	24	21	11	46	842	29
2018–19	543	22	19	17	37	660	20
2019–20	410	34	29	17	59	—	—
2020–21	515	53	44	22	48	—	—
2021–22	555	38	33	16	41	647	24
2022–23	543	43	34	26	37	—	—
2023–24	575	47	40	17	61	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

Monroe

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1863	66	54	22	43	561	39
2015–16	1594	64	53	22	44	1427	30
2016–17	1275	50	42	19	46	1112	28
2017–18	920	52	45	14	49	—	—
2018–19	1135	51	44	17	38	1111	30
2019–20	931	43	37	17	45	—	—
2020–21	1069	52	44	17	41	—	—
2021–22	986	42	36	17	40	—	—
2022–23	1235	62	52	18	39	1050	42
2023–24	1145	64	53	21	35	—	—

Morgan-South Rich

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	915	67	50	33	45	752	57
2015–16	837	62	44	42	37	—	—
2016–17	817	61	46	33	51	—	—
2017–18	962	72	59	23	47	251	43
2018–19	1195	64	47	36	23	505	22
2019–20	736	44	34	30	35	—	—
2020–21	819	64	51	25	47	—	—
2021–22	1017	62	49	27	34	—	—
2022–23	874	73	57	29	45	144	6
2023–24	410	32	27	21	58	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

Mt Dutton

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	875	56	46	23	51	—	—
2015–16	934	56	46	22	50	—	—
2016–17	778	51	42	21	49	—	—
2017–18	489	64	54	18	55	—	—
2018–19	264	45	38	16	56	—	—
2019–20	553	48	41	17	42	—	—
2020–21	358	40	36	12	39	—	—
2021–22	359	43	37	17	51	—	—
2022–23	287	59	49	21	42	—	—
2023–24	450	74	61	22	39	—	—

Nine Mile, Anthro

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	480	78	57	36	44	—	—
2015–16	339	78	58	34	43	—	—
2016–17	358	70	53	31	43	—	—
2017–18	202	55	42	30	48	—	—
2018–19	260	46	33	37	47	—	—
2019–20	248	57	47	22	68	—	—
2020–21	300	58	49	19	50	—	—
2021–22	194	43	37	17	38	—	—
2022–23	306	66	61	8	50	—	—
2023–24	233	58	47	22	54	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

Nine Mile, Range Creek

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	726	60	48	25	42	516	40
2015–16	681	65	50	31	46	1230	38
2016–17	791	50	40	25	42	1056	28
2017–18	374	58	46	26	49	1001	28
2018–19	573	37	30	21	36	1029	20
2019–20	765	50	42	18	38	—	—
2020–21	558	55	46	20	54	—	—
2021–22	756	46	40	17	42	582	30
2022–23	752	52	44	19	37	—	—
2023–24	764	57	46	23	42	—	—

North Slope, Three Corners/West Daggett

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1147	65	55	17	26	1393	43
2015–16	1231	73	59	24	39	894	44
2016–17	958	57	48	21	44	1070	32
2017–18	986	55	47	18	47	822	39
2018–19	1038	46	39	20	38	1261	23
2019–20	946	58	49	18	46	—	—
2020–21	967	54	46	18	59	—	—
2021–22	890	58	48	19	38	—	—
2022–23	1007	60	50	20	50	—	—
2023–24	949	55	46	20	44	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

Ogden

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1099	69	59	18	46	587	62
2015–16	885	63	51	25	43	562	60
2016–17	909	57	47	21	44	—	—
2017–18	790	63	55	16	61	—	—
2018–19	873	60	50	20	38	—	—
2019–20	896	63	54	16	31	—	—
2020–21	789	72	60	19	44	—	—
2021–22	1079	66	54	23	29	—	—
2022–23	1097	60	49	23	27	972	12
2023–24	779	62	51	20	52	—	—

Oquirrh-Stansbury

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	702	68	58	18	44	—	—
2015–16	568	66	52	27	46	—	—
2016–17	552	57	46	23	52	—	—
2017–18	959	56	48	19	48	—	—
2018–19	851	57	48	19	40	—	—
2019–20	649	39	34	17	55	—	—
2020–21	720	49	40	22	60	—	—
2021–22	792	40	34	16	46	—	—
2022–23	809	52	42	24	54	—	—
2023–24	660	41	33	26	51	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

Panguitch Lake

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1826	58	49	19	42	—	—
2015–16	1565	65	54	21	33	—	—
2016–17	1614	66	55	19	46	—	—
2017–18	1516	51	43	18	42	—	—
2018–19	2086	59	51	16	42	—	—
2019–20	1788	62	54	15	43	—	—
2020–21	1749	51	45	13	42	—	—
2021–22	1522	52	43	20	42	—	—
2022–23	2199	66	56	18	31	—	—
2023–24	1976	68	56	23	35	—	—

Paunsaugunt

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	757	64	44	46	55	—	—
2015–16	861	65	44	49	60	—	—
2016–17	998	60	40	51	68	—	—
2017–18	896	63	42	48	68	—	—
2018–19	847	48	32	49	64	—	—
2019–20	879	55	38	42	62	—	—
2020–21	1079	60	43	40	60	—	—
2021–22	1083	52	36	44	57	—	—
2022–23	908	71	50	42	63	—	—
2023–24	886	67	46	46	58	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

Pine Valley

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1967	58	48	20	49	—	—
2015–16	2698	61	48	26	46	—	—
2016–17	2097	57	46	24	45	—	—
2017–18	1865	57	46	24	51	—	—
2018–19	2363	46	37	24	49	—	—
2019–20	1785	60	49	21	52	—	—
2020–21	2011	45	37	21	44	—	—
2021–22	1939	34	29	16	45	—	—
2022–23	2081	61	51	19	41	—	—
2023–24	1895	67	54	23	40	—	—

Plateau, Boulder/Kaiparowits

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1138	57	48	20	45	—	—
2015–16	1233	65	54	21	39	—	—
2016–17	1023	56	48	16	46	—	—
2017–18	727	69	59	17	35	—	—
2018–19	651	47	42	13	37	—	—
2019–20	677	52	46	13	43	—	—
2020–21	958	55	48	15	37	—	—
2021–22	967	50	42	21	41	—	—
2022–23	1349	63	51	24	55	—	—
2023–24	1187	72	55	31	42	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

Plateau, Fishlake

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	913	62	51	23	51	—	—
2015–16	711	71	58	24	41	—	—
2016–17	833	44	37	18	58	—	—
2017–18	679	57	50	15	57	—	—
2018–19	537	46	39	18	45	—	—
2019–20	711	45	38	17	59	—	—
2020–21	694	58	50	17	52	—	—
2021–22	564	42	35	20	44	—	—
2022–23	728	73	60	21	36	—	—
2023–24	774	74	59	24	51	—	—

Plateau, Thousand Lakes

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	672	58	45	28	55	—	—
2015–16	257	63	45	40	57	—	—
2016–17	291	50	41	21	58	—	—
2017–18	193	55	42	32	39	—	—
2018–19	255	63	50	26	34	—	—
2019–20	151	62	54	14	33	—	—
2020–21	259	48	42	15	33	—	—
2021–22	309	42	34	21	48	—	—
2022–23	237	70	56	25	47	—	—
2023–24	341	81	68	19	31	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

San Juan, Abajo Mtns

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	999	52	43	20	41	—	—
2015–16	1663	57	46	24	44	—	—
2016–17	1343	55	45	23	39	—	—
2017–18	825	51	41	22	49	799	25
2018–19	1079	32	27	18	41	945	27
2019–20	672	44	39	14	60	—	—
2020–21	1631	55	46	20	32	—	—
2021–22	1214	45	37	23	30	899	26
2022–23	1515	41	34	20	37	—	—
2023–24	1664	47	40	17	40	—	—

San Juan, Elk Ridge

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	174	38	28	36	64	—	—
2015–16	138	43	30	43	63	—	—
2016–17	187	48	34	43	45	—	—
2017–18	261	28	21	30	54	264	18
2018–19	332	27	19	44	59	167	25
2019–20	230	35	28	24	83	—	—
2020–21	277	50	34	46	57	—	—
2021–22	357	40	28	44	58	262	22
2022–23	342	47	35	34	59	—	—
2023–24	211	45	34	34	78	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

South Slope, Bonanza/Vernal

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1205	78	67	17	33	952	54
2015–16	1267	76	65	18	31	766	45
2016–17	1274	65	56	17	35	1177	34
2017–18	1449	64	54	19	51	345	53
2018–19	811	58	47	23	42	213	47
2019–20	846	50	44	14	41	—	—
2020–21	917	57	51	12	27	—	—
2021–22	1057	67	58	17	35	—	—
2022–23	1182	83	69	20	38	—	—
2023–24	941	58	50	16	44	—	—

South Slope, Diamond Mtn

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1053	74	55	36	43	1416	40
2015–16	1004	82	55	49	50	983	40
2016–17	1164	68	50	34	56	744	29
2017–18	1461	58	44	34	53	722	32
2018–19	1061	51	38	34	45	713	22
2019–20	961	56	42	35	55	—	—
2020–21	1101	57	43	32	57	—	—
2021–22	1205	60	45	33	63	—	—
2022–23	1121	67	51	31	53	—	—
2023–24	648	52	39	33	60	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

South Slope, Yellowstone

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1242	64	52	22	38	1235	47
2015–16	1174	69	57	21	47	1145	50
2016–17	1164	64	52	23	48	1049	20
2017–18	1053	64	54	18	47	961	47
2018–19	1222	62	51	22	35	731	20
2019–20	957	47	39	20	48	—	—
2020–21	1230	54	45	20	47	—	—
2021–22	1019	44	37	18	38	—	—
2022–23	1073	70	58	21	43	—	—
2023–24	987	51	43	19	51	—	—

Southwest Desert

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	744	46	37	25	71	—	—
2015–16	516	48	41	19	67	—	—
2016–17	416	48	39	25	50	—	—
2017–18	344	49	39	24	60	—	—
2018–19	504	32	27	21	68	—	—
2019–20	259	50	42	20	58	—	—
2020–21	246	36	30	20	55	—	—
2021–22	288	25	22	16	56	—	—
2022–23	184	49	40	21	52	—	—
2023–24	277	54	44	22	59	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

Wasatch Mtns, Avintaquin

Year	Postseason					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	285	67	53	27	41	720	59
2015–16	270	64	48	36	50	720	39
2016–17	209	58	46	27	37	—	—
2017–18	311	67	50	33	53	224	30
2018–19	284	30	25	18	43	—	—
2019–20	160	57	48	19	35	—	—
2020–21	139	67	54	23	56	—	—
2021–22	378	62	48	31	42	—	—
2022–23	255	67	55	23	42	—	—
2023–24	380	67	53	26	39	—	—

Wasatch Mtns, Currant Creek

Year	Postseason					Spring	
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	2057	81	63	28	45	1361	56
2015–16	2730	61	49	26	48	2065	43
2016–17	2378	64	53	22	57	298	28
2017–18	2216	72	62	17	48	1195	35
2018–19	2203	59	49	19	39	985	24
2019–20	1938	65	54	19	49	—	—
2020–21	2645	78	66	18	37	—	—
2021–22	2697	63	53	20	27	—	—
2022–23	3256	69	55	26	36	—	—
2023–24	2303	68	54	25	50	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

Wasatch Mtns, West

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1633	70	59	19	39	532	62
2015–16	1087	73	62	17	44	455	56
2016–17	1207	75	65	16	56	—	—
2017–18	857	68	59	16	54	—	—
2018–19	851	66	57	16	55	251	61
2019–20	765	58	50	16	45	—	—
2020–21	467	54	46	16	51	—	—
2021–22	969	63	55	15	44	—	—
2022–23	1316	56	48	16	46	—	—
2023–24	733	47	40	15	54	—	—

West Desert, Tintic/West

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	—	—	—	—	—	—	—
2015–16	—	—	—	—	—	—	—
2016–17	—	—	—	—	—	—	—
2017–18	90	51	45	13	57	—	—
2018–19	120	43	38	13	40	—	—
2019–20	54	73	54	35	33	—	—
2020–21	—	—	—	—	—	—	—
2021–22	103	48	43	13	0	—	—
2022–23	—	—	—	—	—	—	—
2023–24	—	—	—	—	—	—	—

Deer classification data by management unit, Utah 2014–2023 (continued).

West Desert, Vernon

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	622	85	64	33	38	—	—
2015–16	298	67	50	34	51	—	—
2016–17	456	69	50	36	48	—	—
2017–18	403	67	47	44	49	—	—
2018–19	460	63	48	29	49	—	—
2019–20	343	56	40	41	58	—	—
2020–21	449	42	31	37	43	—	—
2021–22	450	32	26	23	56	—	—
2022–23	479	74	56	31	53	—	—
2023–24	511	47	35	35	33	—	—


Zion

Year	Postseason				Spring		
	n	Fawns / 100 does	Fawns / 100 adults	Bucks / 100 does	% bucks ≥ 3 pts.	n	Fawns / 100 adults
2014–15	1734	56	46	24	55	—	—
2015–16	1617	61	48	27	46	—	—
2016–17	1663	63	51	24	46	—	—
2017–18	1268	60	49	23	46	—	—
2018–19	1467	57	47	23	48	—	—
2019–20	1035	59	49	19	50	—	—
2020–21	1311	50	42	19	48	—	—
2021–22	1513	51	43	18	39	—	—
2022–23	1698	66	54	21	43	—	—
2023–24	1501	61	50	24	31	—	—

ELK



Statewide trends of elk harvest statistics, Utah 1931–2023.



Statewide elk harvest statistics, Utah 1931–1970.

Year	Permits issued				Hunters afield	Harvest					Success rate (%)
	Bull	Cow	Hunter's choice	Total		Bull	Cow	Calf	Hunter's choice	Total	
1931	184	—	75	259	256	99	—	—	26	125	49
1932	191	—	58	249	246	140	—	—	49	189	77
1933	201	—	150	351	346	162	2	—	71	235	68
1934	143	—	281	424	418	179	44	—	96	292	70
1935	60	—	297	357	352	146	37	—	22	205	58
1936	60	—	160	220	217	92	49	—	12	153	70
1937	151	53	47	251	248	119	69	—	—	188	76
1938	193	172	150	515	508	186	195	—	49	430	85
1939	328	408	—	736	726	261	380	—	—	641	88
1940	522	406	—	928	916	455	383	—	—	838	91
1941	419	378	74	871	860	390	391	—	—	781	91
1942	426	394	146	966	954	374	385	—	—	759	80
1943	429	291	112	832	821	303	261	—	—	564	69
1944	262	123	195	580	572	172	90	—	170	432	76
1945	335	145	220	700	691	312	250	—	—	562	81
1946	395	215	450	1060	1031	483	362	—	—	845	82
1947	260	125	850	1235	1208	502	563	—	—	1065	88
1948	25	10	875	910	902	307	481	—	—	788	87
1949	175	95	655	925	914	374	343	—	—	717	78
1950	305	70	1305	1680	1669	754	649	—	—	1403	84
1951	350	136	1335	1821	1807	803	704	—	—	1507	83
1952	310	120	1330	1760	1750	641	682	—	—	1323	76
1953	210	115	1172	1497	1491	471	496	—	—	967	65
1954	190	—	1160	1350	1332	423	425	—	—	848	64
1955	281	—	1192	1473	1461	413	345	92	—	850	58
1956	357	—	1063	1420	1407	434	298	85	—	817	58
1957	513	—	1299	1812	1768	487	356	89	—	932	53
1958	580	—	1460	2040	2019	563	416	96	—	1075	53
1959	680	10	1493	2183	2176	638	462	120	—	1220	56
1960	830	—	1451	2281	2253	649	423	101	—	1173	52
1961	1020	—	1550	2570	2526	643	393	82	—	1118	44
1962	1130	—	1392	2522	2478	697	383	93	—	1173	47
1963	1191	—	1373	2564	2519	647	338	60	—	1045	41
1964	1228	—	1233	2461	2418	632	334	67	—	1033	43
1965	1386	—	1119	2505	2480	678	271	48	—	997	40
1966	1545	—	798	2343	2302	657	226	27	—	910	40
1967	4195	—	260	4455	4278	964	52	13	—	1029	24
1968	6086	—	176	6262	6036	1286	49	17	—	1352	22
1969	5005	—	457	5462	5215	1173	149	19	—	1341	26
1970	9639	—	715	10354	10008	1762	203	30	—	1995	20

Statewide elk harvest statistics, Utah 1971–2023.

Year	General-season harvest			Restricted* harvest			Total harvest		
	Bulls	Antlerless	Hunters afield	Bulls	Antlerless	Hunters afield	Bulls	Antlerless	Hunters afield
1971	1443	—	9371	—	—	—	1443	—	9371
1972	1896	—	15929	—	—	—	1896	—	15929
1973	1919	—	23895	—	—	—	1919	—	23895
1974	1675	—	17652	—	—	—	1675	—	17652
1975	1747	—	18904	—	—	—	1747	—	18904
1976	1750	4	19021	—	—	—	1750	4	19021
1977	2426	16	29573	—	—	—	2426	16	29573
1978	3091	17	33544	—	—	—	3091	17	33544
1979	2610	20	38069	—	—	—	2610	20	38069
1980	2051	25	19621	—	—	—	2051	25	19621
1981	2725	22	21425	—	—	—	2725	22	21425
1982	3069	24	22342	—	—	—	3069	24	22342
1983	3537	24	21659	—	—	—	3537	24	21659
1984	4115	34	29008	—	—	—	4115	34	29008
1985	4785	42	29287	—	—	—	4785	42	29287
1986	4001	31	29483	—	—	—	4001	31	29483
1987	4629	20	31758	—	—	—	4629	20	31758
1988	6434	45	37930	—	—	—	6434	45	37930
1989	6422	22	38861	—	—	—	6422	22	38861
1990	6405	31	43263	—	—	—	6405	31	43263
1991	6199	71	47082	—	—	—	6199	71	47082
1992	7341	104	47924	—	—	—	7341	104	47924
1993	6066	192	48372	—	—	—	6066	192	48372
1994	5902	101	50976	—	—	—	5902	101	50976
1995	4084	488	34928	1241	3987	8670	5325	4475	43598
1996	4699	761	34207	677	3916	6867	5376	4677	41074
1997	5268	565	33696	1212	6920	13674	6480	7485	47370
1998	3944	518	33014	1311	7550	13847	5255	8068	46861
1999	5044	462	36725	1156	6526	15912	6200	6988	52637
2000	5515	664	34347	1057	7251	15558	6572	7915	49905
2001**	4136	531	31195	872	6502	13981	5008	7033	45176
2002**	3212	533	29822	1177	4851	13342	4389	5384	43164
2003	3785	561	31496	1250	5596	14602	5035	6157	46098
2004	3729	387	31624	1677	4946	12627	5406	5333	44251
2005	3267	332	29751	1768	3876	10864	5035	4208	40615
2006	4176	432	31656	2062	3668	10319	6238	4100	41975
2007	4282	660	32884	2267	4958	13558	6549	5618	46442
2008	3818	654	33388	2399	5575	16354	6217	6229	49742

* Restricted harvest includes limited entry, CWMU, conservation, antlerless, and depredation/mitigation.

**In 2001 and 2002, hunters afield were estimated. Also in 2001, not all CWMU bull elk hunt data were available.

Statewide elk harvest statistics, Utah 1971–2023 (continued).

Year	General-season harvest			Restricted* harvest			Total harvest		
	Bulls	Antlerless	Hunters afield	Bulls	Antlerless	Hunters afield	Bulls	Antlerless	Hunters afield
2008	3818	654	33388	2399	5575	16354	6217	6229	49742
2009	4956	901	36312	2609	7102	17560	7565	8003	53872
2010	4941	722	36562	2761	7156	16726	7702	7878	53288
2011	4207	568	37944	2716	5456	19297	6923	6024	57241
2012	5020	689	36437	2663	7960	22720	7683	8649	59157
2013	5401	576	39583	2730	8172	26791	8131	8748	66374
2014	4910	686	39790	2749	8788	29713	7659	9474	69503
2015	5304	777	40397	2786	10427	30778	8090	11204	71175
2016	5427	762	41737	2657	10146	27159	8084	10908	68896
2017	4609	631	41071	2729	5771	23206	7338	6402	64277
2018	5129	793	36077	2629	7731	24655	7758	8524	60732
2019	4205	642	36217	2583	6658	22851	6788	7300	59068
2020	4214	840	40102	2668	5878	22266	6882	6718	62368
2021	5094	784	39973	2723	6000	20593	7817	6784	60566
2022	4744	749	40856	2916	7038	20187	7660	7787	61043
2023	4825	585	45245	2736	5230	20891	7561	5815	66136

*Restricted harvest includes limited entry, CWMU, conservation, antlerless, depredation/mitigation, antlerless elk control, and private-lands-only hunts.

Total bull elk harvest by management unit, Utah 2014–2023.

Unit	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
22 Beaver	197	149	178	134	182	146	77	112	130	158
10 Book Cliffs	255	312	412	385	305	261	194	207	157	215
1 Box Elder	59	68	96	79	93	120	94	138	104	81
2 Cache	315	309	284	263	285	254	237	253	241	226
16B Central Mtns, Manti	761	769	832	684	755	694	731	869	907	928
16A Central Mtns, Nebo	156	166	236	213	193	116	178	238	208	324
6 Chalk Creek	303	320	344	312	331	307	342	343	437	338
5 East Canyon	226	219	279	184	191	183	182	186	198	132
21 Fillmore	136	147	213	157	193	181	151	145	152	193
15 Henry Mtns	4	0	4	13	8	0	4	0	4	0
7 Kamas	155	141	142	147	183	108	133	92	127	59
13B La Sal, Dolores Triangle	4	4	0	0	5	5	13	4	4	6
13A La Sal, La Sal Mtns	169	204	193	190	207	193	152	182	191	143
23 Monroe	56	94	66	60	80	106	150	198	143	175
4 Morgan-South Rich	355	380	366	310	394	297	304	331	355	232
24 Mt Dutton	149	140	147	110	102	66	42	57	68	96
11A Nine Mile, Anthro	32	23	32	34	20	30	22	24	24	164
11B Nine Mile, Range Creek	208	173	190	172	191	150	145	197	162	181
8A North Slope, Summit	393	384	362	300	286	349	281	401	382	319
8C North Slope, Three Corners	27	26	22	22	25	19	26	20	21	24
8B North Slope, West Daggett	172	246	295	191	215	189	193	208	198	141
3 Ogden	179	231	223	178	256	165	166	196	191	144
18 Oquirrh-Stansbury	74	60	60	68	71	58	63	77	75	176
28 Panguitch Lake	126	141	160	107	115	113	114	192	149	127
27 Paunsaugunt	51	62	53	74	49	66	48	62	43	56
30 Pine Valley	25	20	16	33	61	20	4	21	31	12
25C/26 Plateau, Boulder/Kaiparowits	142	142	133	116	74	114	95	158	142	148

Total bull elk harvest by management unit, Utah 2014–2023 (continued).

	Unit	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
25AB	Plateau, Fishlake/Thousand Lakes	406	452	324	345	492	355	466	506	430	467
14	San Juan	108	88	86	115	98	100	135	137	150	119
12	San Rafael	8	0	4	0	0	20	12	9	11	12
9BD	South Slope, Bonanza/Vernal	468	557	522	470	465	369	424	467	519	389
9C	South Slope, Diamond Mtn	71	65	69	76	64	71	67	73	88	128
9A	South Slope, Yellowstone	443	512	534	632	562	448	471	514	432	398
20	Southwest Desert	289	260	162	167	195	142	150	167	125	198
17	Wasatch Mtns	927	944	800	721	897	807	853	858	869	826
19	West Desert	88	102	73	84	80	97	73	58	76	109
29	Zion	115	178	172	193	129	134	88	111	84	110

Total antlerless* elk harvest by management unit, Utah 2014–2023.

Unit	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
22 Beaver	124	188	449	252	388	338	182	153	65	62
10 Book Cliffs	114	109	117	97	101	81	104	142	206	187
1 Box Elder	62	97	118	72	124	85	103	114	93	76
2 Cache	228	304	446	347	468	294	350	334	393	256
16B Central Mtns, Manti	1418	1515	1491	541	731	629	537	465	534	680
16A Central Mtns, Nebo	137	134	195	203	467	224	210	199	318	268
6 Chalk Creek	472	654	782	376	513	536	366	642	799	387
5 East Canyon	348	516	651	241	476	288	227	344	420	160
21 Fillmore	129	99	187	118	207	134	119	140	168	149
15 Henry Mtns	9	0	0	0	0	0	0	0	0	0
7 Kamas	129	157	155	168	117	67	58	88	112	87
13B La Sal, Dolores Triangle	24	21	21	8	10	15	9	5	27	8
13A La Sal, La Sal Mtns	188	184	203	141	196	187	324	276	299	270
23 Monroe	295	484	196	76	140	80	94	117	134	101
4 Morgan-South Rich	491	532	630	335	438	457	500	543	731	453
24 Mt Dutton	229	223	143	229	256	191	62	43	77	24
11A Nine Mile, Anthro	76	135	121	61	66	174	166	166	136	153
11B Nine Mile, Range Creek	131	115	104	88	48	44	32	85	89	96
8A North Slope, Summit	75	104	116	90	103	80	102	122	97	94
8C North Slope, Three Corners	17	8	8	0	4	2	1	3	0	11
8B North Slope, West Daggett	123	196	209	89	136	103	86	56	73	42
3 Ogden	328	428	608	167	274	334	87	169	248	118
18 Oquirrh-Stansbury	63	94	59	58	51	13	22	28	21	84
28 Panguitch Lake	115	173	342	259	213	207	231	162	66	69
27 Paunsaugunt	35	54	135	56	71	59	68	41	29	8
30 Pine Valley	15	4	14	35	20	8	15	11	19	2
25C/26 Plateau, Boulder/Kaiparowits	450	401	173	147	194	129	93	88	106	86

*Data includes mitigation harvest.

Total antlerless* elk harvest by management unit, Utah 2014–2023 (continued).

	Unit	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
25AB	Plateau, Fishlake/Thousand Lakes	499	489	199	155	204	185	216	319	380	225
14	San Juan	207	146	170	85	160	105	114	180	177	149
12	San Rafael	10	19	11	15	0	8	0	0	4	0
9BD	South Slope, Bonanza/Vernal	208	387	531	187	381	374	338	383	400	232
9C	South Slope, Diamond Mtn	80	197	113	129	116	158	149	160	192	221
9A	South Slope, Yellowstone	506	538	871	418	709	587	608	437	414	292
20	Southwest Desert	337	395	275	379	239	290	284	79	101	114
17	Wasatch Mtns	1657	1830	878	423	579	461	518	487	568	422
19	West Desert	21	34	54	93	93	134	140	95	145	110
29	Zion	89	68	123	230	193	202	206	99	137	115

*Data includes mitigation harvest.

Total elk harvest by management unit, Utah 2023.

	Unit	Bull harvest	Antlerless harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
22	Beaver	158	62	220	1742	5.8	12.6
10	Book Cliffs	215	187	402	1177	5.5	34.2
1	Box Elder	81	76	157	897	4.6	17.5
2	Cache	226	256	482	3582	5.6	13.5
16B	Central Mtns, Manti	928	680	1608	7486	5.3	21.5
16A	Central Mtns, Nebo	324	268	592	2853	6.0	20.8
6	Chalk Creek	338	387	725	2267	4.1	32.0
5	East Canyon	132	160	292	2177	4.2	13.4
21	Fillmore	193	149	342	1650	5.5	20.7
15	Henry Mtns	0	0	0	66	3.2	0.0
7	Kamas	59	87	146	2171	4.7	6.7
13B	La Sal, Dolores Triangle	6	8	14	82	4.8	17.1
13A	La Sal, La Sal Mtns	143	270	413	1776	5.8	23.3
23	Monroe	175	101	276	1642	7.9	16.8
4	Morgan-South Rich	232	453	685	1996	3.6	34.3
24	Mt Dutton	96	24	120	606	7.0	19.8
11A	Nine Mile, Anthro	164	153	317	1653	3.7	19.2
11B	Nine Mile, Range Creek	181	96	277	1176	5.2	23.6
8	North Slope	484	147	631	6287	4.7	10.0
3	Ogden	144	118	262	1608	3.5	16.3
18	Oquirrh-Stansbury	176	84	260	1646	4.0	15.8
28	Panguitch Lake	127	69	196	1943	7.0	10.1
27	Paunsaugunt	56	8	64	1184	5.6	5.4
30	Pine Valley	12	2	14	586	4.8	2.4
25C/26	Plateau, Boulder/Kaiparowits	148	86	234	1175	7.0	19.9
25AB	Plateau, Fishlake/Thousand Lakes	467	225	692	3304	5.5	20.9
14	San Juan	119	149	268	1076	4.9	24.9
12	San Rafael	12	0	12	130	3.8	9.2
9BD	South Slope, Bonanza/Vernal	389	232	621	4632	5.9	13.4
9C	South Slope, Diamond Mtn	128	221	349	821	6.1	42.5
9A	South Slope, Yellowstone	398	292	690	4820	6.2	14.3
20	Southwest Desert	198	114	312	1322	7.1	23.6
17	Wasatch Mtns	826	422	1248	12597	5.6	9.9
19	West Desert	109	110	219	1389	5.4	15.8
29	Zion	110	115	225	2096	6.5	10.7
	Unidentified	2	1	3	207	5.0	1.4
	Statewide totals*	7561	5815	13376	66136	6.7	20.2

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General-season archery elk harvest by management unit, Utah 2023.

	Unit	Harvest				Hunters afield	Mean days hunted	Success rate (%)
		Bull	Cow	Calf	Total			
22	Beaver	14	12	0	26	328	7.0	7.9
10	Book Cliffs	17	0	0	17	63	4.4	27.0
1	Box Elder	4	0	0	4	59	3.9	6.8
2	Cache	19	12	4	35	677	6.2	5.2
16B	Central Mtns, Manti	39	70	4	113	1088	5.7	10.4
16A	Central Mtns, Nebo	23	29	9	61	412	6.7	14.8
6	Chalk Creek	22	0	0	22	252	6.3	8.7
5	East Canyon	13	0	0	13	265	5.9	4.9
21	Fillmore	1	12	4	17	210	5.9	8.1
15	Henry Mtns	0	0	0	0	21	6.4	0.0
7	Kamas	9	4	0	13	483	5.5	2.7
13B	La Sal, Dolores Triangle	0	0	0	0	13	7.7	0.0
13A	La Sal, La Sal Mtns	0	4	9	13	151	7.1	8.6
23	Monroe	11	33	0	44	336	6.8	13.1
4	Morgan-South Rich	4	0	0	4	176	6.6	2.3
24	Mt Dutton	9	0	0	9	59	6.6	15.3
11A	Nine Mile, Anthro	27	0	4	31	252	5.2	12.3
11B	Nine Mile, Range Creek	13	4	0	17	130	6.7	13.1
8A	North Slope, Summit	71	25	0	96	1303	7.4	7.4
8B	North Slope, West Daggett	14	8	4	26	605	7.0	4.3
3	Ogden	9	4	0	13	277	6.2	4.7
18	Oquirrh-Stansbury	27	8	0	35	256	7.0	13.7
28	Panguitch Lake	6	16	4	26	307	6.5	8.5
27	Paunsaugunt	0	0	0	0	50	9.0	0.0
30	Pine Valley	4	0	0	4	63	7.1	6.3
25C/26	Plateau, Boulder/Kaiparowits	1	12	4	17	223	6.2	7.6
25AB	Plateau, Fishlake/Thousand Lakes	41	29	0	70	454	5.5	15.4
14	San Juan	18	12	0	30	210	5.3	14.3
12	San Rafael	0	0	0	0	55	4.4	0.0
9BD	South Slope, Bonanza/Vernal	45	25	4	74	967	7.4	7.7
9C	South Slope, Diamond Mtn	0	4	0	4	80	8.1	5.0
9A	South Slope, Yellowstone	75	25	0	100	1072	6.6	9.3
20	Southwest Desert	9	4	0	13	143	7.7	9.1
17	Wasatch Mtns	43	57	17	117	1718	6.2	6.8
19	West Desert	5	8	4	17	210	4.9	8.1
29	Zion	13	4	0	17	378	6.6	4.5
Statewide totals*		606	421	71	1098	11623	7.3	9.4

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General-season extended archery elk harvest by management unit, Utah 2023.

	Unit	Harvest				Hunters afield	Success rate (%)
		Bull	Cow	Calf	Total		
1	Box Elder	0	0	0	0	100	0.0
2	Cache	0	0	0	0	110	0.0
5	East Canyon	14	0	0	14	726	1.9
9B	South Slope, Bonanza/Vernal	0	0	0	0	173	0.0
9A	South Slope, Yellowstone	9	0	0	9	128	7.0
17	Wasatch Mtns	14	0	0	14	735	1.9
	Unknown	0	0	0	0	205	0.0
	Statewide totals*	37	0	0	37	1835	2.0

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General-season any weapon spike bull elk harvest by management unit, Utah 2023.

	Unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
22B	Beaver, East	20	324	4.7	6.2
10	Book Cliffs	76	294	4.4	25.9
1A	Box Elder, Grouse Creek	0	25	5.8	0.0
2	Cache	40	614	5.0	6.5
16B	Central Mtns, Manti	176	1938	5.0	9.1
16A	Central Mtns, Nebo/San Pitch Mtns	120	560	4.5	21.4
21B	Fillmore, Pahvant	36	286	4.3	12.6
13B	La Sal, Dolores Triangle	0	4	1.0	0.0
13A	La Sal, La Sal Mtns	24	303	5.3	7.9
23	Monroe	36	452	4.3	8.0
24	Mt Dutton	8	174	4.3	4.6
28	Panguitch Lake	48	602	4.3	8.0
25C/26	Plateau, Boulder/Kaiparowits	20	245	3.9	8.2
25AB	Plateau, Fishlake/Thousand Lakes	76	934	5.1	8.1
14B	San Juan Bull Elk	8	220	5.9	3.6
12B	San Rafael, South-Dirty Devil	4	17	3.3	23.5
9C	South Slope, Diamond Mtn	4	66	4.8	6.1
20	Southwest Desert	48	403	5.4	11.9
17	Wasatch Mtns	92	1510	4.7	6.1
19A	West Desert, Deep Creek	8	58	4.6	13.8
	Statewide totals*	845	8288	5.2	10.2

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General-season early any weapon any bull elk harvest by management unit, Utah 2023.

	Unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
22A	Beaver, West	30	220	4.4	13.6
10C	Book Cliffs, Floy Canyon	0	69	3.7	0.0
1B	Box Elder, Hansel Mtn	4	159	3.5	2.5
2	Cache	8	190	3.2	4.2
16A	Central Mtns, Moroni Hills/Valley Mtns	26	259	3.8	10.0
6	Chalk Creek	60	328	3.9	18.3
5	East Canyon	60	259	2.9	23.2
21A	Fillmore, Oak Creek South	43	151	3.2	28.5
15	Henry Mtns	0	30	3.3	0.0
7	Kamas	17	694	3.5	2.4
4	Morgan-South Rich	26	289	3.1	9.0
11A	Nine Mile, Anthro	77	573	3.9	13.4
11B	Nine Mile, Range Creek	56	323	3.5	17.3
8A	North Slope, Summit	159	1599	4.2	9.9
8B	North Slope, West Daggett	60	780	4.6	7.7
3	Ogden	34	371	3.6	9.2
18	Oquirrh-Stansbury	86	841	4.1	10.2
27	Paunsaugunt	17	642	3.8	2.6
30	Pine Valley	4	228	4.3	1.8
14A	San Juan, Montezuma Canyon	4	34	2.9	11.8
12A	San Rafael, North	0	9	6.0	0.0
9BD	South Slope, Bonanza/Vernal	206	1518	4.2	13.6
9A	South Slope, Yellowstone	180	1328	4.0	13.6
19BC	West Desert, East	47	422	3.9	11.1
29	Zion	56	582	3.6	9.6
	Statewide totals*	1263	10722	4.3	11.8

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General-season late any weapon any bull elk harvest by management unit, Utah 2023.

	Unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
22A	Beaver, West	0	69	4.4	0.0
10C	Book Cliffs, Floy Canyon	0	3	3.0	0.0
1B	Box Elder, Hansel Mtn	3	80	2.8	3.8
2	Cache	17	59	2.9	28.8
16A	Central Mtns, Moroni Hills/Valley Mtns	3	66	3.9	4.5
6	Chalk Creek	10	100	3.6	10.0
5	East Canyon	10	80	2.9	12.5
21A	Fillmore, Oak Creek South	0	35	4.0	0.0
15	Henry Mtns	0	7	1.0	0.0
7	Kamas	13	239	3.3	5.4
4	Morgan-South Rich	20	135	3.0	14.8
11A	Nine Mile, Anthro	3	104	3.5	2.9
11B	Nine Mile, Range Creek	13	104	3.7	12.5
8A	North Slope, Summit	20	325	4.4	6.2
8B	North Slope, West Daggett	30	228	4.5	13.2
3	Ogden	20	180	3.5	11.1
18	Oquirrh-Stansbury	13	128	3.7	10.2
27	Paunsaugunt	7	111	3.4	6.3
30	Pine Valley	0	80	3.7	0.0
14A	San Juan, Montezuma Canyon	3	14	3.0	21.4
12A	San Rafael, North	0	10	3.7	0.0
9BD	South Slope, Bonanza/Vernal	36	402	4.3	9.0
9A	South Slope, Yellowstone	36	395	4.0	9.1
19BC	West Desert, East	7	142	3.4	4.9
29	Zion	13	149	4.3	8.7
	Statewide totals*	276	2939	4.2	9.4

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General-season muzzleloader spike bull elk harvest by management unit, Utah 2023.

	Unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
22B	Beaver, East	0	20	2.8	0.0
10	Book Cliffs	0	24	4.7	0.0
1A	Box Elder, Grouse Creek	—	0	—	—
2	Cache	4	73	4.1	5.5
16B	Central Mtns, Manti	28	223	5.0	12.6
16A	Central Mtns, Nebo	4	37	4.2	10.8
21B	Fillmore, Pahvant	4	12	1.7	33.3
13B	La Sal, Dolores Triangle	—	0	—	—
13A	La Sal, La Sal Mtns	4	24	2.5	16.7
23	Monroe	12	49	3.6	24.5
24	Mt Dutton	8	16	6.0	50.0
28	Panguitch Lake	0	28	4.4	0.0
25C/26	Plateau, Boulder/Kaiparowits	8	24	2.2	33.3
25AB	Plateau, Fishlake/Thousand Lakes	16	150	5.6	10.7
14B	San Juan Bull Elk	0	4	1.0	0.0
12B	San Rafael, South-Dirty Devil	—	0	—	—
20	Southwest Desert	0	20	4.8	0.0
17	Wasatch Mtns	12	167	5.7	7.2
19A	West Desert, Deep Creek	0	4	8.0	0.0
	Statewide totals*	100	796	5.0	12.6

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General-season muzzleloader any bull elk harvest by management unit, Utah 2023.

	Unit	Bull harvest	Hunters afield	Mean days hunted	Success rate (%)
22A	Beaver, West	0	37	3.9	0.0
10C	Book Cliffs, Floy Canyon	4	33	3.8	12.1
1B	Box Elder, Hansel Mtn	0	28	3.0	0.0
2	Cache	8	45	3.6	17.8
16A	Central Mtns, Moroni Hills/Valley Mtns	8	33	4.9	24.2
6	Chalk Creek	20	106	4.5	18.9
5	East Canyon	12	78	3.7	15.4
21A	Fillmore, Oak Creek South	0	20	2.8	0.0
15	Henry Mtns	—	0	—	—
7	Kamas	8	102	3.8	7.8
4	Morgan-South Rich	12	123	3.7	9.8
11A	Nine Mile, Anthro	16	94	3.2	17.0
11B	Nine Mile, Range Creek	8	65	4.3	12.3
8A	North Slope, Summit	12	221	4.6	5.4
8B	North Slope, West Daggett	4	139	4.6	2.9
3	Ogden	8	159	2.9	5.0
18	Oquirrh-Stansbury	16	74	4.1	21.6
27	Paunsaugunt	4	37	4.1	10.8
30	Pine Valley	0	37	2.7	0.0
14A	San Juan, Montezuma Canyon	0	29	4.4	0.0
12A	San Rafael, North	0	12	2.7	0.0
9BD	South Slope, Bonanza/Vernal	37	282	5.2	13.1
9A	South Slope, Yellowstone	37	286	4.4	12.9
19BC	West Desert, East	8	86	4.0	9.3
29	Zion	4	41	3.9	9.8
	Statewide totals*	228	1876	4.8	12.2

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General-season draw-only youth any bull/hunter's choice elk harvest by management unit, Utah 2023.

Unit	Harvest				Hunters afield	Mean days hunted	Success rate (%)
	Bull	Cow	Calf	Total			
22A Beaver, West	9	7	0	16	42	4.0	38.1
10C Book Cliffs, Floy Canyon	0	0	0	0	4	1.0	0.0
1B Box Elder, Hansel Mtn	8	0	0	8	8	2.5	100.0
2 Cache	4	0	0	4	17	5.0	23.5
16A Central Mtns, Moroni Hills/Valley Mtns	5	7	0	12	12	2.7	100.0
6 Chalk Creek	0	0	0	0	4	2.0	0.0
5 East Canyon	4	0	0	4	17	4.0	23.5
21A Fillmore, Oak Creek South	0	0	0	0	33	4.4	0.0
15 Henry Mtns	—	—	—	—	0	—	—
7 Kamas	0	0	0	0	42	3.0	0.0
4 Morgan-South Rich	0	0	0	0	17	3.3	0.0
11A Nine Mile, Anthro	8	0	0	8	29	2.3	27.6
11B Nine Mile, Range Creek	12	0	0	12	33	4.1	36.4
8A North Slope, Summit	16	0	0	16	67	3.4	23.9
8B North Slope, West Daggett	12	0	0	12	42	4.0	28.6
3 Ogden	4	0	0	4	25	3.2	16.0
18 Oquirrh-Stansbury	4	0	0	4	29	5.1	13.8
27 Paunsaugunt	16	0	0	16	58	3.8	27.6
30 Pine Valley	0	0	0	0	12	4.0	0.0
14A San Juan, Montezuma Canyon	0	0	0	0	4	1.0	0.0
12A San Rafael, North	0	0	0	0	4	3.0	0.0
9BD South Slope, Bonanza/Vernal	28	0	0	28	83	3.5	33.7
9A South Slope, Yellowstone	20	0	0	20	83	4.1	24.1
19BC West Desert, East	4	0	0	4	37	3.3	10.8
29 Zion	8	0	4	12	54	4.5	22.2
Statewide totals*	181	163	14	4	645	4.4	28.1

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

General-season multiseason spike bull elk harvest by management unit, Utah 2023.

	Unit	Harvest				Hunters afield	Mean days hunted	Success rate (%)
		Bull	Cow	Calf	Total			
22	Beaver	12	0	0	12	251	5.0	4.8
10	Book Cliffs	44	4	0	48	213	3.3	22.5
1	Box Elder	0	0	0	0	28	4.1	0.0
2	Cache	32	0	0	32	486	5.4	6.6
16B	Central Mtns, Manti	178	4	0	182	1399	5.4	13.0
16A	Central Mtns, Nebo	71	0	4	75	447	5.0	16.8
6	Chalk Creek	0	0	0	0	12	4.3	0.0
5	East Canyon	0	0	0	0	12	5.0	0.0
21	Fillmore	40	4	0	44	302	4.9	14.6
15	Henry Mtns	—	—	—	—	0	—	—
7	Kamas	4	0	0	4	43	5.8	9.3
13B	La Sal, Dolores Triangle	0	0	0	0	12	5.0	0.0
13A	La Sal, La Sal Mtns	8	4	0	12	235	7.0	5.1
23	Monroe	51	8	0	59	431	5.1	13.7
4	Morgan-South Rich	4	0	0	4	24	6.7	16.7
24	Mt Dutton	12	0	0	12	152	3.8	7.9
11A	Nine Mile, Anthro	8	0	0	8	16	3.8	50.0
11B	Nine Mile, Range Creek	8	0	0	8	20	6.8	40.0
8A	North Slope, Summit	4	0	0	4	63	6.6	6.3
8B	North Slope, West Daggett	0	0	0	0	24	3.0	0.0
3	Ogden	4	0	0	4	24	3.3	16.7
18	Oquirrh-Stansbury	0	0	0	0	24	5.7	0.0
28	Panguitch Lake	28	0	0	28	687	4.9	4.1
27	Paunsaugunt	0	0	0	0	4	6.0	0.0
30	Pine Valley	4	0	0	4	16	6.0	25.0
25C/26	Plateau, Boulder/Kaiparowits	20	0	0	20	251	4.9	8.0
25AB	Plateau, Fishlake/Thousand Lakes	95	4	4	103	666	5.3	15.5
14	San Juan	4	4	0	8	78	4.4	10.3
12	San Rafael	—	—	—	—	0	—	—
9BD	South Slope, Bonanza/Vernal	0	0	0	0	59	7.1	0.0
9C	South Slope, Diamond Mtn	24	0	0	24	95	3.8	25.3
9A	South Slope, Yellowstone	0	0	0	0	67	7.8	0.0
20	Southwest Desert	24	0	0	24	266	5.4	9.0
17	Wasatch Mtns	138	16	0	154	1713	5.2	9.0
19	West Desert	0	0	0	0	32	3.5	0.0
29	Zion	8	0	0	8	71	5.9	11.3
Statewide totals*		823	51	8	882	4056	10.6	21.7

*Includes extended archery

**Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units and seasons.

General-season youth multiseason elk harvest by management unit, Utah 2023.

	Unit	Harvest				Hunters afield	Mean days hunted	Success rate (%)
		Bull	Cow	Calf	Total			
22	Beaver	0	0	0	0	202	3.2	0.0
10	Book Cliffs	4	0	0	4	84	5.2	4.8
1	Box Elder	16	0	0	16	68	2.2	23.5
2	Cache	0	0	0	0	275	3.7	0.0
16B	Central Mtns, Manti	78	0	0	78	701	4.0	11.1
16A	Central Mtns, Nebo	0	0	0	0	279	5.0	0.0
6	Chalk Creek	21	0	0	21	123	3.5	17.1
5	East Canyon	4	0	0	4	107	3.7	3.7
21	Fillmore	8	0	0	8	170	3.3	4.7
15	Henry Mtns	0	0	0	0	8	2.0	0.0
7	Kamas	8	0	0	8	224	3.7	3.6
13B	La Sal, Dolores Triangle	0	0	0	0	4	3.0	0.0
13A	La Sal, La Sal Mtns	0	0	0	0	119	4.2	0.0
23	Monroe	16	0	0	16	157	4.3	10.2
4	Morgan-South Rich	8	0	0	8	166	3.9	4.8
24	Mt Dutton	0	0	0	0	32	3.5	0.0
11A	Nine Mile, Anthro	25	0	0	25	127	3.4	19.7
11B	Nine Mile, Range Creek	8	0	0	8	127	3.2	6.3
8A	North Slope, Summit	21	0	0	21	339	3.9	6.2
8B	North Slope, West Daggett	21	0	0	21	139	4.3	15.1
3	Ogden	21	0	0	21	208	2.8	10.1
18	Oquirrh-Stansbury	12	0	0	12	189	3.8	6.3
28	Panguitch Lake	4	0	0	4	135	3.9	3.0
27	Paunsaugunt	8	0	0	8	193	3.8	4.1
30	Pine Valley	0	0	0	0	114	3.0	0.0
25C/26	Plateau, Boulder/Kaiparowits	8	0	4	12	64	4.4	18.8
25AB	Plateau, Fishlake/Thousand Lakes	33	8	0	41	386	3.9	10.6
14	San Juan	0	0	0	0	48	4.2	0.0
12	San Rafael	8	0	0	8	16	3.3	50.0
9BD	South Slope, Bonanza/Vernal	37	0	0	37	402	4.8	9.2
9C	South Slope, Diamond Mtn	4	0	0	4	44	4.6	9.1
9A	South Slope, Yellowstone	41	0	0	41	444	4.4	9.2
20	Southwest Desert	8	0	0	8	130	3.2	6.2
17	Wasatch Mtns	37	4	0	41	610	4.3	6.7
19	West Desert	16	0	0	16	123	2.4	13.0
29	Zion	8	0	0	8	263	3.9	3.0
Statewide totals*		484	12	4	500	4300	11.6	6.2

*Includes extended archery

**Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units and seasons.

Limited-entry archery bull elk harvest, Utah 2023.

Unit	Hunt number	Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22B	EB3000	Beaver, East	17	20	20	14.3	85.0
10AB	EB3160	Book Cliffs, Bitter Creek/East	9	20	18	9.7	53.3
10AB	EB3001	Book Cliffs, Bitter Creek/South	2	2	2	15.0	100.0
10C	EB3002	Book Cliffs, Little Creek Roadless	2	2	2	9.5	100.0
1	EB3130	Box Elder, Pilot Mtn	1	4	4	10.8	25.0
2	EB3003	Cache, Meadowville	6	14	13	6.6	44.4
2	EB3005	Cache, South	3	9	9	16.0	33.3
16B	EB3006	Central Mtns, Manti	57	165	163	13.1	35.1
16A	EB3007	Central Mtns, Nebo/San Pitch Mtns	9	19	19	17.1	47.1
21B	EB3008	Fillmore, Pahvant	8	19	19	14.7	44.4
13A	EB3009	La Sal, La Sal Mtns	12	38	37	11.3	33.3
23	EB3010	Monroe	6	15	15	17.3	38.5
24	EB3011	Mt Dutton	11	16	15	10.4	71.4
8C	EB3013	North Slope, Three Corners	3	7	7	15.9	42.9
28	EB3015	Panguitch Lake	8	13	13	11.7	60.0
25C/26	EB3145	Plateau, Boulder	13	29	29	14.1	46.4
25AB	EB3018	Plateau, Fishlake/Thousand Lakes	17	73	71	14.7	23.9
14B	EB3019	San Juan Bull Elk	13	25	25	13.3	50.0
9C	EB3020	South Slope, Diamond Mtn	10	25	24	12.2	40.0
20	EB3146	Southwest Desert, South	21	32	31	11.4	69.0
17	EB3022	Wasatch Mtns	57	236	230	12.3	24.9

Limited-entry September archery bull elk harvest, Utah 2023.

Unit	Hunt number	Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
2	EB3132	Cache, North	4	22	22	14.3	18.2
25C/26	EB3135	Plateau, Barney Top/Kaiparowits	1	10	9	13.3	12.5
20	EB3136	Southwest Desert, North	9	10	10	12.3	90.0
19	EB3137	West Desert, Deep Creek	10	15	15	8.2	64.3

Limited-entry late archery bull elk harvest, Utah 2023.

Unit	Hunt number	Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22B	EB3158	Beaver, East	1	4	4	10.5	25.0
10AB	EB3161	Book Cliffs, Bitter Creek/East	0	5	4	8.0	0.0
2	EB3168	Cache, Meadowville	0	3	2	5.0	0.0
2	EB3170	Cache, South	0	5	5	4.6	0.0
16B	EB3172	Central Mtns, Manti	2	7	7	5.7	33.3
16A	EB3174	Central Mtns, Nebo/San Pitch Mtns	0	5	5	11.7	0.0
21B	EB3180	Fillmore, Pahvant	1	4	3	9.7	33.3
13A	EB3182	La Sal, La Sal Mtns	0	5	5	9.0	0.0
23	EB3184	Monroe	0	5	5	10.8	0.0
24	EB3186	Mt Dutton	0	5	5	11.0	0.0
28	EB3188	Panguitch Lake	3	5	5	8.7	50.0
25C/26	EB3190	Plateau, Boulder	2	5	5	9.0	40.0
25AB	EB3192	Plateau, Fishlake/Thousand Lakes	0	5	4	12.5	0.0
14B	EB3193	San Juan Bull Elk	1	4	3	5.7	33.3
9C	EB3195	South Slope, Diamond Mtn	1	5	5	4.8	25.0
20	EB3197	Southwest Desert, South	0	5	5	11.8	0.0
17	EB3199	Wasatch Mtns	3	10	10	7.1	25.0

Limited-entry early any weapon bull elk harvest, Utah 2023.

Unit	Hunt number	Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22B	EB3024	Beaver, East	8	11	11	2.5	75.0
10AB	EB3162	Book Cliffs, Bitter Creek/East	8	9	9	1.6	88.9
10AB	EB3026	Book Cliffs, Bitter Creek/South	4	4	4	3.3	100.0
10C	EB3028	Book Cliffs, Little Creek Roadless	1	1	1	3.0	100.0
1A	EB3147	Box Elder, Grouse Creek	6	9	9	3.7	66.7
1C	EB3031	Box Elder, Pilot Mtn	14	14	14	4.9	100.0
2C	EB3032	Cache, Meadowville	6	6	6	2.6	100.0
2B	EB3036	Cache, South	3	4	4	2.5	75.0
16B	EB3038	Central Mtns, Manti	53	72	72	3.6	73.6
16A	EB3040	Central Mtns, Nebo	2	2	2	1.0	100.0
16A	EB3175	Central Mtns, Nebo/San Pitch Mtns	8	8	8	2.4	100.0
21B	EB3042	Fillmore, Pahvant	12	13	13	2.9	92.3
13A	EB3045	La Sal, La Sal Mtns	16	18	18	3.2	88.2
23	EB3047	Monroe	10	10	10	2.3	100.0
24	EB3049	Mt Dutton	7	8	8	3.4	87.5
28	EB3056	Panguitch Lake	7	10	10	3.1	66.7
25C/26	EB3148	Plateau, Boulder	11	13	13	3.7	84.6
25AB	EB3063	Plateau, Fishlake/Thousand Lakes	26	32	32	3.5	80.6
14B	EB3066	San Juan Bull Elk	13	14	14	2.8	92.3
9C	EB3068	South Slope, Diamond Mtn	23	26	25	2.8	91.7
20	EB3149	Southwest Desert, South	16	16	16	2.8	100.0
17	EB3072	Wasatch Mtns	60	101	99	3.4	60.9

Limited-entry mid any weapon bull elk harvest, Utah 2023.

Unit	Hunt number	Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22B	EB3159	Beaver, East	22	23	23	5.0	95.7
10AB	EB3164	Book Cliffs, Bitter Creek/East	14	25	25	6.0	54.5
10C	EB3167	Book Cliffs, Little Creek Roadless	3	3	3	3.7	100.0
1A	EB3128	Box Elder, Grouse Creek	0	1	1	23.0	0.0
1A	EB3150	Box Elder, Grouse Creek	10	17	17	6.6	58.8
2C	EB3169	Cache, Meadowville	8	18	18	5.0	43.8
2B	EB3171	Cache, South	4	11	11	7.5	36.4
16B	EB3126	Central Mtns, Manti	101	193	191	6.8	53.0
16A	EB3177	Central Mtns, Nebo/San Pitch Mtns	18	23	23	5.8	78.3
21B	EB3181	Fillmore, Pahvant	15	20	20	6.3	73.7
13A	EB3183	La Sal, La Sal Mtns	22	43	43	6.6	51.2
23	EB3185	Monroe	12	18	18	6.9	66.7
24	EB3187	Mt Dutton	18	19	19	4.8	94.4
9C	EB3053	North Slope, Three Corners	16	16	16	3.3	100.0
28	EB3189	Panguitch Lake	9	16	16	7.1	56.3
25C/26	EB3191	Plateau, Boulder	23	34	33	6.7	71.0
25AB	EB3064	Plateau, Fishlake/Thousand Lakes	41	86	86	7.1	47.6
14B	EB3194	San Juan Bull Elk	14	27	27	6.6	52.0
9C	EB3069	South Slope, Diamond Mtn	33	35	35	5.8	93.9
20	EB3198	Southwest Desert, South	22	37	37	6.8	59.5
17	EB3127	Wasatch Mtns	139	277	273	7.0	51.0

Limited-entry late any weapon bull elk harvest, Utah 2023.

Unit	Hunt number	Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22B	EB3025	Beaver, East	12	13	13	4.8	92.3
10AB	EB3163	Book Cliffs, Bitter Creek/East	10	13	13	5.2	76.9
10AB	EB3027	Book Cliffs, Bitter Creek/South	1	1	1	9.0	100.0
2C	EB3033	Cache, Meadowville	3	10	10	4.7	28.6
2B	EB3037	Cache, South	4	6	6	5.8	66.7
16B	EB3039	Central Mtns, Manti	72	111	110	5.1	65.0
16A	EB3176	Central Mtns, Nebo/San Pitch Mtns	12	14	14	5.2	85.7
21B	EB3043	Fillmore, Pahvant	10	11	11	3.9	90.0
13B	EB3044	La Sal, Dolores Triangle	6	7	7	7.0	80.0
13A	EB3046	La Sal, La Sal Mtns	12	24	23	5.2	52.4
23	EB3048	Monroe	10	10	10	3.0	100.0
24	EB3050	Mt Dutton	11	12	12	4.6	90.9
28	EB3057	Panguitch Lake	5	9	9	7.1	55.6
25C/26	EB3151	Plateau, Boulder	13	19	19	5.3	68.4
25AB	EB3065	Plateau, Fishlake/Thousand Lakes	33	51	51	5.8	64.6
14B	EB3067	San Juan Bull Elk	10	14	14	5.6	71.4
9C	EB3196	South Slope, Diamond Mtn	8	15	14	5.9	53.8
20	EB3152	Southwest Desert, South	15	21	21	5.2	73.7
17	EB3073	Wasatch Mtns	89	161	157	5.5	57.1

Limited-entry muzzleloader bull elk harvest, Utah 2023.

Unit	Hunt number	Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22B	EB3077	Beaver, East	10	12	12	5.6	83.3
10AB	EB3166	Book Cliffs, Bitter Creek/East	8	12	12	4.3	66.7
10AB	EB3078	Book Cliffs, Bitter Creek/South	1	2	2	5.0	50.0
10C	EB3079	Book Cliffs, Little Creek Roadless	1	1	1	1.0	100.0
1	EB3153	Box Elder, Grouse Creek	3	5	5	7.3	50.0
2	EB3081	Cache, Meadowville	8	9	9	2.7	85.7
2	EB3083	Cache, South	4	5	5	3.4	80.0
16B	EB3084	Central Mtns, Manti	62	99	99	6.1	62.6
16A	EB3179	Central Mtns, Nebo/San Pitch Mtns	9	12	12	6.7	75.0
21B	EB3086	Fillmore, Pahvant	6	10	10	5.3	62.5
13A	EB3087	La Sal, La Sal Mtns	17	23	22	5.8	77.3
23	EB3088	Monroe	9	10	10	3.5	87.5
24	EB3089	Mt Dutton	9	10	10	5.1	90.0
8C	EB3091	North Slope, Three Corners	3	4	4	4.5	75.0
28	EB3093	Panguitch Lake	6	8	8	7.0	75.0
25C/26	EB3154	Plateau, Boulder	15	17	17	6.3	88.2
25AB	EB3096	Plateau, Fishlake/Thousand Lakes	33	45	45	5.9	72.7
14B	EB3097	San Juan Bull Elk	15	15	15	5.2	100.0
9C	EB3098	South Slope, Diamond Mtn	18	21	21	4.6	83.3
20	EB3155	Southwest Desert, South	16	22	22	4.2	71.4
17	EB3100	Wasatch Mtns	69	143	143	6.4	48.2

Limited-entry handgun-archery-muzzleloader-shotgun (HAMS) bull elk harvest, Utah 2023.

Unit	Hunt number	Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
2	EB3139	Cache, North	8	21	21	10.0	40.0
25C/26	EB3142	Plateau, Barney Top/Kaiparowits	8	10	10	9.9	77.8
20	EB3143	Southwest Desert, North	4	10	10	8.7	44.4
19	EB3144	West Desert, Deep Creek	4	12	11	7.4	40.0

Multi-season limited-entry bull elk harvest, Utah 2023.

Unit	Hunt number	Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22B	EB3102	Beaver, East	3	3	3	4.7	100.0
10AB	EB3165	Book Cliffs, Bitter Creek/East	1	2	2	33.0	50.0
10AB	EB3103	Book Cliffs, Bitter Creek/South	1	1	1	2.0	100.0
10C	EB3104	Book Cliffs, Little Creek Roadless	1	1	1	6.0	100.0
2	EB3105	Cache, Meadowville	2	3	3	7.7	66.7
2	EB3107	Cache, South	1	2	2	15.5	50.0
16B	EB3108	Central Mtns, Manti	18	22	22	19.0	81.0
16A	EB3109	Central Mtns, Nebo	1	1	1	5.0	100.0
16A	EB3178	Central Mtns, Nebo/San Pitch Mtns	2	2	2	16.5	100.0
21B	EB3110	Fillmore, Pahvant	3	3	3	3.7	100.0
13A	EB3111	La Sal, La Sal Mtns	3	5	5	9.8	50.0
23	EB3112	Monroe	2	3	3	28.0	66.7
24	EB3113	Mt Dutton	3	3	3	19.3	100.0
8C	EB3115	North Slope, Three Corners	2	2	2	5.5	100.0
28	EB3117	Panguitch Lake	3	3	3	13.3	100.0
25C/26	EB3156	Plateau, Boulder	3	4	4	18.0	75.0
25AB	EB3120	Plateau, Fishlake/Thousand Lakes	8	11	11	17.0	72.7
14B	EB3121	San Juan Bull Elk	4	4	4	6.8	100.0
9C	EB3122	South Slope, Diamond Mtn	3	4	4	18.7	66.7
20	EB3157	Southwest Desert, South	6	6	6	25.2	100.0
17	EB3124	Wasatch Mtns	21	31	30	15.0	69.2
		Statewide Sportsman/Conservation	2	2	2	14.0	100.0

CWMU bull elk harvest, Utah 2023.

Unit	Hunt number	CWMU	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
5	EB3612	5S Land and Livestock	4	6	6	4.4	60.0
27	EB3500	Alton	4	6	5	2.8	75.0
17	EB3608	Avintaquin Canyon	1	5	5	6.0	20.0
25AB	EB3501	Bar J Ranch	9	12	12	3.9	72.7
16B	EB3502	Bear Mountain	6	7	7	2.9	85.7
3	EB3503	Bear Springs	6	8	8	2.9	71.4
16B	EB3504	Black Hawk	5	8	8	6.1	57.1
25AB	EB3505	Boobe Hole	16	16	16	2.7	100.0
4	EB3506	Causey Spring	9	11	11	4.4	77.8
4	EB3508	Chimney Rock	17	20	20	4.9	86.7
3	EB3509	Coldwater Ranch	17	19	19	4.1	88.9
11B	EB3510	Conover-Jensen	7	7	7	2.6	100.0
1	EB3511	Cotton Thomas	1	2	2	4.5	50.0
4	EB3514	Deseret	80	104	104	3.8	76.7
1	EB3515	Double Cone	4	7	7	4.9	57.1
17	EB3604	Double R Ranch	9	10	10	4.6	90.0
4	EB3516	Durst Mountain	9	22	20	3.5	45.5
6	EB3517	East Fork Chalk Creek	20	29	28	7.4	70.4
6	EB3519	Ensign Ranches	24	28	28	3.8	85.7
4	EB3520	Folley Ridge	15	18	18	4.1	81.3
6	EB3521	Grass Valley/Clark Canyon	56	91	90	4.1	62.5
25AB	EB3522	Grazing Pasture	5	5	5	7.0	100.0
4	EB3523	Guildersleeve	10	10	10	4.0	100.0
5	EB3524	Hardscrabble	1	8	8	5.1	12.5
18	EB3525	Heaston East	18	20	20	3.1	88.2
16B	EB3526	Hiawatha	6	8	8	3.3	75.0
17	EB3527	Indian Head	7	10	10	4.2	66.7
1	EB3528	Ingham Peak	1	5	4	2.3	25.0
13A	EB3529	J. B. Ranch	7	9	8	2.9	87.5
5	EB3530	Jacob's Creek	6	17	17	5.1	33.3
25AB	EB3531	Johnson Mountain Ranch	18	19	19	2.9	94.1
16B	EB3532	Jump Creek	3	5	5	4.2	60.0
1	EB3533	Junction Valley	0	4	2	5.0	0.0
17	EB3613	Little Pole Canyon	3	5	5	5.5	50.0
17	EB3534	Little Red Creek	12	15	14	3.8	85.7
11B	EB3535	Minnie Maud Ridge	29	43	43	3.9	67.6
17	EB3536	Moon Ranch	6	10	10	5.6	55.6
16A	EB3538	Mountain Sky Ranch	3	3	3	3.0	100.0
1	EB3606	North Peaks	2	7	6	4.5	33.3
16B	EB3565	Old Woman Plateau	9	10	10	4.6	90.0

CWMU bull elk harvest, Utah 2023 (continued).

Unit	Hunt number	CWMU	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
21B	EB3603	Pahvant Ensign	6	7	7	3.6	80.0
11B	EB3541	Patmos Ridge	4	5	5	8.5	75.0
3	EB3542	Powder Mountain	2	4	4	3.5	50.0
11B	EB3543	Preston Nutter Ranch	12	18	18	3.4	66.7
13A	EB3544	Redd Ranches	18	19	19	3.5	92.3
1	EB3545	Riverview Ranch LLC	4	7	7	3.6	60.0
11B	EB3546	Roan Cliffs	9	10	10	5.5	87.5
8A	EB3609	Royal Ivory Outfitters	16	17	17	3.0	91.7
17	EB3547	Sand Creek	1	5	5	5.0	20.0
16B	EB3548	Scofield Canyons	8	8	8	5.6	100.0
16B	EB3549	Scofield East	7	8	8	3.6	87.5
16B	EB3550	Scofield West	7	9	9	4.9	75.0
3	EB3610	Sharp Mountain	12	18	18	4.1	66.7
2	EB3551	SJ Ranch	8	8	8	4.4	100.0
4	EB3552	Skull Crack	6	7	7	3.4	85.7
16B	EB3553	Soldier Summit	13	15	15	4.5	85.7
3	EB3554	South Canyon	7	11	11	4.2	63.6
14B	EB3555	Spring Creek/Dodge	12	13	13	3.0	91.7
2	EB3557	Strawberry Ridge	18	20	20	4.3	88.9
2	EB3558	Summit Point	4	4	4	8.3	100.0
25C/26	EB3616	Sweetwater	2	3	3	2.0	66.7
17	EB3559	Three C	6	10	10	6.6	62.5
5	EB3614	Tunnel Hollow	4	4	4	5.3	100.0
6	EB3561	Two Bear	44	50	49	3.6	89.5
17	EB3562	Wallsburg	7	11	11	4.4	63.6
6	EB3563	Weber Florence Creek	61	79	79	3.7	77.0
11B	EB3611	West Ridge	2	10	10	10.2	22.2
10AB	EB3607	West Willow Creek Ranch	3	3	3	2.7	100.0
4	EB3564	Woodruff Creek South	12	17	17	3.5	68.8

Limited-entry archery antlerless elk harvest, Utah 2023.

Unit	Hunt number	Hunt	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
			Cow	Calf	Total				
7	EA2033	Kamas	0	0	0	124	81	6.4	0.0
11A	EA2034	Nine Mile, Anthro	2	1	3	30	25	6.9	12.5
9B	EA1085	South Slope, Vernal/Bonanza	3	0	3	100	85	10.1	3.0
9A	EA2037	South Slope, Yellowstone	19	3	22	192	147	7.4	14.7
17	EA2038	Wasatch Mtns	51	12	63	900	745	5.4	8.5

Limited-entry muzzleloader antlerless elk harvest, Utah 2023.

Unit	Hunt number	Hunt	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
			Cow	Calf	Total				
8B	EA1066	North Slope, West Daggett	0	0	0	20	19	4.8	0.0
8B	EA1067	North Slope, West Daggett	1	0	1	20	18	5.3	7.1
9A	EA1245	South Slope, Yellowstone	6	1	7	50	43	4.7	16.2
17	EA1189	Wasatch Mtns, West-Central	31	8	39	415	349	3.9	11.1

Limited-entry any weapon antlerless elk harvest, Utah 2023.

Unit	Hunt number	Hunt	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
			Cow	Calf	Total				
22B	EA1222	Beaver, East	12	0	12	30	25	3.1	45.5
22B	EA1223	Beaver, East	12	0	12	30	27	3.7	43.5
10AB	EA1224	Book Cliffs, Bitter Creek/South	61	5	66	128	115	4.1	56.9
10AB	EA1225	Book Cliffs, Bitter Creek/South	96	3	99	158	145	2.8	68.6
1	EA1203	Box Elder, Pilot Mtn	2	0	2	5	5	2.0	40.0
1	EA1204	Box Elder, Pilot Mtn	5	0	5	5	5	2.6	100.0
2	EA1009	Cache, East	63	9	72	395	368	6.8	19.6
2	EA1010	Cache, Rich	9	0	9	50	44	5.1	19.4
2	EA1193	Cache, Rich	17	0	17	50	45	3.5	38.5
2	EA1011	Cache, Richards Hollow	10	1	11	39	34	6.7	32.3
2	EA1012	Cache, Richmond Hyde Park	0	0	0	4	4	4.7	0.0
2	EA1194	Cache, Richmond Hyde Park	0	0	0	5	3	5.5	0.0
2	EA1205	Cache, Richmond Hyde Park	0	0	0	5	5	5.3	0.0
2	EA1206	Cache, Richmond Hyde Park	2	0	2	5	4	3.5	50.0
16B	EA1013	Central Mtns, Central Manti	13	3	16	40	40	5.1	38.9
16B	EA1015	Central Mtns, Ferron Canyon	11	2	13	50	47	5.6	28.6
16B	EA1017	Central Mtns, Gordon Creek-Price Canyon	15	3	18	40	39	8.2	46.9
16B	EA1018	Central Mtns, Horn Mtn	25	3	28	39	37	5.8	77.1
16B	EA1220	Central Mtns, Manti	0	0	0	2	2	4.0	0.0
16B	EA1020	Central Mtns, Mohrland-Stump Flat	42	2	44	78	71	8.3	61.5
16A	EA1207	Central Mtns, Moroni Hills	1	0	1	20	15	6.0	7.7
16A	EA1226	Central Mtns, Moroni Hills	0	0	0	20	19	5.2	0.0
16A	EA1021	Central Mtns, Nebo	51	9	60	175	164	4.4	36.2
16A	EA1208	Central Mtns, Nebo	72	6	78	199	168	7.1	46.7
16B	EA1022	Central Mtns, North Manti	70	6.0	76	244	227	4.2	33.5
16B	EA1023	Central Mtns, South Manti	28	1	29	70	70	4.4	41.8
16B	EA1024	Central Mtns, South Manti	62	8	70	118	114	5.3	61.8
16B	EA1025	Central Mtns, West Manti	22	10	32	97	86	9.4	37.0
6	EA1026	Chalk Creek	51	5	56	347	275	6.4	20.5
5	EA1236	East Canyon	15	1	16	352	275	6.1	5.8
21B	EA1227	Fillmore, Kanosh Valley	2	0	2	10	6	7.8	33.3
21A	EA1209	Fillmore, Oak Creek LE	23	5	28	50	49	6.5	57.5
21B	EA1030	Fillmore, Pahvant	7	0	7	30	27	5.4	26.3
21B	EA1031	Fillmore, Pahvant	11	2	13	30	26	6.0	52.2
7	EA1033	Kamas	29	1	30	124	99	5.9	30.8
7	EA1035	Kamas, Oakley	14	3	17	125	95	5.8	17.7
13A	EA1258	La Sal	0	0	0	1	0	0.0	0.0
13B	EA1037	La Sal, Dolores Triangle	8	0	8	49	42	5.1	20.0
13A	EA1038	La Sal, La Sal Mtns	69	8	77	295	259	5.0	29.7
13A	EA1039	La Sal, La Sal Mtns	36	8	44	244	210	6.9	21.2
13A	EA1237	La Sal, La Sal Mtns, North	16	5	21	150	122	6.0	17.0
23	EA1040	Monroe, Koosharem Valley	1	0	1	9	8	10.2	16.7

Limited-entry any weapon antlerless elk harvest, Utah 2023 (continued).

Unit	Hunt number	Hunt	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
			Cow	Calf	Total				
4	EA1228	Morgan-South Rich	27	1	28	100	83	4.8	34.3
4	EA1229	Morgan-South Rich	80	7	87	175	160	3.3	54.2
4	EA1044	Morgan-South Rich, South Rich	4	1	5	34	26	7.0	21.1
24	EA1049	Mt Dutton, Deep Creek	12	1	13	27	22	3.6	58.8
11A	EA1052	Nine Mile, Avintaquin-West Anthro	79	6	85	244	211	4.4	40.5
11B	EA1239	Nine Mile, Range Creek	8	2	10	30	28	6.7	34.6
11B	EA1240	Nine Mile, Range Creek	32	7	39	100	84	6.8	46.5
11A	EA1054	Nine Mile, West Anthro	50	12	62	245	210	4.2	29.3
8B	EA1056	North Slope, Greendale	0	0	0	5	5	6.2	0.0
8A	EA1058	North Slope, Henry's Fork-Burnt Fork	30	2	32	149	117	5.8	27.5
8A	EA1196	North Slope, Summit	10	4	14	74	70	6.7	19.3
8B	EA1250	North Slope, West Daggett	3	1	4	30	28	6.3	16.0
3	EA1063	Ogden	12	1	13	74	67	5.4	20.0
3	EA1064	Ogden	3	2	5	74	44	3.7	10.3
3	EA2035	Ogden	14	0	14	97	68	3.9	21.1
18	EA2036	Oquirrh-Stansbury, East	49	3	52	60	59	4.8	88.7
28	EA1069	Panguitch Lake	11	0	11	25	25	4.0	43.5
27	EA1073	Paunsaugunt	1	0	1	20	17	6.3	6.3
27	EA1187	Paunsaugunt, Hatch Bench	0	0	0	15	10	5.9	0.0
30	EA1074	Pine Valley	0	0	0	5	3	4.3	0.0
30	EA1254	Pine Valley	1	1	2	24	22	8.2	10.5
25C/26	EA1075	Plateau, Boulder East	5	3	8	14	12	6.0	63.6
25C/26	EA1076	Plateau, Boulder West	7	0	7	15	12	4.5	60.0
25C/26	EA1077	Plateau, Boulder-Circle Cliffs	12	0	12	20	16	3.5	71.4
25AB	EA1078	Plateau, Fishlake/Thousand Lakes	32	8	40	136	131	5.5	30.7
25AB	EA1221	Plateau, Fishlake/Thousand Lakes	1	0	1	1	1	1.0	100.0
25AB	EA1079	Plateau, Fishlake/Thousand Lakes East	31	5	36	48	45	3.8	79.5
25AB	EA1080	Plateau, Fishlake/Thousand Lakes West	17	1	18	30	28	3.8	65.4
14	EA1081	San Juan	41	6	47	122	114	4.3	40.8
14	EA1082	San Juan	38	4	42	119	104	5.8	39.8
12	EA1084	San Rafael, North	0	0	0	5	4	3.8	0.0
9B	EA1242	South Slope, Buckskin Hills-Jensen	15	1	16	100	88	6.1	18.4
9B	EA1243	South Slope, Buckskin Hills-Jensen	21	5	26	99	76	6.0	34.8
9C	EA1089	South Slope, Diamond Mtn	12	1	13	50	47	4.0	27.8
9C	EA1090	South Slope, Diamond Mtn	12	4	16	49	44	3.5	36.4
9C	EA1091	South Slope, Diamond Mtn	18	2	20	50	47	3.1	41.7
9B	EA1094	South Slope, Mosby Mtn	37	4	41	99	90	6.3	45.7
9B	EA1087	South Slope, Vernal/Bonanza	23	0	23	96	88	6.1	26.3
9A	EA1098	South Slope, Yellowstone	24	1	25	73	65	3.7	39.3
9A	EA1099	South Slope, Yellowstone	38	8	46	74	64	3.3	71.7
9A	EA1100	South Slope, Yellowstone	10	2	12	73	48	4.7	25.6
9A	EA1244	South Slope, Yellowstone	14	3	17	150	130	4.7	13.0

Limited-entry any weapon antlerless elk harvest, Utah 2023 (continued).

Unit	Hunt number	Hunt	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
			Cow	Calf	Total				
20	EA1101	Southwest Desert	65	7	72	110	102	4.1	70.8
20	EA1251	Southwest Desert, Burbank/Garrison	10	0	10	17	16	2.4	60.0
20	EA1252	Southwest Desert, Burbank/Garrison	3	1	4	15	13	4.3	33.3
20	EA1253	Southwest Desert, Desert Experimental Range	1	0	1	5	5	4.3	25.0
17	EA1217	Wasatch Mtns, Avintaquin	14	1	15	144	126	5.4	11.8
17	EA1110	Wasatch Mtns, Salt Lake	17	1	18	43	34	8.2	51.6
17	EA1111	Wasatch Mtns, Wallsburg	4	0	4	34	24	6.3	16.7
17	EA1112	Wasatch Mtns, Wallsburg	10	0	10	53	41	4.1	25.0
17	EA1113	Wasatch Mtns, West Heber	7	0	7	30	28	4.8	26.1
17	EA1114	Wasatch Mtns, West Timpanogos	10	2	12	34	34	4.5	36.4
19BC	EA1231	West Desert, Tintic Valley	29	1	30	99	86	9.0	35.4
29	EA1116	Zion	3	0	3	25	19	5.9	13.3
29	EA1117	Zion	22	1	23	200	163	9.4	14.2

Limited-entry private-lands-only antlerless elk harvest, Utah 2023.

Unit	Hunt number	Hunt	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
			Cow	Calf	Total				
22B	EA2021	Beaver, East	3	0	3	29	21	16.1	13.3
1	EA2026	Box Elder, Hansel Mtn	19	0	19	73	63	7.1	30.2
2	EA2027	Cache	73	6	79	298	253	7.0	31.4
16B	EA2011	Central Mtns, Manti	61	16	77	248	213	7.4	36.2
16A	EA2016	Central Mtns, Nebo	56	2	58	244	216	10.3	27.0
6	EA2004	Chalk Creek	117	15	132	494	366	6.2	36.1
5	EA2003	East Canyon	92	3	95	289	234	6.0	40.6
21B	EA2039	Fillmore, Pahvant	24	10	34	100	92	7.3	36.8
7	EA2040	Kamas	26	3	29	59	47	4.8	61.1
13A	EA2009	La Sal, La Sal Mtns	21	0	21	69	61	13.2	34.5
4	EA2002	Morgan-South Rich	49	15	64	171	140	4.4	45.5
24	EA2017	Mt Dutton	4	0	4	37	30	7.8	14.3
11A	EA2008	Nine Mile, Anthro-Myton Bench	2	0	2	15	13	5.0	16.7
11B	EA2029	Nine Mile, Range Creek	3	0	3	61	53	11.7	6.5
8B	EA2005	North Slope, West Daggett	13	3	16	68	45	5.9	35.3
28	EA2018	Panguitch Lake	21	0	21	50	48	7.2	42.9
27	EA2015	Paunsaugunt	3	0	3	56	38	12.1	7.4
14	EA2010	San Juan	21	0	21	49	45	11.4	47.1
9C	EA2030	South Slope, Diamond Mtn	132	5	137	253	205	4.9	66.7
9B	EA2028	South Slope, Vernal/Bonanza	74	1	75	272	209	7.2	36.1
9A	EA2006	South Slope, Yellowstone	103	9	112	453	370	12.4	30.1
17	EA2014	Wasatch Mtns, Avintaquin-White River	10	3	13	45	35	4.1	37.0
17	EA2013	Wasatch Mtns, Currant Creek	20	1	21	104	93	9.1	22.6
17	EA2012	Wasatch Mtns, West	61	3	64	212	159	6.6	40.2
19BC	EA2019	West Desert, Tintic Valley	15	4	19	75	57	9.3	34.1
29	EA2020	Zion	53	4	57	255	218	14.2	26.1

CWMU antlerless elk harvest, Utah 2023.

Unit	Hunt number	CWMU	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
			Cow	Calf	Total				
5	EA1255	5S	3	0	3	5	4	2.7	66.7
27	EA1118	Alton	4	0	4	8	8	6.3	50.0
17	EA1233	Avintaquin Canyon	3	1	4	8	5	3.5	75.0
25AB	EA1119	Bar J Ranch	12	0	12	19	19	2.0	62.5
16B	EA1120	Bear Mountain	10	3	13	20	20	2.3	62.5
3	EA1198	Bear Springs	2	0	2	2	2	2.5	100.0
25AB	EA1121	Boobe Hole	6	0	6	10	9	2.2	66.7
4	EA1122	Causey Spring	5	0	5	5	5	2.4	100.0
4	EA1124	Chimney Rock	9	1	10	10	10	1.7	100.0
3	EA1125	Coldwater Ranch	18	0	18	20	18	1.1	100.0
1	EA1126	Cotton Thomas	0	0	0	5	4	4.7	0.0
4	EA1129	Deseret	164	25	189	298	283	2.1	66.7
1	EA1130	Double Cone	0	0	0	4	2	3.0	0.0
4	EA1131	Durst Mountain	17	1	18	25	24	1.6	77.3
6	EA1132	East Fork Chalk Creek	8	2	10	30	28	3.4	36.4
6	EA1134	Ensign Ranches	35	4	39	68	68	2.0	57.6
4	EA1135	Folley Ridge	8	0	8	8	8	1.4	100.0
6	EA1136	Grass Valley/Clark Canyon	17	2	19	48	42	1.8	46.2
25AB	EA1137	Grazing Pasture	13	1	14	15	15	2.5	92.3
4	EA1138	Guildersleeve	4	0	4	7	6	1.5	66.7
5	EA1139	Hardscrabble	3	0	3	10	9	3.6	28.6
18	EA1140	Heaston East	9	0	9	9	9	1.1	100.0
16B	EA1141	Hiawatha	11	1	12	16	14	2.1	84.6
17	EA1142	Indian Head	8	0	8	8	8	3.1	100.0
13A	EA1143	J. B. Ranch	34	1	35	35	35	1.7	100.0
5	EA1144	Jacob's Creek	2	1	3	8	8	1.7	42.9
25AB	EA1145	Johnson Mountain Ranch	14	1	15	20	20	2.6	75.0
16B	EA1146	Jump Creek	6	0	6	15	14	2.6	42.9
17	EA1256	Little Pole Canyon	5	1	6	9	9	2.8	66.7
17	EA1147	Little Red Creek	14	0	14	18	18	2.5	80.0
11B	EA1149	Minnie Maud Ridge	1	0	1	8	7	3.7	14.3
17	EA1151	Moon Ranch	2	0	2	6	4	1.7	66.7
16A	EA1201	Mountain Sky Ranch	5	0	5	5	5	1.4	100.0
16B	EA1153	Old Woman Plateau	3	0	3	3	3	1.3	100.0
21B	EA1192	Pahvant Ensign	2	0	2	6	6	7.3	33.3
3	EA1155	Powder Mountain	0	0	0	2	1	5.0	0.0
11B	EA1156	Preston Nutter Ranch	5	0	5	5	5	2.0	100.0
13A	EA1157	Redd Ranches	27	0	27	34	32	2.3	83.3
1	EA1158	Riverview Ranch LLC	9	0	9	9	9	3.4	100.0
11B	EA1159	Roan Cliffs	3	1	4	4	4	1.8	100.0

CWMU antlerless elk harvest, Utah 2023 (continued).

Unit	Hunt number	CWMU	Antlerless harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
			Cow	Calf	Total				
8A	EA1234	Royal Ivory Outfitters	9	1	10	18	17	2.3	60.0
17	EA1160	Sand Creek	3	0	3	5	5	1.8	60.0
16B	EA1161	Scofield Canyons	9	0	9	12	11	2.7	80.0
16B	EA1162	Scofield East	7	2	9	11	11	2.2	77.8
16B	EA1163	Scofield West	14	3	17	39	35	4.9	48.4
3	EA1235	Sharp Mountain	6	1	7	10	10	2.4	66.7
2	EA1164	SJ Ranch	4	0	4	6	6	1.8	66.7
4	EA1165	Skull Crack	6	0	6	15	15	1.5	40.0
16B	EA1166	Soldier Summit	4	1	5	12	9	2.3	57.1
3	EA1167	South Canyon	3	4	7	11	11	2.0	62.5
14B	EA1168	Spring Creek/Dodge	12	0	12	20	18	2.9	68.8
2	EA1170	Strawberry Ridge	9	0	9	10	10	1.4	85.7
14B	EA1171	Summit Point	2	0	2	6	4	1.5	50.0
17	EA1172	Three C	7	1	8	15	12	3.9	66.7
5	EA1257	Tunnel Hollow	1	0	1	5	3	2.0	33.3
6	EA1174	Two Bear	42	5	47	58	56	1.7	83.3
17	EA1175	Wallsburg	2	0	2	8	7	2.3	28.6
6	EA1176	Weber Florence Creek	8	0	8	50	44	4.0	18.4
4	EA1177	Woodruff Creek South	3	0	3	8	8	1.7	42.9

Antlerless elk control harvest, Utah 2023.

Unit	Hunt name	Cow harvest	Calf harvest	Total harvest	Hunters afield
6	Chalk Creek	3	1	4	—
5	East Canyon	8	1	9	—
15	Henry Mtns	0	0	0	—
4	Morgan-South Rich	0	0	0	—
3	Ogden	12	1	13	—
30	Pine Valley	0	0	0	—
29	Zion	3	0	3	—
	Unknown	1	0	1	—
Statewide totals*		27	3	30	929

1143 antlerless elk control permits were sold in 2023.

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

Landowner (free permit) elk mitigation harvest by management unit, Utah 2023.

	Unit	Antlerless harvest			Permits	Hunters afield	Success rate* (%)
		Cow	Calf	Total			
22	Beaver	6	0	6	54	50	13.6
10	Book Cliffs	0	0	0	4	0	0.0
1	Box Elder	16	0	16	67	60	70.4
2	Cache	17	0	17	62	50	26.9
16B	Central Mtns, Manti	31	2	33	176	154	20.5
16A	Central Mtns, Nebo	6	2	8	50	42	17.2
6	Chalk Creek	14	1	15	84	67	18.2
5	East Canyon	12	0	12	50	38	31.6
21	Fillmore	10	1	11	44	41	43.8
7	Kamas	6	1	7	28	22	26.7
13A	La Sal, La Sal Mtns	13	0	13	13	12	100.0
23	Monroe	11	2	13	72	67	18.6
4	Morgan-South Rich	5	0	5	36	33	17.6
24	Mt Dutton	4	0	4	27	24	10.0
11A	Nine Mile, Anthro	0	0	0	28	21	0.0
11B	Nine Mile, Range Creek	3	2	5	26	25	17.6
8A	North Slope, Summit	6	0	6	8	6	66.7
8C	North Slope, Three Corners	0	0	0	2	2	0.0
8B	North Slope, West Daggett	6	0	6	19	17	33.3
3	Ogden	11	3	14	53	47	28.6
18	Oquirrh-Stansbury	6	0	6	9	8	66.7
28	Panguitch Lake	5	2	7	28	27	28.6
27	Paunsaugunt	0	0	0	13	11	0.0
30	Pine Valley	0	0	0	12	11	0.0
25C/26	Plateau, Boulder/Kaiparowits	8	2	10	110	90	11.8
25AB	Plateau, Fishlake/Thousand Lakes	22	2	24	49	46	50.0
14	San Juan	5	0	5	28	27	21.4
12	San Rafael	0	0	0	4	3	0.0
9B	South Slope, Vernal/Bonanza	12	2	14	105	87	14.0
9A	South Slope, Yellowstone	23	1	24	195	148	12.7
20	Southwest Desert	18	2	20	41	39	45.0
17	Wasatch Mtns	9	6	15	59	52	88.9
19	West Desert	12	2	14	32	25	95.5
29	Zion	8	2	10	113	103	7.5
Statewide totals		305	35	340	1701	1455	20.7

*Some hunters had multiple permits. Success rates are per hunter.

Hunter (fee permit) elk mitigation harvest by management unit, Utah 2023.

	Unit	Antlerless harvest			Permits	Hunters afield	Success rate* (%)
		Cow	Calf	Total			
22	Beaver	10	0	10	47	40	23.8
10	Book Cliffs	18	0	18	29	26	71.4
1	Box Elder	23	2	25	127	116	88.8
2	Cache	16	4	20	34	32	61.1
16B	Central Mtns, Manti	87	5	92	200	178	51.0
16A	Central Mtns, Nebo	7	2	9	43	30	25.0
6	Chalk Creek	51	6	57	137	122	45.3
5	East Canyon	18	0	18	32	27	68.4
21	Fillmore	32	0	32	115	98	54.9
7	Kamas	0	0	0	3	0	0.0
13A	La Sal, La Sal Mtns	12	3	15	35	33	45.5
23	Monroe	34	12	46	85	71	58.1
4	Morgan-South Rich	21	0	21	66	58	36.7
24	Mt Dutton	3	0	3	30	25	11.1
11A	Nine Mile, Anthro	0	0	0	3	3	0.0
11B	Nine Mile, Range Creek	20	2	22	54	50	43.3
8A	North Slope, Summit	3	4	7	10	6	100.0
8C	North Slope, Three Corners	11	0	11	11	11	100.0
8B	North Slope, West Daggett	3	0	3	6	6	50.0
3	Ogden	17	4	21	40	36	57.9
18	Oquirrh-Stansbury	9	0	9	9	9	100.0
28	Panguitch Lake	10	0	10	26	20	46.7
27	Paunsaugunt	0	0	0	1	0	0.0
30	Pine Valley	0	0	0	1	0	0.0
25C/26	Plateau, Boulder/Kaiparowits	27	2	29	107	96	28.3
25AB	Plateau, Fishlake/Thousand Lakes	14	0	14	57	48	28.1
14	San Juan	4	0	4	11	8	40.0
9C	South Slope, Diamond Mtn	29	2	31	72	65	45.2
9B	South Slope, Vernal/Bonanza	5	0	5	25	23	21.1
9A	South Slope, Yellowstone	2	0	2	3	2	100.0
20	Southwest Desert	3	0	3	29	27	12.5
17	Wasatch Mtns	0	0	0	17	10	0.0
19	West Desert	24	11	35	96	81	135.3
29	Zion	11	0	11	75	55	20.0
Statewide totals		524	59	583	1636	1412	39.1


*Some hunters had multiple permits. Success rates are per hunter.

Average age of harvested bull elk on limited-entry units, Utah 2014–2023.

Unit	Current objective	Average age										3-year average	
		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023		
22B	Beaver, East	7.5–8.0	7.9	6.9	7.7	8.0	7.6	7.9	8.3	8.4	8.6	9.1	8.7
10AB	Book Cliffs, Bitter Creek/East*	6.5–7.0	7.9	7.5	7.8	6.2	6.4	6.0	5.9	5.2	6.2	6.5	6.0
10C	Book Cliffs, Little Creek Roadless	7.5–8.0	7.9	7.5	7.3	7.1	7.0	7.0	7.0	8.3	6.3	8.1	7.6
1A	Box Elder, Grouse Creek	4.5–5.0	5.3	5.5	5.7	5.2	6.0	5.5	5.3	6.4	5.0	5.6	5.7
1C	Box Elder, Pilot Mtn	4.5–5.0	6.7	6.5	6.1	6.7	5.3	7.7	7.2	5.7	8.2	6.0	6.6
2C	Cache, Meadowville	6.5–7.0	4.6	4.8	4.7	4.9	5.1	5.5	5.3	7.0	—	5.6	6.1
2A	Cache, North	4.5–5.0	3.3	3.5	5.0	4.3	4.6	4.4	4.7	5.3	5.3	6.4	5.7
2B	Cache, South	6.5–7.0	5.4	5.5	4.7	5.0	5.7	5.9	6.0	7.1	6.0	6.4	6.5
16B	Central Mtns, Manti	5.5–6.0	6.1	5.9	6.3	6.0	6.4	6.3	6.8	6.5	6.6	6.1	6.4
16A	Central Mtns, Nebo/San Pitch Mtns*	5.5–6.0	5.6	6.0	5.3	5.8	5.8	5.7	6.7	7.2	7.5	6.6	7.1
21B	Fillmore, Pahvant	7.5–8.0	7.6	7.8	8.1	7.9	7.6	6.5	8.7	7.5	8.7	7.7	8.0
13B	La Sal, Dolores Triangle	5.5–6.0	—	—	—	—	5.0	4.0	—	—	—	—	—
13A	La Sal, La Sal Mtns	5.5–6.0	6.5	6.6	6.3	5.7	5.9	5.7	6.2	6.2	6.5	5.7	6.1
23	Monroe	6.5–7.0	7.1	7.8	7.8	6.4	6.7	7.3	7.1	7.7	7.4	9.1	8.1
24	Mt Dutton	6.5–7.0	6.0	5.9	6.0	6.1	6.9	5.8	6.8	7.5	7.7	7.8	7.7
11A	Nine Mile, Anthro	5.5–6.0	4.7	5.2	8.1	6.8	8.5	5.1	5.5	5.4	5.2	—	5.3
8C	North Slope, Three Corners	5.5–6.0	5.9	5.7	5.4	5.0	4.7	6.0	4.8	5.5	5.4	5.7	5.5
18	Oquirrh-Stansbury	5.5–6.0	6.2	4.9	6.1	4.4	5.8	5.4	5.5	6.9	4.1	—	5.5
28	Panguitch Lake	6.5–7.0	5.8	5.4	5.9	5.1	6.1	6.7	5.7	6.7	7.6	7.8	7.4
27	Paunsaugunt	4.5–5.0	5.3	4.9	4.8	4.5	4.8	4.8	5.4	4.2	5.0	5.5	4.9
25C/26	Plateau, Boulder/Kaiparowits	7.5–8.0	7.9	7.3	8.2	7.3	8.2	7.5	7.2	7.8	8.4	8.4	8.2
25AB	Plateau, Fishlake/Thousand Lakes	5.5–6.0	5.9	6.0	6.0	6.0	5.9	6.0	7.2	6.9	7.2	7.5	7.2
14A	San Juan Bull Elk	7.5–8.0	8.3	8.1	8.2	7.4	8.3	7.6	7.8	7.7	8.3	7.6	7.9
9C	South Slope, Diamond Mtn	6.5–7.0	6.6	6.8	7.7	7.0	7.3	6.9	7.8	7.4	7.7	7.0	7.4
20	Southwest Desert, South*	6.5–7.0	7.6	6.8	7.8	6.3	7.2	7.3	7.1	6.6	8.4	8.1	7.6
17	Wasatch Mtns	5.5–6.0	6.8	6.6	6.7	6.4	6.3	6.2	6.3	5.9	5.7	5.0	5.5
19A	West Desert, Deep Creek	7.5–8.0	6.8	5.9	7.2	6.4	5.4	5.8	6.3	5.4	6.4	7.4	6.4

*Unit boundary changed in 2023.

Historical statewide elk winter population estimates, Utah 1995–2023.



Elk winter population estimates and objectives by management unit, Utah 2019–2023.

Unit		Current objective	Winter population estimate				
			2019	2020	2021	2022	2023
22	Beaver	1050	1275	1200	850	900	900
10	Book Cliffs	7500	5500	5500	5500	4300	5300
1	Box Elder	675	700	700	700	900	1150
2	Cache	2300	2700	3000	3350	1950	1600
16B	Central Mtns, Manti	12000	9300	9500	9900	11700	12000
16A	Central Mtns, Nebo	1450	1900	1850	1700	2400	2350
6	Chalk Creek	3200	3600	3400	4400	4000	4200
5	East Canyon	1800	2300	2800	3000	2900	2900
21	Fillmore	1600	1350	1400	1350	1400	1500
15	Henry Mtns	0	30	25	25	—	—
7	Kamas	850	700	725	1050	1100	1300
13B	La Sal, Dolores Triangle	700	700	550	550	800	800
13A	La Sal, La Sal Mtns	1800	2200	2150	2100	1900	1800
23	Monroe	1000-1004	1100	1150	1100	1100	1100
4	Morgan-South Rich	3800	6500	6900	6700	6760	5800
24	Mt Dutton	1500-2000	1050	1250	1400	1370	1450
11A	Nine Mile, Anthro	700	1100	1100	1100	1200	1100
11B	Nine Mile, Range Creek	1800	1250	2100	2100	2200	2100
8A	North Slope, Summit	300	300	300	750	750	750
8C	North Slope, Three Corners	700	490	550	600	650	700
8B	North Slope, West Daggett	1300	650	620	1300	1200	1300
3	Ogden	2000	1600	1750	2200	1950	2100
18	Oquirrh-Stansbury	1650	700	700	800	1100	1100
28	Panguitch Lake	1100-1300	1400	1450	840	985	1100
27	Paunsaugunt	140	275	200	200	340	150
30	Pine Valley	50	50	50	50	50	50
25C/26	Plateau, Boulder/Kaiparowits	1200-1700	1050	1150	1200	1250	1300
25AB	Plateau, Fishlake/Thousand Lakes	5000-5900	4750	5100	5450	4500	4750
14	San Juan	1300	1300	1450	1400	1300	1300
12	San Rafael	0	30	25	—	—	—
9BC	South Slope, Diamond Mtn/Vernal	3000	4200	4000	3800	3200	3000
9A	South Slope, Yellowstone	5000	7400	7400	7400	7400	3000
20	Southwest Desert	975	1075	975	975	975	1000
17C	Wasatch Mtns, Avintaquin	1800	1900	1900	2600	2600	2800
17B	Wasatch Mtns, Currant Creek	3200	1850	3000	4000	4300	4400
17A	Wasatch Mtns, West	3400	3400	3400	3500	3500	3500
19A	West Desert, Deep Creek	350	400	200	200	200	350
29	Zion	300	475	800	800	630	600
Statewide totals		78990	76550	80320	84390	82960	80600

Number of preseason calf elk / 100 cows by management unit, Utah 2014–2023.

Unit		Preseason estimate									
		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
22	Beaver	53	54	55	45	42	51	46	41	50	57
10AC	Book Cliffs, Bitter Creek/Little Creek	—	—	43	—	—	—	—	—	—	—
10B	Book Cliffs, South	—	—	—	—	—	—	—	—	—	—
1A	Box Elder, Grouse Creek	—	57	50	—	—	41	54	22	—	49
2	Cache	—	—	—	—	—	46	—	—	—	48
16B	Central Mtns, Manti	51	57	51	45	49	44	56	51	50	51
16A	Central Mtns, Nebo	58	56	47	61	—	—	54	60	69	64
6	Chalk Creek	51	42	53	—	—	—	—	—	—	54
5	East Canyon	—	—	—	—	—	—	—	—	—	54
21B	Fillmore, Pahvant	50	53	50	47	42	45	53	38	56	57
7	Kamas	—	—	—	—	—	—	—	—	—	—
13B	La Sal, Dolores Triangle	—	—	—	—	—	—	—	—	—	—
13A	La Sal, La Sal Mtns	49	53	41	41	50	37	58	47	39	55
23	Monroe	49	51	48	54	52	47	51	44	55	52
4	Morgan-South Rich	—	—	—	—	—	—	—	—	—	52
24	Mt Dutton	49	52	46	53	40	59	54	45	57	72
11A	Nine Mile, Anthro	—	—	—	36	—	—	—	—	—	—
11B	Nine Mile, Range Creek	40	45	44	—	32	19	44	48	40	37
8A	North Slope, Summit	—	—	—	—	—	—	—	—	—	—
8C	North Slope, Three Corners	—	—	58	—	—	—	—	—	—	—
8B	North Slope, West Daggett	—	—	74	—	—	—	—	—	—	—
3	Ogden	—	—	—	—	—	—	—	—	—	49
18	Oquirrh-Stansbury	62	48	73	48	—	45	—	28	—	57
28	Panguitch Lake	51	51	49	38	47	47	54	43	50	67
27	Paunsaugunt	46	48	51	49	41	50	53	52	50	69
25C/26	Plateau, Boulder/Kaiparowits	48	52	—	47	—	52	60	52	54	63
25AB	Plateau, Fishlake/Thousand Lakes	49	51	48	52	50	46	47	47	54	49

Number of preseason calf elk / 100 cows by management unit, Utah 2014–2023 (continued).

Unit		Preseason estimate									
		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
14	San Juan	49	47	43	43	44	52	54	51	46	43
12	San Rafael	—	—	—	—	—	—	—	—	—	—
9C	South Slope, Diamond Mtn	—	—	31	—	—	—	—	—	—	—
9B	South Slope, Vernal	—	—	—	—	—	—	—	—	—	—
9A	South Slope, Yellowstone	—	—	36	—	—	—	—	—	—	—
20	Southwest Desert	51	47	25	55	42	26	51	31	46	55
17C	Wasatch Mtns, Avintaquin	—	—	—	—	—	—	—	—	—	—
17B	Wasatch Mtns, Currant Creek	—	—	—	—	—	—	—	—	—	—
17A	Wasatch Mtns, West	59	58	58	56	—	59	55	54	52	51
19	West Desert	—	—	—	—	—	—	—	—	—	—
29	Zion	—	—	—	50	—	—	—	—	—	—
Statewide averages		50	51	48	48	45	45	53	45	51	54

Elk winter trend count data by management unit, Utah 2014–2023.

Beaver

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	1258	—	31*	13*
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	1485	—	34*	23*
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	644	—	84*	59*
2022–23	—	—	—	—
2023–24	—	—	—	—

*Bulls/100 antlerless.

Book Cliffs, Bitter Creek/Little Creek

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	3224	40	20	7
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	2095	19	9	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	1562	28	21	4
2023–24	—	—	—	—

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

Book Cliffs, South

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	949	32	23	8
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	876	17	19	8
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	967	—	11*	—
2023–24	—	—	—	—

*Bulls/100 antlerless.

Box Elder, West

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22*	226	46	68	62
2022–23	—	—	—	—
2023–24	—	—	—	—

*Summer flight

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

Cache

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	2112	—	—	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	1724	47	39	28
2023–24	—	—	—	—

Central Mtns, Manti

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	7003	39	52	31
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	5666	29	27	13
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	9922	—	20*	—
2023–24	—	—	—	—

*Bulls/100 antlerless.

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

Central Mtns, Nebo

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	1688	—	17*	6*
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	1514	35	48	13
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	2250	—	23*	—
2023–24	—	—	—	—

*Bulls/100 antlerless.

Chalk Creek

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	3177	—	—	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	3590	57	37	26
2022–23	—	—	—	—
2023–24	3490	51	33*	—

*Bulls/100 antlerless.

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

East Canyon

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	2173	—	31*	21*
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	2281	28	36	—
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	2305	48	51	—

*Bulls/100 antlerless.

Fillmore, Oak Creek

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	309	—	3*	0*
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	—	—	—	—

*Bulls/100 antlerless.

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

Fillmore, Pahvant

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	1172	—	20*	9*
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	1188	—	32*	25*
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	874	—	17*	7*
2022–23	—	—	—	—
2023–24	—	—	—	—

*Bulls/100 antlerless.

Kamas

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	483	—	—	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	926	57	11	5
2022–23	—	—	—	—
2023–24	—	—	—	—

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

La Sal, Dolores Triangle

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	400	50	61	33
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	—	—	—	—

La Sal, La Sal Mtns

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	1711	27	27	14
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	—	—	—	—

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

Monroe

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	810	—	22*	13*
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	861	—	39*	30*
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	889	—	32*	—
2023–24	—	—	—	—

*Bulls/100 antlerless.

Morgan-South Rich

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	3260	—	44*	33*
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	5189	50	81	68
2020–21	—	—	—	—
2021–22	5356	49	83	66
2022–23	—	—	—	—
2023–24	4663	—	60*	—

*Bulls/100 antlerless.

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

Mt Dutton

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	1357	—	22*	4*
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	849	—	40*	24*
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	1097	—	28*	—
2023–24	—	—	—	—

*Bulls/100 antlerless.

Nine Mile, Anthro

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	780	31	26	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	—	—	—	—

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

Nine Mile, Range Creek

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	1300	32	49	23
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	1893	25	30	19
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	1773	26	27	9

North Slope, Summit

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	299	—	—	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	590	57	22	18
2022–23	—	—	—	—
2023–24	—	—	—	—

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

North Slope, Three Corners

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	274	93	35	—
2017–18	—	—	—	—
2018–19	323	24	44	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	475	23	73	—
2022–23	—	—	—	—
2023–24	—	—	—	—

North Slope, West Daggett

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	463	33	14	—
2017–18	—	—	—	—
2018–19	487	34	18	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	915	32	13	2
2022–23	—	—	—	—
2023–24	—	—	—	—

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

Ogden

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	1397	—	—	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	1648	48	49	34
2023–24	—	—	—	—

Oquirrh-Stansbury

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	620	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	561	4	21	8
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	885	—	16*	—
2023–24	—	—	—	—

*Bulls/100 antlerless.

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

Panguitch Lake

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	1356	—	7*	2*
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	504	—	24*	10*
2022–23	—	—	—	—
2023–24	—	—	—	—

*Bulls/100 antlerless.

Paunsaugunt

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	205	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	22	—	—	—
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	109	—	9	—

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

Plateau, Boulder

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	333	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	718	—	27*	13*
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	1293	—	18*	—
2023–24	—	—	—	—

*Bulls/100 antlerless.

Plateau, Fishlake/Thousand Lakes

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	2924	—	23*	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	3794	—	19*	9*
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	3233	—	11*	—
2023–24	—	—	—	—

*Bulls/100 antlerless.

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

San Juan

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	1024	36	53	27
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	1236	40	45	27
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	—	—	—	—

South Slope, Diamond Mtn

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	1013	41	22	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	—	—	—	—

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

South Slope, Vernal

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	1926	54	20	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	—	—	—	—

South Slope, Yellowstone

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	6012	40	23	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	—	—	—	—

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

Southwest Desert

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	1230	—	18*	6*
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	779	—	14*	4*
2022–23	—	—	—	—
2023–24	—	—	—	—

*Bulls/100 antlerless.

Wasatch Mtns, Avintaquin

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	1133	52	42	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	2101	30	15	5
2022–23	—	—	—	—
2023–24	—	—	—	—

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

Wasatch Mtns, Currant Creek

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	3273	34	38	12
2022–23	—	—	—	—
2023–24	—	—	—	—

Wasatch Mtns, West

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	2704	74	28	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	2928	32	27	10
2022–23	—	—	—	—
2023–24	—	—	—	—

Elk winter trend count data by management unit, Utah 2014–2023 (continued).

West Desert, Deep Creek

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	130	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	74	—	—	—
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	—	—	—	—

West Desert, Tintic

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	108	—	—	—
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	144	—	132*	—

*Bulls/100 antlerless

Elk winter trend count data by management unit, Utah 2014–2023 (continued).


Zion

Year	n	Calves / 100 cows	Bulls / 100 cows	Mature bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	645	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	655	—	—	—
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	486	—	11	3

PRONGHORN



Statewide trends of pronghorn harvest statistics, Utah 1946–2023.



*Data not available for 1948, 1951, 1952, and 1953.

Statewide pronghorn harvest statistics, Utah 1946–2023.

Year	Buck harvest	Doe / fawn harvest	Total harvest	Hunters afield
1946	62	0	62	66
1947	85	0	85	96
1948	—	—	—	—
1949	43	0	43	45
1950	26	0	26	35
1951	—	—	—	—
1952	—	—	—	—
1953	—	—	—	—
1954	39	25	64	75
1955	41	15	56	96
1956	47	0	47	102
1957	34	0	34	93
1958	33	0	33	84
1959	74	0	74	142
1960	99	0	99	161
1961	92	0	92	153
1962	74	0	74	122
1963	50	0	50	190
1964	56	0	56	96
1965	51	0	51	81
1966	73	0	73	105
1967	93	0	93	122
1968	114	0	114	151
1969	139	0	139	169
1970	158	0	158	181
1971	174	0	174	218
1972	198	0	198	251
1973	169	0	169	253
1974	183	0	183	254
1975	190	0	190	232
1976	180	0	180	224
1977	208	0	208	242
1978	276	0	276	314
1979	270	0	270	310
1980	280	2	282	310
1981	323	0	323	339
1982	365	35	400	445
1983	425	38	463	515
1984	500	169	669	733
1985	514	151	665	730

Statewide pronghorn harvest statistics, Utah 1946–2023 (continued).

Year	Buck harvest	Doe / fawn harvest	Total harvest	Hunters afield
1986	491	288	779	859
1987	534	446	980	1054
1988	584	205	789	883
1989	617	373	990	1092
1990	605	647	1252	1347
1991	634	773	1407	1577
1992	720	821	1541	1730
1993	602	947	1549	1873
1994	632	470	1102	1301
1995	605	195	800	1310
1996	535	92	627	704
1997	514	294	808	928
1998	522	581	1103	1195
1999	504	564	1068	1195
2000	503	128	631	791
2001	493	235	728	826
2002	512	166	678	840
2003	345	272	617	717
2004	431	420	851	848
2005	603	518	1121	1129
2006	820	535	1355	1672
2007	813	514	1327	1596
2008	849	845	1694	2077
2009	963	1056	2019	2226
2010	840	573	1413	1850
2011	679	566	1245	1449
2012	686	715	1401	1617
2013	817	798	1615	2150
2014	769	690	1459	2014
2015	775	733	1508	2153
2016	747	898	1645	2129
2017	844	1025	1869	2397
2018	887	1159	2046	2494
2019	983	943	1926	2530
2020	1085	1072	2157	2621
2021	1112	604	1716	2373
2022	1204	630	1834	2313
2023	1234	471	1705	2197

Total pronghorn harvest by management unit, Utah 2023.

	Unit	Buck harvest	Doe/fawn harvest	Total harvest	Hunters afield	Mean days hunted	Success rate (%)
22	Beaver	44	1	45	52	2.6	86.5
10	Book Cliffs, Bitter Creek	52	22	74	81	2.2	91.4
10	Book Cliffs, South	33	0	33	35	1.8	94.3
1	Box Elder, Promontory	12	12	24	32	3.6	75.0
1	Box Elder, Puddle Valley	22	0	22	28	4.1	78.6
1	Box Elder, Snowville	50	12	62	88	2.5	70.5
1	Box Elder, West	30	16	46	106	3.1	43.4
2/3/4	Cache/Morgan-South Rich/Ogden	48	1	49	55	2.3	89.1
21A	Fillmore, Oak Creek South	58	110	168	231	2.3	72.7
26	Kaiparowits	1	0	1	2	3.0	50.0
13	La Sal, Potash/South Cisco	23	0	23	24	2.4	95.8
24/27	Mt Dutton/Paunsaugunt	33	2	35	55	4.8	63.6
11	Nine Mile, Anthro	139	50	189	211	2.0	89.6
11	Nine Mile, Range Creek	12	6	18	21	2.2	85.7
8	North Slope, Summit	9	2	11	17	2.7	64.7
8	North Slope, Three Corners/West Daggett	32	11	43	70	2.6	61.4
28/29	Panguitch Lake/Zion, North	35	0	35	41	4.0	85.4
30	Pine Valley	21	2	23	43	4.4	53.5
25C	Plateau, Parker Mtn	40	6	46	65	3.3	70.8
14	San Juan, Hatch Point	4	0	4	4	1.5	100.0
12	San Rafael, Desert	11	0	11	11	1.9	100.0
12	San Rafael, North	86	50	136	186	3.1	73.1
9CD	South Slope, Diamond Mtn/Bonanza	80	0	80	85	1.9	94.1
9B	South Slope, Vernal	79	106	185	195	2.8	94.9
20	Southwest Desert	109	28	137	208	3.7	65.9
19	West Desert, Riverbed	75	0	75	80	3.5	93.8
19	West Desert, Rush Valley	38	20	58	76	2.9	76.3
19	West Desert, Snake Valley	56	14	70	93	3.9	75.3
	Statewide Sportsman/Conservation	2	0	2	2	1.5	100.0
	Statewide totals*	1234	471	1705	2197	2.8	77.6

*Statewide totals for hunters afield do not equal the sum of the columns because hunters could hunt multiple units.

Total buck pronghorn harvest by management unit, Utah 2014–2023.

	Unit	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
22	Beaver	16	12	12	14	16	22	28	34	36	44
10	Book Cliffs, Bitter Creek	7	9	11	12	17	24	26	38	43	52
10	Book Cliffs, South	26	26	31	36	38	45	27	21	28	33
1	Box Elder, Promontory	7	6	6	5	8	11	12	11	11	12
1	Box Elder, Puddle Valley	12	11	15	18	22	25	21	24	29	22
1	Box Elder, Snowville	18	22	28	32	33	35	49	52	56	50
1	Box Elder, West	7	5	10	11	14	22	30	26	30	30
2/3/4	Cache/Morgan-South Rich/Ogden	173	160	115	127	105	86	53	74	79	48
21	Fillmore, Oak Creek South	14	16	18	21	27	30	42	40	49	58
26	Kaiparowits	1	0	0	1	2	2	2	2	1	1
13	La Sal, Potash/South Cisco	5	3	7	10	24	25	20	15	20	23
24/27	Mt Dutton/Paunsaugunt	37	37	38	35	36	44	45	37	37	33
11	Nine Mile, Anthro	28	34	34	53	58	71	89	109	127	139
11	Nine Mile, Range Creek	5	7	7	6	7	13	12	11	10	12
8	North Slope, Summit	1	2	0	4	4	6	7	7	12	9
8	North Slope, Three Corners/West Daggett	23	19	15	18	22	28	27	33	40	32
28/29	Panguitch Lake/Zion	7	6	7	11	19	28	32	35	34	35
30	Pine Valley	27	31	27	24	30	29	35	36	25	21
25	Plateau, Parker Mtn	136	146	122	113	54	56	81	22	26	40
14	San Juan, Hatch Point	3	3	4	6	7	7	5	3	4	4
12	San Rafael, Desert	5	5	9	7	13	12	15	15	9	11
12	San Rafael, North	41	42	44	57	75	81	94	104	108	86
9	South Slope, Bonanza/Diamond Mtn	20	20	18	20	40	46	47	60	66	80
9	South Slope, Vernal	9	12	13	19	25	32	36	54	66	79
20	Southwest Desert	84	84	91	110	112	112	137	126	116	109
19	West Desert, Riverbed	25	20	25	26	28	31	38	45	54	75
19	West Desert, Rush Valley	10	14	22	24	21	25	30	34	39	38
19	West Desert, Snake Valley	21	21	16	24	29	33	43	42	47	56

Total doe/fawn* pronghorn harvest by management unit, Utah 2014–2023.

Unit		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
22	Beaver	3	9	13	21	24	53	54	21	4	1
10	Book Cliffs, Bitter Creek	0	0	0	0	0	0	17	12	0	22
10	Book Cliffs, South	15	8	10	0	4	0	0	0	0	0
1	Box Elder, Promontory	4	3	17	12	19	27	19	9	14	12
1	Box Elder, Puddle Valley	0	0	0	0	0	0	0	0	0	0
1	Box Elder, Snowville	4	14	70	85	41	38	75	40	26	12
1	Box Elder, West	0	0	0	19	48	26	70	51	44	16
2/3/4	Cache/Morgan-South Rich/Ogden	280	205	196	192	148	44	36	3	20	1
21	Fillmore, Black Rock Desert	6	20	28	11	61	139	177	95	72	110
26	Kaiparowits	0	0	0	0	0	0	0	0	0	0
13	La Sal, South Cisco	0	0	0	2	0	4	6	0	0	0
24/27	Mt Dutton/Paunsaugunt	45	32	59	90	105	31	8	7	0	2
11	Nine Mile, Anthro	5	8	36	38	73	80	140	45	89	50
11	Nine Mile, Range Creek	3	3	4	11	8	8	5	7	7	6
8	North Slope, Summit	5	4	4	3	3	5	3	3	7	2
8	North Slope, Three Corners/West Daggett	26	20	25	20	23	27	39	18	32	11
28	Panguitch Lake/Zion	2	12	0	13	8	25	37	11	4	0
30	Pine Valley	4	0	7	18	11	23	34	86	2	2
25	Plateau, Parker Mtn	215	251	142	197	80	89	3	3	0	6
14	San Juan	0	0	0	0	0	0	0	0	0	0
12	San Rafael, Desert	0	0	0	0	0	0	0	0	0	0
12	San Rafael, North	13	23	92	105	274	115	72	53	60	50
9	South Slope, Bonanza/Diamond Mtn	0	0	0	10	4	28	20	0	0	0
9	South Slope, Vernal	31	70	65	77	110	84	122	73	136	106
20	Southwest Desert	25	35	79	63	61	64	68	44	57	28
19	West Desert, Riverbed	0	3	18	0	4	0	0	1	17	0
19	West Desert, Rush Valley	0	0	12	6	10	18	30	14	17	20
19	West Desert, Snake Valley	4	13	22	32	40	15	37	8	22	14

*Data includes mitigation harvest.

Limited-entry archery buck pronghorn harvest, Utah 2023.

Unit	Hunt number	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22	PB5000	Beaver	8	9	9	5.3	88.9
10	PB5001	Book Cliffs, Bitter Creek	7	11	10	2.0	70.0
10	PB5002	Book Cliffs, South	5	6	6	2.0	75.0
1	PB5003	Box Elder, Promontory	0	3	1	2.0	0.0
1	PB5004	Box Elder, Puddle Valley	2	6	6	5.8	40.0
1	PB5005	Box Elder, Snowville	2	8	7	7.1	28.6
1	PB5006	Box Elder, West	1	9	7	4.8	16.7
2	PB5074	Cache, Rich	1	3	2	4.5	50.0
21	PB5008	Fillmore, Oak Creek South	8	11	11	4.2	72.7
13	PB5009	La Sal, Potash/South Cisco	5	5	5	3.0	100.0
24/27	PB5332	Mt Dutton/Paunsaugunt	3	9	8	7.1	42.9
11	PB5011	Nine Mile, Anthro-Myton Bench	22	26	26	2.5	84.6
11	PB5053	Nine Mile, Range Creek	2	2	2	1.0	100.0
8	PB5012	North Slope, Three Corners/West Daggett	3	10	10	5.3	30.0
28/29	PB5054	Panguitch Lake/Zion, North	6	8	8	7.0	75.0
30	PB5013	Pine Valley	1	7	6	9.7	16.7
25C	PB5077	Plateau, Parker Mtn	6	10	10	7.7	60.0
12	PB5055	San Rafael, Desert	1	2	1	2.0	100.0
12	PB5015	San Rafael, North	8	19	19	6.8	44.4
9CD	PB5016	South Slope, Diamond Mtn/Bonanza	15	17	15	2.6	100.0
9B	PB5017	South Slope, Vernal	13	16	16	4.8	81.3
20	PB5018	Southwest Desert	11	29	28	7.4	39.3
19	PB5019	West Desert, Riverbed	13	14	13	7.5	100.0
19	PB5020	West Desert, Rush Valley	5	8	8	9.4	62.5
19	PB5021	West Desert, Snake Valley	8	17	14	6.2	57.1

Limited-entry muzzleloader buck pronghorn harvest, Utah 2023.

Unit	Hunt number	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
2	PB5075	Cache, Rich	1	3	2	3.5	50.0
21	PB5065	Fillmore, Oak Creek South	10	11	10	2.2	100.0
11	PB5059	Nine Mile, Anthro-Myton Bench	25	26	25	1.6	100.0
8BC	PB5066	North Slope, Three Corners/West Daggett	6	10	9	2.9	66.7
28/29	PB5061	Panguitch Lake/Zion, North	6	8	8	3.1	75.0
30	PB5062	Pine Valley	3	7	7	3.1	42.9
25C	PB5078	Plateau, Parker Mtn	9	10	9	1.4	100.0
12	PB5056	San Rafael, North	17	19	19	2.8	89.5
9CD	PB5060	South Slope, Diamond Mtn/Bonanza	17	17	17	1.4	100.0
9B	PB5072	South Slope, Vernal	17	18	18	1.9	94.1
20	PB5024	Southwest Desert	16	29	29	3.4	55.6

Limited-entry any weapon buck pronghorn harvest, Utah 2023.

Unit	Hunt number	Hunt name	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22	PB5025	Beaver	36	38	37	1.5	97.2
10	PB5026	Book Cliffs, Bitter Creek	45	51	49	1.9	92.9
10	PB5027	Book Cliffs, South	28	30	29	1.6	96.4
1	PB5028	Box Elder, Promontory	9	15	13	2.0	66.7
1	PB5029	Box Elder, Puddle Valley	20	22	22	2.4	90.5
1	PB5030	Box Elder, Snowville	29	36	34	2.1	86.7
1	PB5031	Box Elder, West	29	38	37	2.1	78.4
2	PB5073	Cache, Rich	5	8	8	3.0	57.1
2/3/4	PB5032	Cache/Morgan-South Rich/Ogden	2	3	3	1.0	66.7
21	PB5033	Fillmore, Oak Creek South	33	35	34	1.8	97.1
26	PB5034	Kaiparowits	1	2	2	3.0	50.0
13	PB5035	La Sal, Potash/South Cisco	18	19	19	1.8	94.7
24/27	PB5331	Mt Dutton/Paunsaugunt	30	39	39	2.5	75.7
11	PB5037	Nine Mile, Anthro-Myton Bench	73	81	77	1.7	95.8
11	PB5038	Nine Mile, Range Creek	10	10	10	2.8	100.0
8	PB5039	North Slope, Summit	9	12	11	2.9	81.8
8	PB5040	North Slope, Three Corners/West Daggett	23	31	29	1.6	79.3
28/29	PB5041	Panguitch Lake/Zion, North	23	25	25	2.0	91.7
30	PB5042	Pine Valley	16	23	21	2.7	75.0
25C	PB5076	Plateau, Parker Mtn	25	30	28	1.7	88.5
14	PB5044	San Juan, Hatch Point	4	4	4	1.5	100.0
12	PB5045	San Rafael, Desert	10	10	10	1.8	100.0
12	PB5046	San Rafael, North	58	63	62	2.1	93.3
9CD	PB5047	South Slope, Diamond Mtn/Bonanza	48	54	53	1.6	90.2
9B	PB5048	South Slope, Vernal	49	57	56	1.5	88.5
20	PB5049	Southwest Desert	74	92	90	2.5	81.9
19	PB5050	West Desert, Riverbed	58	58	58	1.5	100.0
19	PB5051	West Desert, Rush Valley	25	34	33	2.7	75.8
19	PB5052	West Desert, Snake Valley	48	70	65	2.2	75.0
		Statewide Sportsman/Conservation	2	2	2	1.5	100.0

CWMU buck pronghorn, Utah 2023.

Unit	Hunt number	CWMU	Buck harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
19	PB5325	Allen Ranch	2	2	2	1.0	100.0
11	PB5300	Antelope Creek	9	9	9	1.7	100.0
12	PB5338	Castle Valley Outdoors	3	3	3	1.3	100.0
1	PB5326	Cedar Springs	3	4	3	1.3	100.0
11	PB5327	Cottonwood Ridge	10	10	10	1.2	100.0
4	PB5302	Deseret	36	36	36	2.0	100.0
4	PB5303	Ensign Ranches	2	2	2	1.0	100.0
1	PB5330	George Creek	2	2	2	2.5	100.0
20	PB5337	Heist	5	5	5	3.3	100.0
30	PB5339	Iron Spring	1	2	1	1.0	100.0
21	PB5328	Pahvant Ensign	7	7	7	1.7	100.0
1	PB5305	Park Valley	3	3	3	2.3	100.0
2	PB5306	Rabbit Creek	1	1	1	1.0	100.0
1	PB5307	RLF Deep Creek	4	5	5	1.3	80.0
1	PB5342	Salt Wells	3	5	3	6.5	100.0
19	PB5309	Skull Valley South	4	4	4	1.5	100.0
1	PB5329	Snowville Flat	3	3	3	1.0	100.0
25C	PB5341	Sweetwater	0	2	0	0.0	0.0
1	PB5311	The Rose of Snowville	4	5	5	2.2	80.0
1	PB5312	TL Bar Ranch	0	2	2	2.5	0.0
10	PB5313	West Willow Creek Ranch	0	2	2	3.5	0.0
19	PB5314	Westlake	6	6	6	1.0	100.0
20	PB5315	Zane	3	5	5	4.0	66.7

Limited-entry doe/fawn pronghorn harvest, Utah 2023.

Unit	Hunt number	Hunt name	Harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
			Doe	Fawn	Total				
1	PD1012	Box Elder, Promontory	0	0	0	9	5	2.3	0.0
1	PD1000	Box Elder, Snowville	9	0	9	20	19	2.3	50.0
1	PD1017	Box Elder, West	3	0	3	10	5	2.8	50.0
12	PD1033	Central Mtns, Poison Springs Bench	6	0	6	14	12	2.5	54.5
21	PD1034	Fillmore, Oak Creek South	16	1	17	24	22	2.3	77.3
21	PD1035	Fillmore, Oak Creek South	13	1	14	25	20	2.1	66.7
11	PD1043	Nine Mile, Anthro-Pleasant Valley	9	0	9	10	10	3.4	90.0
8	PD1005	North Slope, Summit	2	0	2	5	5	2.4	40.0
8	PD1037	North Slope, Three Corners	4	0	4	5	4	1.3	100.0
8	PD1038	North Slope, West Daggett	4	0	4	5	5	2.2	80.0
9B	PD1044	South Slope, Vernal-Ouray Valley	32	2	34	23	22	1.9	100.0

CWMU doe/fawn pronghorn harvest, Utah 2023.

Unit	Hunt number	CWMU	Harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
			Doe	Fawn	Total				
11	PD1032	Antelope Creek	6	2	8	9	8	1.3	100.0
11	PD1025	Cottonwood Ridge	8	0	8	10	8	1.4	100.0
21	PD1026	Pahvant Ensign	9	0	9	9	9	1.1	100.0
1	PD1014	RLF Deep Creek	2	0	2	3	2	1.0	100.0
19	PD1031	Westlake (two-doe permit)	15	0	15	9	9	1.1	100.0
20	PD1016	Zane	4	0	4	7	7	2.0	60.0

Landowner (free permit) pronghorn mitigation harvest by management unit, Utah 2023.

	Unit	Harvest			Permits	Hunters afield	Success rate (%)
		Doe	Fawn	Total			
22	Beaver	0	0	0	7	5	0.0
10	Book Cliffs, Bitter Creek	7	0	7	7	5	100.0
1	Box Elder, Promontory	12	0	12	15	7	75.0
1	Box Elder, Snowville	0	0	0	2	2	0.0
1	Box Elder, West	2	0	2	20	13	14.3
2/3/4	Cache/Morgan-South Rich/Ogden	1	0	1	1	1	100.0
21	Fillmore, Oak Creek South	27	2	29	63	54	36.4
24/27	Mt Dutton/Paunsaugunt	2	0	2	11	8	33.3
11	Nine Mile, Anthro	13	1	14	53	23	28.6
11	Nine Mile, Range Creek	0	3	3	7	2	100.0
8	North Slope, Summit	0	0	0	2	1	0.0
8	North Slope, Three Corners/West Daggett	0	0	0	10	3	0.0
30	Pine Valley	0	0	0	7	5	0.0
25C	Plateau, Parker Mtn	0	3	3	17	13	20.0
12	San Rafael, North	29	0	29	76	53	50.0
20	Southwest Desert	5	0	5	41	20	16.7
9B	South Slope, Vernal	46	3	49	70	43	66.7
19	West Desert, Riverbed	0	0	0	11	5	0.0
19	West Desert, Rush Valley	5	0	5	15	11	42.9
19	West Desert, Snake Valley	13	0	13	25	10	71.4
Statewide totals		162	12	174	460	284	43.5

*Some hunters had multiple permits. Success rates are per hunter.

Hunter (fee permit) pronghorn mitigation harvest by management unit, Utah 2023.


	Unit	Harvest			Permits	Hunters afield	Success rate (%)
		Doe	Fawn	Total			
22	Beaver	1	0	1	1	1	100.0
10	Book Cliffs, Bitter Creek	15	0	15	15	15	100.0
1	Box Elder, Promontory	0	0	0	3	3	0.0
1	Box Elder, Snowville	1	0	1	4	3	33.3
1	Box Elder, West	10	1	11	43	42	26.7
21	Fillmore, Oak Creek South	38	3	41	68	64	63.6
11	Nine Mile, Anthro	11	0	11	16	15	72.7
11	Nine Mile, Range Creek	3	0	3	9	7	50.0
8	North Slope, Three Corners/West Daggett	3	0	3	12	10	33.3
30	Pine Valley	2	0	2	3	3	66.7
25C	Plateau, Parker Mtn	3	0	3	6	5	66.7
12	San Rafael, North	15	0	15	20	18	81.8
20	Southwest Desert	19	0	19	27	24	80.0
9B	South Slope, Vernal	23	0	23	44	40	57.9
19	West Desert, Riverbed	0	0	0	1	0	0.0
19	West Desert, Rush Valley	0	0	0	7	7	0.0
19	West Desert, Snake Valley	1	0	1	5	4	33.3
Statewide totals		145	4	149	284	261	59.2

*Some hunters had multiple permits. Success rates are per hunter.

Average age of harvested buck pronghorn on limited-entry units, Utah 2021–2023.

	Unit	Current objective	Average age			3-year average
			2021	2022	2023	
22	Beaver	2.0–3.0	4.0	4.3	4.0	4.3
10	Book Cliffs, Bitter Creek	2.0–3.0	5.2	4.9	4.6	4.9
10	Book Cliffs, South	2.0–3.0	3.5	5.7	3.9	4.4
1	Box Elder, Promontory	2.0–3.0	2.9	4.6	3.6	3.7
1	Box Elder, Puddle Valley	2.0–3.0	3.4	3.5	3.5	3.5
1	Box Elder, Snowville	2.0–3.0	3.0	3.3	3.1	3.1
1	Box Elder, West	2.0–3.0	3.5	4.0	3.6	3.7
2	Cache	2.0–3.0	—	2.0	2.0	2.0
2/3/4	Cache/Morgan-South Rich/Ogden	2.0–3.0	3.5	2.8	3.0	3.1
6	Chalk Creek	2.0–3.0	6.0	—	—	6.0
21	Fillmore, Oak Creek	2.0–3.0	4.3	4.5	5.3	4.7
26	Kaiparowits	2.0–3.0	4.0	—	5.0	4.5
13	La Sal, Potash/South Cisco	2.0–3.0	4.0	4.0	4.1	4.0
4	Morgan-South Rich	2.0–3.0	4.5	3.3	2.9	3.7
24/27	Mt Dutton/Paunsaugunt	2.0–3.0	3.3	3.2	3.4	3.3
11	Nine Mile, Anthro-Myton Bench	2.0–3.0	3.6	3.6	3.5	3.6
11	Nine Mile, Range Creek	2.0–3.0	3.5	6.0	4.3	4.6
8	North Slope, Summit	2.0–3.0	4.8	4.7	5.4	5.0
8	North Slope, Three Corners/West Daggett	2.0–3.0	4.6	4.7	3.8	4.4
18	Oquirrh-Stansbury	2.0–3.0	—	—	—	—
28/29	Panguitch Lake/Zion, North	2.0–3.0	4.3	4.3	2.4	3.7
30	Pine Valley	2.0–3.0	2.8	3.0	3.3	3.0
25C	Plateau, Parker Mtn	2.0–3.0	2.6	2.6	3.1	2.8
14	San Juan, Hatch Point	2.0–3.0	7.0	5.8	2.0	4.9
12	San Rafael, Desert	2.0–3.0	4.5	3.7	4.3	4.2
12	San Rafael, North	2.0–3.0	3.6	4.1	4.2	4.0
9	South Slope, Bonanza/Diamond Mtn	2.0–3.0	4.4	4.6	3.9	4.3
9	South Slope, Vernal	2.0–3.0	4.1	4.2	4.5	4.3
20	Southwest Desert	2.0–3.0	4.0	4.3	4.3	4.2
19	West Desert, Riverbed	2.0–3.0	4.3	4.0	4.4	4.2
19	West Desert, Rush Valley	2.0–3.0	4.0	4.1	3.5	3.9
19	West Desert, Snake Valley	2.0–3.0	5.2	5.0	5.4	5.2
	Statewide average		4.6	4.1	3.8	4.0

Historical statewide pronghorn population trends, Utah 1999–2023.



Pronghorn classification and trend count data by management unit, Utah 2014–2023.

Beaver

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	162	36	126	0	207	27	19
2015	—	—	—	—	143	37	22
2016	396	61	335	0	102	71	56
2017	—	—	—	—	147	53	46
2018	444	145	299	0	258	35	47
2019	—	—	—	—	260	36	38
2020	271*	52	219	0	281	40	50
2021	228	70	158	0	140	16	47
2022	—	—	—	—	432	62	30
2023	—	—	—	—	374	54	19

*Incomplete flight.

Book Cliffs, Bitter Creek

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	113	13	99	1	104	54	22
2015	—	—	—	—	193	70	31
2016	227	51	173	3	67	70	53
2017	—	—	—	—	97	40	43
2018	264	45	216	0	115	42	67
2019	—	—	—	—	81	113	57
2020	—	—	—	—	102	51	28
2021	127	27	100	0	96	4	22
2022	147	33	114	0	135	44	21
2023	—	—	—	—	96	33	52

Pronghorn classification and trend count data by management unit, Utah 2014–2023 (continued).

Book Cliffs, South

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	445	66	379	0	153	78	47
2015	—	—	—	—	152	71	70
2016	598	153	445	0	168	62	51
2017	—	—	—	—	211	34	61
2018	706	180	526	0	258	39	34
2019	—	—	—	—	173	28	37
2020	431	94	337	0	213	23	31
2021	—	—	—	—	263	5	32
2022	—	—	—	—	278	40	26
2023	—	—	—	—	313	68	32

Box Elder, Promontory

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	70	11	59	0	59	78	41
2015	128	36	92	0	82	57	38
2016	—	—	—	—	178	48	30
2017	—	—	—	—	—	—	—
2018	—	—	—	—	39	—	—
2019	—	—	—	—	140	58	31
2020	726*	110	616	0	21	—	—
2021	—	—	—	—	32	40	73
2022	—	—	—	—	46	63	29
2023	79	14	65	0	46	64	46

*Includes Box Elder, West and Box Elder, Snowville subunits.

Pronghorn classification and trend count data by management unit, Utah 2014–2023 (continued).

Box Elder, Puddle Valley

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	67	21	46	0	58	30	63
2015	—	—	—	—	52	75	85
2016	—	—	—	—	90	66	91
2017	—	—	—	—	—	—	—
2018	—	—	—	—	78	35	35
2019	164	22	142	0	150	62	24
2020	—	—	—	—	165	51	31
2021	—	—	—	—	156	12	41
2022	114	22	92	0	152	76	38
2023	—	—	—	—	146	65	22

Box Elder, Snowville

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	299	68	231	0	199	62	37
2015	420	125	295	0	330	63	28
2016	—	—	—	—	442	73	34
2017	—	—	—	—	92	53	51
2018	—	—	—	—	97	34	15
2019	—	—	—	—	300	50	46
2020	726*	110	616	0	174	63	37
2021	—	—	—	—	251	32	57
2022	—	—	—	—	210	76	69
2023	482	83	378	0	253	58	34

*Includes Box Elder, West and Box Elder, Promontory subunits.

Pronghorn classification and trend count data by management unit, Utah 2014–2023 (continued).

Box Elder, West*

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	64	18	46	0	92	62	15
2015	83	14	69	0	118	75	40
2016	—	—	—	—	172	72	41
2017	—	—	—	—	—	—	—
2018	—	—	—	—	71	22	75
2019	—	—	—	—	79	26	43
2020	726**	110	616	0	58	32	24
2021	—	—	—	—	59	39	39
2022	—	—	—	—	74	64	42
2023	233	65	168	0	195	63	52

*Formerly named Box Elder, Pilot Mtn.

**Includes Box Elder, Snowville and Box Elder, Promontory subunits.

Cache, North Rich

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	275	91	184	0	72	64	55
2015	—	—	—	—	171	80	137
2016	650	—	—	650	340*	47	123
2017	186	70	116	0	177	68	127
2018	1062*	329	733	0	152	81	56
2019	—	—	—	—	234	29	52
2020	479*	41	215	223	182*	68	46
2021	406	10	77	319	—	—	—
2022	—	—	—	—	—	—	—
2023	186	21	165	0	52	18	68

*Includes Morgan–South Rich.

Pronghorn classification and trend count data by management unit, Utah 2014–2023 (continued).

Fillmore, Black Rock Desert

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	250	66	184	0	212	36	22
2015	—	—	—	—	292	38	18
2016	540	160	380	0	207	55	56
2017	—	—	—	—	250	42	36
2018	789	213	576	0	450	55	40
2019	—	—	—	—	431	68	65
2020	567	157	379	0	368	39	54
2021	—	—	—	—	295	41	26
2022	—	—	—	—	282	51	47
2023	—	—	—	—	424	66	35

Kaiparowits

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	41	10	31	0	18	36	27
2015	—	—	—	—	23	29	36
2016	30	11	19	0	—	—	—
2017	—	—	—	—	25	25	31
2018	11	5	6	0	—	—	—
2019	—	—	—	—	—	—	—
2020	—	—	—	—	—	—	—
2021	6	1	5	0	—	—	—
2022	—	—	—	—	—	—	—
2023	—	—	—	—	—	—	—

Pronghorn classification and trend count data by management unit, Utah 2014–2023 (continued).

La Sal, South Cisco

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	185	27	158	0	64	58	36
2015	—	—	—	—	76	69	42
2016	427	103	324	0	106	63	45
2017	—	—	—	—	110	39	65
2018	298	135	163	0	117	32	32
2019	—	—	—	—	125	39	42
2020	255	66	189	0	116	23	45
2021	—	—	—	—	81	5	35
2022	229	79	150	0	126	21	47
2023	—	—	—	—	131	51	20

Morgan–South Rich

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	727	218	491	18	—	—	—
2015	—	—	—	—	393	74	115
2016	260	—	—	260	340*	47	123
2017	—	—	—	—	—	—	—
2018	1062*	329	733	0	152	81	56
2019	—	—	—	—	—	—	—
2020	479*	41	215	223	182*	68	46
2021	—	—	—	—	—	—	—
2022	—	—	—	—	—	—	—
2023	—	—	—	—	30	22	9

*Includes Cache, North Rich.

Pronghorn classification and trend count data by management unit, Utah 2014–2023 (continued).

Mt Dutton/Paunsaugunt

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	325	64	261	0	282	37	25
2015	—	—	—	—	276	47	32
2016	562	120	442	0	449	53	33
2017	—	—	—	—	322	51	31
2018	336	79	257	0	388	29	27
2019	—	—	—	—	209	34	30
2020	—	—	—	—	207	32	38
2021	186	37	149	0	121	13	29
2022	—	—	—	—	139	15	17
2023	—	—	—	—	200	68	16

Nine Mile, Anthro

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	447	94	344	9	323	81	37
2015	—	—	—	—	303	70	55
2016	514	107	407	0	489	66	46
2017	—	—	—	—	460	77	42
2018	—	—	—	—	662	71	64
2019	—	—	—	—	490	70	50
2020	—	—	—	—	514	67	51
2021	—	—	—	—	292	83	127
2022	—	—	—	—	139	23	73
2023	—	—	—	—	316	41	37

Pronghorn classification and trend count data by management unit, Utah 2014–2023 (continued).

Nine Mile, Range Creek

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	164	31	133	0	82	72	38
2015	174	28	146	0	122	38	29
2016	—	—	—	—	103	45	21
2017	224	39	185	0	144	21	31
2018	—	—	—	—	139	12	39
2019	197	40	157	0	110	42	24
2020	—	—	—	—	138	12	14
2021	—	—	—	—	114	6	28
2022	—	—	—	—	120	32	16
2023	—	—	—	—	91	28	29

North Slope, Three Corners/West Daggett

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	342	275	67	0	340	67	33
2015	—	—	—	—	257	66	50
2016	518	112	406	0	398	44	63
2017	—	—	—	—	240	35	72
2018	585	164	421	0	224	26	37
2019	—	—	—	—	319	46	61
2020	—	—	—	—	274	40	44
2021	325	38	83	204	210	23	41
2022	—	—	—	—	214	36	27
2023	—	—	—	—	113	58	30

Pronghorn classification and trend count data by management unit, Utah 2014–2023 (continued).

Panguitch Lake

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	43	5	38	0	185	41	23
2015	—	—	—	—	214	47	38
2016	218	45	173	0	135	53	40
2017	—	—	—	—	231	53	41
2018	317	87	230	0	315	32	35
2019	—	—	—	—	205	37	29
2020	—	—	—	—	192	24	34
2021	275	82	193	0	182	19	28
2022	—	—	—	—	238	55	30
2023	—	—	—	—	273	67	21

Pine Valley

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	360	83	277	0	94	38	86
2015	—	—	—	—	208	65	37
2016	426	82	344	0	141	45	82
2017	—	—	—	—	184	45	39
2018	368	82	286	0	173	9	32
2019	—	—	—	—	220	72	26
2020	337*	47	290	0	212	50	46
2021	137	21	116	0	187	4	34
2022	—	—	—	—	95	40	40
2023	—	—	—	—	163	40	24

*Incomplete flight.

Pronghorn classification and trend count data by management unit, Utah 2014–2023 (continued).

Plateau, Parker Mtn

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	1498	407	979	112	315	70	48
2015	1469	97	509	863	395	60	34
2016	1510	253	1257	0	405	61	32
2017	995	160	588	247	208	54	40
2018	640	120	523	0	501	30	23
2019	—	—	—	—	140	35	38
2020	682	—	—	—	238	56	31
2021	903	28	159	716	322	30	54
2022	734	—	—	—	364	58	30
2023	1461	24	103	1334	542	57	39

San Juan, Hatch Point

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	100	18	82	0	62	59	24
2015	192	37	155	0	121	55	40
2016	191	41	150	0	118	24	44
2017	143	38	105	0	75	4	43
2018	161	35	126	0	78	11	29
2019	127	19	108	0	46	17	41
2020	113	12	101	0	95	11	24
2021	105	13	92	0	71	5	19
2022	106	12	94	0	83	13	17
2023	—	—	—	—	73	16	14

Pronghorn classification and trend count data by management unit, Utah 2014–2023 (continued).

San Rafael, Desert

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	227	43	184	0	62	24	27
2015	189	44	145	0	79	64	11
2016	—	—	—	—	98	43	26
2017	377	112	265	0	77	22	29
2018	—	—	—	—	81	4	55
2019	197	38	159	0	25	10	15
2020	—	—	—	—	41	13	23
2021	219	58	161	0	50	0	56
2022	—	—	—	—	56	13	68
2023	—	—	—	—	95	27	24

San Rafael, North

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	835	69	666	0	264	46	24
2015	—	—	—	—	250	75	33
2016	1077	263	814	0	544	60	47
2017	—	—	—	—	360	56	73
2018	1218	304	914	0	444	28	61
2019	—	—	—	—	228	48	58
2020	948	302	646	0	330	60	55
2021	—	—	—	—	241	16	60
2022	496*	158	290	48	209	50	39
2023	—	—	—	—	302	45	41

*Incomplete count.

Pronghorn classification and trend count data by management unit, Utah 2014–2023 (continued).

South Slope, Bonanza/Diamond Mtn

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	—	—	—	—	311	58	39
2015	478	88	390	0	386	55	44
2016	—	—	—	—	232	50	48
2017	846	200	646	0	201	32	38
2018	—	—	—	—	200	24	54
2019	402	101	301	0	257	65	41
2020	—	—	—	—	237	31	34
2021	—	—	—	—	204	28	61
2022	389	94	253	42	219	37	46
2023	—	—	—	—	67	17	28

South Slope, Vernal

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	—	—	—	—	214	64	36
2015	305	65	236	4	193	67	57
2016	—	—	—	—	237	80	67
2017	241	46	162	33	245	75	40
2018	—	—	—	—	375	63	43
2019	328	115	213	0	220	29	136
2020	—	—	—	—	251	46	118
2021	—	—	—	—	336	42	140
2022	295	41	248	6	495	36	94
2023	—	—	—	—	335	48	108

Pronghorn classification and trend count data by management unit, Utah 2014–2023 (continued).

Southwest Desert

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	979	239	740	0	545	44	34
2015	—	—	—	—	607	56	36
2016	1745	463	1282	0	526	57	48
2017	—	—	—	—	351	47	37
2018	1620	434	1182	4	311	17	41
2019	—	—	—	—	605	59	37
2020	337*	90	247	0	391	36	35
2021	1012	271	741	0	448	10	40
2022	—	—	—	—	273	48	30
2023	—	—	—	—	397	64	33

*Incomplete flight.

West Desert, Riverbed

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	—	—	—	—	117	30	35
2015	—	—	—	—	201	60	56
2016	—	—	—	—	175	60	37
2017	—	—	—	—	212	52	72
2018	—	—	—	—	194	27	89
2019	723	166	557	0	248	34	80
2020	—	—	—	—	273	30	58
2021	441	124	317	0	215	35	51
2022	—	—	—	—	252	54	42
2023	—	—	—	—	318	36	61

Pronghorn classification and trend count data by management unit, Utah 2014–2023 (continued).

West Desert, Rush Valley

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	252	54	198	0	129	53	37
2015	—	—	—	—	90	40	40
2016	—	—	—	—	160	66	45
2017	—	—	—	—	210	50	76
2018	—	—	—	—	157	39	18
2019	481	111	370	0	114	53	34
2020	—	—	—	—	312	33	59
2021	221	53	168	0	206	25	39
2022	—	—	—	—	240	50	30
2023	—	—	—	—	228	48	33


West Desert, Snake Valley

Year	Spring trend				Preseason classification		
	n	Bucks	Does and fawns	Unclassified	n	Fawns / 100 does	Bucks / 100 does
2014	213	78	135	0	226	48	37
2015	—	—	—	—	231	32	36
2016	—	—	—	—	174	60	49
2017	288	93	195	—	166	37	61
2018	—	—	—	—	75	21	50
2019	—	—	—	—	177	37	55
2020	328	85	243	0	129	19	36
2021	—	—	—	—	95	18	36
2022	—	—	—	—	162	21	33
2023	—	—	—	—	269	68	35

MOOSE



Statewide trends of moose harvest statistics, Utah 1958–2023.



Statewide moose harvest statistics, Utah 1958–2023.

Year	Bull harvest	Antlerless harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
1958	7	—	7	10	10	—	70.0
1959	5	—	5	10	9	—	55.6
1960	10	—	10	20	19	—	52.6
1961	8	—	8	15	14	—	57.1
1962	7	—	7	15	15	—	46.7
1963	9	—	9	15	15	—	60.0
1964	8	—	8	15	14	—	57.1
1965	8	—	8	15	15	—	53.3
1966	5	—	5	10	9	—	55.6
1967	13	—	13	15	15	—	86.7
1968	14	—	14	15	15	—	93.3
1969	22	—	22	25	25	—	88.0
1970	24	—	24	35	34	—	70.6
1971	32	—	32	65	63	—	50.8
1972	71	—	71	105	105	—	67.6
1973	56	—	56	105	101	—	55.4
1974	16	—	16	25	25	—	64.0
1975	20	—	20	25	25	—	80.0
1976	55	—	55	60	60	—	91.7
1977	30	18	48	50	50	—	96.0
1978	65	16	81	90	89	—	91.0
1979	57	65	122	128	127	—	96.1
1980	81	21	102	120	118	—	86.4
1981	78	18	96	127	116	—	82.8
1982	94	0	94	106	106	—	88.7
1983	89	0	89	109	107	—	83.2
1984	113	0	113	130	130	—	86.9
1985	105	0	105	120	120	—	87.5
1986	134	15	149	156	155	—	96.1
1987	140	14	154	156	155	3.8	99.4
1988	141	26	167	179	176	3.6	94.9
1989	181	25	206	211	209	3.6	98.6
1990	192	90	282	291	283	3.3	99.6
1991	192	99	291	313	296	3.3	98.3
1992	198	100	298	305	303	2.7	98.3
1993	174	59	233	240	239	—	97.5
1994	110	47	157	164	157	—	100.0
1995	140	16	156	196	177	5.7	88.1

Statewide moose harvest statistics, Utah 1958–2023 (continued).

Year	Bull harvest	Antlerless harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
1996	139	11	150	168	153	5.5	98.0
1997	142	25	167	172	171	5.2	97.7
1998	137	27	164	175	170	4.1	96.5
1999	110	35	145	—	147	—	98.6
2000*	97	26	123	185	123	—	100.0
2001	169	34	203	204	204	4.9	99.5
2002	174	56	230	233	233	4.4	98.7
2003	139	24	163	173	163	5.1	100.0
2004	201	14	215	245	228	4.4	94.3
2005	205	21	226	266	240	4.9	94.2
2006	223	81	304	336	325	4.9	93.5
2007	236	96	332	366	364	4.9	91.2
2008	266	98	364	428	403	7.0	90.3
2009	243	40	283	295	293	5.2	96.6
2010	214	25	239	270	266	6.4	89.8
2011	176	8	184	204	204	5.7	90.2
2012	168	0	168	175	174	4.9	96.6
2013	146	0	146	155	157	5.5	94.2
2014	128	0	128	138	137	5.1	93.4
2015	137	0	137	143	143	4.7	95.8
2016	133	15	148	162	161	5.8	91.9
2017	137	18	155	171	167	5.7	92.8
2018	163	24	187	199	199	5.0	94.0
2019	159	34	193	217	211	6.7	91.5
2020	167	28	195	208	205	5.7	95.1
2021	176	13	189	202	201	6.1	94.0
2022	173	15	188	203	201	6.9	93.5
2023	164	8	172	182	181	5.6	95.0

*No hunter or harvest data available for CWMU permits.

Total moose harvest by management unit, Utah 2023.

	Unit	Bull harvest	Antlerless harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
1	Box Elder	3	0	3	3	3	5.0	100.0
2	Cache	18	0	18	18	18	4.3	100.0
6	Chalk Creek	27	0	27	28	28	4.9	96.4
5	East Canyon	13	1	14	16	16	4.9	87.5
7	Kamas	5	0	5	5	5	4.7	100.0
4	Morgan–South Rich	20	2	22	23	23	4.6	95.7
8A	North Slope, Summit	18	0	18	19	19	8.2	94.7
8BC	North Slope, Three Corners/West Daggett	7	0	7	8	8	10.5	87.5
3	Ogden	13	0	13	14	13	5.2	100.0
9BC	South Slope, Diamond Mtn/Vernal	2	0	2	2	2	12.5	100.0
9A	South Slope, Yellowstone	4	0	4	4	4	10.0	100.0
17/16	Wasatch Mtns/Central Mtns	32	5	37	40	40	5.0	92.5
	Statewide	2	0	2	2	2	12.5	100.0

Total bull moose harvest by management unit, Utah 2014–2023.

Unit	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
1 Box Elder	—	—	—	1	1	2	1	3	3	3
2 Cache	5	8	10	10	13	14	16	17	18	18
6 Chalk Creek	24	29	23	26	28	27	29	25	24	27
5 East Canyon	14	11	9	10	11	10	11	12	8	13
7 Kamas	2	0	1	1	2	2	3	3	2	5
4 Morgan–South Rich	27	29	28	29	29	24	24	25	23	20
8A North Slope, Summit	7	8	8	11	15	16	11	16	19	18
8BC North Slope, Three Corners/West Daggett	5	4	4	4	4	5	6	7	8	7
3 Ogden	7	10	11	8	13	11	14	21	19	13
9BC South Slope, Diamond Mtn/Vernal	1	0	1	1	1	2	2	2	2	2
9A South Slope, Yellowstone	3	4	3	3	3	3	3	3	3	4
17BC Wasatch Mtns, Avintaquin/Currant Creek	11	12	13	12	14	15	17	*	*	*
17A Wasatch Mtns, West	22	20	21	20	26	26	28	41	42	32

*Included with Wasatch Mtns, West

Total antlerless moose harvest by management unit, Utah 2014–2023.

Unit	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
1 Box Elder	—	—	—	0	0	0	0	0	0	0
2 Cache	0	0	0	0	0	0	0	0	0	0
6 Chalk Creek	0	0	0	0	0	0	0	0	0	0
5 East Canyon	0	0	7	6	7	9	9	5	3	1
7 Kamas	0	0	0	0	0	0	0	0	0	0
4 Morgan–South Rich	0	0	0	0	0	0	4	5	4	2
8A North Slope, Summit	0	0	0	0	5	10	11	0	0	0
8BC North Slope, Three Corners/West Daggett	0	0	0	0	0	0	0	0	0	0
3 Ogden	0	0	8	12	12	15	4	3	0	0
9BC South Slope, Diamond Mtn/Vernal	0	0	0	0	0	0	0	0	0	0
9A South Slope, Yellowstone	0	0	0	0	0	0	0	0	0	0
17BC Wasatch Mtns, Avintaquin/Currant Creek	0	0	0	0	0	0	0	0	*	*
17A Wasatch Mtns, West	0	0	0	0	0	0	0	0	8	5

*Included with Wasatch Mtns, West

Once-in-a-lifetime bull moose harvest, Utah 2023.

Unit	Hunt number	Hunt name	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
2	MB6000	Cache	14	14	14	8.0	100.0
6	MB6001	Chalk Creek	2	2	2	7.0	100.0
5	MB6002	East Canyon	4	4	4	7.0	100.0
5	MB6003	East Canyon, Morgan–Summit	3	3	3	7.3	100.0
7	MB6004	Kamas	5	5	5	4.7	100.0
4	MB6005	Morgan–South Rich	5	5	5	6.8	100.0
8	MB6006	North Slope, Summit	18	19	19	8.2	94.7
8	MB6007	North Slope, Three Corners/West Daggett	7	8	8	10.5	87.5
3	MB6008	Ogden	10	10	10	9.8	100.0
9	MB6009	South Slope, Diamond Mtn/Vernal	2	2	2	12.5	100.0
9	MB6010	South Slope, Yellowstone	4	4	4	10.0	100.0
17/16	MB6011	Wasatch Mtns/Central Mtns	29	32	32	9.4	90.6
		Statewide Sportsman/Conservation	2	2	2	12.5	100.0

Antlerless moose harvest, Utah 2023.

Unit	Hunt number	Hunt name	Harvest			Permits	Hunters afield	Mean days hunted	Success rate (%)
			Cow	Calf	Total				
5	MA1000	East Canyon, Davis–North Salt Lake	1	0	1	2	2	8.5	50.0
4	MA1005	Morgan–South Rich	2	0	2	2	2	9.0	100.0
17	MA1006	Wasatch Mtns, West	4	1	5	5	5	2.2	100.0


CWMU bull moose harvest, Utah 2023.

Unit	Hunt number	CWMU	Bull harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
3	MB6200	Bear Springs	1	1	1	4.0	100.0
4	MB6202	Causey Spring	3	3	3	3.0	100.0
4	MB6206	Deseret	3	3	3	2.0	100.0
4	MB6207	Durst Mountain	1	1	1	2.0	100.0
6	MB6208	East Fork Chalk Creek	5	5	5	5.0	100.0
6	MB6209	Ensign Ranches	1	1	1	8.0	100.0
4	MB6210	Folley Ridge	1	2	2	5.5	50.0
6	MB6211	Grass Valley/Clark Canyon	9	9	9	3.3	100.0
5	MB6251	Hardscrabble	2	2	2	2.0	100.0
1	MB6257	Ingham Peak	1	1	1	6.0	100.0
5	MB6258	Jacob's Creek	2	2	2	1.5	100.0
1	MB6262	Junction Valley	2	2	2	4.0	100.0
3	MB6216	Powder Mountain	1	1	1	2.0	100.0
5	MB6259	Royal Ivory Outfitters	2	3	3	3.3	66.7
3	MB6217	Sharp Mountain	1	1	1	5.0	100.0
2	MB6254	SJ Ranch	1	1	1	1.0	100.0
4	MB6219	Skull Crack	6	6	6	3.7	100.0
3	MB6220	South Canyon	—	1	0	—	—
2	MB6222	Strawberry Ridge	3	3	3	4.0	100.0
17	MB6223	Three C	2	2	2	3.5	100.0
6	MB6224	Two Bear	2	2	2	2.0	100.0
17	MB6225	Wallsburg	1	1	1	5.0	100.0
6	MB6226	Weber Florence Creek	8	9	9	3.9	85.7
4	MB6256	Woodruff Creek South	1	1	1	—	100.0

Average age of harvested bull moose, by management unit, 2014–2023.

Unit	Current objective	Average age										3-year average
		2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	
1 Box Elder	3.75–4.25	—	—	—	—	—	6.0	—	10.0	3.5	4.7	6.1
2 Cache	3.75–4.25	3.4	4.6	5.1	4.4	4.7	5.1	4.2	5.1	4.5	5.7	5.1
6 Chalk Creek	3.75–4.25	4.0	4.9	3.7	3.9	3.7	4.2	3.2	3.5	4.2	4.8	4.2
5 East Canyon	3.75–4.25	3.4	4.6	3.8	3.9	3.0	3.6	3.6	3.6	4.2	3.5	3.8
7 Kamas	3.75–4.25	—	—	3.0	5.0	5.5	5.5	3.5	6.0	3.5	4.5	4.7
4 Morgan–South Rich	3.75–4.25	4.5	5.1	4.6	4.4	4.7	4.8	4.8	3.8	5.5	4.6	4.6
8A North Slope, Summit	3.75–4.25	5.0	5.1	5.9	4.7	4.7	5.2	6.4	6.3	5.7	6.2	6.1
8BC North Slope, Three Corners/West Daggett	3.75–4.25	4.0	5.0	4.5	4.0	6.0	5.2	5.2	4.4	4.2	4.9	4.5
3 Ogden	3.75–4.25	3.0	4.0	6.8	5.5	4.7	5.6	5.2	4.2	5.0	4.2	4.5
9 South Slope, Diamond Mtn/Vernal	3.75–4.25	—	—	3.0	6.0	4.0	4.0	6.0	5.0	2.0	4.0	3.7
9 South Slope, Yellowstone	3.75–4.25	6.5	4.0	5.7	4.0	3.3	4.0	5.3	3.0	3.5	4.7	3.7
17 Wasatch Mtns	3.75–4.25	4.6	4.3	3.7	4.4	4.2	3.7	3.9	3.5	3.4	3.4	3.4
Statewide average	3.75–4.25	4.3	4.7	4.4	4.4	4.3	4.5	4.5	4.9	4.1	4.6	4.6

Historical statewide moose population trends, Utah 1955–2023.



Moose trend count data by management unit, Utah 2014–2023.

Cache

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	203	52	32	64
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	246	26	17	57
2023–24	—	—	—	—

Chalk Creek

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	264	38	22	75
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	298	52	25	110
2022–23	—	—	—	—
2023–24	479	38	24	62

East Canyon

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
2014–15	—	—	—	—
2015–16	221	33	22	51
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	178	29	14	105
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	151	38	20	91

Moose trend count data by management unit, Utah 2014–2023 (continued).

Kamas

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	62	44	24	85
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	35	75	35	117
2022–23	—	—	—	—
2023–24	—	—	—	—

Morgan–South Rich

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
2014–15	—	—	—	—
2015–16	285	31	18	73
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	353	53	21	145
2020–21	—	—	—	—
2021–22	437	36	19	89
2022–23	—	—	—	—
2023–24	556	47	23	103

North Slope, Summit

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	18	—	—	—
2017–18	—	—	—	—
2018–19	110	47	24	92
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	164	45	27	65
2022–23	—	—	—	—
2023–24	—	—	—	—

Moose trend count data by management unit, Utah 2014–2023 (continued).

North Slope, Three Corners/West Daggett

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	57	42	16	158
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	19	—	—	—
2022–23	—	—	—	—
2023–24	—	—	—	—

Ogden

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	343	33	19	76
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	314	25	15	72
2023–24	—	—	—	—

South Slope, Diamond Mtn/Vernal

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	5	—	—	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	—	—	—	—

Moose trend count data by management unit, Utah 2014–2023 (continued).

South Slope, Yellowstone

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	67	34	22	57
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	—	—	—	—
2022–23	—	—	—	—
2023–24	—	—	—	—

Wasatch Mtns, Avintaquin/Currant Creek

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	51	24	11	119
2022–23	—	—	—	—
2023–24	—	—	—	—


Wasatch Mtns, West

Year	n	Calves / 100 cows	Calves / 100 adults	Bulls / 100 cows
2014–15	—	—	—	—
2015–16	—	—	—	—
2016–17	—	—	—	—
2017–18	—	—	—	—
2018–19	—	—	—	—
2019–20	—	—	—	—
2020–21	—	—	—	—
2021–22	207	35	26	38
2022–23	—	—	—	—
2023–24	—	—	—	—

BISON



Statewide trends of bison harvest statistics, Utah 1960–2023.



*Data not available for 1964, 1965, 1972, and 1973. Does not include harvest or hunt statistics from Antelope Island hunts. Book Cliffs harvest included beginning in 2012.

Statewide bison harvest statistics*, Henry Mtns, Utah 1950–2023.

Year	Harvest				Permits			Hunters afield	Success rate (%)
	Bull	Cow	Calf	Total	Hunter's choice	Cow	Total		
1950	6	4	0	10	10	—	10	10	100.0
1951	—	—	—	—	—	—	—	—	—
1952	—	—	—	—	—	—	—	—	—
1953	—	—	—	—	—	—	—	—	—
1954	—	—	—	—	—	—	—	—	—
1955	—	—	—	—	—	—	—	—	—
1956	—	—	—	—	—	—	—	—	—
1957	—	—	—	—	—	—	—	—	—
1958	—	—	—	—	—	—	—	—	—
1959	—	—	—	—	—	—	—	—	—
1960	7	3	0	10	10	—	10	10	100.0
1961	8	4	0	12	12	—	12	12	100.0
1962	9	11	0	20	20	—	20	20	100.0
1963	1	6	0	7	14	—	14	14	50.0
1964	—	—	—	—	—	—	—	—	—
1965	—	—	—	—	—	—	—	—	—
1966	7	3	0	10	10	—	10	10	100.0
1967	4	6	0	10	10	—	10	10	100.0
1968	15	0	0	15	15	—	15	15	100.0
1969	8	0	0	8	10	—	10	10	80.0
1970	6	0	0	6	10	—	10	10	60.0
1971	8	2	0	10	15	—	15	15	66.7
1972	—	—	—	—	—	—	—	—	—
1973	—	—	—	—	—	—	—	—	—
1974	4	3	0	7	10	—	10	9	77.8
1975	7	2	0	9	10	—	10	9	100.0
1976	8	2	0	10	10	—	10	10	100.0
1977	9	1	0	10	10	—	10	10	100.0
1978	11	9	1	21	22	—	22	22	95.5
1979	14	12	1	27	27	—	27	27	100.0
1980	16	6	1	23	27	—	27	27	85.2
1981	20	5	0	25	27	—	27	27	92.6
1982	16	10	2	28	28	—	28	28	100.0
1983	20	8	0	28	28	—	28	28	100.0
1984	28	7	0	35	36	—	36	36	97.2
1985	29	12	0	41	45	—	45	45	91.1
1986	39	17	0	56	56	—	56	56	100.0
1987	40	14	1	55	56	—	56	56	98.2
1988	32	32	0	64	45	22	67	67	95.5
1989	31	28	1	60	45	22	67	67	89.6

*Does not include harvest or hunt statistics from Antelope Island hunts.

Statewide bison harvest statistics*, Utah 1950–2023 (continued).

Year	Harvest				Permits			Hunters afield	Success rate (%)
	Bull	Cow	Calf	Total	Hunter's choice	Cow	Total		
1990	47	103	0	150	55	129	184	184	81.5
1991	44	32	2	78	70	22	92	91	85.7
1992	17	1	0	18	18	—	18	18	100.0
1993	41	7	0	48	51	—	51	51	94.1
1994	20	58	2	80	24	66	90	90	88.9
1995	32	44	0	76	36	66	102	102	74.5
1996	38	7	0	45	48	—	48	48	93.8
1997	24	28	0	52	29	27	56	56	92.9
1998	39	35	0	74	47	34	81	81	91.4
1999	30	52	0	82	37	66	103	102	80.4
2000	21	24	0	45	28	25	53	52	86.5
2001	39	38	0	77	62	30	92	92	83.7
2002	26	17	0	43	32	15	47	47	91.5
2003	34	14	0	48	41	19	60	60	80.0
2004	17	24	0	41	22	19	41	41	100.0
2005	12	11	0	23	15	10	25	23	100.0
2006	12	10	0	22	12	10	22	22	100.0
2007	61	59	0	121	68	75	143	141	85.8
2008	59	73	0	133**	68	102	170	165	80.6
2009	38	71	0	109	56	92	148	146	74.7
2010	31	7	0	38	40	11	51	48	79.2
2011	16	5	0	21	19	6	25	25	84.0
2012	49	48	0	97	66	57	123	123	78.9
2013	34	35	0	69	58	48	106	105	65.7
2014	41	32	0	73	52	35	87	85	85.9
2015	40	20	0	60	53	23	76	72	83.3
2016	53	25	0	78	71	23	94	92	84.8
2017	89	45	0	134	104	53	157	155	86.5
2018	96	106	0	202	143	123	266	261	77.4
2019	80	93	0	173	128	112	240	240	72.1
2020	134	91	0	225	318	46	364	345	65.2
2021	69	43	0	112	259	51	310	293	38.2
2022	91	46	0	137	141	75	216	204	67.2
2023	74	52	0	126	142	73	215	205	61.5


*Does not include harvest or hunt statistics from Antelope Island hunts. Book Cliffs harvest included beginning in 2012 and Nine Mile harvest included beginning in 2020.

**Includes one harvest of unknown sex.

Once-in-a-lifetime bison harvest by hunt, Utah 2023.

Hunt number	Hunt name	Hunt type	Bull harvest	Cow harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
BI6534	Book Cliffs, Bitter Creek	Hunter's Choice	3	2	5	5	5	4.3	100.0
BI6535	Book Cliffs, Bitter Creek	Hunter's Choice	2	0	2	5	5	6.4	40.0
BI6536	Book Cliffs, Bitter Creek	Cow Only	0	2	2	5	5	6.4	40.0
BI6532	Book Cliffs, Bitter Creek (archery)	Hunter's Choice	2	0	2	5	5	11.4	40.0
BI6529	Book Cliffs, Little Creek/South	Hunter's Choice	1	9	10	15	11	4.1	88.9
BI6530	Book Cliffs, Little Creek/South	Hunter's Choice	15	0	15	17	17	3.5	86.7
BI6531	Book Cliffs, Little Creek/South	Hunter's Choice	6	0	6	10	10	6.4	60.0
BI6537	Book Cliffs, Little Creek/South	Hunter's Choice	4	1	5	5	5	6.4	100.0
BI6528	Book Cliffs, Little Creek/South (archery)	Cow Only	8	2	10	10	10	4.2	100.0
BI6533	Book Cliffs, Little Creek/South (muzzleloader)	Cow Only	0	0	0	14	14	9.1	0.0
BI6503	Henry Mtns	Hunter's Choice	10	2	12	13	13	4.2	92.3
BI6504	Henry Mtns	Hunter's Choice	7	2	9	11	11	4.5	81.8
BI6505	Henry Mtns	Cow Only	0	13	13	22	22	5.3	59.1
BI6506	Henry Mtns	Cow Only	0	18	18	22	22	5.4	83.3
BI6516	Henry Mtns	Hunter's Choice	6	1	7	10	9	5.1	77.8
BI6509	Henry Mtns (archery)	Hunter's Choice	3	0	3	5	4	7.3	66.7
BI6527	Nine Mile	Hunter's Choice	5	0	5	36	35	7.9	14.3
	Statewide Sportsman/Conservation	Hunter's choice	2	0	2	2	2	3.0	100.0

Historical bison preseason population counts, Henry Mtns, Utah 1949–2023*.



*No count in 2020 due to COVID-19 restrictions.

Historical bison trend counts and classification, Book Cliffs, Utah, 2014–2023.

Year	Spring trend counts				Preseason classification		
	n	Adults	Calves	Unclassified	n	Calves / 100 cows	Bulls / 100 cows
2014	—	—	—	—	96	35	70
2015	—	—	—	—	192	42	84
2016	484	382	102	0	195	49	91
2017	—	—	—	—	145	43	66
2018	—	—	—	—	350	47	75
2019	595	457	138	—	156	53	83
2020	—	—	—	—	126	55	62
2021	645	487	158	0	100	55	57
2022	—	—	—	—	240	41	59
2023	117	—	—	117	119	49	53

Historical bison trend counts and classification, Henry Mtns, Utah, 2014–2023.

Year	Spring trend counts				Preseason classification		
	n	Adults	Calves	Unclassified	n	Calves / 100 cows	Bulls / 100 cows
2014	414	345	69	0	244	30	53
2015	413	348	65	0	282	31	70
2016	431	351	80	0	311	42	54
2017	461	387	74	0	290	37	56
2018	540	454	86	0	290	37	45
2019	321	294	27	0	350	14	63
2020	—	—	—	—	204	37	78
2021	342	304	38	0	277	23	61
2022	368	300	68	0	167	43	56
2023	315	250	65	0	358	40	54


Historical bison trend counts, Nine Mile, Range Creek, Utah, 2014–2023.

Year	Spring trend counts			Preseason classification			
	n	Adults	Calves	Unclassified	n	Calves / 100 cows	Bulls / 100 cows
2014	190	—	—	190	—	—	—
2015	230	—	—	230	—	—	—
2016	250	—	—	250	—	—	—
2017	148	—	—	148	—	—	—
2018	315	—	—	315	—	—	—
2019	219	—	—	219	—	—	—
2020	330	—	—	330	—	—	—
2021	168	127	41	0	108	22	37
2022	—	—	—	—	39	19	26
2023	43	33	10	0	38	30	35

DESERT BIGHORN SHEEP



Statewide trends of desert bighorn sheep harvest statistics, Utah 1967–2023.



*Data not available in 1973 and 1974.

Statewide desert bighorn sheep harvest statistics, Utah 1967–2023.

Year	Ram harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
1967	9	10	9	2.7	100.0
1968	3	10	10	5.2	30.0
1969	6	10	10	5.5	60.0
1970	4	10	10	7.4	40.0
1971	1	10	10	—	10.0
1972	1	10	8	—	12.5
1973	—	—	—	—	—
1974	—	—	—	—	—
1975	2	5	5	6.2	40.0
1976	4	10	10	8.7	40.0
1977	10	25	25	9.0	40.0
1978	7	23	23	8.6	30.4
1979	3	18	18	13.1	16.7
1980	10	19	19	12.7	52.6
1981	5	18	18	12.6	27.8
1982	6	11	11	9.9	54.5
1983	9	10	10	15.0	90.0
1984	5	14	14	13.4	35.7
1985	12	15	15	8.3	80.0
1986	10	14	14	8.0	71.4
1987	7	12	12	8.2	58.3
1988	12	15	15	8.1	80.0
1989	10	12	12	10.5	83.3
1990	12	15	15	7.1	80.0
1991	10	13	13	12.2	76.9
1992	10	11	11	6.5	90.9
1993	17	17	17	7.9	100.0
1994	18	19	19	—	94.7
1995	30	32	30	—	100.0
1996	28	29	29	8.7	96.6
1997	28	29	29	7.5	96.6
1998	31	31	31	8.4	100.0
1999	31	32	32	8.5	96.9
2000	33	33	33	6.3	100.0
2001	30	31	30	11.4	100.0
2002	39	40	40	6.4	97.5
2003	43	44	44	7.3	97.7
2004	40	42	42	8.7	95.2

Statewide desert bighorn sheep harvest statistics, Utah 1967–2023 (continued).

Year	Ram harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
2005	39	40	40	8.5	97.5
2006	37	43	41	8.2	90.2
2007	40	45	45	10.7	88.9
2008	39	42	41	8.2	95.1
2009	37	42	41	9.8	90.2
2010	46	50	50	8.5	92.0
2011	48	58	58	8.9	82.8
2012	41	47	47	9.0	87.2
2013	42	44	43	8.7	97.7
2014	45	46	46	8.6	97.8
2015	45	49	48	7.6	93.8
2016	41	46	45	9.0	91.1
2017	58	59	59	8.6	98.3
2018	57	60	59	7.0	96.6
2019	75	79	78	7.5	96.2
2020	81	86	86	9.2	94.2
2021	76	87	87	9.4	87.4
2022	75	80	80	10.0	93.8
2023	76	83	83	7.6	91.6

Total desert bighorn sheep harvest by hunt, Utah 2023.

Unit	Hunt number	Hunt name	Ram harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
15	DS6600	Henry Mtns	1	2	2	9.5	50.0
15	DS1001	Henry Mtns (conservation)	1	1	1	2.0	100.0
26	DS6601	Kaiparowits, East	9	9	9	3.8	100.0
26	DS1002	Kaiparowits, East (conservation)	1	1	1	8.0	100.0
26	DS6602	Kaiparowits, Escalante	7	8	8	11.9	87.5
26	DS1003	Kaiparowits, Escalante (conservation)	1	1	1	2.0	100.0
26	DS6603	Kaiparowits, West	5	5	5	2.4	100.0
26	DS1006	Kaiparowits, West (conservation)	1	1	1	30.0	100.0
13	DS6604	La Sal, Potash/South Cisco	3	3	3	10.3	100.0
30	DS6621	Pine Valley, Beaver Dam	5	6	6	5.7	83.3
30	DS6620	Pine Valley, Virgin River	2	2	2	3.5	100.0
14	DS6606	San Juan, Lockhart	2	3	3	14.7	66.7
14	DS6622	San Juan, North	3	3	3	13.0	100.0
14	DS6623	San Juan, San Juan River	1	1	1	1.0	100.0
14	DS6607	San Juan, South	2	2	2	9.5	100.0
12	DS6608	San Rafael, Dirty Devil*	9	10	10	8.7	90.0
12	DS6624	San Rafael, Dirty Devil (archery)	1	2	2	10.5	50.0
12	DS1004	San Rafael, Dirty Devil (conservation)	1	1	1	2.0	100.0
12	DS6609	San Rafael, North	4	4	4	4.5	100.0
12	DS1005	San Rafael, North (conservation)	1	1	1	14.0	100.0
12	DS6610	San Rafael, South**	11	12	12	9.5	91.7
12	DS1007	San Rafael, South (conservation)	1	1	1	2.0	100.0
29	DS6611	Zion	2	2	2	1.5	100.0
		Statewide Sportsman/Conservation	2	2	2	3.0	100.0

*Nonresidents could hunt both San Rafael, Dirty Devil and Henry Mtns subunits.

**Nonresidents could hunt both North and South San Rafael subunits.

Total ram desert bighorn sheep harvest* by management unit, Utah 2014–2023.

	Unit	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
15	Henry Mtns	2	2	1	4	3	4	4	3	4	2
26	Kaiparowits, East	3	2	4	8	8	10	8	7	10	11
26	Kaiparowits, Escalante	2	1	2	2	4	4	5	8	8	8
26	Kaiparowits, West	5	8	7	8	7	13	14	14	6	7
13	La Sal, Potash/South Cisco	2	3	3	2	4	5	5	4	4	3
30	Pine Valley, Beaver Dam	—	—	—	—	—	—	3	3	5	5
30	Pine Valley, Virgin River	2	2	2	4	3	4	2	2	2	2
14	San Juan, Lockhart	1	1	1	2	2	2	2	3	3	2
14	San Juan, North	—	—	—	—	—	—	2	1	2	3
14	San Juan, River	—	—	—	—	—	—	2	1	1	1
14	San Juan, South	2	1	1	3	2	1	2	2	2	2
12	San Rafael, Dirty Devil	3	2	1	2	1	3	5	7	8	11
12	San Rafael, North	1	1	1	4	3	6	6	5	5	5
12	San Rafael, South	7	7	7	7	6	7	12	10	13	12
29	Zion	13	15	11	12	14	14	7	6	2	2

*Harvest taken by statewide sportsman and conservation permit holders were added to the unit where the harvest occurred, when known. Also, some nonresident permit holders were allowed to hunt in multiple units – in this table, harvest is added to the unit where harvest occurred.

Desert bighorn sheep trend count data by management unit, Utah 2014–2023.

Henry Mtns

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	73	41	74	122
2015	—	—	—	—
2016	92	30	70	153
2017	—	—	—	—
2018	—	—	—	—
2019	90	31	69	150
2020	—	—	—	—
2021	—	—	—	—
2022	52	50	50	87
2023	—	—	—	—

Kaiparowits, East/West

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	—	—	—	—
2015	355	35	44	592
2016	—	—	—	—
2017	—	—	—	—
2018	484	37	65	807
2019	—	—	—	—
2020	—	—	—	—
2021	406	42	56	734
2022	—	—	—	—
2023	—	—	—	—

Kaiparowits, Escalante

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	92	35	45	153
2015	—	—	—	—
2016	—	—	—	—
2017	88	21	63	147
2018	—	—	—	—
2019	—	—	—	—
2020	153	40	72	255
2021	—	—	—	—
2022	—	—	—	—
2023	197	30	45	328

Desert bighorn sheep trend count data by management unit, Utah 2014–2023 (continued).

La Sal, Potash/South Cisco

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	81	45	39	135
2015	—	—	—	—
2016	—	—	—	—
2017	134	43	51	223
2018	—	—	—	—
2019	—	—	—	—
2020	96	47	41	160
2021	—	—	—	—
2022	—	—	—	—
2023	195	51	69	325

Pine Valley, Beaver Dam

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	—	—	—	—
2015	—	—	—	—
2016	—	—	—	—
2017	—	—	—	—
2018	—	—	—	—
2019	—	—	—	—
2020	—	—	—	—
2021	—	—	—	—
2022	95	28	59	158
2023	—	—	—	—

Pine Valley, Virgin River

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	52	21	59	104
2015	—	—	—	—
2016	131	31	37	218
2017	—	—	—	—
2018	—	—	—	—
2019	149	43	41	248
2020	—	—	—	—
2021	—	—	—	—
2022	71	26	26	118
2023	—	—	—	—

Desert bighorn sheep trend count data by management unit, Utah 2014–2023 (continued).

San Juan, Lockhart

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	84	22	33	140
2015	—	—	—	—
2016	—	—	—	—
2017	55	28	44	92
2018	—	—	—	—
2019	—	—	—	—
2020	54	34	52	90
2021	—	—	—	—
2022	—	—	—	—
2023	53	52	78	88

San Juan, North

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	14	38	38	23
2015	—	—	—	—
2016	—	—	—	—
2017	34	28	61	57
2018	—	—	—	—
2019	42	41	50	70
2020	52	35	65	87
2021	—	—	—	—
2022	—	—	—	—
2023	43	38	67	72

San Juan, San Juan River

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	38	21	38	63
2015	—	—	—	—
2016	—	—	—	—
2017	42	6	21	70
2018	—	—	—	—
2019	—	—	—	—
2020	46	21	18	77
2021	—	—	—	—
2022	—	—	—	—
2023	44	35	35	73

Desert bighorn sheep trend count data by management unit, Utah 2014–2023 (continued).

San Juan, South

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	45	30	37	75
2015	—	—	—	—
2016	—	—	—	—
2017	62	21	42	103
2018	—	—	—	—
2019	—	—	—	—
2020	75	59	75	125
2021	—	—	—	—
2022	—	—	—	—
2023	55	29	48	92

San Rafael, Dirty Devil

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	60	38	50	100
2015	—	—	—	—
2016	86	39	57	143
2017	—	—	—	—
2018	—	—	—	—
2019	113	43	102	188
2020	—	—	—	—
2021	—	—	—	—
2022	158	44	73	263
2023	—	—	—	—

San Rafael, North

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	—	—	—	—
2015	124	42	65	207
2016	—	—	—	—
2017	—	—	—	—
2018	102	40	98	170
2019	—	—	—	—
2020	—	—	—	—
2021	98	37	63	163
2022	—	—	—	—
2023	—	—	—	—

Desert bighorn sheep trend count data by management unit, Utah 2014–2023 (continued).

San Rafael, South

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	—	—	—	—
2015	216	32	65	360
2016	—	—	—	—
2017	—	—	—	—
2018	133	25	97	222
2019	—	—	—	—
2020	—	—	—	—
2021	138	31	103	230
2022	—	—	—	—
2023	—	—	—	—


Zion

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	—	—	—	—
2015	498	30	41	830
2016	—	—	—	—
2017	—	—	—	—
2018	484	40	43	807
2019	—	—	—	—
2020	—	—	—	—
2021	277	49	27	462
2022	—	—	—	—
2023	—	—	—	—

ROCKY MOUNTAIN BIGHORN SHEEP



Statewide trends of Rocky Mountain bighorn sheep harvest statistics, Utah 1991–2023.



*Does not include Antelope Island hunts.

**One ewe-only hunt implemented beginning in 2020.

Statewide Rocky Mountain bighorn sheep harvest* statistics, Utah 1991–2023.

Year	Harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
1991	3	3	3	—	100.0
1992	3	3	3	—	100.0
1993	6	6	6	—	100.0
1994	6	6	6	6.7	100.0
1995	6	6	6	—	100.0
1996	5	6	6	5.0	83.3
1997	3	3	3	5.0	100.0
1998	5	5	5	10.2	100.0
1999	4	4	4	—	100.0
2000	9	9	9	—	100.0
2001	12	12	12	—	100.0
2002	12	13	13	—	92.3
2003	13	13	13	17.1	100.0
2004	12	12	12	8.6	100.0
2005	13	13	13	9.1	100.0
2006	19	20	20	7.7	95.0
2007	22	22	22	5.7	100.0
2008	27	27	27	8.7	100.0
2009	28	28	28	5.0	100.0
2010	34	35	34	6.6	100.0
2011	35	35	35	6.4	100.0
2012	40	40	40	4.5	100.0
2013	46	46	46	5.2	100.0
2014	44	44	44	4.2	100.0
2015	40	41	41	5.2	97.6
2016	39	40	40	4.6	97.5
2017	37	37	37	5.7	100.0
2018	41	42	42	5.6	97.6
2019	57	60	60	3.7	95.0
2020**	78	82	82	5.0	95.1
2021	69	83	82	5.3	84.1
2022	68	70	70	6.0	97.1
2023	66	67	67	5.9	98.5

*Does not include Antelope Island hunts.

**One ewe-only hunt implemented in 2020.

Total Rocky Mountain bighorn sheep harvest by hunt, Utah 2023.

Unit	Hunt number	Hunt name	Harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
10	RS6701	Book Cliffs, South	5	5	5	8.0	100.0
10	RS1001	Book Cliffs, South (conservation)	1	1	1	3.0	100.0
1	RS6703	Box Elder, Newfoundland Mtn	6	6	6	2.5	100.0
1	RS6704	Box Elder, Newfoundland Mtn	6	6	6	2.2	100.0
1	RS6722	Box Elder, Newfoundland Mtn (archery)	3	3	3	10.7	100.0
1	RS1002	Box Elder, Newfoundland Mtn (conservation)	1	1	1	1.0	100.0
1	RS1003	Box Elder, Newfoundland Mtn (conservation)	1	1	1	3.0	100.0
1	RE1000	Box Elder, Newfoundland Mtn (ewe only)	4	5	5	1.8	80.0
16A	RS6725	Central Mtns, Nebo	2	2	2	3.5	100.0
21	RS6720	Fillmore, Oak Creek	4	4	4	5.3	100.0
21	RS6726	Fillmore, Oak Creek	5	5	5	3.4	100.0
21	RS6727	Fillmore, Oak Creek (archery)	2	2	2	3.0	100.0
21	RS1004	Fillmore, Oak Creek (conservation)	1	1	1	5.0	100.0
21	RS1005	Fillmore, Oak Creek (conservation)	1	1	1	1.0	100.0
11	RS6712	Nine Mile, Gray Canyon	5	5	5	6.6	100.0
11	RS1006	Nine Mile, Gray Canyon (conservation)	1	1	1	19.0	100.0
11	RS6713	Nine Mile, Jack Creek	2	2	2	14.0	100.0
8	RS6709	North Slope, Summit/West Daggett	3	3	3	19.0	100.0
8	RS6708	North Slope, Three Corners	2	2	2	2.5	100.0
18	RS6721	Oquirrh-Stansbury, West	4	4	4	4.0	100.0
18	RS1007	Oquirrh-Stansbury, West (conservation)	1	1	1	5.0	100.0
17	RS6724	Wasatch Mtns, West	4	4	4	4.7	100.0
		Statewide Sportsman/Conservation	2	2	2	7.0	100.0

Total Rocky Mountain bighorn sheep harvest* by management unit, Utah 2014–2023.

	Unit	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
10	Book Cliffs, South (Rattlesnake)	6	4	5	6	7	6	6	7	7	7
1	Box Elder, Newfoundland Mtn	11	11	10	11	14	21	29	20	20	21
1	Box Elder, Pilot Mtn	1	—	1	—	1	—	1	—	—	—
16/17	Central Mtns, Nebo/Wasatch Mtns, West	1	1	2	1	1	4	5	6	6	7
21	Fillmore, Oak Creek	—	—	—	—	2	4	14	17	19	13
11	Nine Mile, Range Creek (Gray and Jack Cyns)	18	17	16	14	13	13	12	9	7	8
8	North Slope, Summit/West Daggett	3	2	2	4	4	5	3	3	3	3
8	North Slope, Three Corners (Bare Top)	1	1	1	—	2	**	2	2	2	2
18	Oquirrh–Stansbury, West	3	3	0	—	—	3	4	5	5	5
17	Wasatch Mtns, Avintaquin	—	—	2	1	—	—	—	—	—	—
		—	1	—	—	1	1	1	—	—	—

*Harvest taken by statewide sportsman and conservation permit holders were included in the unit where the harvest occurred. Also, some nonresident permit holders were allowed to hunt in multiple units – in this table, harvest is included in the unit where harvest occurred.

**Included with North Slope, West Daggett in 2018.

Rocky Mountain bighorn sheep trend count data by management unit, Utah 2014–2023.

Book Cliffs, South (Rattlesnake)

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	—	—	—	—
2015	—	—	—	—
2016	138	26	51	230
2017	—	—	—	—
2018	—	—	—	—
2019	89	40	49	148
2020	—	—	—	—
2021	—	—	—	—
2022	—	—	—	—
2023	160	33	47	267

Box Elder, Newfoundland Mtns

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	139	48	80	232
2015	—	—	—	—
2016	158	69	86	263
2017	—	—	—	—
2018	—	—	—	—
2019	188	32	132	313
2020	—	—	—	—
2021	133	25	71	222
2022	—	—	—	—
2023	—	—	—	—

Central Mtns, Nebo

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	—	—	—	—
2015	14	—	—	—
2016	—	—	—	—
2017	—	—	—	—
2018	31	38	56	52
2019	—	—	—	—
2020	53	41	41	66
2021	—	—	—	—
2022	—	—	—	—
2023	65	50	41	81

Rocky Mountain bighorn sheep trend count data by management unit, Utah 2014–2023
(continued).

Fillmore, Oak Creek

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2017	67	43	63	134
2018	—	—	—	—
2019	130	40	167	217
2020	—	—	—	—
2021	—	—	—	—
2022	141	52	69	235
2023	—	—	—	—

Nine Mile, Range Creek (Gray Canyon and Jack Creek)

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	—	—	—	—
2015	—	—	—	—
2016	264	19	54	440
2017	—	—	—	—
2018	—	—	—	—
2019	168	30	49	224
2020	—	—	—	—
2021	—	—	—	—
2022	153*	29	43	204
2023	93**	33	60	124

*Incomplete count

**Jack Creek portion only

North Slope, Three Corners (Bare Top)

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	39	50	45	56
2015	44	16	60	63
2016	28	23	92	40
2017	27	67	133	39
2018	31	38	100	44
2019	—	—	—	—
2020	35	24	43	50
2021	44	50	50	63
2022*	26	25	5	63
2023	—	—	—	—

*Preseason ground classification

Rocky Mountain bighorn sheep trend count data by management unit, Utah 2014–2023
(continued).

North Slope, Three Corners (Goslin Mtn)

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	13	—	—	—
2015	15	—	—	—
2016	5	—	—	—
2017	27	67	133	39
2018	9	17	33	13
2019	—	—	—	—
2020	10	40	60	14
2021	12	50	50	17
2022*	9	33	17	17
2023	—	—	—	—

*Preseason ground classification

North Slope, West Daggett (Carter Creek/South Red Canyon)

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	42	39	43	53
2015	14	—	—	28
2016	24	40	100	40
2017	10	20	80	17
2018	25	33	75	36
2019	—	—	—	—
2020	21	27	64	30
2021	23	44	111	33
2022*	24	50	21	33
2023	—	—	—	—

*Preseason ground classification

North Slope, Summit/West Daggett (Sheep Creek)

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	33	56	50	47
2015	38	32	41	54
2016	27	50	43	45
2017	23	58	33	38
2018	34	28	61	49
2019	—	—	—	—
2020	35	18	41	50
2021	22	80	40	31
2022*	43	54	25	31
2023	—	—	—	—

*Preseason ground classification

Rocky Mountain bighorn sheep trend count data by management unit, Utah 2014–2023
(continued).

Oquirrh–Stansbury, West

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	—	—	—	—
2015	140	13	82	233
2016	—	—	—	—
2017	—	—	—	—
2018	—	—	—	—
2019	55	48	41	92
2020	—	—	—	—
2021	82	29	42	137
2022	—	—	—	—
2023	—	—	—	—

Wasatch Mtns, Avintaquin

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	51	56	48	68
2015	—	—	—	—
2016	—	—	—	—
2017	—	—	—	—
2018	—	—	—	—
2019	—	—	—	—
2020	—	—	—	—
2021	—	—	—	—
2022	—	—	—	—
2023	—	—	—	—


Wasatch Mtns, West (Provo Peak/Rock Canyon/Timpanogos)

Year	n	Lambs / 100 ewes	Rams / 100 ewes	Population estimate
2014	—	—	—	—
2015	32	60	53	48
2016	—	—	—	—
2017	—	—	—	—
2018	50	28	45	83
2019	—	—	—	—
2020	97	31	42	117
2021	—	—	—	—
2022	—	—	—	—
2023	93	34	32	116

MOUNTAIN GOAT



Statewide trends of mountain goat harvest statistics, Utah 1981–2023.



Statewide mountain goat harvest statistics, Utah 1981–2023.

Year	Billy harvest	Nanny harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
1981	1	0	1	1	1	2.0	100.0
1982	0	1	1	1	1	2.0	100.0
1983	3	0	3	3	3	4.3	100.0
1984	2	1	3	4	4	4.0	75.0
1985	3	0	3	3	3	5.3	100.0
1986	2	2	4	4	4	6.5	100.0
1987	3	1	4	4	4	3.8	100.0
1988	3	1	4	4	4	3.5	100.0
1989	4	1	5	5	5	3.6	100.0
1990	4	0	4	6	6	4.8	66.7
1991	3	3	6	6	6	7.0	100.0
1992	8	0	8	8	8	5.8	100.0
1993	6	1	7	7	7	4.3	100.0
1994	10	0	10	10	10	—	100.0
1995	10	2	12	12	12	—	100.0
1996	16	2	18	19	19	4.2	94.7
1997	17	2	19	19	19	—	100.0
1998	18	0	18	19	19	3.5	94.7
1999	18	2	20	20	20	—	100.0
2000	19	9	28	29	29	3.2	96.6
2001	21	9	30	30	30	—	100.0
2002	25	10	35	36	36	—	97.2
2003	32	9	41	41	41	2.3	100.0
2004	31	15	46	46	46	2.6	100.0
2005	42	21	63	68	65	3.5	96.9
2006	48	38	86	94	93	3.3	92.5
2007	54	36	91	96	96	3.3	94.8
2008	57	30	88*	95	93	2.9	94.6
2009	77	30	107	108	107	2.8	100.0
2010	70	41	111	115	114	3.0	97.4
2011	91	42	133	143	142	3.4	93.7
2012	94	73	167	175	174	2.6	96.0
2013	87	70	157	170	166	2.7	94.6
2014	74	36	110	115	115	3.1	95.7
2015	77	35	112	118	117	3.2	95.7
2016	63	40	103	106	104	3.8	99.0
2017	64	38	102	111	108	3.5	94.4
2018	79	36	115	127	124	4.3	92.7
2019	86	28	114	130	130	4.8	87.7
2020	86	31	117	129	127	4.3	92.1

*Includes one harvest of unknown sex.

Statewide mountain goat harvest statistics, Utah 1981–2023 (continued).

Year	Billy harvest	Nanny harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
2021	80	30	110	122	121	5.4	90.9
2022	68	28	96	110	109	5.1	88.1
2023	57	30	87	101	101	4.3	86.1

Total mountain goat harvest by hunt, Utah 2023.

Unit	Hunt number	Hunt name	Billy harvest	Nanny harvest	Total harvest	Permits	Hunters afield	Mean days hunted	Success rate (%)
22	GO6800	Beaver	4	5	9	10	10	6.0	88.9
22	GO6801	Beaver	5	2	7	8	8	4.1	87.5
22	GO6822	Beaver (archery)	0	2	2	2	2	2.0	100.0
16A	GO6803	Central Mtns, Nebo	10	1	11	11	11	2.5	100.0
16A	GO6821	Central Mtns, Nebo (archery)	2	3	5	8	8	3.4	62.5
6/7	GO6804	Chalk Creek/Kamas, Uintas	2	1	3	3	3	7.0	100.0
13	GO6817	La Sal, La Sal Mtns	6	3	9	9	9	3.8	100.0
24	GO6814	Mt Dutton	1	1	2	2	2	1.0	100.0
8/9	GO6805	North Slope/South Slope, High Uintas Central	7	1	8	9	9	5.2	88.9
8/9	GO6806	North Slope/South Slope, High Uintas East	2	0	2	3	3	4.7	66.7
8/9	GO6807	North Slope/South Slope, High Uintas Leidy Peak	1	0	1	2	2	6.5	50.0
8/9	GO6808	North Slope/South Slope, High Uintas West	9	5	14	17	17	6.9	80.0
3	GO6810	Ogden, Willard Peak	1	0	1	1	1	7.0	100.0
17	GO6818	Wasatch Mtns, Box Elder Peak	0	1	1	2	2	2.5	50.0
17	GO6819	Wasatch Mtns, Lone Peak	0	2	2	3	3	5.7	66.7
17	GO6813	Wasatch Mtns, Provo Peak	2	1	3	3	3	1.7	100.0
17	GO6820	Wasatch Mtns, Timpanogos	4	1	5	6	6	3.0	83.3
		Statewide Sportsman/Conservation	1	1	2	2	2	5.0	100.0

Total billy mountain goat harvest* by management unit, Utah 2014–2023.

	Unit	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
22	Beaver	20	14	11	13	9	18	14	11	13	10
16	Central Mtns, Nebo	0	1	1	2	10	16	15	15	16	12
6/7	Chalk Creek/Kamas, Uintas	3	5	3	4	5	3	5	6	4	2
13	La Sal, La Sal Mtns	—	—	—	—	2	3	4	6	7	6
24	Mt Dutton	—	—	—	1	1	1	1	1	1	1
8/9	North Slope/South Slope, High Uintas Central	5	9	7	5	9	8	8	13	2	7
8/9	North Slope/South Slope, High Uintas East	3	4	2	3	2	2	2	3	4	2
8/9	North Slope/South Slope, High Uintas Leidy Peak	1	2	1	1	1	3	3	3	1	1
8/9	North Slope/South Slope, High Uintas West	13	21	15	9	14	18	16	10	10	9
3	Ogden, Willard Peak	22	21	18	20	16	3	3	1	0	1
17	Wasatch Mtns, Box Elder Peak/Lone Peak/Timpanogos**	4	4	2	4	0	2	2	1	2	0
17	Wasatch Mtns, Lone Peak	—	—	—	—	3	3	3	3	3	0
17	Wasatch Mtns, Provo Peak	3	1	3	0	2	2	2	3	2	2
17	Wasatch Mtns, Timpanogos	—	—	—	—	4	2	5	3	3	4
	Statewide Sportsman/Conservation	—	—	—	2	1	3	1	1	2	0

*Harvest taken by statewide sportsman and conservation permit holders were added to the unit where the harvest occurred, when known. Also, some nonresident permit holders were allowed to hunt in multiple units – in this table, harvest is added to the unit where harvest occurred.

**Wasatch Mtns, Box Elder Peak subunit only beginning in 2018.

Total nanny mountain goat harvest by management unit, Utah 2014–2023.

	Unit	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023
22	Beaver	10	11	3	1	4	2	5	6	5	9
16	Central Mtns, Nebo	1	0	0	0	0	1	6	5	5	4
6/7	Chalk Creek/Kamas	1	0	3	1	4	8	6	2	4	1
13	La Sal, La Sal Mtns	—	—	—	—	0	0	2	2	2	3
24	Mt Dutton	—	—	—	0	0	1	1	1	1	1
8/9	North Slope/South Slope, High Uintas Central	4	1	4	3	3	4	3	1	6	1
8/9	North Slope/South Slope, High Uintas East	1	0	2	1	1	0	0	0	0	0
8/9	North Slope/South Slope, High Uintas Leidy Peak	2	0	1	0	0	0	0	0	1	0
8/9	North Slope/South Slope, High Uintas West	7	5	6	12	3	2	3	9	5	5
3	Ogden, Willard Peak	9	16	18	17	18	8	5	3	1	0
17	Wasatch Mtns, Box Elder Peak/Lone Peak/Timpanogos*	0	0	2	0	2	0	0	0	0	1
17	Wasatch Mtns, Lone Peak	—	—	—	—	0	0	0	0	0	2
17	Wasatch Mtns, Provo Peak	1	2	1	3	1	0	0	0	0	1
17	Wasatch Mtns, Timpanogos	—	—	—	—	0	2	0	0	0	1
	Statewide Sportsman/Conservation	—	—	—	—	—	—	—	1	0	1

*Wasatch Mtns, Box Elder Peak subunit only beginning in 2018.

Average age of harvested mountain goats, by management unit, Utah 2014–2023.

Unit	Average age										3-year average
	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	
22 Beaver	5.1	4.7	4.6	3.9	5.9	4.9	3.3	5.0	3.1	4.5	4.2
16 Central Mtns	2.0	3.0	—	3.5	5.0	5.0	5.0	4.0	3.8	4.3	4.0
6/7 Chalk Creek/Kamas	5.0	5.3	6.7	2.0	6.3	3.7	6.6	6.0	9.5	3.0	6.2
13 La Sal, La Sal Mtns	—	—	—	—	7.0	5.3	6.7	4.5	4.3	5.3	4.7
24 Mt Dutton	—	—	—	2.0	5.0	5.5	4.0	6.0	4.0	7.0	5.7
8/9 North Slope/South Slope	5.4	5.3	5.3	5.0	4.3	4.7	4.0	4.9	5.4	3.4	4.6
3 Ogden, Willard Peak	2.8	3.6	3.7	2.9	3.8	4.3	3.3	2.0	5.0	3.0	3.3
17 Wasatch Mtns	5.4	8.0	2.6	5.4	6.8	4.3	3.7	4.3	5.5	4.6	4.8
Statewide average	4.6	4.6	4.5	4.0	4.9	4.7	4.4	4.6	5.1	4.4	4.7

Mountain goat trend count data by management unit, Utah 2014–2023.

Beaver

Year	n	Billies	Nannies / Immature males	Kids	Unclassified adults
2014	—	—	—	—	—
2015	125	—	—	27	98
2016	—	—	—	—	—
2017	—	—	—	—	—
2018	—	—	—	—	—
2019	140	—	—	27	113
2020	—	—	—	—	—
2021	136	—	—	32	104
2022	—	—	—	—	—
2023	157	—	—	39	118

Central Mtns, Nebo*

Year	n	Billies	Nannies / Immature males	Kids	Unclassified adults
2014	39	4	28	7	0
2015	66	11	37	18	0
2016	—	—	—	—	—
2017	111	5	62	25	19
2018	128	7	—	37	84
2019	—	—	—	—	—
2020	119	—	—	41	78
2021	—	—	—	—	—
2022	—	—	—	—	—
2023	168	0	4	38	126

*Includes Central Mtns, Loafer Mtn

Chalk Creek/Kamas

Year	n	Billies	Nannies / Immature males	Kids	Unclassified adults
2014	129	—	—	15	114
2015	—	—	—	—	—
2016	—	—	—	—	—
2017	103	—	—	23	80
2018	—	—	—	—	—
2019	—	—	—	—	—
2020	—	—	—	—	—
2021	22	—	—	2	20
2022	—	—	—	—	—
2023	26	—	—	8	18

Mountain goat trend count data by management unit, Utah 2014–2023 (continued).

La Sal, La Sal Mtns

Year	n	Billies	Nannies / Immature males	Kids	Unclassified adults
2014*	33	5	26	2	0
2015*	36	9	16	11	0
2016*	43	9	25	8	1
2017	56	5	39	10	2
2018*	71	16	40	15	0
2019	84	13	54	17	0
2020*	52	12	22	13	5
2021	68	7	51	10	0
2022	74	16	49	9	0
2023	79	17	1	13	48

*Ground classification

North Slope/South Slope, High Uintas Central

Year	n	Billies	Nannies / Immature males	Kids	Unclassified adults
2014	206	—	—	41	165
2015	—	—	—	—	—
2016	—	—	—	—	—
2017	220	—	—	54	166
2018	—	—	—	—	—
2019	—	—	—	—	—
2020	—	—	—	—	—
2021	121	—	—	32	89
2022	—	—	—	—	—
2023	107	—	—	29	78

North Slope/South Slope, High Uintas East

Year	n	Billies	Nannies / Immature males	Kids	Unclassified adults
2014	64	—	—	4	60
2015	—	—	—	—	—
2016	—	—	—	—	—
2017	55	—	—	12	43
2018	—	—	—	—	—
2019	—	—	—	—	—
2020	—	—	—	—	—
2021	74	—	—	17	57
2022	—	—	—	—	—
2023	41	—	—	7	34

Mountain goat trend count data by management unit, Utah 2014–2023 (continued).

North Slope/South Slope, High Uintas Leidy Peak

Year	n	Billies	Nannies / Immature males	Kids	Unclassified adults
2014	44	—	—	13	31
2015	—	—	—	—	—
2016	—	—	—	—	—
2017	52	—	—	10	42
2018	—	—	—	—	—
2019	—	—	—	—	—
2020	—	—	—	—	—
2021	37	—	—	8	29
2022	—	—	—	—	—
2023	19	—	—	3	16

North Slope/South Slope, High Uintas West

Year	n	Billies	Nannies / Immature males	Kids	Unclassified adults
2014	392	—	—	45	347
2015	—	—	—	—	—
2016	—	—	—	—	—
2017	303	—	—	41	262
2018	—	—	—	—	—
2019	—	—	—	—	—
2020	—	—	—	—	—
2021	241	—	—	52	189
2022	—	—	—	—	—
2023	218	—	—	52	166

Ogden, Willard Peak

Year	n	Billies	Nannies / Immature males	Kids	Unclassified adults
2014	197	—	—	50	147
2015	188	—	—	74	144
2016	148	—	—	34	114
2017	—	—	—	—	—
2018	90	—	—	20	70
2019	—	—	—	—	—
2020	48	3	0	18	27
2021	—	—	—	—	—
2022	—	—	—	—	—
2023	23	0	0	5	18

Mountain goat trend count data by management unit, Utah 2014–2023 (continued).

Wasatch Mtns, Box Elder Peak

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
2014	34	0	24	10	0
2015	31	1	20	10	0
2016	—	—	—	—	—
2017	36	9	19	8	0
2018	—	—	—	—	—
2019	—	—	—	—	—
2020	59*	7	31	19	0
2021	—	—	—	—	—
2022	—	—	—	—	—
2023	38	1	31	6	0

*Includes Wasatch Mtns, Lone Peak.

Wasatch Mtns, Lone Peak

Year	n	Billies	Nannies / Immature males	Kids	Unclassified adults
2014	27	4	14	9	0
2015	41	7	22	12	0
2016	—	—	—	—	—
2017	44	7	24	13	0
2018	—	—	—	—	—
2019	—	—	—	—	—
2020	59*	7	31	19	0
2021	—	—	—	—	—
2022	—	—	—	—	—
2023	12	2	7	3	0

*Includes Wasatch Mtns, Box Elder Peak.

Wasatch Mtns, Provo Peak

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
2014	75	16	19	6	34
2015	76	6	51	19	0
2016	—	—	—	—	—
2017	53	4	40	9	0
2018	—	—	—	—	—
2019	—	—	—	—	—
2020	66	1	48	17	0
2021	—	—	—	—	—
2022	—	—	—	—	—
2023	51	6	35	10	0

Mountain goat trend count data by management unit, Utah 2014–2023 (continued).

Wasatch Mtns, Timpanogos

Year	n	Billies	Nannies / Immature males	Kids	Unclassified
2014	76	17	45	14	0
2015	92	16	50	26	0
2016	—	—	—	—	—
2017	81	16	44	15	6
2018	—	—	—	—	—
2019	—	—	—	—	—
2020	79	9	34	25	11
2021	—	—	—	—	—
2022	—	—	—	—	—
2023	79	13	45	21	0