
EGx by SwissBiogas.com

High purity tailor-made additives,
which optimise bioreactor
environments.

- Remove Hydrogen Sulfides
- Increase Biogas and Methane Yields
- Reduce Odor Formation
- Address Struvite Formation
- Adhere to National Fertiliser Regulations

EGx by SwissBiogas.com
incorporates the latest research in the
field, with the focus to substrate-
independently raise the biogas
volume and its methane
concentration.




Logistics and Financing



Delivered in powder form, in 25, 500
or 1000 kg bags, or as per individual
requirements.

Depending on order volume,
consignment stocks at customers'
premises allow easy draw-down,
reduce delivery frequencies,
eliminate financing and address just-
in-time requirements.

Autark Investments and Projects AG
Dept. SwissBiogas.com
Baarerstrasse 75, CH-6300 Zug, Switzerland
Tel.: +41 44 289 4494
Email: info@swissbiogas.com Internet: swissbiogas.com




With global population on the rise, an
increasing focus rests on agriculture,
livestock, water and sustainable
energy generation.

Biogas from anaerobic digestion (AD)
will lead a key role in the responsible
management of the world's limited
resources.

SwissBiogas.com assists AD-plants
in the implementation of a
sustainable desulfurisation process,
minimising their environmental
footprint.



Advantages of EGx by SwissBiogas.com



Beneficial bacteria

Biogas production

In biogas plants, methanogens decompose organic substances in the absence of oxygen. The resultant biogas contains levels of hydrogen sulfides, requiring removal prior downstream processing.

H₂S removal

Plant operators apply one of three methods, each with their associated costs and benefits. For more details see the comparison table.

Comparison of Desulfurisation Methods in Anaerobic Digestion Plants

	<i>EGx by SwissBiogas.com</i>	<i>Iron Oxide</i>	<i>Iron Chloride</i>	<i>Air Injection</i>
Investment into				
Storage and Handling	low	low	high	none
Dosing Equipment	none / low	none / low	medium	medium
Risk of / to				
Exposure / Personnel	low	low	high	none
Explosion	low	low	low	high
Corrosion	low	low	high	high
Incompatibility	low	low	high	high
Gas Impurities	low	low	low	high
Reaction Products	none	none	HCl	H ₂ SO ₄
Characteristics				
Reactive Content	> 60%	30% - 60%	10% - 14%	none
Digestion Speed / Volume	high	low	high	low
Long Term Effects	high	high	low	none
Methanogen Growth	high	medium	low	negative
Trace Element Addition	not necessary	extra purchase	extra purchase	extra purchase
Shelf Life	> 12 months	> 12 months	< 12 months	none
Gas Yield over Normal	higher	normal	lower	lower
Price per chem. Reaction	medium	high	high	none

