

Vizoovet

Vizoovet is an all-natural eye drop used to treat symptoms of ocular surface diseases. This revolutionary product contains three key ingredients to soothe and protect the ocular surface.

Vizoovet composition:

- Propolis¹⁻¹¹
 - Specific type of bee's wax
 - Rich in polyphenols and other components
 - Research verified properties:
 - Antimicrobial
 - Anti-inflammatory
 - Anti-angiogenic
 - Analgesic
 - Improves wound healing
- Aloe Vera¹²⁻¹⁴
 - Contains aloins and emodins
 - Research verified properties:
 - Improves wound healing
 - Antimicrobial
- Chamomile¹⁵⁻¹⁶
 - Contains alfa-bisabolos and azulins
 - Research verified properties:
 - Spasmolytic
 - Antiseptic
 - Antioxidant
 - Improves wound healing

Types of ocular surface disorders that can benefit from Vizoovet.

- Keratoconjunctivitis sicca
- Qualitative tear film disease
- Allergic blepharitis and blepharoconjunctivitis
- Ulcerative keratitis
- Feline keratoconjunctivitis (see Claudio Peruccio study)

References:

1. Shi YZ, Liu YC, Zheng YF, et al. Ethanol extract of Chinese propolis attenuates early diabetic retinopathy by protecting the blood-retinal barrier in streptozotocin-induced diabetic rats. *Journal of Food Science* 2019; 84: 358-369.
2. Erturkuner SP, Yaprak Sarac E, Cogmez SS, et al. Anti-inflammatory and ultrastructural effects of Turkish propolis in a rat model of endotoxin-induced uveitis. *Folia Histochemica et Cytobiologica* 2016; 54: 49-57.
3. Martin LF, Rocha EM, Garcia SB, et al. Topical Brazilian propolis improves corneal wound healing and inflammation in rats following alkali burns. *BMC Complementary and Alternative Medicine* 2013; 27: 337.
4. Emre S, Yilmaz Z, Ozturk F, et al. Propolis prevents the effects of chronic alcohol intake on ocular tissues. *Ophthalmic Research* 2009; 42: 147-151.
5. Keshavarz M, Mostafaie A, Mansouri K, et al. Inhibition of corneal neovascularization with propolis extract. *Archives of Medical Research* 2009; 40: 59-61.
6. Vural A, Polat ZA, Topalkara A, et al. The effect of propolis in experimental *Acanthamoeba* keratitis. *Clinical and Experimental Ophthalmology* 2007; 35: 749-754.
7. Onlen Y, Tamer C, Oksuz H, et al. Comparative trial of different anti-bacterial combinations with propolis and ciprofloxacin on *Pseudomonas* keratitis in rabbits. *Microbiological Research* 2007; 162: 62-68.
8. Duran N, Koc A, Oksuz H, et al. The protective role of topical propolis on experimental keratitis via nitric oxide levels in rabbits. *Molecular and Cellular Biochemistry* 2006; 281: 153-161.
9. Oksuz H, Duran N, Tamer C, et al. Effect of propolis in the treatment of experimental *Staphylococcus aureus* keratitis in rabbits. *Ophthalmic Research* 2005; 37: 328-334.
10. Ozturk F, Kurt E, Cerci M, et al. The effect of propolis extract in experimental chemical corneal injury. *Ophthalmic Research* 2000; 32: 13-18.
11. Hepsen IF, Er H, Cekic O. Topically applied water extract of propolis to suppress corneal neovascularization in rabbits. *Ophthalmic Research* 1999; 31: 426-431.
12. Vecchione A, Celandroni F, Lupetti A, et al. Antimicrobial activity of a new aloe vera formulation for the hygiene of the periocular area. *Journal of Ocular Pharmacology and Therapeutics* 2018; 34: 579-583.
13. Atiba A, Wasfy T, Abdo W, et al. Aloe vera gel facilitates re-epithelialization of corneal alkali burn in normal and diabetic rats. *Clinical Ophthalmology* 2015; 9: 2019-2026.

14. Curto EM, Labelle A, Chandler HL. Aloe vera: an in vitro study of effects on corneal wound closure and collagenase activity. *Veterinary Ophthalmology* 2014; 17: 403-410.
15. Mamalis A, Nguyen DH, Brody N, et al. The active natural anti-oxidant properties of chamomile, milk thistle, and halophilic bacterial components in human skin in vitro. *Journal of Drugs in Dermatology* 2013; 12: 780-784.
16. Woollard AC, Tatham KC, Barker S. The influence of essential oils on the process of wound healing: a review of current evidence. *Journal of Wound care* 2007; 16: 255-257.