




















## The Pricelist of 3-24W LED Panel Downlights





	Specification	Power	Color Temp
	Item : 3W LED Panel Light Material : Aluminum + Diffusion Plate + Light Guide Plate Input Voltage : AC85-265V 50/60Hz Product Size : 85 mm / 85*85 mm Cut-out : 75 mm / 75*75 mm LED Light Source : 15PCS 2835 SMD LED Luminous Efficiency:80LM/W Power Factor 0.95 CRI>75Ra,Lifespan : 50000hours	3W	3000/6000K±300
	Item : 6W LED Panel Light Material : Aluminum + Diffusion Plate + Light Guide Plate Input Voltage : AC85-265V 50/60Hz Product Size : 120 mm / 120*120 mm Cut-out : 105 mm / 105*105 mm LED Light Source : 30PCS 2835 SMD LED Luminous Efficiency:80LM/W Power Factor 0.95 CRI>75Ra,Lifespan : 50000hours	6W	3000/6000K±300
	Item : 9W LED Panel Light Material : Aluminum + Diffusion Plate + Light Guide Plate Input Voltage : AC85-265V 50/60Hz Product Size : 150 mm / 150*150 mm Cut-out : 130 mm / 130*130 mm LED Light Source : 45PCS 2835 SMD LED Luminous Efficiency:80LM/W Power Factor 0.95 CRI>75Ra,Lifespan : 50000hours	9W	3000/6000K±300
	Item : 12W LED Panel Light Material : Aluminum + Diffusion Plate + Light Guide Plate Input Voltage : AC85-265V 50/60Hz Product Size : 170 mm / 170*170 mm Cut-out : 150 mm / 150*150 mm LED Light Source : 60PCS 2835 SMD LED Luminous Efficiency:80LM/W Power Factor 0.95 CRI>75Ra,Lifespan : 50000hours	12W	3000/6000K±300

 	<p>Item : 15W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz Product Size : 200 mm / 200*200 mm Cut-out : 180 mm / 180*180 mm  LED Light Source : 75PCS 2835 SMD LED Luminous  Efficiency:80LM/W  Power Factor 0.95  CRI&gt;75Ra,Lifespan : 50000hours</p>	15W	3000/6000K±300
 	<p>Item : 18W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz Product Size : 225 mm / 225*225 mm Cut-out : 200*200 mm  LED Light Source : 90PCS 2835 SMD LED Luminous  Efficiency:80LM/W  Power Factor 0.95  CRI&gt;75Ra,Lifespan : 50000hours</p>	18W	3000/6000K±300
 	<p>Item : 24W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz Product Size : 300 mm / 300*300 mm Cut-out : 280 mm / 280*280 mm  LED Light Source : 90PCS 2835 SMD LED Luminous  Efficiency:80LM/W  Power Factor 0.95  CRI&gt;75Ra,Lifespan : 50000hours</p>	24W	3000/6000K±300

### The Pricelist of LED Panel Light

	<p>Item : 10W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz  Product Size : 300*300*10mm  LED Light Source : 50PCS 4014 SMD LED Luminous Efficiency : 100-130LM/W Luminous Flux : 800LM  CRI&gt;75Ra,Lifespan : 50000hours</p>	10W	3000/6000K±300
	<p>Item : 20W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz  Product Size : 300*300*10mm  LED Light Source : 100PCS 4014 SMD LED Luminous  Efficiency : 100-110LM/W Luminous Flux : 1600LM  CRI&gt;75Ra,Lifespan : 50000hours</p>	20W	3000/6000K±300

	<p>Item : 40W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz  Product Size : 300*300*12mm  LED Light Source : 80PCS 5730 SMD LED Luminous Efficiency : 100-110LM/W Luminous Flux : 3200LM CRI&gt;75Ra,Lifespan : 50000hours</p>	40W	3000/6000K±300
	<p>Item : 20W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz  Product Size : 300*600*10mm  LED Light Source : 100PCS 4014 SMD LED Luminous Efficiency : 100-110LM/W Luminous Flux : 1450LM CRI&gt;75Ra,Lifespan : 50000hours</p>	20W	3000/6000K±300
	<p>Item : 36W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz  Product Size : 300*600*10mm  LED Light Source : 180PCS 4014 SMD LED Luminous Efficiency : 100-110LM/W Luminous Flux : 2900LM CRI&gt;75Ra,Lifespan : 50000hours</p>	36W	3000/6000K±300
	<p>Item : 36W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz  Product Size : 300*120*10mm  LED Light Source : 180PCS 4014 SMD LED Luminous Efficiency : 100-110LM/W Luminous Flux : 3300LM CRI&gt;75Ra,Lifespan : 50000hours</p>	36W	3000/6000K±300
	<p>Item : 72W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz  Product Size : 300*120*10mm  LED Light Source : 360PCS 4014 SMD LED Luminous Efficiency : 100-110LM/W Luminous Flux : 5500LM CRI&gt;75Ra,Lifespan : 50000hours</p>	72W	3000/6000K±300
	<p>Item : 30W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz  Product Size : 600*600*10mm  LED Light Source : 150PCS 4014 SMD LED Luminous Efficiency : 100-110LM/W Luminous Flux : 2400LM CRI&gt;75Ra,Lifespan:50000hours</p>	30W	3000/6000K±300
	<p>Item : 36W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz  Product Size : 600*600*10mm  LED Light Source : 180PCS 4014 SMD LED Luminous Efficiency : 100-110LM/W Luminous Flux : 2880LM CRI&gt;75Ra,Lifespan:50000hours</p>	36W	3000/6000K±300

	<p>Item : 40W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz  Product Size : 600*600*10mm  LED Light Source : 192PCS 4014 SMD LED Luminous  Efficiency : 100-110LM/W Luminous Flux : 2880LM  CRI&gt;75Ra,Lifespan:50000hours</p>	<p>40W</p>	<p>3000/6000K±300</p>
	<p>Item : 48W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz  Product Size : 600*600*10mm  LED Light Source : 240PCS 4014 SMD LED Luminous  Efficiency : 100-110LM/W Luminous Flux : 3800LM  CRI&gt;75Ra,Lifespan:50000hours</p>	<p>48W</p>	<p>3000/6000K±300</p>
	<p>Item : 80W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz  Product Size : 600*600*10mm  LED Light Source : 400PCS 2835 SMD LED Luminous  Efficiency : 100-110LM/W Luminous Flux : 6080LM  CRI&gt;75Ra,Lifespan:50000hours</p>	<p>80W</p>	<p>3000/6000K±300</p>
	<p>Item : 72W LED Panel Light  Material : Aluminum + Diffusion Plate + Light Guide Plate  Input Voltage : AC85-265V 50/60Hz  Product Size : 600*1200*10mm  LED Light Source : 360PCS 4014 SMD LED Luminous  Efficiency : 100-110LM/W Luminous Flux : 5500LM  CRI&gt;75Ra,Lifespan:50000hours</p>	<p>72W</p>	<p>3000/6000K±300</p>



# STALWART