

Poles/Lamp Post 2 - 36

Bollards/Path Lights 37 - 52

Wall Lights

 Outdoor wall lights 53 - 63

 Half cut walls 64 - 65

Gate Lights 66 - 78

Architectural Lights

 Ground Embeds 79 - 83

 Underwater Lights 84 - 85

 Swimming Pool Lights 86 - 89

 Highliters 90 - 93

Accent Lighting

 Architectural wall fixtures 94 - 103

 Step/Foot Lights 104 - 105

 Brick /Bulk heads 106 - 109


Wall washers / flood lights 110 - 114

Hanging 115 - 117

Nozzles 118 - 120

Security Light


 Sensors 121 - 122



Lamp Post


- Exterior •
- Garden •
- Courtyard •
- Promenade •
- Architectural •





Complete Aluminium diecast outdoor pole & top with polycarbonate diffuser
 Suitable for EL, GLS, MH, HPSV LED, HPMV lamps. Equivalent to IP55
 Colour options available

Complete Aluminium diecast outdoor pole & top with polycarbonate diffuser
 Suitable for EL, GLS, MH, HPSV LED, HPMV lamps. Equivalent to IP55
 Colour options available




Aluminium cast base, ring, counter, arms & top with Aluminium pipe, outdoor pole, integrated with acrylic diffuser.
 Suitable for EL, LED lamps.
 Equivalent to IP44



Aluminium diecast outdoor weather proof fitting with heat resistant polycarbonate top suitable for EL, GLS, LED lamp.
 Equivalent to IP44



OS 3003



Complete Aluminium cast outdoor weatherproof fitting with glass diffuser & aluminium cast top suitable for EL, GLS, LED lamps
Equivalent to IP44



OS 3005

Aluminium cast base, ring, counter, arm light fitting with acrylic & glass diffuser
Suitable for EL, GLS, LED lamps.
Equivalent to IP44



OS 3004




Aluminium cast base, ring, counter, arm light fitting with acrylic & glass diffuser
Suitable for EL, GLS, LED lamps.
Equivalent to IP 44



OS 3006




Complete Aluminium cast body & top with acrylic diffuser. Suitable for EL, GLS, CFL, LED lamps. Equivalent to IP 44





OS 3007




OS 3009

Complete Aluminium cast pole & top with acrylic diffuser
Suitable for EL, GLS, CFL, LED lamps.
Equivalent to IP44



OS 3008



Aluminium cast outdoor weather proof fitting with aluminium cast pole & top with glass & acrylic diffuser.
Suitable for EL, GLS, LED lamps
Equivalent to IP44

Complete Aluminium cast weather proof body with PMMA / PC Globe of various size
Suitable for EL, GLS, LED lamps.



OS 3010



Aluminium pressure diecast pole & top with polycarbonate diffuser and anodizing reflector with MS base.
Suitable for MH-150w, GLS lamp, EL-85w, LED
Equivalent to IP56.






Complete Aluminium cast outdoor weatherproof fitting with aluminium pipe integrated with Acrylic/glass diffuser. Suitable for EL, CFL, GLS, LED lamps. Equivalent to IP44



OS 3011



OS 3012



Aluminium cast base with ring, counter, arms & top, with aluminium pipe integrated with Acrylic/glass diffuser. Suitable for EL, CFL, GLS, LED lamps. Equivalent to IP44



OS 3014




OS 3013



Complete Aluminium cast outdoor weather proof fitting with glass/Acrylic diffuser. Suitable for EL, CFL, GLS, LED lamps. Equivalent to IP44

Aluminium cast base top & aluminium pipe with Acrylic diffuser. Suitable for EL, GLS, CFL, LED lamps. Equivalent to IP55





OS 3015



600 mm

235 mm

2425 mm

Complete Aluminium pressure diecast pole & top with PC diffuser and anodised reflector suitable for 36w PL Equivalent to IP44



OS 3016



290 mm

226 mm

2130 mm

Aluminium cast weather proof base, ring & top with Aluminium pipe integrated with glass diffuser. Suitable for GLS, CFL, LED lamps. Equivalent to IP44



OS 3018



890 mm


2550 mm

225 mm

Aluminium cast base, arm, top & aluminium with hanging lantern fitting with glass/acrylic diffuser Suitable for EL, GLS, CFL, LED lamps. Equivalent to IP44



OS 3017




580 mm

225 mm

2550 mm

Aluminium cast base, arm, top & aluminium with hanging lantern fitting with glass/acrylic diffuser Suitable for EL, GLS, CFL, LED lamps.



OS 3019



OS 3021



OS 3020



Complete Aluminium cast base, ring, counter top & aluminium pipe with glass diffuser. Suitable for EL, CFL, GLS, LED lamps. Equivalent to IP44




OS 3022

Aluminium cast top ring & Aluminium pipe & MS base integrated with Acrylic diffuser & anodised reflector. Suitable for MH 150w, CFL, LED lamp. Equivalent to IP 44




Aluminium pipe pole & MS pole with wing type acrylic reflector with indirect lighting artistic side hole with acrylic diffuser with T-5 Tube LED. Suitable for MH 150w, Par-30 LED lamp. Equivalent to IP 56



OS 3023




Complete Aluminium cast weather proof Pole & base with acrylic top for indirect lighting. Suitable for 70w CDMT, 150w MH lamps. Equivalent to IP56



OS 3024



Complete Aluminium cast pole & top with glass diffuser for GLS, CFL, LED lamps. Equivalent to IP44.




OS 3025





Complete Aluminium cast weather proof pole with Arm & top integrated with glass diffuser Suitable for GLS, LED lamps. Equivalent to IP44




OS 3028



Aluminium cast weather proof base, ring, arm, top with Aluminium pipe integrated with glass diffuser. Suitable for GLS, LED lamps. Equivalent to IP44




OS 3029 (S)



MS body pole & base with Aluminium cast arm, with Acrylic, Polycarbonate diffuser Globe. Suitable for GLS, CFL, LED lamps. Equivalent to IP56



OS 3029 (D)



MS body pole & base with Aluminium cast arm, with Acrylic, Polycarbonate diffuser Globe. Suitable for GLS, CFL, LED lamps. Equivalent to IP56



OS 3030



Complete Aluminium cast base, pole counter, arm & top integrated with acrylic diffuser. Suitable for EL, GLS, LED lamps. Equivalent to IP44







OS 3031




OS 3032




OS 3033



OS 3034



Complete Aluminium cast pole & top with glass diffuser. Suitable for GLS, EL, CFL, LED lamps. Equivalent to IP44



OS 3035

OS 3036

OS 3037

OS 3038

OS 3035: Aluminium & MS pipe pole with aluminium cast top integrated with acrylic diffuser. Suitable for GLS, Par30, G9, 150w LED lamps. Equivalent to IP56


OS 3036: Aluminium & MS pipe pole with aluminium cast top integrated with acrylic diffuser. Suitable for GLS, Par30, G9, 150w LED lamps. Equivalent to IP56

OS 3037: Aluminium cast base with aluminium pipe & MS pipe pole with Aluminium top integrated with reflector for indirect lighting with side holes with acrylic diffuser. Suitable for GLS, Par30, G9, 150w lamps. Equivalent to IP56

OS 3038: Aluminium cast base & top with aluminium pipe & MS pipe pole integrated with acrylic diffuser. Suitable for GLS, Par 30 G9, 150w lamps. Equivalent to IP56



OS 3039



Complete Aluminium cast base Pole, arm, ring, counter & top with glass diffuser. Suitable for GLS, CFL, LED lamps. Equivalent to IP44.



OS 3040



Complete Aluminium cast base Pole, arm, ring, counter & top with glass diffuser. Suitable for GLS, CFL, LED lamps. Equivalent to IP44.



OS 3041



Complete Aluminium cast base Pole, arm, ring, counter & top with glass diffuser. Suitable for GLS, CFL, LED lamps. Equivalent to IP44.



OS 3042





OS 3116





OS 3118



OS 3117

Aluminium cast base, ring, arm & top, aluminium pipe with glass diffuser. Suitable for EL, CFL, GLS, LED lamps Equivalent to IP44. Colour options available.



Aluminium cast base, ring, arm & top with aluminium pipe with acrylic diffuser. Weather proof suitable for EL, CFL, GLS, LED lamps Equivalent to IP44. Colour options available

Aluminium cast base, ring, arm, with aluminium pipe integrated with acrylic diffuser. Weather proof suitable for EL, CFL, GLS, LED lamps Equivalent to IP44. Colour options available



OS 3119



Complete Aluminium cast pole, base arm & top with acrylic/glass diffuser. Suitable for EL, CFL, GLS, LED lamps. Equivalent to IP44. Colour options available




OS 3120




Complete Aluminium cast body & top with acrylic/glass diffuser. Suitable for EL, CFL, GLS, LED lamps. Equivalent to IP44. Colour options available




OS 3121





Complete Aluminium cast pole & top with acrylic/glass diffuser. Suitable for EL, CFL, GLS, LED lamps. Equivalent to IP44. Colour options Available




OS 3122



OS 3123



OS 3124




Complete Aluminium cast base, ring, arm & top with aluminium pipe with glass diffuser. Suitable for EL, CFL, GLS, LED lamps. Weather proof Equivalent to IP44. Colour options available




OS 3125

OS 3126

OS 3127



Aluminium cast base pole & top with aluminium pipe with anodised reflector & glass diffuser. Suitable for LED, Par lamp, MH 150w, CDMT 150W lamps. Weather proof Equivalent to IP65



Aluminium pressure diecast pole & base with aluminium cast top with acrylic diffuser. Suitable for EL, CFL, GLS, EL LED lamps. Weather proof Equivalent to IP56.

Aluminium cast pole & top with aluminium pipe with acrylic reflector for indirect lighting. Suitable for LED, Par lamp, MH 150w, CDMT 150W lamps. Weather proof Equivalent to IP56.





OS 3128

Complete Aluminium cast pole & top with acrylic diffuser. Suitable for LED, CFL & EL lamps
Weather proof Equivalent to IP54. Colour options available.


OS 3129

OS 3130





Aluminium cast pole & top with acrylic diffuser. Suitable for LED, GLS, EL, CFL lamps.
Weather proof. Equivalent to IP56. Colour options available


Aluminium cast base with ring top arm & Aluminium pipe with acrylic/glass diffuser. Suitable for LED CFL & GLS lamp.
Weatherproof Equivalent to IP44.




OS 3131



OS 3132



OS 3133



Aluminium cast pole & top with glass diffuser.
 Suitable for GLS, EL, CFL, LED lamps.
 Equivalent to IP44

Aluminium cast pole & top with glass diffuser.
 Suitable for GLS, EL, CFL, LED lamps.
 Equivalent to IP44

Aluminium cast base & top with aluminium
 pipe & glass diffuser. Suitable for GLS, EL,
 CFL, LED lamps. Equivalent to IP44



OS 3137


OS 3135




OS 3134




OS 3136



Aluminium cast base & top with Aluminium pipe with glass diffuser & side arms for display of banners/flex/plant hangers. Suitable for GLS, EL, LED lamps. Equivalent to IP44.



Complete Aluminium cast body pole & top with glass diffuser. Suitable for GLS, EL, CFL, LED lamps. Equivalent to IP44.



Complete Aluminium cast pole & top with glass diffuser. Suitable for GLS, EL, CFL, LED lamps. Equivalent to IP54.

Complete Aluminium cast base, ring, arm & top with aluminium pipe, glass diffuser. Suitable for GLS, EL, CFL, LED lamps. Equivalent to IP44.