

## CAP PROFILES

### LOW-SWEEP PROFILE

- lower profile from visor to front panels
- silhouette molds well to head shape
- available unstructured or structured



### MID-CROWN PROFILE

- medium profile from visor to front panels
- silhouette holds shape with structured front panels



### MID-CROWN PRO PROFILE

- 'PRO' fit profile
- silhouette holds shape with structured front panels



### MILE HIGH FIT PROFILE

- high crown profile from visor to front panels
- steeper silhouette sits higher on the head



### 5-PANEL RETRO FIT

- medium profile from visor to front panel
- silhouette holds shape with dart in front panel








### ORIGINAL FIT

- medium profile from visor to front panel, but slightly less deep
- slightly relaxed silhouette but holds shape with dart in front panel



# DOMESTIC DECORATION LOCATION CODES

## CAPS



BSA: arched over back opening

BSB: backstrap *\*for micro heat seals only*

CB2: center back on a closed back

CF1: center front panel

HB2: high center back

LFP: centered on left front panel

LLF: lower left front panel

LRF: lower right front panel

RFP: centered on right front panel

LWB: back panel left side (1.5"Wx 1.5"H)

LWS: wearer's left side panel

FLS: wearer's front left side panel *\*heat seal only*

FRS: wearer's front right side panel *\*heat seal only*

RWB: back panel right side (1.5"Wx 1.5"H)


RWS: wearer's right side panel

# DOMESTIC DECORATION LOCATION CODES

## BUCKETS



CF1




CB2

CF1: center front panel

CB2: center back panel

## LADIES VISORS



CF1: logo needs to be centered down the middle of the visor front

VBF: logo needs to be centered on the band

VBL: center of the logo should be placed where the band meets the visor end on the left side

VBR: center of the logo should be placed where the band meets the visor end on the right side



VLT: visor left top *\*for micro heat seals only*

VRT: visor right top *\*for micro heat seals only*

VWL: logo placed on left side of visor

VVR: logo placed on right side of visor

## MEN'S VISORS



CF1: center front panel

LWB: back panel left side\*

LWS: left wearer's side panel


RWB: back panel right side\*

RWS: right wearer's side panel


VWL: off center left front panel

VVR: off center right front panel

*\*this location only available on the 3161*



LWS



RWS