

M2S TECH

Hello, we hope you are well and enjoying the end of the Spring season! Here are the M2S Tech highlighted products and updates from our suppliers since the start of the year. Feel free to reach out if you have any questions or would like any samples.



Infineon TLI4971 Current Sensor

The Infineon current sensors provide accurate and stable current measurement up to 120A. We offer eight different derivatives 25A, 50A, 75A as well as 120A - both, standard or UL certified versions. The products are intended for use in high-voltage industrial applications such as electric drives, photovoltaic inverters, power supplies or battery management systems.

[Learn More](#) or [Request a Sample](#)

Murata High Power Density 10:1 DC-DC Converters

Murata announces two new ultra-wide 10:1 ratio DC-DC converters, the 250W IRH-W80 half-brick and the 150W IRQ-W80 quarter-brick from Murata Power Solutions. Both high power density modules feature



efficiency levels above 91% with a 16 – 160 Vdc input voltage range. Typical applications include powering equipment on board trains, such as infotainment, communications and lighting, and from a wide range of battery voltages, that require a reliable DC source.

[Learn More](#) or [Request a Sample](#)



Digi IX15 Cellular Router

The versatile Digi IX15 device functions as both gateway and router for customers seeking lower-cost, quicker-to-market alternatives to chip-down DIY designs for networking operations. Digi IX15 is an industrial-grade IoT gateway that connects Digi XBee® modules to cloud applications over cellular or

Ethernet, providing the easiest path to Internet connectivity for the Digi XBee ecosystem of hardware, software, services and award-winning tools.

[Learn More](#) or [Request a Sample](#)

Hirose FX26 - Floating BtB Connector

Combining shock and vibration resistance with high heat resistance up to 140°, the FX26 Series connector delivers high reliability in harsh environment applications.

Key Benefits:

- Improves assembly time and reduces costs by replacing traditional cable connectors
- Absorbs misalignment while tightening screws and PCB shrinkage caused by high temperatures
- Large effective mating length for improved performance and reliability.



[Learn More](#) or [Request a Sample](#)



AZ Displays 10.25" IPS LCD

AZ Displays continues to expand its product offering for the industrial and medical market. The newest IPS module, ATM1025L1-CT, is a unique wide aspect ratio IPS display that is designed to operate at -30 to 85oC. This LCD module has already received a lot of interest in the market for medical applications, time management systems, marine clusters, and several other designs. This 10.25" display was designed with high performance in mind.

[Learn More](#) or [Request a Sample](#)

Kind regards,
Your Team at M2S Tech



©2021 M2S Tech | 104 E 7th St. Coralville, IA

[Web Version](#)

[Forward](#)

[Unsubscribe](#)

Powered by
[GoDaddy Email Marketing](#)®