

## Certificate of Analysis

**Company:** Greenmont Craft Cannabis Co.    **Sample ID:** Emergen C 1  
**Lot:** SCLT 0233 003  
**Matrix:** Flower

**Report Date:** 1/31/2024  
**Date Analyzed:** 1/26/2024  
**Analyst:** 045  
**Report ID:** C240124AC

**Customer ID:** 220215-1  
**Grower License #:** SCLT0233

**Date Sampled:** N/A  
**Date Received:** 1/24/2024


### Terpenes Summary

Terpene	LOQ (mg/g)	Results (mg/g)	Weight (%)
<b>α- Pinene</b>	0.010	0.862	0.086
<b>Camphene</b>	0.010	0.181	0.018
<b>β-Myrcene</b>	0.010	1.905	0.191
<b>b-Pinene</b>	0.010	1.384	0.138
<b>3-Carene</b>	0.010	0.057	0.006
<b>α-Terpinene</b>	0.010	0.029	0.003
<b>Limonene</b>	0.010	5.105	0.511
<b>p-Cymene</b>	0.010	<LOQ	<LOQ
<b>Ocimene</b>	0.010	<LOQ	<LOQ
<b>Eucalyptol</b>	0.010	0.016	0.002
<b>γ-Terpinene</b>	0.010	0.025	0.003
<b>Terpinolene</b>	0.010	1.789	0.179
<b>Linalool</b>	0.010	4.539	0.454
<b>Isopulegol</b>	0.010	<LOQ	<LOQ
<b>Geraniol</b>	0.010	<LOQ	<LOQ
<b>Caryophyllene</b>	0.010	4.821	0.482
<b>α-Humulene</b>	0.010	1.960	0.196
<b>Trans-Nerolidol</b>	0.010	<LOQ	<LOQ
<b>Cis-Nerolidol</b>	0.010	<LOQ	<LOQ
<b>Guaiol</b>	0.010	0.092	0.009
<b>Caryophyllene Oxide</b>	0.010	0.013	0.001
<b>α-Bisabolol</b>	0.010	0.018	0.002
<b>Total Terpenes</b>		22.796	2.281

11.05%
Percent Moisture

LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS



Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: \_\_\_\_\_

*Luke E. M.*

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)