

Certificate of Analysis

Company:Greenmont Craft Cannabis Co.Sample ID:Member Berry305 Route 15Lot:002Jericho, VT 05465Matrix:FlowerCustomer ID:220215-1Date Sampled:N/AGrower License #:SCLT0233Date Received:10/19/2023

Report Date: 11/1/2023 Date Analyzed: 10/25/2023 Analyst: 045 Report ID: C231019AY

Terpenes Summary

| Terpene | LOQ (mg/g) | Results (mg/g) | Weight (%) |
|---------------------|------------|---|---------------------|
| α- Pinene | 0.010 | 0.219 | 0.022 |
| Camphene | 0.010 | 0.023 | 0.002 |
| β-Myrcene | 0.010 | 7.789 | 0.779 |
| b-Pinene | 0.010 | 0.538 | 0.054 |
| 3-Carene | 0.010 | <loq< th=""><th><loq< th=""></loq<></th></loq<> | <loq< th=""></loq<> |
| α-Terpinene | 0.010 | 0.017 | 0.002 |
| Limonene | 0.010 | 1.973 | 0.197 |
| ρ-Cymene | 0.010 | <loq< th=""><th><loq< th=""></loq<></th></loq<> | <loq< th=""></loq<> |
| Ocimene | 0.010 | <loq< th=""><th><loq< th=""></loq<></th></loq<> | <loq< th=""></loq<> |
| Eucalyptol | 0.010 | 0.054 | 0.005 |
| Y-Terpinene | 0.010 | 0.020 | 0.002 |
| Terpinolene | 0.010 | 0.294 | 0.029 |
| Linalool | 0.010 | 1.708 | 0.171 |
| Isopulegol | 0.010 | <loq< th=""><th><loq< th=""></loq<></th></loq<> | <loq< th=""></loq<> |
| Geraniol | 0.010 | 0.035 | 0.004 |
| Caryophyllene | 0.010 | 1.964 | 0.196 |
| α-Humulene | 0.010 | 0.925 | 0.093 |
| Trans-Nerolidol | 0.010 | <loq< th=""><th><loq< th=""></loq<></th></loq<> | <loq< th=""></loq<> |
| Cis-Nerolidol | 0.010 | <loq< th=""><th><loq< th=""></loq<></th></loq<> | <loq< th=""></loq<> |
| Guaiol | 0.010 | <loq< th=""><th><loq< th=""></loq<></th></loq<> | <loq< th=""></loq<> |
| Caryophyllene Oxide | 0.010 | 0.065 | 0.007 |
| α-Bisabolol | 0.010 | 0.051 | 0.005 |
| Total Terpenes | | 15.675 | 1.568 |

13.19% Percent Moisture LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).

Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS

Reagent Blanks: < LOQs for all analytes

All results reflect dry weight of material, based on % moisture of the sample.

All moisture analysis is determined by loss-on-drying measurement using OHAUS Model MB90 Moisture Content Readers.



This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. Results apply to the samples as received.

Certified by: _

Luke E.M.

(802) 540-0148 laboratory@biadiagnostics.com

Luke Emerson Mason (Laboratory Director, Bia Diagnostics)