











REBUILD, **ASSEMBLY, AND STORAGE**



WEIGHT PART# PACKAGE 5W-20 KE-925 10/1 qt 10W-30 KE-930 10/1 gt 5W-30 KE-935 10/1 qt 10W-40 KE-940 10/1 qt 20W-50 KE-950 10/1 at 15W-40 KE-954 10/1 at 15W-50 KE-955 10/1 qt

Also available 5 gal and 55 gal

Pure Estorlin Racing Engine Lubricant

- Designed for circle track, drag racing, sports car racing, and hot rod applications.
- · Optimized to mitigate oxidation.
- Contains robust zinc package to protect hardware from wear.
- Contains powerful dispersant and detergent package to maintain engine cleanliness and prevent deposits.
- Boosted with friction modifying chemistry to lower oil temperatures and mitigate wear.
- Shear-stable polymers allow the lubricant to maintain performance and viscosity under severe operating conditions.



WEIGHT PART# PACKAGE 10W-40 KD-100 1 gal

KLOTZ

WEIGHT PART# PACKAGE

5W-40 KD-200 1 gal

15W-40 KD-201 1 gal

COMING SOON!

SD-1

- Designed for high mileage light or medium-duty work trucks that routinely encounter severe duty cycles.
- Compatible with emission aftertreatment systems.
- · Additive package is optimized to reduce wear and mitigate oxidation.
- · Multi-functional detergent and dispersant manages excessive levels of soot and maintains engine cleanliness.
- Pour point depressants ensure excellent low-temperature pumpability and lubrication.
- High-performance polymers deliver long-term shear stability.

Designed for high-performance

• NOT compatible with emission

• Additive package is optimized

· Multifunctional detergent and

dispersant system manages

excessive levels of soot and

• High-performance polymers

• Friction modifying chemistry

lowers oil temperatures and

maintains engine cleanliness.

• Contains zinc to protect hardware

deliver long-term shear stability.

aftertreatment systems.

to mitigate oxidation.

from excessive wear.



WEIGHT PART# PACKAGE 75W-75 KE-960 10/1 qt 75W-80 KE-970 10/1 qt

Also available 5 gal and 55 gal




 Advanced additive package provides superior seal protection, corrosion prevention, and deposit • High-quality base stocks provide

stability. • Contains extreme pressure anti-wear chemistry to extend gear and bearing life.

excellent oxidative and hydrolytic

· Boosted with friction modifiers to improve overall transmission performance.







• High-quality base stocks provide excellent oxidative and hydrolytic stability.

and consistent clutch operation.

· Recommended for Bert, Falcon, and Brinn style transmissions.



WEIGHT PART# PACKAGE 30W-60 KE-966 10/1 gt 75W-75 KE-965 10/1 gt 75W-80 KE-975 10/1 qt 75W-90 KE-980 10/1 qt 75W-110 KE-995 10/1 qt 75W-140 KF-994 10/1 at 80W-90 KE-990 10/1 qt 250WT KE-996 10/1 qt

Also available: 5 gal and 55 gal

PART#

KE-910

PACKAGE

20/4 oz

FREE-GEAR HYPOID **GEAR LUBRICANT** • Designed for light-duty or

- heavy-duty axles. Advanced additive package provides superior seal protection, corrosion prevention, and deposit
- Contains extreme pressure anti-wear chemistry to mitigate wear and extend gear life.

mitigation.

- Anti-foam agents suppress foam and prevent aeration during highspeed operation.
- The 75W-75 and 75W-80 viscosity grades are optimized for qualifying.
- The 30W-60 viscosity grade is optimized for lower horsepower crate motor race cars.
- The 250WT viscosity grade is optimized for desert racing.



PART#

KL-311

PACKAGE

10/12 oz



PACKAGE 10/1 pt

ASSEMBLY LUBE • Provides lubrication during

- Creates a tenacious film on engine components to prevent metal-on-metal contact.
- · Quickly mixes with engine oil once the engine is running.

assembly and initial start-up.

 Boosted with corrosion inhibitors to protect machined components and assembled engines while in storage.



COMING SOON!

PURE ESTORLIN ESC

- Mitigates low speed preignition and protects turbochargers
- · Multifunctional detergent and and carbon deposits.
- extended periods of hightemperature operation.
- conventional and hybrid drivetrains.
- aeration that can interfere with variable valve timing systems.
- or gasoline particulate filters.


- in TGDI engines.
- dispersant prevent sludge, varnish,
- Powerful antioxidants prevent degradation and thickening under
- Compatible with both
- Formulated to prevent high-RPM
- Will not damage emission systems

- Not compatible with emission aftertreatment systems.
- Contains high levels of zinc to protect camshafts, lifters, and bearings during the break-in process.
- Boosted with detergents to neutralize acids created by
- Designed for use with Klotz KL-107 UPLON Upper Cylinder Lubricant.

reduces wear.

SD-2

diesel engines.



- aftertreatment systems.
- to protect engine hardware from excessive wear during the break-in process.
- levels of soot and prevent life of an engine.
- The formulation has an extremely high base number to neutralize acids that can form due to elevated levels of blowby in new engines.

WEIGHT PART# PACKAGE 75W-80 KL-506 10/1 qt Also available:

LUBRICANT


- Designed for high-performance
- reduces gear wear and operating
- Friction modifying chemistry optimized to deliver smooth, quiet,

LIMITED SLIP AXLE BOOSTER

- Designed exclusively for limited slip differentials/axles.
- NOT for use in automatic transmissions.
- Can be mixed with existing axle lubricants to improve differential performance.
- · Reduces axle chatter and noise.
- Reduces operating temperature of the gear oil.
- Mitigates corrosion inside of the differential.
- Extends gear life.

@klotz1959

PART# KI-613 KL-633



Stabilizes ethanol and gasoline

Keeps fuel additives in suspension

and protects against corrosion and

STORBILIZER

water separation.

mixtures.

storage. Ideal for storing powersports

equipment during the offseason.

Not for sale in California.



PART# PACKAGE KI-610 10/16 oz KL-610 5 PL 5 gal

FOGON STORAGE AND AFTER RUN LUBRICANT

- Provides protective shield of lubrication for all types of engines.
- Guards against harsh environmental elements including rust and corrosion for extended periods of storage or non-use.
- Reduces maintenance and operation cost.
- Fast clean start-up after storage.
- Perfect for after run lubricant.
- Great for marine winter storage lubricant.



WEIGHT PART# PACKAGE 40WT KE-903 10/1 qt

5 gal and 55 gal*

BREAK-N ENGINE OIL

- Break-in lubricant for new racing engines.
- elevated levels of blowby in new engines.





- NOT compatible with emission
- Contains a robust zinc package
- Contains detergents and dispersants to manage excessive deposits that can form early in the







PART# KL-106 10/1 pt KL-107 10/1 gt

Also available:

UPLON

- Recommended for street and strip
- Provides upper cylinder and fuel pump lubrication.
- · Blends with methanol alcohol, ethanol, nitromethane, gasoline, and E-85.
- Maintains constant fuel pressure.
- Extends fuel pump life.
- · Reduces maintenance by keeping fuel injectors clean.
- Reduces maintenance and wear on valve train systems.
- Protects against harmful effects of ethanol and methanol fuels.



PART# PACKAGE KS-300 1 gal KS-300 5PL 5 gal KS-300 55GL 55 gal

KCP22

- Provide short-term protection during honing/machining, metal forming, assembly, and transport.
- Provide long-term protection during warehouse storage.
- Mitigate slag/spatter buildup during welding or laser cutting.
- · Forms a protective boundary with out leaving a thick or sticky film that will attract dirt and debris.
- · Non-staining chemistry.
- · Can be used with ferrous and aluminum alloys.
- · Low odor formulation.
- · Easier to apply and remove than traditional petroleum wax products.



PART# KL-604

PACKAGE 10/1 pt

CLEANEST FUEL SYSTEM CLEANER

- · Designed for gasoline engines.
- Compatible with carburetors, port fuel injection, direct injection, and turbocharged direct injection.
- NOT recommended for gasoline blends with more than 70% ethanol.
- Removes carbon deposits from intake valves, combustion chambers, piston crowns, fuel injectors, spark plugs, oxygen sensors, and catalytic converters.
- Restores fuel economy and performance.
- Unique surface-active chemistry continues to clean after the treated fuel is consumed.

PART#	PACKAGE
KL451	1 gal
KI-450	5 gal

HITRATE RACING GASOLINE CONCENTRATE

- Converts 92 octane pump gasoline to 103-105 octane racing gasoline.
- Unleaded formula.
- Provides smoother torque curves for more usable power.
- · Cost-effective alternative to racing gasoline.
- · Blends with gasoline and ethanol enriched fuels.
- · Available in travel pack size.

K-KLEAR ANTI-FOG LENS GEL



- · Non-abrasive cleaning gel that creates an anti-fog coating on eyewear and visors.
- Will not damage prescription lenses or coated lenses.
- Non-flammable, non-toxic, biodegradable, and silicone-free.
- NOTE: May not entirely stop fogging on lenses with an anti-reflective coating.



PART# KS-400

Also available: 15 Pieces with 1 POP