



AUTOMOTIVE ENGINE





WEIGHT PART# PACKAGE 5W-20 KE-925 10/1 qt 10W-30 KE-930 10/1 gt 5W-30 KE-935 10/1 qt 10W-40 KE-940 10/1 qt 20W-50 KE-950 10/1 qt 15W-40 KE-954 10/1 at 15W-50 KE-955 10/1 qt 15W-55 KE-915 10/1 qt

Also available: 5 gal, 30 gal, and 55 gal*

Pure Estorlin Racing Engine Lubricant

- Designed for circle track, drag racing, sports car racing, and hot rod applications.
- · Optimized to mitigate oxidation.
- Contains robust zinc package to protect hardware from wear.
- Contains powerful dispersant and detergent package to maintain engine cleanliness and prevent deposits.
- Boosted with friction modifying chemistry to lower oil temperatures and mitigate wear.
- Shear-stable polymers allow the lubricant to maintain performance and viscosity under severe operating conditions.



WEIGHT PART# PACKAGE

40WT KE-903 10/1 qt


5 gal, 30 gal, and 55 gal*

COMING SOON!

PURE ESTORLIN ESC

- Mitigates low speed preignition and protects turbochargers in TGDI engines.
- · Multifunctional detergent and dispersant prevent sludge, varnish, and carbon deposits.
- Powerful antioxidants prevent degradation and thickening under extended periods of hightemperature operation.
- Compatible with both conventional and hybrid drivetrains.
- Formulated to prevent high-RPM aeration that can interfere with variable valve timing systems.
- Will not damage emission systems or gasoline particulate filters.

BREAK-N ENGINE OIL



- Not compatible with emission aftertreatment systems.
- Contains high levels of zinc to protect camshafts, lifters, and bearings during the break-in process.
- Boosted with detergents to neutralize acids created by elevated levels of blowby in new engines.
- Designed for use with Klotz KL-107 UPLON Upper Cylinder Lubricant.





WEIGHT PART# PACKAGE 10W-40 KD-100 1 Gal


KLOTZ

COMING SOON!

SD-1

- Designed for high mileage light or medium-duty work trucks that routinely encounter severe duty cycles.
- Compatible with emission aftertreatment systems.
- · Additive package is optimized to reduce wear and mitigate oxidation.
- · Multi-functional detergent and dispersant manages excessive levels of soot and maintains engine cleanliness.
- Pour point depressants ensure excellent low-temperature pumpability and lubrication.
- High-performance polymers deliver long-term shear stability.

SD-2



- NOT compatible with emission aftertreatment systems.
- Additive package is optimized
- Multifunctional detergent and dispersant system manages excessive levels of soot and maintains engine cleanliness.
- Contains zinc to protect hardware from excessive wear.
- High-performance polymers deliver long-term shear stability.
- Friction modifying chemistry lowers oil temperatures and reduces wear.

- Designed for high-performance
- to mitigate oxidation.

Also available 5 gal, 30 gal, and 55 gal

WEIGHT PART# PACKAGE

75W-75 KE-960 10/1 qt

75W-80 KE-970 10/1 qt

WEIGHT PART# PACKAGE

75W-80 KL-506 10/1 qt

Also available

30 gal and 55 gal

FREE-GEAR QUALIFIER **TRANSMISSION LUBRICANT**

TRANSMISSION

LUBRICANTS

- Designed for motorsports and high-performance applications.
- Advanced additive package provides superior seal protection, corrosion prevention, and deposit


• High-quality base stocks provide

excellent oxidative and hydrolytic

- stability. • Contains extreme pressure anti-wear chemistry to extend
- · Boosted with friction modifiers to improve overall transmission performance.

FLEX DRIVE 30 **TRANSMISSION LUBRICANT**

gear and bearing life.



- Advanced additive package reduces gear wear and operating temperatures.
- High-quality base stocks provide excellent oxidative and hydrolytic stability.
- Friction modifying chemistry optimized to deliver smooth, quiet, and consistent clutch operation.
- · Recommended for Bert, Falcon, and Brinn style transmissions.



WEIGHT PART# PACKAGE 30W-60 KE-966 10/1 gt 75W-75 KE-965 10/1 gt 75W-80 KE-975 10/1 qt 75W-90 KE-980 10/1 qt 75W-110 KE-995 10/1 qt 75W-140 KF-994 10/1 at 80W-90 KE-990 10/1 qt 250WT KE-996 10/1 qt

Also available: 5 gal, 30 gal, and 55 gal

FREE-GEAR HYPOID **GEAR LUBRICANT**

• Designed for light-duty or heavy-duty axles.

REAR END

DIFFERENTIAL

LUBRICANTS

- Advanced additive package provides superior seal protection, corrosion prevention, and deposit mitigation.
- Contains extreme pressure anti-wear chemistry to mitigate wear and extend gear life.
- Anti-foam agents suppress foam and prevent aeration during highspeed operation.
- The 75W-75 and 75W-80 viscosity grades are optimized for qualifying.
- The 30W-60 viscosity grade is optimized for lower horsepower crate motor race cars.
- The 250WT viscosity grade is optimized for desert racing.

LIMITED SLIP AXLE



PART# PACKAGE

20/4 oz

KE-910

BOOSTER

- Designed exclusively for limited slip differentials/axles.
- NOT for use in automatic transmissions.
- Can be mixed with existing axle lubricants to improve differential performance.
- · Reduces axle chatter and noise.
- Reduces operating temperature of the gear oil.
- Mitigates corrosion inside of the differential.
- Extends gear life.

PART# PACKAGE KL-311 10/12 oz

ASSEMBLY LUBE

REBUILD,

ASSEMBLY,

AND STORAGE

- Provides lubrication during assembly and initial start-up.
- Creates a tenacious film on engine components to prevent metal-on-metal contact.
- · Quickly mixes with engine oil once the engine is running.
- Boosted with corrosion inhibitors to protect machined components and assembled engines while in storage.



PART# PACKAGE KI-613 10/1 pt KL-633

STORBILIZER Stabilizes ethanol and gasoline

- mixtures.
- Keeps fuel additives in suspension and protects against corrosion and water separation.
- Provides six to eight months of protection.
- Allows for easy start-ups after storage.
- Ideal for storing powersports equipment during the offseason.
- Not for sale in California.





WEIGHT PART# PACKAGE 5W-40 KD-200 1 Gal 15W-40 KD-201 1 Gal

SD-B

- Break-in lubricant for new or remanufactured diesel engines.
- NOT compatible with emission aftertreatment systems.
- Contains a robust zinc package to protect engine hardware from excessive wear during the break-in process.
- Contains detergents and dispersants to manage excessive levels of soot and prevent deposits that can form early in the life of an engine.
- The formulation has an extremely high base number to neutralize acids that can form due to elevated levels of blowby in new engines.



*Hazardous Material



PACKAGE 10/16 oz KL-610 5 PL 5 gal

FOGON STORAGE AND AFTER RUN LUBRICANT

- Provides protective shield of lubrication for all types of engines.
- Guards against harsh environmental elements including rust and corrosion for extended periods of storage or non-use.
- Reduces maintenance and operation cost.
- Fast clean start-up after storage.
- Perfect for after run lubricant.
- Great for marine winter storage lubricant.







PART# PACKAG KL-106 10/1 pt KL-107 10/1 qt

Also available: 30 gal and 55 gal

UPLON

- Recommended for street and strip use.
- Provides upper cylinder and fuel pump lubrication.
- Blends with methanol alcohol, ethanol, nitromethane, gasoline, and E-85.
- Maintains constant fuel pressure.
- Extends fuel pump life.
- Reduces maintenance by keeping fuel injectors clean.
- Reduces maintenance and wear on valve train systems.
- Protects against harmful effects of ethanol and methanol fuels.



PART# PACKAGE KS-300 1 gal KS-300 5PL 5 gal KS-300 55GL 55 gal

KCP22

- Provide short-term protection during honing/machining, metal forming, assembly, and transport.
- Provide long-term protection during warehouse storage.
- Mitigate slag/spatter buildup during welding or laser cutting.
- Forms a protective boundary with out leaving a thick or sticky film that will attract dirt and debris.
- Non-staining chemistry.
- Can be used with ferrous and aluminum alloys.
- · Low odor formulation.
- Easier to apply and remove than traditional petroleum wax products.



PART# KL-604

PACKAGE 10/1 pt

CLEANEST FUEL SYSTEM CLEANER

- · Designed for gasoline engines.
- Compatible with carburetors, port fuel injection, direct injection, and turbocharged direct injection.
- NOT recommended for gasoline blends with more than 70% ethanol.
- Removes carbon deposits from intake valves, combustion chambers, piston crowns, fuel injectors, spark plugs, oxygen sensors, and catalytic converters.
- Restores fuel economy and performance.
- Unique surface-active chemistry continues to clean after the treated fuel is consumed.

MINITED TO STATE OF THE PARTY O

PART#	PACKAGE
KL-425	10/1 pt
KL451	1 gal
KL-450	5 gal

HITRATE RACING GASOLINE CONCENTRATE

- Converts 92 octane pump gasoline to 103-105 octane racing gasoline.
- · Unleaded formula.
- Provides smoother torque curves for more usable power.
- Cost-effective alternative to racing gasoline.
- Blends with gasoline and ethanol enriched fuels.
- · Available in travel pack size.

K-KLEAR ANTI-FOG LENS GEL



PART# PACKAG
KS-400 single

Also available: 15 Pieces with 1 POP

- Non-abrasive cleaning gel that creates an anti-fog coating on eyewear and visors.
- Will not damage prescription lenses or coated lenses.
- Non-flammable, non-toxic, biodegradable, and silicone-free.
- NOTE: May not entirely stop fogging on lenses with an anti-reflective coating.